



22500149513

WELLCOME INSTITUTE LIBRARY	
Coll.	we!MOmec
Call	
No.	

EIGHTY-FIRST ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN ENGLAND AND WALES.

(1918.)

Presented to Parliament by Command of His Majesty.



LONDON:

PRINTED AND PUBLISHED BY
HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2, and 28, ABINGDON STREET, LONDON, S.W.1
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARLIF;
21, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

1920.

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1918.

	PAGE.
INTRODUCTORY REMARKS—	
Salient Features of the Vital Statistics of the Year	vii
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—	
POPULATION—	
Estimated Civilian Population by Sex and Age	ix
Estimated Population for calculation of Birth-rate and Marriage-rate... ..	x
Estimated Civil Populations and "Birth-rate" Populations of separate localities ...	x
Consequent alterations in tables	xi
MARRIAGES—	
Number and rate	xi
Changes in the Marriage-rate... ..	xi
Methods of Calculating Marriage-rates	xi
First Marriages and Re-marriages	xii
The Divorced	xiii
Age at Marriage: Bachelors, Spinsters, Widowers, Widows	xiii
Marriages of Minors	xvi
Proportion to All Marriages in Registration Counties	xvii
Mean Age at Marriage... ..	xvii
Changes in Mean Age... ..	xviii
Fluctuations of Marriage-rate in Different Sections of the Country and in Registration Counties	xix
Geographical Divisions employed (North, Midlands, South, Wales)	xix
Buildings in which Marriages may be Solemnized	xxii
Registered Buildings under the Operation of the Marriage Act, 1898	xxiii
BIRTHS—	
Number and rate	xxiii
Changes in the Birth-rate	xxiii
Birth-rates in Different Classes of Areas and Parts of the Country	xxiv
Sex Proportions at Birth	xxv
Seasonal Incidence	xxv
Illegitimate Births	xxvi
Illegitimate Birth-rates in Different Classes of Areas and Parts of the Country ...	xxvii
NATURAL INCREASE	
DEATHS—	
Number and rate	xxviii
Changes in the Death-rate	xxviii
Standardization of Death-rates for differences of Sex and Age constitution between Total Populations and for differences of Age constitution between Sex Populations	xxviii
International Standard Death-rate	xxviii
Effect of Influenza Epidemic on total Death-rate... ..	xxviii
Mortality of each Sex: Male Excess at Various Ages: Changes due to Influenza Epidemic	xxix
Mortality at Different Ages	xxx
Mortality of each Sex at Different Ages excluding excess Mortality from Influenza and Pneumonia	xxx
Death-rates at Age 0-5: Standardized to allow for effect of Falling Birth-rate on estimates of Child Population	xxxi
Effect of Influenza Epidemic	xxxi
Infant Mortality	xxxii
Trend of Mortality: Effect of Influenza	xxxii
Measures of the Mortality of Infants	xxxii
Diarrhoeal and non-diarrhoeal Mortality	xxxiii
Distribution: Area in conjunction with Sex, Age, and Cause	xxxiv
in Separate Weeks and Months, showing Legitimacy for England and Wales ...	xxxviii
in each County Borough and Aggregate of Urban and Rural Districts in each Administrative County: Infant Mortality and Mortality during First Four Weeks of Life	xl
Causes of Infant Mortality	xlv
Increase or Decrease at Various Ages as compared with 1911-14 and 1917... ..	xlv
Developmental and Wasting Diseases, 1886-1918	xlvi
by Sex, Age, and Legitimacy, 1918	xlvii
in Different Classes of Areas and Parts of the Country: Infant Mortality and Mortality during First Four Weeks of Life	xlviii
Mortality at Ages 1-5	li
at each Year of Age	li
from Various Causes	lii
Mortality at Age 1-2 in Different Classes of Areas and Parts of the Country ...	lii
Mortality of the Aged	liii
Centenarians	liv

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued.*

CAUSES OF DEATH—

Details shown for Various Areas	lv
Comparison of Registrar-General's with International Short List	lv

ENTERIC FEVER—

Trend of Mortality	lvi
Mortality in Different Classes of Areas and Parts of the Country	lvi
Mortality and Prevalence in Counties and County Boroughs	lvii

MALARIA—

Increase in number of Deaths during latter part of War	lvii
Origin of Malaria	lvii
Deaths by Sex in each year, 1881-90 and 1901-10	lviii
Mortality from Ague of each Sex in Registration Counties, 1871-1890	lviii
Deaths by Sex, 1911-1918 : Civilians and Non-civilians, distinguished during War Years	lx

SMALL-POX	lxi
------------------	-----

MEASLES—

Trend of Mortality	lxi
Mortality in Different Classes of Areas and Parts of the Country, 1916-18	lxi
Mortality in Counties and County Boroughs	lxii

SCARLET FEVER—

Trend of Mortality	lxii
Mortality in Counties and County Boroughs	lxii
Prevalence and Fatality	lxii

WHOOPIING COUGH—

Trend of Mortality	lxii
Mortality in Counties and County Boroughs	lxiii

DIPHTHERIA AND CROUP—

Trend of Mortality	lxiii
Mortality in Different Classes of Areas and Parts of the Country	lxiii
Prevalence and Fatality	lxiii
Mortality in Counties and County Boroughs	lxiv

INFLUENZA—

Mortality in 1918 (<i>see also special Report on epidemic, 1918-19</i>)	lxiv
--	------

DYSENTERY—

Analysis of Increased Mortality	lxiv
Deaths in Asylums and Hospitals	lxiv
Seasonal Incidence	lxv

VACCINIA	lxv
-----------------	-----

TUBERCULOSIS—

Trend of Mortality	lxv
Effect of Influenza Epidemic	lxv
Asylum Mortality	lxvii
Crude and Standardized Death-rates	lxviii
Mortality by Sex and Age	lxviii
Mortality in Counties and County Boroughs	lxix

PHTHISIS—

The Title more comprehensive than in Old List	lxix
Crude and Standardized Death-rates	lxix
Mortality by Sex and Age	lxx
Change in Age Distribution of Mortality	lxx

TUBERCULOUS MENINGITIS—

Trend of Mortality	lxxi
---------------------------	------

TUBERCLE OF THE PERITONEUM AND INTESTINES—

Trend of Mortality	lxxi
---------------------------	------

SYPHILIS—

Trend of Mortality	lxxi
---------------------------	------

CANCER—

Trend of Mortality	lxxi
Crude and Standardized Mortality	lxxi
Mortality by Sex and Age	lxxii
Sites of Fatal Cancer at Ages in each Sex	lxxiii
Mortality by Sex and Age from Cancer of Various Parts of the Body	lxxv
Frequency of fatal Cancer of Various Sites in Institutions and elsewhere, with distinction of Sex and Age	lxxv
Age distribution of Deaths from Cancer of Various Sites in Institutions and elsewhere	lxxvi

DEATHS—

Of all Infants and of Illegitimate Infants in various portions of the First Year of Life ; and Mortality (per 1,000 Births) of the First Four Weeks and of the First Year of Life in Administrative Areas, 1918	52
By Sex, and for Females by Condition as to Marriage, at each Year of Age	57
By Sex and Age—	
Greater London and Metropolitan Boroughs	58
County Boroughs	60
Urban and Rural Portions of Counties	65
From Various Causes by Sex and Age—	
England and Wales	72
London	102
County Boroughs	120
Other Urban Districts	138
Rural Districts	156
In each Quarter of the Year, distinguishing Sex and Cause, in Different Classes of Area	174
Of Non-Civilians in England and Wales, distinguishing Age and Cause	192
In various Classes of Institutions, distinguishing Cause and Place of Occurrence	193
By Sex and Short List of Causes and Ages—	
Summarized Areas	208
Greater London and Metropolitan Boroughs	219
County Boroughs	234
Urban and Rural Portions of Counties	275
By Sex and Short List of Causes in Administrative Areas	336
Deaths from Accident, Negligence, Battle, and Execution in England and Wales, distinguishing Age, and Cause or Nature of Accident; Males and Females	435
Deaths from Suicide in England and Wales, distinguishing Age and Method; Males and Females	447
Deaths from Murder in England and Wales, distinguishing Age and Method; Males and Females	449
Deaths from Manslaughter and Justifiable Homicide in England and Wales, distinguishing Age and Method; Males and Females	450

REPORT

TO

THE RIGHT HONOURABLE CHRISTOPHER ADDISON, M.D., M.P.,
THE MINISTER OF HEALTH, &C., &C.

(1918.)

SIR,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1918.

The provisional numbers of marriages, births, and deaths during 1918 in the registration counties of England and Wales, and of births and deaths in towns with a census population of 20,000 or more, were published early in March, 1919, in the "Annual Summary," which was incorporated with the Return for the Fourth Quarter of the year, the numbers being derived from returns furnished by the registrars acting throughout the country.

The present Report also relates to the year 1918, but the statistics have been compiled from the registers deposited in this Office, and they have been analysed in much greater detail than was possible in the Annual Summary.

The salient features of the vital statistics of 1918 are as follows :—The marriage-rate was 15·3 per 1,000, being 1·5 above the low rate in the preceding year (13·8) and 0·1 below the average in the last ten years, 1905–1914, which were unaffected by war conditions (15·4). The provisional figures for 1919 indicate a further rise to 19·7 per 1,000, the highest rate on record.

The birth-rate in 1918 was 17·7 per 1,000, being the lowest on record. This rate is 0·1 per 1,000 below that recorded for 1917, and 6·1 below that for 1914, which, particularly so far as the birth-rate is concerned, may be regarded as the last year unaffected by war conditions. Even this large reduction, however, amounting in all to nearly 26 per cent. in 1918 as compared with 1914, is believed to compare very favourably with the experience of other belligerent countries. The provisional figures for 1919 indicate a recovery, showing an increase of 0·8 per 1,000.

The civilian death-rate in 1918 was 17·6 per 1,000, being 3·2 above the rate in the preceding year. The increased mortality was due to the epidemic of influenza. Apart from this the year was one of extraordinary healthiness. The provisional figures for 1919 indicate a fall of about 3·8 per 1,000 notwithstanding the continuance of the influenza epidemic into the early part of the year.

Infant mortality was 97 per 1,000 births, being 1 per 1,000 above the rate in the preceding year, but 10 per 1,000 below the average of the ten years 1908–1917. It is one of the four lowest rates hitherto recorded. The provisional figures for 1919 show a rate of 89 per 1,000 births, or 2 per 1,000 births below that of 1916, which at 91 per 1,000 was the lowest hitherto returned. The comparison is, however, affected by the fact that the birth-rate was falling in 1916 and rising in 1919 ; and when the necessary allowance has been made for the effects of these movements the rates for the two years appear to be about equal. As before, the mortality of infancy and early childhood has been examined in special detail.

Compared with 1917 the mortality from enteric fever, measles and diarrhoeal diseases showed a decrease while that from scarlet fever, diphtheria and especially whooping cough showed an increase. The mortality from enteric fever was again the lowest on record.

As a result of the influenza epidemic, phthisis and pneumonia showed considerably increased mortality. On the other hand decreased mortality was recorded for other forms of tuberculosis and diseases of the circulatory system. The remarkable increase in the deaths from tuberculosis in lunatic asylums to which attention was drawn in the Report for 1917 continued in 1918.

Cancer mortality as stated in the form of an ordinary crude death-rate was higher than in any other year ; but if the comparison be made by means of standardized rates, which allow for the present abnormal age-constitution of the male civilian population, it will be seen that there was an appreciable decrease from the death-rate in the preceding year. Standardization, moreover, fails to eliminate entirely the fictitious increase due to the exclusion from the population in war years of a large number of men furnishing very few deaths from cancer. An attempt to make a fuller correction on this account shows that the standardized mortality in 1918 was most probably lower than that in 1911–14 also.

In Dr. Stevenson's Review of the Vital Statistics of the year special attention has been devoted to the following subjects :—estimation of population (pages ix–xi) ; infant mortality (pages xxxii–li) ; mortality of young children (pages li–liii) ; and of the aged (pages liii and liv) ; also, among the causes of death, malaria (pages lvii–lxi) ; dysentery (pages lxiv and lxv) ; encephalitis (pages lxxix and lxxx) ; poliomyelitis, polioencephalitis (pages lxxxii–lxxxiii) ; pneumonia (pages lxxxiv–lxxxviii) ; and suicide (pages xcv–xcviii).

The exceptional severity and unusual character of the outbreak of influenza during the year made it imperative to investigate the evidence concerning the matter which the mortality records of this Office afford. A special Report on the mortality caused by the epidemic will shortly be issued in the form of an Appendix to the present Report. It will deal with the whole epidemic period and thus embrace portions of both 1918 and 1919. Machine tabulation, which was first adopted for the purpose of the Annual Report for 1911, has greatly facilitated the classification of the mass of facts here brought under review. In view of its outstanding importance in the history of epidemics it has been thought wise to record the mortality of the outbreak in an exceptional degree of detail. The deaths attributed to influenza throughout the epidemic numbered 151,447, and the total mortality is estimated at close upon 200,000. These deaths have as far as practicable been tabulated by sex and age and by week and area of occurrence. The complete certification has also been recorded for every death attributed to influenza. It is believed that the amount of information thus afforded to students of the disease will be found to justify the labour and expense entailed by its publication. The cards relating to the deaths will be kept together as long as possible in order to enable further information to be tabulated if required.

The difficulty of estimating local populations, which always increases as the last Census becomes more distant, is still greatly accentuated by the unprecedented movement which the war has caused in our population ; and as was the case in the three preceding years populations used in the calculation of the death-rates of the various areas are civilian populations only. No analysis of these numbers by sex and age has been attempted except for England and Wales as a whole. As in the two previous Reports, an additional population suitable for the calculation of marriage-rates and birth-rates is given for the reasons stated on page x. This, however, must not be regarded as equivalent to the total population resident in this country, which in 1918, as in previous war years, was not adapted to the requirements of this Report, seeing that neither the marriages, births nor deaths registered could be directly related to it. Both the "birth-rate" population and the civilian population are shown for every administrative area on pages 19–51. As before, the limitation of the population estimates to persons, without distinction of age or sex, has necessitated the modification or omission of several tables of mortality rates.

With regard to the contents of this Report, the figures respecting the manner of solemnization of marriage and some other marriage statistics, and the tables of secondary causes of death have still to be discontinued as a measure of war economy. On the other hand a new table, arranged in consultation with the Local Government Board, has been inserted showing for county and metropolitan boroughs and for urban and rural portions of administrative counties details of age and legitimacy of children dying in the first year of life. A list of the changes made in the Abstracts will be found in the table of contents (page v) and one of those made in the numbered tables on page cix.

I have to convey my thanks to the Registrars-General of Scotland and Ireland for the information from which the tables of vital statistics of the United Kingdom have been compiled, to medical officers of health throughout the country, especially county medical officers of health, for their valuable assistance in securing accurate transfer of deaths from the district of occurrence to that of residence, and to Sir Napier Shaw, F.R.S., for the Meteorological Report upon the year 1918.

I have the honour to be,

Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

General Register Office,

Somerset House,

London, W.C.2,

February, 1920.

REVIEW OF THE VITAL STATISTICS OF THE YEAR 1918.

POPULATION.

Not only the difficulty, but the importance, of correct estimation of the population both of the whole country and of its various administrative divisions, has been greatly increased by the war, which has had the effect of rendering the methods relied upon in normal times quite useless for the purpose. At the same time the war has brought in its train sources of information not previously available, in the shape of the National Register and rationing statistics, which fortunately mitigate to a large extent the difficulties introduced by the exceptional internal movements of population brought about by it. The latter especially have been of great service in providing means of distributing, for 1918, the total civilian population otherwise arrived at amongst the administrative areas of the country.

The estimate of total civilian population for the whole of England and Wales has been carried out as follows:—Starting with the census population of 1911, the total civilian population of each sex in mid 1918 has been estimated by addition to this of births, immigrations, and discharges from the services to civil life; and by deduction of deaths, emigrations, and of men who either at the beginning of the war belonged to the fighting forces or who had joined them up to the date in question. In this way the totals of 13,777,100 civilian males and 19,697,600 females were arrived at.

Totals at all ages having been fixed in this manner, those at the several age groups were estimated, as for the two preceding years, by calculating survivors in civil life in each age group from amongst the estimated number of those aged one year younger in 1917 the numbers so arrived at being afterwards adjusted to agree with the totals already fixed for each sex. In the absence of a record of numbers enlisted from each age group it has been necessary, as in 1916 and 1917, to treat males of 15–45 as a single group. The 1917 and 1916 group totals were obtained in the same manner from those for 1915, in which year the estimate of age distribution was based upon the returns obtained under the National Registration Act of that year, so far as they served the purpose, and, for the rest, upon those of the census of 1911. Prior to 1915 it had been the practice to rely upon the census proportions alone, and it was because of the new difficulties created by the war and the means of partially overcoming them provided by the National Register that that practice was then departed from.

The method of estimating the number in each sex and age group by taking into account the numbers added to and withdrawn from it since the date of the last enumeration is to be preferred to the assumption of unchanging age distribution if the data required for its employment are available. This method is now in use so far as that portion of the population is concerned the estimates for which in 1915 were founded upon the National Register count of that year; while for the remainder of the population a combination of both methods has been used, the new having been applied to the results for 1915 obtained by the old. Adherence to the last recorded census proportions may give results demonstrably wrong, as was the case for instance in 1914, when the continued fall in the birth-rate and the exceptional volume of emigration since 1911 were known to have lessened the proportion of infants and young adults respectively. On the other hand the method now in use demands exact knowledge not only of the numbers of births and deaths and of the ages at which the latter occur but of the number and ages of immigrants and emigrants. The latter information is at present only partially available, and this deficiency, which in the past, when it was greater, prevented the method from being used at all, still prevents its employment from being wholly satisfactory.

The results obtained as described above are shown in the following table :—

TABLE I.—ENGLAND AND WALES : ESTIMATED CIVILIAN POPULATION by SEX and AGE in the MIDDLE of 1918.

Age group.	Males	Females.	Persons.
All Ages	13,777,100	19,697,600	33,474,700
0—	308,044	299,184	607,228
1—	329,845	323,987	653,832
2—	344,966	338,947	683,913
3—	374,145	371,825	745,970
4—	369,692	368,895	738,587
0—	1,726,692	1,702,838	3,429,530
5—	1,928,246	1,926,933	3,855,179
10—	1,883,853	1,895,215	3,779,068
15—	4,228,496	1,779,421	13,840,481
20—		1,729,767	
25—		1,718,814	
30—		1,613,265	
35—		1,480,451	
40—		1,290,267	
45—	969,686	1,105,028	2,074,714
50—	873,590	936,078	1,809,668
55—	713,644	752,684	1,466,328
60—	557,177	594,274	1,151,451
65—	405,504	474,448	879,952
70—	267,731	353,728	621,459
75—	139,673	206,821	346,494
80—	59,059	94,711	153,770
85 and upwards ...	23,749	42,857	66,606

It should be added that for the ages 0–5 in the above table no enumeration returns have been employed in fixing the estimate, which is based entirely upon the records of births and deaths during the five years ending in the middle of 1918, by the method described in the Report for 1916, pages xxii and xxiii. This method, which takes into account the heavy fall in the birth-rate during the last three or four years, was used for the first time in 1917. It yields a total for age 0–5 much lower than those shown in previous Reports for the same age, which were based upon the proportion at the Census of 1911.

Throughout this Report death-rates of males in 1918 are invariably based upon civilian deaths and civilian population. So far as localities are concerned this is necessary, both because of the impossibility of ascertaining the average military population of each district during the year and because experience has shown that under the system of transferring deaths to the area of previous residence civilian deaths alone can in war time be tabulated for local areas. The reasons for dealing similarly with the country at large are the desirability of maintaining a uniform practice in the matter throughout the Report, the fact that a large proportion of the military deaths were of sick and wounded men sent home from the theatres of war for treatment and so are not referable to the military population stationed in the country, and the impossibility of stating a total death-rate in time of war comparable with those of former years. It has not been thought necessary to deal similarly with enlisted females.

This method of statement, however, is clearly inapplicable to the birth-rate, as a large proportion of the year's births must be those of infants whose fathers were serving at the time in the combatant forces. For this reason the population to which the births are related cannot exclude the military element; nor can it be, as in peace time, the population estimated to be actually present in the country at the mid-year, for married men in the services who are given occasional home leave remain an effective element in the population so far as the birth-rate is concerned even though spending nearly all their time abroad. On similar grounds also an estimate of the total population, including forces serving overseas, is required for the calculation of marriage-rates. The number arrived at as representing the total population required for these purposes is 37,507,142.

The civilian populations of separate localities are derived from two independent sources, the National Register, of which a count was made for the purpose at the end of the second quarter of 1918, and the returns made under the scheme for rationing of

food. For various reasons neither of these enumerations is wholly satisfactory from a statistical point of view, population statistics not having been the primary object of either of them. It is believed, however, that the food returns improved with successive issues of coupons, and these have chiefly been relied upon for 1918, the National Register count being used as a check in certain cases of special difficulty. The results so obtained are certainly much superior to any which could have been prepared in this office by dependence upon the methods formerly employed in the absence of these exceptional sources of information, for the changes due to the war have been so great that these methods, unreliable even in times of peace, would have been largely useless. The aggregate of the estimates obtained as described was 33,633,041, or 0·473 per cent. more than the estimate for the whole country already arrived at. They were accordingly reduced to this extent in every case.

In arriving at these estimates the populations of institutions as defined by the Ministry of Food, amounting in all to about 450,000, have not been assigned to the districts in which they are situated, and so are not included in the total of 33,633,041 quoted above. As the aggregate of the local estimates was already in excess of the total established for the whole country this institutional population has been ignored. This has the effect of distributing it evenly over all the districts in the country and reducing the local estimates by a correspondingly higher factor. By this means the populations of institutions for the sick and infirm are dealt with on similar lines to the deaths occurring amongst them, which since 1910 have been transferred as far as possible to the area of former residence in each case.

The local populations used for birth-rate purposes, which, as well as the civilian populations used for death-rates, have been furnished to the medical officer of health concerned in each case, and which are shown along with the civilian population estimates on pages 19–51, were obtained by increasing the local civilian population estimate to the extent by which the birth-rate population of the whole country exceeds the civilian population. This method, which has been in use from 1916 onwards is no doubt open to serious objection, but no practical alternative has suggested itself which would not be even more so.

The food rationing returns of local populations unfortunately afford no information on which estimates sub-dividing these populations into sex and age groups can be based; and as the methods upon which such estimates have depended in the past have been rendered useless by the migration occasioned by the war they cannot be prepared until the census of 1921 is available for the purpose. Their absence has again necessitated the omission, or substantial modification, of many of the tables usually appearing in these Reports. For instance, the tables showing mortality by sex and age in England and Wales and in groups of administrative areas, which since 1911 have been incorporated in this Review of Vital Statistics, have now to be restricted to the country as a whole. Among the main tables of the report, Tables 2–4 (1914 numbering), showing the estimated sex and age population in administrative counties and county boroughs and in certain groups of these, cannot be given; although, as mentioned before, the total and civil populations at all ages estimated for administrative areas will be found on pages 19–51. The absence of requisite populations also accounts for the suspension of Tables 16–18, dealing with sex and age mortality in administrative counties and county boroughs, and of Tables 24–28, dealing with mortality by sex age and cause in administrative groups, while for the same reason the mortality from measles, whooping-cough, scarlet fever, and diphtheria and croup in Table 13 (23 in 1914) could no longer be based upon those ages on which the mortality from these causes more particularly falls, but is stated in terms of population at all ages.

MARRIAGES.

The marriages in England and Wales during the year 1918 numbered 287,163, corresponding to a rate of 15·3 persons married per 1,000 of the population at all ages. (See above as to population estimate used for this purpose.) This rate is 1·5 per 1,000 above the low record set up in 1917, and represents a return to about the average level prevailing before the war.

The proportion of marriageable persons in the population at different dates is not, however, a fixed one, and a more accurate measure is given by a rate in terms of the marriageable population only. Marriage-rates so calculated are shown for a series of years in Table 3. The rates for 1918, 51·9 for males and 41·0 for females, represent a considerable advance on the low records of the previous year. The rate for males is slightly above the average pre-war level; that of 41·0 for females, also recorded in 1909, is lower than was reached in any other year before the war (Table 3).

Table 4 shows that the marriages of the year were much more evenly distributed over its quarters than is usually the case, the rate in the first, which is normally much the lowest of the four, being unusually high, and those in the other three rather low. No doubt the conditions governing the choice of the marriage date for the husbands, a large proportion of whom must have been on active service at the time, would be very different from those ordinarily obtaining during peace.

It has to be borne in mind that the marriages registered in 1918 represented the marriages of the English population somewhat less accurately than in times of peace. On the one hand a number of our troops have contracted marriages in France and elsewhere abroad, and on the other hand a number of soldiers belonging to the colonial forces have married English women in this country. No figures are at present available of the number of marriages in either category during 1918, but it may well be that they amount to some thousands in each case. Both classes are of course partly English marriages in the sense that one of the parties is English; but under normal circumstances the marriage of the English soldier would have been registered here, and that of the Colonial would not, his bride emigrating before marriage. It may be doubted whether the net effect of the two opposed influences has been very great, but without some knowledge of the numbers of English soldiers marrying abroad it is impossible to form any definite opinion on this point.

First Marriages and Re-marriages.—Table II gives a general view of the changes in the proportion of first marriages and re-marriages since the year 1876. Tabulation in this respect was left incomplete for 1915 as a measure of war economy, but for subsequent years it has been found possible by a change of method to provide, as formerly, tables showing marriages in all the possible combinations of bachelors, spinsters, widowers, and widows. These tables will be found on pages 6–14. In order to economise space full detail of age is given only for all marriages and for marriages of bachelors and spinsters, but the same detail is available, if required, for marriages of bachelors with widows and of widowers with spinsters and with widows. It is hoped at a later date to fill in the figures for 1915 where missing.

TABLE II.—ENGLAND AND WALES, 1876–1918.—PROPORTIONS OF FIRST MARRIAGES and RE-MARRIAGES in 1,000 MARRIAGES.

Period.	Men.		Women.		Bachelors who married		Widowers who married	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876–80 ...	864	136	902	98	820	44	82	54
1881–85 ...	874	126	911	89	834	40	77	49
1886–90 ...	881	119	917	83	844	37	73	46
1891–95 ...	887	113	921	79	851	36	70	43
1896–1900	904	96	931	69	871	33	60	36
1901–05 ...	911	89	933	67	877	34	56	33
1906–10 ...	916	84	938	62	884	32	54	30
1911 ...	918	82	939	61	887	31	52	30
1912 ...	918	82	938	62	886	32	52	30
1913 ...	919	81	936	64	885	34	51	30
1914 ...	920	80	934	66	884	36	50	30
1915 ...	?	?	?	?	890	?	?	?
1916 ...	908	92	915	85	860	48	55	37
1917 ...	899	101	900	100	841	58	59	42
1918 ...	901	99	891	106	837	64	57	42

It will be seen from Table II that the proportion of bachelor-spinster marriages, which had been increasing throughout the whole of the period covered to a maximum in 1915, shows a sharp decline since that date. Conversely the proportion of widowers and especially of widows to the total has increased, and indeed marriages of widows have been relatively more common and those of widows with bachelors very much more common than at any previous period covered by the table. The explanation of the increase in the proportion of widows amongst the brides of the year is obviously the increased number of young widows created by the war. That of the smaller increase in the proportion of widowers amongst men marrying is less obvious, but it may be in part because widowers, being older men, have been less prevented from marriage by the war than bachelors.

This, however, will not explain the fact that an actual increase in the number of widowers marrying has occurred since 1913, from 23,212 in that year to 28,424 in 1918, the corresponding numbers for widows being 18,374 and 30,469. Table II shows that although the proportion of widower marriages continued to decrease up till the outbreak of war that of widow marriages, which had also been decreasing for many years, commenced to increase in 1912. It looks as if the increase in the marriages of widows were not wholly due to the war, and as if the tendency to increased re-marriage shown by widows even before the war, had now extended to widowers.

The Divorced.—The average annual numbers of persons divorced, and of divorced persons who re-married, are shown in Table III from 1876–80 onwards.

TABLE III.—ENGLAND AND WALES.—AVERAGE ANNUAL NUMBER OF PERSONS DIVORCED and of DIVORCED PERSONS who RE-MARRIED, 1876–1918.

Period.	Number of Persons Divorced.	Annual Number of Divorced Persons who re-married.							
		Total.	Men.	Women.	Divorced men marrying spinsters.	Divorced men marrying widows.	Divorced men and women inter-marrying.	Divorced women marrying bachelors.	Divorced women marrying widowers.
1876–80 ...	554	104	56	48	42	12	4	31	15
1881–85 ...	671	128	68	60	53	12	6	42	15
1886–90 ...	707	169	80	89	65	11	8	65	20
1891–95 ...	744	214	110	104	89	15	12	75	23
1896–1900 ...	980	345	172	173	138	24	20	126	37
1901–05 ...	1,126	509	262	247	205	38	38	181	47
1906–10 ...	1,247	693	356	337	276	53	54	253	57
1911 ...	1,160	702	365	337	300	39	52	265	46
1912 ...	1,174	782	402	380	321	51	60	280	70
1913 ...	1,154	854	415	439	322	51	84	337	60
1914 ...	1,712	911	439	472	356	49	68	352	86
1915* ...	1,360	?	?	?	?	?	?	?	?
1916 ...	1,980	920	466	454	364	76	52	336	92
1917 ...	1,406	791	429	362	350	62	34	268	77
1918 ...	2,222	885	495	390	390	81	48	288	78

* Numbers married in the year 1915 are not available.

The number of divorced men re-marrying is generally, but not always, greater than that of women. In 1917 and 1918 the excess was considerably greater than usual, whereas immediately before the war, in 1913 and 1914, the position was reversed.

The analysis by conjugal condition of divorced persons re-marrying in Table III is supplemented by a further analysis of these persons by age as well as conjugal condition on page 5.

The number of persons divorced is not a wholly trustworthy index of the growth of the population of divorced persons amongst whom these marriages occur. A number of persons divorced abroad re-marry in this country, sometimes visiting it for the purpose, though the opportunity of doing so has been temporarily suspended during the war; and divorced persons may not always be described as such in the certificates. Increasing accuracy, in this respect, of the returns may be the explanation of the great increase shown in the table in the proportion of divorced persons re-marrying to persons divorced—from 19 per cent. in 1876–80 to 40 per cent. in 1918. The sudden increase and great fluctuations in the numbers of persons divorced from 1914 onwards form a noteworthy feature of Table III.

Age at Marriage.—It would be interesting to trace the fluctuations in the marriage-rates of the various classes of persons concerned, but the uncertainties of estimation of the number of bachelors, widowers, etc., in the population are so considerable that these rates have hitherto been calculated only for periods adjacent to a census.

Table IV indicates that the age at marriage has been affected by the war for all classes of brides and bridegrooms except spinsters. Of the latter about 55 per cent. were under 25 years of age during the last few years before the war as against 63 per cent. in the later eighties. The proportion in 1918 was 54·8. The proportion of bachelors marrying under the same age was about 39 per cent. during 1911–14, having gradually fallen to that figure from almost 50 per cent. in 1886–90. It was 37·2 per cent. in 1918,

although the marriages of boys under 19 years of age had distinctly increased. The proportion of bachelors marrying at ages over 35 has also increased notably during the last three years, during which war conditions have checked the marriages chiefly of bachelors aged 20-30.

But the age at marriage of widowers and widows has been far more affected by the war than that of bachelors and spinsters. Immediately before the war the proportion of

TABLE IV.—ENGLAND AND WALES, 1886-1918.*—MARRIAGES of BACHELORS, SPINSTERS, WIDOWERS and WIDOWS at VARIOUS AGES per 1,000 MARRIAGES at ALL AGES.

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and up-wards.	Age not Stated.
<i>All Bachelor Bridegrooms.</i>														
1886-1890	1,000	0	4	20	47	424	309	96	33	13	6	3	2	43
1891-1895	1,000	0	3	17	43	415	333	108	37	14	6	3	2	19
1896-1900	1,000	0	3	15	39	411	346	110	39	15	6	3	2	11
1901-1905	1,000	0	3	13	35	390	360	122	41	16	7	3	2	8
1906-1910	1,000	0	3	11	30	370	372	132	46	17	8	3	2	6
1911 ...	1,000	0	3	11	28	350	380	139	50	19	9	3	3	5
1912 ...	1,000	0	3	11	28	347	378	140	52	20	9	4	3	5
1913 ...	1,000	0	3	12	30	348	372	141	53	21	9	4	3	4
1914 ...	1,000	0	3	13	29	350	367	139	54	23	10	4	3	5
1916 ...	1,000	1	4	11	24	335	355	144	65	31	14	6	4	6
1917 ...	1,000	2	7	13	25	329	350	143	64	33	17	7	4	6
1918 ...	1,000	2	8	13	25	324	351	141	63	33	20	8	5	7
<i>All Spinster Brides.</i>														
1886-1890	1,000	9	37	72	97	417	219	62	23	10	5	2	1	46
1891-1895	1,000	7	31	66	94	425	241	70	25	11	5	2	1	22
1896-1900	1,000	6	27	59	89	434	253	74	26	11	5	2	1	13
1901-1905	1,000	5	23	53	82	428	272	79	28	12	5	2	1	10
1906-1910	1,000	5	21	48	75	420	284	87	30	12	6	2	2	8
1911 ...	1,000	5	21	46	70	404	298	93	32	13	7	3	2	6
1912 ...	1,000	5	22	47	71	399	295	95	34	14	7	3	2	6
1913 ...	1,000	5	25	50	72	397	290	95	34	14	7	3	2	6
1914 ...	1,000	7	25	50	71	399	286	95	35	14	7	3	2	6
1916 ...	1,000	5	21	46	68	402	278	100	41	18	9	3	2	7
1917 ...	1,000	6	22	48	72	400	273	95	41	19	9	4	3	8
1918 ...	1,000	5	22	45	72	404	274	93	40	19	10	4	3	9
<i>Bachelors with Spinsters.</i>														
1896-1900	1,000	0	3	15	40	424	349	106	34	11	4	2	1	11
1901-1905	1,000	0	3	14	36	401	363	118	36	13	5	2	1	8
1906-1910	1,000	0	3	12	31	379	376	129	41	14	6	2	1	6
1911-1915	1,000	0	3	12	29	360	379	136	48	17	7	3	2	4
1911 ...	1,000	0	3	12	29	360	386	135	45	15	6	2	2	5
1912 ...	1,000	0	3	12	29	357	385	137	46	16	6	3	2	4
1913 ...	1,000	0	3	13	31	358	378	137	48	17	6	3	2	4
1914 ...	1,000	0	3	13	30	361	376	135	48	18	7	3	2	4
1915 ...	1,000	0	2	11	26	365	376	135	50	18	7	3	2	5
1916 ...	1,000	1	4	12	26	349	363	140	58	25	10	4	2	6
1917 ...	1,000	2	7	13	26	344	360	140	57	26	12	4	3	6
1918 ...	1,000	2	8	13	27	339	363	138	55	26	14	5	3	7
<i>Spinsters with Bachelors.</i>														
1896-1900	1,000	6	28	62	94	454	254	65	18	5	2	1	0	11
1901-1905	1,000	5	25	56	86	444	274	72	20	6	2	1	0	9
1906-1910	1,000	5	22	50	78	436	288	81	23	7	2	1	0	7
1911-1915	1,000	6	24	49	73	417	296	89	28	8	3	1	1	5
1911 ...	1,000	5	22	48	73	419	303	87	25	8	3	1	1	5
1912 ...	1,000	6	23	49	74	414	300	89	27	8	3	1	1	5
1913 ...	1,000	7	26	53	76	412	294	87	27	8	3	1	1	5
1914 ...	1,000	7	26	52	74	415	290	89	28	9	3	1	1	5
1915 ...	1,000	5	22	46	70	422	295	90	30	9	4	1	1	5
1916 ...	1,000	6	23	48	72	417	282	94	34	12	4	1	1	6
1917 ...	1,000	6	24	50	76	418	279	90	33	11	4	1	1	7
1918 ...	1,000	6	23	47	75	422	280	88	32	12	5	2	1	7

* For the year 1915 only figures relating to first marriages of both contracting parties are available.

TABLE IV—continued.

Period.	All Ages.	Minors.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Age not stated.
<i>All Widower Bridegrooms.</i>														
1886-1890	1,000	0	13	81	133	151	139	120	94	70	53	27	15	104
1891-1895	1,000	0	12	76	132	153	148	126	106	74	55	29	18	71
1896-1900	1,000	0	10	73	131	158	150	136	109	84	56	30	19	44
1901-1905	1,000	0	10	68	130	155	152	136	116	83	62	32	20	36
1906-1910	1,000	0	8	61	123	153	152	141	119	90	62	37	24	30
1911 ...	1,000	0	7	56	115	155	146	144	119	93	68	40	33	24
1912 ...	1,000	0	7	55	108	150	145	142	125	99	68	45	33	23
1913 ...	1,000	0	8	51	109	149	150	145	125	97	69	42	30	25
1914 ...	1,000	0	7	52	108	148	152	145	126	97	70	40	31	24
1916 ...	1,000	0	6	43	94	130	162	163	133	105	73	40	29	22
1917 ...	1,000	0	6	43	86	125	152	167	141	107	79	42	27	25
1918 ...	1,000	0	5	44	84	123	149	173	145	108	74	43	26	26
<i>All Widow Brides.</i>														
1886-1890	1,000	1	30	119	164	173	145	117	73	46	26	10	3	93
1891-1895	1,000	1	27	115	170	177	157	119	78	47	29	10	4	66
1896-1900	1,000	1	26	113	175	188	157	127	81	50	28	11	3	40
1901-1905	1,000	1	28	122	182	190	158	118	78	47	29	11	4	32
1906-1910	1,000	1	23	106	177	192	160	129	82	52	30	14	6	28
1911 ...	1,000	0	22	102	164	192	166	135	82	54	32	17	13	21
1912 ...	1,000	1	19	95	166	195	166	134	87	54	34	17	12	20
1913 ...	1,000	1	21	102	170	195	164	133	82	53	32	16	11	20
1914 ...	1,000	1	20	93	170	196	176	133	84	51	31	15	11	19
1916 ...	1,000	3	41	119	161	183	166	127	84	50	26	16	8	16
1917 ...	1,000	3	64	149	164	167	145	116	76	50	27	15	7	17
1918 ...	1,000	3	74	173	172	158	132	108	72	44	27	13	7	17

widowers marrying under the age of 45 was about 47 per cent. It had dropped somewhat suddenly to that figure from about 52 per cent. during 1886-1906. In 1918 it was 40.5 per cent., the corresponding increase having occurred at 45-60. It appears therefore to be men of these ages who are furnishing the increased numbers of widower bridegrooms, possibly as the result of war prosperity. There has been a large increase also in the small proportion of bachelors marrying at these ages. The increase in marriages of elderly widowers is sufficiently interesting to bear examination in a little greater detail, and the material for this is provided in the following table, which includes all the quinquennia of life in which over 1,000 widowers re-married in 1918.

TABLE V.—PROPORTIONS of WIDOWERS MARRYING in subsequent YEARS to those MARRYING in 1911 taken as 100.

		Ages of Widowers marrying Spinsters.									Ages of Widowers marrying Widows.									
		25—	30—	35—	40—	45—	50—	55—	60—	65—70	25—	30—	35—	40—	45—	50—	55—	60—	65—70	
1912	...	99	97	97	99	102	109	111	115	105	90	87	98	103	96	104	105	90	117	
1913	...	92	96	98	103	107	110	106	111	100	88	102	98	109	97	104	106	98	110	
1914	...	95	96	98	105	103	112	105	111	95	103	99	101	115	106	108	112	103	108	
1915	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1916	...	84	89	89	117	126	123	122	125	102	108	109	110	142	129	129	131	117	116	
1917	...	84	81	87	112	130	134	129	138	109	133	114	111	135	140	140	137	130	128	
1918	...	89	83	90	116	140	148	139	138	128	176	136	127	150	163	157	150	135	135	
		Ages of all Widowers marrying.																		
		25—	30—	35—	40—	45—	50—	55—	60—	65—70										
		1912	...	99	95	97	100	100	106	108	100	112								
		1913	...	92	96	98	105	103	107	106	103	106								
		1914	...	96	97	99	108	104	110	108	106	102								
		1915	...	—	—	—	—	—	—	—	—	—								
		1916	...	86	92	94	125	127	126	127	120	110								
		1917	...	88	86	93	120	134	137	133	133	119								
		1918	...	97	91	99	127	150	152	145	136	132								

It will be seen that the war increase in marriages of widowers applies to all ages from 40 to 70, but that, as already suggested by Table IV, it mainly affects men of 45-60. The numbers marrying under 40 years of age have declined during the war, as have those of bachelors of the same age, as a result, no doubt, of military service. The small number of young widowers marrying widows, however, has distinctly increased during the war, in consequence, no doubt, of the greatly increased numbers of young widows available; whereas that of young widowers marrying spinsters has decreased. At later ages also the increase in widowers marrying widows is somewhat greater than in those marrying spinsters, except at 60-65. The increase in both sub-divisions of the widower marriages is, however, very substantial, and the main feature of the table is its evidence of an increased tendency of elderly widowers to re-marry, whether the marriage is with a spinster or a widow. The movement may be compared with the increase of marriages amongst young widows, but with this fundamental difference—that the latter is no proof of an increased tendency of these widows to re-marry, the increase being probably due entirely to the increased number of women widowed at the ages in question.

The pre-war proportion of widows marrying at less than 40 years of age had been very steadily about 50 per cent. during the whole period covered by Table IV. Since the war it has gradually risen to 58·0 per cent. in 1918. The proportion marrying at 35-40, as at later ages, has fallen substantially, but under 30 the proportion has doubled, and under 25 it has almost quadrupled since the war. The decline at ages over 35 does not imply that fewer widows married at these ages, for substantial increases actually occurred at all ages under 70, but the increase in the total concerned is so great that these increased numbers over 35 form a smaller proportion of it. The number of widows re-marrying at ages under 25 has increased more than fivefold since the war, but it will only be possible after a census to say whether their marriage-rate has increased or diminished, for an estimate of their numbers at the present time would be very difficult.

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 for both males and females, and afterwards declined continuously till 1911, since when it has fluctuated. In 1918 the proportion was higher for males than it had been for some years previously but was lower than ever before for females. The increase amongst males is confined to boys under 19, the proportion of whose marriages to the total contracted by male minors has trebled since the outbreak of war. No corresponding change has occurred in the age distribution of the marriages of female minors.

TABLE VI.—ENGLAND AND WALES, 1876-1918.—MINORS MARRIED per 1,000 MARRIAGES at ALL AGES.

	Husbands.	Wives.		Husbands.	Wives.
1876-80	77·8	217·0	1912... ..	39·2	135·4
1881-85	73·0	215·0	1913... ..	42·1	143·8
1886-90	63·2	200·2	1914... ..	41·6	142·5
1891-95	56·2	182·6	1915... ..	?	?
1896-1900	51·2	168·0	1916... ..	36·2	129·1
1901-05	46·3	153·1	1917... ..	41·7	134·2
1906-10	40·3	139·4	1918... ..	42·6	129·0
1911	39·3	133·3			

The number of males and females marrying under age, and at six other groups of ages, with distinction of the marital condition of the parties, is shown for each registration county on pages 15-18 of the abstracts. From these figures Table VII has been prepared, the corresponding ratios for 1914 being also shown, so as to afford a comparison with conditions previous to the disturbance caused by the war.

From this table it appears that local customs with regard to early marriage have not been very materially altered by the war. The industrial counties, notably Nottingham, Stafford, Durham, the West Riding, and Derby return a high proportion, about 6 per cent. of males marrying under age in 1918 as in 1914, while the lowest ratios are reported from the residential and agricultural counties as in North Wales, Rutland, Hereford, Surrey, Shropshire, Hampshire, Berkshire, and Oxfordshire, which returned low ratios also in 1914. For women the highest ratios are returned by the mining counties, Durham, Monmouth, Glamorgan, Nottingham, and Northumberland heading the list. All these counties, however, show a considerable decline from the proportions returned in 1914, whereas the residential and rural counties of the south, in which, as pointed out below, the marriage-rate has risen during the war, generally record an increase. Lancashire and

Cheshire contrast with other industrial counties in returning low ratios for both men and women.

TABLE VII.—REGISTRATION COUNTIES.—MARRIAGES of MINORS per 1,000 TOTAL MARRIAGES in 1914 and 1918.

Registration Counties.	Males.			Females.		
	Rate per 1,000 Marriages 1914.	Rate per 1,000 Marriages 1918.	1918 Rate per cent. of 1914 Rate.	Rate per 1,000 Marriages 1914.	Rate per 1,000 Marriages 1918.	1918 Rate per cent. of 1914 Rate.
England and Wales	42	43	102	142	129	91
London	34	41	121	115	120	104
Surrey	22	25	114	99	106	107
Kent	28	37	132	122	138	113
Sussex	28	28	100	93	111	119
Hampshire	21	26	124	113	137	121
Berkshire	19	26	137	96	111	116
Middlesex	30	33	110	102	106	104
Hertfordshire	33	44	133	96	111	116
Buckinghamshire	35	32	91	114	114	100
Oxfordshire	32	26	81	85	95	112
Northamptonshire	42	34	81	125	103	82
Huntingdonshire	17	57	335	83	157	189
Bedfordshire	51	44	86	127	126	99
Cambridgeshire	47	58	123	129	138	107
Essex	29	32	110	121	121	100
Suffolk	40	46	115	132	141	107
Norfolk	40	44	110	124	127	102
Wiltshire	24	30	125	105	116	110
Dorsetshire	25	31	124	97	128	132
Devonshire	23	29	126	104	104	100
Cornwall	36	32	89	129	117	91
Somersetshire	27	29	107	87	87	100
Gloucestershire	30	33	110	83	93	112
Herefordshire	24	24	100	103	84	82
Shropshire	23	25	109	91	89	98
Staffordshire	60	64	107	184	146	79
Worcestershire	51	41	80	140	118	84
Warwickshire	47	50	106	145	129	89
Leicestershire	60	55	92	141	124	88
Rutlandshire	30	18	60	129	44	34
Lincolnshire	42	55	131	179	161	90
Nottinghamshire	71	64	90	202	172	85
Derbyshire	50	58	116	184	154	84
Cheshire	33	31	94	117	103	88
Lancashire	46	36	78	136	102	75
Yorkshire—West Riding	60	58	97	184	149	81
East Riding (with York)	48	49	102	187	149	80
North Riding	46	58	126	182	159	87
Durham	61	62	102	243	204	84
Northumberland	43	46	107	184	169	92
Cumberland	45	39	87	151	132	87
Westmorland	24	43	179	82	87	106
Monmouthshire	43	57	133	205	186	91
Glamorganshire	46	51	111	192	173	90
Carmarthenshire	39	55	141	166	149	90
Pembrokeshire	43	41	95	116	133	115
Cardiganshire	24	30	125	76	60	79
Brecknockshire	38	37	97	131	109	83
Radnorshire	45	20	44	89	140	157
Montgomeryshire	16	35	219	89	74	83
Flintshire	12	19	158	76	97	128
Denbighshire	26	27	104	99	91	92
Merionethshire	20	7	35	67	52	78
Carnarvonshire	10	14	140	63	64	102
Anglesey	12	61	508	51	87	171

Mean Age at Marriage.—The great reduction which has taken place of recent years in the proportion of marriages without statement of the ages of the contracting parties has rendered it possible to measure the mean age at marriage with approximate accuracy from the returns in which age is recorded. The degree of accuracy obtained has been appreciably increased from 1914 onwards as a result of the tabulation by single years of

age at all periods of life, first carried out in that year. These mean ages are shown in Table VIII for the years 1896 onwards.

The mean age at marriage gradually increased from 1896 to 1914 for bachelors and spinsters, and also, with some fluctuations, for widowers. (The apparent reduction in 1914 of the mean ages of bachelors and spinsters was entirely due to the more precise method of calculation then introduced, which reduced them by about .18 of a year, but scarcely affected the calculation for the widowed.) In the case of widows the increase did not set in till 1903. It has continued, so far as males are concerned, up to 1918, and at a greatly increased pace, but the age of spinster brides has remained almost the same for the last three years, and the mean age of widows in 1918 is much the lowest shown in the table. It would be unwise to attribute any great significance to the rapid changes which war has brought with it, and which may not be maintained after the restoration of peace.

TABLE VIII.—ENGLAND AND WALES.—MEAN AGE at MARRIAGE, 1896–1918.

MALES.

Year.	All Bridegrooms.	All Bachelor Bridegrooms.	All Widower Bridegrooms.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896	28.43	26.59	44.49	26.30	33.93	41.38	49.60
1897	28.38	26.63	44.53	26.35	34.10	41.43	49.73
1898	28.34	26.62	44.70	26.34	33.94	41.82	49.69
1899	28.34	26.65	44.90	26.37	34.29	41.87	49.81
1900	28.41	26.68	45.02	26.39	34.35	42.19	49.75
1901	28.55	26.76	45.18	26.48	33.94	42.43	49.69
1902	28.53	26.88	44.96	26.60	33.94	42.11	49.81
1903	28.49	26.91	44.94	26.63	34.24	42.16	49.72
1904	28.46	26.93	45.03	26.66	34.06	42.25	49.98
1905	28.56	27.01	45.27	26.74	34.26	42.47	50.18
1906	28.56	27.03	45.37	26.76	34.39	42.59	50.25
1907	28.66	27.10	45.62	26.84	34.58	42.85	50.56
1908	28.78	27.19	45.69	26.92	34.57	42.92	50.66
1909	28.88	27.29	45.93	27.02	35.00	43.23	50.85
1910	28.92	27.36	45.93	27.09	34.96	43.14	50.89
1911	29.03	27.46	46.42	27.19	35.19	43.49	51.46
1912	29.12	27.56	46.77	27.27	35.75	43.96	51.67
1913	29.11	27.56	46.65	27.25	35.68	43.91	51.35
1914	28.94	27.40	46.66	27.05	35.90	43.79	51.39
1915	?	?	?	27.12	?	?	?
1916	29.70	27.93	47.32	27.47	36.20	44.79	51.07
1917	30.04	28.04	47.71	27.52	35.63	45.22	51.23
1918	30.08	28.14	47.74	27.59	35.43	45.38	50.88

FEMALES.

Year.	All Brides.	All Spinster Brides.	All Widow Brides.	Spinsters with Bachelors.	Spinsters with Widowers.	Widows with Bachelors.	Widows with Widowers.
1896	26.21	25.08	40.58	24.54	32.43	35.69	44.81
1897	26.18	25.10	40.74	24.59	32.31	35.95	45.00
1898	26.18	25.14	40.59	24.62	32.68	35.85	45.04
1899	26.21	25.16	40.83	24.65	32.83	36.12	45.16
1900	26.29	25.23	40.74	24.71	32.97	36.19	44.95
1901	26.39	25.31	40.43	24.77	33.04	35.65	44.96
1902	26.37	25.36	40.25	24.86	32.86	35.62	44.95
1903	26.35	25.37	40.27	24.89	32.93	35.69	45.01
1904	26.32	25.37	40.35	24.90	33.03	35.82	45.22
1905	26.38	25.43	40.53	24.96	33.08	36.02	45.29
1906	26.41	25.46	40.79	24.99	33.30	36.27	45.53
1907	26.49	25.54	40.91	25.06	33.43	36.32	45.68
1908	26.61	25.63	41.02	25.13	33.71	36.43	45.86
1909	26.69	25.73	41.27	25.22	33.85	36.71	45.98
1910	26.75	25.79	41.33	25.30	33.85	36.83	46.07
1911	26.80	25.81	41.74	25.32	34.13	37.01	46.63
1912	26.84	25.85	41.89	25.36	34.25	37.44	46.69
1913	26.80	25.78	41.57	25.29	34.23	37.22	46.59
1914	26.68	25.61	41.64	25.12	34.28	37.53	46.57
1915	?	?	?	25.28	?	?	?
1916	27.17	25.91	40.73	25.36	34.58	36.79	45.85
1917	27.27	25.89	39.66	25.28	34.54	35.40	45.48
1918	27.29	25.92	38.84	25.33	34.59	34.82	44.86

It may be seen from this table that the difference between the mean age of husbands and wives marrying during the year has increased from an excess for husbands of 2·22 years in 1896 and 2·26 in 1914 to one of 2·79 years in 1918. (Greater accuracy in the computation of the mean age can only affect this difference to a very small extent, the ages of husbands and of wives alike having been overstated prior to 1914.) This excess in age of all bridegrooms is made up of very different figures for the different classes of marriages, ranging from a normal average excess in the bride's age of over a year when a bachelor marries a widow to an excess in the bridegroom's age, when a widower marries a spinster, of ten years or so. For all these classes of marriages the difference in age remained very constant up to 1914, but in all of them the husband of 1918 is older, compared with his wife, than he was before the war. For all marriages the difference has grown from 2·26 years in 1914 to 2·79 in 1918, for bachelors marrying spinsters from 1·93 to 2·26, for widowers marrying spinsters from 9·51 to 10·79, for widowers marrying widows from 4·82 to 6·02, while for bachelors marrying widows an excess of wife's age of 1·63 years in 1914 has been converted into an excess in husband's age of ·61 of a year in 1918.

The chief interest naturally attaches to the marriages of bachelors with spinsters, which amount to nearly 84 per cent. of the total, and the table on pages 9–11 affords the means of computing the average difference in age between bachelors and spinsters marrying at various ages. The following results have been obtained for bachelors married at certain ages to spinsters in 1918 :—

					Years.			
Age of husband	21–22	25–26	30–31	40–41
Average age of wife	21·68	24·25	27·07	32·62
Excess of husband's age	—0·18	1·25	3·43	7·88

Thus it proves, as might be expected, that the young man tends to choose a mate of the same age as himself, or even slightly older, but that older men marry women a good deal younger than themselves, though at all the ordinary marriage ages considerable correspondence in age between husband and wife remains the rule. The case, however, is quite different with women. Spinsters of 21 marrying bachelors choose men averaging fully three years older than themselves, but with each increase in the bride's age the excess in that of the bridegroom diminishes, till at 40 it has almost disappeared. The following are the average ages of bachelors marrying spinsters of the same four selected ages as above :—

					Years.			
Age of wife	21–22	25–26	30–31	40–41
Average age of husband	24·66	27·45	31·43	40·76
Excess of husband's age	3·16	1·95	0·93	0·26

The tendency evidently is for the young spouse of either sex to select a relatively old mate, and for the old spouse to select a young mate. This tendency, which can be readily understood in view of the field open for choice in the two cases, when taken in conjunction with the general practice of husbands marrying wives younger than themselves, explains the apparent anomaly that the difference in age increases with increasing age of husband but decreases with increasing age of wife.

Fluctuations of the Marriage-rate in different sections of the country.—In the following table the movements of the marriage-rate during the war have been traced for the four geographical sections into which the country has been divided for a number of purposes in these Reports. The limits of the four sections are indicated in a footnote.*

* The "North" includes the administrative counties and county boroughs corresponding to the registration counties in the eighth, ninth, and tenth "registration divisions" of the Registrar-General, i.e., Lancashire, Cheshire, and Yorkshire, and counties north of them. The "South" includes England south of the Thames, with the whole of the County of London and the five south-western counties, forming the first, second, and fifth registration divisions. "Wales" corresponds to the

The determination of marriage-rates for localities is not wholly satisfactory for several reasons. In a large proportion of cases the district of registration is the district of residence of only one of the parties, and in some cases of neither. This difficulty, however, is probably of less moment in comparisons between large sections of the country than between adjacent localities. Again, it has only been possible till now to tabulate marriages by registration areas, and the available estimates of population refer to administrative areas. The populations upon which the rates in the table are based have therefore been derived from the estimated populations of the corresponding aggregates of administrative counties and county boroughs on the assumption of the maintenance of a constant ratio between the population of the registration and administrative areas. This is not absolutely correct, but the resultant error is too small to have any appreciable effect upon the rates quoted.

TABLE IX.—ENGLAND AND WALES, 1914-18.—MARRIAGES and MARRIAGE-RATES OF each YEAR in GEOGRAPHICAL SECTIONS of the COUNTRY.

	North.	Midlands.	South.	Wales.	England and Wales.
	Numbers of Marriages Registered.				
1914	100,926	87,695	85,728	20,052	294,401
1915	115,694	109,844	113,868	21,479	360,885
1916	90,287	84,895	87,322	17,342	279,846
1917	83,151	78,761	80,356	16,587	258,855
1918	92,381	87,798	89,928	17,056	287,163
	Persons Married per 1,000 Population.				
1914	16·30	15·25	16·29	15·76	15·93
1915	18·33	18·79	21·95	16·66	19·37
1916	14·19	14·45	16·69	13·36	14·87
1917	13·02	13·30	15·62	12·39	13·78
1918	14·55	14·84	17·39	12·96	15·31

It will be seen that in 1914, which for this purpose may be regarded as the last year before the war, insomuch as the marriage-rate remained undisturbed in its third and fourth quarters, this rate varied only between 15·25 in the Midlands and 16·30 in the North. The rush into matrimony of the following year was very much greater in the South of England than elsewhere, the increase over that of the previous year being 5·66 per 1,000 in the South as against 3·54 in the Midlands, 2·03 in the North, and only ·90 in Wales; and from that date onwards the marriage-rate has remained much higher in the South, and lower in Wales, than in the country generally. These differences are very marked in 1918, the southern excess amounting to 14 per cent., and the Welsh defect to 15 per cent.

eleventh or Welsh registration division and so includes Monmouthshire. All the rest of the country, corresponding to the third, fourth, sixth, and seventh registration divisions, is included in the Midland area. The counties in the four areas are as follows :—

North.	Midlands.	South.	Wales.	
Cheshire. Lancashire. Yorks, West Riding. " East Riding. " North Riding. Durham. Northumberland. Cumberland Westmorland.	Middlesex. Hertfordshire. Buckinghamshire. Oxfordshire. Northamptonshire. Soke of Peterborough. Huntingdonshire. Bedfordshire. Cambridgeshire. Isle of Ely. Essex. Suffolk, East. " West. Norfolk.	Gloucestershire. Herefordshire. Shropshire. Staffordshire. Worcestershire. Warwickshire. Leicestershire. Rutlandshire. Lincolnshire. Parts of Holland. " Kesteven. " Lindsey. Nottinghamshire. Derbyshire.	London. Surrey. Kent. Sussex, East. " West. Southampton. Isle of Wight. Berkshire. Wiltshire. Dorsetshire. Devonshire. Cornwall. Somersetshire.	Monmouthshire. Glamorganshire. Carmarthenshire. Pembrokeshire. Cardiganshire. Brecknockshire. Radnorshire. Montgomeryshire. Flintshire. Denbighshire. Merionethshire. Carnarvonshire. Anglesey.

The possibility inevitably suggests itself that this remarkable change may have some accidental origin apart from any real alteration in the matrimonial habits of the populations concerned. Whatever the cause may be the table shows that it has affected the numbers of marriages registered as well as the marriage-rates, and is therefore not to be sought in any possible error in the population estimates. Nor can the southern increase be attributed to increase in the London marriages owing to the large floating population attracted to London by the war, for the London marriages were actually fewer in 1918 than in 1914 (the increase of 1 per cent. in the marriage-rate in Table X being due to fall in the estimated population) and most of the other southern counties record much greater increases than London in their marriage-rates.

The shifting of population which has resulted from the war may have had a share in causing the change. Comparison of the population estimates for 1914 and 1918 shows that whereas the total population, including therein men absent on foreign service, appears to have declined in the south during the war, it has probably increased elsewhere. The chief cause of this change has probably been migration to the more industrial parts of the country—a movement in which young women would largely share. But it may be presumed that many of these migrants would prefer to be married at their old homes, so that the number of marriages would not be reduced in accordance with the reduction of population, and the marriage-rate would therefore rise in such localities.

Generally speaking, moreover, the prospects of marriage have probably been increased for women leaving quiet country homes for larger centres of population whether situated in another geographical division of the country or not. This process would come more into play in the rural counties, and therefore in the South, than in the more industrial parts of the country, and so, always assuming the marriage to take place generally at the bride's old home, the marriage rate of the South, and especially of its rural counties, would naturally increase as compared with that of the industrial areas. This can be tested by reference to Table X, which gives the marriage-rate for every registration county in 1914 and 1918, and the increase or decrease in each case. It proves to be almost entirely the rural and residential counties, where the prospects of marriage for women before the war would be least, which record increased rates in 1918. Except for the very special case of London, where the presence of the floating population has doubtless affected the returns, there is not a single instance of a county with an increased marriage-rate in 1918 which did not return a rate below the general average in 1914; and the reverse also is generally true, though there are a number of instances, including Westmorland and many of the Welsh rural counties, where low rates in 1914 have been succeeded by still lower in 1918. It is indeed difficult to see why the already low rate of Montgomery should have further declined by 18 per cent. while the very similar rate of Sussex increased by 30 per cent. Possibly the location of military camps and hospitals may help to explain such contrasts as these.

The extent to which the young adult populations of the different parts of the country were already married is probably a factor of some importance. The proportion of men already married may have had considerable influence in the earlier years of the war, when the conditions governing enlistment were largely affected by marital condition, but if the dispersal of women from secluded homes to busy centres of industry was of chief importance at a later period then evidently that area was most likely to show an increase in its marriage-rate which contained most marriageable women available for such dispersal. The proportion of unmarried or widowed persons to the total at ages 20–40 at the census of 1911 has been used as the test for both sexes, with the following results :—

—				North.	Midlands.	South.	Wales.	England and Wales.
Percentage marriageable {	Males		46·3	45·8	50·1	51·4	47·6
	Females...	...		43·2	43·2	49·2	39·7	44·8

The South had more both of its young men and of its young women unmarried than the rest of England, and far more of its young women than Wales, and was therefore more likely than the rest of the country to have its marriage-rate increased by the influences suggested above.

TABLE X.—REGISTRATION COUNTIES : PERSONS MARRIED PER 1,000 POPULATION, 1901-10, 1914, AND 1918.

Registration County.	Mean-rate 1901-10.	1914.	1918.	Rate in 1918 per cent. of 1914.
England and Wales	15·5	15·9	15·3	96
London	17·5	19·2	19·4	101
Surrey	13·4	13·6	15·4	113
Kent	14·0	14·6	16·7	114
Sussex	13·5	12·7	16·5	130
Hampshire	15·1	14·9	17·2	115
Berkshire	14·3	13·8	16·0	116
Middlesex	13·4	14·2	14·6	103
Hertfordshire	12·9	13·6	13·2	97
Buckinghamshire	13·5	13·0	13·1	101
Oxfordshire	14·1	13·1	15·1	115
Northamptonshire	14·4	15·1	14·4	95
Huntingdonshire... ..	14·0	11·9	11·4	96
Bedfordshire	14·1	15·1	14·9	99
Cambridgeshire	14·1	14·2	14·3	101
Essex	13·8	14·6	15·7	108
Suffolk	13·8	14·0	15·4	110
Norfolk	13·9	13·7	14·1	103
Wiltshire	14·4	14·4	15·8	110
Dorsetshire	13·9	14·0	16·4	117
Devonshire	15·3	14·7	15·9	108
Cornwall	14·0	14·3	13·3	93
Somersetshire	13·7	13·5	13·7	101
Gloucestershire	15·2	16·0	15·9	99
Herefordshire	13·0	12·5	13·9	111
Shropshire	13·3	13·3	13·2	99
Staffordshire	15·6	16·5	14·9	90
Worcestershire	14·5	15·0	13·7	91
Warwickshire	16·4	17·1	15·2	89
Leicestershire	15·5	16·2	15·2	94
Rutlandshire	12·6	12·4	11·1	90
Lincolnshire	15·5	15·4	15·2	99
Nottinghamshire	16·4	16·4	14·7	90
Derbyshire	15·6	15·5	14·6	94
Cheshire	14·5	15·4	13·0	84
Lancashire	16·4	16·2	14·4	89
Yorkshire, West Riding	15·9	16·1	14·3	89
„ East Riding (with York)	15·5	16·5	15·7	95
„ North Riding	15·2	15·6	15·4	99
Durham	16·2	17·7	15·4	87
Northumberland	15·7	17·3	15·8	91
Cumberland	14·7	15·3	15·0	98
Westmorland	13·6	13·4	11·3	84
Monmouthshire	15·6	16·4	13·4	82
Glamorganshire	16·3	17·2	13·3	77
Carmarthenshire	14·8	16·1	12·2	76
Pembrokeshire	14·8	16·0	15·0	94
Cardiganshire	12·1	11·5	11·1	97
Brecknockshire	15·9	14·7	13·3	90
Radnorshire	12·8	13·3	11·7	88
Montgomeryshire	13·1	12·4	10·2	82
Flintshire	11·8	11·7	10·7	91
Denbighshire	14·0	13·6	13·9	102
Merionethshire	12·1	11·5	10·5	91
Carnarvonshire	13·5	12·2	12·0	98
Anglesey	12·4	14·4	12·4	86

Buildings in which Marriages may be Solemnized.—At the end of the year 1918 the numbers of churches or chapels of the Established Church, and of registered buildings, in which marriages could be legally solemnized, were as follows :—

Established Church	16,094
All other Religious Denominations	17,280
Total... ..	<u>33,374</u>

The increase upon the numbers at the end of the previous year was : Established Church 13, other religious denominations 199. The number of these buildings belonging to the various denominations is shown for each registration county in Table 5 (p. cxiv).

By the Acts 15 and 16 Vict. c. 36, and 18 and 19 Vict. c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar-General, certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1918, and the number of buildings registered for the solemnization of marriages are shown in the following table :—

TABLE XI.

Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*	Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics ...	1,511	1,450	New Church ...	53	59
Wesleyan Methodists ...	7,576	4,049	Catholic Apostolic Church	69	49
Congregationalists ...	3,320	3,010	Countess of Huntingdon's Connexion.	47	42
Baptists ...	3,131	2,735	Salvation Army ...	1,163	97
Primitive Methodists ...	4,333	1,848	Society of Friends ...	427	—†
United Methodist Church	1,970	1,223	Jews ...	244	—†
Calvinistic Methodists ...	1,252	960	Other Denominations ...	3,135	1,112
Presbyterians ...	442	448			
Unitarians ...	183	198			
			All Denominations ...	28,856	17,280

* Of these buildings nearly 1,000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† It is not necessary for buildings to be registered for the solemnization of Quaker or Jewish marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the marriages in each case.

The Marriage Act, 1898, provided that under specified conditions marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1918 the number of such buildings which had been brought under the operation of the Act, and so remained, was 4,414 out of the total of 17,280. The numbers of these buildings, and the denominations to which they belonged, were as follows :—

1,838 Wesleyan Methodists.
671 Congregationalists.
657 Primitive Methodists.
457 Baptists.
394 United Methodist Church.
111 Calvinistic Methodists.
286 Other Denominations, and Unsectarian.
<u>4,414 All Denominations.</u>

BIRTHS.

The births registered during 1918 numbered 662,661, or 5,685 fewer than in the previous year, during which 210,750 fewer births had been registered than in 1914, the last year which so far as births are concerned was unaffected by the war.

The fall since 1914 thus amounts to 216,435, or 24·6 per cent. of the total registered in that year. This decline has been very irregular in its distribution over the years of war, being made up as follows :—

1915	7·3
1916	3·3
1917	13·4
1918	0·6
1914 to 1918	<u>24·6</u>

In each case it will be seen that the larger declines followed periods of active recruiting, first under the voluntary system at the beginning of the war and again after the introduction of compulsion, which first became operative in the case of married men in the spring of 1916. It is not surprising that this fundamental change in our recruiting methods was immediately followed, allowing for the physiological interval of nine months, by what has proved to be by far the greatest fall in the birth-rate on record.

In proportion to the total population of both sexes and all ages in 1918, as estimated for this purpose (*see* page x), the births registered yield a birth-rate of 17·7 per 1,000 living. This rate is only 0·1 per 1,000 below that recorded for 1917, but it is 6·1 below that for 1914. The total fall in the four years 1914 to 1918 is thus from 23·8 to 17·7 (Table 3), or just over 25 per cent., the fall in the rate being a little greater than that in the number of births owing to estimated increase of population. Even this large decline is considerably below those believed to have occurred in many other belligerent countries. It must be remembered, however, that even before the war the birth-rate was falling rapidly, so that it would be improper to attribute the whole of the decline since 1914 to this cause. During the four years' interval 1910–14 a decline of 1·3 per 1,000, or 5 per cent., was recorded and in 1906–10 of as much as 2·1, or 8 per cent. During the last twenty years of peace the total fall was 5·8 per 1,000, from 29·6 in 1894 to 23·8 in 1914, or an average of almost 0·3 per annum. If we assume that under peace conditions the decline would have continued at the average pre-war rate we may still attribute 4·9 out of the total decline of 6·1 per 1,000 to the war.

Birth-rates of different parts of the Country.—The birth-rates of individual administrative areas, tabulated on pages 19–51, are summarized in Table XII. (*See* footnote on pages xix and xx).

TABLE XII.—BIRTHS in 1918 per THOUSAND TOTAL POPULATION.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	16·0	—	16·0
County Boroughs	18·6	17·7	16·7	20·2	18·2
Other Urban Districts	18·4	16·9	15·6	22·7	17·7
Rural Districts	19·9	17·3	15·4	20·6	17·8
All areas	18·7	17·3	15·9	21·6	17·7

The highest birth-rates recorded in Table XII are those of Wales, and next to them those of the North of England, while those of the South are lowest. Highest of all are, as usual, those of the smaller towns of Wales, and lowest those of the rural districts of the South.

The constancy with which this order is maintained year after year is shown by the following table, which states the birth-rate of each section of the country as a percentage of that of the whole for each year from 1911 onwards.

TABLE XIII.—BIRTH-RATES of DIFFERENT SECTIONS of the COUNTRY per CENT. of that of ENGLAND and WALES in each YEAR, 1911–18.

—	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.
Wales	114	113	113	113	114	111	115	122
North	105	106	105	107	104	102	104	106
Midlands	99	99	99	98	98	100	98	98
South	92	92	91	90	93	96	94	90

It will be seen that prior to the war the proportions to each other borne by the birth-rates of these four sections of the country were almost constant, and that after a temporary disturbance caused by excess of decline in the North and in Wales during the earlier years of the war, the normal relationship has been restored in 1918, so far as England is concerned, by excess of decline in the South during its later years. In 1918, as Table XIV shows, this Southern decline has been entirely confined to London, the rural districts of the South even showing a slight increase, in common with those of other portions of the country.

TABLE XIV.—DECLINE of BIRTH-RATE in 1918 from that in 1917 and 1914, expressed as a PERCENTAGE of the latter.

	Decline since 1917.					Decline since 1914.				
	North.	Mid.	South.	Wales.	E. & W.	North.	Mid.	South.	Wales.	E. & W.
London	—	—	7·9	—	7·9	—	—	34·2	—	34·2
County Boroughs	0·3	2·0	0·0	2·6*	0·4	28·7	30·3	18·9	24·1	28·1
Other Urban Districts	2·0*	0·9	0·0	3·1*	0·4*	25·2	27·5	19·6	22·0	24·7
Rural Districts	2·0*	2·9*	1·6*	5·8*	2·8*	20·1	18·0	18·1	14·2	17·6
All areas	0·8*	0·5	3·7	4·1*	0·4	26·4	26·1	26·0	20·0	25·6

* Increase.

All classes of area in Wales record an increased birth-rate in 1918, the growth being at its maximum in the rural districts ; and this has increased the normally substantial advantage of Wales in Table XIII to no less than 22 per cent. above the country at large.

The section of Table XIV dealing with the total decline since 1914 shows that as a result of the exceptional fall in the London birth-rate since 1917, the extent of the total decline now increases with aggregation of population from a minimum in the rural districts to a maximum, almost twice as great, in London. This rule applies, so far as the total decline of the four years is concerned, to each section of the country but the South, where the exception is unimportant.

Sex Proportions at Birth.—Births of males in England and Wales numbered 339,112 and those of females 323,549 ; the proportion of male to female births being, therefore, 1,048 to 1,000. The corresponding proportions in each year from 1868 onwards and in groups of years since the commencement of registration are shown in Table 3, page cxiii ; the extreme range during the last 50 years has been from 1,032 per 1,000 in 1898 to 1,049 in 1916. During this period the highest ratio recorded prior to 1914 was 1,043 in 1875. It will be seen that the exceptional preponderance of male births noted in the two previous years was fully maintained in 1918, the ratio in each of the last three years having been higher than in any of the preceding 47, though up to about 1860 such ratios were the rule.

If the figures are taken out quarter by quarter it is found that an abnormally high ratio was first obtained in the first quarter of 1916. The quarterly ratios for the past five years are as follows :—

	1st quarter.	2nd quarter.	3rd quarter.	4th quarter.
1914	1,031	1,037	1,031	1,043
1915	1,031	1,042	1,044	1,043
1916	1,050	1,051	1,045	1,050
1917	1,042	1,042	1,043	1,049
1918	1,043	1,046	1,048	1,056

The very high ratios of 1916, which were not fully maintained in 1917, correspond sufficiently, allowing for the period of gestation, to the abnormally high marriage-rates of 1915 for it to have seemed possible that there might be some causal relationship between the two, such as would follow, for instance, if the male ratio were normally high for first-born children. But it will be seen that after an interval of somewhat lower ratios the proportion of male births went up suddenly, in the last quarter of 1918, to a much higher level than ever, although no similar increase whatever had taken place in marriages 9–12 months before. It may be added that this high ratio has been more than maintained in 1919. Moreover, the excesses of “masculinity” recorded for first births amongst populations for which the order of birth is recorded in registration are far too small and too inconstant to suggest any possibility that fluctuations in the marriage-rate could perceptibly affect the sex ratio of the children born 9–12 months later (when, in Australian experience, 26 per cent. of all first births occur, as against 16 per cent. at 6–9 months and 25 per cent. at 1–2 years after marriage).

It is most unlikely, therefore, that any effect should be traceable upon the sex ratio at birth of the normal annual fluctuation of the marriage-rate (*see* Table 4). Nevertheless, it is of interest to determine whether there is any variation in sex ratio with

the season of the year, whether arising in this or in any other way. The following statement suggests that there is, the ratio of male births inclining to be higher in the fourth, and to a less extent in the third, quarter of the year than in the first and second. During the 44 years 1875-1918 the instances in which each quarter ranked first, second, third, or fourth in magnitude of the ratio of male to female births were as follows :—

	1875-1918.				1875-1896.				1897-1918.			
	First quarter.	Second quarter.	Third quarter.	Fourth quarter.	First quarter.	Second quarter.	Third quarter.	Fourth quarter.	First quarter.	Second quarter.	Third quarter.	Fourth quarter.
First in order...	6	5	11	22	3	3	5	11	3	2	6	11
Second „ ...	13	7	18	6	6	3	9	4	7	4	9	2
Third „ ...	13	12	9	10	6	6	6	4	7	6	3	6
Fourth „ ...	12	20	6	6	7	10	2	3	5	10	4	3

The whole period has been divided into two portions in order to bring out the consistency with which at different dates high male ratios have tended to be associated with the later half of the year and low with the early. The differences are small, and the rule is of very partial application, but the table indicates something more than chance variation.

Table XV is continued from last year's Report in order to show the extent to which different classes of area and portions of the country have contributed to the increased preponderance of male births.

TABLE XV.—MALE BIRTHS per THOUSAND FEMALE BIRTHS, 1911-15, 1916, 1917, and 1918.

				North.	Midlands.	South.	Wales.	England and Wales.
London	1911-15	—	—	1,038	—	1,038
			1916 ...	—	—	1,055	—	1,055
			1917 ...	—	—	1,045	—	1,045
			1918 ...	—	—	1,052	—	1,052
County Boroughs	1911-15	1,040	1,034	1,038	1,031	1,038
			1916 ...	1,047	1,046	1,043	1,013	1,045
			1917 ...	1,032	1,036	1,021	1,063	1,033
			1918 ...	1,050	1,050	1,057	1,060	1,051
Other Urban Districts	1911-15	1,035	1,036	1,039	1,039	1,037
			1916 ...	1,055	1,051	1,064	1,033	1,053
			1917 ...	1,046	1,052	1,051	1,051	1,050
			1918 ...	1,047	1,044	1,042	1,032	1,043
Rural Districts	1911-15	1,044	1,042	1,040	1,047	1,043
			1916 ...	1,068	1,036	1,039	1,051	1,046
			1917 ...	1,062	1,046	1,049	1,055	1,052
			1918 ...	1,050	1,037	1,061	1,069	1,049
All areas	1911-15	1,039	1,037	1,038	1,040	1,038
			1916 ...	1,052	1,046	1,053	1,034	1,049
			1917 ...	1,041	1,045	1,044	1,055	1,044
			1918 ...	1,049	1,044	1,052	1,048	1,048

It will be seen that the records of different sections of the population have been very inconsistent. The county boroughs, for instance, which returned a low ratio in 1917, stand higher in 1918 than either the smaller towns or the rural districts.

The materials for further investigation of this matter are to be found on pages 19-51, where the male and female births of each district in the country are recorded.

Illegitimate Births.—The births registered during 1918 include 41,452 of illegitimate children, an increase of 4,295 upon the number in 1917, coincident with the decrease of 5,685 in total births. Illegitimate births have thus increased by 11·6 per cent., while legitimate births have decreased by 1·6 per cent. As a result of these changes the proportion of illegitimate to total births, which fell to a minimum of 3·95 per cent. in 1901-05, has now risen to 6·26 per cent., the highest ratio reached during the last fifty years, and not much below those prevalent between 1846, when the record commences,

and 1865 (Table 3). Of course in 1846-50 the legitimate birth-rate was almost double that of 1918, so that a very much higher degree of illegitimate fertility was implied then than now by the fact that the proportion of illegitimate births was 6-7 per cent. Table XVI shows, indeed, that, judged by the proportion of births to possible mothers, illegitimacy was more prevalent in 1901-05, when the proportion of illegitimate births was at its lowest, than in 1918. It was higher in 1918, however, than in any year since 1908, the steady fall of the preceding half century having continued up to 1917. The rise now recorded is, therefore, quite a new feature.

TABLE XVI.—ENGLAND AND WALES.—ILLEGITIMATE BIRTHS, 1876-1918.

Period.	In proportion to total Births.		In proportion to total Population.		In proportion to the Unmarried and Widowed Female Population aged 15-45 years.	
	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.
1876-1880... ..	47.5	100.0	1.7	100.0	14.4	100.0
1881-1885... ..	48.0	101.1	1.6	94.1	13.5	93.8
1886-1890... ..	46.3	97.5	1.5	88.2	11.8	81.9
1891-1895... ..	42.4	89.3	1.3	76.5	10.1	70.1
1896-1900... ..	41.0	86.3	1.2	70.6	9.2	63.9
1901-1905... ..	39.5	83.2	1.1	64.7	8.4	58.3
1906-1910... ..	40.2	84.6	1.1	64.7	8.1	56.3
1911-1915... ..	43.1	90.7	1.0	58.8	7.8	54.2
1915... ..	44.5	93.7	1.0	58.8	7.4	51.4
1916... ..	48.0	101.1	1.0	58.8	7.6	52.8
1917... ..	55.6	117.1	1.0	58.8	7.4	51.4
1918... ..	62.6	131.8	1.1	64.7	8.2	56.9

Some idea of the extent of illegitimacy in different classes of area and parts of the country may be gathered from Table XVII, but it must be borne in mind that statement in proportion to total population, to which we are restricted for 1918 (*see* page xi), reduces the excess of illegitimacy in the rural districts which is found to exist when statement can be made in terms of the single and widowed female population of fertile ages. The excess of illegitimacy shown for the South, which was noted also in 1916 and 1917 as well, would probably disappear if the rates could be stated in proportion to numbers of unmarried women of fertile age, for in the corresponding tables up to 1914 it was found that when this was done the rate for the South was reduced relatively to those of other portions of the country. But it is only from 1916 on that the illegitimacy of the South has been in excess, even stated in proportion to total population. During the previous five years the South always yielded the lowest rate of the four areas, an advantage which was much increased by the more accurate form of statement. Presumably the change is a consequence of the war.

TABLE XVII.—ILLEGITIMATE BIRTHS in 1918 per THOUSAND TOTAL POPULATION.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	1.05	—	1.05
County Boroughs	1.13	1.06	1.38	0.84	1.12
Other Urban Districts	1.05	1.06	1.25	1.03	1.09
Rural Districts	1.16	1.13	1.11	1.10	1.13
All areas	1.11	1.08	1.15	1.02	1.11

NATURAL INCREASE.

In 1918 the excess of births over deaths registered in England and Wales was only 50,800, as compared with 169,424 in 1917, and 362,354 in 1914, the last year subject in this matter to peace conditions. The fall from the level of 1917 is, of course, to be attributed mainly to the effect of the epidemic of influenza, births having decreased only by 5,685, but deaths having increased by 112,939. These figures exclude all war casualties except the 3,827 deaths from wounds registered in this country (page 192).

If war deaths not registered in this country are included in the calculation deaths must exceed births for the first time since the commencement of registration. The number of deaths during the year of combatants belonging to England and Wales cannot

be stated, but must considerably exceed the 50,800 excess of births over deaths registered. This decrease is the result of three factors, two of them at least being direct consequences of the war:—(1) deaths in warfare, (2) the abnormal fall in the birth-rate, and (3) the unprecedented mortality from influenza.

DEATHS.

The deaths of 611,861 persons were registered in England and Wales during 1918, 314,704 (*viz.*, 290,671 civilians and 24,033 non-civilians) of these being males and 297,157 females.

The 587,828 civilian deaths correspond to a rate of 17·6 per 1,000 of the estimated civilian population. When standardized* to correct for the deviation of the sex and age distribution of the civilian population from that of the standard population of 1901 this rate is reduced to 17·1 (Table 3). The extent of the reduction has been increased during the war by the withdrawal from the civilian population of males of an age at which mortality is below the average for all ages. But this effect has been largely masked during 1918 by the high influenza mortality which occurred at these ages, and which lessened their normal advantage in regard to total mortality. Moreover, as older men were called up for military service towards the close of the war, enlistment must have had less effect upon the crude death-rate, the mortality appropriate to the age of the men enlisted approximating more and more to the general rate for all ages.

The standardized rate is of course comparable with that for any other year notwithstanding that it applies to civilians only in 1918. But though this is true so far as correction for the altered sex and age distribution of the population is concerned, the change has involved a source of increase in the death-rate to which the methods of correction in use are inapplicable. The males withdrawn from the civilian population were selected lives, so the death-rate amongst the remainder of military age has necessarily been higher than would have been recorded for the total male population of these ages. Standardization cannot correct for this deterioration in the quality of the population dealt with in 1918, which, in combination with influenza, accounts for the increase in mortality of males aged 15–45 from 5,175 per million in 1911–14 to 14,663 in 1918 (Table XVIII).

The publication of the first number of the “International Statistical Annual” by the International Statistical Institute (Vol. II, Movement of Population, Europe) has provided an international standard population derived from the census populations of Great Britain, France, Germany, Austria, and a number of smaller European countries in 1900 or 1901, by means of which standardized death-rates for the various European countries have been calculated. The standard provided by this population is a much more typical one than that generally used in these reports, *viz.*, the population of England and Wales in 1901, which happened to be exceptionally favourable to low mortality, and the use of which therefore results in a general low level of the standardized rates derived from it. In order to correct any wrong impression which may arise from this fact, and to provide standardized rates for England and Wales comparable with those for other countries using the international standard, rates calculated upon the latter are now shown in Table XVIII, as well as those based on the 1901 English standard, which is that always used elsewhere unless indication to the contrary is given. It will be seen that use of the less favourable standard increased the rate from 17·1 to 18·1 per thousand.

Notwithstanding the enormous mortality from influenza and the great deterioration in quality of the male civilian population we have only to go back eighteen years in order to find death-rates, both crude and standardized, in excess of those of 1918. In 1899 and 1900 both these mortalities stood at 18·2, ·6 more than the crude, and 1·1 more than the standardized rate of 1918. The 1918 standardized rate for males was last exceeded also in 1900, and that for females in 1904.

If the year's record, apart from influenza, had not been an extremely good one, comparison with past years would have been much less favourable. And if any idea of the general state of the public health in 1918 is to be arrived at it is necessary to form an estimate of what the mortality of the year would have been in the absence of the epidemic. The first forty weeks of the year showed a very good record indeed in spite of the influenza mortality in the summer, and it would be a mistake therefore simply to set down

* The term “standardized death-rate” means the death-rate corrected for differences of sex and age constitution of the population. For a description of two methods of effecting this “standardization” of recorded death-rates *see* the Annual Report for 1911 (pp. xxvii–xxxi). Standardized death-rates for the sexes separately quoted in this report are based upon the age distribution of persons of undistinguished sex in the general population of England and Wales in 1901. (*See* Annual Report for 1913, p. xx.)

1918 as a year of very high mortality without endeavouring to distinguish the ordinary mortality of the year from that superadded by the great epidemic.

In the report on influenza reasons are given for attributing 132,000 of the deaths of civilians in 1918 to abnormal mortality from influenza (*i.e.*, after excluding the average number of deaths from this cause). Of these 132,000 persons 59,000 are there estimated to have been male civilians, and 73,000 females. The crude death-rates resulting after exclusion of these deaths are 13·6 for persons, 16·8 for males, and 11·4 for females. Comparison with previous experience can only be made for females on account of the deterioration in character of the male civilian population. The non-epidemic death-rate quoted for females is ·7 below that of 1917, which was ·3 below that of 1916, these years having each in turn established records of low mortality. A more remarkable concomitant of ruthless submarine warfare could hardly be imagined, and the significance of this great decline in mortality during a period of restricted eating and drinking is well worth study from many points of view. It is unfortunate that the real trend of mortality during these three years is obscured, first by the deterioration of the male civilian population, and in addition to this by the great epidemic mortality of the last few weeks of 1918.

The standardized non-epidemic mortality of females is not available, but as in each of the previous five years their standardized was ·7 below their crude rate it may be put with confidence at about 10·7. This is such a low figure as certainly to call for all possible confirmation before acceptance. Fortunately, as the first two quarters of the year were practically unaffected by the epidemic appeal can be made to their records.

When this is done we find that the mortality of females in the first quarter of 1918 was 13·7 and in the second quarter 11·3 and that both of these rates established new records for their respective quarters, the lowest rate previously returned in any first quarter having been 14·1 in 1916, and in any second quarter 11·9 in 1912. In view of these facts and of the reasons given elsewhere for attributing 132,000 civilian deaths to the epidemic of influenza the extraordinary healthiness of the year apart from this epidemic can scarcely admit of doubt.

Mortality of each Sex.—The standardized mortality of males regularly exceeds that of females. Up to 1860 or so the excess was only about nine per cent., but for the 15 years ending with 1914 it averaged about 20 per cent. During the war this excess gradually rose, on account of the deterioration in quality of a section of the male civilian population already referred to, to 39 per cent. in 1917, but in 1918 it fell again to 35 per cent. This fall is due to the fact that the increase in mortality during 1918 (due entirely to influenza), though absolutely greater for males, has been comparatively greater for females; *i.e.*, the 3,241 per million by which the standardized mortality of females in 1918 exceeds that in 1917 forms a larger fraction of their total mortality in 1917, 11,401, than the corresponding figure for males, 3,944, does of their 1917 mortality, which was 15,870 (Table XVIII). Between 1841–1845 and 1911–15, the first and the last quinquennia in Table 3, the standardized mortality of females has fallen by 36·9 per cent., while the fall in that of males has been only 29·6 per cent.

Table XVIII and Tables 6 and 7 show that the excess in the mortality of males manifested itself at all ages in 1918 except at 5–15 years, at which that of females was the greater, the excess in mortality of females usually met with about this time of life having been much more marked than usual in 1918, as is shown by the following statement of male per cent. of female mortality at the various age periods during the last years eight years.

—					All Ages (Standardized).	0—	5—	10—	15—	45—	55—	65—	75—	85—
1911–14	121	120	102	95	121	130	132	125	117	111
1915	125	122	101	100	149	126	126	125	114	108
1916	131	123	106	99	168	130	128	129	119	107
1917	139	121	104	97	203	136	132	134	124	108
1918	135	114	95	88	179	130	129	130	124	102
All causes excluding in- fluenza and pneumonia { 1917					137	120	103	97	195	129	129	133	125	107
{ 1918					136	117	100	96	197	127	128	131	124	101

At the ages affected by military service, *i.e.*, 15–45, the ratios have risen so greatly that they are now wholly abnormal, the mortality of males being 79 per cent.

more than that of females. In 1917 this excess was still greater, amounting then to no less than 103 per cent. As with mortality at all ages this decline from 1917 to 1918 in relative excess of male mortality has occurred notwithstanding a much greater absolute increase in the mortality of males than of females—6,170 per million as against 4,007 (Table XVIII). But whereas the smaller increase sufficed to raise the mortality of females by 96 per cent., that of males was swollen by the larger only to the extent of 73 per cent. The increase for both sexes is attributable almost entirely to influenza (Table XIX). The great reduction in the proportion of male to female mortality in each of the first three quinquennia of age is also a result of the epidemic of influenza, the death-rate from this cause and the excess of the death-rate from pneumonia over that of 1917, which may also be taken as due to influenza, having been higher for females than for males at each of these three age periods (Tables XVIII and XIX). For this reason two lines have been added to the foregoing comparison of sex mortalities showing how these stand in 1917 and 1918 for causes other than influenza and pneumonia. It will be seen that except in extreme old age the divergence from 1917 ratios practically disappears with the elimination of influenza. Indeed, at the age of military service, 15–45, the excess of male mortality now shows a slight further increase in 1918, corresponding to the further deterioration of the male civilian population by enlistment. The male excess at ages 15–65 in 1917 is considerably diminished when calculated in this way because of the elimination of the heavy normal excess mortality of males from pneumonia.

Mortality at different Ages.—In the absence of estimates of the ages of the population in the various sections of the country (*see* page xi) the tables in the reports for the years 1911–1914 showing mortality at different ages and standardized mortality at all ages by sex for the different classes of areas, urban and rural, cannot be repeated for 1918. Table XVIII, however, gives the crude and standardized rates for sexes and persons for the whole country as well as the mortality per million living at different ages for the civilian population in 1917 and in 1918, and, in order to provide means of comparison with the most recent peace experience, for the total population in 1911–1914. For the reason stated on page ix, males aged 15–45 have had to be dealt with as forming a single large age group in preparing the figures for 1917 and 1918.

TABLE XVIII.—ENGLAND AND WALES: MORTALITY from ALL CAUSES per MILLION POPULATION, 1911–1914, 1917, and 1918.

			Males.			Females.			Persons.		
			1911–14.	1917 (Civilians only).	1918 (Civilians only).	1911–14.	1917.	1918.	1911–14.	1917 (Civilians only).	1918 (Civilians only).
All Ages	Crude ...		14,870	17,767	21,098	13,041	12,061	15,086	13,926	14,445	17,560
	Stan- dard- ized. } A		14,962	15,870	19,814	12,335	11,401	14,642	13,571	13,510	17,095
		B	16,080	17,020	20,982	13,892	13,098	16,264	14,949	14,692	18,050
0–	...		40,228	31,693	38,523	33,647	26,241	33,847	36,957	28,983	36,201
5–	...		3,276	3,153	5,271	3,221	3,025	5,554	3,248	3,089	5,412
10–	...		1,953	2,106	3,413	2,051	2,161	3,880	2,002	2,134	3,647
15–	...		2,910	?	?	2,662	3,142	5,964	2,785	?	?
20–	...		3,681	?	?	3,091	3,310	7,691	3,370	?	?
25–	...		4,822	?	?	3,976	3,731	9,291	4,378	?	?
35–	...		8,167	?	?	6,556	6,007	8,646	7,333	?	?
15–45	...		5,175	8,493	14,663	4,286	4,194	8,201	4,713	5,570	10,176
45–	...		15,023	14,424	16,754	11,522	10,609	12,904	13,203	12,438	14,731
55–	...		30,500	29,393	29,554	23,162	22,209	22,893	26,627	25,705	26,127
65–	...		64,597	67,119	64,652	51,584	50,175	49,625	57,350	57,737	56,363
75–	...		139,355	157,513	139,540	119,280	126,754	112,628	127,412	139,030	123,319
85 and upwards	...		271,185	302,122	246,705	244,078	280,641	242,691	253,709	288,269	244,122

A. English Standard (Population of England and Wales, 1901). B. International Standard.

In the estimate of total mortality due to the epidemic age was not taken into account, as the difficulty of the estimate would have been greatly increased by doing so. Consequently the full deduction to be made on account of the epidemic from the mortality of any particular age in order to compare it with that of previous years cannot be stated. A very fair indication however of the trend of non-epidemic mortality at various ages may be obtained by deducting from the total death-rate at each age in 1918 its excess of

mortality from influenza and pneumonia over the corresponding record for 1917. The estimates of total mortality ascribable to the epidemic indicate that fully 90 per cent. of it was returned as either influenza or pneumonia of some form. Table XIX has accordingly been prepared in which the mortality of each sex at various ages in 1918, less the excess of mortality from influenza and pneumonia over that of the previous year, is compared with the corresponding figure for 1917; the comparison can be extended back to the commencement of registration by means of Tables 6 and 7.

TABLE XIX.—ENGLAND and WALES.—MORTALITY per 1,000 of each Sex at different ages in 1918, less EXCESS of MORTALITY from INFLUENZA and PNEUMONIA over 1917, compared with the Mortality for the same Sex and Age in 1917.

		0-	5-	10-	15-	20-	25-	35-	15-45	45-	55-	65-	75-	85-
Males ...	{ 1917	31·7	3·2	2·1	?	?	?	?	8·5	14·4	29·4	67·1	157·5	302·1
	{ 1918	32·9	3·4	2·2	?	?	?	?	9·0	14·0	27·3	61·8	137·9	247·7
Females {	1917	26·2	3·0	2·2	3·1	3·3	3·7	6·0	4·2	10·6	22·2	50·2	126·8	280·6
	1918	27·7	3·3	2·3	3·3	3·7	4·1	5·9	4·4	10·4	20·7	46·9	111·8	242·9

As in this table the mortality of the two years from influenza and pneumonia has been taken at the same figure, differences between the two years must be due to causes other than these. The table shows that at all periods of life up to 35 mortality from these other causes increased in 1918, and that above 35 it has diminished, very greatly indeed in old age.

At 0-5, as pointed out in last year's Report, it is now necessary, owing to the reduction in the proportion of young infants due to the great fall in the birth-rate, to use standardized rates in comparing the mortality of different years.

TABLE XX. ENGLAND and WALES, 1911-1918.—COMPARISON of CRUDE and STANDARDIZED DEATH RATES at AGE 0-5.

			Males.		Females.		Both Sexes.	
			Crude.	Standardized.	Crude.	Standardized.	Crude.	Standardized.
1911	46·2	46·7	39·3	39·9	42·8	43·3
1912	35·5	36·5	29·6	30·5	32·6	33·5
1913	39·9	40·3	32·9	33·3	36·5	36·8
1914	39·1	39·2	32·7	32·8	35·9	36·0
1915	41·9	42·0	34·3	34·4	38·1	38·2
1916	32·5	34·0	26·5	27·9	29·5	31·0
1917	31·7	34·1	26·2	28·3	29·0	31·2
1918 Total	38·5	42·5	33·8	37·1	36·2	39·8
„ Non-epidemic*			32·9	36·6	27·7	30·8	30·3	33·7

* i.e., less excess (over 1917) of mortality from influenza and pneumonia.

When this is done the rate for males in 1918 is increased from 38·5 to 42·5 and that for females from 33·8 to 37·1. Even these rates, which include the very considerable mortality due to the epidemic of influenza, are lower than those of any years previous to 1910 for males and 1909 for females. Deducting excess mortality from influenza and pneumonia they are reduced to 36·6 and 30·8 respectively, which, though a trifle higher than the corresponding figures for the two previous years, are well below those for any other former year, except 1912. Such increase, moreover, as has occurred according to these figures may well be due to influenza, since the plan followed fails to exclude a considerable proportion, amounting perhaps to 10 per cent. at all ages jointly, of the epidemic deaths. It is very conceivable, moreover, that deaths from this cause may have been returned under other headings in larger proportion at this than at later ages.

At ages 5-10 and 10-15 the rates in Tables 6 and 7 are the highest for many years, though forty years ago they were regularly exceeded in the absence of any special epidemic. By deduction of epidemic deaths they are reduced to about the average for the last 10-15 years. In the same way the rates for females at 15-20, 20-25, and 25-35 are high beyond all modern experience, not having been equalled since 1872, 1871, and 1875

respectively, while after deduction of the epidemic mortality they are reduced almost but not quite to the averages prevalent during the last dozen years. The rate for females at 35-45 on the other hand, which even without deduction of epidemic mortality is lower than any recorded in the nineteenth century, is reduced by such deduction to 5.9 per thousand living, or a trifle under the rate in 1917, which was considerably lower than that of any previous year.

At ages 45 and upwards both sexes are again available for the comparison. At 45-55 it is necessary to go back about 16 years to parallel this year's total mortality, but deduction of epidemic deaths reduces the rate for each sex definitely below any previous record. At the next period, 55-65, the rate for each sex is low even without deduction and after deduction is much lower than in any previous year. This statement applies also to 65-75 in the male sex, while the inclusive rate for females at this age, 49.6 per 1000, is the lowest in Table 7 and is reduced by reduction of epidemic mortality to 46.9. At ages over 75 the rates for both sexes, which are very but not unprecedentedly low, are little affected by the epidemic. It is very remarkable that the great rise in mortality at this period of life which characterised all the earlier years of the war, should have been succeeded by so marked a swing in the opposite direction in its final and presumably most trying year.

The following table further illustrates the effect of influenza upon the mortality of the year at different periods of life by showing the death-rates at various ages in each of the war years as a percentage of the experience of the last four years of peace.

		All Ages (standardized).	0-5		5—	10—	15—	20—	25—	35—	15-45	45—	55—	65—	75—	85—
			Crude.	Stan- dardized.												
Males	1915	110	104	103	114	117	131	159	127	110	128	102	104	110	114	115
	1916	103	81	84	97	110	?	?	?	?	138	96	96	106	113	112
	1917	106	79	84	96	108	?	?	?	?	164	96	96	104	113	111
	1918	132	96	104	161	175	?	?	?	?	283	112	97	100	100	91
Females	1915	107	102	101	115	112	111	104	101	103	104	106	108	110	117	118
	1916	95	79	82	94	106	110	104	97	96	99	96	99	103	111	116
	1917	92	78	83	94	105	118	107	94	92	98	92	96	97	106	115
	1918	119	101	109	172	189	224	249	234	132	191	112	99	96	94	99

Infant Mortality.—Of the 611,861 deaths registered during the year, 64,386, or 10.5 per cent., were of infants under one year of age. This is by far the lowest proportion ever recorded, the percentage so recently as 1901-10 having been as much as 22.6. The change is partly due to increase of mortality at higher ages by influenza, but mainly to the rapid fall which has occurred in infant mortality and to reduction in births, for in 1917 the proportion had fallen to 12.9 per cent.

The rate of infant mortality resulting from these deaths, 97 per 1,000 births, is 10 per 1,000 births, or 9.3 per cent., below the average in the ten preceding years. Though 1 per 1,000 above that of 1917, it is one of the lowest rates on record, only three previous years, 1912, 1916, and 1917, having recorded infant mortalities of less than 100 per 1,000 births. If, on the plan followed at other ages, we deduct the excess of mortality from influenza and pneumonia over that recorded in 1917, in order to obtain an indication of what the rate might have been if there had been no great epidemic of influenza, it is reduced to 93, which is lower than any recorded rate except that of 1916—91 per 1,000 births.

In last year's Report it was shown that during a period of rapidly falling birth-rate the conventional measurement of infant mortality in proportion to the number of births overstates it. This follows from the diminished proportion at such a time of births to population aged 0-1. Normally this proportion is so constant that the births being definitely known are accepted as representing population; but at a time of rapid fall in the birth-rate the births are too few to represent the population which furnishes the deaths, and so the proportion of deaths to births tends to rise apart from any rise in the proportion of deaths to population. In that Report, two measures were employed for obtaining a more accurate comparison: (1) restriction of births as the standard of measurement of mortality to deaths under three months of age, deaths of older infants being related to estimated population under one year of age; and (2) substitution for the births of the year of the births roughly corresponding to the infant deaths of the year, i.e., 70 per cent of the births of 1917 and 30 per cent. of those of 1916. Both methods concurred in showing an increased mortality in 1917 over 1916 of 1.5 deaths per 1,000 births or population as against an apparent increase of 5.3 on the customary basis of the year's births. In 1918, the application of these two measures again leads to almost

identical results, but whereas the effect in 1917 was to reduce the increase over the preceding year from 5·3 to 1·5 per 1,000 births, its effect in 1918 is to magnify the apparent increase over 1917 of 1 per 1,000 births to 5. This results from the fact that owing to the great decrease of births in 1917 the conventional method of statement overstated the infant mortality of the year, whereas in 1918, when the births were much the same as in 1917, the conventional method yields practically a correct result. The effect of the overstatement in 1917 is to show a spurious increase in that year over 1916, and to conceal a real increase in 1918 over 1917. Calculated on the basis of the births corresponding to the deaths, the rates for the last three years have been 90, 92, and 97 (93 excluding excess taken as due to influenza), whereas, on the basis of births registered in the same calendar year they have been 91, 96, and 97 (or 93 excluding influenza).

Trend of Mortality.—The following table traces the movement of infant mortality during the last 36 years, distinguishing the very fluctuating element in it due to diarrhœa.

TABLE XXI.—ENGLAND AND WALES.—INFANT MORTALITY, 1883–1918.

Year.	Deaths under one year of age per 1,000 Births.			Year.	Deaths under one year of age per 1,000 Births.		
	Total.	Diarrhœal Diseases.	Total less Diarrhœal Diseases.		Total.	Diarrhœal Diseases.	Total less Diarrhœal Diseases.
1883	137	12	125	1901	151	32	119
1884	147	21	126	1902	133	15	118
1885	138	11	127	1903	132	18	114
1886	149	20	129	1904	145	30	115
1887	145	18	127	1905	128	21	107
1888	136	11	125	1906	132	31	101
1889	144	16	128	1907	118	13	105
1890	151	16	135	1908	120	20	100
1891	149	13	136	1909	109	13	96
1892	148	15	133	1910	105	13	92
1893	159	28	131	1911	130	36	94
1894	137	12	125	1912	95	8	87
1895	161	28	133	1913	108	19	89
1896	148	21	127	1914	105	17	88
1897	156	31	125	1915	110	15	95
1898	160	37	123	1916	91	11	80
1899	163	40	123	1917	96	10	86
1900	154	28	126	1918	97	10	87

The table shows that during the last eighteen years of the nineteenth century infant mortality increased a little as the result of a wave of heavy diarrhœal mortality towards the close of the century, and that there was little or no tendency for the mortality from other causes to fall. During the first sixteen years of the present century a remarkable fall occurred in the mortality both from diarrhœa and from other causes, and the lowness of the rates now prevalent is due only in a minor degree to the low level of diarrhœal mortality during the last few years. Still, the fact that diarrhœa was less fatal in the last two years than in any other of the thirty-six except 1912 has had an important share in maintaining the low level of the total rate.

The rapidity of the progress made has been very different in different portions of the first year of life. Records are now available for thirty-eight years of the numbers of deaths under three months of age and at 3–6 and 6–12 months respectively. The deaths at each of these ages per 1,000 births registered, and the proportion of the total infant mortality occurring at each age during these years are shown in Table XXII.

It will be noted that though the fall has been relatively very much less in the first three months than at higher ages, the movement commenced simultaneously at all ages, after a long period when the mortality at each was stationary or tending to increase. The mortality of the first three months is of such great relative importance, amounting in 1918 to 55 per cent. of the whole for the first twelve months of life, that notwithstanding the comparative smallness of the movement recorded for it, its contribution to the total decline is greater than that of any other period of equal extent. The second and third months, which have shared the rapid decline in mortality applying to later ages, have chiefly accounted for this fall, but in 1918, while the second and third months have held their ground for the third year in succession at the lowest point yet reached, the first has moved forward, its rate being the lowest yet recorded. If the aspect of the returns for later ages

TABLE XXII.—ENGLAND AND WALES.—AGE DISTRIBUTION OF INFANT MORTALITY, 1881-1918.

	Deaths per 1,000 Births registered.						Proportion of Deaths at each age.					
	Under 4 weeks.	4 Weeks to 3 months.	Total under 3 months.	3-6 months.	6-12 months.	Total under 1 year.	Under 4 weeks.	4 Weeks to 3 months.	Total under 3 months.	3-6 months.	6-12 months.	Total under 1 year.
1881-1885	—	—	67	28	44	139	—	—	484	199	317	1,000
1886-1891	—	—	69	30	46	145	—	—	480	204	316	1,000
1891-1895	—	—	74	31	46	151	—	—	488	207	305	1,000
1896-1900	—	—	74	34	48	156	—	—	477	215	308	1,000
1901-1905	—	—	70	28	40	138	—	—	505	202	293	1,000
1906-1910	40	23	63	22	32	117	344	194	538	188	274	1,000
1911-1915	39	20	59	20	31	110	356	185	541	180	279	1,000
1905 ...	41	25	66	25	37	128	326	194	520	193	287	1,000
1906 ...	41	26	67	27	38	132	317	194	511	203	286	1,000
1907 ...	42	23	65	21	32	118	346	198	544	181	275	1,000
1908 ...	40	24	64	24	32	120	335	200	535	196	269	1,000
1909 ...	41	20	61	19	29	109	366	187	553	177	270	1,000
1910 ...	38	20	58	19	28	105	365	190	555	178	267	1,000
1911 ...	40	25	65	26	39	130	313	190	503	201	296	1,000
1912 ...	38	18	56	15	24	95	405	186	591	156	253	1,000
1913 ...	39	20	59	20	29	108	364	188	552	182	266	1,000
1914 ...	39	19	58	19	28	105	368	185	553	179	268	1,000
1915 ...	38	19	57	19	34	110	346	173	519	174	307	1,000
1916 ...	37	17	54	15	22	91	404	185	589	166	245	1,000
1917 ...	37	17	54	16	26	96	388	181	569	167	264	1,000
1918 ...	36	17	53	16	28	97	376	175	551	163	286	1,000

is not quite so favourable, this is chiefly due to influenza, which is returned as the cause of few deaths in early infancy but becomes of increasing importance as the year advances. The excess mortality from pneumonia at this time of life was so small that it may be neglected as coming within the range of normal variation, but deduction of deaths attributed to influenza would reduce mortality at 3-6 months to 15, and at 6-12 months to 25 per 1,000 births. The year 1918 would then show to advantage compared with all its predecessors except 1916, the advantage of which is due to low mortality from measles and whooping cough ; so that apart from infectious disease the infant mortality record of 1918 is very favourable indeed.*

Distribution of mortality.—Table XXIII shows how infant mortality was distributed in 1918 between the sexes and throughout the country.

TABLE XXIII.—DISTRIBUTION of the MORTALITY of INFANCY throughout ENGLAND AND WALES, 1918.

	Deaths under 1 year of age per 1,000 Births.														
	Males.					Females.					Both Sexes.				
	North	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London ...	—	—	118	—	118	—	—	97	—	97	—	—	108	—	108
County Boroughs ...	133	110	89	107	120	107	91	68	94	98	120	101	79	101	109
Other Urban Districts	121	97	83	112	104	92	74	62	84	79	107	86	72	98	92
Rural Districts ...	112	80	69	95	87	91	65	57	78	71	102	73	63	87	80
All Areas ...	126	97	97	106	108	100	78	77	84	86	113	87	87	95	97

* The mortalities quoted in Table XXII for the year 1917 are based on the births of that year, and are therefore overstated, especially for the second six months of life. On the basis of the mortality experienced in each of the first twelve months of life during the six years 1911-16, as recorded on page xxx of the Annual Report for 1916, it may be shown that of children dying at 6-12 months of age in a calendar year about 26 per cent. have been born in the same and 74 per cent. in the preceding year. In view of this fact it is better to base the mortality at this age in 1917 upon 74 per cent. of the births of 1916 and 26 per cent. of those of 1917 than upon the births of 1917 only, which were 117,174 less in number than those of 1916. Calculated in this way the mortality at 6-12 months in 1917 is reduced from 26 to 23 per thousand births. At 3-6 months the need for correction is naturally less. On the basis used 63 per cent. of the infants dying at this age were born in the calendar year of death. The mortality based upon 37 per cent. of the births in 1916, and 63 per cent. of those in 1917 is 15 per thousand as against 16 in Table XXII.

It will be seen that these adjustments, which greatly lessen though they do not entirely remove the difficulty in comparison created by the rapid fall in births, have the effect of reversing the positions of 1918 (after deduction of excess mortality from influenza) and 1917. The effect, in fact, of all these allowances is to bring the total infant mortality of 1917 to 92 deaths per thousand births, and that of 1918 to 93, these being the rates already arrived at on page xxxiii for the first year of life as a whole after similar adjustment.

The change in the birth-rate from that of 1917 has been so slight for all sections shown in the table except London that the mortality per 1,000 births registered in the year may elsewhere be accepted as a correct index. In London, however, where the birth-rate fell from 17·9 in 1917 to 16·0 in 1918, the mortality of infancy is overstated, relatively to that of other areas, because the births in 1918 are insufficient to represent the number of infant lives at risk during the year. Stated per 1,000 of the births corresponding to them (30 per cent. of those of 1917 and 70 per cent. of those of 1918) the London deaths yield a rate of only 104 as against the 108 assigned by the conventional method of statement.

Compared with 1917 the table shows a rise of mortality for each sex in the North of England and in Wales, and a fall in the Midlands and South of England.

For infants of both sexes jointly, the mortality varied from 120 deaths per 1,000 births in the county boroughs of the North to 63 in the rural districts of the South. This maximum and minimum form one of the most constant features of the yearly records. From 1911 onwards there has been no year in which the infant mortality of the southern rural districts was not the lowest recorded in the corresponding table for each sex, and with two trifling exceptions in 1912 and 1914 the converse statement applies to the northern county boroughs.

Table 17 compares classes of administrative areas in respect of infant mortality from various causes, with distinction as to legitimacy. The total mortality in the urban areas as a whole exceeded that in the rural by 28 per cent., but this excess was very unevenly distributed over the different age periods into which the first year of life is divided in the table, increasing with age, from 4 to 58 per cent. The constancy of this feature in the reports for different years is shown by the following table:—

TABLE XXIV.—INFANT MORTALITY in URBAN DISTRICTS per cent. of that in RURAL DISTRICTS, 1911–18.

—	Under 4 weeks.	4 weeks— 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
1911	106	136	145	155	164	132
1912	103	123	141	145	157	122
1913	105	141	144	149	157	129
1914	106	138	150	143	149	128
1915	103	128	148	153	154	128
1916	102	133	150	151	156	125
1917	99	124	146	148	166	122
1918	104	134	152	147	158	128

The infant mortality of London has for the second year in succession considerably exceeded that of the country at large. This is quite at variance with the previous recent experience that the prospects of infant life were if anything better in London than in the rest of the country. The following table shows how various portions of the first twelve months of life have been affected by this change:—

TABLE XXV.—INFANT MORTALITY in LONDON compared with ENGLAND and WALES taken as 100.

—	Under 4 weeks.	4 weeks— 3 months.	3–6 months.	6–12 months.	Total.
1911	88	97	104	111	100
1912	87	101	106	102	96
1913	86	102	105	105	98
1914	89	103	114	103	100
1915	88	110	112	109	102
1916	87	102	114	102	98
1917	89	110	127	123	108
1918	91	112	133	125	111

The table shows how entirely dependent upon its favourable experience during the first four weeks London has been for its comparatively low total rate. This advantage has been sensibly diminished in 1918, and neither this change for the worse nor that at 4 weeks–3 months can be ascribed to the specially heavy fall in the London birth-rate,

which is a factor in causing the increase in relative mortality at 6–12 months. Mortality at 3–6 months has been particularly heavy in London for the past five years, and in 1918 exceeded that of England and Wales by no less than one-third.

Table 17 shows that the advantage of London during the first four weeks of life is mainly accounted for by relatively low mortality from atrophy debility and marasmus, from premature birth, and from convulsions. The death-rate attributed to convulsions in London is low at all periods of the first year, but after the first four weeks that from atrophy, &c., is higher than the average, especially at 3–6 months.

During the second and third months London holds an advantage under convulsions and whooping cough which is much more than neutralised by relatively high mortality from diarrhoea, respiratory diseases, atrophy, &c., and syphilis. At 3–6 months it holds a favourable position only as regards convulsions. Of its excess mortality over England and Wales at this age of 5·18 per 1,000 births 2·08 was due to diarrhoea, 1·10 to atrophy, &c., ·80 to bronchitis and pneumonia, ·37 to whooping cough, and ·30 to syphilis. At 6–9 months London mortality was in excess chiefly from diarrhoea, bronchitis and pneumonia, measles, and whooping cough; while at 9–12 months whooping cough and measles, and the respiratory diseases which may have partly resulted from them, are chiefly responsible for the London excess. The mortality from influenza in London was much the same as in England and Wales. Amongst the causes chiefly responsible for the change for the worse in London's position in 1917 and 1918 are measles, which caused abnormal excess of mortality in London in both years, whooping cough, but only so far as 1918 is concerned, and bronchitis and pneumonia, all of which affected chiefly the later months of life. Moreover, the considerable advantage normally held by London in regard to atrophy, &c., totally disappeared in 1918, being replaced by a slight excess of mortality. This change particularly affected the age 3–6 months, at which the customary slight London excess was greatly increased, but mortality from this cause increased also at other ages, and the great advantage normally manifested by London in the first four weeks was sensibly diminished in 1918. It may be remarked that the mortality of London infants ascribed to atrophy debility and marasmus bears a similar relation to that of the country at large at different ages as that from all causes in combination. It is much below the average, that is to say, during the first four weeks of life, and as a rule above average at subsequent ages. The possibility of some common cause for these two phenomena in the conditions of London life at once suggests itself. If the congenitally feeble do relatively well in London for the first four weeks, and badly afterwards, it would seem that the London conditions must in some way be specially favourable during this period and not so later.

The returns for 1918 have, like those for 1917, been analysed so as to show the mortality of infancy by age and cause not only in the various classes of area, urban and rural, but in four sections of the country in each class of area. The rates for each of these portions of the population from the more important causes affecting infancy are given in Table 18, and the degree of departure from the average mortality of the whole country by each of the populations dealt with, during various sections of the first year of life, is shown in Table XXVI.

The table shows that in 1918 infant mortality in this country varied with geographical position to an extent quite equal to that of its variation with urbanization. For the whole twelve months of life the range is from 90 per cent. of average in the South and Midlands to 116 per cent. in the North, as against a range from 82 in the rural districts to 112 in the county boroughs. But if the geographical comparison is made between similar types of area in each case the advantage of the South is much increased, and becomes greater than that of the rural districts over the county boroughs whatever type of area is compared. Table XXVI does not furnish a single exception to the rule of increase from South to North of England, in any one of the twelve age periods dealt with. This was the case also in 1917, the only previous year for which the comparison is available, so the uniformity with which the rule applies to all infantile ages and in all classes of area is really very remarkable. The Welsh rates are commonly intermediate between those of the North and Midlands. The excess of the South over the Midlands at ages over four weeks, when the comparison is made without distinction of class of area, is due to the inclusion of London with the South. As London, lying on the border line between South and Midlands, might with as much reason be included in the one population as the other, and as, moreover, its circumstances are wholly exceptional, the only valid geographical comparison is that between similar classes of areas in different parts of the country, which gives the result above indicated.

TABLE XXVI.—INFANT MORTALITY, 1918.—PROPORTION to that of ENGLAND and WALES (taken as 100) in various portions of the FIRST YEAR OF LIFE.

		Under 4 Weeks.	4 Weeks to 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	0-3 Months.	0-6 Months.	0-9 Months.	4 Weeks to 1 Year.	3 Months to 1 Year.	6 Months to 1 Year.
All Areas ...	North ...	114	112	119	122	120	116	113	114	116	118	120	121
	Midlands ...	95	90	86	84	87	90	93	92	90	87	85	86
	South ...	86	94	93	90	89	90	88	90	90	92	91	90
	Wales ...	101	105	93	95	92	98	102	100	99	96	93	93
	England and Wales ...	100	100	100	100	100	100	100	100	100	100	100	100
London ...		91	112	133	122	128	111	97	105	108	123	128	125
County Boroughs.	North ...	114	121	131	135	131	123	116	120	122	129	132	133
	Midlands ...	101	107	106	103	105	104	103	103	103	105	105	104
	South ...	82	101	78	74	70	82	88	85	83	82	74	72
	Wales ...	98	109	105	108	108	104	101	102	103	108	107	108
	England and Wales ...	106	114	117	118	116	112	109	111	112	116	117	117
Other Urban Districts.	North ...	113	105	106	110	112	110	110	109	109	108	109	111
	Midlands ...	92	89	86	81	87	88	91	90	89	86	85	84
	South ...	83	78	66	68	64	75	82	78	76	69	66	66
	Wales ...	101	106	94	98	107	101	103	101	100	101	99	103
	England and Wales ...	99	95	90	91	94	95	98	96	95	93	92	93
Rural Districts.	North ...	116	96	102	98	98	105	109	108	106	98	99	98
	Midlands ...	92	69	59	65	66	75	85	79	77	65	63	66
	South ...	82	66	48	53	47	65	77	70	67	54	50	50
	Wales ...	102	100	84	82	55	89	102	97	95	81	74	69
	England and Wales ...	97	79	71	73	68	82	91	87	84	73	71	71

The variation in mortality with geographical section differs from that with administrative area in being very much less affected by age. In the first four weeks of life the range of variation between types of area is only from 97 per cent. of average in the rural districts to 106 in the county boroughs, but this range of nine points rapidly increases with age to 46, 45, and 48 at 3-6, 6-9, and 9-12 months respectively. Comparing geographically on the other hand the differences in the first four weeks are very much greater and increase less with age. The geographical factor tells from birth, and is comparatively little augmented by increasing age, whereas the delayed action of urbanization is uniformly a very noticeable feature in the returns.

The comparative mortality of no other population in the table is influenced by age to the same extent as that of London. As compared with its excellent record for the first four weeks London's mortality at 3-6 and 9-12 months is the highest in the table, and in 1917 the position was very similar, though in each of the preceding six years, for which alone the records are available, the mortality of London infants was lower than that of the county boroughs as a whole, not only at these but at each of the other portions of the first year of life separately dealt with in the tables. This appears to be due largely to excess of the fall in the birth-rate in London as compared with the North of England, where most of the county boroughs are situated. Whatever the cause, the relative position of London in regard to infant mortality has materially changed during the last two years, for whereas prior to 1917 its rate has generally of late years been below that of the country at large, it exceeded this in 1917 by 8 per cent., and in 1918 by 11 per cent.

The lowness of the rate for London during the first four weeks, as well as the still lower rates for other classes of area in the South at this age, is very significant of the possibility of large further reduction in this important section of infant mortality.

We have next to inquire at what periods during the first four weeks of life these differences in mortality are chiefly apparent, and Table XXVII has been prepared for this purpose. The mortalities on which these percentages are based will be found in Table XXIX, and the numbers of deaths in Table XXVIII. It will be seen that it is only in the case of Wales that these numbers fall below 50, so that for the most part the basis of fact underlying the table may be regarded as fairly adequate.

The table shows that the advantage of the South over the North is quite marked from the first day of life in all classes of area, the Midlands occupying an intermediate position in almost every instance. This is entirely in accord with the comparison of

the mortalities of these areas at other ages and from most causes. The mortality of the South and Midlands is indeed uniformly below the general average in all sections of the table. The large excess in the mortality of the Rural Districts of the North on the first day was also noted for 1917, when it was suggested that a defective midwifery service might provide the explanation. But the excess then noted for the rural districts generally on the first day and cited in support of this suggestion is very much less in 1918 (Table XXIX).

TABLE XXVII.—MORTALITY of the FIRST FOUR WEEKS of LIFE (DEATHS per 1,000 BIRTHS), in different Parts of the Country, 1918.—RATIO at each AGE to that of ENGLAND and WALES taken as 100.

	All Classes of Areas.					County Boroughs.					Other Urban Districts.					Rural Districts.				
	Under 1 day.	1-7 days.	1-2 weeks.	2-3 weeks.	3-4 weeks.	Under 1 day.	1-7 days.	1-2 weeks.	2-3 weeks.	3-4 weeks.	Under 1 day.	1-7 days.	1-2 weeks.	2-3 weeks.	3-4 weeks.	Under 1 day.	1-7 days.	1-2 weeks.	2-3 weeks.	3-4 weeks.
North	113	112	114	115	119	106	106	108	105	115	113	112	114	119	117	129	117	111	120	103
Midlands	94	96	96	97	93	95	97	92	99	90	94	91	97	96	89	89	93	103	92	95
South (including London) ...	91	86	83	79	81	87	75	75	73	60	87	92	83	66	75	91	82	82	82	78
London	96	88	85	89	96	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales	94	103	108	106	101	84	94	106	108	65	99	102	112	104	99	94	106	99	115	149
England and Wales	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

Mortality of separate weeks and months.—Tables showing deaths in each year from 1911 to 1916 in each of the first twelve months of life and in various portions of the first month were published in the Report for the latter year for the country at large and for the four classes of administrative areas distinguished in these reports. These tables were in continuation of the series published from 1905 to 1910, distinguishing two groups of registration counties, one mainly urban and the other mainly rural. In 1917 these tables were enlarged so as to distinguish the geographical sections of the country as well as, and in combination with, the classes of administrative areas ; and Tables XXVIII and XXIX provide the same information for 1918.

Distinctions of sex and legitimacy are shown only for England and Wales as a whole, but are available for each of the populations dealt with.

TABLE XXVIII.—DEATHS under ONE YEAR by WEEK and MONTH of AGE, 1918.

		Under 1 Day.	1-7 Days.	Weeks.			Months.												Total under 1 Year.
				1-2	2-3	3-4	Total under 4 Weeks.	4 Weeks to 2 Months.	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	
England and Wales	All Infants ... {	4,266	4,510	2,026	1,774	1,312	13,888	3,788	2,631	2,310	1,935	1,886	1,793	1,734	1,764	1,624	1,579	1,661	36,593
	F	3,091	3,460	1,585	1,248	920	10,304	2,817	2,023	1,615	1,436	1,339	1,324	1,348	1,417	1,419	1,300	1,451	27,793
	P	7,357	7,970	3,611	3,022	2,232	24,192	6,605	4,654	3,925	3,371	3,225	3,117	3,082	3,181	3,043	2,879	3,112	64,886
	Legitimate ... {	3,729	4,082	1,800	1,560	1,150	12,321	3,221	2,214	1,925	1,645	1,660	1,576	1,571	1,612	1,481	1,469	1,532	32,227
	F	2,670	3,106	1,421	1,116	806	9,119	2,406	1,637	1,358	1,238	1,176	1,169	1,229	1,278	1,295	1,172	1,338	24,465
	P	6,399	7,188	3,221	2,676	1,956	21,440	5,627	3,911	3,283	2,883	2,785	2,800	2,890	2,776	2,641	2,870	2,870	56,692
	Illegitimate ... {	537	428	226	214	162	1,567	567	417	385	290	226	217	163	152	143	110	129	4,366
	F	421	354	164	132	114	1,185	411	326	257	198	163	165	119	139	124	128	113	3,328
	P	958	782	390	346	276	2,752	978	743	642	488	389	382	282	291	267	238	242	7,694
All Classes of Areas.	North	2,980	3,198	1,472	1,250	954	9,854	2,688	1,845	1,617	1,423	1,440	1,315	1,336	1,441	1,264	1,308	1,326	26,857
	Midlands	2,138	2,383	1,072	911	643	7,147	1,888	1,247	1,033	899	864	840	810	810	850	772	825	17,985
	South	1,652	1,694	736	589	444	5,115	1,470	1,120	958	778	679	721	671	681	681	584	720	14,178
	Wales	587	695	331	272	191	2,076	559	442	317	271	242	241	265	249	248	215	241	5,366
London		754	749	329	287	230	2,349	708	639	598	466	431	403	406	422	408	362	467	7,659
County Boroughs.	North	1,541	1,684	782	668	554	5,229	1,548	1,049	949	837	840	758	808	842	768	737	761	15,116
	Midlands	772	860	372	353	243	2,600	755	524	442	380	363	340	346	342	355	310	344	7,101
	South	220	209	95	82	51	657	235	143	111	89	73	90	68	73	83	57	70	1,749
	Wales	97	119	61	55	25	357	110	75	61	58	49	50	47	56	46	47	55	1,011
	England and Wales.	2,630	2,872	1,310	1,158	873	8,843	2,648	1,791	1,563	1,364	1,325	1,238	1,269	1,313	1,242	1,151	1,230	24,977
Other Urban Districts.	North	942	1,037	498	411	305	3,193	819	567	464	422	417	403	379	433	369	412	410	8,288
	Midlands	798	861	405	340	255	2,659	719	480	400	354	327	306	283	322	320	290	322	6,782
	South	371	440	188	117	100	1,216	320	213	153	145	120	143	127	116	131	105	112	2,901
	Wales	306	354	183	133	96	1,072	286	236	162	144	126	138	147	117	155	132	138	2,853
	England and Wales.	2,417	2,692	1,274	1,001	756	8,140	2,144	1,496	1,179	1,065	990	990	936	988	975	939	982	20,824
Rural Districts.	North	497	477	192	171	95	1,432	321	229	204	164	183	154	149	166	137	159	155	3,453
	Midlands	568	662	295	218	145	1,888	414	243	191	165	174	194	181	146	175	172	159	4,102
	South	307	296	124	103	63	893	207	125	96	78	55	85	70	70	59	60	71	1,869
	Wales	184	222	87	84	70	647	163	131	94	69	67	53	71	76	47	36	48	1,502
	England and Wales.	1,556	1,657	698	576	373	4,860	1,105	728	585	476	479	486	471	458	418	427	433	10,926

TABLE XXIX.—INFANT MORTALITY by WEEK and MONTH of AGE, 1918.

			Proportion of Deaths to 1,000 Births.																		
			Under 1 Day.	1-7 Days.	Weeks.			Months.													Total Under 1 Year.
					1-2	2-3	3-4	Total under 4 Weeks.	4 Weeks to 2 Months.	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12		
England and Wales.	All Infants ...	M	12.58	13.31	5.97	5.23	3.87	40.96	11.17	7.76	6.81	5.71	5.56	5.29	5.11	5.20	4.79	4.66	4.89	107.91	
		F	9.55	10.69	4.90	3.86	2.84	31.84	8.71	6.25	4.99	4.44	4.14	4.09	4.17	4.38	4.39	4.02	4.48	85.90	
		P	11.10	12.02	5.45	4.56	3.37	36.50	9.97	7.02	5.92	5.09	4.87	4.70	4.65	4.81	4.59	4.34	4.70	97.16	
	Legitimate ...	M	11.73	12.85	5.66	4.91	3.62	38.77	10.13	6.97	6.06	5.18	5.22	4.96	4.94	5.08	4.66	4.62	4.82	101.41	
		F	8.80	10.24	4.68	3.68	2.66	30.06	7.93	5.59	4.47	4.08	3.88	3.82	4.05	4.21	4.27	3.86	4.41	80.63	
		P	10.30	11.57	5.19	4.31	3.15	34.52	9.05	6.30	5.29	4.64	4.56	4.40	4.51	4.65	4.47	4.25	4.62	91.26	
	Illegitimate ...	M	25.21	20.08	10.60	10.04	7.60	73.53	26.60	19.57	18.07	13.61	10.60	10.18	7.65	7.13	6.72	5.16	6.05	204.87	
		F	20.91	17.59	8.14	6.55	5.66	58.85	20.40	16.19	12.76	9.83	8.09	8.19	5.91	6.90	6.16	6.35	5.61	165.24	
		P	23.10	18.87	9.41	8.35	6.66	66.39	23.60	17.92	15.49	11.77	9.38	9.22	6.80	7.02	6.44	5.74	5.84	185.61	
	All Classes of Areas.	North ...	12.54	13.45	6.20	5.26	4.02	41.47	11.32	7.77	6.81	5.99	6.06	5.54	5.62	6.07	5.32	5.51	5.52	113.06	
Midlands ...		10.38	11.57	5.21	4.43	3.12	34.71	9.17	6.06	5.02	4.37	4.20	4.08	3.93	3.93	4.13	3.75	4.01	87.36		
South ...		10.13	10.39	4.52	3.62	2.73	31.39	9.02	6.88	5.88	4.78	4.17	4.43	4.12	4.18	4.18	3.59	4.42	87.04		
Wales ...		10.42	12.34	5.87	4.83	3.39	36.85	9.92	7.84	5.63	4.81	4.29	4.28	4.70	4.42	4.40	3.81	4.28	95.23		
London	10.63	10.55	4.64	4.04	3.24	33.10	9.98	9.00	8.42	6.57	6.07	5.68	5.72	5.94	5.75	5.10	6.58	107.91		
County Boroughs.	North ...	12.23	13.35	6.21	5.30	4.40	41.49	12.29	8.33	7.53	6.64	6.67	6.02	6.41	6.68	6.02	5.85	6.04	119.97		
	Midlands ...	10.94	12.19	5.27	5.00	3.44	36.84	10.70	7.43	6.26	5.39	5.14	4.82	4.90	4.85	5.03	4.39	4.88	100.63		
	South ...	9.96	9.47	4.30	3.71	2.31	29.75	10.65	6.48	5.03	4.03	3.31	4.08	3.08	3.31	3.76	2.58	3.17	79.23		
	Wales ...	9.67	11.87	6.08	5.48	2.49	35.59	10.97	7.48	6.08	5.78	4.89	4.99	4.69	5.58	4.59	4.69	5.48	100.81		
	England and Wales.	11.50	12.57	5.73	5.06	3.82	38.68	11.58	7.83	6.84	5.96	5.79	5.42	5.55	5.74	5.43	5.03	5.38	109.23		
Other Urban Districts.	North ...	12.13	13.36	6.41	5.29	3.93	41.12	10.54	7.30	5.97	5.43	5.37	5.19	4.88	5.57	4.75	5.30	5.28	106.70		
	Midlands ...	10.09	10.87	5.12	4.30	3.22	33.60	9.09	6.07	5.06	4.48	4.13	3.87	3.58	4.07	4.05	3.67	4.07	85.74		
	South ...	9.26	10.99	4.69	2.92	2.50	30.36	7.99	5.32	3.82	3.62	3.00	3.57	3.17	2.90	3.27	2.62	2.80	72.44		
	Wales ...	10.55	12.20	6.31	4.59	3.31	36.96	9.86	8.14	5.59	4.97	4.34	4.76	5.07	4.03	5.34	4.55	4.76	98.37		
	England and Wales.	10.70	11.93	5.64	4.43	3.35	36.05	9.50	6.62	5.22	4.72	4.38	4.39	4.14	4.37	4.32	4.16	4.34	92.21		
Rural Districts.	North ...	14.67	14.08	5.67	5.05	2.80	42.27	9.48	6.76	6.02	4.84	5.40	4.55	4.40	4.90	4.04	4.69	4.58	101.93		
	Midlands ...	10.11	11.77	5.25	3.88	2.58	33.59	7.37	4.32	3.40	2.93	3.10	3.45	3.22	2.60	3.11	3.06	2.83	72.98		
	South ...	10.30	9.94	4.16	3.46	2.12	29.98	6.95	4.20	3.22	2.62	1.85	2.85	2.35	2.35	1.98	2.02	2.38	62.75		
	Wales ...	10.63	12.83	5.02	4.85	4.04	37.37	9.41	7.56	5.43	3.98	3.87	3.06	4.10	4.39	2.71	2.08	2.77	86.73		
	England and Wales.	11.34	12.07	5.09	4.20	2.72	35.42	8.05	5.31	4.27	3.47	3.49	3.54	3.43	3.34	3.05	3.11	3.16	79.64		

Comparison of the present tables with their predecessors shows that the mortality of the first four weeks of life in 1918 was the lowest since the record started in 1905. This decline applies chiefly to males, whose rates are the lowest for each of the first three months of life. The record for the later months is not nearly so good, being notably inferior to that of 1916, and considerably worse than that of 1917, even though the latter was artificially swollen by the falling birth-rate. The excess over 1917 is more than accounted for by the considerable addition made by influenza to the mortality of these months.

The decrease in the mortality of the first four weeks applies chiefly to the county boroughs and rural districts. The decrease in the smaller towns was small, and in London the mortality, much the same as in 1917, was considerably above that of 1916. The improvement over 1917 at this age applies to all parts of the country except the North, where the rate remains at 41.5, or practically one third higher than in the South (31.4). Such differences, together with those between the returns for separate areas (Tables XXXI and XXXIII) appear to indicate that this mortality must be largely remediable.

The share of illegitimate infants in the improvement noted for the first four weeks of life in 1918 is remarkable. Their mortality at this age has fallen from 73.4 in 1917, which was 3 per cent. above the average of the previous six years, to 66.4 in 1918, or 7 per cent. below the same average, the lowest rate previously recorded since 1906, when the separate tabulation of these deaths commenced, having been 66.9 in 1910. The reduction applies to the first week of life, an age at which, as pointed out in the Report for 1916, the mortality of illegitimate infants was increasing while that of the legitimate was decreasing since the commencement of the war. The decrease for legitimate infants in the first week has continued, their death-rate in 1918, 21.9 per 1,000 births, being the lowest hitherto recorded; but the increase amongst the illegitimate, which was maintained in 1917, when the rate stood at 45.8, has been succeeded by a sudden decrease, reducing it to a lower level than in any year since 1908, when it was 41.7 (and in 1907, 40.4) as against 42.0 in 1918. The excess of illegitimate over legitimate mortality in the first week remains, however, much higher than it was a few years ago, amounting to 92 per cent. in 1918—

105 in 1917—as against 71 in 1906 and 70 in 1907. During these thirteen years the mortality of legitimate infants in the first week of life has declined very considerably, but that of the illegitimate not at all. After the first week there is greater uniformity of improvement for the two classes.

Mortality of separate Counties and County Boroughs:—On pages 52–56 will be found a table, appearing for the first time in the present Report, of the deaths of infants in each administrative county, and county or metropolitan borough, distinguishing urban and rural portions of counties, detail of age, and legitimacy. The total deaths and those occurring in the first four weeks of life are also shown as ratios per 1,000 births. This table was arranged, in consultation with the Local Government Board, to throw further light upon the differences in infant mortality recorded on pages 19–51 for each administrative area, where the total infant mortality of each county and county borough, as well as of smaller areas, will be found; and it is hoped that it will prove useful to investigators of the subject. It shows that there are very few exceptions of note to the general rule of increase of mortality from south to north whether of the first twelve months or of the first four weeks only of life.

Dealing first with the county boroughs, there is only one, West Ham, south of the Wash—Bristol Channel line in which the average rate of 109 for these boroughs as a whole is exceeded, whereas north of this line excess of average is the rule. Much the same applies to the mortality of the first four weeks, which it has been proposed to name neo-natal mortality. In this case Norwich with a rate of 47 deaths per 1,000 births as against 39 in the county boroughs generally, forms a striking exception to the general rule of low rates in the South. Even a health resort like Blackpool can yield the terribly high rate of 55, the highest for any county borough in the country, and 41 per cent. in excess of the general average, while its mortality for the whole year is also above average. In marked contrast with this experience the rate for Southport was very low indeed for both periods. These rates, it should be stated, are quite exceptional for Blackpool, which usually returns a low infant mortality.

While the rates for the great majority of the northern boroughs were high for both age periods the West Riding boroughs showed to advantage, as compared with those of Lancashire, in the first four weeks, but compared rather badly with Lancashire for the whole twelve months. The highest rates are not as a rule returned by the largest boroughs. Mortality in Birmingham, Liverpool, and Manchester was below the county borough average for the whole country for the first four weeks, and that for Birmingham and Manchester for the whole of the first year.

In Tables XXX and XXXI the county boroughs are arranged in order of mortality for the twelve months and four weeks respectively, the rate for each being shown as a percentage of that for the whole county borough population. As might be expected, the highest places in both tables are occupied for the most part by residential towns, but the position of East Ham, seventh for the mortality of the first twelve months and thirteenth for that of the first four weeks out of the whole 82 county boroughs, shows what results may be attained in a working class community. The conditions here of course differ materially from those of the more common case where the areas of industry and residence coincide; and the habitually low rates returned by this and neighbouring residential working class suburbs of London are of good omen for the success which may be achieved elsewhere by improvements in town planning and transport.

The variations in the mortality of illegitimate infants are naturally very much greater than for infants generally, as in the case of the smaller boroughs the facts are too few to yield really satisfactory rates. Still the general feature of the tabulation for illegitimates is much the same as for all infants, the rates being generally lowest in the residential towns of the South and highest in the industrial towns of the North. Thus for the whole twelve months the six highest positions are occupied by (in order) Canterbury, Oxford, Worcester, Hastings, Newport, and Bath; and the lowest by Wakefield, Leeds, Sunderland, Cardiff, Carlisle, and Bootle, the last named returning the highest mortality, 316 deaths per 1,000 births, in the whole list. For the first four weeks of life the six highest positions are occupied by Eastbourne, Chester, Oxford, Bournemouth, Canterbury, and Portsmouth; and the six lowest by Nottingham, Oldham, Derby, Cardiff, Blackpool, and Wakefield, the last named losing exactly 20 per cent. of all illegitimates born during the first four weeks.

TABLE XXX.—INFANT MORTALITY in COUNTY BOROUGHs.—Boroughs arranged in order of Mortality, with the proportion in each per cent. of that in the County Boroughs as a whole, 1918.

Position.*	County Borough.	Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total County Boroughs.	Position.*	County Borough.	Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total County Boroughs.
	Total County Boroughs	109	100	41	Norwich	107	98
				42	Manchester	107	98
1	Bournemouth	57	52	43	Newcastle-on-Tyne	108	99
2	Canterbury	58	53	44	Leicester	109	100
3	Southport	60	55	45	Walsall	110	101
4	Oxford	62	57	46	Birkenhead	110	101
5	Worcester	64	59	47	Tynemouth	111	102
6	Exeter	65	60	48	Salford	112	103
7	East Ham	67	61	49	Preston	112	103
8	Hastings	72	66	50	Dewsbury	112	103
9	Brighton	72	66	51	Bury	112	103
10	Lincoln	73	67	52	West Bromwich	112	103
11	Southend-on-Sea	73	67	53	Merthyr Tydfil	113	104
12	Eastbourne	74	68	54	Stockport	113	104
13	Bath	74	68	55	Stoke-on-Trent	113	104
14	Reading	75	69	56	Darlington	114	105
15	Portsmouth	76	70	57	Blackpool	114	105
16	Croydon	77	71	58	West Ham	115	106
17	Gloucester	83	76	59	Bootle	117	107
18	Ipswich	83	76	60	Rochdale	119	109
19	Chester	89	82	61	South Shields	120	110
20	Wallasey	89	82	62	Oldham	121	111
21	Wakefield	90	83	63	Gateshead	123	113
22	Newport (Mon.)	90	83	64	Wigan	123	113
23	Bristol	92	84	65	Nottingham	123	113
24	Southampton	92	84	66	Blackburn	124	114
25	Northampton	92	84	67	Bradford	125	115
26	Coventry	93	85	68	Dudley	125	115
27	Swansea	95	87	69	Liverpool	126	116
28	Derby	95	87	70	Halifax	126	116
29	Plymouth	97	89	71	Burnley	126	116
30	Birmingham	97	89	72	Hull	127	117
31	Wolverhampton	97	89	73	St. Helens	127	117
32	York	97	89	74	Sheffield	128	117
33	Great Yarmouth	99	91	75	Grimsby	129	118
34	Burton-on-Trent	99	91	76	Carlisle	130	119
35	Warrington	101	93	77	Sunderland	131	120
36	Huddersfield	101	93	78	Leeds	133	122
37	Barrow-in-Furness	102	94	79	Rotherham	136	125
38	Smethwick	103	94	80	Middlesbrough	148	136
39	Cardiff	104	95	81	Barnsley	162	149
40	Bolton	106	97	82	West Hartlepool	167	153

* The positions in this table and similar tables have been derived from rates calculated in sufficient detail to discriminate between all areas.

The smaller towns equally fall into line as regards increase of mortality from South to North. South of the Wash-Bristol Channel line there are but two counties, Huntingdon and Bedford, returning mortalities for their urban districts during the first four weeks which are over the average for urban districts, and for the whole twelve months there is but one, Huntingdon. The rural districts also follow the same rule. South of this line there is but one small county, the Isle of Ely, returning for its rural districts an infant mortality rate above the average for all rural districts in the country; and for the first four weeks of life only the Isle of Ely, Norfolk, and West Suffolk do so. East Suffolk also returns a rate for the first four weeks above that of any other county south of the dividing line. The Welsh rural district rates run high, especially in the first four weeks, but Durham occupies the highest place of all at both periods, with the West Riding in close attendance (and considerably above Lancashire). In both these counties the rates for the rural districts, many of which of course are far from being really of a rural nature, exceed those for the urban, both in the first four weeks, when this is common, and for the whole twelve months, when it is rare, except in Wales.

TABLE XXXI.—DEATHS under FOUR WEEKS of AGE per 1,000 BIRTHS in COUNTY BOROUGHs.—Boroughs arranged in order of Mortality, with the proportion in each per cent. of that in the County Boroughs as a whole, 1918.

Posi- tion.*	County Borough.	Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total County Boroughs.	Posi- tion.*	County Borough.	Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total County Boroughs.
	Total County Boroughs	39	100	41	Coventry	38	97
				42	Manchester	38	97
1	Lincoln	22	56	43	Gloucester	39	100
2	Bournemouth	22	56	44	Bolton	39	100
3	Oxford	24	62	45	Carlisle	40	103
4	Worcester	25	64	46	Newport (Mon.)	40	103
5	Southport	25	64	47	Huddersfield	40	103
6	Exeter	26	67	48	York	40	103
7	Reading	27	69	49	Hull	40	103
8	Canterbury	27	69	50	Gateshead	41	105
9	Croydon	27	69	51	Wolverhampton	41	105
10	Brighton	28	72	52	Barrow-in-Furness	41	105
11	Portsmouth	28	72	53	Newcastle-on Tyne	42	108
12	Bath	29	74	54	Salford	42	108
13	East Ham	29	74	55	Leeds	43	110
14	Eastbourne	30	77	56	Bradford	43	110
15	Burton-on-Trent	30	77	57	South Shields	43	110
16	Chester	31	79	58	Halifax	43	110
17	Bootle	31	79	59	West Bromwich	43	110
18	Southend-on-Sea	32	82	60	Smethwick	43	110
19	West Ham	32	82	61	Warrington	44	113
20	Great Yarmouth... ..	32	82	62	Bury	44	113
21	Stockport	32	82	63	Sunderland	44	113
22	Swansea	32	82	64	Derby	44	113
23	Rotherham	33	85	65	Sheffield	44	113
24	Ipswich	33	85	66	Burnley	45	115
25	Bristol	34	87	67	Tynemouth	45	115
26	Plymouth	34	87	68	Grimsby	45	115
27	Birmingham	35	90	69	Norwich	47	121
28	Wakefield	35	90	70	Blackburn	47	121
29	Southampton	35	90	71	Darlington	48	123
30	Cardiff	35	90	72	Middlesbrough	48	123
31	Hastings	36	92	73	Wigan	49	126
32	Merthyr Tydfil	36	92	74	Nottingham	49	126
33	Wallasey	37	95	75	Dewsbury	50	128
34	Stoke-on-Trent	37	95	76	Rochdale	50	128
35	Liverpool	37	95	77	West Hartlepool	50	128
36	Birkenhead	37	95	78	St. Helens	51	131
37	Preston	37	95	79	Barnsley	52	133
38	Northampton	37	95	80	Dudley	53	136
39	Walsall	37	95	81	Oldham	53	136
40	Leicester	38	97	82	Blackpool	55	141

* The positions in this table and similar tables have been derived from rates calculated in sufficient detail to discriminate between all areas.

The following tables arrange the urban and rural portions of the counties in order of their mortality at both the periods dealt with, and show the proportion in each case to that for the corresponding areas in the whole country, taken as 100.

TABLE XXXII.—INFANT MORTALITY in the AGGREGATES of URBAN and of RURAL DISTRICTS in each ADMINISTRATIVE COUNTY.—Aggregates arranged in order of Mortality, with the proportion in each per cent. of that in the Urban or Rural Districts as a whole, 1918.

Position.		Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total Urban or Rural Districts.	Position.		Deaths under One Year per 1,000 Births.	Mortality per cent. of that in total Urban or Rural Districts.
Aggregates of Urban Districts.							
	Total Urban Districts ...	92	100	31	Radnor ...	85	92
1	Rutland ...	25	27	32	Warwick ...	85	92
2	Isle of Wight ...	52	57	33	Isle of Ely ...	86	93
3	Suffolk, West ...	55	60	34	Brecknock ...	86	93
4	Merioneth ...	61	66	35	Suffolk, East ...	86	93
5	Somerset ...	61	66	36	Bedford ...	86	93
6	Gloucester ...	62	67	37	Norfolk ...	88	96
7	Sussex, West ...	66	72	38	Worcester ...	88	96
8	Cambridge ...	66	72	39	Cardigan ...	89	97
9	Oxford ...	66	72	40	York, East Riding ...	89	97
10	Hertford ...	67	73	41	Hereford ...	93	101
11	Southampton ...	67	73	42	Chester ...	93	101
12	Surrey ...	68	74	43	Derby ...	95	103
13	Devon ...	68	74	44	Carmarthen ...	95	103
14	Buckingham ...	68	74	45	Huntingdon ...	95	103
15	Flint ...	69	75	46	Lincoln, Kesteven ...	97	105
16	Northampton ...	72	78	47	Denbigh ...	98	107
17	Sussex, East ...	73	79	48	Glamorgan ...	100	109
18	Wilts ...	74	80	49	Cumberland ...	100	109
19	Berks ...	75	82	50	Monmouth ...	101	110
20	Dorset ...	76	83	51	Lancaster ...	102	111
21	Essex ...	76	83	52	Stafford ...	104	113
22	Montgomery ...	76	83	53	Lincoln, Lindsey ...	104	113
23	Westmorland ...	77	84	54	Nottingham ...	104	113
24	Soke of Peterborough ...	78	85	55	Pembroke ...	106	115
25	Middlesex ...	78	85	56	Northumberland ...	106	115
26	Cornwall ...	79	86	57	Lincoln, Holland ...	107	116
27	Kent ...	80	87	58	York, North Riding ...	108	117
28	Anglesey ...	81	88	59	„ West „ ...	111	121
29	Salop ...	81	88	60	Carnarvon ...	114	124
30	Leicester ...	84	91	61	Durham ...	120	130
Aggregates of Rural Districts.							
	Total Rural Districts...	80	100	31	Lincoln, Kesteven ...	71	89
1	Soke of Peterborough ...	33	41	32	Norfolk ...	72	90
2	Dorset ...	47	59	33	Suffolk, East ...	72	90
3	Hertford ...	50	63	34	Cardigan ...	72	90
4	Sussex, West ...	55	69	35	Gloucester ...	72	90
5	Surrey ...	55	69	36	Carnarvon ...	73	91
6	Oxford ...	55	69	37	Lincoln, Lindsey ...	74	93
7	Somerset ...	58	73	38	Leicester ...	74	93
8	Essex ...	58	73	39	Rutland ...	76	95
9	Radnor ...	59	74	40	Warwick ...	77	96
10	Westmorland ...	59	74	41	Flint ...	78	98
11	Cambridge ...	60	75	42	Merioneth ...	81	101
12	Sussex, East ...	60	75	43	Montgomery ...	82	103
13	Southampton ...	61	76	44	York, East Riding ...	82	103
14	Buckingham ...	62	78	45	Northumberland ...	83	104
15	Bedford ...	62	78	46	Stafford ...	83	104
16	Worcester ...	64	80	47	Cumberland ...	84	105
17	Wilts ...	65	81	48	Hereford ...	84	105
18	Northampton ...	65	81	49	Glamorgan ...	84	105
19	Berks ...	65	81	50	Pembroke ...	85	106
20	Huntingdon ...	65	81	51	York, North Riding ...	87	109
21	Middlesex ...	66	83	52	Derby ...	90	113
22	Salop ...	67	84	53	Lancaster... ..	91	114
23	Chester ...	67	84	54	Anglesey ...	93	116
24	Monmouth ...	67	84	55	Nottingham ...	93	116
25	Suffolk, West ...	67	84	56	Brecknock ...	93	116
26	Devon ...	68	85	57	Carmarthen ...	96	120
27	Kent ...	68	85	58	Denbigh ...	108	135
28	Cornwall ...	70	88	59	York, West Riding ...	113	141
29	Isle of Wight ...	71	89	60	Isle of Ely ...	117	146
30	Lincoln, Holland ...	71	89	61	Durham ...	123	154

TABLE XXXIII.—DEATHS under FOUR WEEKS of AGE per 1,000 BIRTHS in the AGGREGATES of URBAN and of RURAL DISTRICTS in each ADMINISTRATIVE COUNTY.—Aggregates arranged in order of Mortality, with the proportion in each per cent. of that in the Urban or Rural Districts as a whole, 1918.

Position.		Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total Urban Districts.	Position.		Deaths under 4 weeks per 1,000 Births.	Mortality per cent. of that in total Urban Districts.
Aggregates of Urban Districts.							
	Total Urban Districts ...	36	100	31	Isle of Ely ...	33	92
				32	Soke of Peterborough ...	34	94
1	Rutland ...	—	—	33	Nottingham ...	34	94
2	Cardigan ...	21	58	34	Suffolk, West ...	34	94
3	Isle of Wight ...	24	67	35	Wilts ...	35	97
4	Oxford ...	25	69	36	Merioneth ...	35	97
5	Flint ...	25	69	37	Chester ...	35	97
6	Devon ...	25	69	38	Sussex, East ...	36	100
7	Cambridge ...	26	72	39	Stafford ...	36	100
8	Cornwall ...	26	72	40	Carmarthen ...	36	100
9	Southampton ...	26	72	41	Pembroke ...	37	103
10	Brecknock ...	27	75	42	Cumberland ...	37	103
11	Radnor ...	28	78	43	Worcester ...	37	103
12	Surrey ...	29	81	44	Glamorgan ...	37	103
13	Middlesex ...	29	81	45	Leicester ...	38	106
14	Norfolk ...	29	81	46	Carnarvon ...	39	108
15	Salop ...	30	83	47	Monmouth ...	40	111
16	Anglesey ...	30	83	48	Lancaster ...	40	111
17	Buckingham ...	30	83	49	York, East Riding ...	40	111
18	Hertford ...	30	83	50	Derby ...	40	111
19	Sussex, West ...	30	83	51	Lincoln, Kesteven ...	40	111
20	Northampton ...	30	83	52	York, West Riding ...	41	114
21	Berks ...	31	86	53	Lincoln, Lindsey ...	41	114
22	Warwick ...	31	86	54	Bedford ...	42	117
23	Montgomery ...	31	86	55	Westmorland ...	42	117
24	Suffolk, East ...	32	89	56	Hunts ...	43	119
25	Gloucester ...	32	89	57	Northumberland ...	44	122
26	Kent ...	32	89	58	York, North Riding ...	45	125
27	Denbigh ...	33	92	59	Durham ...	46	128
28	Essex ...	33	92	60	Hereford ...	49	136
29	Somerset ...	33	92	61	Lincoln, Holland ...	50	139
30	Dorset ...	33	92				
Aggregates of Rural Districts.							
	Total Rural Districts...	35	100	31	Devon ...	32	91
				32	Middlesex ...	32	91
1	Soke of Peterborough ...	16	46	33	Derby ...	33	94
2	Huntingdon ...	25	71	34	Carnarvon ...	34	97
3	Chester ...	25	71	35	Glamorgan ...	35	100
4	Bedford ...	25	71	36	Suffolk, East ...	35	100
5	Essex ...	26	74	37	Gloucester ...	35	100
6	Cardigan ...	26	74	38	Suffolk, West ...	35	100
7	Buckingham ...	27	77	39	Norfolk ...	36	103
8	Rutland ...	27	77	40	Cumberland ...	36	103
9	Dorset ...	27	77	41	Salop ...	37	106
10	Berks. ...	27	77	42	Radnor ...	37	106
11	Surrey ...	27	77	43	Lincoln, Kesteven ...	38	109
12	Hertford ...	27	77	44	Warwick ...	38	109
13	Monmouth ...	29	83	45	Lancaster ...	38	109
14	Sussex, West ...	29	83	46	York, East Riding ...	38	109
15	Northampton ...	29	83	47	Nottingham ...	38	109
16	Sussex, East ...	29	83	48	Northumberland ...	38	109
17	Lincoln, Holland ...	29	83	49	York, North Riding ...	39	111
18	Leicester ...	29	83	50	Hereford ...	40	114
19	Southampton ...	30	86	51	Merioneth ...	40	114
20	Somerset ...	30	86	52	Pembroke ...	41	117
21	Flint ...	30	86	53	Brecknock ...	41	117
22	Oxford ...	30	86	54	Montgomery ...	42	120
23	Cornwall ...	31	89	55	Denbigh ...	42	120
24	Isle of Wight ...	31	89	56	Stafford ...	43	123
25	Worcester ...	31	89	57	York, West Riding ...	43	123
26	Kent ...	31	89	58	Carmarthen ...	43	123
27	Westmorland ...	31	89	59	Anglesey ...	48	137
28	Wilts. ...	32	91	60	Isle of Ely ...	51	146
29	Lincoln, Lindsey ...	32	91	61	Durham ...	52	149
30	Cambridge ...	32	91				

Causes of Infant Mortality.—It will be seen from Table XXXIV, which compares the rates recorded in Table 16 with those of the previous year and of the years 1911–14, taken as representing the most recent peace experience, that the mortality from all the causes distinguished in the table except whooping cough, respiratory diseases, and, of course, influenza, was lower in the last year of the war than in the period immediately preceding it. Most of the causes distinguished in the table also exhibit decreases from 1917, the only exception, in addition to the three causes already named, being premature birth, the mortality ascribed to which increased by 4 per cent. in 1918. The most notable declines have occurred under the headings of tubercle and convulsions, the mortality ascribed to each of which is considerably lower than any previously recorded. The comparison with 1917, however, is really less favourable than the table makes it appear, on account of the overstatement of infant mortality for that year (*see* page xxxiv).

The term convulsions is very rapidly going out of favour as a form of death return in infancy, the mortality so returned, 7·0 per 1,000 births, being less than half what it was fifteen years ago (Table 15). It is still, however, much higher in the rest of the country than in London (7·4 as against 3·7). This is a feature of long standing in the returns, the present rate for England and Wales not having been exceeded by London since 1905. Formerly, however, the difference was not so great as it has become of late years, when the London rate has been only about half that of the rest of the country. Thus 25 years earlier, in 1893, the London mortality was 14·6 and that of the rest of the country 20·5.

TABLE XXXIV.—ENGLAND AND WALES, 1918.—INCREASE or DECREASE of INFANT MORTALITY as compared with 1911–14 and with 1917.

	Under 4 weeks.		4 weeks–3 months.		3–6 months.		6–9 months.		9–12 months.		Under 1 year.	
	1911–14.	1917.	1911–14.	1917.	1911–14.	1917.	1911–14.	1917.	1911–14.	1917.	1911–14.	1917.
Amount.												
Whooping cough ...	+0·01	+0·05	+0·17	+0·43	+0·21	+0·56	+0·42	+0·79	+0·56	+0·86	+1·37	+2·69
Other common infectious diseases.	-0·01	-0·01	-0·01	+0·01	-0·07	-0·07	-0·17	-0·09	-0·20	-0·32	-0·46	-0·48
Influenza ...	+0·10	+0·09	+0·28	+0·25	+0·77	+0·73	+1·18	+1·17	+1·15	+1·13	+3·48	+3·37
Diarrhoea and enteritis...	-0·42	-0·01	-2·20	-0·20	-3·38	-0·17	-2·78	-0·19	-1·87	-0·19	-10·65	-0·76
Premature birth...	-0·05	+0·71	-0·01	+0·04	—	—	+0·01	+0·01	—	-0·01	-0·05	+0·75
Congenital defects ...	-0·35	-0·57	+0·04	-0·07	-0·04	-0·08	-0·01	-0·06	—	—	-0·36	-0·78
Atrophy debility and marasmus.	-1·10	-0·36	-0·82	-0·20	-0·67	-0·30	-0·32	-0·05	-0·21	-0·09	-3·12	-1·00
Developmental and wasting diseases.	-1·50	-0·22	-0·79	-0·23	-0·71	-0·38	-0·32	-0·10	-0·21	-0·10	-3·53	-1·03
Tuberculous diseases ...	—	—	-0·15	-0·09	-0·37	-0·24	-0·39	-0·26	-0·28	-0·22	-1·19	-0·81
Convulsions ...	-0·64	-0·29	-0·40	-0·23	-0·41	-0·19	-0·32	-0·16	-0·09	-0·05	-1·86	-0·92
Bronchitis and pneumonia	-0·08	-0·12	-0·09	-0·08	+0·33	-0·06	+0·86	+0·32	+0·95	+0·41	+2·02	+0·47
Suffocation, overlying ...	-0·10	-0·01	-0·31	-0·11	-0·16	-0·06	-0·01	-0·02	-0·01	-0·01	-0·59	-0·21
Other causes ...	-0·11	-0·45	-0·04	-0·19	-0·26	-0·31	-0·27	-0·43	-0·27	-0·26	-0·95	-1·64
All causes...	-2·75	-0·97	-3·54	-0·44	-4·00	-0·19	-1·80	+1·03	-0·27	+1·25	-12·36	+0·68
Percentage.												
Whooping cough ...	+ 9	+ 71	+ 22	+ 86	+ 22	+ 95	+ 39	+ 111	+ 51	+ 108	+ 34	+ 10
Other common infectious diseases.	- 25	- 25	- 13	+ 17	- 32	- 32	- 18	- 10	- 11	- 17	- 15	- 16
Influenza ...	+250	+180	+467	+278	+1283	+730	+1967	+1671	+2875	+1883	+1338	+911
Diarrhoea and enteritis...	- 35	- 1	- 48	- 8	- 51	- 5	- 61	- 10	- 60	- 13	- 53	- 7
Premature birth...	- 0	+ 4	- 1	+ 3	—	—	+ 33	+ 33	—	- 50	- 0	+ 4
Congenital defects ...	- 9	- 14	+ 5	- 7	- 11	- 19	- 6	- 27	—	—	- 7	- 13
Atrophy debility and marasmus.	- 16	- 6	- 24	- 7	- 33	- 18	- 40	- 9	- 49	- 29	- 23	- 9
Developmental and wasting diseases.	- 5	- 1	- 14	- 4	- 27	- 17	- 32	- 13	- 38	- 23	- 9	- 3
Tuberculous diseases ...	—	—	- 39	- 28	- 41	- 31	- 41	- 32	- 33	- 28	- 38	- 29
Convulsions ...	- 20	- 10	- 20	- 12	- 25	- 13	- 28	- 16	- 12	- 7	- 21	- 12
Bronchitis and pneumonia	- 6	- 8	- 2	- 2	+ 9	- 1	+ 19	+ 6	+ 22	+ 9	+ 11	+ 2
Suffocation, overlying ...	- 21	- 3	- 54	- 30	- 53	- 30	- 17	- 29	- 50	- 50	- 41	- 20
Other causes ...	- 3	- 11	- 2	- 8	- 12	- 14	- 16	- 23	- 19	- 18	- 8	- 14
All causes...	- 7	- 3	- 17	- 3	- 20	- 1	- 11	+ 8	- 2	+ 11	- 11	+ 1

The decline of mortality from tubercle is even more remarkable than that from convulsions, the rate having very steadily fallen from 6·16 per 1,000 births in 1904 to 1·94 in 1918 (Table 15). The greatest fall has occurred under the head of abdominal tuberculosis, to which less than one-quarter of the mortality of fifteen years ago

is now ascribed ; and the smallest under that of tuberculous meningitis, which retains nearly half the death-rate of the earlier date. How far such an enormous change occurring in a few years, during the last four of which tuberculosis mortality in general has been on the increase, can be accepted as a happy reality ascribable presumably to such causes as improvement of the milk supply, it would be difficult to say. Probably many sanitary workers would be somewhat sceptical as to such improvement having occurred in the time as would account for the decline in mortality recorded ; and it is very possible that, especially in the case of abdominal tuberculosis, the change may be largely attributable to increasing stringency of the tests applied before the tuberculous nature of pathological conditions is accepted. As against this view, however, it must be noted that mortality from meningitis not ascribed to tubercle has declined quite as fast as that from the tuberculous affection. This fact makes it difficult to see under what heading deaths formerly ascribed in error to tuberculous meningitis, supposing these to have been numerous, can now be returned ; for whatever uncertainty there may be as to its cause, it may be supposed that the existence of meningitis in cases proceeding to a fatal issue is as a rule free from doubt. No doubt the cause of the fall in mortality from meningitis is largely improvement in certification, which now permits of deaths being referred to the cause of the meningitis which formerly would have been classed to meningitis itself (*cf.* peritonitis).

Other causes calling for mention are diarrhœa and enteritis, with the lowest infant mortality recorded except that of 1912 ; syphilis, which shows a decline from the rather startling rate of 1917, though the pre-war level has been by no means regained ; over-lying, which has manifested a remarkable decline in mortality during the war, interrupted in 1917, but now resumed, so that the mortality in 1918, .84 per 1,000 births, is little more than half the rates prevalent up to 1914 ; injury at birth, the death-rate from which, 1.0 per 1,000, is the lowest since 1910 ; atelectasis, with the lowest death-rate, 1.5, since 1904, previous to which the deaths returned under this heading were much fewer in number than of recent years ; congenital malformations, with the lowest rate, 3.7, returned since 1912 ; and atrophy debility and marasmus, with the lowest death-rate, 10.6 per 1,000 births, ever returned for England and Wales. The mortality from the latter cause is also the lowest since 1910 (and therefore, presumably, altogether), for the grouped county boroughs, urban districts, and rural districts ; but along with its increased mortality from other causes London experienced a loss from this one which was higher than that of the smaller towns and rural districts, and which was higher than London's own rate in four out of the seven preceding years. Previous to 1917 the London rate from this cause was regularly the lowest of the four classes of area distinguished, as it still is, by a large margin, in the first four weeks of life. If the London deaths are excluded the mortality from this cause in the remainder of the South of England is very much below the general average (Table 18).

From the section of Table XXXIV dealing with absolute increases or decreases we may see to what a large extent the advantage of 1918 over the four latest years of peace is dependent upon the character of the summer. Of the whole decline of 12.36 per 1,000

TABLE XXXV.—ENGLAND AND WALES.—DEATHS OF CHILDREN under ONE YEAR OF AGE from DEVELOPMENTAL and WASTING DISEASES per 1,000 BIRTHS, 1886–1918.

	Sex.	Proportion of Deaths to 1,000 Births of each Sex.								
		1886–1890.	1891–1895.	1896–1900.	1901–1905.	1906–1910.	1911–1915.	1916.	1917.	1918.
Premature birth(151A)	M.	17.8	20.3	21.7	22.4	22.0	21.7	20.6	21.0	21.9
	F.	14.4	16.4	17.5	18.1	17.8	17.6	16.6	17.1	17.6
	P.	16.1	18.4	19.6	20.2	19.9	19.7	18.6	19.1	19.8
Congenital defects (150 and 152B).	M.	3.5	3.9	4.3	6.4	7.3	6.2	6.4	6.4	5.6
	F.	2.9	3.3	3.5	5.0	5.9	4.9	5.1	5.4	4.6
	P.	3.2	3.6	3.9	5.7	6.6	5.6	5.8	5.9	5.1
Atrophy Debility and Marasmus (151 B–E)	M.	24.9	25.0	23.9	20.8	17.5	15.3	13.0	13.0	11.9
	F.	20.6	20.3	19.3	16.6	13.7	11.6	9.4	10.1	9.2
	P.	22.8	22.7	21.7	18.7	15.6	13.5	11.2	11.6	10.6
Total : Develop- mental and wasting diseases.	M.	46.2	49.2	49.9	49.6	46.8	43.2	40.0	40.4	39.4
	F.	37.9	40.0	40.3	39.7	37.4	34.1	31.1	32.5	31.5
	P.	42.1	44.7	45.2	44.6	42.1	38.8	35.6	36.6	35.5

births shown (which without influenza would have been 15·84) no less than 10·65 is due to diarrhoea, mortality from which will almost certainly increase again in hotter summers. The decline under the heading of developmental and wasting diseases, more than accounting for the balance of improvement, is probably of greater significance, and it may be hoped that it will continue to increase. The history of this mortality during the past thirty-three years is recorded in Table XXXV. The increase in the mortality from congenital defects between 1896–1900 and 1901–05 was largely due to changes in classification. From 1911 onwards it has remained almost stationary. The rate ascribed to premature birth, which was low during the earlier years of the war, increased in 1918 to about its recent pre-war average. The figure under the vague title “atrophy debility and marasmus” is only about half now what it was twenty years ago, largely, no doubt, in consequence of increasing definiteness of certification.

Table XXXVI, which contrasts the mortality of male with that of female, and of legitimate with that of illegitimate infants, shows that the mortality of males was 26 per cent. greater than that of females, and that all the principal causes of death except whooping cough display the same feature, and on the whole to a very uniform extent. The excess in the mortality of males was greatest at 3–6 months, decreasing thereafter. All these features of the table—excess in male mortality of about 25 per cent. from all causes and from the principal groups of causes, excess of female mortality from whooping cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with remarkable constancy from year to year. The proportionate male excess was less in the case of illegitimate infants, as it has been in (at least) each of the past thirteen years. The excess in mortality of illegitimate children varied greatly for different causes of death. It was comparatively slight for whooping cough and congenital defects, but heavy for diarrhoea and for atrophy etc. These are all very constant features of this table.

TABLE XXXVI.—ENGLAND AND WALES, 1918 : INFANT MORTALITY by SEX and LEGITIMACY.

		Deaths per 1,000 Births.						Mortality per cent.					
		All Infants.		Legitimate Infants.		Illegitimate Infants.		Male of Female Infants.			Illegitimate of Legitimate Infants.		
		Male.	Female.	Male.	Female.	Male.	Female.	All Infants.	Legitimate.	Illegitimate.	Male.	Female.	
All causes	{ Under four weeks ...	40·96	31·84	38·77	30·06	73·53	58·85	129	129	125	190	196	
	{ 4 weeks–3 months ...	18·93	14·96	17·10	13·52	46·17	36·59	127	126	126	270	271	
	{ 3–6 months ...	18·08	13·57	16·46	12·43	42·28	30·68	133	132	138	257	247	
	{ 6–9 „ ...	15·60	12·64	14·98	12·08	24·96	21·00	123	124	119	167	174	
	{ 9–12 „ ...	14·34	12·89	14·10	12·54	17·93	18·12	111	112	99	127	144	
	{ Total under one year ...	107·91	85·90	101·41	80·63	204·87	165·24	126	126	124	202	205	
All ages under one year.	{ Whooping cough ...	5·07	5·66	5·03	5·57	5·77	6·95	90	90	83	115	125	
	{ Other common infectious diseases.	2·85	2·31	2·71	2·25	4·92	3·33	123	120	148	182	148	
	{ Influenza ...	4·23	3·22	?	?	?	?	131	?	?	?	?	
	{ Diarrhoea and enteritis	10·69	8·32	9·60	7·53	26·93	20·26	128	127	133	281	269	
	{ Premature birth ...	21·90	17·64	21·02	16·87	34·96	29·34	124	125	119	166	174	
	{ Congenital defects ...	5·60	4·64	5·47	4·56	7·46	5·91	121	120	126	136	120	
	{ Atrophy debility and marasmus.	11·86	9·22	10·75	8·32	28·34	22·89	129	129	124	264	275	
	{ Developmental and wasting diseases.	39·36	31·50	37·24	29·75	70·76	58·14	125	125	122	190	195	
	{ Tuberculous diseases ...	2·24	1·62	2·14	1·50	3·66	3·37	138	143	109	171	225	
	{ Convulsions ...	8·02	5·86	7·64	5·46	13·65	11·87	137	140	115	179	217	
	{ Bronchitis and pneumonia.	22·82	17·74	22·06	17·30	34·35	24·53	129	128	140	156	142	
	{ Other causes ...	12·63	9·67	14·99	11·27	44·83	36·79	131	133	122	299	326	
	{ All causes ...	107·91	85·90	101·41	80·63	204·87	165·24	126	126	124	202	205	

Table XXXVII, which is derived from Table 18, furnishes an analysis by cause of the differences in total mortality under one year of age shown in Table XXIII. Table 18 having been prepared for the first time in 1917 the results for that year alone are available for comparison.

The greatest departures from the average mortality of the whole country in these tables are furnished by the county boroughs of the North, with excesses under every cause distinguished, except injury at birth, aggregating to 22·81 deaths per 1,000 births ; and by the rural and urban districts of the South and rural districts of the Midlands, all holding advantages under nearly every head which aggregate to 34·41, 24·72 and 24·18 per 1,000 births respectively. In each of these four cases the first place in order of numerical importance amongst the causes of death accounting for the differences is occupied by bronchitis and pneumonia and the second by diarrhoea and enteritis, the two former being treated as one cause on account of the interchangeability of certification between them. All of these statements apply equally to 1917, except that the order of importance of the two principal causes accounting for the differences was reversed, diarrhoea coming first and the respiratory diseases second.

TABLE XXXVII.—COMPARISON OF INFANT MORTALITY from the PRINCIPAL CAUSES in VARIOUS AREAS, 1918.

		Measles.	Whooping Cough.	Other Infectious Diseases.	Tuberculosis, all forms.	Diarrhoea and Enteritis.	Convulsions.	Bronchitis and Pneumonia.	Syphilis.	Suffocation. Overlying.	Injury at Birth.	Congenital Malformations.	Premature Birth.	Atrophy Debility and Marasmus.	Other Causes.	All Causes.
DIFFERENCES FROM RATES FOR ENGLAND AND WALES PER 100,000 BIRTHS.																
All Areas	North	+ 49	+122	- 1	+ 18	+194	+203	+ 484	+ 40	- 11	- 2	+ 26	+265	+118	+ 85	+1590
	Midlands	- 70	-123	- 3	- 2	-155	-147	-330	- 24	- 8	- 28	+ 26	- 54	- 12	- 24	- 980
	South	+ 13	- 33	+ 7	- 3	- 28	-312	- 265	+ 10	+ 38	+ 17	+ 7	-238	-171	- 64	-1012
	Wales	+ 12	+ 28	- 12	- 64	-178	+581	- 62	-103	- 61	- 18	- 25	-229	+ 40	-102	- 193
London		+161	+166	+ 40	+ 70	+413	-322	+ 346	+ 88	+ 78	+ 27	+ 2	-135	+ 14	+127	+1075
County Boroughs.	North	+ 83	+153	+ 5	+ 44	+860	+215	+ 740	+115	+ 24	- 17	+ 13	+314	+143	+ 39	+2281
	Midlands	- 15	-124	+ 7	+ 54	+235	-163	+ 65	+ 50	+ 35	- 18	+ 50	+175	+ 92	+ 4	+ 347
	South	- 88	- 97	- 3	- 13	-134	-235	- 485	+ 27	- 7	+ 13	+ 37	-274	-350	-181	-1793
	Wales	+171	- 87	+ 8	- 15	+243	+410	+ 239	- 30	- 44	- 30	- 57	-117	-459	+ 83	+ 365
England and Wales.		+ 40	+ 33	+ 5	+ 39	+269	+ 63	+ 394	+ 80	+ 21	- 15	- 7	+195	+ 53	+ 37	+1207
Other Urban Districts.	North	+ 33	+ 94	- 3	+ 4	+ 21	+178	+ 265	- 33	- 48	+ 11	+ 41	+194	+ 77	+120	+ 954
	Midlands	- 59	- 97	+ 3	- 13	-251	- 90	-397	- 42	+ 2	- 6	- 39	-124	- 19	- 10	-1142
	South	- 63	-209	- 24	- 69	-337	-335	-666	- 53	+ 28	- 3	+ 9	-262	-323	-165	-2472
	Wales	+ 48	- 12	- 17	- 80	-113	+586	+ 45	-114	- 67	- 17	+ 10	-258	+212	-102	+ 121
England and Wales.		- 14	- 40	- 6	- 26	-155	+ 46	- 160	- 50	- 19	- 1	+ 3	- 56	- 10	- 7	- 495
Rural Districts.	North	- 45	+ 72	- 13	- 49	- 24	+212	+ 33	- 72	- 57	+ 27	+ 38	+244	+121	- 10	+ 477
	Midlands	-155	-159	- 22	- 57	-509	-206	- 732	- 92	- 47	+ 3	+ 13	-242	-132	- 81	-2418
	South	-161	-220	- 28	- 33	-581	-314	-1020	-103	- 13	+ 24	- 3	-428	-275	-236	-3441
	Wales	-141	+163	- 14	- 67	-532	+672	- 416	-126	- 61	- 13	- 66	-244	+ 40	-208	-1043
England and Wales.		-127	- 75	- 21	- 62	-408	- 15	- 570	- 94	- 44	+ 12	+ 6	-163	- 79	-112	-1752
RATES PER CENT. OF THOSE FOR ENGLAND AND WALES.																
All Areas	North	121	123	97	109	120	129	124	121	87	98	107	113	111	107	116
	Midlands	69	77	90	99	84	79	84	87	100	92	92	97	99	98	90
	South	106	94	123	98	97	55	87	105	145	117	102	88	84	96	90
	Wales	105	105	61	67	81	183	97	46	27	82	93	88	104	92	98
London		171	131	229	136	143	54	117	146	193	127	101	93	101	110	111
County Boroughs.	North	136	129	116	123	138	131	136	161	129	83	104	116	114	107	123
	Midlands	93	77	123	128	125	77	103	126	142	82	86	109	109	100	104
	South	61	82	90	93	86	66	76	114	92	113	110	86	67	85	82
	Wales	175	84	126	92	125	159	114	84	48	70	84	94	57	107	104
England and Wales.		118	106	116	120	128	109	119	142	125	85	98	110	105	103	112
Other Urban Districts.	North	114	118	90	102	102	126	113	88	43	111	111	110	107	110	110
	Midlands	74	82	110	93	74	87	80	78	102	94	89	94	98	99	88
	South	72	61	23	64	65	52	67	72	133	97	102	87	69	87	75
	Wales	121	98	45	59	88	184	102	40	20	83	103	87	120	92	101
England and Wales.		94	93	81	87	84	107	92	74	77	99	101	97	99	99	95
Rural Districts.	North	80	113	53	75	97	130	102	62	52	127	110	112	111	99	105
	Midlands	32	70	29	71	47	70	64	52	44	103	104	88	88	94	75
	South	29	59	10	57	39	55	50	46	85	124	99	78	74	81	65
	Wales	38	130	55	65	44	196	78	34	27	87	82	88	104	84	89
England and Wales.		44	86	32	68	57	98	72	51	48	112	102	92	93	91	82

When the different classes of area are compared without distinguishing sections of the country we find that in all four classes, taking London separately, the respiratory

diseases and diarrhœa head the list of causes accounting for the departure from average. As infant mortality from both causes falls comparatively late in the first year of life, only about 30 per cent. of it falling on the first three months, as against about 55 per cent. from all causes, it can readily be seen why the adverse influence of city life increases in importance as age advances. The two causes in question accounted in 1918 for 56 per cent. of the total advantage of the rural districts and 64 per cent. of that of the small towns. They also accounted for 55 per cent. of the excess mortality of the county boroughs and 71 per cent. of that of London. As both diarrhœa and the respiratory diseases are amongst the most preventable causes of death in infancy the further development of the administrative measures which have during the past twenty years so remarkably diminished the mortality of infants over one month of age should lead to further reduction of the excess mortality of the older infants in the cities by the gradual elimination of its principal causes.

The case of premature birth in this connexion is somewhat anomalous. It helps to account for the favourable experience of the smaller towns and rural districts and ranks next to diarrhœa and the respiratory diseases as a cause of excess mortality in the county boroughs, but in London the mortality ascribed to it is almost as low as that even of the rural districts. The explanation so far as it goes appears to be that mortality from this as well as from other less important causes peculiarly affecting early infancy increases as much or more from South to North than from country to town so that the London rate is low because London is situated in the South even though it is a great city.

No other deductions to be drawn from Table XXXVII can be confirmed in the same way by appeal to the experience of former years as those referring to grades of urbanization alone, so until the basis of the comparison can be extended by the inclusion of later data any conclusions drawn must be of a more tentative nature. Certain differences, however, between North and South (the position of the Midlands being almost always intermediate) are so clearly marked in the present table and in that for 1917 that there can be little doubt as to their confirmation by further experience. The excess mortality of the North is principally due to four causes—bronchitis and pneumonia, premature birth, convulsions, and diarrhœa and enteritis. Together these four causes account for 72 per cent. (75 in 1917) of the total northern excess above the average for England and Wales. The inclusion of premature birth and convulsions, mainly affecting early infancy, as well as the respiratory diseases and diarrhœa, which mainly affect later infancy, accounts for the excess of the North being more evenly distributed over the whole twelve months than that of the cities, which is chiefly due to the latter two causes alone.

The favourable experience of the Midlands applies to every cause shown, but is chiefly due to bronchitis and pneumonia, diarrhœa, and convulsions. The South records numerically unimportant excesses under various headings, but the great advantage held by it as regards convulsions, bronchitis and pneumonia, premature birth, and atrophy reduces its total mortality to a figure slightly below that of the Midlands, notwithstanding the inclusion of London in the South. If London is excluded from the comparison, the experience of the South is much more favourable. The principal features of the Welsh figures is the enormous excess of mortality from convulsions.

Turning now to the lower section of Table XXXVII we find that the mortality ascribed to convulsions is over three times as heavy in Wales as in the South of England, while that in the North is over twice as great. The probable unreality of these differences which were of practically equal dimensions in the corresponding table for 1917, was pointed out in the Report for that year, where the low rates of mortality from tubercle and overlying in Wales were also commented upon. The low Welsh mortality from syphilis is also a feature in both tables, and generally speaking the differences brought out appear so far to be of fairly stable type.

The causes of death accounting for the differences in the mortality of the first four weeks of life (pages xxxvii and xxxviii) may now be referred to. They are chiefly convulsions, congenital malformations, premature birth, and atrophy debility and marasmus. The departure, both absolutely and proportionally, in the case of each population dealt with in Table 18 from the average mortality of England and Wales from each of these causes is shown in the following table :—

TABLE XXXVIII.—COMPARISON of MORTALITY (DEATHS per 100,000 BIRTHS) of the FIRST FOUR WEEKS of LIFE, 1918.

				Differences from Rates for England and Wales.						Rates per cent. of those for England and Wales.					
				Convulsions.	Congenital Malformations.	Premature Birth.	Atrophy Debility and Marasmus.	Other Causes.	All Causes.	Convulsions.	Congenital Malformations.	Premature Birth.	Atrophy Debility and Marasmus.	Other Causes.	All Causes.
All Classes of Areas.	North	+ 88	+ 24	+252	+ 78	+ 55	+497	134	111	114	113	107	114
	Midlands	- 67	- 22	- 54	+ 17	- 53	-179	74	90	97	103	93	95
	South	-118	-	-226	-173	+ 6	-511	55	100	87	71	101	86
	Wales	+225	- 8	-208	+111	- 85	+ 35	186	96	88	119	89	101
London	-122	+ 1	-141	-196	+118	-340	53	100	92	67	115	91
County Boroughs.	North	+ 86	+ 18	+271	+ 47	+ 77	+499	133	108	115	108	110	114
	Midlands	- 99	- 31	+153	+ 27	- 16	+ 34	62	86	109	105	98	101
	South	- 99	+ 16	-273	-238	- 81	-675	62	107	85	60	89	82
	Wales	+246	- 8	-143	-153	- 33	- 91	194	96	92	74	96	98
	England and Wales	+ 17	+ 2	+165	+ 5	+ 29	+218	106	101	109	101	104	106
Other Urban Districts.	North	+ 72	+ 38	+197	+ 90	+ 65	+462	127	117	111	115	108	113
	Midlands	- 44	- 32	-131	- 5	- 78	-290	83	86	93	99	90	92
	South	-134	+ 9	-246	-175	- 68	-614	49	104	86	70	91	83
	Wales	+187	+ 19	-240	+223	-143	+ 46	171	108	87	138	81	101
	England and Wales	+ 11	+ 4	- 53	+ 27	- 34	- 45	104	102	97	105	96	99
Rural Districts.	North	+130	+ 8	+303	+163	- 32	+577	150	104	117	128	96	116
	Midlands	- 62	+ 3	-207	+ 33	- 58	-291	76	101	88	106	92	92
	South	- 97	- 16	-365	- 61	-113	-652	63	93	80	90	85	82
	Wales	+281	- 54	-188	- 79	- 31	+ 87	207	76	90	113	96	102
	England and Wales	+ 22	- 7	-114	+ 52	- 61	-108	108	97	94	109	92	97

It will be seen that each of the causes specified in the table contributes to the excess mortality of the North and that all but congenital malformations contribute to the favourable position of the South, and that this holds good generally for each class of area in both cases. Almost half the total difference in mortality between North and South is accounted for under the head of premature birth alone, but, as may be seen from Table 18, no less than 49 per cent. of the total mortality of the first four weeks is attributed to this cause. Much larger proportionate differences are recorded for atrophy, etc., and especially for convulsions, than for prematurity and malformation, while from causes other than these four both North and South record a slight excess of mortality. The reason no doubt is that the four specified causes, which jointly account for almost 80 per cent. of the total mortality, being very largely of an indefinite nature, the remaining causes returned are on the whole much more definite. As certification in the South, whether more accurate than that in the North or not, is at all events more precise in form, it is natural that the mortality returned in the South under these more definite headings should exceed the average for the country, although under all the headings specified in the table except malformation it falls considerably short of it. The only cause yielding an appreciably lower recorded mortality in the North than in the country at large is overlying; while in the South mortality from overlying and birth injury exceeded the average, the list for London being the same, with the additions of atelectasis and diarrhoea. Excess of mortality in the South from pneumonia is more than counterbalanced by the low figures returned for bronchitis.

Returning to the four causes distinguished in the table we find that, as might be expected, the mortality ascribed to the most definite of them, congenital malformation and premature birth, varies least throughout the country, though owing to its great importance as a cause of death at this age prematurity accounts for a large share of the differences between the areas compared. Even here, however, there is considerable excess in the North, the mortality there being 14 per cent. above that for the whole country whereas in the South it is 13 per cent. below it. The difference may be attributable to greater industrial employment of women in the North; but as against this view the increase in women's labour during the war has led to no increase of mortality from premature birth.

The differences in mortality from congenital malformations do not harmonise sufficiently with those in the corresponding table for 1917 to give them any great signifi-

cance except that the Northern rate is 10–11 per cent. in excess in both years. The remarkably favourable position of Wales under this head in 1917 has disappeared except in the rural districts.

Although the title “atrophy debility and marasmus” sounds even less definite than “convulsions,” the range of variation under the former, 60 to 138 per cent. of average, is much less than that under the latter, where the southern urban districts return only 49 per cent. of the average rate for the whole country, and the rural districts of Wales 207 per cent.

The facts in 1917 were almost the same, and it seems evident that atrophy as at present used is a more significant form of return than convulsions. Whatever the causes may be to which increased knowledge would refer these deaths from atrophy they appear to form a more or less definite group of cases, of approximately similar significance in different parts of the country, or rather to approximate to this much more nearly than convulsions, as to which it is impossible to conceive that the mortality of the first four weeks (or of later infancy) has the same significance in London and in Wales.

Mortality at 1–5.—While the mortality of the first year of life in 1918 remained practically unchanged as measured in proportion to births, though in proportion to numbers living it advanced considerably (Table XXXIX), the discrepancy being due to the very abnormal ratio of births to population at 0–1 in 1917, that of the next four years increased greatly.

TABLE XXXIX.—ENGLAND and WALES.—Mortality per 1,000 living in each of the First Five Years of Life, 1911–14, 1917, and 1918.

Year of Life.			Males.				Females.				Persons.			
			1911–14.	1917.	1918.	1918% of 1911–14.	1911–14.	1917.	1918.	1918% of 1911–14.	1911–14.	1917.	1918.	1918% of 1911–14.
0–1	132·06	106·33	118·79	90·0	104·47	82·27	92·90	88·9	118·40	94·44	106·03	89·6
1–2	35·12	30·26	40·98	116·7	32·43	27·72	39·91	123·1	33·79	29·00	40·45	119·7
2–3	13·71	13·35	21·76	158·7	13·37	12·42	21·98	164·4	13·54	12·89	21·87	161·5
3–4	8·26	8·14	13·58	164·4	8·13	8·12	14·60	179·6	8·19	8·13	14·09	172·0
4–5	6·08	6·00	10·33	169·9	6·05	5·98	10·94	180·8	6·07	5·99	10·64	175·3
0–5	{ Crude	...	40·23	31·69	38·52	95·7	33·65	26·24	33·85	100·6	36·96	28·98	36·20	97·9
	{ Standardized	*	40·71	34·13	42·48	104·3	34·17	28·29	37·09	108·5	37·45	31·22	39·80	106·3
1–5	{ Crude	...	15·85	14·23	21·09	133·1	15·03	13·33	21·26	141·5	15·44	13·78	21·18	137·2
	{ Standardized	*	15·79	14·43	21·66	137·2	14·99	13·56	21·86	145·8	15·39	13·99	21·76	141·4

* Based on the constitution of the population in 1901.

This increase, moreover, is magnified by the standardization necessary to allow for the decreased proportion of young infants in the population under five years of age. This standardization, unnecessary in normal times, has now considerable effect, increasing a mortality at 0–5 of 36·2 to one of 39·8. The crude rate is much the same as that of the four years before the war, with which it is compared in the table; but the standardized rate is a little higher. Both are much higher than the rates for 1917 (or 1916) and if the first year of life is excluded from the comparison the increase is very much magnified, amounting at 1–5 to more than 40 per cent. on 1911–14 and about 55 per cent. on 1917. The increase applies to each of these four years of life, being very important in the first of them owing to its comparatively high mortality; but the degree of change is far greater in the later years, reaching a maximum of just over 75 per cent. in the fifth.

The cause of this great increase may be seen from Table XL to have been mainly influenza, which caused a mortality of 4,057 per million living at 1–5 in 1918, and of only 68 in 1917. The great increase in the death-rate from pneumonia and bronchitis is due no doubt largely to the same cause, as well as to whooping cough, which completes the list of causes of notably increased mortality. In the case of whooping cough, the increase was due not so much to the severity of the 1918 mortality, though this was somewhat above the average of recent years, as to the exceptionally low rates experienced in 1913 and 1917, which Table 12 shows to have been much the lowest of the last fifty years. Deduction of the excess of deaths (over 1917) from influenza and pneumonia reduces the standardized mortality of the year for ages 1–5 to 15·54, as against 13·99 in 1917.

Other changes are of comparatively little importance. Tuberculous meningitis shows a considerable fall, from 694 per million in 1917 to 610 in 1918; and the growth in

mortality from burns—to which attention was directed in last year's Report, with the suggestion that it might be associated with increased employment of mothers outside their homes—has not been maintained, these deaths having now fallen back from 393 per million living in 1917 to their pre-war level.

TABLE XL.—MORTALITY PER MILLION LIVING at AGES 1-5 YEARS in 1911-14, 1917, and 1918.—BOTH SEXES.

	Death-rate.			Increase (+) or Decrease (—) between 1911-14 and 1918.			Death-rate.			Increase (+) or Decrease (—) between 1911-14 and 1918.	
	1911-14.	1917.	1918.	+	—		1911-14.	1917.	1918.	+	—
6. Measles ...	2,643	2,562	2,497	—	146	87B. Laryngitis ...	141	123	127	—	14
7. Scarlet fever ...	369	130	161	—	208	89 & 90. Bronchitis ...	862	884	1,193	331	—
8. Whooping cough ...	1,202	864	2,064	862	—	91. Broncho-pneumonia ...	2,146	2,242	3,725	1,579	—
9A. Diphtheria ...	769	739	791	22	—	92. Pneumonia, lobar undefined.	856	800	1,374	518	—
10. Influenza ...	59	68	4,057	3,998	—	103A. Gastritis ...	93	98	106	13	—
28 & 29. Pulmonary tuberc., acute and chronic.	307	306	309	2	—	104 & 105. Diarrhoea and enteritis.	1,621	836	769	—	852
30. Tub. meningitis.	697	694	610	—	87	119. Acute nephritis ...	88	107	104	16	—
31. Tub. peritonitis.	387	372	375	—	12	150. Congenital malfor- mations.	84	87	90	6	—
32-35. Other tuberc. diseases.	212	189	172	—	40	167. Burns ...	356	393	353	—	3
36A. Rickets ...	170	185	159	—	11	Other violence ...	271	259	265	—	6
61. Meningitis ...	480	420	404	—	76	Other causes ...	1,177	978	1,013	—	164
71. Convulsions ...	455	444	459	4	—	All causes ...	15,445	13,780	21,177	5,732	—

The distribution throughout the country of mortality during the second year of life is shown in Table XLI, which gives corresponding information regarding that year to that contained in Table XXIII for the first year. The comparison has not been carried beyond the second year on account of the difficulty of estimating age group populations for separate portions of the country. The estimates for the second year of life have been framed from the registered births and deaths in the same manner as those used in Table XXXIX for the country at large, but in the absence of information as to migration of these infants from one area to another it has not been possible to make any allowance for such movement, the volume of which has no doubt been exceptionally great during the war. This defect in the estimates made must increase in importance as life advances ; and though for the country at large, in the case of which the amount of migration involved would be small, the estimation has been carried out up to the age of 5, it has not been carried beyond the second year for these segmentary populations on account of the large amount of internal migration affecting them.

TABLE XLI.—MORTALITY per 1,000 POPULATION at AGE 1-2, 1918.

	Males.					Females.					Persons.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London ...	—	—	48·5	—	48·5	—	—	49·6	—	49·6	—	—	49·0	—	49·0
County Boroughs ...	56·8	42·1	34·3	47·4	49·5	55·3	43·1	28·9	45·6	43·4	56·0	42·6	31·6	46·5	49·0
Other Urban Dis- tricts.	47·5	34·2	25·7	38·6	37·5	47·2	30·5	24·2	36·2	35·5	47·4	32·3	24·9	37·4	36·5
Rural Districts ...	33·2	25·6	20·7	28·2	27·8	39·8	24·1	18·8	26·7	27·0	39·0	24·9	19·8	27·4	27·4
All Areas ...	51·2	34·6	36·5	36·9	41·0	50·5	33·2	35·7	35·0	39·9	50·8	33·9	36·1	35·9	40·4

It will be seen that the mortality of the populations compared differs in the same manner in the second as in the first year of life, but to a much greater degree. It is 79 per cent. greater in the large cities than in the rural districts, whereas in the first year the excess is only about 36 per cent. The difference between North and South is also much greater in the second than in the first year, the northern excess being 75-100 per cent. for each class of area compared, though the rate in London is rather high.

The records for the first and second years are compared in Table XLII, which facilitates comparison by statement in each case as a percentage of the rate for the whole country.

In the second year of life mortality varied from 51 per cent. below the mean in the rural districts of the South to 39 per cent. above it in the county boroughs of the North ; whereas the range of infant mortality is only from 35 per cent. below to 23 per cent. above the average, the highest and lowest rates being furnished, as in almost all other comparisons of the kind, by the same populations. The excess of male over female mortality, which amounted to 26 per cent. in the first year of life, was only 3 per cent. in the second year. This accords with Table XXXVI, which shows that, after attaining a maximum of 33 per cent. at 3-6 months, the excess declines to 11 per cent. at 9-12 months.

TABLE XLII.—ENGLAND AND WALES.—MORTALITY of the POPULATION AGED 0-1 and 1-2 in VARIOUS SECTIONS of the COUNTRY and CLASSES of AREA per cent. of that in the COUNTRY as a whole, 1918.

	Males.					Females.					Persons.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
MORTALITY AT 0-1 PER 1,000 BIRTHS per cent. of that in ENGLAND AND WALES.															
London	—	—	109	—	109	—	—	113	—	113	—	—	111	—	111
County Boroughs	123	102	82	99	111	124	106	79	109	114	123	104	82	104	112
Other Urban Districts	112	90	77	104	96	107	86	72	98	92	110	88	75	101	95
Rural Districts	104	74	64	88	81	106	76	66	91	83	105	75	65	89	82
All Areas	117	90	90	98	100	116	91	90	98	100	116	90	90	98	100
MORTALITY AT 1-2 PER 1,000 POPULATION per cent. of that in ENGLAND AND WALES.															
London	—	—	118	—	118	—	—	124	—	124	—	—	121	—	121
County Boroughs	139	103	84	116	121	139	108	72	114	121	139	105	78	115	121
Other Urban Districts	116	83	63	94	91	118	76	61	91	89	117	80	62	93	90
Rural Districts	93	62	50	69	68	100	60	47	67	68	97	62	49	68	68
All Areas	125	84	89	90	100	127	83	89	88	100	126	84	89	89	100

Mortality of the Aged.—It has already been seen from Tables XVIII and 6-8 that mortality at ages over 75 was very low in 1918 and that the rate for females aged 65-75, deaths from influenza included, was the lowest in our records.

The causes which have contributed to this decrease in the mortality of old age may be gathered from Table XLIII, which shows for each of the past eight years the mortality from each of the eight principal causes or groups of causes to which the deaths of persons over 70 years of age are attributed. It will be seen that the decline has occurred notwithstanding an increase in mortality from influenza, which though slight when compared with that at earlier ages, is still a very appreciable factor (*See the Report on Influenza*). But in comparison with the losses amongst young adults the aged may be said to have escaped almost scot free. In fact in the year 1915, when the total influenza mortality was only 9 per cent. of the level it attained in 1918, the death-rate of old women from this cause was nearly as high as in the later year. All the other causes distinguished in the table show considerable reductions on the previous war years, while the rates for Bright's disease and "old age" are the lowest of any year in the table. Even cancer has fallen to the lowest point attained, at this age, since 1912. The sudden increase in the mortality of old age at the commencement of the war and its complete disappearance before the war was over form a curious incident in the history of the time. If altered conditions of physical life had been the cause the increase of mortality should have been progressive, attaining its maximum, instead of disappearing, in 1918, when shortages were at their maximum. It seems reasonable therefore to regard the growth and decline of this mortality as of mental rather than physical origin, though the explanation of the course followed remains obscure.

TABLE XLIII.—ENGLAND AND WALES, 1911-1918.—MORTALITY OVER 70 YEARS of AGE in each YEAR from the CHIEF CAUSES OF DEATH.

	Deaths from each Cause per 1000 Total Deaths.								Mortality per 1000 Living.							
	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.
MALES.																
Influenza (10) ...	10	14	14	13	24	23	18	41	1·2	1·6	1·7	1·5	3·1	2·9	2·2	4·6
Cancer (39-45) ...	78	80	81	84	74	78	80	84	8·8	9·3	9·5	10·0	9·7	9·9	10·0	9·4
Heart disease (79) ...	124	135	141	138	148	151	150	146	14·1	15·7	16·6	16·3	19·4	19·2	18·7	16·4
Disease of blood vessels (64, 81-3).	120	134	145	150	143	143	154	149	13·6	15·5	17·0	17·7	18·8	18·2	19·2	16·7
Bronchitis (89, 90) ...	119	135	132	136	152	143	138	131	13·5	15·7	15·5	16·1	20·0	18·2	17·2	14·7
Pneumonia (91, 92) ...	31	34	32	35	37	35	36	39	3·6	4·0	3·7	4·2	4·9	4·5	4·4	4·3
Bright's disease (120)...	29	29	31	30	29	29	28	27	3·3	3·4	3·6	3·6	3·9	3·7	3·5	3·0
Old age (154) ...	274	247	234	223	212	215	215	204	31·2	28·7	27·5	26·3	27·9	27·4	26·9	22·8
Other causes ...	215	192	190	191	181	183	181	179	24·3	22·1	22·4	22·5	23·9	23·2	22·6	19·8
All causes ...	1000	1000	1000	1000	1000	1000	1000	1000	113·6	116·0	117·5	118·2	131·6	127·2	124·7	111·7
FEMALES.																
Influenza (10) ...	11	16	18	16	30	29	22	44	1·1	1·6	1·8	1·7	3·5	3·1	2·3	4·1
Cancer (39-45) ...	85	87	89	88	78	84	87	94	8·4	8·9	9·0	9·2	9·1	9·2	9·0	8·8
Heart disease (79) ...	131	140	148	149	147	156	155	151	13·0	14·3	14·9	15·5	17·1	17·1	16·1	14·1
Disease of blood vessels (64, 81-3).	119	129	138	139	134	132	142	146	11·8	13·1	13·9	14·5	15·6	14·5	14·8	13·7
Bronchitis (89, 90) ...	129	148	142	145	169	157	154	142	12·8	15·0	14·3	15·1	19·6	17·2	15·9	13·4
Pneumonia (91, 92) ...	31	32	30	34	37	34	33	34	3·1	3·2	3·0	3·5	4·3	3·7	3·4	3·2
Bright's disease (120)...	21	23	23	24	22	20	20	18	2·1	2·3	2·3	2·5	2·5	2·2	2·0	1·7
Old age (154) ...	301	275	260	247	238	241	241	229	29·9	28·0	26·2	25·7	27·8	26·4	25·1	21·5
Other causes ...	172	150	152	158	145	147	146	142	17·0	15·5	15·5	16·1	17·1	16·3	15·2	13·3
All causes ...	1000	1000	1000	1000	1000	1000	1000	1000	99·2	101·9	100·9	103·8	116·6	109·7	103·8	93·8
PERSONS.																
Influenza (10) ...	11	15	16	15	27	26	20	43	1·1	1·6	1·7	1·6	3·3	3·0	2·2	4·3
Cancer (39-45) ...	81	84	85	86	76	81	84	89	8·6	9·0	9·2	9·5	9·3	9·5	9·4	9·1
Heart disease (79) ...	128	138	145	144	147	154	153	149	13·4	14·9	15·6	15·8	18·1	18·0	17·2	15·1
Disease of blood vessels (64, 81-3).	119	131	141	144	138	137	148	147	12·5	14·1	15·2	15·8	16·9	16·0	16·6	14·9
Bronchitis (89, 90) ...	125	142	137	141	161	151	146	137	13·1	15·3	14·8	15·5	19·8	17·7	16·5	13·9
Pneumonia (91, 92) ...	31	33	31	34	37	34	34	36	3·3	3·5	3·3	3·8	4·6	4·0	3·8	3·7
Bright's disease (120)...	24	26	26	27	25	24	23	22	2·6	2·8	2·8	2·9	3·1	2·8	2·6	2·3
Old age (154) ...	289	262	248	236	227	229	230	218	30·4	28·3	26·8	25·9	27·8	26·8	25·8	22·1
Other causes ...	192	169	171	173	162	164	162	159	20·1	18·3	18·3	18·9	19·9	19·2	18·3	15·8
All causes ...	1000	1000	1000	1000	1000	1000	1000	1000	105·1	107·8	107·7	109·7	122·8	117·0	112·4	101·2

Centenarians.—Among the deaths registered during the year there were 60 of reputed centenarians, 18 of whom were males and 42 females. In the preceding three years the numbers were 79, 88, and 73 respectively. Particulars of the ages returned and of the classes of area concerned are given in Table XLIV.

TABLE XLIV.—ENGLAND AND WALES, 1918.—DEATHS of CENTENARIANS.

	Males.					Females.							
	Age.					Age.							
	100 and over.	100.	101.	102.	103.	100 and over.	100.	101.	102.	103.	104.	105.	106.
London	2	—	1	—	1	8	5	1	1	—	1	—	—
County Boroughs	1	1	—	—	—	11	2	5	3	1	—	—	—
Other Urban Districts	10	4	4	—	2	11	4	4	2	—	—	—	1
Rural Districts	5	4	1	—	—	12	8	3	1	—	—	—	—
All areas	18	9	6	—	3	42	19	13	7	1	1	—	1

CAUSES OF DEATH.

The causes of death of males and females at 27 groups of ages are stated in the abstracts at pages 72–173 for the whole country, for London, for county boroughs in the aggregate, for other urban districts in the aggregate, and for rural districts in the aggregate; and at pages 174–191 the deaths in these areas are shown by cause but not by age for each quarter of the year. So far as they relate to the whole country these tables include all deaths registered during the year; but owing to the special circumstances arising from the war, it has been found necessary to exclude naval and military deaths from all tables relating to portions of the country (*see* page x). A condensed table stating, by ages, the causes of these latter deaths will be found on page 192. The tables on pages 72–191 include the full International List of Causes of Death with certain subdivisions introduced for reasons stated in the “Manual of the International List” (page vi). All other abstracts of the causes of death are arranged in the form of the short list of causes adopted by the Registrar-General and the Local Government Board in 1911. The relation of this list to the detailed and condensed International Lists as revised by the International Commission which met for the purpose at Paris, in 1909, is as follows:—

Short List of Registrar-General and of Local Government Board.					Corresponding Number.	
					Detailed International List.	Abridged International List.
1.	Enteric fever	1	1
2.	Small-pox	5	4
3.	Measles	6	5
4.	Scarlet fever	7	6
5.	Whooping cough	8	7
6.	Diphtheria and croup	9	8
7.	Influenza	10	9
8.	Erysipelas	18	12 in part.
9.	Phthisis (pulmonary tuberculosis)	28, 29	13
10.	Tuberculous meningitis	30	14
11.	Other tuberculous diseases	31–35	15
12.	Cancer, malignant disease	39–45	16
13.	Rheumatic fever	47	37 in part.
14.	Meningitis	61	17
15.	Organic heart disease	79	19
16.	Bronchitis	89, 90	20, 21
17.	Pneumonia (all forms)	91, 92	22, and 23 in part.
18.	Other diseases of respiratory organs	86–88, 93–98	23 in part.
19.	Diarrhoea and enteritis, ages stated	104, 105	25, and 37 in part.
	“ “ ages unstated	104	25
20.	Appendicitis and typhlitis	108	26
21.	Cirrhosis of liver	113	28
21A.	Alcoholism	56	37 in part.
22.	Nephritis and Bright’s disease	119, 120	29
23.	Puerperal fever	137	31
24.	Other accidents and diseases of pregnancy and parturition.	134–136, 138–141	32
25.	Congenital debility and malformation, including premature birth.	150, 151	33
26.	Violent deaths, excluding suicide	164–186	35
27.	Suicide	155–163	36
28.	Other defined diseases	2–4, 11–17, 19–27, 36–38, 46, 48–55, 57–60, 62–78, 80–85, 99–103, 105–107, 109–112, 114–118, 121–133, 142–149, 152–154.	37 plus detailed list Nos. 2–4, 11–17, 19, 64, 65, 102, 103, 109, 128–132, 154; and less detailed list Nos. 47, 56, and, where ages are stated, 105.
29.	Diseases ill-defined or unknown	187–189	38

The contents of every heading in both the short and the detailed list now in use, and their relation to the items in the list previously used, are defined in the Manual, which should be consulted in all cases where it is desired to ascertain the precise significance of any heading in the lists.

On pages 209–335 deaths of civilians are shown for different classes of area in various sections of the country, for urban and rural portions of administrative counties, and for county and metropolitan boroughs, arranged by sex, age, and the short list of causes as above. For all other administrative areas the deaths are shown on pages 336–434 arranged by sex and short list of causes without distinction of age.

In addition to the above presentations, all of which follow the International List, the deaths and death-rates of the year are shown in Tables 9 and 10 for England and Wales only, and with distinction of sex but not of age, arranged according to the list in use up to 1910. In these tables the figures for each cause in the old list are shown for each of the last 15 years, the series being uninterrupted by the adoption in 1911 of the International List. The method by which this result is secured is described in the “Manual” above referred to (pages vi and xxvi–xxxi). Similar tables (Nos. 14 and 15) relating to deaths under one year of age, and stating mortality in proportion to births, appear for the first time in this Report.

1. **Enteric Fever.**—The deaths classified to this heading during 1918 numbered 950, of which 65 occurred amongst the non-civilian population. The resultant mortality, 26 per million living, is the lowest ever recorded in this country. To some extent the fall is due to absence on foreign service of a large number of males of the ages at which mortality from this cause is highest, but the following table shows that after increase to allow for this change in the population the standardized death-rate of males remains considerably below previous records.

TABLE XLV.—ENTERIC FEVER—MORTALITY per MILLION LIVING, 1901–1918.

	Crude Rates.			Standardized Rates.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
1901–10 (Total Population) ...	109	74	91	109	74	91
1911–14 “ “ “ “ ...	60	39	49	60	39	49
1915 (Civil Population) ...	43	29	35	46	29	38
1916 “ “ “ “ ...	37	25	30	41	25	32
1917 “ “ “ “ ...	33	24	28	44	23	33
1918 “ “ “ “ ...	29	25	26	35	25	30

The remarkable fall from 390 deaths per million living in 1869 to 26 in 1918 may be followed in Table 12, which shows that the mortality of the present day is only about one-third of what it was even ten years ago. The disease is rapidly losing its importance as a cause of death in this country.

The distribution throughout England and Wales of the mortality experienced in 1918 is outlined in Table XLVI.

TABLE XLVI.—ENTERIC FEVER, 1918.—MORTALITY (UNSTANDARDIZED) per MILLION CIVILIAN POPULATION.

Class of Area.	North.	Midlands.	South.	Wales.	England and Wales.
London ...	—	—	21	—	21
County Boroughs ...	25	15	19	29	21
Other Urban Districts ...	57	19	21	29	33
Rural Districts ...	46	20	25	28	28
All Areas ...	38	18	21	29	26

It will be seen that, as in so many other cases, the mortality of the North is greatly in excess of that of other parts of the country, especially outside the great towns ; but in

this case the Midlands, and not, as is usually found, the South, holds the best position for every class of area.

The very great advantage of the county boroughs over the smaller towns and rural districts is interesting, and difficult to explain. It applies chiefly to the North, but extends to all three portions of England, though not to Wales. It is a feature of quite recent development, as is shown by the following table, in which the mortalities of the different classes of areas are traced back as far as the tabulated records allow.

TABLE XLVII.—ENTERIC FEVER: MORTALITY (UNSTANDARDIZED) per MILLION (1915–1918 CIVILIANS ONLY) LIVING IN EACH YEAR, 1911–1918, IN VARIOUS CLASSES OF AREAS.

—	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Areas.
1911	32	77	78	55	67
1912	27	56	48	29	44
1913	25	51	42	33	41
1914	33	53	49	38	46
1915	24	40	40	28	35
1916	18	31	35	29	30
1917	25	23	31	30	28
1918	21	21	33	28	26

It will be seen that up to 1915 mortality from this cause was highest in the county boroughs, in which it is now lowest; and that the change is due to a remarkable fall of the county borough mortality, which has not been shared by other classes of areas. Compared with this remarkable achievement of the provincial great towns the relative stagnation of progress in London and the rural districts is very noticeable, but here of course the room left for improvement was much less.

Table 13 shows that the highest county death-rates were returned by Northumberland and Cornwall, which yielded rates well above the average also in 1917. The county boroughs returning the highest rates are Wigan, York, Wakefield, Gloucester, and Hull, all of which returned rates over the average in 1917 except Wigan, where no deaths from this cause occurred in that year. It will be noted that with the exception of Gloucester all the areas mentioned are situated in the North of England. In the case of some of the smaller populations concerned these rates may have very little significance. Thus Gloucester is seen to be no real exception to the rule of highest mortality in the northern towns when we find that it returned only two deaths and five cases. The outbreak in Hull seems to have been of specially severe type, as there were 15 deaths to correspond with only 25 notifications. By far the most severe outbreak of the year however occurred in Northumberland, both case-rate and death-rate for the administrative county being practically double that of any other. Nearly all the deaths occurred in the adjoining urban districts of Ashington and Bedlingtonshire, which with an (estimated) united population of 48,088 returned 232 notified cases and 40 deaths, yielding a case-rate of 4·82 and a death-rate of ·83 per 1,000 population, the latter being over eight times as high as that of any county borough.

4. **Malaria.**—The number of deaths allocated to this cause has largely increased during the latter part of the war, and in 1918 amounted to 197 as against an average of 58 in 1911–14, and 65, 62, and 126 in the three succeeding years. At first sight these figures may seem alarming, but a little consideration shows that the increase is almost entirely, if not wholly, due to deaths in this country of men infected on foreign military service.

In the first place, it must be assumed that if the increased mortality were due in any degree to infection spread in this country it would affect both sexes. This is self-evident in view of the nature of the method of transmission, and the assumption can be supported by appeal to the records of the period when malaria of indigenous origin still contributed to the English death-rate. Thus, contrasting the two decades, 1881–90 and 1901–10,

which best exhibit the change which has occurred, the deaths of males and females were as follows in each year of these two periods :—

—		Males.	Females.	—		Males.	Females.
1881	181	181	1901	88	10
1882	183	162	1902	99	13
1883	137	151	1903	60	9
1884	165	111	1904	95	11
1885	128	99	1905	71	8
1886	117	98	1906	55	15
1887	116	77	1907	62	6
1888	91	68	1908	49	7
1889	92	66	1909	69	11
1890	88	58	1910	44	7

At the beginning of the first period dealt with the deaths of males and females were about equal in number, but during the second there were 5–10 times as many deaths of males as of females registered, the total deaths of the later period being but a small fraction of the numbers in the earlier, notwithstanding growth of population. The obvious explanation seems to be that in the earlier period most of the fatal cases were of indigenous origin, and naturally affected both sexes more or less alike; but that by the commencement of the present century fatal cases of the disease had almost or altogether ceased to arise within this country, and the few remaining imported cases were naturally met with in overwhelming proportion amongst males.

It has to be pointed out, however, that the two causes of death grouped as “malarial diseases” in the classification in use during the earlier of the two periods compared differed greatly in the sex distribution of their mortality. During the ten years 1881–90, 716 deaths of males and 734 of females were allocated to “remittent fever,” whereas 582 males were returned as dying from “ague” against only 337 females. But even if we restrict comparison to the latter heading alone, as more probably signifying malarial infection than remittent fever does, we find that of its 919 victims during the decade 37 per cent. were females and that this proportion during 1871–80 was 43 per cent., whereas amongst the 789 persons returned as dying from malaria twenty years later only 12 per cent. were females. No doubt many deaths from malaria contracted abroad were included in the returns for the earlier as well as the later period. These will help to account for the preponderant mortality of males even 30–40 years ago, but the great difference between the sex distribution then and now can best be explained by a great increase at the present time, very possibly to 100 per cent., in the proportion of deaths from malaria contracted abroad.

There is further evidence that the malarial mortality of 30–50 years ago was partly of indigenous and partly of foreign origin in the great variations in the sex incidence of mortality from ague returned by individual registration counties at that time. These are shown in Table XLVIII, which has been prepared in order to test how far malarial mortality in England, prior to the decline in its extent and alteration of its sex incidence which has characterised the last quarter century, was concentrated upon certain parts of the country and was therefore presumably of indigenous origin.

It will be seen that in Cornwall and Hampshire the sex incidence shown in the table is similar to that observed for the whole country of recent years. During the twenty years 29 deaths of males from ague were registered in Cornwall as against only 4 of females, and in Hampshire the numbers were 50 and 14. The migratory habits of Cornish miners are well known, and presumably some of them return from work in malarious regions to die of malaria at home. In Hampshire the numbers of men who have been exposed to malarial infection on foreign service must then as now have been large.

By far the majority, however, of the counties returning comparatively heavy mortalities for males in 1871–1890 returned corresponding rates for females; and in the main the same counties, chiefly in the south-east of England, stand out in both decennia as areas of malarial mortality. The numbers of deaths are so small that the rates shown, especially for the smaller counties, are subject to a very great deal of chance variation, and must be interpreted with corresponding caution. It is obviously, for instance, of very little significance that Rutland recorded the second highest mortality for males in 1871–80 and

TABLE XLVIII.—ENGLAND AND WALES, 1871-80 and 1881-90—ANNUAL MORTALITY from AGUE per MILLION LIVING of each SEX during each of these DECADES in each REGISTRATION COUNTY.

Registration County.	1871-1880.						1881-1890.					
	Males.			Females.			Males.			Females.		
	Deaths.	Mortality.	Position (Highest = 1).	Deaths.	Mortality.	Position (Highest = 1).	Deaths.	Mortality.	Position (Highest = 1).	Deaths.	Mortality.	Position (Highest = 1).
England and Wales ...	639	5·4	—	472	3·8	—	582	4·4	—	337	2·4	—
London ...	94	5·7	15	69	3·7	18	88	4·6	16	48	2·3	17
Surrey ...	9	4·6	18	4	1·9	30	7	2·9	28	6	2·2	19
Kent ...	80	24·1	1	66	19·6	1	48	12·9	2	41	10·7	2
Sussex ...	21	9·6	8	19	7·9	4	14	5·7	11	6	2·1	22
Hampshire ...	30	11·1	5	7	2·5	26	20	6·6	9	7	2·2	19
Berkshire ...	2	1·7	33	1	0·8	39	7	5·5	12	3	2·3	17
Middlesex ...	10	6·5	13	7	4·1	15	6	2·7	32	5	2·0	23
Hertfordshire ...	3	3·1	29	2	2·0	29	4	3·9	19	1	0·9	38
Buckinghamshire ...	2	2·6	30	1	1·3	34	6	7·6	7	5	6·1	5
Oxfordshire ...	1	1·1	40	—	—	43	2	2·2	40	1	1·1	36
Northamptonshire ...	8	6·1	14	5	3·8	17	3	2·1	41	1	0·7	43
Huntingdonshire ...	—	—	44	3	10·6	2	4	15·7	1	3	11·4	1
Bedfordshire ...	9	12·5	4	5	6·2	9	6	8·0	6	7	8·3	3
Cambridgeshire ...	10	10·6	6	7	7·2	6	9	9·5	3	7	7·1	4
Essex ...	38	15·3	3	24	9·7	3	17	5·2	14	11	3·3	8
Suffolk ...	18	10·5	7	4	2·2	27	5	2·9	28	3	1·7	25
Norfolk ...	8	3·8	22	5	2·2	27	4	1·8	43	7	3·0	10
Wiltshire ...	9	7·4	11	7	5·6	11	9	7·2	8	6	4·7	6
Dorsetshire ...	4	4·4	19	1	1·0	38	3	3·3	24	1	1·0	37
Devonshire ...	12	4·2	20	9	2·8	21	11	3·7	22	3	0·9	38
Cornwall ...	15	9·4	9	2	1·1	37	14	9·3	4	2	1·2	33
Somersetshire ...	8	3·5	26	20	7·8	5	13	5·5	12	8	3·0	10
Gloucestershire ...	4	1·7	33	1	0·4	42	6	2·4	34	4	1·4	32
Herefordshire ...	2	3·4	27	1	1·7	32	—	—	45	1	1·7	25
Shropshire ...	1	0·8	42	—	—	43	3	2·3	35	1	0·8	40
Staffordshire ...	11	2·3	32	6	1·3	34	8	1·5	44	8	1·5	30
Worcestershire ...	3	1·7	33	5	2·7	22	5	2·6	33	7	3·3	8
Warwickshire ...	3	0·9	41	2	0·6	40	7	1·9	42	8	2·0	23
Leicestershire ...	1	0·7	43	1	0·6	40	4	2·3	35	3	1·6	29
Rutlandshire ...	2	17·3	2	—	—	43	1	8·9	5	—	—	44
Lincolnshire ...	8	3·6	24	12	5·4	12	12	5·2	14	6	2·6	15
Nottinghamshire ...	3	1·5	38	3	1·5	33	7	3·0	27	2	0·8	40
Derbyshire ...	3	1·7	33	9	5·1	13	6	2·9	28	5	2·4	16
Cheshire ...	23	8·2	10	19	6·3	7	9	2·8	31	4	1·2	33
Lancashire ...	74	4·8	17	53	3·2	20	105	5·8	10	33	1·7	25
Yorkshire { West Riding ...	39	3·9	21	28	2·7	22	38	3·3	24	26	2·2	19
Yorkshire { East „ ...	6	3·6	24	7	4·1	15	8	4·3	18	—	—	44
Yorkshire { North „ ...	6	3·8	22	2	1·3	34	4	2·3	35	5	2·9	14
Durham ...	23	5·7	15	19	5·0	14	22	4·5	17	21	4·5	7
Northumberland ...	15	7·3	12	13	6·3	7	9	3·8	21	7	3·0	10
Cumberland ...	2	1·7	33	4	3·4	19	5	3·9	19	2	1·5	30
Westmorland ...	—	—	44	2	6·2	9	1	3·1	26	1	3·0	10
Monmouthshire ...	3	2·6	30	3	2·7	22	3	2·3	35	1	0·8	40
South Wales ...	13	3·2	28	8	1·9	30	11	2·3	35	6	1·2	33
North Wales ...	3	1·3	39	6	2·7	22	8	3·6	23	4	1·7	25

the fifth highest in 1881-90 when we see that these records are founded upon only three deaths during the whole twenty years. But the case is very different for Kent, with 235 out of 2,030 deaths in the whole country during the period considered. For both males and females Kent returned almost or quite the highest mortality of any county in both decennia, being only exceeded in the second by Huntingdon, the deaths in which are so few in number that the rates recorded for it are individually quite unreliable. But Huntingdon

returns either the highest or second highest mortality of the 45 counties in three out of the four divisions of the table, and the significance of its record is thereby greatly increased, as also by the fact that it forms one of a group of counties of high mortality in its immediate neighbourhood. The records do not suffice to prove that in 1881-90 ague was more fatal in Huntingdon than in Kent, but the consistent returns of high rates from this and neighbouring counties—notably Bedford, Cambridge, and Essex—do point to an area of high mortality in this region, although the numbers on which the death-rates are based are very small. Moreover, in this region, as in Kent, females contributed a very considerable share of the total mortality. From both the geographical concentration and the sex distribution of the mortality at this time it may be inferred that it was very largely of indigenous origin.

Some suggestions of other possible malarious areas may be obtained from the table, as in Somersetshire and in Lancashire and Cheshire. These are, however, very doubtful, and the purpose of the table has been fulfilled if the existence of malarious areas in Kent and the eastern Midlands has been established. Such being the characteristics and tests of indigenous malarial mortality, the recent sharp increase in deaths need occasion no alarm—notwithstanding the fact that investigation has revealed the existence of home-bred malaria in some of its old centres, notably Kent, during the last two or three years—unless this mortality is found to be concentrated in geographical and diffused in sex incidence. And each of these tests yields a negative result.

The small annual number of deaths of females has not increased significantly in the last two years. The annual figures from 1911 on are as follows, deaths of non-civilians being distinguished for the four war years :—

—	1911	1912	1913	1914	1915	1916	1917	1918
Civilian Males ...	52	49	49	56	{ 10	29	40	89
Non-civilian males					{ 45	30	82	99
Females	6	9	9	4	10	3	4	9

So far as deaths of females go there is no more evidence of indigenous disease than in 1912 and 1913, though the total number of deaths is almost three times as great. The increase of non-civilian deaths is obviously in itself (*i.e.*, apart from the risk of infection to others) of no more importance, from the point of view of the public health of this country, than the large number of deaths from wounds registered here. In both cases the man was stricken abroad, and the fact that he happened to survive long enough to return to and die in this country is of no concern to its state of public health. The same statement applies largely also to the 98 deaths of civilians. Of the 89 civilian males, 17 were men retired from the army or navy who had not taken up any other occupation, and 20 were seamen, while of the 48 in miscellaneous and for the most part non-significant occupations (four being unoccupied) 13 are noted in the registers as ex-service men. It is known that the information on this point is very incomplete, and that the fact of former army service often escapes record when a civil occupation is stated. It is quite likely, therefore, that the total excess in civilian deaths over the recent pre-war average of about 50 may have occurred entirely amongst men invalided out of the services, since 30 deaths out of the total excess of 39 are known to have been of this nature.

The occupational records of the nine women are also significant. Three were sick nurses, two in military hospitals (no statement as to foreign service, but one had blackwater fever); one the wife of a missionary; one the wife of a West Coast official; one the wife of a soldier; while of the other three one is recorded to have suffered from malaria for 30 years.

The recent death records afford no evidence of any geographical localisation of the mortality. The deaths, both of non-civilians and civilians, were widely scattered over the country, more or less in proportion to population. Thus of the 99 deaths of non-civilians 17 were registered in the County of London, 14 in Lancashire, 10 in Hampshire, 9 in Surrey, 8 in Kent, and 6 in the West Riding, the remaining 35 being widely dispersed over the remainder of the country. And of the 98 deaths of civilians 11 belonged to the County of London, 8 to Liverpool, 4 to Cardiff, 3 to Birkenhead, 2 to Hull, 2 to Southampton, 2 to Newport (Mon.), 2 to Stoke-on-Trent, 2 to Blackburn, 1 each to 17 other county boroughs,

5 to the administrative County of Middlesex, 4 each to Kent and Lancashire, 3 to Cornwall and Essex, 2 each to Cheshire, Hertford, Surrey, the West Riding, and Glamorgan, and one each to 16 other administrative counties. There is little or nothing in these figures to suggest the existence of any focus of fatal infection in this country, but on the contrary a strong suggestion, in the special incidence on ports, that much of the civilian mortality occurs amongst newly imported cases.

5. **Small-pox.**—Two deaths have been allocated to this disease, but in the case of one of them, a boy 14 years of age, stated to have been vaccinated in infancy, the diagnosis was very uncertain. The cause of death was returned on the certificate as “doubtful variola,” and the death has been classified in accordance with the usual practice in such cases. The second death was that of a girl five years of age, a Belgian refugee, who developed the disease shortly after arrival in this country, and while under observation on account of exposure to infection on a ship. This child was stated to have been unvaccinated.

A third death has been included in the Report of the Local Government Board as probably due to small-pox. It was that of a woman of 50 years of age, and was attributed by the verdict of a coroner’s jury to fatty degeneration of the heart consequent upon toxic purpura. The death has been classified in this Report in accordance with the certificate, though the case is stated in the Local Government Board Report to have been suggestive of hæmorrhagic small-pox.

Non-fatal cases notified increased from four in the previous year to 63 in 1918, 13 of which were infected abroad or on board ship.

6. **Measles.**—The deaths registered from this cause numbered 9,787 (viz. 9,673 of civilians and 114 of non-civilians), against 10,538 in 1917. The civilian deaths correspond to a death-rate of 289 per million civilian population at all ages. At ages under 15 years, for which comparison is unaffected by the calculation of the rate upon civilian population only, the mortality was 867 per million living at those ages, which is below the average. (Table 12.)

The following table shows the death-rates of different sections of the population from 1916, when the mortality fell to an unprecedentedly low point, onwards :—

TABLE XLIX.—MEASLES, 1916–18.—CRUDE DEATH-RATES per MILLION CIVILIAN POPULATION AT ALL AGES.

—					North.	Midlands.	South.	Wales.	England and Wales.
London	1916	—	—	194	—	194
				1917	—	—	501	—	501
				1918	—	—	417	—	417
County Boroughs	1916	239	247	102	330	231
				1917	471	362	254	157	402
				1918	394	308	223	532	354
Other Urban Districts	1916	168	98	76	106	118
				1917	317	249	178	269	260
				1918	344	204	179	398	265
Rural Districts	1916	83	77	54	64	71
				1917	185	112	98	101	123
				1918	273	101	119	155	149
All Areas	1916	194	142	127	134	155
				1917	381	250	315	193	308
				1918	361	211	276	345	289

As in the two preceding years mortality was higher in the North and in the great towns than elsewhere. Its increase with urbanization is an almost constant feature, but in 1918 the towns, great and small, of Wales suffered more than those of the North, which, however, shows up worse in the aggregate on account of its much larger proportion of city population. The London death-rate was as usual rather high, but if

London is excluded from the comparison the rural districts in 1918 afford the only exception in the table to the rule of decrease in mortality from North to the South of England.

Table 13 shows that amongst the administrative counties the West Riding returned the highest mortality, Norfolk, Pembroke, Glamorgan, and London coming next in the order named. Yorkshire and Norfolk also provided the four highest county borough rates in the cases of Barnsley, Norwich, Wakefield, and Hull. The Barnsley mortality was extraordinarily high, amounting to 4·9 deaths per thousand population. No other rate even remotely approaching this has been recorded for any county or county borough in any of the eight years, 1911–1918, for which Table 13 has been published.

All of the 233 deaths in Barnsley occurred under the age of 15 years ; and they formed almost exactly one-third of the total deaths at this age. At 2–5 years of age the majority of the deaths registered were due to measles (page 234). Barnsley suffered severely from measles in 1915, but in 1916 and 1917 its mortality was quite trifling, so the proportion of children who at the commencement of 1918 were unprotected by previous attack must have been considerable.

7. Scarlet Fever.—The deaths allocated to this disease during 1918 numbered 1,020 (viz., 966 of civilians and 54 of non-civilians). The deaths of civilians correspond to a rate of 29 per million civilian population at all ages, and of 80 per million at ages under 15 years.

Table 12 shows that both these rates are the lowest recorded in this country except those of the preceding year, the mortality being now trifling compared with that prevalent a generation earlier. The increase upon 1917 is entirely due to a rather severe outbreak in and around Liverpool. The county boroughs recording the highest death-rates are Birkenhead, Bootle, St Helens, and Liverpool. Deduction of the 232 deaths registered for these boroughs leaves 267 for all the other county boroughs in the country, corresponding to a death-rate of 26 per million living at all ages, or about the same as the county borough rate in 1917. The rate for the administrative counties as a whole is also about the same as in 1917, so that the four boroughs mentioned account for practically the whole of the excess. But the outbreak in them did not commence in 1918, except in the case of Birkenhead. It had been in progress for one or two years previously, mortality in St. Helens having been very high from 1916 onwards. The administrative county of Lancashire does not, as might have been expected, figure amongst those returning the highest mortalities, of which Durham is much the most important instance.

Table 12 shows that the mortality per million living at less than 15 years of age rose from 60 in 1917 to 80 in 1918, but that the lowest rate previously recorded was 110 in 1916, and before that 158 in 1911.

The rise, such as it is, from the phenomenally low rate of 1917, is entirely accounted for by increased severity of the cases, the number notified having fallen from 50,061 (including non-civilians) in 1917 to 49,637 in 1918, and the deaths per 1,000 cases notified risen from 15·3 in 1917, to 20·5 in 1918 (from 15·0 to 20·0 excluding non-civilians). This is the highest figure recorded since the returns of notified cases were first published in 1911, previous civilian ratios having varied only from 15·0 in 1917 to 18·5 in 1912. It appears therefore that the type of disease prevailing in different years is at present of very constant severity. On the other hand the number of cases varies enormously, having fallen from about 165,000 in 1914 to about 50,000 in 1917 and in 1918.

Amongst the 49,637 cases there were 1,457 of non-civilians of whom as above stated 54 died. The resultant fatality rate, 37·0 per 1,000 cases, compares very badly with that for civilians, 20·0, although the highest case-rates normally occur amongst young children. In 1917 the non-civilian fatality was 27·3 deaths per 1,000 cases, or almost double the civilian (15·0).

8. Whooping Cough.—The deaths allocated to this heading numbered 9,898—4,391 of males, of whom only one was a non-civilian, and 5,507 of females. The corresponding rates of mortality are 296 per million living at all ages, and 893 at ages under 15 years. These rates show a great increase upon those of 1917, which were by far the lowest recorded for this country. They are, in fact, the highest for about ten years past, but none the less the fact that no rates so low even as these were ever attained during the nineteenth century shows how greatly this form of mortality has declined.

Amongst the administrative counties returning high death-rates London, Durham, and Glamorgan are the most important ; while the highest rates for county boroughs are returned by Merthyr Tydfil, Warrington, Carlisle, and Sheffield.

9. **Diphtheria and Croup.**—The 4,801 deaths of civilians in 1918 from diphtheria and croup, of which all but 34 were allocated to diphtheria, correspond to a death-rate of 143 per million civilian population. This is a little higher than in 1917, but lower than in the first two years of the war. The rate for children under 15 years of age was 418 per million which compares with rates ranging from 373 to 504 during the preceding eight years which alone amongst the fifty covered by Table 12 furnish instances of mortality lower than that of 1918.

The distribution of this mortality throughout the country cannot be satisfactorily studied in the absence of estimates of the ages of the people in different localities, for, stated in terms of population at all ages, a low rate may mean either comparative freedom from fatal diphtheria or a small proportion of children in the population, and *vice versa* ; but as the calculation cannot be made, as formerly, on the basis of the child population it is given in Table L in the form of crude death-rates at all ages.

TABLE L.—DIPHTHERIA and CROUP, 1918—CIVILIAN MORTALITY per 1,000,000 LIVING at all AGES.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	169	—	169
County Boroughs	151	159	127	146	151
Other Urban Districts	179	139	133	117	150
Rural Districts	120	89	109	137	106
All Areas	156	132	144	129	143

For many years the mortality in the towns has exceeded that in the country, and the excess of the rate for children under 15 years of age in the county boroughs over that in the rural districts was about 50 per cent. in the years just before the war. This difference tallies well with that shown above, but at that time mortality in the county boroughs was definitely in excess of that in London or the smaller towns. It may probably be inferred from the above table that in 1918 the mortality was higher in London, and, as usual, in the North of England, than elsewhere.

Table LI shows how far these excesses have been due to greater prevalence and how far to greater fatality of the disease.

TABLE LI.—DIPHTHERIA, 1918.—PREVALENCE and FATALITY.

	Cases per 10,000 population.					Deaths per 1,000 cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	21	—	21	—	—	82	—	82
County Boroughs	12	13	14	11	13	124	115	92	137	118
Other Urban Districts	12	13	14	9	13	154	104	97	130	120
Rural Districts	10	9	11	10	10	122	96	99	138	107
All Areas	12	12	16	10	13	134	106	88	134	110

There were proportionately fewer cases of the disease notified in the North than in the South of England, but their fatality was very much higher, 13·4 as against 8·8 per cent. In London on the other hand the high mortality appears to have been entirely due to wide prevalence of the disease, its fatality there being the lowest in the table. In both these respects the present table resembles those for each of the years 1911–13, for which

alone similar tabulation has been carried out. The greater apparent severity of the type of disease prevalent in the North of England may therefore be accepted as a more or less permanent feature, and not dependent upon the absence of information for 1918 as to the numbers of children in the populations compared. The question whether it may not be in some degree a result of greater resort to bacteriological means of diagnosis in the South was discussed in the Report for 1911.

Table 13 shows that the administrative counties returning the highest mortalities were the North Riding, Northampton, and the Soke of Peterborough. Of these Northampton had returned a very high rate also in 1917. The distribution in the county boroughs resembles that of scarlet fever in showing exceptional mortality in certain Lancashire towns in the neighbourhood of Liverpool. St. Helens, which next to Bootle and Birkenhead returned the highest mortality amongst the county boroughs from scarlet fever, records the wholly exceptional death-rate of 1·104 per 1000 living at all ages from diphtheria in 1918, following upon one of ·872 in 1917. The next highest rates are for Liverpool and Bootle (both amongst the highest also from scarlet fever), ·326 each, while West Ham has followed up a mortality of ·313 in 1917 by one of ·312 in 1918. Birkenhead and Stoke-on-Trent come next with ·274 each.

10. **Influenza.**—The great epidemic which commenced in June increased the deaths from this cause from the 5000–10000 usually recorded in a year to no less than 112,329, corresponding to a death-rate of 3,129 per million living; and in addition led to a large increase in the deaths attributed to diseases of the lungs, including tuberculosis. The total deaths attributable to the epidemic during 1918 have already (page xxix) been estimated at 132,000. Owing to the exceptional importance of this outbreak, and to the fact that it did not come to an end until the spring of 1919 it has been dealt with as a whole in a special report, which it was intended to publish as an appendix to this Annual Report, but which, in order to avoid delay, will appear separately.

14. **Dysentery.**—The deaths allocated to this cause number 838—485 of males and 353 of females—but in addition to these the deaths of one male and 32 females occurring in lunatic asylums from ulcerative colitis, and classed under the International Rules to 104G, “ulceration of intestines,” were presumably of the same nature. Of the 838 deaths classed to dysentery 48 occurred amongst non-civilians. The remainder yield a death-rate of 24 per million civilians, 32 for males and 18 for females. These figures are shown by Table 10 to be about four times as high as those prevalent before the war, the rate having commenced to rise in 1915, and reached its present level in 1917.

At first sight this increase may appear alarming and suggestive of possible spread of infection by men returned from foreign service. Reference to the tabulation of deaths by place of occurrence on page 193, however, negatives any supposition of this kind. This table shows that of the total deaths registered no less than 81 per cent. occurred in lunatic asylums. These institutions have returned more than half of the dysentery deaths of each year for which this tabulation has been carried out since 1911, when it began, the mortality being particularly high in those serving London. This proportion has always been largest for females, few deaths of that sex from dysentery occurring except in asylums. In the past the deaths of females in asylums have always exceeded those of males, but in 1918 there were rather more deaths of males. This change corresponds with that described on page lxvii for tuberculosis, and, together with the very large increase in the number of asylum deaths from about 150 per annum before the war to 680 in 1918, confirms the surmise there made that the increase in mortality has been due largely to staff difficulties, which would chiefly affect the male side of these institutions, though evidently both have suffered.

Apart from these asylum deaths the increase has been almost confined to the hospitals, the number of deaths occurring outside institutions having been no greater than before the war. This increase in hospital deaths is entirely confined to males; the numbers for the two sexes being 55 and 3. Hospital deaths were most numerous in 1915, when 139 males and 4 females died in hospital as against 13 and 4 in the previous year. This sudden increase was presumably accounted for by the return of military patients from Gallipoli, the total non-civilian deaths from dysentery in that year having been 142, as against only 48 in 1918, 38 of the latter occurring in hospitals (page 193).

It appears, therefore, that although a large amount of infection was introduced into the country in 1915 and succeeding years it has shown no tendency whatever, so far as can be inferred from the death returns, to spread amongst the general population. The

asylum mortality stands by itself and does not appear from the death returns to have any relation to the health of the general public.

An additional point of some interest is brought out by the quarterly tabulation of the deaths. It has been stated that the asylum dysentery of this country is not a seasonal disease; yet comparison of the quarterly death totals on page 174 with those of previous years shows that amongst females, whose deaths nearly all (94 per cent. in 1918) occur in asylums, there is a well marked and almost constant seasonal variation. This is exactly the reverse of that generally characteristic of the disease, most deaths occurring in the first and fewest in the third quarter of the year. The figures, which are available from 1911 onwards, may be quoted:—

DEATHS OF FEMALES FROM DYSENTERY.

Year.				First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.
1911	31	19	52	62
1912	31	26	17	28
1913	34	30	25	28
1914	49	36	34	38
1915	67	82	47	78
1916	81	52	35	61
1917	117	84	75	94
1918	130	87	56	80

Thus it proves that in seven of these eight years the third quarter has furnished the smallest number of deaths, and that in all but 1911 and 1915 the first quarter furnished the largest number. The exception in 1915 may possibly be explained by the rapid rise then in progress in the asylum mortality, 235 female inmates having died in that year as against 126 in 1914. In 1911 the proportion of deaths occurring in asylums was only 70 per cent. It seems likely therefore that the large numbers for the second half of that year have some connexion with the severe epidemic of diarrhoea then prevailing amongst the general population.

20c. Vaccinia.—Three deaths have been assigned to this cause. Two of these occurred in infancy, the certified cause in one case being generalised vaccinia and pneumonia, and in the other cellulitis of scrotum, vaccinia, and bronchitis. The third death was of a male, 18 years of age. It was returned as due to vaccinia of 21 days' and septicæmia of 8 days' duration. In addition to these three cases vaccination was mentioned on the certificates relating to two other deaths. One of these was of an infant, 8 months of age, certified as dying from erysipelas and pertussis. The fact of recent vaccination was mentioned on the certificate, but this was not stated to have contributed to cause the death, which was classed to whooping cough. The other death, of a soldier from asthma after anti-typhoid inoculation, was classed to asthma.

28–35. Tuberculosis.—The deaths assigned to tuberculous affections in the aggregate numbered 58,073—31,027 of males and 27,046 of females—or 2,139 more than those so classified in the previous year. Of these 1,369 were deaths of non-civilians. The mortality amongst the civilian population amounted to 1,694 per million, a figure in excess of the total mortality recorded for any year since 1904 (Table 10).

The position is, however, less unfavourable than would seem to follow from this bare statement of the facts, for the increase in mortality is probably due to the epidemic of influenza, had it not been for which the tubercle mortality of 1918 might have been expected to show some reduction upon that of 1917. This statement is based upon comparison of the deaths in each quarter of 1918 with those of the same quarter in 1917 and in previous years, and upon the relationship which will be shown in the special report on influenza to exist between influenza and phthisis as causes of death in 1918.

Comparing the 1917 and 1918 deaths from tubercle quarter by quarter we find decreases of 8 and 9 per cent. in the first two quarters of 1918 upon the corresponding numbers in the preceding year. The third quarter, in which the first influenza epidemic occurred, brought, however, an increase of 8 per cent., and the fourth, in which the main outbreak occurred, of no less than 31 per cent. Such a difference between two single

years might conceivably be explained by climatic or other factors directly influencing tubercle mortality apart from influenza altogether. But when we find that the record of 1917 conforms to those of the six preceding years, for which the figures are available, and that 1918 strikes out a new line for itself by recording fewer deaths in the first and second than in the third and fourth quarters of the year and by recording most of all in the fourth, we see that the seasonal distribution in 1917 represents the rule, and that in 1918 an exception to it which can readily be explained as an effect of the influenza epidemic. In view of this evidence that influenza increased the mortality returned for phthisis (although many of the deaths concerned may have been due more to influenza than to phthisis) we can only judge of the progress of tubercle mortality during the year from its behaviour in the first six months, and, in order to avoid difficulties due to absence of males in the fighting services, preferably in the female sex alone. Judged in this way the record of 1918 shows considerable improvement upon 1917, but compares more or less disadvantageously with that of each of the six preceding years.

It should be pointed out that although the whole of the excess mortality from tubercle in the second half of the year is assumed above to be ascribable to the epidemic of influenza, the number of deaths actually ascribed in certification to the joint effect of the two diseases does not nearly suffice to account for this excess. Dealing with females only, on account of the progressive change in the male civilian population, and with the deaths of the fourth quarter only (because the number of deaths in the third quarter allocated to tubercle but ascribed on the certificate to the joint action of the two causes has not been tabulated), we find in the first place that the excess of 1918 over 1917 is limited to phthisis, other forms of tubercle showing a slight reduction in the number of deaths even during the quarter of the great epidemic wave. The phthisis (28-29) deaths numbered 4,408 in 1917 and 6,422 in 1918, an excess of 2,014 or 136 more than that for the whole year, but the deaths allocated to phthisis though ascribed in certification to phthisis and influenza jointly numbered only 716.

The reasons for assuming that although little more than one-third of the excess has been associated with influenza in certification the whole of it is really of this nature are, firstly, the absence of any other reasonable explanation of a large and sudden increase of phthisis mortality simultaneous with the epidemic of influenza; and secondly, that the age distribution of the total excess mortality resembles that of that portion of it associated on the certificates with influenza, and differs very materially from that of normal years. The increase was not evenly divided over the whole of life, but was concentrated upon the ages at which the influenza deaths were most numerous—15 to 35. During the years 1915-1917 the proportion of deaths of females from phthisis at these ages (which are those at which phthisis deaths also are most numerous) gradually rose from 46·8 per cent. in 1915 to 50·5 per cent. in 1917. In 1918 there was a further rise to 50·9 per cent., but this was concentrated on the fourth quarter, when the ratio was 53·5 per cent., the proportions for the first three quarters being 49·1, 49·3 and 50·9 per cent. respectively. Thus the proportion of deaths at these ages rose as the total mortality was increased during the periods of influenza prevalence. But while the 15-35 proportion for all phthisis deaths in the fourth quarter was 53·5 per cent. that for the 2,014 excess over 1917 was no less than 60·1 per cent.; and that for the 716 phthisis returns specifying influenza was 60·2 per cent. The fact that a very distinctive age distribution was common to the whole excess and to that portion of it actually ascribed to influenza supports the assumption, made on other grounds, and acted on in estimating the total influenza mortality, that the whole of the excess mortality from phthisis is ascribable to influenza.

The limitation of the increase in tuberculosis mortality associated with the influenza epidemic to the pulmonary forms of the disease is very marked. It is true that 63 of the deaths of females allocated to tubercle in the fourth quarter were ascribed to influenza and non-pulmonary tuberculosis in combination as against 716 to influenza and phthisis. But not only is this much below the normal ratio of non-pulmonary to pulmonary tubercle mortality, but while the 716 almost certainly form only a minority of the total pulmonary excess, there is actually a small non-pulmonary deficit in 1918 notwithstanding the 63 certificates mentioning influenza in the fourth quarter (and an unknown number in the third).

Deaths of females during the whole year from non-pulmonary tuberculosis numbered 5,725, a smaller total than in any previous year since 1914, when they numbered 5,397. Moreover, the deaths of females from non-pulmonary tubercle were fewer in the third and fourth quarters than in the first and second, therein following the general rule for

pulmonary and non-pulmonary tubercle alike ; and appear to be unaffected by the influenza epidemic, the totals for both quarters being lower than the corresponding figures for 1917.

The readiest explanation of all these facts appears to be that the increase of tubercle mortality was due to deaths from influenza amongst the population suffering from pulmonary tuberculosis ; that influenza did not bring about any corresponding increase of mortality amongst the population suffering from non-pulmonary tuberculosis ; and that the trend of mortality from tubercle during the year, apart from the influenza epidemic, is to be measured by its behaviour during the first two quarters, and by that of non-pulmonary tubercle throughout the year, allowance being made in the latter case for deaths amongst the affected population really caused by influenza.

The mortality from influenza of sufferers from phthisis can readily be shown to have been very much higher than that of the general population. Notification has not enabled us to do more than estimate the number of the phthisical population, but if the average duration of the disease in a recognizable form be taken at about three years there should be about 60,000 female sufferers in England and Wales. Amongst these 744 deaths in which influenza had a share are certified to have occurred during the fourth quarter alone, as well as an unknown number during the third—perhaps about 1,000 altogether. This would yield a death-rate of 1 in 60, or 16·7 per 1,000, for this section of females, as against 3 per 1,000 for all females. But if the total mortality amongst the phthisical which may reasonably be associated with the epidemic is taken into account this rate is greatly increased. Taking the phthisis deaths due to the epidemic in the third and fourth quarters at only their excess over 1917 (an underestimate, in view of the evidence of decline in tubercle apart from the epidemic) they amount to 2,574, which for a population of 60,000 implies a death-rate of 43 per 1,000, or fourteen times that of females in general. This result is doubtless affected by the fact that the 60,000 must contain a larger proportion than the general population of persons of the ages which suffered most from influenza in 1918, but the discrepancy is too great to be accounted for by this fact or by underestimation of the phthisical population.

The remarkable increase in the deaths from tubercle in lunatic asylums, to which attention was drawn in last year's report, has been continued during 1918, when the deaths so returned numbered 5,605 (page 195) as against 4,189 in 1917, and an average of just over 1,800 in the three years 1912–1914. This increase has occurred notwithstanding a decrease in the number of inmates during the year. As the total increase in tubercle deaths over 1912–14, when mortality from this cause reached its lowest point, is about 8,000, it follows that very nearly half of the total increase has occurred amongst this very small section of the population, consisting of just under 100,000 persons.

It is naturally impossible to appreciate in its true light the significance of the increase which has occurred in the death-rate of the total population unless this extraordinary fact is borne in mind.

A committee of the Board of Control which investigated this and other causes of increased mortality in asylums ascribed the principal share in increasing the general death-rate in asylums to reduction in quantity and deterioration in quality of food (particularly flour). As to this it seems only necessary to point out that though these conditions applied to the total population, flour for instance being “standardized” for all, the general mortality has remained almost stationary while that in asylums has trebled during the last five years. Other considerations mentioned as of secondary importance are deterioration of the asylum staffs (which presumably might be expected to affect mainly the male inmates) and want of space for isolation owing to the evacuation of some asylum buildings for war purposes and consequent congestion of the remainder. But even when these and other points mentioned in the report of the Board of Control are taken into account the startling increase of mortality which has occurred remains difficult to explain.

The increase in asylum mortality is considerably greater amongst the male than the female patients, a fact which seems to point to deficiency of staff as an important cause, for the demands upon the female staff for special war service would naturally be much less than those upon the male. As compared with 1914 deaths of males in 1918 had considerably more than trebled, increasing by 231 per cent., whereas the increase for females was only 168 per cent. Before the war the deaths from tubercle of females in asylums about equalled those of males, whereas in 1918 the Board of Control reports that the death-rate of males was 64 per 1,000 inmates as against 43 for females. The greater

increase of mortality in the asylums connected with the large centres of population, which was described in last year's Report as accompanying that amongst males, had almost disappeared in 1918, except that the deaths in the London asylums have been 3½ times as many as in 1914, whereas in the provinces the increase is a little under threefold in town and country alike.

The increase in the tuberculosis mortality of the general population during the war, although it is accentuated by standardization, is to a considerable extent a mere accidental result of the enlistment of a large army and to that degree without significance. The unavoidable limitation of the rates to civilian deaths is mainly responsible for the extraordinary increase in mortality of males aged 15-45 from 1,681 in 1912-14 to 3,681 in 1918 (Table LII). During the interval the bulk of these men have been examined for military service with consequent rejection of those found to be tuberculous. The deaths which have occurred, therefore, represent more nearly the total population than the civilian population of 1918. Standardization only increases the difficulty because it involves the application of this unnatural mortality to a normal proportion of men of military age, and not to the reduced proportion remaining in the civilian population and so contributing to the crude death-rate.

TABLE LII.—ENGLAND AND WALES: MORTALITY from TUBERCULOSIS (ALL FORMS) per MILLION POPULATION, 1912-14, 1917, and 1918.

			Males.			Females.			Persons.		
			1912-14.	1917 (Civilians only).	1918 (Civilians only).	1912-14.	1917.	1918.	1912-14.	1917 (Civilians only).	1918 (Civilians only).
All Ages	Crude ...		1,569	2,072	2,153	1,167	1,303	1,373	1,361	1,624	1,694
	Standard- ized.		1,546	2,334	2,518	1,168	1,314	1,378	1,347	1,801	1,924
0-	2,063	1,915	1,741	1,701	1,631	1,417	1,883	1,774	1,580
5-	566	662	632	572	694	682	569	678	657
10-	442	573	611	685	892	920	564	733	766
15-	927	?	?	1,214	1,719	1,789	1,071	?	?
20-	1,478	?	?	1,326	1,643	1,888	1,398	?	?
25-	1,774	?	?	1,369	1,489	1,723	1,561	?	?
35-	2,233	?	?	1,405	1,523	1,613	1,804	?	?
15-45	1,681	3,240	3,681	1,342	1,570	1,733	1,505	2,104	2,328
45-	2,437	2,590	2,592	1,208	1,249	1,321	1,798	1,892	1,924
55-	2,283	2,316	2,192	1,004	1,018	1,050	1,608	1,649	1,604
65-	1,421	1,540	1,484	767	798	791	1,057	1,129	1,102
75-	649	649	740	496	490	464	558	554	574
85 and upwards			260	527	295	246	218	233	251	328	255

As standardization then, though designed to reduce the effects of population anomalies under ordinary circumstances, has the opposite and undesirable result in the present instance of accentuating them, its use can only be misleading in comparing the mortality of males during the war from chronic diseases like tubercle with that of former years.

It is advisable, therefore, to restrict our comparison for 1918 to the female sex, knowing as we do that the curves of mortality for the two sexes normally run so nearly parallel in their yearly fluctuations (*see* Table 10) that the recorded history of female mortality forms the best guide by which to estimate, under the present abnormal circumstances, the extent of the tendency to death from this cause amongst males. In applying this test the crude figures supplied in Table 10 can be used without correction, as the effect of standardization on the death-rate of females from tubercle is almost nil. The table shows that the mortality reached its lowest level during the three years 1912-1914 after a fairly steady decline which had continued for many years. From the lowest point touched, 1,154 per million females living in 1913, there has been a rise of 19 per cent. to 1,373 in 1918.

Table LII shows that the serious increase is limited to later childhood and early adult life, there being an actual decrease in infancy and old age. This is brought out more clearly by Table LIII which gives the percentage increase at each age over the 1912-14 rates in each of the four years of the war,

TABLE LIII.—ENGLAND AND WALES : TUBERCULOSIS MORTALITY in 1915, 1916, 1917, and 1918 per cent. of that in 1912-14.

			Males.				Females.				Persons.			
			1915.	1916.	1917.	1918.	1915.	1916.	1917.	1918.	1915.	1916.	1917.	1918.
All Ages	Crude	...	118	122	132	137	106	106	112	118	111	112	119	124
	Standardized		122	131	151	163	106	106	113	118	115	120	134	143
0—...	105	93	93	84	106	94	96	83	105	94	94	84
5—...	108	108	117	112	106	115	121	119	107	112	119	115
10—...	119	128	130	138	109	113	130	134	113	119	130	136
15—...	143	?	?	?	114	120	142	147	127	?	?	?
20—...	179	?	?	?	103	114	124	142	127	?	?	?
25—...	137	?	?	?	104	104	109	126	116	?	?	?
35—...	120	?	?	?	108	107	108	115	114	?	?	?
35—45	138	157	193	219	106	110	117	129	119	126	140	155
45—...	104	103	106	106	107	100	103	109	105	102	105	107
55—...	99	98	101	96	103	102	101	105	102	101	103	100
65—...	99	107	108	104	105	99	104	103	101	104	107	104
75—...	98	118	100	114	111	105	99	94	104	111	99	103
85 and upwards	32	131	203	113	103	162	89	95	77	151	131	102

From 35 years of age upwards the increase in asylum deaths would approximately suffice to account for the rise in total mortality, but between the ages of 5 and 35 a large increase must have occurred in the mortality of the sane female population. This change has been progressive throughout the period of the war, and is presumably a result, in some way, of war conditions, whether operating through the increase of female labour in factories—a hypothesis supported by a recently published inquiry into the matter made for the Medical Research Committee by Captain Major Greenwood and Dr. A. E. Tebb—through deterioration of food supply, or otherwise. But if allowance is made for the effect of the influenza epidemic in increasing the deaths especially of young adults assigned to tubercle as well as for the extraordinary mortality which has occurred in lunatic asylums it will be seen that the increase in the mortality of young females is really much less alarming than at first sight it appears to be. The decline in the mortality of the age group 0-5 proves once more, as was shown for 1917, to be limited to the first two years of life. At ages 0-1 and 1-2 the death-rate attributed to tuberculosis was much less for each sex than in any previous year; but at each year of life from 2-5 the rate for each sex was higher than for the three years 1912-14, though generally lower than in 1917.

The mortality in each administrative county and county borough from tuberculosis of all forms and from phthisis is stated in Table 13. These rates are, however, uncorrected for peculiarities of sex and age distribution; nor, in view of the extensive and unmeasured changes in these respects of the past four years, can such correction be applied. The table must, therefore, be used with caution.

28 and 29. **Phthisis.**—These headings in the International List of causes of death now in use include acute miliary tuberculosis in addition to the deaths so classified prior to 1911. The addition under this heading in 1918 amounts to 739 deaths, and the total contents of the headings to 46,077 deaths, of which 31,818 were returned as pulmonary tuberculosis, 10,429 as “phthisis,” and the remainder as acute forms of the disease. In comparison with those for 1917 these numbers show a continuance of the transfer from the less to the more definite form of return. The 46,077 deaths form 79 per cent. of the total deaths allocated to tuberculosis, the mortality amongst civilians amounting to 1,343 per million living, or 7·6 per cent. of the death-rate from all causes.

Deaths of non-civilians numbered 1,106 (page 192) of which 778 were certified as due to pulmonary tuberculosis, 87 to phthisis not otherwise defined, 194 to acute phthisis, and 47 to acute miliary tuberculosis.

Table LIV shows that whereas the standardized mortality of females was 1,055 in 1918 as against 849 in 1912-1914, that of males increased from 1,179 to no less than 2,077. This result, which has arisen from the causes referred to under tuberculosis, shows, when compared with the increases at separate age periods, how misleading the standardized rate is under present circumstances. For the changes at the various ages are

on the whole small, except at those of military service. As the increases at these ages are mainly factitious it would be desirable to have a means of eliminating so much of them as is due merely to enlistment, but for the reason stated above standardization only increases its effect.

TABLE LIV.—ENGLAND AND WALES: MORTALITY from PHTHISIS (28 and 29) per MILLION POPULATION, 1912-14, 1917, and 1918.

			Males.			Females.			Persons.		
			1912-14.	1917 (Civilians only).	1918 (Civilians only).	1912-14.	1917.	1918.	1912-14.	1917 (Civilians only).	1918 (Civilians only).
All Ages	{ Crude ... Standard- ized.		1,210	1,612	1,717	869	991	1,082	1,034	1,250	1,343
			1,179	1,885	2,077	849	969	1,055	1,005	1,406	1,543
0—	339	344	328	290	298	280	315	321	304
5—	142	184	212	191	254	271	166	219	241
10—	191	232	288	420	572	604	306	402	447
15—	724	?	?	1,002	1,405	1,509	864	?	?
20—	1,319	?	?	1,184	1,460	1,688	1,248	?	?
25—	1,639	?	?	1,255	1,361	1,574	1,438	?	?
35—	2,105	?	?	1,290	1,400	1,475	1,683	?	?
15—45	1,530	2,922	3,328	1,204	1,400	1,554	1,361	1,887	2,096
45—	2,305	2,439	2,428	1,104	1,107	1,188	1,680	1,746	1,776
55—	2,132	2,156	2,024	885	879	897	1,473	1,500	1,444
65—	1,290	1,360	1,338	642	645	623	929	961	944
75—	544	566	543	371	300	282	441	406	386
85 and upwards			188	264	253	183	145	93	184	187	150

Dealing then, with the deaths of females only, as the returns for males are so misleading, it will be seen that the continued increase of mortality at ages 5-45, and especially at 10-30, has materially altered, for the time being at least, the age distribution characteristic of the disease in this country. For each decade from 1851 to 1890 the heaviest mortality amongst females occurred at 25-35, and in 1891-1900 and 1901-1910 at 35-45, but now the age of maximum mortality is 20-25. That this is not merely an effect of the influenza epidemic is proved by the fact that it applies also to the year 1917, whereas the years previous to that followed the established rule. If, as has been recently suggested, different types of the disease can be distinguished by differences in age distribution of its mortality it might be inferred that the type of infection responsible for the deaths of 1917 and 1918 differs in some degree from that previously prevalent. This would involve a sudden modification of type some little time before 1917 (*i.e.*, at the time when the cases dying in that year became infected), but it seems more reasonable to look for the cause of the change in the alteration in the environment of women brought about by the war.

Whatever the cause may be the change which has occurred in so stable an experience as the age distribution of mortality from phthisis is very striking. At 15-20 the death-rate of females has increased by 50 per cent. over that of 1912-14, and at all ages from 5 to 25 the increase is over 40 per cent. At 25-30 it amounts to 32 per cent., but from 45 onwards it never reaches 10 per cent., and at the extremes of life, 0-5 and from 70 onwards, there is an actual reduction. For all ages jointly the increase in the standardized mortality amounts to 24 per cent. The proportion of the total mortality falling upon each age period has increased at each period between 5 and 30 and has decreased at all others. The greatest proportional increase is that at 15-20. Practically half (49·4 per cent.) of the deaths in 1918 occurred under 30, whereas in 1912-14 only 45·3 per cent. did so. If the death-rates at ages during 1912-14 and the four succeeding single years are plotted out the first two curves, those for 1912-14 and 1915, show a maximum at about 35-40, without any indication of an earlier peak. In 1916 a peak at 20-25 appears, followed, after lower rates at 25-30 and 30-35, by the old maximum at 35-40. In 1917 the earlier peak has become the dominant one, but the depression followed by a later peak at 35-40 remains; whereas in 1918 almost all trace of this depression and later peak have disappeared, the maximum being as clearly established at 20-25 as it was in 1912-14 at 35-40.

30. Tuberculous Meningitis.—Mortality from this form of the disease very definitely declined in 1918, the crude rate for females, 106 per million living, being the lowest yet recorded (Table 10). The rate for males of all ages cannot be used for purposes of comparison, but if the mortality at ages 0–5, when 55 per cent. of the deaths occur, is taken, we find that it was lower in 1918 for males as well as females than ever before, the rates being 72 per 100,000 males and 60 per 100,000 females at these ages. It was not until the quinquennium 1906–10 that the mortality of children aged 0–5 fell, practically, to 100 per 100,000; and before 1870 it was over 200. The low record of 1918 at 0–5 does not extend, however, to the remainder of life, for the mortality of females at ages over 5–6 per 100,000—exceeds that of some previous years.

31. Tubercle of the Peritoneum and Intestines.—The mortality from this form of the disease has fluctuated much less of late than that from meningeal tubercle. It did not rise in the same way in 1915; and though the number of deaths in 1918 is the lowest hitherto recorded, it was only 6 greater in 1912, when the population aged 0–5 was considerably larger. The mortality at this age has fallen since then, however, and at 48 per 100,000 for males and 37 for females is now lower than ever before. The number of deaths at all ages in 1918 was kept up by increased mortality at ages over 5 years, at which it increased for females from 44 per million living in 1912 to 54 in 1918. Thus peritoneal resembles meningeal tubercle in yielding the lowest mortality on record amongst young children while showing an increase in the mortality of their seniors over former years of low total death-rate.

37. Syphilis.—The sudden increase in infant mortality assigned to this disease, which was pointed out in last year's Report, has not been maintained, the rates for both legitimate and illegitimate infants receding to a position about half way between the approximately normal level of 1916 and the wholly exceptional one reached in 1917. At later ages also, though the rates do not differ much from those of 1917, the tendency is in a downward direction, and the total number of deaths returned for the year is not particularly high.

39–45. Cancer.—The deaths ascribed to cancer during 1918 number 41,227—18,078 of males, including 443 non-civilians, and 23,149 of females. For both sexes these figures imply the highest crude mortalities yet recorded.

Of the 41,227 deaths 27,080 were referred to carcinoma, 2,175 to sarcoma, and 11,972 to "cancer," not otherwise defined. The carcinoma figures are the highest and provide the highest mortality rates yet recorded, but the deaths ascribed to "cancer" tend to decrease with increasing definiteness of certification, and the sarcoma mortality is increasing much less rapidly than that from other forms of malignant disease.

The disturbance of continuity in the death-rates recorded for males and for persons from 1915 onwards by their necessary limitation to the civilian population is so great that comparison with previous years is best made for females. The crude male death-rates show a large increase owing to the exclusion from the population of a large number of men furnishing very few deaths from cancer, but even after standardization the increase remains appreciable. This, however, is entirely due to the fictitious increase shown at the age of military service, 15–45. The remnant of the male population left in civil life at these ages naturally included an abnormally high proportion of cancer patients, ineligible for service on account of their disease. This is shown by the fact that the mortality of males at 15–45 in Table LV shows large increases for 1917 and 1918 on the rate for 1911–14, whereas the same rate for females has slightly declined, and no corresponding increases are shown for males at higher ages. This accidental effect of enlistment can be eliminated by assuming the cancer mortality of males at 15–45 to have remained as in 1911–14, as it has done, substantially, at higher ages. On this assumption the standardized mortality of males is reduced to 932 in 1917, and to 912 in 1918, so that for each sex the standardized rate as thus determined is lower in 1918 than in 1911–14 as well as 1917. The decline is far too minute to possess any importance in itself, but in view of the history of the recorded mortality from this cause it is something to be able to say that during an interval of even a few years it has shown no increase for either sex.

The parts of the body affected by fatal cancer in 1918 are shown in Tables LVI and LVII in greater detail than that provided by the international classification, five out of its seven headings (Nos. 39–45) relating to cancer being sub-divided according to a scheme approved by the Director of the Cancer Research Fund, at whose request also deaths returned from institutions are separately tabulated.

A few only of the most important sites have been selected for incorporation in Table LVIII which shows the rates of mortality at different ages from cancer of certain organs, and in Tables LIX and LX, which compare the returns of deaths at various ages

TABLE LV.—ENGLAND AND WALES : MORTALITY from CANCER per MILLION POPULATION, 1911-14, 1917, and 1918.

		Males.			Females.			Persons.		
		1911-14.	1917 (Civilians only).	1918 (Civilians only).	1911-14.	1917	1918	1911-14.	1917 (Civilians only).	1918 (Civilians only).
All Ages	Crude ...	934	1,263	1,280	1,134	1,173	1,175	1,037	1,210	1,218
	Standard- ized.	914	980	953	994	1,005	986	955	991	969
0—	...	25	20	23	20	16	16	22	18	19
15—	...	44	?	?	35	31	30	39	?	?
25—	...	111	?	?	156	147	139	135	?	?
35—	...	280	?	?	564	542	526	427	?	?
40—	...	634	?	?	1,136	1,147	1,081	894	?	?
15-45	...	179	280	264	299	297	285	241	291	279
45—	...	1,285	1,223	1,242	1,913	1,969	1,886	1,611	1,616	1,585
50—	...	2,266	2,228	2,305	2,860	2,916	2,919	2,576	2,581	2,623
55—	...	3,698	3,679	3,601	4,008	4,015	3,930	3,861	3,851	3,770
60—	...	5,595	5,579	5,307	5,334	5,554	5,316	5,456	5,566	5,312
65—	...	7,279	7,402	7,504	6,557	6,544	6,814	6,885	6,937	7,132
70—	...	9,193	9,608	8,841	8,294	8,284	7,837	8,679	8,853	8,269
75—	...	10,033	11,050	10,482	9,534	9,822	9,912	9,739	10,319	10,142
80—	...	9,170	9,913	9,601	9,236	9,449	9,386	9,210	9,628	9,469
85 and upwards		8,376	8,700	8,590	9,297	9,677	10,360	8,970	9,330	9,729

in private houses with those occurring in institutions. The principal features of all these tables remain very much the same year after year, for instance, the differences between the sexes. The mortality of females from cancer of the upper portion of the alimentary canal, that above the stomach, is a small fraction only of that of males, but females suffer more from intestinal cancer. Disease of the stomach and rectum attacks males principally, but not at all with the overwhelming preponderance applying from the œsophagus upwards. Cancer of the skin is also very much more fatal to males, but the excess is mainly due to disease of the penis and scrotum. The excess of cancer mortality in the female sex is dependent upon disease of the breast and generative organs. If such deaths are excluded in both sexes, deaths of females are reduced from 23,149 to 14,070 but those of males only from 18,078 to 17,242.

The object of the separate tabulation of institutional deaths in Tables LVI, LVII, LIX and LX is to compare the experience of institutions, where presumably the details of the cause of death have, as a rule, been confirmed by *post mortem* examination, with the certification of other deaths from cancer in the case of which such facilities are, as a rule, lacking.

It cannot be assumed, however, that the institutional deaths are a fair sample of the whole. That they are subject to some selection by age is shown by the fact that the average age at death is lower in institutions than elsewhere.* Moreover, it is very possible that there may be greater relative frequency of cancer of certain sites amongst that section of the population which chiefly furnishes the deaths reported from institutions. The tables, however, are of interest as showing, in institutional and private practice respectively, the chance of fatal cancer at any given age in either sex affecting any particular organ (Table LIX); and the chance of death from cancer of any organ occurring at any given age (Table LX). The principal features in these tables also recur with regularity from year to year.

46. **Other Tumours (situation undefined).**—This title includes only tumours not ascertained to be malignant, and (excepting only tumours of the pituitary body, for which there is no appropriate local heading) of which the situation either cannot be ascertained or is of an ill-defined nature. Other benign tumours, *i.e.*, those returned as affecting the various organs, are classified in the International List under the organ concerned; but in order to secure a comprehensive presentation of all deaths attributed to tumours, all those not returned as due to cancer are assembled in Table LXI from the various headings to which that list of causes of death allocates them. It will be convenient, therefore, to deal here not only with tumours of undefined situation (46) but with all other tumours not returned as malignant.

* For both males and females in 1918 the proportion of deaths at each age-period, per 1000 at all ages, was largely in excess for institutional deaths up to age 60, and for other deaths at all higher ages.

The table includes 2,032 deaths, of which 933 were returned as due to tumours of non-malignant nature, and 1,099 as due to tumours the nature of which had not been ascertained. It will be seen that even if all the latter could be assumed to have been malignant the mortality from cancer would be increased by less than 3 per cent. Of these 1,099 cases of undetermined nature no less than 752 were cerebral tumours, respecting which in the majority of cases, even in institutional practice, no further information can be furnished in response to inquiry as to their nature.

TABLE LVI.—ENGLAND AND WALES, 1918.—SITES of FATAL CANCER—MALES.*

				All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
				ALL DEATHS.															
Total				18,078	60	67	133	290	314	694	1,263	2,057	2,585	2,964	3,047	2,368	1,464	568	204
39	Lip			240	—	—	—	1	2	—	10	13	20	28	47	38	44	23	14
	Tongue			1,112	—	—	—	2	9	46	110	168	200	184	176	124	62	25	6
	Mouth			490	1	2	—	1	2	21	41	63	81	86	90	51	31	17	3
	Jaw			515	3	1	5	4	7	16	47	73	63	95	82	63	35	16	5
40	Pharynx			226	—	1	2	1	1	3	19	38	39	39	31	29	15	6	2
	Esophagus			1,202	1	—	—	2	8	35	102	176	195	218	206	153	74	26	6
	Stomach			3,669	1	—	5	49	85	166	270	430	564	626	639	469	254	88	23
	Liver and gall bladder			1,841	6	3	5	19	21	51	106	198	237	319	325	291	173	63	24
41	Mesentery and peritoneum			137	2	4	4	4	7	6	11	17	14	25	13	14	14	2	—
	Intestines			1,936	2	—	5	26	30	78	119	186	259	321	323	306	185	81	15
	Rectum			1,841	—	1	9	23	31	61	90	171	244	323	354	256	183	60	35
	Breast			37	1	—	1	1	1	3	2	3	5	5	3	5	5	2	—
44	Penis and scrotum			195	—	—	—	3	3	11	10	22	37	38	23	24	11	7	6
	Other skin			452	—	2	4	11	9	8	25	35	40	49	57	54	68	56	34
	Larynx			561	—	—	—	6	6	26	51	81	102	107	84	52	37	7	2
	Lung and pleura			257	2	2	6	18	13	19	24	37	34	41	34	13	11	3	—
45	Pancreas			311	1	—	3	6	12	16	31	55	47	46	40	33	16	4	1
	Kidneys and suprarenal glands			177	14	4	7	7	6	8	12	27	24	23	24	14	5	1	1
	Bladder			614	—	2	—	5	7	12	35	39	76	98	123	117	72	21	7
	Prostate			519	1	1	—	1	—	4	8	22	49	70	139	101	87	25	11
45	Testes			85	3	—	8	21	8	10	9	5	4	—	6	5	3	3	—
	Brain			41	3	5	6	6	3	2	3	7	4	2	—	—	—	—	—
	Bones (jaw excepted)			337	7	18	36	26	15	27	22	29	43	32	36	25	14	4	3
	Other specified organs			597	9	15	20	25	17	38	55	83	95	89	78	43	19	10	1
Abdominal cavity, organ unspecified.				132	2	2	—	6	5	4	8	9	18	16	25	17	14	6	—
Other and undefined				554	1	4	7	16	6	23	43	70	91	84	89	71	32	12	5
				DEATHS IN INSTITUTIONS.															
Total				5,359	22	21	75	173	155	292	464	663	809	832	865	555	290	102	41
39	Lip			74	—	—	—	1	1	—	3	6	6	9	15	16	8	7	2
	Tongue			453	—	—	—	1	4	20	51	59	65	75	88	57	23	7	3
	Mouth			161	1	1	—	—	1	11	19	20	25	30	28	13	9	3	—
	Jaw			170	2	—	2	2	—	8	22	22	26	26	22	24	7	6	1
40	Pharynx			61	—	—	1	1	—	2	4	9	12	11	9	7	4	1	—
	Esophagus			370	—	—	—	2	1	18	40	62	64	69	69	28	12	5	—
	Stomach			963	—	—	4	28	44	63	96	150	168	165	132	70	33	9	1
	Liver and gall bladder			319	2	2	3	9	5	13	25	44	43	46	56	40	21	7	3
41	Mesentery and peritoneum			37	2	4	3	3	3	2	3	3	4	5	2	2	1	—	—
	Intestines			605	1	—	4	20	18	38	52	72	92	96	106	64	29	9	4
	Rectum			568	—	—	4	12	18	23	29	48	77	101	114	74	51	11	6
	Breast			11	—	—	—	1	—	—	1	—	—	5	1	2	1	—	—
44	Penis and scrotum			92	—	—	—	3	1	6	2	9	19	22	7	12	4	3	4
	Other skin			148	—	—	2	4	3	3	5	16	19	13	20	18	19	16	10
	Larynx			184	—	—	—	4	4	11	21	17	45	30	26	15	7	3	1
	Lung and pleura			75	2	1	2	12	6	7	9	13	12	6	3	1	1	—	—
45	Pancreas			123	1	—	2	4	7	10	20	28	19	15	8	7	2	—	—
	Kidneys and suprarenal glands			55	5	2	3	4	3	3	2	9	8	6	5	4	1	—	—
	Bladder			175	—	—	—	5	2	6	11	14	20	26	43	30	16	2	—
	Prostate			157	—	1	—	1	—	2	3	6	16	20	49	29	24	3	3
45	Testes			37	1	—	5	13	2	5	3	1	1	—	1	2	1	2	—
	Brain			25	2	3	5	4	2	1	2	1	3	2	—	—	—	—	—
	Bones (jaw excepted)			103	—	3	21	13	10	13	6	5	9	6	6	8	2	1	—
	Other specified organs			194	3	2	11	17	12	17	19	26	25	23	20	12	5	2	—
Abdominal cavity, organ unspecified.				23	—	2	—	3	2	2	1	2	6	1	3	—	1	—	—
Other and undefined				176	—	—	3	6	6	8	15	21	25	24	32	20	8	5	3

* Including deaths of non-civilians.

TABLE LVII.—ENGLAND AND WALES, 1918.—SITES OF FATAL CANCER—FEMALES.

				All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
				ALL DEATHS.															
Total... ..				23,149	38	49	105	463	778	1,395	2,084	2,732	2,958	3,159	3,233	2,772	2,050	889	444
39	Lip			15	—	—	—	—	—	—	—	2	1	1	2	4	2	2	1
	Tongue			130	—	—	—	4	3	6	14	14	19	16	17	16	12	6	3
	Mouth			80	—	1	1	1	3	2	6	9	11	10	10	10	8	5	3
	Jaw			152	1	5	1	6	6	6	12	19	18	17	19	20	14	7	1
40	Pharynx			69	—	—	2	4	4	10	7	8	6	13	4	6	4	1	—
	Œsophagus			428	—	—	—	8	18	40	52	45	49	63	61	41	26	19	6
	Stomach			3,185	1	—	3	40	79	132	194	361	381	471	565	453	342	115	48
	Liver and gall bladder			2,696	2	3	5	22	47	74	144	241	328	421	491	434	290	141	53
41	Mesentery and peritoneum			282	1	1	3	9	11	10	28	30	29	44	49	33	24	5	5
	Intestines			2,911	2	1	3	46	64	118	171	235	334	443	454	457	369	148	66
	Rectum			1,456	—	—	8	36	41	77	93	137	170	199	214	237	160	50	34
	Ovary and fallopian tube			570	—	3	12	19	39	56	89	71	107	70	48	31	18	6	1
42	Uterus			4,117	—	1	6	116	222	388	552	658	634	517	453	276	197	67	30
	Vagina and vulva			310	—	—	—	6	9	15	18	30	24	35	53	45	40	24	11
	Breast			4,082	—	—	1	56	156	324	509	589	540	487	463	384	290	173	110
	Skin			392	1	2	1	4	7	12	12	21	40	34	49	61	67	46	35
43	Larynx			146	—	—	—	6	8	13	30	23	12	18	14	10	7	3	2
	Lung and pleura... ..			141	—	1	2	5	4	11	13	17	26	25	9	18	5	4	1
	Pancreas			266	—	—	3	4	5	10	14	29	37	43	43	37	26	9	6
	Kidneys and suprarenal glands... ..			158	12	5	4	6	3	8	11	15	17	27	19	18	12	—	1
44	Bladder			258	—	1	1	2	5	6	11	22	32	42	44	40	37	9	6
	Brain			44	1	5	2	7	3	7	6	3	3	3	3	—	1	—	—
	Bones (jaw excepted)			293	5	14	28	24	11	14	22	35	32	27	24	28	15	10	4
	Other specified organs			392	8	4	14	16	17	22	30	48	43	61	44	39	27	14	5
45	Abdominal cavity, organ un- specified.			294	1	—	—	7	4	15	19	36	36	38	48	40	33	12	5
	Other and undefined			282	3	2	5	9	9	19	27	34	29	34	33	34	24	13	7
				DEATHS IN INSTITUTIONS.															
Total... ..				4,885	11	16	39	155	226	376	548	320	647	655	622	473	318	120	59
39	Lip			4	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—
	Tongue			28	—	—	—	1	1	2	2	2	5	6	4	3	2	—	—
	Mouth			22	—	—	1	—	1	—	1	3	3	2	4	4	1	1	1
	Jaw			48	—	—	—	1	1	4	6	6	3	7	5	10	3	2	—
40	Pharynx			16	—	—	1	—	—	3	3	—	1	3	2	2	1	—	—
	Œsophagus			78	—	—	—	4	5	7	17	8	7	11	10	3	2	3	1
	Stomach			538	—	—	—	19	31	38	39	65	64	89	86	54	36	14	3
	Liver and gall bladder			321	1	—	2	4	9	16	31	42	36	49	59	38	21	10	—
41	Mesentery and peritoneum			72	1	1	—	3	4	7	8	13	7	13	9	5	1	—	—
	Intestines			687	—	—	—	19	29	46	68	74	90	96	109	81	52	17	6
	Rectum			386	—	—	1	10	12	30	36	42	49	60	52	55	28	6	5
	Ovary and fallopian tube			199	—	2	5	6	12	24	31	24	39	33	15	5	2	1	—
42	Uterus			1,012	—	1	4	44	60	97	138	158	169	118	95	67	45	12	4
	Vagina and vulva			82	—	—	—	3	4	7	8	7	9	4	15	9	11	4	1
	Breast			777	—	—	1	15	28	53	108	117	91	89	88	79	57	32	19
	Skin			101	1	1	1	2	—	3	5	5	12	10	5	16	21	8	11
43	Larynx			20	—	—	—	—	1	5	3	1	1	1	2	3	2	—	1
	Lung and pleura... ..			23	—	—	2	2	—	3	2	2	5	3	2	1	1	—	—
	Pancreas			76	—	—	2	—	4	5	6	5	15	13	13	6	1	—	—
	Kidneys and suprarenal glands... ..			41	3	3	4	3	1	2	6	3	4	7	1	1	3	—	—
44	Bladder			61	—	1	1	—	2	—	3	6	4	10	18	8	7	—	1
	Brain			18	—	2	1	4	2	3	2	1	1	—	1	—	1	—	—
	Bones (jaw excepted)			62	2	2	6	5	5	2	3	7	8	7	6	4	2	2	1
	Other specified organs			96	3	2	7	5	8	12	8	12	8	10	6	8	5	2	—
45	Abdominal cavity, organ un- specified.			44	—	—	—	1	2	3	3	5	11	9	4	3	2	1	—
	Other and undefined			73	—	1	—	4	4	8	9	8	5	5	11	7	6	3	2

The age-distribution of the deaths from tumour of unstated nature is sufficient in itself to show that a great many of them were non-malignant, for it does not at all resemble that of cancer mortality. A large proportion of the deaths from cerebral tumour occur before middle age, so it seems probable that these at least are very largely of a non-malignant nature. But out of the 347 tumours of undetermined nature affecting organs other than the brain almost 85 per cent. occurred at ages over 45 years as against about 90 per cent. for cancer and 67 per cent. for benign tumours, so a large proportion of these tumours may have been malignant.

While the mortality from tumours of doubtful nature does not differ greatly in the two sexes, growths of known non-malignant nature caused the deaths of nearly three

TABLE LX.—ENGLAND AND WALES, 1918.—SITES OF FATAL CANCER: PERCENTAGE OF DEATHS AT VARIOUS AGES TO DEATHS FROM CANCER OF THE SAME SITE AT ALL AGES in the TOTAL POPULATION.

				0—	25—	35—	45—	55—	65—	75—	85—	All Ages.	
				MALES.									
Tongue	{ Instn. Private	— —	0·2 0·2	5·3 4·7	24·3 25·5	30·9 37·0	32·0 23·5	6·6 8·6	0·7 0·5	100·0 100·0
Esophagus	{ Instn. Private	— 0·1	0·5 —	5·1 2·9	27·6 21·2	36·0 33·6	26·2 31·5	4·6 10·0	— 0·7	100·0 100·0
Stomach	{ Instn. Private	0·4 0·1	2·9 0·8	11·1 5·3	25·5 16·8	34·6 31·7	21·0 33·4	4·4 11·1	0·1 0·8	100·0 100·0
Liver and gall bladder			...	{ Instn. Private	2·2 0·5	2·8 0·7	5·6 3·5	21·6 15·4	27·9 30·7	30·2 34·1	8·8 13·7	0·9 1·4	100·0 100·0
Intestines	{ Instn. Private	0·8 0·2	3·3 0·5	9·3 3·9	20·5 13·6	31·0 29·5	28·1 34·4	6·3 17·1	0·7 0·8	100·0 100·0
Rectum	{ Instn. Private	0·7 0·5	2·1 0·9	7·2 4·0	13·6 14·5	31·3 30·5	33·1 33·1	10·9 14·2	1·1 2·3	100·0 100·0
Skin	{ Instn. Private	0·8 1·0	2·9 1·7	5·4 4·4	13·3 14·7	30·5 22·4	23·8 24·8	17·5 24·6	5·8 6·4	100·0 100·0
Other organs	{ Instn. Private	5·2 3·0	5·1 1·5	9·2 4·7	19·9 18·4	27·6 29·9	25·3 29·3	7·2 12·1	0·5 1·1	100·0 100·0
All sites	{ Instn. Private	2·2 1·1	3·2 0·9	8·3 4·4	21·0 17·2	30·7 30·7	26·5 31·5	7·3 12·9	0·8 1·3	100·0 100·0
				FEMALES.									
Esophagus	{ Instn. Private	— —	5·1 1·1	15·4 13·1	32·0 20·6	23·1 27·0	16·7 25·4	6·4 11·4	1·3 1·4	100·0 100·0
Stomach	{ Instn. Private	— 0·2	3·5 0·8	12·8 5·4	19·3 17·0	28·5 26·4	26·0 33·1	9·3 15·4	0·6 1·7	100·0 100·0
Liver and gall bladder			...	{ Instn. Private	0·9 0·3	1·2 0·8	7·8 4·0	22·7 13·1	26·5 28·0	30·3 34·9	9·7 16·8	0·9 2·1	100·0 100·0
Intestines	{ Instn. Private	— 0·3	2·8 1·2	10·9 4·8	20·7 11·9	27·1 26·6	27·6 32·4	10·0 20·1	0·9 2·7	100·0 100·0
Rectum	{ Instn. Private	0·3 0·7	2·6 2·4	10·9 7·1	20·2 14·2	28·2 24·3	27·7 32·2	8·8 16·4	1·3 2·7	100·0 100·0
Uterus	{ Instn. Private	0·5 0·1	4·3 2·3	15·5 14·6	29·3 29·4	28·4 27·8	16·0 18·3	5·6 6·7	0·4 0·8	100·0 100·0
Breast	{ Instn. Private	0·1 —	1·9 1·2	10·4 12·1	29·0 26·4	23·2 25·6	21·5 20·6	11·5 11·3	2·4 2·8	100·0 100·0
Skin	{ Instn. Private	3·0 0·3	2·0 0·7	3·0 5·5	9·9 7·9	21·8 17·9	20·8 30·6	28·6 28·9	10·9 8·2	100·0 100·0
Other organs	{ Instn. Private	5·4 3·4	3·9 3·3	14·0 8·1	21·8 20·3	26·6 25·8	20·1 24·6	7·5 12·6	0·7 1·9	100·0 100·0
All sites	{ Instn. Private	1·4 0·7	3·2 1·7	12·3 8·6	23·9 20·0	26·6 26·4	22·4 26·8	9·0 13·7	1·2 2·1	100·0 100·0

times as many females as males. This is due to the comparatively large number of deaths from uterine and ovarian tumour in Table LXI. Apart from these two organs the male mortality considerably exceeds the female, as a result of the comparative frequency among males of fatal non-malignant tumours of the bladder and prostate.

TABLE LXI.—ENGLAND AND WALES, 1918.—TUMOURS NOT RETURNED as MALIGNANT.

Part affected.		All Ages.		0—		15—		35—		45—		55—		65—		75—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Tumours classed with other disease of organ affected.</i>																	
74C. Cerebral tumour...	Cyst ...	8	6	—	1	4	1	4	2	—	2	—	—	—	—	—	—
	Glioma ...	40	40	6	10	9	10	12	4	7	7	3	8	2	1	1	—
	Other benign ...	3	4	—	—	1	1	—	3	—	—	2	—	—	—	—	—
	Nature unstated ...	371	381	76	51	70	90	63	84	81	83	60	38	17	29	4	6
	Total (74C) ...	422	431	82	62	84	102	79	93	88	92	65	46	19	30	5	6
129. Uterine tumour ...	Fibroid ...	—	244	—	—	—	16	—	61	—	91	—	37	—	24	—	15
	Fibro-myoma ...	—	22	—	—	—	1	—	5	—	10	—	4	—	2	—	—
	Myoma ...	—	18	—	—	—	1	—	8	—	2	—	3	—	3	—	1
	Polypus ...	—	7	—	—	—	—	—	4	—	2	—	1	—	—	—	—
	Other benign ...	—	5	—	—	—	—	—	2	—	1	—	1	—	—	—	1
	Nature unstated ...	—	12	—	—	—	2	—	1	—	2	—	3	—	2	—	2
	Total (129) ...	—	308	—	—	—	20	—	81	—	108	—	49	—	31	—	19
131. Ovarian tumour ...	Cyst ...	—	224	—	1	—	32	—	40	—	39	—	46	—	43	—	23
	Cyst-adenoma ...	—	3	—	—	—	—	—	—	—	2	—	—	—	1	—	—
	Fibro-cystic ...	—	3	—	—	—	—	—	—	—	1	—	1	—	1	—	—
	Other benign ...	—	9	—	—	—	1	—	5	—	—	—	2	—	—	—	1
	Nature unstated ...	—	34	—	—	—	1	—	3	—	7	—	8	—	5	—	10
	Total (131) ...	—	273	—	1	—	34	—	48	—	49	—	57	—	50	—	34
In 63. Spinal cord ...	Glioma ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Nature unstated ...	8	4	1	—	1	1	—	—	2	—	2	2	2	1	—	—
„ 75. Eye ...	Glioma ...	3	4	3	3	—	—	—	—	—	1	—	—	—	—	—	—
	Nature unstated ...	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—
„ 87. Larynx ...	Papilloma ...	7	5	3	3	1	1	—	—	1	—	—	1	2	—	—	—
	Other benign ...	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	Nature unstated ...	2	4	—	1	—	—	1	—	1	—	—	—	—	2	—	—
„ 88. Thyroid ...	Adenoma ...	1	5	—	—	1	2	—	—	—	1	—	—	—	1	—	1
	Other benign ...	—	4	—	—	—	1	—	—	—	1	—	—	—	2	—	—
	Nature unstated ...	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1
„ 98. Lung ...	Non-malignant ...	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
	Nature unstated ...	11	3	—	—	—	—	1	—	2	1	6	1	1	—	1	1
„ 110. Intestine ...	Adenoma ...	3	1	—	—	—	1	1	—	1	—	—	—	—	—	1	—
	Other benign ...	4	3	—	—	2	—	—	—	—	2	—	—	—	2	—	1
	Nature unstated ...	14	14	—	—	2	—	1	—	2	5	2	1	3	5	4	3
„ 115. Liver ...	Non-malignant ...	—	4	—	—	—	—	—	—	—	—	—	—	—	2	—	2
	Nature unstated ...	7	9	1	1	1	—	2	—	2	2	1	—	—	5	—	1
„ 116. Spleen ...	Cyst ...	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Nature unstated ...	2	3	—	—	—	1	—	—	1	—	—	1	—	1	1	—
„ 118. Pancreas ...	Cyst ...	3	3	—	—	—	1	—	—	2	—	—	2	—	1	—	—
	Other benign ...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Nature unstated ...	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—
„ 122. Kidney ...	Non-malignant ...	—	3	—	—	—	—	—	—	—	2	—	1	—	—	—	—
	Nature unstated ...	2	9	—	1	—	—	—	—	2	—	3	1	1	1	1	2
„ 124. Bladder ...	Papilloma or villous ...	89	27	2	—	3	—	3	1	15	2	24	3	24	9	18	12
	Polypus ...	3	1	—	—	—	—	—	—	—	—	1	—	1	—	1	1
	Nature unstated ...	14	6	—	—	1	—	1	—	2	—	2	—	3	5	5	1
„ 126. Prostate ...	Adenoma ...	45	—	—	—	—	—	—	—	3	—	7	—	22	—	13	—
	Nature unstated ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
„ 133. Breast ...	Non-malignant ...	—	4	—	—	—	1	—	—	—	2	—	1	—	—	—	—
	Nature unstated ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other sites ...	Non-malignant ...	22	22	—	—	3	4	2	8	2	4	8	3	5	3	2	—
	Nature unstated ...	13	6	—	—	1	—	2	—	4	2	3	1	1	3	2	—
	Total ...	259	153	10	9	18	13	15	11	40	27	60	22	65	45	51	26
<i>Tumours not classed with other disease of organ or part of body affected.</i>																	
46. Pituitary body ...	Nature unstated ...	3	2	1	1	1	1	—	—	1	—	—	—	—	—	—	—
Mediastinum ...	Non-malignant ...	1	3	—	—	—	—	—	—	—	—	—	—	1	2	—	1
	Nature unstated ...	49	32	1	—	2	2	9	3	14	9	13	9	7	5	3	4
Abdomen ...	Non-malignant ...	1	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—
	Nature unstated ...	18	35	1	—	—	1	—	—	4	5	1	8	5	15	7	6
Other ill-defined sites	Non-malignant ...	3	7	—	—	—	—	1	2	1	2	—	—	1	3	—	—
	Nature unstated ...	12	3	—	—	—	—	2	—	2	2	6	1	1	—	1	—
Site not stated ...	Adenoma ...	3	1	—	—	—	—	—	—	—	—	—	—	2	1	1	—
	Angioma ...	3	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
	Other benign ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Nature unstated ...	5	3	—	—	—	—	—	1	3	1	—	—	2	—	—	1
	Total (46) ...	99	87	3	2	5	4	12	6	25	19	22	18	19	26	13	12
Total, all tumours ...		780	1252	95	74	107	173	106	239	153	295	147	192	103	132	69	97
„ benign tumours ...		247	686	14	19	28	74	24	147	32	172	51	114	60	101	38	59
„ nature unstated ...		533	566	81	55	79	99	82	92	121	123	96	78	43	81	31	38

56. **Alcoholism.**—This heading in the International List of causes of death excludes organic disease attributed to alcoholism, therein differing from the “alcoholism, delirium tremens” of the list in use prior to 1911. The effect of the change may be gathered from comparison of the number of deaths (81) from alcoholism in the new list on page 78 with that (339) of deaths referred to the same heading in the old list in Table 9.

In order that this change in classification might not lessen the information afforded with regard to mortality from overindulgence in alcohol, all the death certificates in which any mention of alcohol appears have been assembled in Table LXII. These deaths make up a total of 388, or only 49 in excess of the 339 referable to the old heading, the difference being accounted for mainly by causes of death formerly selected in preference to alcoholism when recorded in conjunction with it. The causes most frequently associated in death certification with mention of alcoholism, with the number of deaths in the case of each, were :—Cirrhosis of the liver, 92 ; violence, 43 ; lobar pneumonia, 31 ; organic heart disease, 24 ; influenza, 19.

TABLE LXII.—ENGLAND AND WALES, 1918.—DEATHS from or CONNECTED with ALCOHOLISM.

	All Ages.		Under 25.		25—		35—		45—		55—		65—		75—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
56. Deaths attributed directly to alcoholism.	61	20	—	—	7	2	19	4	20	7	13	4	1	3	1	—
Deaths of which alcoholism was recorded as a secondary cause :																
10. Influenza	19	—	—	—	5	—	5	—	6	—	1	—	2	—	—	—
28, 29. Phthisis	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
39-45. Cancer	2	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Other general diseases	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
63. Other diseases of the spinal cord ...	4	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—
64. Cerebral hæmorrhage, apoplexy ...	6	5	—	—	—	—	—	—	4	3	2	—	—	2	—	—
65. Softening of brain	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
67 { General paralysis of the insane } Alcoholic paralysis }	2	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—
69. Epilepsy	2	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—
73B. Neuritis	4	3	—	—	—	—	—	1	1	—	1	2	2	—	—	—
Other diseases of nervous system ...	5	3	—	—	1	1	—	1	1	1	3	—	—	—	—	—
79A. Valvular disease of the heart ...	5	—	—	—	—	2	—	—	2	—	—	—	1	—	—	—
79B. Fatty degeneration of the heart ...	4	3	—	—	1	—	—	—	2	2	1	1	—	—	—	—
79C. Other organic disease of the heart ...	9	3	—	—	1	2	—	3	—	1	2	3	—	—	—	—
81. Diseases of the arteries, atheroma, aneurysm, &c.	5	4	—	—	—	—	1	1	2	1	1	—	1	1	—	1
Other diseases of circulatory system	2	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—
89, 90. Bronchitis	9	2	—	—	—	—	1	—	5	—	2	1	1	1	—	—
91. Broncho-pneumonia	3	1	—	—	—	—	—	1	—	—	—	1	2	—	—	—
92A. Lobar pneumonia	25	6	—	—	3	1	4	1	13	1	3	3	2	—	—	—
Other diseases of respiratory system	3	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
103. Diseases of stomach (not ulcer) ...	5	2	—	—	—	—	1	—	1	—	3	—	—	—	—	—
104, 105. Diarrhoea and enteritis	1	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—
113B. Cirrhosis of the liver	58	34	—	—	1	2	10	3	19	12	18	5	9	8	1	4
Other diseases of digestive system ...	3	1	—	—	—	—	—	—	1	—	1	1	1	—	—	—
120. Bright's disease	4	1	—	—	—	—	—	—	1	1	1	—	2	—	—	—
132. Other diseases of the female genital organs.	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
134A. Abortion	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
144B. Acute abscess	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
146. Diseases of the bones	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
155-163. Suicide... ..	2	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—
172. Injury by fall	11	3	—	—	2	1	—	—	5	1	2	1	1	—	1	—
175. Injury by crushing (vehicles, railways, &c.).	4	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—
Other violence... ..	15	7	—	—	2	2	4	1	6	3	3	—	—	1	—	—
Total	280	108	1	—	23	10	53	16	102	36	65	25	32	16	4	5

All the figures so far quoted form but a small fraction of the corresponding numbers prevalent before the war. Thus the total deaths shown in Table 9 have fallen from 1,969 in 1914 to 339 in 1918, and the deaths of females from 819 to 95. Moreover, as pointed out in last year's Report, the alteration in the age-constitution of the male civilian population in 1918, as compared with the total male population before the war, has the effect of masking to some extent the full reduction of the death-rate.

In face of so sudden and so great a change it is well to bear in mind the possibility that war conditions may in some way have prevented deaths from alcoholic excess from being returned as freely as before; but in the absence of any adequate explanation of the change on these lines its association with the restrictions on the manufacture and sale of alcoholic liquors entailed by the war appears to be inevitable. The return of deaths under this cause has always been notoriously unreliable and incomplete, owing to the reluctance of practitioners to mention on an open certificate the alcoholic origin of the pathological conditions met with in such cases, but such considerations as these have a very constant effect from year to year upon the statistics of the whole community, as may be seen from the comparative steadiness of the death-rate from alcoholism in Table 10 prior to 1915. The one important factor in the situation which has obviously changed since then has been the supply of alcohol, and when the death-rate has fallen enormously in conjunction with drastic restriction of the supply it is difficult to avoid associating the two phenomena as cause and effect.

TABLE LXIII.—ENGLAND and WALES—DEATHS in each year 1915–1918 from the CAUSES principally associated with ALCOHOLISM per CENT. of the corresponding average NUMBERS in 1911–14.

Cause of Death.	Males.				Females.				Both Sexes.			
	1915.	1916.	1917.	1918.	1915.	1916.	1917.	1918.	1915.	1916.	1917.	1918.
56. Deaths attributed directly to alcoholism	72	58	30	15	88	52	36	9	78	56	33	13
64. Cerebral hæmorrhage, apoplexy	94	57	49	17	73	41	10	12	83	49	28	14
73B. Neuritis	88	27	35	15	70	37	20	4	75	34	24	7
79. Organic heart disease	74	50	38	19	103	49	45	8	86	49	40	14
89, 90. Bronchitis	132	105	73	41	115	85	23	15	129	100	56	32
92A. Lobar Pneumonia	78	49	35	23	87	50	47	20	80	49	38	22
113. Cirrhosis of the Liver	103	86	57	37	109	77	47	23	106	82	52	30
120. Bright's disease	91	56	21	12	76	41	29	3	84	49	25	7
155–186. Violence	93	67	36	22	117	65	38	23	99	66	36	22
Other causes	88	61	31	33	97	60	40	19	91	60	34	28
Total	84	62	37	23	94	56	37	14	88	60	37	19

60. **Encephalitis.**—The deaths of 207 males (including 44 non-civilians) and 159 females have been allocated to this heading. These numbers are slightly above the averages for the preceding seven years, which amount to 184 and 133 respectively.

Although the total number of deaths so returned is but little in excess of the normal there is very definite evidence that it includes a considerable proportion of deaths due to the outbreak in the spring of the obscure malady for which the term encephalitis lethargica was adopted in the official reports made upon it by the Local Government Board. Deaths from this cause must be sought in at least two other sections of the table as well as this, those returned as polioencephalitis being assigned to cause 63B (poliomyelitis) and those returned as “botulism” to cause 164 (food poisoning).

Individual deaths from this disease returned as encephalitis cannot as a rule be identified, though four were returned as encephalitis lethargica, 11 as epidemic encephalitis and one as epidemic stupor, while there may be a presumption in favour of the epidemic causation of the two deaths of males and eight deaths of females from mesencephalitis (included with encephalitis in the statement of monthly mortality below). The evidence of mortality from encephalitis lethargica in the case of other deaths assigned to encephalitis is, first, that the number and proportion of deaths allocated to cause 60 which were actually certified as due to encephalitis showed a large increase, and, second, that these deaths were concentrated chiefly upon those months of the year when encephalitis lethargica was prevalent.

As to the first point, only one previous year, 1913, is available for comparison. The deaths allocated to cause No. 60 fall into two groups, those returned as due to cerebral abscess and to encephalitis or cerebritis. In 1913, which, for want of a more extended basis of comparison, must be taken as representing the normal experience,

deaths from cerebral abscess formed 60 per cent. of the whole, but in 1918 this proportion fell to 45 per cent. The numbers are as follows :—

—	1913.			1918.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
Cerebral Abscess	121	78	199	107	56	163
Cerebritis	9	11	20	14	12	26
Encephalitis	50	60	110	86	91	177

Along with a decrease in deaths from cerebral abscess there is thus an increase in deaths from encephalitis, notwithstanding fall in population, amounting to 36 males and 31 females. In the absence of a better standard of comparison than the experience of a single year this excess must be provisionally regarded as due to encephalitis lethargica.

The seasonal distribution of the deaths from encephalitis not indicated to be of the epidemic variety will be found in the following statement, which also gives the same information for deaths attributed to botulism, for all other deaths so certified as to create a presumption in favour of their epidemic origin (encephalitis lethargica, epidemic encephalitis, epidemic stupor, polioencephalitis, polioencephalomyelitis, epidemic or infective polioencephalitis), and for deaths from poliomyelitis.

—	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Year.
Encephalitis lethargica, Polio- encephalitis, etc.	M.	—	1	—	10	10	10	10	1	1	3	3	49
	F.	—	—	2	9	11	12	4	1	8	3	2	52
Botulism	M.	—	—	3	7	3	1	1	—	—	—	—	15
	F.	—	—	2	11	—	—	—	—	—	—	—	13
Encephalitis	M.	3	1	2	7	11	14	9	8	7	12	1	81
	F.	1	3	6	1	15	12	9	10	3	10	4	80
Poliomyelitis	M.	5	8	5	3	16	12	16	4	5	13	13	116
	F.	7	7	11	6	12	15	17	6	6	14	6	121

While the deaths from encephalitis not indicated as of epidemic origin are more widely distributed over the year than those returned in ways which may now be taken as implying that they were due to the epidemic, their concentration upon the four months May–August, when the epidemic mortality chiefly occurred,* is very marked, 55 per cent. of the whole occurring during those four months. It will also be noticed that their number increased again in October, along with that of the more specifically certified deaths. It is plain from these facts that the whole of their excess over the normal number of deaths actually described as due to encephalitis occurred during the epidemic of encephalitis lethargica, and so was presumably due to that cause.

This excess of about 50 deaths, added to the 101 deaths returned as encephalitis lethargica, polioencephalitis, etc., and the 28 deaths ascribed to botulism before it was definitely established that the outbreak was not of that nature, make a total of about 180 deaths ascribable, from their certification, to the epidemic of encephalitis lethargica.

61A. Cerebro-spinal Fever.—The deaths allocated to this cause number 812 as against 1,974 in 1915, 1,214 in 1916, and 1,531 in 1917, the highest numbers recorded before 1915 having been 194 in 1914 and 163 in 1913.

The epidemic which commenced in 1915 has thus continued for four years without any approach to the old level of mortality. The features noted in previous reports, such as concentration of mortality on the first half of the year and on London and the surrounding counties (*see* Table LXIV), have been maintained.

* *I.e.*, as fixed by the months of death shown above. The dates of onset, as tabulated in the Local Government Board report for 126 cases of typical encephalitis lethargica, were concentrated upon the seven weeks 16th March to 4th May.

TABLE LXIV.—CEREBRO-SPINAL FEVER : CRUDE CIVILIAN DEATH-RATES per MILLION POPULATION, 1918.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	30	—	30
County Boroughs	10	15	30	7	14
Other Urban Districts	9	12	17	11	12
Rural Districts	9	16	16	4	13
All areas	10	14	24	8	15

The southern excess, which has been a feature of the civilian death-rate since the commencement of the epidemic, appears to be fully shared by the important military element in the mortality, though without knowledge of the non-civilian population at risk in each section of the country it is impossible to make any exact comparison. The following distribution, however, of the non-civilian deaths registered during 1918 in the various sections of the country—North 42 deaths, Midlands 86, South 177, Wales 9—certainly suggests that this mortality also has been higher in the south.

As in the three preceding years the mortality of non-civilians was very much higher than that of civilians. Indeed, although the number of males succumbing to the disease has in each of the four years been more than twice as great as the number of females, deduction of the non-civilian deaths leaves the numbers for the sexes approximately equal. The figures are as follows :—

DEATHS FROM CEREBRO-SPINAL FEVER IN ENGLAND AND WALES.

	Males.			Females.
	Total.	Non-civilian.	Civilian.	
1915	1,347	605	742	627
1916	845	449	396	369
1917	1,107	637	470	424
1918	571	314	257	241

Thus for the third year in succession more non-civilian males died than civilians, and this although two-thirds of the deaths of civilians occur at ages under 15. The extent to which the certified mortality is associated with military life can only be fully appreciated when the deaths at the ages of military service are compared. The following are their numbers :—

	15–	20–	25	30–	35–	40–45
Non-civilian Males	129	90	40	28	14	10
Civilian Males	31	1	7	8	10	7
Females	22	19	12	10	6	10

Even if far more civilian than non-civilian cases escaped recognition these figures seem clearly to show that, as has often been noted in connection with other outbreaks of this disease, it is specially associated with the conditions of military or naval service.

63B. **Poliomyelitis, Polioencephalitis.**—Deaths from poliomyelitis and polioencephalitis have hitherto been merged with those from many other forms of disease under title 63, “Other diseases of the spinal cord.” They have for the past seven years, however, been distinguished in a table in the text of the report, which is reproduced below for 1918.

A separate title, 63B, has now been assigned to this disease in the full tabulation of causes of death ; but as the text tables hitherto published have included all deaths for which this cause was certified, whereas the figures on page 80 exclude certain deaths assigned, under the rules for classification, to some other other cause of death mentioned on the certificate, the text table is continued in order to afford means of comparison with the records of previous years.

—		All Ages.	Under 1 month.	1—3 months.	3—6 months.	6—12 months.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—
Males	...	134	2	4	6	6	11	10	3	3	21	15	10	5	8	12	10	5	3
Females	...	134	—	1	2	3	13	12	6	8	25	17	10	4	10	9	7	3	4

The number of deaths included in the above table but allocated to some other cause in the main tabulation is much greater than usual, 18 deaths of males and 13 of females as against three for each sex in the previous year. This is due to the influenza epidemic, the number of deaths returned as caused by poliomyelitis and influenza, which the rules of classification assign to influenza, having been 10 for males and 13 for females.

The number of deaths in the above table is the highest both for males and females since 1911, when these deaths were first distinguished. Before 1918 the annual total has been very constant, ranging from 174 in 1917 to 224 in 1911.

Moreover, the age distribution in 1918 was different from that of the previous seven years. Hitherto the proportion of deaths occurring in the first five years of life has varied from 44 to 59 per cent., while that at ages over 20 has remained very constant, at 13 to 16 per cent. But in 1918 the proportion at ages under five years has fallen to 34 per cent., and that at ages over 20 has risen to 30 per cent. The increase in the number of deaths represents mainly deaths of adults and to some extent of children over 5 years of age, but no corresponding increase at ages under 5 has occurred.

These changes are explained when the deaths certified as infantile paralysis or poliomyelitis, etc., are distinguished from those attributed to polioencephalitis. It then proves that the increase which has occurred is wholly in the latter class of cases, and all the evidence points to these deaths having been due to the epidemic of encephalitis lethargica. The following are the yearly numbers of deaths on the certificates of which mention was made of poliomyelitis, etc., or of polioencephalitis, etc. (whether the death was classed or not to cause No. 63).

Poliomyelitis, etc.

—				1913.	1914.	1915.	1916.	1917.	1918.
Males	106	103	84	96	90	88
Females	96	79	88	93	74	90
Persons	202	182	172	189	164	178

Polioencephalitis, etc.

—				1913.	1914.	1915.	1916.	1917.	1918.
Males	6	3	3	7	3	46
Females	9	7	3	4	7	44
Persons	15	10	6	11	10	90

It will be seen that the number of certificates referring to disease of the cord alone is about normal in 1918, but that the number of those specifying similar disease of the brain centres was almost twice as great in 1918 as in the whole of the preceding five years.

There can be little doubt therefore that the latter but not the former deaths are ascribable to the epidemic ; and this inference is in agreement with the conclusions arrived at on other grounds by the authors of the Local Government Board report upon the epidemic (New Series No. 121). Further, the change which has occurred in the age distribution of the deaths allocated to 63B is limited to the polioencephalitis section of the total, as will be seen from the following figures, which include 26 deaths to which poliomyelitis and 5 to which polioencephalitis was a contributory cause.

—		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	35-	45-	55-	65-	All Ages.
Poliomyelitis, etc. ...	1913-17	108	134	89	60	54	179	91	63	30	30	26	21	17	8	910
	1918	20	18	22	6	8	27	23	14	7	9	12	8	—	4	178
Polioencephalitis, etc. ...	1913-17	3	7	8	5	3	15	2	2	1	3	1	—	1	—	51
	1918	4	6	—	3	3	19	9	6	2	9	9	9	8	3	90

The proportions of deaths at different ages from poliomyelitis were much the same in 1918 as in the preceding five years, but the share of the mortality from polioencephalitis borne by adults was very much increased in 1918, when the deaths at ages over 20 amounted to about 44 as against 12 per cent. For children under five years of age the proportions were 51 per cent. in 1913-17 and 18 per cent. in 1918 ; and for those under ten, 80 per cent. and 39 per cent. Such slight change as has occurred in the case of poliomyelitis is in the same direction, so possibly one or two deaths from the “new disease” may have been returned under this cause.

It will be seen from these facts that the death certification strongly supports the view that poliomyelitis is a distinct disease from encephalitis lethargica, but that the greatly increased number of deaths from polioencephalitis in 1918 were of that nature. It is necessary to limit this inference to 1918 because the few deaths attributed to polioencephalitis in the five preceding years had an even earlier age distribution than those from poliomyelitis.

The seasonal distribution of the mortality from poliomyelitis in 1918 is given on page lxxx. The largest numbers of deaths occurred in the four months May-August, simultaneously with the mortality here attributed to encephalitis lethargica, and in November. No tabulation of the kind for earlier years is available for comparison, but the records of individual medical observers point to June to September as the period of onset in the great majority of cases. In view of this normal summer prevalence it seems doubtful whether any significance attaches to the May increase in mortality from poliomyelitis simultaneously with that from encephalitis lethargica.

During the last two years the number of cases of poliomyelitis notified has greatly declined, without any corresponding decline in the numbers of deaths returned. Consequently the apparent fatality, which for the first four complete years of notification (1913-16) was about one death to three cases returned, has shown an extraordinary increase. Thus in 1916 there were 704 cases notified as against 189 deaths from poliomyelitis and 11 from polioencephalitis, but in 1918 there were only 236 notifications to correspond to 178 deaths from poliomyelitis and 90 from polioencephalitis. The change, it will be seen, is confined to the notification returns, which have been suddenly cut down to one-third without any corresponding decrease in the deaths from poliomyelitis. In these circumstances it seems improbable that any significance can attach to the fatality ratios derivable from the figures quoted.

73B. Neuritis.—The deaths from this cause, which averaged 481 per year in 1911-14, have since gradually fallen to 158 in 1918. Notwithstanding the reduction in male and increase in female population, this decline is much greater for females than for males. Whereas the mortality of females ascribed to this cause has generally been about twice that of males, the more rapid fall in female mortality has reduced it for the last two years to a level below that of males. The reduction in the rate for civilian males has been quite small compared with that for females, which has fallen to less than a quarter of its pre-war level.

Presumably this remarkably sudden change is dependent upon the reduction in alcoholism during the war. For the four years 1911-14 the average number of deaths

annually assigned to neuritis associated with alcoholism was 26 for males and 70 for females, but these numbers have now been cut down to 4 and 3 (Table LXII). It seems probable that the proportionately smaller reduction which has occurred in deaths ascribed to neuritis without mention of alcoholism may be due to the same cause. If so we may perhaps come to the conclusion that in the past the majority of cases of fatal neuritis, at least amongst women, who furnish most of the deaths, have been caused by alcoholism, but that there is a residue of these deaths, quite as large amongst men as women, for which we have no reason to assume an alcoholic origin. This hypothesis, at least, would provide an explanation of the fact that the decline in the mortality of females has outpaced that for males much more in the case of neuritis than of other diseases of alcoholic origin.

91 and 92. **Pneumonia.**—The total deaths assigned to pneumonia in its various forms numbered 59,666—33,451 of males and 26,215 of females. The corresponding death-rates, that of males applying to civilians only, are 2,115 and 1,330 per million living of each sex, and 1,654 per million civilians of both sexes. As may be seen from Tables 9 and 10 these numbers and rates are much in excess of all recent experience, and when the comparison is carried back as far as the records allow—to the year 1854—the result is the same. The comparison is not altogether reliable, for there is much reason to believe that the line of demarcation between bronchitis and pneumonia has varied at different periods, as it appears to do even now in different areas; but the fact remains that the mortality attributed to pneumonia in 1918 is considerably the highest on record. It was most nearly approached in 1891, also a year of epidemic prevalence of influenza, when the rate for persons was 1,471 per million. (Up to 1911 hypostatic pneumonia was included under the general heading “pneumonia,” and addition for comparative purposes of the deaths so certified in 1918 brings the rate to 1,657.)

Owing to the change in the male civilian population caused by the war comparison with previously recorded mortalities is best made for females. When this is done the mortality of 1891 is found to have been exceeded on several occasions, of which 1902 is the latest before 1918, but the latter rate remains much in excess of any predecessor, whereas that of the previous year had been the lowest for a long period.

The sudden increase has of course been due to the great epidemic of influenza. This may be demonstrated by comparison, quarter by quarter, of the mortality of females in 1918 with their average mortality during the seven preceding years. The following are the rates per million living :—

	1911-17.				1918.			
	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.
Broncho-pneumonia ...	722	431	212	442	726	394	270	1,036
Lobar pneumonia ...	224	189	100	169	228	203	211	410
Undefined pneumonia ...	371	269	155	261	347	297	295	901
All forms ...	1,317	889	467	872	1,301	894	776	2,347

It will be seen that the first two quarters of the year conformed very closely indeed to the average of their seven predecessors, but the third quarter brought an increase of 66 per cent., and the fourth of no less than 169 per cent. These increases may be compared with the similar case of tubercle (page lxxv).

It is estimated, in the special report on influenza, that 8,146 deaths of males and 8,962 of females allocated to pneumonia in 1918 were really due to the epidemic of influenza. These increases were very unequally distributed by age, being greatest in early adult life and non-existent in old age. In this respect they resemble the increase in mortality from influenza. The excess of deaths of females of different ages in 1918 over the average yearly deaths during the five preceding years (corrected for estimated increase of population) is as follows. It is less than the estimate of increase due to the influenza epidemic because of low pneumonia mortality during the first half of the year.

—	Absolute Excess.				Percentage Excess.			
	Broncho-pneu-monia.	Lobar pneu-monia.	Undefined pneu-monia.	All forms of pneu-monia.	Broncho-pneu-monia.	Lobar pneu-monia.	Undefined pneu-monia.	All forms of pneu-monia.
0—	1,553	42	517	2,112	24	8	34	25
5—	506	111	309	926	178	82	159	151
10—	117	136	253	506	177	172	266	211
15—	84	178	364	626	233	158	357	249
20—	105	292	478	875	300	230	412	315
25—	149	436	705	1,290	355	285	522	391
30—	109	296	483	888	227	161	288	222
35—	69	99	299	467	93	46	146	95
40—	56	76	206	338	65	33	90	62
45—	55	42	167	264	56	18	74	48
50—	75	57	115	247	56	26	45	40
55—	45	-15	57	87	26	- 6	22	13
60—	39	17	43	99	17	7	13	12
65—	10	- 5	30	35	3	- 2	8	4
70—	1	-12	-14	-25	0	- 5	- 4	- 3
75—	-12	-33	-12	-57	- 4	-20	- 4	- 7
80—	-55	8	-25	-72	-27	12	-15	-16
85 and up.	24	-14	-28	-18	21	-39	-27	- 7
All Ages	2,930	1,711	3,947	8,588	33	49	77	49

It will be seen that the chief increase occurred in undefined—probably for the most part lobar—pneumonia, and that pneumonia defined as lobar increased more than broncho-pneumonia.

Naturally the corresponding comparison for the fourth quarter of the year only yields very much larger percentages of increase. It confirms that for the whole year in showing that the increase of mortality from pneumonia not stated to be due to influenza was greatest at the age 25–30, which suffered most from mortality attributed to influenza, and was least, in fact negative, in old age, the period of life which suffered least from influenza. In view of the seasonal correspondence, the age correspondence, and the enormous rates of increase in pneumonia mortality, the substantial identity of this excess mortality with influenza may be accepted as definitely established.

The excess deaths of females in the fourth quarter over the corrected average for the fourth quarters of 1913–17 are as follows:—

—	Absolute Excess.				Percentage Excess.			
	Broncho-pneu-monia.	Lobar pneu-monia.	Undefined pneu-monia.	All forms of pneu-monia.	Broncho-pneu-monia.	Lobar pneu-monia.	Undefined pneu-monia.	All forms of pneu-monia.
0—	1,777	75	578	2,430	119	59	156	122
5—	409	85	248	742	576	250	551	495
10—	103	95	182	380	792	559	758	704
15—	61	131	271	463	763	546	1,129	827
20—	88	182	366	636	880	607	1,307	935
25—	109	302	550	961	908	863	1,897	1,264
30—	81	206	386	673	736	458	1,103	740
35—	55	69	216	340	289	135	432	283
40—	41	34	137	212	186	62	245	159
45—	43	13	113	169	159	24	217	126
50—	72	43	79	194	232	77	127	130
55—	52	- 3	48	97	124	- 5	72	56
60—	43	2	36	81	72	3	44	39
65—	34	- 9	13	38	45	-14	14	16
70—	36	-18	31	49	43	-32	33	21
75—	1	-16	-12	-27	1	-37	-17	-14
80—	-19	- 2	- 2	-23	-33	-11	- 5	-21
85 and up.	9	- 4	-14	- 9	28	-40	-54	-13
All Ages	2,995	1,185	3,226	7,406	139	139	259	174

In addition to the 8,588 deaths of females attributed to pneumonia but assumed to be due to influenza because they represent an excess over the corrected average for the five preceeding years there were 41,500 deaths of females from June 23rd to the end of the year to which both influenza and pneumonia were stated to have contributed.

By ascertaining the age distribution of these deaths from recognized influenzal pneumonia and comparing with it that of the excess pneumonia deaths of 1918 (*i.e.*, the 8,588 above) it is possible to form an idea of the ages at which failure to recognise, or at least, to specify, the influenzal nature of these cases has chiefly occurred. The comparison is made in the following table :—

TABLE LXV.—ENGLAND and WALES, 1918.—AGE DISTRIBUTION of MORTALITY of FEMALES from INFLUENZAL PNEUMONIA.

Age.	Excess of Deaths allocated to Pneumonia in 1918 over the average for 1913-17.				Deaths to which both Influenza and Pneumonia were stated to have contributed. June 23—Dec. 31, 1918.			
	Broncho-	Lobar.	Undefined.	All Forms.	Broncho-	Lobar.	Undefined.	All Forms.
0—	530	25	131	246	262	41	78	122
5—	173	65	78	108	103	38	53	64
10—	40	79	64	59	46	47	51	49
15—	29	104	92	73	52	107	89	81
20—	36	171	121	102	79	145	135	121
25—	51	254	180	150	106	203	184	166
30—	37	173	122	103	88	164	139	129
35—	24	58	76	54	54	85	79	73
40—	19	44	52	39	40	50	49	47
45—	19	25	42	31	38	39	40	39
50—	26	33	29	29	35	28	33	33
55—	15	— 9	14	10	26	21	20	22
60—	13	10	11	12	21	12	17	18
65—	3	— 3	8	4	23	10	15	16
70—	0	— 7	— 4	— 3	15	6	10	11
75—	— 4	—19	— 3	— 7	8	3	5	6
80—	—19	5	— 6	— 8	3	1	2	2
85 & up.	8	— 8	— 7	— 2	1	0	1	1
All Ages	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

The striking feature of the above table is the great excess amongst the unrecognized cases at age 0-5, the proportion at this age being twice as great for them as for the recognized cases, both for broncho-pneumonia and for pneumonia of all forms. At 5-10 and 10-15 also the proportions are higher for the cases of pneumonia (all forms) not recognized as influenzal but at all higher ages the position is reversed. It may probably be inferred, therefore, that much more pneumonia of influenzal origin was reported simply as pneumonia, without reference to influenza, in childhood than in adult life. It may also be inferred that little or no addition has to be made to the influenza mortality of old age on account of deaths referred simply to pneumonia, seeing that the pneumonia deaths at ages over 70 were below the 1913-17 average.

The chance at different ages of deaths really due to influenza being returned as due simply to pneumonia may be measured by expressing the numbers taken as representing such deaths, *i.e.*, the 1918 excess of pneumonia deaths, as a percentage of all the deaths reported or inferred to have been due to pneumonia resulting from influenza, *i.e.*, the above excess of pneumonia deaths *plus* the deaths attributed to influenza and pneumonia jointly. The result cannot be accepted as an exact statement of the proportion of deaths from influenzal pneumonia in recording which no mention is made of influenza, for there are probably a number of such deaths attributed to influenza

without mention of pneumonia ; but in view of the very high proportion (about 70 per cent.) of the deaths from influenza returned as complicated by pneumonia and of the small proportion, only 10 per cent., attributed to influenza alone any shortage in the total of influenzal pneumonia deaths arising in this way can have no very great effect. Probably, therefore, the percentages in Table LXVI give a substantially correct idea of the proportion of such cases in which record of influenza is omitted. The influenzal pneumonia deaths certified or inferred to have occurred, and the proportion of the total borne by the latter, are stated in the table.

TABLE LXVI.—ENGLAND AND WALES, 1918.—DEATHS OF FEMALES FROM INFLUENZAL PNEUMONIA AT VARIOUS AGES.

- a. Deaths to which Influenza and Pneumonia were stated to have contributed.
- b. Excess of Deaths allocated to Pneumonia over the (corrected) average number for the years 1913-17.
- c. Excess Pneumonia Deaths (b) per cent. of all Deaths attributed or attributable to Influenza and with record of Pneumonia (a and b).

Age.	Broncho-Pneumonia.			Lobar Pneumonia.			Undefined Pneumonia.			Pneumonia (All Forms).		
	a	b.	c.	a.	b.	c.	a.	b.	c.	a.	b.	c.
0-	2,867	1,553	35	201	42	17	2,003	517	21	5,074	2,112	29
5-	1,126	506	31	191	111	37	1,347	309	19	2,664	926	26
10-	505	117	19	233	136	37	1,310	253	16	2,048	506	20
15-	567	84	13	534	178	25	2,268	364	14	3,369	626	16
20-	858	105	11	726	292	29	3,451	478	12	5,035	875	15
25-	1,158	149	11	1,020	436	30	4,727	705	13	6,905	1,290	16
30-	964	109	10	828	296	26	3,572	483	12	5,364	888	14
35-	586	69	11	426	99	19	2,015	299	13	3,027	467	13
40-	432	56	11	249	76	23	1,254	206	14	1,935	338	15
45-	416	55	12	193	42	18	1,017	167	14	1,626	264	14
50-	379	75	17	141	57	29	835	115	12	1,355	247	15
55-	282	45	14	103	—	15	522	57	10	907	87	9
60-	233	39	14	61	17	22	438	43	9	732	99	12
65-	250	10	4	48	—	5	383	30	7	681	35	5
70-	160	1	1	30	—	12	252	—	14	442	—	25
75-	90	—	12	13	—	33	126	—	12	229	—	57
80-	28	—	55	5	—	8	46	—	25	79	—	72
85 & up.	10	24	—	2	—	14	16	—	28	28	—	18
All Ages	10,911	2,930	21	5,007	1,711	25	25,582	3,947	13	41,500	8,588	17

Naturally, as both are based upon the same data, this table confirms Table LXV in indicating that a very much larger proportion of deaths really due to influenza have been allocated to pneumonia in childhood than in adult life. The proportion is higher for defined than for undefined pneumonia because the latter form of return is relatively much more frequent as a secondary (to influenza) than as a primary cause of death. The columns headed *b* in the table refer to the whole of the year 1918, and those headed *a* only to that portion of it—June 23rd to the end—during which influenza was epidemic, as the contributory causes of the few deaths allocated to influenza before June 23rd have not been tabulated.

The distribution throughout the country of mortality allocated to pneumonia is shown in the following table, the rates of which are unavoidably uncorrected for differences in sex and age constitution (*see* page xi). In normal years this is of little moment, as standardization affects pneumonia death-rates but slightly, but the age distribution of the deaths allocated to pneumonia in 1918 has been so much affected by the epidemic of influenza that this statement may not apply in the present instance.

TABLE LXVII.—PNEUMONIA (ALL FORMS), 1918.—CRUDE DEATH-RATES per MILLION CIVILIAN POPULATION.

	North.	Midlands.	South.	Wales.	England and Wales.
London... ..	—	—	2,000	—	2,000
County Boroughs	2,448	1,764	1,286	1,994	2,091
Other Urban Districts	1,765	1,293	1,058	1,511	1,424
Rural Districts	1,526	990	916	1,291	1,122
All areas	2,097	1,368	1,467	1,532	1,654

Outside London, where it was fairly high, mortality decreased generally from North to South, the position of Wales being intermediate between those of the North and Midlands. The table also shows a steady and considerable decrease in mortality with decreasing urbanization. Both these features are repeated with such regularity from year to year that they may be accepted as defining the normal type of distribution of mortality from pneumonia in this country. This type has not been materially affected by the epidemic of influenza, which affected all classes of area with almost exactly equal severity during 1918, though causing somewhat higher mortality in the North and Midlands than in the South and Wales, and so no doubt somewhat increasing the ordinary Northern excess in Table LXVII.

113. **Cirrhosis of the Liver.**—During 1918 the deaths assigned to this cause numbered 1,730—1,121 of males and 609 of females. These numbers are very much below those of former years. The corresponding heading in the list of causes of death in use prior to 1911 was somewhat less comprehensive, excluding cirrhosis certified as alcoholic as well as various conditions, such as amyloid and fatty degeneration, classed with cirrhosis under the International List. The deaths in 1918 falling under the more restricted heading were 1,034 of males and 545 of females. These figures are about 26 per cent. below the exceptionally low level of the previous year, and are lower by far than those of any other year since 1875, when the record commences, notwithstanding increase of population. The decline during the war from the number of deaths registered in 1914, which fairly represented the average of recent previous years, has been about 50 per cent. for males, and no less than two-thirds for females, whose deaths have fallen from 1,572 in 1914 to 545 in 1918. The death-rate of females has fallen to a like extent—from 82 per million living in 1914 to 28 in 1918. The death-rate of males has fallen from 117 per million in 1914 (and 120 in 1915) to 73 in 1918, the decline being less than that in the number of deaths because of the large withdrawals from the civilian population of men of military age, who normally furnish but a small proportion of the deaths from this cause. This difficulty in the comparison may be overcome by excluding both population and deaths at ages under 45, at which normally only about 20 per cent. (in 1901–10 19·7 per cent.) of the deaths of males from this cause occur. At ages over 45, then, the mortality of males from cirrhosis of the liver as now defined has fallen from 492 per million living in 1911–14 to 245 in 1918, so that, as in the case of deaths, the fall in mortality during the war has amounted to one-half for males and two-thirds for females. The decline in deaths from cirrhosis certified as due to alcoholism has been shown by Table LXVIII to be still greater than this, amounting to 63 per cent. of the 1911–14 average for males and 77 per cent. for females. Excluding deaths of males under 45 years of age, to allow for the reduction in male civilian population, reduces this decline to about 60 per cent. As in the case of neuritis the reduction is greater for women than for men; and the returns of deaths where alcohol is not mentioned on the certificate support the inference to be drawn from those where it is. If, as the result of increase in the supply and consumption of alcohol in 1919 and subsequent years, the death-rates under consideration rise once more, the evidence that their fall was due to decreased consumption will be overwhelming.

But however strong the evidence in favour of this conclusion may be all that it can establish is that alcohol causes a certain mortality—a proposition which few would care to question. It remains open to the advocates of its moderate use to argue that this

loss is balanced by countervailing gain ; to suggest, for instance, that in 1918, more lives were lost owing to shortage in the supply of spirits during the influenza epidemic than can be shown to have been saved by compulsory sobriety. Such an argument can hardly be met by appeal to the death returns. All that can be claimed on the other side is that while they furnish exceedingly strong statistical evidence against alcohol they provide none in its favour.

The greater decline in deaths of females has increased the excess of male mortality, normally about 40 per cent. in our returns (Table 10), to no less than 161 per cent. It is a curious fact that while this latter is about the ratio stated in medical text-books—male deaths $2\frac{1}{2}$ to 3 times as frequent as females—no such ratio has ever been attained in English death certification before. It is difficult to see why the tabulated experience of the whole medical profession should differ so widely from that of its teachers. If the 40 per cent. excess of the death returns at all represented the facts it would seem that like peripheral neuritis, cirrhosis of the liver must be a disease more readily induced by alcohol in women than in men, for it seems unlikely that the instances of habitual intemperance in the two sexes differ to so small an extent.

134-141. The Puerperal State.—The number of deaths assigned to pregnancy or childbirth was 2,509 (Table LXVIII), corresponding to a rate of 3·79 per 1,000 births. It will be seen from Table 9 that this number is 156 in excess of that assignable to these causes of death under the classification in use up to 1910 (*see* Manual of Causes of Death, pages xxvi and xxx). Deducting these 156 deaths, which, with one exception, are those allocated to puerperal nephritis and albuminuria, formerly not distinguished as puerperal, the mortality amounted to 3·55 per 1,000 births, as against an average rate of 3·74 in the ten years immediately preceding and 3·66 in 1917. Inclusion of the 2,529 deaths in Table LXIX raises the proportion to 7·60 deaths stated to have been caused by or associated with pregnancy and childbirth for every 1,000 births.

The latter rate is very much in excess of those of previous years, the range during the ten preceding years, 1908-1917, having been from 4·77 to 5·27. For this sudden inflation of a stable yearly mortality influenza is wholly responsible. As against the 2,529 deaths in Table LXIX the numbers returned during the ten preceding years varied from 638 in 1917 to 1,221 in 1909, the births of the latter year being, of course, much in excess of those of 1918. Comparison of Table LXIX with its predecessor for 1917 shows an excess in the later year of 1,620 deaths from influenza and 225 from pneumonia. Apart from these the number of deaths in the table is only 684, and the proportion of deaths from or associated with childbirth 4·82, figures which compare normally with those of previous years. The frequency with which fatal influenza was associated with parturition is pointed out in the report on influenza.

Table LXVIII gives particulars of the deaths assigned to the puerperal state, and in the case of the headings "other accidents of pregnancy," "other accidents of childbirth" and "puerperal fever" amplifies the information on page 94 by giving details of the causes comprised by those titles.

Table LXIX shows the causes of deaths stated to have been complicated by the existence of the puerperal state. Apart from influenza and pneumonia the cause of death most largely represented in this table was, as usual, heart disease. The number of deaths from phthisis associated with childbirth is unusually large, the total, 106, being 31 in excess of last year's and greater than in any year since 1912, when the number of births was much larger. This increase is not, in the main, due to deaths of phthisical women from influenza after confinement, for there was no concentration of these deaths upon the fourth quarter, and the number of instances in which death was attributed to the combination of phthisis and influenza in a parturient woman was only three.

Anæsthetics.—Deaths during or connected with the administration of an anæsthetic have all, from 1911 onwards, been classified to the condition for which the anæsthetic was administered. In order, however, to continue the information previously afforded as to such cases a secondary tabulation is now made of all deaths on the certificates relating

TABLE LXVIII.—ENGLAND and WALES, 1918.—DEATHS of WOMEN CLASSED to PREGNANCY and CHILDBEARING.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and up-wards.
134A. Abortion	106	3	8	19	28	28	18	2
B. Hæmorrhage of pregnancy	54	—	3	7	8	20	12	4
C. Uncontrollable vomiting	12	1	2	4	1	4	—	—
D. Ectopic gestation	58	2	7	10	15	17	6	1
E. Other accidents of pregnancy :—								
Hydatid mole	3	—	2	—	—	—	1	—
Carneous mole	1	—	—	—	—	1	—	—
Hæmorrhagic mole	1	—	—	1	—	—	—	—
Retroflexion of gravid uterus	1	—	—	—	1	—	—	—
Retroversion of gravid uterus	4	1	—	1	—	1	1	—
Prolapse of gravid uterus	1	—	—	—	1	—	—	—
Incarceration of gravid uterus	1	—	—	—	—	1	—	—
Hydramnios	3	—	—	—	2	—	1	—
Pregnancy apart from above complications :—								
(a) With secondary causes as follows :—								
Anæmia	2	—	—	—	—	1	1	—
Dilatation of heart	1	—	—	—	1	—	—	—
Bronchitis	1	—	—	—	—	—	1	—
Distension of stomach	1	—	—	1	—	—	—	—
Acute inflammation of liver	1	—	—	—	1	—	—	—
Pyelitis	1	—	—	1	—	—	—	—
(b) Without stated secondary cause	6	—	1	2	2	1	—	—
135. Placenta prævia	137	—	8	19	31	48	26	5
Other puerperal hæmorrhage	184	2	18	23	53	47	37	4
136. Other accidents of childbirth :—								
Contracted pelvis	35	—	5	10	5	12	2	1
Craniotomy	4	—	—	—	2	1	1	—
Cæsarean section	19	—	—	6	5	5	3	—
Version	3	—	—	—	1	1	1	—
Instrumental delivery	10	—	3	3	1	2	1	—
Rupture of uterus	16	—	—	2	3	4	6	1
Rupture of vagina	1	—	—	—	1	—	—	—
Laceration of uterus and perineum... ..	4	—	—	1	—	1	1	1
Malpresentation	14	—	1	3	4	4	2	—
Inversion of uterus	8	—	2	2	2	2	—	—
Involution of uterus	1	—	—	—	—	1	—	—
Sub-involution of uterus	1	—	—	—	—	1	—	—
Inertia of uterus	3	—	—	—	1	1	1	—
Prolapse of uterus	2	—	—	—	1	1	—	—
Abnormal fœtus	7	—	2	—	3	—	2	—
Hydramnios	1	—	—	—	1	—	—	—
Precipitate labour	1	—	—	—	1	—	—	—
Operation, N. S.	1	—	—	—	—	1	—	—
Difficult and prolonged labour	29	—	4	6	7	8	4	—
Childbirth apart from above complications :—								
(a) With secondary causes as follows :—								
Anæmia	9	—	1	2	3	2	1	—
Acetonæmia	1	—	—	—	1	—	—	—
Meningitis	2	—	—	—	1	—	1	—
Dilatation of heart	3	1	1	—	—	1	—	—
Epistaxis	1	—	—	1	—	—	—	—
Bronchitis	9	—	—	3	2	2	2	—
Broncho-pneumonia	13	—	1	2	3	4	2	1
Pneumonia	51	1	15	16	11	6	1	1
Pleurisy	3	—	—	—	1	—	2	—
Congestion of lungs	1	—	—	—	1	—	—	—
Gastritis	1	—	—	1	—	—	—	—
Diarrhœa and enteritis	4	—	1	1	—	1	—	1
Intestinal obstruction	2	—	—	—	1	1	—	—
Intestinal paralysis	1	—	—	—	—	1	—	—
Peritonitis	1	—	1	—	—	—	—	—
Suppression of urine	1	—	—	—	1	—	—	—
Cystitis	2	—	—	—	2	—	—	—
(b) Without stated secondary cause	25	—	3	5	3	7	6	1

TABLE LXVIII.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and up-wards.
137. Puerperal fever :—								
streptococcal infection	7	—	1	—	3	3	—	—
bacillus coli infection	1	—	—	1	—	—	—	—
septic phlebitis, septic thrombosis...	16	—	1	4	4	2	5	—
septic pneumonia	8	—	1	3	—	3	—	1
septic endocarditis	4	—	—	1	—	3	—	—
septicæmia, sepsis	478	11	78	141	99	90	53	6
septic intoxication, sapræmia ...	45	—	8	10	12	12	3	—
pelvic peritonitis	13	1	—	6	3	2	1	—
peritonitis	98	2	22	20	20	24	9	1
salpingitis	7	1	1	3	2	—	—	—
metritis	11	1	5	1	3	1	—	—
endometritis	16	1	2	3	4	3	3	—
parametritis	8	—	1	1	1	4	1	—
perimetritis	4	—	—	—	2	1	1	—
erysipelas	1	—	—	1	—	—	—	—
pyæmia	21	—	4	1	6	4	6	—
pelvic cellulitis	19	—	1	5	8	4	1	—
cellulitis	1	—	—	1	—	—	—	—
pelvic abscess	7	1	2	3	1	—	—	—
other specified septic conditions ...	4	—	1	1	—	1	1	—
“puerperal fever”	76	5	19	15	21	9	7	—
138A. Puerperal nephritis and uræmia ...	122	6	22	26	33	20	15	—
B. Puerperal albuminuria and Bright's disease.	33	1	4	6	9	4	9	—
C. Puerperal convulsions	388	36	91	94	79	55	32	1
139A. Puerperal phlegmasia alba dolens and phlebitis.	42	—	3	7	13	12	6	1
B. Puerperal embolism and sudden death	176	5	18	38	52	33	25	5
140. Puerperal insanity	25	1	3	8	7	1	5	—
141. Puerperal diseases of the breast ...	9	1	3	1	1	1	2	—
Total	2,509	84	380	553	595	531	328	38

TABLE LXIX.—ENGLAND and WALES, 1918.—DEATHS of WOMEN not CLASSED to PREGNANCY and CHILDBEARING, but RETURNED as ASSOCIATED THEREWITH.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and up-wards.
Enteric fever	2	—	—	—	1	—	1	—
Malaria	1	—	—	—	—	1	—	—
Measles	2	—	1	1	—	—	—	—
Scarlet fever	7	—	1	1	3	1	1	—
Diphtheria	2	—	—	2	—	—	—	—
Influenza	1,638	51	315	547	432	196	86	11
Dysentery	1	—	—	1	—	—	—	—
Tetanus (bacillary)	1	—	—	—	—	1	—	—
Actinomycosis	1	—	1	—	—	—	—	—
Pulmonary tuberculosis	68	2*	10	18	16	16	5	1
Phthisis (not defined as tuberculous) ...	22	—	—	9	6	5	2	—
Acute phthisis	14	—	3	4	4	3	—	—
Acute miliary tuberculosis	2	—	1	1	—	—	—	—
Tuberculous meningitis	3	1	1	1	—	—	—	—
Tuberculosis of peritoneum and intestines ...	2	—	1	1	—	—	—	—
Tuberculosis of spinal column	2	—	1	—	—	1	—	—
Other forms of tubercle	3	—	—	—	2	1	—	—

* Including one aged 13 years.

TABLE LXIX.—continued.

Cause of Death.	All Ages.	Ages.						
		15-	20-	25-	30-	35-	40-	45 and up- wards.
Rickets, softening of bones	1	—	—	—	1	—	—	—
Syphilis	7	—	—	4	—	2	1	—
Gonococcus infection	2	1	1	—	—	—	—	—
Cancer	10	—	—	1	3	5	1	—
Rheumatic fever	7	—	—	3	—	3	1	—
Diabetes	5	—	—	2	—	3	—	—
Exophthalmic goitre	3	—	1	1	—	1	—	—
Leucocythæmia... ..	2	—	—	—	1	—	1	—
Anæmia	17	—	3	1	1	10	2	—
Purpura... ..	2	—	—	1	—	1	—	—
Hæmophilia	2	—	—	—	1	1	—	—
General fatty degeneration	1	—	—	—	—	—	1	—
Disease of the spinal cord	1	—	1	—	—	—	—	—
Cerebral hæmorrhage	1	—	1	—	—	—	—	—
Epilepsy	11	—	3	—	5	2	1	—
Chorea	2	1	1	—	—	—	—	—
Pericarditis	1	—	—	—	—	1	—	—
Acute myocarditis	3	—	—	—	1	1	1	—
Infective endocarditis	4	—	1	1	—	2	—	—
Acute endocarditis	5	—	—	3	—	—	1	1
Valvular disease	96	—	12	15	31	23	14	1
Fatty degeneration of the heart	10	—	—	2	—	4	3	1
Other organic disease of the heart	60	—	6	16	20	11	5	2
Varix	1	—	—	—	—	1	—	—
Laryngitis	2	—	—	2	—	—	—	—
Diseases of the thyroid body	4	—	—	1	1	2	—	—
Bronchiectasis	1	—	1	—	—	—	—	—
Bronchitis	40	1	2	11	10	12	4	—
Broncho-pneumonia	24	—	7	6	6	2	3	—
Lobar pneumonia	152	1	24	53	35	27	11	1
Pneumonia (type not stated)	154	6*	34	45	35	26	7	1
Pleurisy	8	—	—	—	5	3	—	—
Pulmonary œdema and congestion	1	—	—	—	1	—	—	—
Asthma	6	—	1	1	2	—	2	—
Diseases of the teeth and gums	1	—	—	—	—	—	1	—
Tonsillitis	1	—	—	1	—	—	—	—
Perforating ulcer of stomach	4	—	—	1	1	—	2	—
Inflammation of stomach	2	—	—	—	1	—	1	—
Diarrhœa and enteritis	2	—	1	—	1	—	—	—
Appendicitis	8	—	—	4	2	2	—	—
Hernia	2	—	—	—	—	1	1	—
Intestinal obstruction	10	—	1	4	1	2	2	—
Acute yellow atrophy of the liver	4	—	—	3	—	—	1	—
Other diseases of the liver	3	—	—	2	—	—	1	—
Bright's disease... ..	47	—	3	9	9	17	8	1
Other diseases of the kidney and annexa	1	—	—	—	1	—	—	—
Calculi of the urinary passages	1	—	—	—	—	1	—	—
Diseases of the bladder	2	—	—	1	1	—	—	—
Uterine tumour (non-cancerous)	8	—	—	2	1	3	1	1
Ovarian cyst, tumour (non-cancerous)	6	—	2	1	—	2	1	—
Other cysts of the female genital organs... ..	4	—	—	—	2	2	—	—
Acute abscess	1	—	—	1	—	—	—	—
Congenital malformation of heart	1	—	—	1	—	—	—	—
Violence	4	—	—	1	1	2	—	—
Total	2,529	64†	441	786	644	400	173	21

* Including one aged 14 years.

† Including one aged 13 years and one aged 14 years.

to which any mention is made of the administration of an anæsthetic. These are classified in Table LXX according to sex and age and to the nature of anæsthetic, while the list appended to the table shows for each sex the condition for which the anæsthetic was administered and the age of the patient, but not the kind of anæsthetic. Causes of death in this list are numbered in International List order. The bracketed figures

following them denote the exact ages of the deceased, ages of males being printed thus (3), and of females thus (3).

TABLE LXX.—ENGLAND and WALES, 1918.—DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF VARIOUS ANÆSTHETICS.

Anæsthetic.			Age.																	
			All Ages.	0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	65-
Chloroform	...	{ M.	49	3	3	1	1	3	3	4	3	4	5	2	3	6	1	2	4	1
		{ F.	32	—	1	1	1	1	3	2	2	2	3	4	7	2	—	1	2	—
Chloroform and ether	...	{ M.	30	—	1	—	—	1	3	—	1	7	2	3	2	1	1	1	5	2
		{ F.	16	—	—	1	1	1	3	—	—	—	1	1	2	2	1	—	1	2
Chloroform followed by ether.	...	{ M.	6	2	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
		{ F.	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Ether	...	{ M.	22	1	1	—	—	1	—	2	3	3	2	5	—	—	—	2	1	1
		{ F.	12	—	—	—	—	—	—	1	—	—	—	1	—	2	3	1	3	1
Gas and ether	...	{ F.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
A.C.E. Mixture	...	{ M.	3	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
		{ F.	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
A.C.E. Mixture and ether.	...	{ M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cocaine	...	{ M.	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		{ F.	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Ethyl chloride	...	{ M.	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ethyl chloride followed by chloroform and ether.	...	{ M.	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Eudrenine	...	{ F.	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Novocaine	...	{ M.	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Stovaine	...	{ M.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
		{ F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Local anæsthetic	...	{ F.	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Kind not stated	...	{ M.	55	1	3	3	2	1	3	3	2	10	3	10	—	3	1	2	5	3
		{ F.	36	—	1	2	3	1	2	1	2	1	1	7	3	2	4	1	2	3
Total	...	{ M.	172	7	10	4	3	6	12	9	11	27	12	20	6	12	3	7	15	8
		{ F.	107	—	2	4	5	3	9	4	5	3	7	15	13	10	9	3	8	7

CONDITIONS FOR WHICH ANÆSTHETICS WERE ADMINISTERED IN THE ABOVE CASES.

9. Diphtheria (23, 2); diphtheria, tracheotomy (2); diphtheria, operation for obstruction of larynx (3). 20. Pyæmia (20). 24. Gun-shot wounds, tetanus, intrathecal injection of anti-tetanic serum (28). 28. Pulmonary tuberculosis (37). 31. Tuberculous peritonitis, exploratory operation (4); tuberculous ulcer of rectum (36). 33. Tuberculosis of hip (17). 34. Tuberculosis of femur (17); tuberculous glands of neck (7, 7, 30). 36. Rickets (4). 37. Syphilis of inguinal glands (38). 39–45. Cancer of—tongue (56, 43); cheek (65); jaw (57); pharynx (55); œsophagus (57); rectum (64); uterus (36, 39, 65); trachea (59); bladder (67); brain (33, 37); iliac crest (60); throat (47); part not stated (53). 46. Tumour of—abdomen (68); forehead (53); part not stated (46). 51. Exophthalmic goitre (20). 63. Infantile paralysis (8); spastic paraplegia (5). 74. Cerebral tumour (21, 43); spastic diplegia (4). 75. Dissection of tear sac (10). 76. Mastoid disease (34, 16); disease of ear (18). 77. Pericarditis (30). 81. Removal of cirroid aneurysm of scalp (36). 83. Hæmorrhoids (30, 44, 50). 84. Operation on glands of neck (5, 63); abscess of groin (45). 86. Adenoids (7, 9, 14, 16); deflected nasal septum and adenoids (11); polypus in nose (37). 87. Operation on larynx (37). 88. Goitre (11, 8, 47). 93. Empyema (0, 3, 5, 5, 15, 19, 24, 25, 26, 36, 40, 45, 59, 2, 3, 5, 15, 28); abscess of pleural cavity (20, 22); pleurisy (2); pleural effusion (5, 30). 98. Abscess of lung (19). 99. Extraction of teeth (29, 31, 32, 33, 17, 30, 33). 100. Enlarged tonsils (14, 21, 22, 5, 8, 46); enlarged tonsils and adenoids (1, 5, 6, 8, 11); enlarged tonsils, adenoids and decayed teeth (4); tonsillitis, tracheotomy (4); abscess of throat, tracheotomy (3); Ludwig's angina (40). 102. Gastric ulcer (41, 41). 108. Appendicitis (4, 7, 10, 21, 24, 25, 29, 6, 12, 17, 41). 109. Hernia (0, 1, 1, 1, 1, 2, 20, 22, 30, 32, 42, 52, 55, 69,

49, 54, 61, 66, 73); hernia and cystocele (34); intestinal obstruction (11, 53, 53, 57, 58, 74, 78, 11, 22, 33, 60, 68, 75, 77); intussusception (14). 110. Anal fistula (40, 63); polypus of rectum (32); gastro-enterostomy (37). 110. Gallstones (48, 58). 115. Abscess of liver (28, 47); inflammation of gall-bladder (61); biliary obstruction (43). 117. Peritonitis (57). 118. Perforated abdominal abscess (25); operation on pancreas (64). 122. Pyonephrosis (33); hydronephrosis (4). 123. Renal calculi (33). 124. Examination of bladder (30). 125. Stricture of urethra (34). 126. Enlarged prostate (68, 73). 127. Hydrocele (57). 129. Fibroid tumour of uterus (38, 42, 43, 44, 47, 48, 49); myomata of uterus (52). 130. Curettage for chronic endometritis (43); prolapse of uterus (54); retroversion of uterus (30); dilatation of womb mouth (25). 131. Cyst of ovary (31); dermoid cyst of ovary (44). 132. Salpingitis (39). 134. Premature parturition (30); operation for removal of macerated foetus (40); ruptured ectopic gestation (27, 31). 136. Childbirth (39); prolonged labour (29); instrumental delivery (38, 38); cephalotripsy (38); breech presentation (24); colporrhaphy (32). 137. Puerperal pelvic cellulitis (37); induction of premature labour (26). 143. Carbuncle (64). 144. Abscess of—neck (6, 36, 62); leg (53); legs and thighs (34); chest wall (25). 146. Periostitis (10); ununited fracture (3). 147. Removal of cartilages of knee-joint (22); examination of stiff ankle (30). 148. Amputation, cause of original operation not known (15). 149. Bursa of knee (26); talipes equino-valgus (2); torticollis, tenotomy (6). 150. Circumcision (0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 2, 3); cleft palate (1, 1, 3); reduction of congenital dislocation of hip (3). 155–186. Various forms of violence (2, 4, 14, 16, 18, 19, 19, 20, 20, 20, 21, 21, 21, 21, 21, 21, 22, 22, 23, 23, 24, 25, 26, 26, 27, 30, 31, 32, 33, 34, 40, 43, 43, 43, 44, 62, 66, 4, 30, 31). 189. Condition unstated—‘Heart failure whilst under anæsthetic’ (30).

The total number of deaths in Table LXX, 279, is much the same as in the seven preceding years for which alone the information is available. This number is very constant, having varied only between 261 in 1915 and 306 in 1916. The nature of the anæsthetic was stated in only 67 per cent. of the cases. In 43 per cent. of those in which it was stated chloroform is recorded as the only anæsthetic administered, and in 32 per cent. as administered in combination with some other agent, so that in only 25 per cent. of these cases was chloroform not used. The proportion for chloroform alone is the lowest, while that for chloroform in combination is the highest, for any of the eight years. As the same statement has applied for several years there seems to be a tendency at present towards increasing mixture of other anæsthetics with chloroform.

The conditions which involved the greatest mortality under or related to anæsthetics were—in order—Various forms of violence (40 deaths, of which 28 were during operation for wounds received in battle), hernia (19), empyema (18), enlarged tonsils and adenoids (18), cancer (17), intestinal obstruction (15), circumcision (12), and appendicitis (11). In some of these cases the mortality is evidently due to the frequency with which the operation is performed, and in others to its gravity or to the severity of the condition requiring it.

84A. **Status Lymphaticus.**—In addition to the 132 deaths primarily classified to status lymphaticus (page 84) its presence was noted in the case of 23 deaths under anæsthetics, which were referred to the condition leading to the administration of the anæsthetic.

The sex and age distribution of these was as follows :—

—			All Ages.	0—	5—	10—	15—	20—	25—	35—
Males	15	5	1	3	—	1	3	2
Females	8	2	4	1	—	—	1	—

In 7 of the cases the nature of the anæsthetic was not stated; in 9 of the remainder it was chloroform only, in 4 ether and in 3 chloroform and ether. The operations during which these deaths occurred seem for the most part not to have been of a dangerous nature. The great excess of male mortality is probably due to greater frequency of operations (largely for hernia and phimosis) upon male children, 30 under 5 years of age dying under anæsthetics against 14 females (Table LXX), for the deaths of males allocated to status lymphaticus do not greatly exceed those of females.

155-163. **Suicide.**—The deaths allocated to this heading number 2,765—1,845 of males and 920 of females. These numbers include only the deaths definitely attributed to suicide. In addition to them 1,245 others, 913 of males and 332 of females, were returned under “open verdicts,” signifying that it could not be determined whether the violence which caused death resulted from accident, homicide, or suicide (*see* page 436). The deaths have all been classed as due to accident, but it is to be remembered that a number of them must have been due to suicide. The great bulk of them, 674 of males and 223 of females, are cases of drowning returned by coroners’ juries as “found drowned.”

The deaths allocated to suicide represent for both sexes some increase upon the remarkably low figures of the preceding year; and for females, whose mortality had declined much less than that of males, they represent a return almost to the old level prevailing for many years before 1916. The death-rate of males remains much below the pre-war level, and stands now much as in 1916, definitely higher than in 1915 or 1917. This oscillatory movement of the suicide death-rate, which contrasts sharply with the steadily progressive character of the much greater decline of the mortality attributable to alcohol, is traced for persons of both sexes and various ages in the following table :—

TABLE LXXI.—ENGLAND AND WALES.—SUICIDE: MORTALITY per MILLION LIVING in each year, 1914-18.

	Males.					Females.				
	1914.	1915.*	1916.*	1917.*	1918.*	1914.	1915.	1916.	1917.	1918.
All Ages (Standardized).	150	102	110	97	109	45	45	38	35	42
0— ...	—	—	—	—	—	—	—	—	—	—
5— ...	—	—	—	—	—	—	—	—	—	—
10— ...	4	2	2	2	4	2	2	2	4	1
15— ...	38	21	?	?	?	27	36	32	22	23
20— ...	79	71	?	?	?	44	39	30	30	42
25— ...	156	94	?	?	?	50	40	38	38	53
35— ...	248	165	?	?	?	79	80	66	70	75
15-45	145	101	116	103	118	53	50	43	43	52
45— ...	347	224	215	201	230	113	111	80	75	99
55— ...	512	365	292	257	288	106	123	102	86	101
65— ...	502	363	406	285	312	94	94	87	76	72
75— ...	360	338	318	322	277	47	64	64	55	63
85— ...	129	252	384	352	337	24	—	47	24	70

* Civilians only.

The increase in the 1918 rates is of general application in both sexes, the only noteworthy exception being in the case of males over 75 years of age.

The increase applies to the whole of the year, each quarter yielding more deaths than the corresponding quarter of 1917. Suicide was at its lowest ebb in the fourth quarter of 1917, when only 541 deaths were returned, the next lowest number returned in any one quarter of recent years being 612 in the first quarter of the same year. But though the rise dates from the commencement of 1918 it was by far most marked during the period of national rejoicing covered by the fourth quarter of the year, when 709 deaths were registered, or 168 more than in the same quarter of the previous year, and more than in any fourth quarter since 1914.

In tracing the movement of mortality from suicide by quarters it is necessary to make comparison in each case with the corresponding quarters of other years, as there is a distinct seasonal ebb and flow in the figures, which are generally highest in the second quarter and lowest in the fourth for each sex, the deaths of the summer half of the year regularly exceeding those of the winter half, when distress and hardship might have been expected to lead more frequently to suicide. The following table gives the quarterly distribution of the deaths from 1911 onwards ;—

TABLE LXXII.—ENGLAND AND WALES.—DEATHS FROM SUICIDE in each Quarter of the year per cent. of those in the whole of each year, 1911—1918.

			Males.				Females.			
			1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.
1911	24	29	26	21	25	27	27	21
1912	21	27	28	24	22	26	27	25
1913	25	27	26	22	26	27	24	23
1914	24	29	27	20	23	30	25	22
1915	24	31	24	21	25	29	24	22
1916	23	29	25	23	23	32	25	20
1917	25	30	24	21	25	25	27	23
1918	24	28	24	24	24	24	24	28
1911-18	23	29	26	22	24	28	25	23

In view of the regularity with which the fourth quarter provides the lowest mortality from suicide of the four the proportion of female suicides in that quarter of 1918 becomes the more remarkable. It was not only the highest for any fourth quarter of the past eight years, but higher than in any quarter of any of those years except the second quarters of 1914, 1915, and 1916. So marked a divergence from so well established a rule suggests the existence of some special inducement to suicide amongst the female population about the period of the armistice, which was signed on November 11th. It has been stated on good authority that about this time many women were greatly distressed at the prospect of the impending return of husbands, etc., and the discovery by them of the existence of children whose birth had been so far, for sufficient reason, concealed from them. If in even a few cases this apprehension and distress led to suicide the abnormal incidence on the fourth quarter would be explained, for the excess of deaths over the average for the fourth quarters of the seven preceding years amounts only to 64. This conjecture can be tested in two ways from the records of death registration. The deaths can be tabulated week by week to see if the excess occurred at about the actual date of the armistice; and they may be tabulated by age to see whether the increase occurred mainly amongst women of or over child-bearing age. Both tests support the suggestion made, though of course, especially in view of the scanty numbers concerned, they can scarcely be expected to be absolutely conclusive. For the eleven weeks October 6th to December 21st the numbers of deaths per week were as follows:—Week ending October 12th, 22; October 19th, 18; October 26th, 17; November 2nd, 21; November 9th, 33; November 16th, 23; November 23rd, 22; November 30th, 15; December 7th, 20; December 14th, 17; December 21st, 19. The November excess is quite definite, though its height was reached just before the armistice, but at a period when it may well have seemed evident that the war was almost over.

The second test, that by age distribution of the deaths, may be made by comparing the numbers of deaths at different ages in the fourth quarter of 1918 with the average of the corresponding numbers in the fourth quarters of the four previous years.

			0—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—
1918	9	22	25	34	37	31	27	26	20	14	14
Average 1914-17	9	15	17	14	20	19	27	18	17	14	16

It will be seen that nearly all the increase occurred at ages under 45. In 1918, 61 per cent. of the deaths were of women under that age, as against 51 per cent. in the previous four years. It will be seen therefore that the records both of date and age are consistent with the hypothesis suggested, but of course they do not prove that the increase was caused entirely in this way.

If we now return from the quarterly to the yearly movement in the number of suicides and endeavour to determine which forms of suicides have declined and which increased since 1911, we find:—

1. A remarkable decline for both sexes in suicide by poison. The yearly deaths of males have fallen from 305 in 1911 and 324 in 1912 to 102 in 1917, and 96 in 1918;

and those of females from 210 and 223 to 94 and 122. In each sex the chief drop was between 1914 and 1915, the figures for males in these two years being 283 and 156 and for females 223 and 168. No special legislation can account for this, for no changes of the law relating to the sale of poisons have been made during the eight years which could constitute an obstacle to suicide by poison except in quite a minor degree. (Veronal and kindred preparations were added to part 1 of the official schedule of poisons in 1913; and in 1916 the limiting strength of morphia bringing preparations of opium within part 1 was reduced from 1.0 to .75 per cent. thus for the first time placing laudanum in this position. Other new regulations as to the sale of ammonia, sulphuric and hydrochloric acids, the soluble salts of oxalic acid, etc., are merely designed to safeguard against accident, and could scarcely affect suicide.) Nor can the fact that poison is a method of suicide resorted to by the young rather than the old account for what has occurred, for the reduction in the younger lives at risk is confined to the male sex, and other modes of suicide favoured by young men, such as crushing by vehicles and drowning, show no such reduction as that from poison. Great reductions are shown in the deaths from practically all the common forms of poison, and in some cases, where a sudden fall appears in 1915, *e.g.*, hydrochloric acid, 101 deaths in 1914 and 47 in 1915, and oxalic acid, 83 deaths in 1914 and 38 in 1915, the drop might be thought to have been possibly due in part to difficulty in obtaining the poisonous agent in consequence of war requirements. Consultation on this point with the Pharmaceutical Society, however, has elicited no confirmation of this surmise, the opinion being expressed that some at least of the poisons most commonly used in suicide remained easily obtainable by the public throughout the war. Moreover the greatest decline of all, namely that in suicide by means of opium or morphia, could not in any case be attributed to munitions requirements. In this case the annual numbers of deaths suggest that the decline is partly though by no means entirely due to the increased stringency of the new regulation for sale, which came into effect in February, 1916. The deaths in each of the eight years 1911-18 have been as follows:—48, 52, 38, 40, 30, 13, 4, 11. The change in the conditions of sale corresponds in date with the reduction in deaths from 30 in 1915 to 13 in 1916, but the deaths had already fallen from 52 in 1912 to 30.

Amongst other poisons showing great decline may be mentioned carbolic acid, prussic acid, phosphorus, and arsenic; while others, for which the decline is less, though still in all cases substantial, include potassium cyanide, ammonia, strychnine and veronal. The conjecture that these changes have been partly due to increased difficulty of supply is to some extent supported by the movement in deaths from the same agents classified to accident, though doubtless these latter include many suicides. A great fall in accidental poisonings is recorded for both sexes between 1914 and 1916, though it has made little progress since, and the parallelism between the movements of suicidal and accidental mortality from individual poisons is far from complete.

2. In marked contrast to the record of mortality from suicidal drug poisoning, that from coal gas shows an increase during the war. The increase, however, is wholly amongst women, deaths of males from this cause having declined at ages over 45, *i.e.*, amongst the male population not reduced in number by the war. But for females the deaths rose from 36 in 1916 and an average of 37 for the years 1911-16 to 76 in 1917 and 80 in 1918. Obviously, but for the contrary experience with males, it might be suggested that females had resorted to this form of poisoning in increased numbers on account of increasing difficulty in obtaining poisonous drugs. Accidental death from coal gas poisoning shows a large increase during the war for both sexes, possibly due to change in the composition of the gas, but this could scarcely affect suicides.

3. As might be expected in time of war, suicide by means of weapons—firearms and cutting or piercing instruments—has become relatively rather more common than before; but this applies quite as much to cutting or piercing instruments, many forms of which are always accessible to those inclined to use them, as to firearms.

It may be added that when the deaths of the eight years 1911-18 are considered together, the same seasonal variation is found to apply to all the principal methods of suicide as holds for suicide in general, *i.e.*, most deaths occur in the second and fewest in the fourth quarter of the year. The difference is greatest for suicides of males by drowning, 1,066 of which are recorded in the second quarters of the eight years as against only 679 in the fourth.

The distribution of mortality from suicide in various classes of area and sections of the country is shown in Table LXXIII, from which it appears that the London mortality, exceptionally low in the two previous years, was in 1918, as it usually is, rather higher than the average. As a result the mortality of the South definitely exceeded that of other parts of the country, Wales, as usual, recording a low rate. As in earlier war years the rate for the rural districts exceeded that in any class of town.

As this cause of death chiefly affects persons over 45 years of age, the larger proportion of such persons in the rural districts must tend to cause some excess of the crude death-rate there. Unfortunately it is impossible, in the absence of any means of estimating the present age distribution of the population in urban and rural districts, to state their standardized death-rates. All that can be done is to quote these rates for the period 1911-14. This has been done in Table LXXIII, and the rates show that under pre-war conditions the effect of standardization is not very great, the crude death-rate being slightly reduced in all cases, but most in the rural districts. Standardization, therefore, increases the pre-war excess of urban mortality, but not to an extent which could wipe out the war excess of rural mortality. Evidently either the conditions of rural life during war have promoted suicide more than those of urban; or, what is perhaps more likely, the rural population differs very much more from the urban than it did before the war. The drain from the rural districts of persons under 45 years of age may have so altered the type of the rural population that the reduction on standardization should now be greatly in excess of that in 1911-14.

TABLE LXXIII.—SUICIDE.—MORTALITY per MILLION POPULATION, 1911-14, 1916, 1917, and 1918.

		1911-14.			1916, 1917, and 1918. (Crude rates : Civilians of both sexes.)					
		Males.	Females.	Persons.	Year.	North.	Midlands.	South.	Wal s.	England and Wales.
London ...	{ Crude ...	168	54	108	{ 1916	—	—	67	—	67
					{ 1917	—	—	58	—	58
	{ Standardized	160	49	101	{ 1918	—	—	82	—	82
County Boroughs.	{ Crude ...	152	49	98	{ 1916	71	65	73	77	69
					{ 1917	57	60	82	48	60
	{ Standardized	151	47	96	{ 1918	66	72	85	83	71
Other Urban Districts.	{ Crude ...	147	49	96	{ 1916	75	65	75	56	69
					{ 1917	68	61	72	47	64
	{ Standardized	144	46	92	{ 1918	77	69	67	39	68
Rural Districts.	{ Crude ...	151	44	97	{ 1916	85	87	94	82	88
					{ 1917	75	76	78	61	75
	{ Standardized	140	42	88	{ 1918	87	83	102	64	87
All Areas ...	{ Crude ...	152	49	99	{ 1916	74	71	75	69	73
					{ 1917	63	65	68	52	64
	{ Standardized	147	46	93	{ 1918	72	74	82	56	74

189. Ill-defined Causes of Death.—This heading in the International List of Causes of Death, to which 2,200 deaths have been allocated, excludes the ill-defined diseases of infancy and old age, which furnish the great majority of the deaths so classified in the Tables—Nos. 9 and 10—comparing mortality from year to year according to the list of causes in use before 1911. In this more comprehensive sense the deaths from ill-defined causes in 1918 numbered 34,444, of which 26,636 were ascribed to “old age.” Although the latter figure, the most important item in the total, has declined only by 18 per cent. during the 15 years covered by these tables (for the fall in mortality under this head, see Table 10, page cxxxvi) the grand total of ill-defined deaths has fallen by about 17,005, or 33 per cent., during this period. This fall has occurred chiefly under the heading “atrophy, debility and maramus,” deaths attributed to which have declined steadily from about 17,500 to 6,850. Some shape in the reduction under this head during the last four years is due to the abnormal decline in births.

Inquiries sent to medical practitioners and coroners requesting further information as to indefinitely certified deaths have been considerably reduced in number owing to the war. They amounted to 6,114, and to these, notwithstanding the special difficulties of the time, no less than 5,384 replies were received, with results to classification the most important of which are set out in Table LXXIV.

TABLE LXXIV.—ENGLAND AND WALES, 1918.—REPLIES TO INQUIRIES RESPECTING INDEFINITELY CERTIFIED CAUSES OF DEATH.

Subject of Inquiry.	Replies received.	Replies amplifying previous information.	Deaths allocated as the result of inquiry to various important headings.
Croup	82	76	Diphtheria 11, Laryngismus stridulus 12, Laryngitis 39.
Membranous laryngitis	21	20	Diphtheria 12, Laryngitis 8.
Pyæmia, septicæmia, &c.	170	131	Influenza 5, Syphilis 5, Diseases of the teeth and gums 5, Tonsillitis 6, Puerperal fever 10, Diseases of the skin 20.
Tuberculosis	457	457	Pulmonary tuberculosis 253, Acute phthisis 67, Acute miliary tuberculosis 28, Tuberculosis of peritoneum 13, Disseminated tuberculosis 73, Other forms of tubercle 21.
Cancer (part or organ not stated)	975	909	Part or organ stated in 908 cases.
Tumour, growth, &c.	460	331	Tuberculosis 8, Syphilis 5, Cancer 203
Rheumatism	58	58	Rheumatic fever 24, Chronic rheumatism 11, Rheumatoid arthritis 5.
Basal or basic meningitis	73	68	Tuberculous meningitis 31, Cerebro-spinal fever 16, Meningitis—other forms 13.
Cerebro-spinal meningitis	175	168	Influenza 5, Tuberculous meningitis 9, Cerebro-spinal fever 130.
Paraplegia	123	96	Syphilis 8, Diseases of the spinal cord 44, Cerebral hæmorrhage, apoplexy 7.
General paralysis (outside asylums)	115	111	Syphilis 4, Diseases of spinal cord 11, Cerebral hæmorrhage, apoplexy 6, General paralysis of the insane 63, Arterial sclerosis 8.
Paralysis	84	72	Syphilis 5, Diseases of the spinal cord 14, Cerebral hæmorrhage, apoplexy 31.
Cerebral tumour (P.M. cases) ...	16	14	Cancer 6, Glioma 4.
Fibroid phthisis	156	153	Influenza 8, Pulmonary tuberculosis 84, Fibroid disease of lung 43.
Hæmoptysis	80	57	Pulmonary tuberculosis 36, Aneurysm 4.
Stomatitis	28	27	Thrush, aphthous stomatitis 17.
Stricture of œsophagus	57	46	Cancer 35.
Hæmatemesis	26	20	Cancer 4, Gastric ulcer 9, Cirrhosis of liver 4.
Pyloric obstruction, stenosis, &c....	42	35	Cancer 9, Gastric ulcer 10.
Jaundice	48	33	Cancer 9, Cirrhosis of liver 5, Other diseases of liver 17.
Peritonitis	250	159	Tuberculosis of peritoneum, &c. 23, Gonorrhœa 5, Cancer 5, Gastric ulcer 14, Appendicitis 36, Intestinal obstruction 9, Diseases of female genital organs 14, Puerperal fever 15.
Pemphigus (of infants)	101	86	Syphilis 47.
Hydrocephalus	110	108	Tuberculous meningitis 16, Syphilis 4, Congenital hydrocephalus 58.
Violence	216	214	Precise form of suicide 10, Injury by fall 48, Injury in mines and quarries 27, Injury by machines 14, Injury by crushing 44.
Ascites, dropsy	42	39	Diseases of the heart 18, Cirrhosis of liver 3.
Syncope, heart failure (ages 1–70)	126	97	Influenza 7, Diseases of the heart 58.
Operation	168	164	Tuberculous diseases 5, Cancer 19, Hernia, intestinal obstruction 16, Uterine tumour 15, Congenital malformations 8, Violence 19.
Other indefinite forms of certificate	1,125	1,014	
Total	5,384	4,763	

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM.

The number of deaths in public institutions for the sick or infirm, including those of 19,907 non-civilians, was 151,791. Of these 66,780 occurred in Poor Law institutions (workhouses and workhouse infirmaries), 21,733 in lunatic asylums, and 63,278 in hospitals. In addition to these, 2,669 occurred at addresses known as those of nursing homes, but it is probable that many more deaths in nursing homes were not recognised as such. These numbers are all in excess of any previously registered, especially in the case of hospitals, where they have been swollen by the large number of non-civilian deaths. They yield the proportions in the following table, which is continued from previous Reports :—

TABLE LXXV.

Public Institutions.	Percentage of Total Deaths.			Rate per 1,000 living.		
	Ten years, 1908-17.	1917.	1918.	Ten years, 1908-17.	1917.*	1918.*
Poor Law Institutions	11·21	12·50	10·92	1·61	1·84	1·99
Lunatic and Idiot Asylums ...	2·43	3·89	3·55	0·35	0·57	0·64
Hospitals... ..	8·15	9·86	10·34	1·11	1·19	1·31
Total	21·79	26·25	24·81	3·07	3·60	3·94

* Civilians only ; based upon estimated civilian populations, 1917 and 1918.

The number of deaths occurring in institutions, and their proportion to the total deaths registered, have been increasing for many years, but their growth during the past few years has been particularly rapid. During 1911-13 the number was almost stationary, averaging 105,840 per year, or 20·9 per cent. of the total deaths. In 1914 the proportion rose to 22·3 per cent., and in 1915 to 22·5, while in 1916 and 1917 it was 24·35 and 26·25 respectively. In 1918 it has fallen again to 24·81, notwithstanding an increase in the number of institution deaths from 130,946 in 1917 to 151,791. The increase of 20,845 is less in proportion than the increase of 112,939 caused by the epidemic of influenza in the total number of deaths, so the percentage of total deaths has fallen. The increase over 1911-13 in total deaths occurring in institutions is 45,951, of which the 19,907 deaths of non-civilians account for 43 per cent., so military service is not its main cause.

The detailed table of deaths in various classes of institutions showing cause of death, sex, and class of area will be found on pages 193-207.

UNITED KINGDOM.

Population.

The first complete census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons ; during the 90 years 1821-1911 the population more than doubled itself, the numbers enumerated at the beginning of April, 1911, amounting to 45,221,615 persons.

The populations of the several divisions of the United Kingdom are provisionally estimated as follows :—

TABLE LXXVI.—POPULATION ESTIMATED to the MIDDLE of the YEAR 1918.

	Persons.	Males.	Females.
England } Total (including forces over seas)	37,507,142	17,809,542	19,697,600
and Wales } Civilian population	33,474,700	13,777,100	19,697,600
Scotland (No allowance for movement of troops over seas).*	4,886,300	2,369,700	2,516,600
Ireland (Movements of military taken into account).†	4,380,000	2,176,000	2,204,000

* Provisional estimate.
† Population in 1917 adopted provisionally for 1918.

Marriages.

The marriages in the United Kingdom during the year 1918 numbered 344,327, corresponding to a rate of 14·7 persons married per 1,000 of the total population in 1918 as estimated for the purpose of calculating marriage and birth rates (*see* page x).

This rate was 1·4 per 1,000 above the corresponding rate in 1917, but 0·1 per 1,000 below the average rate in the ten years 1908-1917.

TABLE LXXVII.

	Marriages, 1918.	Persons Married per 1,000 living.	
		Ten Years, 1908-1917.	1918.
England and Wales	287,163	15·5	15·3
Scotland	34,594	13·6	14·2
Ireland	22,570	10·4	10·3
United Kingdom	344,327	14·8	14·7

Births.

The births registered in the United Kingdom in the year 1918 numbered 848,515 and were in the proportion of 18·1 per 1,000 of the total population in 1918.

This rate was 0·1 per 1,000 below the corresponding rate in 1917; compared with the average in the ten years 1908-1917 it shows a decrease of 5·4 per 1,000.

The year 1915 was the first in which a higher (crude) birth-rate was recorded for Ireland than for England and Wales, and this excess has been repeated in 1917 and 1918. The rate is the lowest hitherto recorded in England and Wales, but not in Scotland or Ireland.

TABLE LXXVIII.

	Births, 1918.	Births per 1,000 living.	
		Ten Years, 1908-1917.	1918.
England and Wales	662,661	23·4	17·7
Scotland	98,550	25·2	20·2
Ireland	87,304	22·4	19·9
United Kingdom	848,515	23·5	18·1

Deaths.

The deaths registered in the United Kingdom in the year 1918 numbered 768,928 and were in the proportion of 17·4 per 1,000 of the population at all ages.

This rate was 2·7 per 1,000 above the corresponding rate in 1917; compared with the average in the ten years 1908-1917 the death-rate in 1918 showed an increase of 2·7 per 1,000.

TABLE LXXIX.

	Deaths, 1918.	Deaths per 1,000 living.	
		Ten years, 1908-1917.	1918.
England and Wales	611,861*	14·3	17·6†
Scotland	78,372	15·5	16·0
Ireland	78,695	16·9	18·0
United Kingdom	768,928	14·7	17·4‡

* Including deaths of non-civilians.

† Civilian death-rate.

‡ Including civilian deaths only for England and Wales.

Infant Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1,000 births in each division of the United Kingdom.

TABLE LXXX.

					Deaths under 1 year per 1,000 Births.		
					1908-1917.		1918.
England and Wales	107	...	97
Scotland	111	...	100
Ireland	91	...	86
United Kingdom					106		96

In Table 22 (pages clxii and clxiii) the population, marriages, births, deaths, and principal causes of death are given for a series of years for the United Kingdom and for each of its three divisions.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of ships trading to or from British ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by officers in charge of His Majesty's ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1918, this register was increased by the addition of 68 entries of birth and 7,914 entries of death. In addition, a number of deaths of airmen were notified to the Registrar-General.

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1918 by 1,848,848, this addition raising the total of names in the indexes, which at the end of 1918 embraced a period of 81½ years, to 135,927,996. (Table 19.)

The following statements as to the number of prosecutions for offences against the Registration Acts and of searches in the registers have been prepared by the Secretary:—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1918, twenty-six persons, on prosecution by order of the Registrar-General, were convicted of offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For giving a false age when registering the death of an old age pensioner	3
For registering the births of illegitimate children as legitimate	...							10
For falsely registering the births of adopted children	...							5
For failing to register a birth within 42 days	...							3
For failing to comply with a requisition to register a birth	...							1
For aiding and abetting the false registration of the births of adopted children	...							2
For using as true a falsified certificate of birth	...							3
For giving false information as to relationship when registering a death	...							1

In addition to the above prosecutions initiated by the Registrar-General, proceedings were taken by the Public Prosecutor and by Chief Constables in several cases including bigamy, false declaration for marriage, and marriage within the prohibited degrees of consanguinity.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix–xxxii of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

Table LXXXI affords an indication of the extent to which the copies of the records kept in this Office have been utilised by the public for legal evidence of births, deaths, and marriages since 1866. It will be observed that the numbers of searches, &c in 1918 has declined from the maximum attained in 1916, owing to falling off in the number of gratuitous searches. The number of paid searches was higher than ever before.

The 146,504 gratuitous searches during 1918 include 54,176 searches made for the purpose of verifying the ages of persons claiming old age pensions, and 92,328 made to assist dependents of men serving with H.M. Forces to produce evidence of marriage and of the births of children in connexion with claims to Naval and Military Separation Allowances, Pensions, etc., and to verify the ages of certain classes of youths and men in connexion with Army service, and of other persons in connexion with service in Government Munitions of War establishments.

TABLE LXXXI.

Years.	Total Searches.	Gratuitous Searches.	Searches paid for by Fees.	Certificates Issued.	Amount Received.
					£ s. d.
1866 (52 weeks) ...	12,135	—	12,135	10,017	1,860 15 6
1875 (52 weeks) ...	26,356	—	26,356	20,282	3,879 15 6
1885 (52 weeks) ...	36,450	—	36,450	27,682	5,317 13 6
1895 (52 weeks) ...	53,289	—	53,289	35,727	7,200 12 6
1905 (52 weeks) ...	65,142	—	65,142	50,310	9,611 9 0
1906 (52 weeks) ...	64,340	—	64,340	49,429	9,458 6 0
1907 (52 weeks) ...	69,249	—	69,249	53,058	10,194 9 0
1908 (53 weeks) ...	72,370	—	72,370	54,870	10,550 8 0
1909 (52 weeks) ...	132,169	58,626*	73,543	54,674	10,568 8 0
1910 (52 weeks) ...	126,716	51,347	75,369	57,019	10,939 5 6
1911 (52 weeks) ...	140,496	65,491	75,005	56,347	10,875 6 0
1912 (52 weeks) ...	149,752	69,151	80,601	61,143	11,752 6 0
1913 (52 weeks) ...	242,457	163,142	79,315	60,356	11,613 19 0
1914 (53 weeks) ...	188,040	104,593	83,447	65,817	12,482 11 6
1915 (52 weeks) ...	202,939	118,788	84,151	69,746	13,007 10 0
1916 (52 weeks) ...	303,334	197,669	105,665	88,265	16,379 17 0
1917 (52 weeks) ...	272,199	177,403	94,796	80,374	14,859 14 0
1918 (52 weeks) ...	255,462	146,504	108,958	90,898	16,889 0 0

* Including some searches made in 1908.

T. H. C. STEVENSON.

METEOROLOGY OF THE YEAR 1918.

REMARKS on the CONSPICUOUS OCCURRENCES in the BRITISH ISLES in 1918.

(Prepared in the Meteorological Office under the direction of
Sir NAPIER SHAW, Sc.D., LL.D., F.R.S., Director.)

A RATHER WET YEAR.

The following are the outstanding features of the meteorology of the year 1918 :—

Two opposite types of weather sharply divided January into two seasons—winter and spring. The first period very generally lasted until the 17th, and was characterised by unusually low temperatures and winds between East and North. Snow also fell frequently, this wintry spell culminating on the 15th in a heavy downpour of rain, snow, and sleet. During the week ended on the 19th the river Dee at Crathes was frozen over, the last time this previously occurred being in 1894–1895. The lower reaches of Loch Lomond also were frozen over for the first time during 23 years. The second or spring-like half of the month was characterised by southerly breezes, and a great rise in temperature. February was abnormally mild, and there was little snow and frost, and, as a rule, nothing of a really wintry character was encountered. Although the temperature of March was above the normal, the month, as a whole, was colder than its predecessor. About the 1st and 2nd violent gales, accompanied in some of the northern counties of England by blizzards, were experienced ; generally the month's precipitation was below the normal. In April overcast skies and much mist and haze caused a great reduction in the amount of sunshine, and there was a great lack of warmth over the British Isles generally. There was also much rain in the South and East of England. May opened with a cold spell, but it became warm towards the middle of the month. Severe thunderstorms, accompanied by heavy falls of rain and hail, were a notable feature of this month's weather. Very generally June opened and closed with warm days, but the intervening period was cool and unseasonable. There was plentiful sunshine, but the nights were cold. In July the sunshine was again plentiful, and the temperature was in close agreement with the normal, but the rainfall was excessive. August was very changeable, but, as a whole, warm and dry and with a fair amount of sunshine. The outstanding feature of September was an unprecedentedly heavy rainfall ; the temperature of the month was much below the normal. For the most part October was dull, damp, and unsettled, with deficient sunshine and only a moderate rainfall. November was damp, with much fog and mist, and at times there were very severe ground frosts. December was abnormally mild, very unsettled, and with an unusually large number of rain-days.

Gales.—The following table shows the principal gales of the year. The associated depressions are indicated by letters, which are those assigned to them on the track charts in the *Monthly Weather Reports*. It may be noted as a remarkable feature of these tracks that in almost every case the depressions appear to have developed over the sea in the immediate neighbourhood of the British Isles. The exceptions (November C and D and December*) were initially secondaries of the Icelandic depression.

Date.	Track.	Area affected.	Date.	Track.	Area affected.
January 6–7	A.	Northern Scotland.	November 1	A.	General.
„ 15–16	F.	English Channel.	„ 5	C.	General.
{ February 28	H.	General.	„ 7–8	D.	Scotland, Ireland and W. England.
{ March 1	A.	South East Coast.	December 12	*	Northern part of North Sea.
June 9	A.	Ireland and West Scotland.	„ 19	F.	West England.
October 5–7	B.	N. Ireland and Scotland.	„ 22	H.	English Channel and Irish Sea.

* Tracks to the West of Scotland.

On January 6th a deep depression passed from Scotland to Denmark, and in its rear; early on the following morning, there was a northerly gale at Deerness and Stornoway, and a whole gale at Lerwick. At Deerness there was also a blizzard. It was on the night of the 8th, during a snowstorm following this gale, that H.M.S. "Raccoon" foundered off the North of Ireland with all hands. This gale also caused snowy conditions to extend southwards as far as Jersey and westwards to Ireland. The gale on the 13th brought snow and a very low temperature to many districts, and more especially to Scotland. A westerly gale on the 15th-16th was accompanied by a heavy downpour of rain, snow, and sleet. It also raised very heavy and destructive seas all along the coast of the English Channel to the South of Ireland. Very severe blizzards accompanied the gale of February 28th. Many trees were blown down and, owing to the snowdrifts, many sheep were lost on Dartmoor. The highest gust recorded during this gale was 33 m/s. at Aberdeen and Eskdalemuir. On March 1st-2nd there was more snow and hail, especially in the northern parts of the Kingdom, and as the depression moved away over France the gale did much damage to shipping and to the foreshore on the coast of Kent. Much damage to trees was caused by the gale of June 9th-10th, during which a gust of 34 m/s. was recorded at Holyhead; trees and crops also suffered in the gale on the 22nd. Between the 5th and 7th of October a deep depression passing to the northward of Scotland was associated with south-westerly gales in this region and in Ireland, the wind reaching hurricane force off the Donegal and Mayo coasts. This gale was also accompanied by hail and thunder at many western and northern stations. On the 7th, gusts of 39 m/s. were recorded at Quilty and of 34 m/s. at Aberdeen and Edinburgh. On November 1st gales from the South and South-East occurred on nearly all British coasts; while on the 5th gales from the South and West were again general. Violent gales from the West were also experienced on the 7th-8th on the north coast of Ireland, and from the South and South-East in the North of Scotland. At some of the stations in the West of Scotland the week ended November 9th was considered to be the roughest of the year, great damage being done by wind and rain. On the night of the 7th-8th, 5,000 trees were blown down at Gordon Castle; on the 8th, wind of force 12 from the South-East was reported at Ander Hill, Lerwick, and of force 10 from the South at Wick. At Blacksod Point on December 9th, at 13h. 30m., there was a terrific squall of hail, which was accompanied by thunder and lightning and a wind of force 9 from the South-South-West. On the 12th, at 7h., a deep depression was centered off the Hebrides and caused strong gales from the South-East over the northern parts of the North Sea, a wind of force 9 being reported from Lerwick. At 7h. on the 19th a depression of small size, but considerable depth, was near the north coast of Ireland, and at 13h. was over the Irish Sea. As this disturbance passed eastwards it caused snowstorms in North Wales, East Cheshire, and the Peak District. Gales also accompanied this depression, and the wind at Scilly reached force 10. On the 22nd another intense depression caused gales from the West in the English Channel and from the North-West or North in the Irish Sea. The snow brought by this depression was especially heavy in Yorkshire.

Air Pressure.—The lowest mean monthly air pressure occurred very generally in September. Over the great part of England the highest mean occurred in February, but at some of the western stations in Ireland and Scotland it came later, very commonly in June. The mean pressure recorded in September was notable and, at many stations where also the September rainfall was abnormal, it was the lowest ever experienced in this month; while at some of the Scottish stations it was the lowest recorded during the past sixty years. At Southport it was the lowest mean value since 1871. At Leith the September mean 1001.4 mb. was 12.6 mb. below the normal. The lowest pressure recorded during the year was 962 mb. at Stornoway on November 8th, and the highest 1047 mb. at Scilly on February 25th.

The monthly maps show that the trend of the isobars in January was normal, but that pressure was lower than usual. In February, also, the trend was normal, but the value was above normal. During March the distribution of pressure was abnormal and was mainly anticyclonic, the gradient generally being slight. In April, which was a cold month, the distribution of pressure was very abnormal, being high in the North and low in the South, and hence the north-easterly winds, so prominent a feature of the month's weather. The May map shows no gradient, the mean pressure was above normal. The June isobars were steeper than usual and were of an abnormal trend, the associated winds being mainly North-West instead of South-West, as in a normal June. For July the map was of a rare type, and showed an elongated belt of low pressure extending across the middle of Scotland to Denmark. Shallow depressions within this trough resulted in the persistent rains which were such a marked feature of the month's weather. In August the isobars ran generally from West to East, they were steeper than usual and of a higher denomination. During

September the mean pressure was much below the normal and the gradient was steeper, conditions which matched the month's unprecedented rainfall. The October isobars ran West to East, but the monthly departures from normal were very varied and ranged from +5.1 mb. at Scilly to -2.0 mb. at Stornoway. The November map was of a south-westerly type, and the mean values were above the normal. December was abnormally mild and depressions were numerous, the trend of the isobars, which had a higher value than normally, being of a south-westerly type.

*Temperature.**—In January low temperatures during the first part of the month and high temperatures during the second part balanced one another, so that at the English and Irish stations the mean for the month differed but little from the normal. In Scotland the warmth was deficient. A notable feature of the month was the cold day on the 8th, when maximum readings below the freezing point were experienced in many localities. Very generally the 8th was the coldest day of the year. The coldest night of the year also occurred during January, very commonly on the 13th-14th, when the minimum recorded at West Linton, Peebles, was 25.4 a. (-3° F.). The same night 26.1 a., "the lowest for a generation," was registered at Lisburn, near Belfast. All Districts in February had a temperature above the normal. A milder February has occurred in Scotland during the last 60 years only in 1882 and 1903. At Dublin (City) the mean monthly temperature was 2.9 a. above the normal, thus establishing with February, 1903, a record for mildness for the second month of the year. In March, also, the temperature was above the normal in all Districts. During a great part of the month anticyclonic conditions largely prevailed and "radiation weather" was much in evidence in many localities, the range in temperature, especially about the 23rd and 24th, being very large, and at Chelmsford, for instance, on the former day the maximum was 29.5 a. and the minimum 27.1 a., showing a daily range of 24 a. (43° F.). At Worksop on the 24th a maximum of 29.5 a. was registered, which was the highest value recorded during March since 1876. The corresponding figure at Redruth was 29.0 a., the highest March reading recorded for 18 years. Winds, which blew persistently from the North and East, caused a great deficiency of warmth during April over the British Isles generally, and not until the last week was the weather at all spring-like. Sharp frosts on the 3rd and 23rd did much damage to fruit trees in all parts of England, and were probably responsible for the universal failure of all the fruit crops. After a few cold days at the beginning there was a recovery of temperature about the middle of May, with the result that in all Districts the monthly means were above the normal. At Worksop the mean was 28.6 a., and was the highest ever recorded there in May. On the 22nd the maximum at Birmingham was 30.1 a., the highest recorded in May during 31 years. At Tenbury it was the hottest May for more than 20 years, and the 21st was the warmest May night (28.9 a.) during 32 years. Southport on the 22nd had a maximum of 30.1 a., the highest for May in 34 years. Meltham on the 21st and 22nd registered 30.0 a., the two hottest May days for 40 years. Richmond (Kew Observatory) also recorded 30.0 a. on the 21st, a figure only once exceeded in May during 48 years. June had one or two very hot days which, to a large extent, balanced some cold nights, with the result that, although deficient, the month's warmth differed only a little from the normal. Ground frosts, however, were frequent for the time of year, as many as nine or more being reported at some English stations, a number that was abnormal for the month of June. At Raunds (Northants) on the 5th a grass minimum of 26.6 a. was recorded, and 27.0 a. at Wisley on the 6th and at Greenwich on the 17th. In July, although the temperature fluctuated considerably, with an almost unbroken run of cool, changeable weather with frequent thunderstorms from about the 9th to 29th, the month's warmth was about normal. There were, however, some very cold nights, West Linton, Peebles, for instance, recording a minimum of 27.1 a. on the 10th. Only once before has so low a reading been recorded in Scotland in July during the last 60 years, the previous lowest, also 27.1 a., being at Lairg (Ross-shire) in 1884. With winds blowing from a westerly quarter the temperature in August, although fluctuating greatly from day to day, was of a seasonable character. In all Districts it was ahead of the normal. The outstanding feature was the high temperature on the 22nd and a great decrease in warmth on the following day, the former being associated with a southerly wind in front of a depression, a northerly wind in the rear of which being responsible for the latter. Scotland did not share in the outburst of heat experienced elsewhere round about the 22nd. At Crathes, Kincardine, on the night of the 31st a minimum of 27.6 a. was recorded, and 27.2 a. in the open. September was a cold month, and the temperature was below the normal in all Districts. Owing to the almost complete

* Temperature is given on the Absolute Centigrade Scale. To the nearest degree 25.5a = 0° F., 27.3a = 32° F., 28.0a = 45° F., 30.0a = 81° F., and 31.0a = 99° F.

absence of anti-cyclonic conditions the range in temperature, compared with some previous Septembers, was small, and the month's temperature was very uniform. On the 29th a minimum of 277 a. was recorded at Totland Bay, and was the lowest September value during 32 years. In Scotland it was the coldest September experienced during the last 60 years. The temperature record of October was, comparatively, uneventful, and very generally the monthly means differed but little from the normal. The very small daily range at many places in Scotland on the 20th, hardly 1 a. at Wick and Aberdeen, was noteworthy, as were high night temperatures on the 29th and 30th, with a southerly air current. Except in the South of Ireland, which was normal, the mean temperature in November was deficient in all Districts, although the defect was nowhere large. A notable feature was the high minimum recorded in places on the 2nd, the reading at Portsmouth and Worthing, for instance, on this day being 286 a. At Scaleby (Carlisle) the maximum on the 18th was only 271 a. December was abnormally mild, and the temperature was largely above the normal in all Districts. Maxima as high as 289 a. and 288 a. were common, and in this respect all previous records for December were exceeded at many stations. At Norwich 288 a. was recorded on the 3rd, the highest in December during 33 years. On the 3rd, also, Kew Observatory recorded 287 a., which was the highest recorded in December at this station during 40 years. At Totland Bay it was the warmest December during 33 years. At Meltham, Yorks., the first half of the month was warmer than in any other corresponding period during 38 years.

Except in Scotland North, which was normal, and in Scotland East, where there was a very small deficiency of 0.1 a., the mean temperature for the whole year in all Districts was ahead of the normal; but in no case was the departure from the latter at all large, varying from 0.6 a. in the Midland Counties to 0.2 a. in the English Channel.

For the individual stations, the highest maximum temperature was 307 a. at Canterbury on August 22nd; the lowest minimum, 254 a., was read at West Linton on January 14th; the lowest maximum was 267 a. at Kingussie and Glen on January 8th, at Balmoral and Crieff on the 14th, and at Kettins on the 16th; and the highest minimum, 292 a., was recorded at Margate on August 22nd.

*Precipitation.**—As shown by the District Values, the year was generally wet, the only District with less than the normal rainfall being Scotland East and the English Channel. The excess was more than 10 per cent. of the normal in England North-West and England East.

The outstanding feature of the year's rainfall was the very wet September. Dr. Mill remarks that it is comparatively rare for any month to have twice its normal rainfall for the whole country, but in September of the year under review England and Wales had nearly $2\frac{1}{2}$ times the normal fall. At many stations rain was measured on every day of the month, and in numerous places, especially in the West Riding of Yorkshire and in Lancashire, the rainfall totals were the greatest ever measured, not only in September, but in any calendar month whatever. The Bolton rainfall has been measured since 1831, and the total for September, 1918, 323 mm., was the highest in any calendar month whatever in the period. The similar total at Meltham (Yorks.), 351 mm., was 69 mm. higher than that for the previous wettest month in 38 years of observation, November, 1888. Commencing at 6h. 20m. on the 14th, there were $41\frac{1}{2}$ hours of continuous rain at this station. Other wet months were February, July and December, though February was almost normal as far as England and Wales were concerned, and December was normal for Scotland. The spring and early summer were generally dry, March and April being notably so in Scotland and June in England; but thunderstorms brought heavy rain locally in May. The autumn months, after the close of the wet September, were, on the whole, normal in respect of rainfall, and England and Wales generally were rather dry, though damp and sunless weather probably gave them a rainy character. The local effects were, as usual, very pronounced, as regards rainfall, and many new "records" were set up, especially during September, some of which are detailed in the Monthly Weather Reports, to which reference should be made.

Sunshine.—The mean daily amount of sunshine differed very little from the normal, the departures from the latter ranging from—0.08 hr. in Scotland West to +0.27 hr. in the English Channel. The latter was the most sunny district, with 5.40 hr. per day, and the least sunny, Scotland North with 3.03 hr. per day. No month had an excess of sunshine over the whole Kingdom, and only in October was there a general deficiency.

Snow.—Snow fell frequently in January, and in many localities lay on the ground until about the 18th. At Deerness (Orkney) on the 7th there was a blizzard with snowdrifts 120 cm. deep, and about this time the Highland Railway—in Sutherland and

* Precipitation is given in millimetres; 1 mm. is nearly 0.4 in., 25.4 mm. = 1 in.

Caithness—was blocked by snow for some days. During February there was little snow, and not much in March, the heaviest fall reported in the latter month being 150 mm. at West Linton, Pentland Hills. Snow fell in many places between the 15th and 21st of April, Scaleby, Cumberland, having 18 cm. on the 20th and Eskdalemuir 6 cm., Hemel Hempstead, Herts, having 13 cm. on the 16th and 8 cm. on the 21st. In December snow fell on various days, mainly from the 22nd onwards.

Hail.—There were several notable falls of hail during the year. On the 7th of April the hail at Littlehampton was very heavy and damaged fruit trees, and on the 2nd heavy hail fell at Eskdalemuir and at Grayshott, Hants. Destructive hail fell in many places on various dates in May, mostly in connection with thunderstorms, the following being some of the sizes of the hailstones reported:—Methil, Fife, 20 mm. in diameter; Alnwick Castle, 25 mm.; Morpeth, “the size of big marbles”; Tunbridge Wells, 16 mm.; Aspatria, 10 mm.; Wistanstow, “the size of cherrystones”; Woodvale Moss, Southport, “as large as pigeons’ eggs.” On July 16th, during a thunderstorm, there was exceptionally heavy hail at Coulsdon, Surrey. Hailstones as large as marbles were reported from Salisbury on September 4th. During October, on the 6th, 7th and 8th, hail was experienced at many stations, and was especially frequent in Lancashire. Hailstones of an abnormal size were also reported at Blacksod Point on December 9th.

Thunderstorms.—During the first four and the last three months of the year thunderstorms were as usual infrequent. In May the thunderstorms were unusually severe, and very generally precipitated the bulk of the month’s rainfall. A storm on the 17th was experienced over a wide area; severe storms also occurred on the 21st, 22nd and 23rd. Thunderstorms were numerous in July, 15 thunderdays being reported at Leyland (Lancs), 13 at Stonyhurst (Lancs), and Worksop, 12 at Strelley (Notts), and 11 at several other stations. There were not many thunderstorms in August, but they were frequent in September, especially during the first half of the month.

Droughts.—In March an absolute drought was experienced at some of the Eastern and Southern stations of England, extending in some cases from the 4th to 26th. At some stations partial droughts (the mean rainfall not exceeding $\frac{1}{4}$ mm. per day) lasted from February 25th to March 27th. During the last few days of May and the whole of June there were large areas of Scotland over which conditions of drought were not effectively broken.

Fogs.—Fogs, which were at all general, were comparatively rare during the year, the most severe being those of the 30th and 31st of January. The fog on the latter day spread over the Eastern Counties and up to the Tay, and was especially dense in the low-lying parts of London, and caused many fatalities. A paper on the incidence of fog in London on the last-mentioned date has been published as “Professional Note” No. 3, M.O. 232 c.

Aurora was observed in every month except June and July, the most widely seen displays being those of October 8th, November 29th, and December 25th. An illustration of a remarkable auroral band, observed at Aberdeen on October 8th, is reproduced in M.O. Circular No. 30.

Extremes of Temperature, etc.—As in previous Annual Reports, the following notes refer exclusively to the stations, the results from which are given on pages clxx–clxxiii:—

The highest temperatures of the air were 92° at Cambridge; 90° at Camden Square and Greenwich; and 89° at Cromer.

The lowest temperatures were 8° at Morpeth; 10° at Durham; and 13° at Stonyhurst, Huddersfield and Buxton.

The heaviest totals of rain were 1,504 mm. at Stonyhurst; 1,348 mm. at Buxton; and 1,126 mm. at Manchester City.

The least falls of rain were 535 mm. at Lincoln; 552 mm. at Spurn Head; and 554 mm. at Tynemouth.

The stations with the greatest number of days of rain were Scilly with 232; Pembroke with 216; and Stonyhurst with 214.

The stations with the least number of days of rain were Belvoir Castle with 114; Cambridge with 159; and Portsmouth with 160.

Further Information.—Charts showing the distribution of pressure, temperature, sunshine, and rainfall for the year will be found in the Annual Summary of the Monthly Weather Report (issued by the Meteorological Office) for 1918.

A list of publications concerning the weather will be found in Meteorological Office Circular 001, “Statement of Provisions for the Supply of Information to the Public,” which can be obtained on application at the Meteorological Office.

T A B L E S .

NOTE.—The following tables are temporarily discontinued :—

No. in Report for 1914.	Description.
2—4	Estimated Populations in the middle of the year by sexes and ages : England and Wales and Main Divisions, Urban and Rural Aggregates in Administrative Counties, and County Boroughs.*
9—12	Marriages ; England and Wales, London and other Registration Counties : Manner of Solemnization, First Marriages, Re-marriages, Marriages of Minors, Signatures by Mark, and Marriage-rates.
16—18	Mortality by Sex and Age : Main Divisions of England and Wales, Administrative Counties, and County Boroughs.
24—28	Mortality from Several Causes by Sex and Age : England and Wales, Main Divisions, London, County Boroughs, Other Urban Districts, and Rural Districts.
34—36	Army : Strength and Mortality. Navy : Mortality in Service Afloat. Merchant Service : Numbers and Mortality of Masters and Seamen.

All death-rates from 1915 to 1918 relate to civilians only.

* The estimated civilian population by sex and age in England and Wales as a whole in 1918 is given on page x.

TABLE 1.—UNITED KINGDOM: POPULATION of its several DIVISIONS ESTIMATED to the in the BRITISH SEAS, and of the PORTIONS of

YEAR.	UNITED KINGDOM. AREA 76,457,356 ACRES.†			ENGLAND AND WALES.* AREA 37,337,537 ACRES.‡		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1869	30,978,282	15,056,680	15,921,602	22,223,299	10,821,775	11,401,524
1870	31,256,540	15,189,552	16,066,988	22,501,316	10,956,608	11,544,708
1871	31,555,699	15,331,182	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,184	15,485,220	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,551	15,630,140	16,547,411	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,993	16,138,193	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,940	16,325,250	17,250,690	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,304,037	16,688,039	17,615,998	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,578	17,938,898	26,046,142	12,673,435	13,372,707
1882	35,206,616	17,122,483	18,084,133	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,226	18,212,495	26,626,949	12,944,923	13,682,026
1884	35,724,229	17,367,248	18,356,981	26,922,192	13,082,837	13,839,355
1885	36,015,501	17,505,359	18,510,142	27,220,706	13,222,216	13,998,490
1886	36,313,581	17,646,573	18,667,008	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,257	18,969,014	28,136,258	13,649,314	14,486,944
1889	37,178,928	18,052,088	19,126,840	28,448,239	13,794,721	14,653,518
1890	37,484,763	18,196,143	19,288,620	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,538,211	20,142,628	21,395,583	32,612,022	15,769,412	16,842,610
1902	41,892,680	20,317,417	21,575,263	32,950,909	15,933,658	17,017,251
1903	42,246,591	20,492,494	21,754,097	33,293,321	16,099,612	17,193,709
1904	42,611,375	20,672,334	21,939,041	33,639,287	16,267,291	17,371,996
1905	42,980,788	20,853,456	22,127,332	33,988,844	16,436,707	17,552,137
1906	43,361,077	21,038,326	22,322,751	34,342,040	16,607,890	17,734,150
1907	43,737,834	21,221,125	22,516,709	34,698,905	16,780,848	17,918,057
1908	44,123,819	21,410,611	22,713,208	35,059,484	16,955,609	18,103,875
1909	44,519,454	21,604,581	22,914,873	35,423,805	17,132,182	18,291,623
1910	44,915,934	21,797,280	23,118,654	35,791,902	17,310,586	18,481,316
1911	45,324,425	21,995,632	23,328,793	36,189,685	17,503,377	18,686,308
1912	45,508,243	22,085,459	23,422,784	36,382,456	17,596,806	18,785,650
1913	45,713,370	22,184,681	23,528,689	36,606,226	17,705,259	18,900,967
1914	46,089,249	22,368,110	23,721,139	36,960,684	17,877,052	19,083,632
1915	43,735,300¶	19,688,000¶	24,047,300¶	35,358,896*	15,993,554*	19,365,342*
1916	43,059,100¶	18,853,100¶	24,206,000¶	34,500,000*	15,000,000*	19,500,000*
1917	42,279,100¶	17,954,900¶	24,324,200¶	33,711,000*	14,085,300*	19,625,700*
1918	42,041,700¶	17,625,200¶	24,416,500¶	33,474,700*	13,777,100*	19,697,600*

* The estimates of the population of England and Wales up to the year 1910 have been made by means of the rates of returns of births, deaths and migration; while the estimates for 1915 and 1916 are mainly based upon the results obtained enlistment (*see* page ix). The figures for males included in the estimates for 1915-18 relate to civilians only. The estimates for Scotland and Ireland have been supplied.

† Land only to high water mark.

‡ Land and inland water.

¶ The figures for males included in these estimates relate to civilians only. These estimates which have been prepared in this Office must be regarded as approximate only.

MIDDLE of each of the YEARS 1869-1918, EXCLUSIVE of the POPULATION of the ISLANDS the ARMY, NAVY, and MERCHANT SERVICE ABROAD.

SCOTLAND.* AREA 19,070,466 ACRES.§			IRELAND.* AREA 20,371,125 ACRES.			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,305,889	1,575,192	1,730,697	5,449,094	2,659,713	2,789,381	1869
3,336,712	1,591,104	1,745,608	5,418,512	2,641,840	2,776,672	1870
3,368,926	1,607,780	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,799	1,626,462	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,057	1,645,361	1,795,696	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,182	1,703,387	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,021	1,723,180	1,866,841	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,666,923	1,763,459	1,903,464	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,924	1,939,640	5,145,770	2,519,219	2,626,551	1881
3,770,656	1,816,786	1,953,870	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,755	1,968,206	5,023,811	2,461,548	2,562,263	1883
3,827,476	1,844,830	1,982,646	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,015	1,997,192	4,938,588	2,424,128	2,514,460	1885
3,885,154	1,873,308	2,011,846	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,226	2,041,475	4,801,312	2,360,717	2,440,595	1888
3,973,304	1,916,851	2,056,453	4,757,385	2,340,516	2,416,869	1889
4,003,131	1,931,589	2,071,542	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,104	2,177,034	2,302,070	4,447,085	2,196,182	2,250,903	1901
4,507,220	2,190,198	2,317,022	4,434,551	2,193,561	2,240,990	1902
4,535,513	2,203,442	2,332,071	4,417,757	2,189,440	2,228,317	1903
4,563,985	2,216,767	2,347,218	4,408,103	2,188,276	2,219,827	1904
4,592,636	2,230,172	2,362,464	4,399,308	2,186,577	2,212,731	1905
4,621,466	2,243,658	2,377,808	4,397,571	2,186,778	2,210,793	1906
4,650,478	2,257,226	2,393,252	4,388,451	2,183,051	2,205,400	1907
4,679,671	2,270,875	2,408,796	4,384,664	2,184,127	2,200,537	1908
4,709,048	2,284,607	2,424,441	4,386,601	2,187,792	2,198,809	1909
4,738,611	2,298,423	2,440,188	4,385,421	2,188,271	2,197,150	1910
4,751,132	2,304,100	2,447,032	4,383,608	2,188,155	2,195,453	1911
4,741,077	2,299,224	2,441,853	4,384,710	2,189,429	2,195,281	1912
4,728,132	2,292,946	2,435,186	4,379,012	2,186,476	2,192,536	1913
4,747,167	2,302,177	2,444,990	4,381,398	2,188,881	2,192,517	1914
4,785,598**	2,320,815**	2,464,783	4,337,000††	2,139,000††	2,198,000	1915
4,824,308**	2,339,587**	2,484,721	4,367,000††	2,165,000††	2,202,000	1916
4,854,738**	2,354,345**	2,500,393	4,380,000††	2,176,000††	2,204,000	1917
4,886,300**	2,369,700**	2,516,600	4,380,000(a)	2,176,000(a)	2,204,000(a)	1918

increase in the various intercensal periods as shown by the several enumerations; those for 1911-14 are based upon the under the National Registration Act, 1915, and those for 1917 and 1918 upon natural increase and migration, including by the Registrars-General for those parts of the United Kingdom.

§ Excluding inland water, tidal water, and foreshore.

|| Excluding larger rivers, lakes, and tideways.

** No allowance made for movement of Scottish troops over seas. The estimate for 1918 is provisional.

†† The movements of the military are taken into account in this estimate.

(a) The population in 1917 has been adopted provisionally for 1918.

TABLE 2.—ENGLAND AND WALES.—MARRIAGES, BIRTHS, and DEATHS, 1838–1918.

Year.	Marriages.	Births.							Deaths.		
		Total.	Legitimate.			Illegitimate.			Persons.	Males.	Females.
			Total.	Males.	Females.	Total.	Males.	Females.			
1838-1918	16,459,851	63,297,530	56,729,940*	28,916,384*	27,813,556*	3,010,941*	1,537,037*	1,473,904*	39,280,989	20,172,931	19,108,058
1841-1850	1,355,497	5,488,736	?	?	?	?	?	?	3,769,396	1,909,125	1,860,271
1851-1860	1,601,731	6,471,650	6,048,479	3,092,436	2,956,043	423,171	216,356	206,815	4,210,715	2,138,536	2,072,179
1861-1870	1,769,624	7,500,096	7,043,090	3,593,097	3,449,993	457,006	234,028	222,978	4,794,498	2,459,489	2,335,009
1871-1880	1,960,543	8,588,782	8,161,584	4,157,433	4,004,151	427,198	217,485	209,713	5,178,311	2,679,416	2,498,895
1881-1890	2,047,428	8,890,238	8,471,116	4,312,689	4,158,427	419,122	214,040	205,082	5,244,770	2,698,316	2,546,454
1891-1900	2,394,105	9,155,153	8,773,351	4,462,939	4,310,412	381,802	194,932	186,870	5,575,375	2,865,226	2,710,149
1901-1910	2,640,515	9,298,209	8,927,791	4,547,445	4,380,346	370,418	188,886	181,532	5,248,774	2,706,356	2,542,418
1869	176,970	773,381	728,690	371,681	357,009	44,691	22,889	21,802	494,828	254,863	239,965
1870	181,655	792,787	748,050	381,396	366,654	44,737	22,909	21,828	515,329	265,586	249,743
1871	190,112	797,428	752,653	382,879	369,774	44,775	22,726	22,049	514,879	265,563	249,316
1872	201,267	825,907	781,141	398,401	382,740	44,766	22,906	21,860	492,265	255,135	237,130
1873	205,615	829,778	786,617	400,828	385,789	43,161	21,929	21,232	492,520	254,985	237,535
1874	202,010	854,956	811,853	413,304	398,549	43,103	21,875	21,228	526,632	272,178	254,454
1875	201,212	850,607	809,794	413,155	396,639	40,813	21,070	19,743	546,453	282,202	264,251
1876	201,874	887,968	846,374	431,155	415,219	41,594	21,123	20,471	510,315	265,076	245,239
1877	194,352	888,200	846,045	430,555	415,490	42,155	21,341	20,814	500,496	260,567	239,929
1878	190,054	891,906	849,806	433,511	416,295	42,100	21,537	20,563	539,872	278,772	261,100
1879	182,082	880,389	838,200	426,578	411,622	42,189	21,336	20,853	526,255	271,496	254,759
1880	191,965	881,643	839,101	427,067	412,034	42,542	21,642	20,900	528,624	273,442	255,182
1881	197,290	883,642	840,522	428,050	412,472	43,120	22,130	20,990	491,935	253,605	238,330
1882	204,405	889,014	845,859	430,823	415,036	43,155	21,929	21,226	516,654	265,767	250,887
1883	206,384	890,722	848,076	431,358	416,718	42,646	21,718	20,928	522,997	269,262	253,735
1884	204,301	906,750	864,083	440,769	423,314	42,667	21,712	20,955	530,828	273,522	257,306
1885	197,745	894,270	851,477	433,823	417,654	42,793	21,986	20,807	522,750	268,305	254,445
1886	196,071	903,760	860,922	438,487	422,435	42,838	21,881	20,957	537,276	275,874	261,402
1887	200,518	886,331	844,197	430,069	414,128	42,134	21,534	20,600	530,758	272,137	258,621
1888	203,821	879,868	839,138	426,312	412,826	40,730	20,860	19,870	510,971	263,294	247,677
1889	213,865	885,944	845,317	430,493	414,824	40,627	20,725	19,902	518,353	266,102	252,251
1890	223,028	869,937	831,525	422,505	409,020	38,412	19,565	18,847	562,248	290,448	271,800
1891	226,526	914,157	875,376	445,836	429,540	38,781	19,824	18,957	587,925	302,494	285,431
1892	227,135	897,957	860,376	437,318	423,058	37,581	19,304	18,277	559,684	286,062	273,622
1893	218,689	914,572	875,714	445,963	429,751	38,858	19,748	19,110	569,958	291,889	278,069
1894	226,449	890,289	851,946	433,425	418,521	38,343	19,591	18,752	498,827	256,015	242,812
1895	228,204	922,291	883,455	449,063	434,392	38,836	19,823	19,013	568,997	290,704	278,293
1896	242,764	915,331	876,602	445,935	430,667	38,729	19,725	19,004	526,727	270,575	256,152
1897	249,145	921,683	883,274	449,643	433,631	38,409	19,537	18,872	541,487	280,211	261,276
1898	255,379	923,165	884,831	449,261	435,570	38,334	19,659	18,675	552,141	283,981	268,160
1899	262,334	928,646	891,529	454,051	437,478	37,117	19,121	17,996	581,799	299,472	282,327
1900	257,480	927,062	890,248	452,444	437,804	36,814	18,600	18,214	587,830	303,823	284,007
1901	259,400	929,807	893,608	455,372	438,236	36,199	18,572	17,627	551,585	285,618	265,967
1902	261,750	940,509	903,835	460,550	443,285	36,674	18,594	18,080	535,538	277,216	258,322
1903	261,103	948,271	910,969	463,249	447,720	37,302	18,980	18,322	514,628	266,290	248,338
1904	257,856	945,389	907,715	462,150	445,565	37,674	19,172	18,502	549,784	283,206	266,578
1905	260,742	929,293	891,978	453,735	438,243	37,315	19,151	18,164	520,031	267,601	252,430
1906	270,038	935,081	897,691	458,008	439,683	37,390	18,931	18,459	531,281	274,233	257,048
1907	276,421	918,042	881,853	449,213	432,640	36,189	18,515	17,674	524,221	269,259	254,962
1908	264,940	940,383	902,852	459,385	443,467	37,531	19,025	18,506	520,456	268,714	251,742
1909	260,544	914,472	876,963	447,215	429,748	37,509	19,248	18,261	518,003	265,203	252,800
1910	267,721	896,962	860,327	438,568	421,759	36,635	18,698	17,937	483,247	249,016	234,231
1911	274,943	881,138	843,505	429,715	413,790	37,633	19,218	18,415	527,810	272,512	255,298
1912	283,834	872,737	835,209	425,884	409,325	37,528	19,120	18,408	486,939	250,232	236,707
1913	286,583	881,890	843,981	429,657	414,324	37,909	19,502	18,407	504,975	261,687	243,288
1914	294,401	879,096	841,767	428,303	413,464	37,329	18,881	18,448	516,742	267,359	249,383
1915	360,885	814,614	778,369	396,825	381,544	36,245	18,380	17,865	562,253†	292,381†	269,872
1916	279,846	785,520	747,831	382,886	364,945	37,689	19,251	18,438	508,217†	265,030†	243,187
1917	258,855	668,346	631,189	322,392	308,797	37,157	18,969	18,188	498,922†	262,215†	236,707
1918	287,163	662,661	621,209	317,801	303,408	41,452	21,311	20,141	611,861†	314,704†	297,157

* 1845–1918 only.

† Including non-civilian deaths in England and Wales.

TABLE 3.—ENGLAND and WALES.—ANNUAL MARRIAGE-, BIRTH-, and DEATH-RATES, and INFANT MORTALITY, 1838-1918.

YEAR.	MARRIAGES.			BIRTHS.							DEATHS.										
	Persons married per 1,000 living at all ages.	Males married per 1,000 single and widowed, aged 15 years and upwards.	Females married per 1,000 single and widowed, aged 15 years and upwards.	Per 1,000 living at all ages.	Legitimate.		Illegitimate.		Per 1,000 births of males per 1,000 births of females.	Crude rates per 1,000 living.	Standardized rates per 1,000 living.†			Ratio of Standardized Male to Female mortality, the latter taken as 1,000.†	Deaths of Infants under 1 year per 1,000 births.						
					Per 1,000 total population.	Per 1,000 married women, aged 15-45.	Per 1,000 total population.	Per 1,000 single and widowed women, aged 15-45.			Per 1,000 total births.	Persons.	Males.		Females.	Persons.	Males.	Females.	Total.	Legitimate \$	Illegitimate.*
1838-1918	15.8	55.2*	46.5*	30.4	28.8†	248.7*	1.5†	11.9*	50†	1,040	19.0	20.2	17.9	18.4	19.8	17.2	1,155	142	—	—	—
1841-1850	16.1	—	—	32.6	—	—	—	—	—	1,049	22.4	23.1	21.6	21.6	22.5	20.7	1,085	153	—	—	—
1851-1860	16.9	59.3	51.7	34.1	31.9	281.0	2.2	18.3	65	1,046	22.2	23.1	21.4	21.2	22.1	20.3	1,092	154	—	—	—
1861-1870	16.6	60.9	51.8	35.2	33.1	287.3	2.1	18.2	61	1,042	22.5	23.7	21.4	21.3	22.6	20.2	1,119	154	—	—	—
1871-1880	16.2	59.7	50.7	35.4	33.6	295.5	1.8	15.1	50	1,038	21.4	22.7	20.1	20.3	21.8	19.0	1,150	149	—	—	—
1881-1890	14.9	53.7	45.3	32.4	30.9	274.6	1.5	12.6	47	1,037	19.1	20.3	18.1	18.6	20.0	17.3	1,154	142	—	—	—
1891-1900	15.6	53.6	44.9	29.9	28.7	250.3	1.2	9.6	42	1,036	18.2	19.3	17.1	18.1	19.5	16.7	1,167	153	—	—	—
1901-1910	15.5	51.6	43.2	27.2	26.1	221.6	1.1	8.2	40	1,038	15.4	16.4	14.4	15.2	16.6	13.9	1,190	128	—	—	—
1841-1845	15.7	—	—	32.3	—	—	—	—	—	1,052	21.4	22.1	20.6	20.6	21.6	19.8	1,089	148	—	—	—
1846-1850	16.5	—	—	32.8	30.6	—	2.2	—	67	1,045	23.3	24.1	22.6	22.4	23.4	21.6	1,084	157	—	—	—
1851-1855	17.1	59.2	52.1	33.9	31.7	281.3	2.2	18.1	66	1,046	22.7	23.5	21.8	21.7	22.7	20.7	1,097	156	—	—	—
1856-1860	16.7	59.5	51.3	34.4	32.2	280.8	2.2	18.5	65	1,046	21.8	22.6	21.0	20.7	21.6	19.9	1,090	152	—	—	—
1861-1865	16.8	61.3	52.2	35.1	32.9	285.1	2.2	18.8	64	1,043	22.6	23.7	21.5	21.4	22.6	20.3	1,113	151	—	—	—
1866-1870	16.4	60.5	51.5	35.3	33.2	289.4	2.1	17.6	58	1,041	22.4	23.7	21.2	21.2	22.6	20.0	1,130	157	—	—	—
1871-1875	17.1	63.1	53.6	35.5	33.7	294.6	1.8	15.9	52	1,039	22.0	23.3	20.7	20.9	22.4	19.5	1,149	153	—	—	—
1876-1880	15.3	56.4	48.0	35.3	33.6	296.3	1.7	14.4	48	1,038	20.8	22.1	19.5	19.8	21.3	18.4	1,158	145	—	—	—
1881-1885	15.2	55.1	46.7	33.5	31.9	282.4	1.6	13.5	48	1,038	19.4	20.5	18.3	18.7	20.1	17.5	1,151	139	—	—	—
1886-1890	14.7	52.4	44.0	31.4	29.9	267.1	1.5	11.8	46	1,036	18.9	20.0	17.8	18.5	20.0	17.2	1,163	145	—	—	—
1891-1895	15.1	52.6	44.0	30.5	29.2	253.3	1.3	10.1	42	1,036	18.7	19.8	17.7	18.5	20.0	17.2	1,161	151	—	—	—
1896-1900	16.1	54.5	45.6	29.3	28.1	242.9	1.2	9.2	41	1,035	17.7	18.8	16.6	17.6	19.1	16.2	1,178	156	—	—	—
1901-1905	15.6	52.3	43.7	28.2	27.1	230.5	1.1	8.4	39	1,037	16.0	17.1	15.0	16.0	17.4	14.6	1,192	138	—	—	—
1906-1910	15.3	50.9	42.6	26.3	25.2	212.9	1.1	8.1	40	1,039	14.7	15.6	13.8	14.4	15.8	13.2	1,196	117	113	22	22
1911-1915	16.4	54.4	45.5	23.6	22.6	189.7	1.0	7.8	43	1,038	14.3	15.4	13.2	13.8	15.2	12.5	1,218	110	105	210	210
1869	15.9	58.8	50.0	34.8	32.8	285.9	2.0	17.2	58	1,042	22.3	23.6	21.0	21.0	22.4	19.8	1,134	156	—	—	—
1870	16.1	59.7	50.7	35.2	33.2	290.1	2.0	17.1	56	1,041	22.9	24.2	21.6	21.6	23.1	20.3	1,135	160	—	—	—
1871	16.7	61.8	52.5	35.0	33.0	288.4	2.0	16.9	56	1,035	22.6	23.9	21.3	21.4	22.9	20.1	1,141	158	—	—	—
1872	17.4	64.3	54.6	35.6	33.7	294.9	1.9	16.6	54	1,041	21.3	22.6	19.9	20.2	21.7	18.8	1,153	150	—	—	—
1873	17.6	64.9	55.2	35.4	33.6	294.1	1.8	15.8	52	1,039	21.0	22.4	19.8	20.0	21.5	18.6	1,155	149	—	—	—
1874	17.0	62.9	53.4	36.0	34.2	299.8	1.8	15.6	50	1,037	22.2	23.6	20.9	21.1	22.6	19.7	1,147	151	—	—	—
1875	16.7	61.8	52.5	35.4	33.7	295.4	1.7	14.5	48	1,043	22.7	24.1	21.4	21.6	23.2	20.2	1,149	158	—	—	—
1876	16.5	60.9	51.8	36.3	34.6	304.1	1.7	14.6	47	1,038	20.9	22.3	19.6	19.9	21.4	18.4	1,163	146	—	—	—
1877	15.7	58.0	49.3	36.0	34.3	301.1	1.7	14.6	47	1,036	20.3	21.7	18.9	19.4	21.0	17.9	1,172	136	—	—	—
1878	15.2	55.9	47.5	35.6	33.9	298.8	1.7	14.4	47	1,042	21.6	22.9	20.3	20.5	22.0	19.1	1,151	152	—	—	—
1879	14.4	52.8	44.9	34.7	33.0	291.1	1.7	14.2	48	1,036	20.7	22.0	19.6	19.9	21.4	18.5	1,155	135	—	—	—
1880	14.9	54.7	46.6	34.2	32.6	287.0	1.6	14.1	48	1,036	20.5	21.8	19.3	19.5	21.0	18.2	1,154	153	—	—	—
1881	15.1	55.6	47.3	33.9	32.2	284.9	1.7	14.1	49	1,039	18.9	20.0	17.8	18.2	19.6	17.0	1,154	130	—	—	—
1882	15.5	56.7	48.1	33.8	32.2	283.9	1.6	13.8	49	1,038	19.6	20.7	18.5	18.8	20.2	17.6	1,145	141	—	—	—
1883	15.5	56.4	47.8	33.5	31.9	281.9	1.6	13.4	48	1,035	19.6	20.8	18.5	19.0	20.4	17.7	1,153	137	—	—	—
1884	15.1	54.8	46.3	33.6	32.0	283.7	1.6	13.2	47	1,041	19.7	20.8	18.5	19.0	20.4	17.7	1,152	147	—	—	—
1885	14.5	52.4	44.2	32.9	31.3	277.6	1.6	13.0	48	1,040	19.2	20.3	18.2	18.7	20.0	17.4	1,151	138	—	—	—
1886	14.2	51.1	43.1	32.8	31.2	278.0	1.6	12.8	47	1,038	19.5	20.6	18.5	19.0	20.4	17.7	1,155	149	—	—	—
1887	14.4	51.5	43.3	31.9	30.4	269.9	1.5	12.4	48	1,039	19.1	20.2	18.1	18.6	20.0	17.3	1,152	145	—	—	—
1888	14.4	51.4	43.2	31.2	29.8	265.0	1.4	11.7	46	1,033	18.1	19.2	17.0	17.7	19.2	16.4	1,168	136	—	—	—
1889	15.0	53.2	44.7	31.1	29.7	265.1	1.4	11.5	46	1,038	18.2	19.3	17.2	17.9	19.2	16.6	1,159	144	—	—	—
1890	15.5	54.6	45.8	30.2	28.9	258.2	1.3	10.7	44	1,033	19.5	20.8	18.3	19.3	21.0	17.8	1,181	151	—	—	—
1891	15.6	54.6	45.7	31.4	30.1	268.8	1.3	10.6	42	1,038	20.2	21.5	19.0	20.0	21.7	18.5	1,174	149	—	—	—
1892	15.4	53.8	45.0	30.4	29.1	259.3	1.3	10.1	42	1,035	19.0	20.0	18.0	18.8	20.2	17.5	1,158	148	—	—	—
1893	14.7	51.1	42.7	30.7	29.4	260.4	1.3	10.3	42	1,038	19.2	20.3	18.1	18.9	20.4	17.6	1,157	159	—	—	—
1894	15.0	52.0	43.5	29.6	28.3	249.4	1.3	9.9	43	1,036	16.6	17.6	15.6	16.4	17.7	15.2	1,165	137	—	—	—
1895	15.0	51.6	43.2	30.3	29.0	254.5	1.3	9.9	42	1,034	18.7	19.7	17.7	18.5	19.9	17.3	1,155	161	—	—	—
1896	15.7	53.9	45.1	29.6	28.3	247.8	1.3	9.7	42	1,036	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—	—
1897	16.0	54.5	45.6	29.6	28.4	246.4	1.2	9.5	42	1,037	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—	—
1898	16.2																				

TABLE 4.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and CRUDE DEATH-RATES in each QUARTER, in GROUPS of YEARS, 1838–1918, and in each YEAR, 1909–1918.

Period.	Persons Married per 1,000 Living.				Births per 1,000 Living.				Deaths per 1,000 Living.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838–1918	12·7	16·4	16·1	18·4	32·4	32·2	30·6	30·1	22·1	19·2	18·0	19·5
1841–50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851–60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861–70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871–80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881–90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891–1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901–10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1909	10·3	16·3	16·5	15·6	26·2	26·9	25·6	24·6	18·4	14·2	11·7	14·3
1910	12·8	13·7	17·0	16·3	25·1	26·3	25·2	23·6	15·5	13·0	11·5	14·1
1911	10·0	16·8	17·1	16·8	25·1	25·0	24·4	22·9	16·0	13·3	15·5	13·6
1912	9·9	16·5	18·2	17·7	24·5	24·0	23·9	23·2	15·9	12·8	11·1	13·6
1913	13·5	14·4	18·1	16·5	24·0	24·9	24·4	23·0	16·2	13·3	12·3	13·4
1914	11·2	17·6	17·6	17·2	23·9	24·5	24·4	22·4	16·0	13·5	12·4	14·0
1915*	12·1	20·9	21·9	22·5	24·1	22·9	20·9	19·5	20·1	15·4	12·1	15·1
1916*	14·5	15·9	14·3	14·8	20·8	22·3	21·0	19·4	16·4	14·4	11·4	15·3
1917*	11·0	13·6	14·7	15·7	19·3	18·5	17·2	16·2	19·3	14·8	10·8	13·0
1918*	14·2	14·4	16·7	15·9	17·5	18·2	17·8	17·1	16·4	13·8	13·0	27·0

* The marriage- and birth-rates in 1915–18, are calculated upon total populations specially estimated for the purpose; the death-rates relate to deaths of civilians only, and are calculated upon estimated civilian populations.

TABLE 5.—ENGLAND AND WALES.—CHURCHES and CHAPELS of the ESTABLISHED CHURCH, and REGISTERED BUILDINGS in which MARRIAGES could be legally SOLEMNIZED, 31ST DECEMBER, 1918.

Registration Division.	Registration County.		All Religious Denominations.	Established Church.	Other Religious Denominations.															
					All other Religious Denominations.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Church.	Catholic Apostolic Church.	Countess of Huntingdon's Connexion.	Salvation Army.	Others.	
I.	England and Wales	...	33,374	16,094	17,280	1,450	4,049	3,010	2,735	1,848	1,223	960	448	198	59	49	42	97	1112	
	London	1,415	636	779	114	108	140	158	43	30	10	50	17	6	7	1	7	88	
II.	Surrey	581	279	302	37	61	64	67	13	4	—	13	2	1	—	1	2	32	
	Kent	905	522	383	38	97	71	104	25	13	—	9	2	1	1	3	3	16	
III.	Sussex	734	431	303	36	52	73	65	11	7	—	10	3	—	1	7	3	35	
	Hampshire	...	868	467	401	32	78	83	62	54	30	—	8	4	—	1	2	3	44	
IV.	Berkshire	...	425	275	150	16	36	26	30	24	—	—	4	1	—	—	1	1	11	
	Middlesex	...	498	205	293	38	45	54	64	21	5	3	18	2	1	2	2	6	32	
V.	Hertfordshire	...	362	204	158	15	32	45	43	11	—	—	1	—	—	1	2	1	7	
	Buckinghamshire	...	332	201	131	7	26	21	47	17	—	—	—	—	—	—	—	—	13	
VI.	Oxfordshire	...	402	272	130	14	40	25	30	8	4	—	2	—	—	1	—	—	6	
	Northamptonshire	...	531	326	205	10	50	44	64	15	3	—	—	1	1	—	—	3	14	
VII.	Huntingdonshire	...	130	80	50	2	14	6	23	3	—	—	—	—	—	—	—	—	2	
	Bedfordshire	...	284	142	142	4	52	16	44	17	—	—	—	—	—	1	—	2	6	
VIII.	Cambridgeshire	...	350	198	152	6	35	21	54	24	5	—	1	—	—	—	1	1	4	
	Essex	...	904	464	440	39	74	126	83	29	18	1	9	5	3	3	2	3	45	
IX.	Suffolk	...	730	509	221	13	37	58	50	28	5	—	3	3	—	—	—	1	13	
	Norfolk	...	981	714	267	14	58	34	45	80	19	—	2	2	1	1	1	1	9	
X.	Wiltshire	...	560	333	227	10	49	46	60	40	7	—	1	—	—	—	—	—	14	
	Dorsetshire	...	454	313	141	14	44	37	14	17	2	—	3	—	—	—	—	—	10	
XI.	Devonshire	...	1,040	562	478	27	127	93	72	10	38	—	5	8	—	1	—	2	45	
	Cornwall	...	593	258	335	11	153	19	10	11	118	—	—	—	—	—	2	1	5	
XII.	Somersetshire	...	947	562	385	18	123	83	60	24	40	—	3	4	1	1	1	1	26	
	Gloucestershire	...	775	437	338	18	66	76	77	23	24	2	5	4	1	1	3	2	36	
XIII.	Herefordshire	...	316	231	85	8	15	13	16	20	—	2	—	—	—	—	1	—	10	
	Shropshire	...	542	322	220	14	46	47	19	65	11	11	2	—	—	1	—	—	4	
XIV.	Staffordshire	...	938	392	546	51	174	61	42	107	66	2	7	7	1	3	—	5	20	
	Worcestershire	...	372	241	131	18	27	13	18	22	4	—	4	3	1	1	7	—	13	
XV.	Warwickshire	...	724	375	349	50	81	60	66	21	13	2	6	5	1	2	—	3	39	
	Leicestershire	...	599	313	286	21	80	36	69	46	9	—	1	4	—	—	—	—	20	
XVI.	Rutlandshire	...	77	56	21	2	4	4	7	3	—	—	—	—	—	—	—	—	1	
	Lincolnshire	...	1,065	670	395	17	178	25	35	90	33	—	1	3	1	—	—	4	8	
XVII.	Nottinghamshire	...	622	312	310	15	96	27	46	50	43	—	2	4	1	1	—	4	16	
	Derbyshire	...	555	226	329	22	95	41	30	67	47	—	3	3	2	—	1	2	16	
XVIII.	Cheshire	...	773	277	496	39	139	77	34	68	43	19	33	11	2	2	—	—	29	
	Lancashire	...	2,869	879	1,990	317	434	280	185	180	173	32	74	45	24	6	3	14	223	
XIX.	West Riding	...	2,238	752	1,486	96	476	212	135	200	216	—	11	17	7	7	1	6	102	
	East Riding (with York)	...	476	258	218	19	84	24	10	55	10	—	6	1	1	1	—	2	5	
XX.	North Riding	...	549	282	267	31	125	27	14	47	6	1	4	4	—	—	1	7	24	
	Durham	...	760	295	465	65	119	29	27	107	46	1	35	4	—	1	—	7	7	
XXI.	Northumberland	...	499	196	303	43	57	19	10	48	37	—	76	1	1	1	—	1	9	
	Cumberland	...	343	188	155	14	53	19	5	26	8	—	16	1	—	—	—	2	11	
XXII.	Westmorland	...	147	85	62	3	23	8	5	10	2	—	1	1	—	—	—	—	4	
	Monmouthshire	...	478	184	294	15	37	58	104	24	9	37	—	1	—	1	—	—	8	
XXIII.	Glamorganshire	...	1,070	258	812	25	65	231	223	13	15	201	5	9	1	—	—	3	21	
	Carmarthenshire	...	318	94	224	2	6	89	60	—	1	61	—	1	—	—	—	—	4	
XXIV.	Pembrokeshire	...	284	136	148	5	11	49	50	1	—	31	—	—	—	—	—	—	1	
	Cardiganshire	...	325	119	206	1	13	70	34	—	—	76	—	12	—	—	—	—	—	
XXV.	Brecknockshire	...	212	104	108	3	9	36	29	3	—	28	—	—	—	—	—	—	—	
	Radnorshire	...	72	34	38	—	—	3	4	21	4	—	6	—	—	—	—	—	—	
XXVI.	Montgomeryshire	...	210	76	134	1	27	29	17	5	—	55	—	—	—	—	—	—	—	
	Flintshire	...	144	39	105	7	18	20	4	7	2	42	5	—	—	—	—	—	—	
XXVII.	Denbighshire	...	269	86	183	4	26	34	21	5	2	82	7	—	—	—	—	—	2	
	Merionethshire	...	239	62	177	1	20	44	20	1	—	91	—	—	—	—	—	—	—	
XXVIII.	Carnarvonshire	...	367	108	259	7	34	54	23	—	—	130	4	—	—	—	—	—	2	
	Anglesey	...	121	54	67	1	7	9	15	—	—	34	1	—	—	—	—	—	—	

TABLE 6.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1918.*—MALES.

Year.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1918	19·8	61·7	5·9	3·3	7·9				17·9	32·8	67·6	145·8	299·9	156
1841-50	22·5	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167
1851-60	22·1	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861-70	22·6	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871-80	21·8	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881-90	20·0	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891-1900	19·5	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901-10	16·6	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1841-45	21·6	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846-50	23·4	73·7	9·5	5·4	7·4	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851-55	22·7	73·9	8·8	5·2	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·9	310·9	172
1856-60	21·6	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·4	64·3	142·7	305·3	166
1861-65	22·6	74·1	8·5	4·7	6·4	8·6	9·8	13·2	18·9	32·8	66·4	145·9	316·6	166
1866-70	22·6	72·9	7·9	4·3	6·0	8·3	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871-75	22·4	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876-80	21·3	67·1	6·3	3·4	4·8	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·5	159
1881-85	20·1	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·8	145·4	297·9	152
1886-90	20·0	61·9	4·9	2·8	4·1	5·5	7·4	12·1	19·4	35·2	72·1	147·9	313·7	159
1891-95	20·0	62·9	4·5	2·6	4·0	5·2	7·1	11·9	19·5	35·8	72·5	149·2	290·8	165
1896-1900	19·1	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·4	34·1	68·3	143·1	282·8	170
1901-05	17·4	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906-10	15·8	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1911-15	15·2	40·6	3·4	2·0	3·1	3·9	5·0	8·3	15·1	30·8	65·9	143·5	279·5	121
1869	22·4	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9	169
1870	23·1	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7	174
1871	22·9	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8	172
1872	21·7	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0	162
1873	21·5	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9	164
1874	22·6	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8	165
1875	23·2	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8	173
1876	21·4	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6	160
1877	21·0	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9	150
1878	22·0	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9	166
1879	21·4	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5	150
1880	21·0	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9	167
1881	19·6	56·6	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5	143
1882	20·2	63·5	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1	153
1883	20·4	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2	151
1884	20·4	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1	160
1885	20·0	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2	151
1886	20·4	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1	163
1887	20·0	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1	158
1888	19·2	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150
1889	19·2	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157
1890	21·0	62·9	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165
1891	21·7	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	20·2	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·4	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·7	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·9	66·0	4·1	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·3	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·8	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·1	170
1898	18·9	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·8	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·9	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·5	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·7	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·8	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·6	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·5	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·8	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	16·2	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	16·0	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·6	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·5	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·6	46·2	3·5	2·0	3·0	3·9	5·0	8·1	14·8	29·7	63·5	136·0	271·3	142
1912	14·2	35·5	3·1	1·8	2·8	3·5	4·7	8·0	14·7	30·0	64·2	138·7	267·2	106
1913	14·9	39·9	3·2	1·9	2·7	3·5	4·6	8·1	15·1	30·9	65·0	141·4	268·7	120
1914	15·1	39·1	3·4	2·0	3·0	3·8	5·0	8·5	15·5	31·4	65·7	141·3	277·4	116
1915‡	16·5	41·9	3·7	2·3	3·8	5·9	6·1	9·0	15·3	31·7	70·9	159·6	311·5	123
1916‡	15·4	32·5	3·2	2·2	7·1				14·4	29·4	68·3	158·0	303·4	102
1917‡	15·9	31·7	3·2	2·1	8·5				14·4	29·4	67·1	157·5	302·1	108
1918‡	10·8	38·5	5·3	3·4	14·7				16·8	29·6	64·7	139·5	246·7	108

* For the purposes of this table, the populations shown in Table 1 have been distributed among the several groups of ages according to the proportions found to prevail at the various Censuses except in the case of the populations for 1915-18.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes.

‡ Civilians only.

TABLE 7.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1918.*—FEMALES.

Year.	Deaths of Females per 1,000 living at subjoined Ages.														Deaths of Female Infants under 1 year of age per 1,000 Female Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.		
1838-1918	17·2	52·5	5·7	3·4	4·9	5·8	7·2	9·9	14·3	26·9	57·7	129·4	272·4	128	
1841-50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137	
1851-60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·1	15·2	27·0	58·7	134·5	288·9	139	
1861-70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139	
1871-80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134	
1881-90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128	
1891-1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138	
1901-10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114	
1841-45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133	
1846-50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142	
1851-55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141	
1856-60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137	
1861-65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136	
1866-70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142	
1871-75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138	
1876-80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130	
1881-85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125	
1886-90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131	
1891-95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135	
1896-1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·3	27·4	58·5	127·0	258·7	141	
1901-05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124	
1906-10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105	
1911-15	12·5	33·8	3·3	2·1	2·7	3·1	4·0	6·6	11·7	23·6	52·6	123·5	253·0	97	
1869	19·8	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·4	277·1	141	
1870	20·3	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·2	290·3	145	
1871	20·1	62·4	7·5	4·5	6·6	8·2	9·7	12·2	15·9	28·5	60·4	133·6	276·4	143	
1872	18·8	58·5	6·5	4·0	6·2	7·6	9·3	11·8	15·1	26·6	56·6	124·7	269·0	136	
1873	18·6	56·4	5·6	3·6	5·5	6·8	8·6	11·4	15·6	28·3	61·9	135·2	303·5	134	
1874	19·7	61·4	7·1	3·9	5·7	7·3	9·2	12·2	15·9	29·2	61·6	134·0	290·0	136	
1875	20·2	61·2	6·4	3·8	5·7	7·3	9·3	12·4	17·0	31·1	65·7	148·8	330·3	143	
1876	18·4	57·3	5·9	3·6	5·2	6·7	8·3	11·7	15·4	27·9	58·4	128·7	287·0	132	
1877	17·9	53·6	5·6	3·6	5·1	6·3	8·2	11·3	15·3	27·7	58·9	129·1	291·6	122	
1878	19·1	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·4	29·2	61·7	140·5	312·7	138	
1879	18·5	52·9	5·8	3·4	4·9	6·0	8·0	11·3	16·0	30·7	66·6	150·2	328·7	121	
1880	18·2	59·2	6·0	3·3	4·8	5·9	7·6	10·6	14·7	27·5	58·2	129·1	274·9	138	
1881	17·0	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8	117	
1882	17·6	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0	128	
1883	17·7	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28·8	60·2	134·2	277·0	123	
1884	17·7	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4	133	
1885	17·4	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8	124	
1886	17·7	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1	135	
1887	17·3	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1	131	
1888	16·4	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	122	
1889	16·6	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	129	
1890	17·8	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	136	
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133	
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132	
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143	
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124	
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144	
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134	
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	141	
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145	
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148	
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139	
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136	
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118	
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118	
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131	
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115	
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120	
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104	
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107	
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97	
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94	
1911	13·0	39·3	3·4	2·1	2·7	3·2	4·1	6·6	11·4	23·0	50·9	116·6	233·1	117	
1912	11·8	29·6	3·1	2·0	2·7	3·1	4·0	6·4	11·2	22·8	51·9	119·4	246·6	84	
1913	12·2	32·9	3·1	2·0	2·6	3·0	3·9	6·5	11·5	23·2	51·5	118·3	242·6	96	
1914	12·4	32·7	3·3	2·2	2·7	3·0	3·9	6·7	11·9	23·6	52·0	122·7	253·8	93	
1915	13·2	34·3	3·7	2·3	3·0	3·2	4·0	6·8	12·2	25·1	56·5	139·6	287·5	96	
1916	11·7	26·5	3·0	2·2	2·9	3·2	3·8	6·3	11·1	23·0	53·1	132·6	283·2	80	
1917	11·4	26·2	3·0	2·2	3·1	3·3	3·7	6·0	10·6	22·2	50·2	126·8	280·6	85	
1918	14·6	33·8	5·6	3·9	6·0	7·7	9·3	8·6	12·9	22·9	49·6	112·6	242·7	86	

* See Note * to Table 6.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 8.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1918.*—PERSONS.

Year.	Deaths of Persons per 1,000 living at subjoined ages.													Deaths of Infants under 1 year of age per 1,000 Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1918	18.4	57.1	5.8	3.4	7.5				16.0	29.7	62.2	136.4	282.8	142
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117
1911-15	13.8	37.2	3.3	2.1	2.9	3.5	4.5	7.4	13.3	27.0	58.5	131.6	262.4	110
1869	21.0	67.8	8.0	4.3	5.9	7.6	9.6	12.6	17.5	30.3	63.5	141.5	289.3	156
1870	21.6	69.6	8.6	4.5	6.2	7.8	9.8	12.8	17.6	31.2	64.8	145.5	302.0	160
1871	21.4	67.0	7.9	4.4	6.5	8.7	10.4	13.3	17.9	31.1	63.7	138.8	290.4	158
1872	20.2	63.0	6.7	4.1	6.1	8.1	9.8	12.8	17.2	29.4	60.7	131.6	277.8	150
1873	20.0	61.4	5.8	3.6	5.4	7.1	9.0	12.5	17.6	31.0	66.1	142.0	311.8	149
1874	21.1	66.6	7.3	3.9	5.5	7.4	9.4	13.2	18.3	32.3	66.2	139.5	302.6	151
1875	21.6	66.5	6.6	3.8	5.6	7.4	9.5	13.6	19.1	34.2	69.8	156.0	343.2	158
1876	19.9	62.4	6.1	3.6	5.2	7.0	8.8	12.7	17.5	31.0	62.4	136.2	293.0	146
1877	19.4	58.8	5.8	3.6	5.0	6.7	8.6	12.5	17.4	31.0	63.2	136.5	304.4	136
1878	20.5	66.2	6.4	3.6	5.0	6.5	8.4	12.4	17.6	32.0	65.3	146.8	328.5	152
1879	19.9	58.1	6.0	3.3	4.8	6.2	8.3	12.3	18.1	33.6	70.0	158.3	342.9	135
1880	19.5	64.2	6.2	3.3	4.7	6.0	7.7	11.5	16.8	30.4	62.7	136.5	288.8	153
1881	18.2	52.3	5.7	3.2	4.6	6.0	8.1	11.9	17.0	30.8	62.7	134.5	275.2	130
1882	18.8	53.9	6.1	3.3	4.7	5.9	8.1	11.7	17.0	30.5	61.2	130.8	267.9	141
1883	19.0	56.0	6.0	3.4	4.8	6.2	8.2	12.0	17.5	31.8	64.7	140.7	286.6	137
1884	19.0	59.9	5.8	3.3	4.6	6.0	7.9	11.7	17.3	30.4	62.6	133.5	263.6	147
1885	18.7	55.8	5.1	3.0	4.4	5.8	7.8	11.6	17.2	31.4	66.2	141.1	295.4	138
1886	19.0	59.3	4.8	2.9	4.4	5.5	7.4	11.2	17.0	31.8	67.5	143.8	316.0	149
1887	18.6	57.6	5.1	2.9	4.2	5.4	7.2	11.1	16.9	31.7	66.6	139.3	286.4	145
1888	17.7	52.9	4.7	2.8	4.0	5.3	7.0	10.8	16.7	30.9	65.3	136.2	283.1	136
1889	17.9	56.8	4.7	2.7	3.9	5.0	6.7	10.5	16.2	30.2	63.1	131.8	274.6	144
1890	19.3	58.1	5.0	2.9	4.2	5.4	7.5	12.0	18.7	34.4	69.2	143.9	291.4	151
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.5	32.2	66.5	134.6	258.5	159
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.2	42.8	3.4	2.1	2.9	3.5	4.5	7.3	13.0	26.2	56.5	124.5	246.6	130
1912	13.0	32.6	3.1	1.9	2.8	3.3	4.3	7.2	12.9	26.2	57.3	127.2	253.9	95
1913	13.5	36.5	3.1	1.9	2.6	3.3	4.2	7.3	13.2	26.8	57.4	127.6	251.9	108
1914	13.7	35.9	3.4	2.1	2.8	3.4	4.4	7.6	13.6	27.3	58.1	130.2	262.2	105
1915†	14.8	38.1	3.7	2.3	3.3	4.1	4.9	7.8	13.7	28.3	62.9	147.7	296.0	110
1916†	13.4	29.5	3.1	2.2	5.3				12.7	26.1	59.9	142.8	290.4	91
1917†	13.5	29.0	3.1	2.1	5.6				12.4	25.7	57.7	139.0	288.3	96
1918†	17.1	36.2	5.4	3.6	10.2				14.7	26.1	56.4	123.3	244.1	97

* See note * to Table 6.

† The death-rates in this column are standardized to the sex and age constitution of the population as enumerated in 1901.

‡ Civilians only.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.‡	1917.‡	1918.‡
All Causes	M	283206	267601	274233	269259	268714	265203	249016	272512	250232	261687	267359	292381	265030	262215	314704
	F	266578	252430	257048	254962	251742	252800	234231	255298	236707	243288	249383	269872	243187	236707	297157
	P	549784	520031	531281	524221	520456	518003	483247	527810	486939	504975	516742	562253	508217	498922	611861
PRINCIPAL SUM-MARIZED HEADINGS.																
Small-pox	M	312	63	9	6	7	18	14	13	4	6	2	7	11	3	1
	F	195	53	12	4	5	3	5	10	5	4	2	6	7	—	1
	P	507	116	21	10	12	21	19	23	9	10	4	13	18	3	2
Diarrhoeal diseases... (104 and 105, 1911 list approx.)*	M	20130	14731	21024	9390	14446	9444	9946	24848	6290	14103	12773	10981	7895	7087	6531
	F	17723	12776	18748	7893	12433	8024	8217	21707	5096	11634	10458	8884	6580	5966	5388
	P	37853	27507	39772	17283	26879	17468	18163	46555	11386	25737	23231	19865	14475	13053	11919
Venereal diseases	M	1034	1020	961	968	949	986	971	1060	1115	1209	1248	1108	1171	1276	1195
	F	837	825	801	725	788	738	703	820	787	903	925	805	806	891	842
	P	1871	1845	1762	1693	1737	1724	1674	1880	1902	2112	2173	1913	1977	2167	2037
Puerperal septic diseases...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1654	1734	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267	1153	931	896
	P	1654	1734	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267	1153	931	896
Pneumonia (all forms) ...	M	24219	25068	23626	26413	23671	25734	22541	21605	21323	21495	22961	27907	21835	23658	33487
	F	19153	19299	18199	20554	18108	20374	17219	16152	16101	16120	17153	21060	16219	16265	26298
	P	43372	44367	41825	46967	41779	46108	39760	37757	37424	37615	40114	48967	38054	39923	59785
Septicæmia, pyæmia	M	305	356	348	366	335	291	238	299	317	286	352	346	270	268	271
	F	216	257	285	238	225	199	180	164	187	179	201	199	172	147	162
	P	521	613	633	604	560	490	418	463	504	465	553	545	442	415	433
Phthisis (28 and 29A, 1911 list.)	M	23850	22226	22645	22647	22423	21936	20530	21575	21154	20596	21412	23156	22848	23274	24369
	F	18001	16724	17101	17192	17076	16703	15804	16819	16106	15599	16414	17626	17918	19058	20967
	P	41851	38950	39746	39839	39499	38639	36334	38394	37260	36195	37826	40782	40766	42332	45336
Tuberculosis (all forms) ...	M	33552	31005	31449	31166	31182	30216	28458	29207	27801	27649	28071	30332	29724	30357	31025
	F	26653	24754	25392	24935	24898	24209	22859	23881	22243	21815	22214	23940	24131	25574	27046
	P	60205	55759	56841	56101	56080	54425	51317	53088	50044	49464	50285	54272	53855	55931	58071
Cancer (all forms)... ..	M	12086	12470	13257	13199	13901	14263	14843	15589	16188	16918	17363	17421	17787	18145	18078
	F	17596	17751	18411	18546	18816	19790	19764	20313	21135	22021	22154	22426	22843	23013	23149
	P	29682	30221	31668	31745	32717	34053	34607	35902	37323	38939	39517	39847	40630	41158	41227
Diseases of nervous system (excluding cerebral hemorrhage, apoplexy, hemiplegia).	M	21378	19623	19636	18401	18456	17907	16624	16781	15164	15211	15197	15743	14857	14926	13997
	F	17071	16072	15778	15287	14851	14306	13487	13378	12050	12352	12044	12423	11417	11220	10696
	P	38449	35695	35414	33688	33307	32213	30111	30159	27214	27563	27241	28166	26274	26146	24693
Diseases of heart	M	23297	22691	25376	24265	23918	24089	23355	23539	24544	25738	25971	29471	28457	27358	25659
	F	26400	25625	25385	26703	25973	26829	25369	25933	27498	27919	29136	31737	30986	29210	27448
	P	49697	48316	48761	50968	49891	50918	48724	49472	52042	53657	55107	61208	59443	56568	53107
Diseases of blood vessels (including cerebral hemorrhage, apoplexy, hemiplegia).	M	13809	13719	14254	14814	15114	15665	15270	16308	17510	18547	19396	20536	19933	20530	18894
	F	15254	14809	15797	16140	16222	16935	16458	17784	18722	19520	20426	21415	20523	20767	19795
	P	29063	28528	30051	30954	31336	32600	31728	34092	36232	38067	39822	41951	40456	41297	38689
Diseases of respiratory sys- tem (including croup but excluding pneumonia).	M	25129	23458	21814	24853	23031	23817	21013	21829	23141	23167	23484	29386	25351	25425	24504
	F	25118	23391	21543	25119	23124	24906	20339	21500	23238	22397	23482	29092	24502	23366	23119
	P	50247	46849	43357	49972	46155	48723	41352	43329	46379	45564	46966	58478	49853	48791	47623
Diseases of liver and gall bladder.	M	3113	3032	2999	2920	2806	2873	2564	2582	2586	2717	2841	2650	2383	2002	1636
	F	3035	3061	3013	3904	2759	2618	2543	2685	2595	2739	2807	2558	2173	1693	1436
	P	6148	6093	6012	5924	5565	5491	5107	5267	5181	5456	5648	5208	4556	3695	3072
Diseases of digestive sys- tem.†	M	14756	13625	15213	13435	14379	13942	13667	17148	13027	15776	16058	15706	14180	13201	12409
	F	14629	13911	14646	13266	14036	13095	13173	16218	12099	14481	14805	14241	12877	12125	11570
	P	29385	27536	29859	26701	28415	27037	26840	33366	25126	30257	30863	29947	27057	25326	23979
Nephritis and Bright's disease.	M	7129	6887	7214	7417	7349	7601	7427	7637	7823	8373	8401	8758	8112	8088	7326
	F	5999	5888	6138	6460	6411	6739	6520	6892	6967	7227	7511	7568	6810	6452	6036
	P	13128	12775	13352	13877	13760	14340	13947	14529	14790	15600	15912	16326	14922	14540	13362
Diseases of generative and mammary organs.	M	73	53	62	48	41	50	66	70	79	88	122	96	78	105	68
	F	1115	1194	1136	1114	1018	1015	950	1074	992	987	1005	1036	1078	1037	1001
	P	1188	1247	1198	1162	1059	1065	1016	1144	1071	1075	1127	1132	1156	1142	1069
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2013	2171	2117	2055	1966	950	1917	1897	2012	2087	2040	1943	1885	1515	1457
	P	2013	2171	2117	2055	1966	1950	1917	1897	2012	2087	2040	1943	1885	1515	1457
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3667	3905	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210	3038	2446	2353
	P	3667	3905	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210	3038	2446	2353
Causes ill-defined or not specified.	M	24490	23364	23906	23060	23307	23051	21499	22916	20087	19944	19007	19458	18702	17765	15835
	F	26959	25662	26623	25919	25912	26159	24452	25963	23242	22461	21668	23394	21779	20772	18609
	P	51449	49026	50529	48979	49219	49210	45951	48879	43329	42405	40675	42852	40481	38537	34444
Violent deaths	M	13618	13665	13670	13677	14017	13217	13125	14445	13922	13810	15473	17007	18446	17073	17542
	F	5799	5772	5903	5917	6109	5926	5598	6002	5989	5932	5967	6319	6180	6076	5439
	P	19417	19437	19573	19594	20126	19143	18723	20447	19911	19742	21440	23326	24626	23149	22981

* See note to Diarrhoea due to Food.
† Including some of the headings classed under Diarrhoeal diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic) and Gastro-enteritis.
‡ Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.		Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
DETAILED HEADINGS.																	
Small-pox (For total Small-pox see page cxviii.)	Vaccinated ...	M	56	13	—	2	—	4	3	1	2	—	—	3	3	3	1
		F	19	10	—	—	—	1	—	2	2	2	1	2	2	—	—
		P	75	23	—	2	—	5	3	3	4	2	1	5	5	3	1
	Not Vaccinated.	M	76	7	1	1	—	4	1	4	2	5	1	4	6	—	—
		F	48	13	—	1	—	2	1	5	3	2	1	2	4	—	—
		P	124	20	1	2	—	6	2	9	5	7	2	6	10	—	—
	Doubtful ...	M	180	43	8	3	7	10	10	8	—	1	1	—	2	—	—
		F	128	30	12	3	5	—	4	3	—	—	—	2	1	—	—
		P	308	73	20	6	12	10	14	11	—	1	1	2	3	—	—
Cow-pox and other effects of vaccination.		M	17	11	12	7	4	4	3	10	5	3	3	9	3	7	4
	F	11	15	17	5	9	7	5	4	4	5	4	3	2	1	2	1
	P	28	26	29	12	13	11	8	14	10	7	6	11	4	9	5	5
Chicken-pox ...		M	55	52	67	68	43	52	55	43	40	44	61	39	34	36	24
	F	49	41	39	52	50	42	42	37	36	39	61	53	31	33	30	30
	P	104	93	106	120	93	94	97	80	76	83	122	92	65	69	54	54
Measles (Morbilli) ...		M	6313	5623	4748	6578	4135	6466	4305	6861	6652	5567	4701	8583	2881	5564	5147
	F	5993	5453	4696	6047	3876	6152	3997	6267	6203	5077	4443	7862	2532	4974	4640	4640
	P	12306	11076	9444	12625	8011	12618	8302	13128	12855	10644	9144	16445	5413	10538	9787	9787
German measles ...		M	19	18	14	25	11	21	7	11	10	13	13	32	49	68	44
	F	16	20	11	22	11	18	8	10	15	16	11	48	33	47	25	25
	P	35	38	25	47	22	39	15	21	25	29	24	80	82	115	69	69
Scarlet fever ...		M	1895	1917	1793	1644	1401	1662	1181	940	985	1060	1396	1226	696	398	507
	F	1875	1917	1682	1576	1426	1553	1189	952	1010	1040	1447	1180	685	370	513	513
	P	3770	3834	3475	3220	2827	3215	2370	1892	1995	2100	2843	2406	1381	768	1020	1020
Typhus ...		M	20	19	5	13	8	11	5	4	7	2	2	5	4	1	2
	F	17	19	4	11	5	4	—	6	5	—	2	2	4	—	—	1
	P	37	38	9	24	13	15	5	10	12	2	4	9	4	1	3	3
Plague ...		M	1	1	—	—	1	—	2	—	3	—	2	—	4	4	2
	F	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	2
	P	1	1	—	—	1	—	5	—	—	3	—	3	—	5	4	4
Relapsing fever ...		M	—	1	1	—	2	—	1	—	—	—	1	1	1	—	—
	F	2	2	—	1	1	—	—	1	—	—	—	—	—	—	—	—
	P	2	3	1	1	3	—	—	2	—	—	—	1	1	1	—	—
Influenza ...		M	2782	3387	3124	4431	4842	4300	3253	2224	2678	3357	3095	5220	4276	3720	53864
	F	2912	3566	3186	4826	5270	4692	3251	2110	2674	3030	2858	5251	4506	3563	58446	58446
	P	5694	6953	6310	9257	10112	8992	6504	4334	5352	6387	5953	10471	8782	7283	112310	112310
Whooping cough ...		M	5260	3954	3717	4501	4339	3137	3862	3412	3729	2411	3596	3694	2681	1908	4391
	F	6649	4755	4596	5754	5512	4045	4935	4432	4678	3047	4444	4449	3394	2601	5506	5506
	P	11909	8709	8313	10255	9851	7182	8797	7844	8407	5458	8040	8143	6075	4509	9897	9897
Mumps ...		M	50	52	53	54	49	45	55	44	25	39	51	29	42	34	38
	F	58	46	57	64	64	48	48	59	47	21	22	53	31	31	29	42
	P	108	98	110	118	113	93	114	91	46	61	104	60	73	63	80	80
Diphtheria ...		M	2825	2626	2933	2785	2729	2521	2022	2429	2092	2150	2886	2852	2618	2191	2321
	F	2938	2830	3175	2947	2840	2714	2262	2469	2197	2292	2958	3004	2740	2283	2477	2477
	P	5763	5456	6108	5732	5569	5235	4284	4898	4289	4442	5844	5856	5358	4474	4798	4798
Cerebro-spinal fever ...		M	43	71	34	101	67	63	70	81	80	80	109	1347	845	1107	571
	F	38	56	37	60	49	67	62	53	62	62	83	85	627	369	424	241
	P	81	127	71	161	116	130	132	134	142	142	163	194	1974	1214	1531	812
Pyrexia (origin uncertain)		M	30	23	10	19	10	8	5	8	7	7	3	4	10	3	4
	F	37	30	19	20	16	5	5	7	6	6	4	6	1	5	3	8
	P	67	53	29	39	26	13	12	12	14	13	11	9	5	15	6	12
Enteric fever ...		M	1837	1750	1840	433	1617	1270	1047	1419	926	907	1016	822	633	511	458
	F	1316	1302	1329	971	1034	872	842	997	997	674	598	689	566	489	466	492
	P	3153	3052	3169	2344	2651	2142	1889	2416	2416	1600	1505	1705	1388	1122	977	950
Asiatic cholera ...		M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhoea due to food * ...		M	58	111	173	125	159	152	137	?	?	?	?	?	?	?	?
	F	47	100	131	92	137	122	122	114	?	?	?	?	?	?	?	?
	P	105	211	304	217	296	274	274	251	?	?	?	?	?	?	?	?

* The increase under this heading since 1904 is partly due to the inclusion of deaths from diarrhoea in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.

† Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
Infective enteritis, Epidemic diarrhoea.*	M	8991	6279	9620	2751	5443	2618	2975	11334	1428	4979	4413	3512	1953	1706	1560
	F	8003	5294	8581	2319	4729	2245	2432	9885	1191	4273	3643	2791	1701	1456	1318
	P	16994	11573	18201	5070	10172	4863	5407	21219	2619	9252	8056	6303	3654	3162	2878
Diarrhoea (not otherwise defined). (For Diarrhoeal diseases—1911 List—see page cxviii.)	M	6558	4523	6156	2790	4173	2628	2626	6383	1336	3405	2822	2323	1765	1535	1364
	F	5804	4011	5606	2348	3555	2313	2220	5678	1213	2838	2402	1950	1500	1385	1206
	P	12362	8534	11762	5138	7728	4941	4846	12061	2549	6243	5224	4273	3265	2920	2570
Dysentery	M	171	121	150	124	139	115	125	136	92	112	118	338	319	527	485
	F	127	95	146	109	107	135	118	164	102	117	157	274	229	370	353
	P	298	216	296	233	246	250	243	300	194	229	275	612	548	897	838
Tetanus	M	192	188	200	176	139	167	153	158	145	146	160	127	133	147	126
	F	65	60	54	50	41	63	44	45	47	43	37	29	33	32	30
	P	257	248	254	226	180	230	197	203	192	189	197	156	166	179	156
Malaria	M	95	71	55	62	49	69	44	52	49	49	56	55	59	122	188
	F	11	8	15	6	7	11	7	6	9	9	4	10	3	4	9
	P	106	79	70	68	56	80	51	58	58	58	60	65	62	126	197
Rabies, Hydrophobia ...	M	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Glanders	M	4.	5	1	4	7	4	1	3	—	2	2	—	3	—	—
	F	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	P	4	6	1	4	7	4	1	3	—	2	3	—	3	—	—
Anthrax (Splenic fever) ...	M	18	17	22	14	12	15	11	12	9	8	13	23	24	20	10
	F	2	7	4	1	1	—	4	3	—	2	—	1	4	2	2
	P	20	24	26	15	13	15	15	15	9	10	13	24	28	22	12
Syphilis	M	1009	1002	937	952	939	968	957	1052	1093	1187	1235	1090	1153	1252	1171
	F	825	809	781	706	763	717	682	798	768	882	911	794	791	875	823
	P	1834	1811	1718	1658	1702	1685	1639	1850	1861	2069	2146	1884	1944	2127	1994
Gonorrhoea. (For total Venereal diseases, see page cxviii)	M	25	18	24	16	10	18	14	8	22	22	13	18	18	24	24
	F	12	16	20	19	25	21	21	22	19	21	14	11	15	16	19
	P	37	34	44	35	35	39	35	30	41	43	27	29	33	40	43
Puerperal septicaemia, Puerperal septic intoxication.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1249	1307	1225	1056	1030	1063	967	1017	922	876	1101	929	870	722	721
	P	1249	1307	1225	1056	1030	1063	967	1017	922	876	1101	929	870	722	721
Puerperal pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	38	51	66	111	92	104	91	87	109	87	106	99	73	80	57
	P	38	51	66	111	92	104	91	87	109	87	106	99	73	80	57
Phlegmasia alba dolens ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	94	103	102	84	83	72	55	72	64	65	57	50	64	43	42
	P	94	103	102	84	83	72	55	72	64	65	57	50	64	43	42
Puerperal fever (not otherwise defined). (For total Puerperal septic diseases and for total diseases of pregnancy and childbirth, see page cxviii.)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	273	273	247	214	190	190	161	163	192	156	165	189	146	86	76
	P	273	273	247	214	190	190	161	163	192	156	165	189	146	86	76
Infective endocarditis ...	M	203	208	230	212	251	253	246	267	308	284	328	250	264	259	273
	F	199	217	230	261	270	273	276	323	316	312	323	284	251	263	274
	P	402	425	460	473	521	526	522	590	624	596	651	534	515	522	547
Pneumonia. (For all forms) see page cxviii.)	M	2345	2982	3117	3341	3030	3719	3373	4681	4870	4961	5542	6462	5390	5897	8040
	F	1546	1905	1874	2044	1788	2353	1904	2802	2928	2950	3297	4113	3321	3232	5184
	P	3891	4887	4991	5385	4818	6072	5277	7483	7798	7911	8839	10575	8711	9129	13224
Pneumonia. (For all forms) see page cxviii.)	M	10345	10022	9057	11237	10270	10349	9308	8910	9052	9395	10018	12449	9224	10068	13413
	F	9100	8783	8219	10080	8764	9446	8239	7854	8311	8352	8767	10780	7938	8294	11943
	P	19445	18805	17276	21317	19034	19795	17547	16764	17363	17747	18785	23229	17162	18362	25356
Pneumonia. (For all forms) see page cxviii.)	M	—	3	4	2	3	9	6	?	?	?	?	?	?	?	?
	F	—	1	2	4	1	2	3	?	?	?	?	?	?	?	?
	P	—	4	6	6	4	11	9	?	?	?	?	?	?	?	?
Pneumonia. (For all forms) see page cxviii.)	M	11529	12061	11448	11833	10368	11657	9854	8014	7401	7139	7401	8996	7221	7693	12034
	F	8507	8610	8104	8426	7555	8573	7073	5496	4862	4818	5089	6167	4960	4739	9171
	P	20036	20671	19552	20259	17923	20230	16927	13510	12263	11957	12490	15163	12181	12432	21205
Erysipelas	M	622	646	642	541	443	523	433	480	486	432	585	586	403	303	326
	F	584	609	564	492	393	490	393	491	410	366	542	486	340	285	283
	P	1206	1255	1206	1033	836	1013	826	971	896	798	1127	1072	743	588	609
Septicæmia, Septic intoxication (not puerperal).	M	204	221	235	273	251	210	173	217	248	234	281	275	224	221	207
	F	160	182	204	169	165	159	127	130	142	135	157	161	139	122	119
	P	364	403	439	442	416	369	300	347	390	369	438	436	363	343	326
Pyæmia (not puerperal). For total Septicæmia and Pyæmia, see page cxviii.)	M	101	135	113	93	84	81	65	82	69	52	71	71	46	47	64
	F	56	75	81	69	60	40	53	34	45	44	44	38	33	25	43
	P	157	210	194	162	144	121	118	116	114	96	115	109	79	72	107

* Including deaths from Diarrhoea due to food from 1911 onwards.
† From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.
‡ Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
Phlegmon, Carbuncle (not anthrax).	M	456	468	511	471	436	494	422	438	447.	423	521	509	441	499	498
	F	257	310	325	302	261	325	275	280	257	278	322	317	303	271	287
	P	713	778	836	773	697	819	697	718	704	701	843	826	744	770	785
Phagedæna	M	14	27	11	19	10	14	3	—	1	—	—	1	1	—	—
	F	12	25	13	10	21	14	2	—	—	1	1	2	1	3	—
	P	26	52	24	29	31	28	5	—	1.	1	1	3	2	3	—
Other infective processes ...	M	78	104	130	136	131	151	145	158	113	147	140	142	107	110	111
	F	52	94	91	77	67	91	59	69	50	73	68	77	68	57	49
	P	130	198	221	213	198	242	204	227	163	220	208	219	175	167	160
Pulmonary tuberculosis (tuberculous phthisis).	M	9701	9981	10804	11299	11756	12111	11992	13335	14092	14350	15143	16497	17088	17510	19000
	F	6685	6961	7580	8069	8436	8545	8800	9937	10465	10544	11394	12414	12917	14089	15907
	P	16386	16942	18384	19368	20192	20656	20792	23272	24557	24894	26537	28911	30005	31599	34907
Phthisis (not otherwise defined). (<i>For Phthisis (28 & 29a), see page cæviii.</i>)	M	14149	12245	11841	11348	10667	9825	8538	8240	7062	6246	6269	6659	5760	5764	5369
	F	11316	9763	9521	9123	8640	8158	7004	6882	5641	5055	5020	5212	5001	4969	5060
	P	25465	22008	21362	20471	19307	17983	15542	15122	12703	11301	11289	11871	10761	10738	10429
Tuberculous meningitis ...	M	3359	3187	3117	3090	3057	2955	2889	2705	2578	2676	2482	2788	2590	2557	2283
	F	3030	2896	2987	2795	2811	2819	2582	2540	2423	2340	2185	2541	2390	2439	2096
	P	6389	6083	6104	5885	5868	5774	5471	5245	5001	5016	4667	5329	4980	4996	4379
Tuberculous peritonitis ...	M	1994	1798	1925	1787	1924	1833	1820	1718	1384	1634	1500	1635	1484	1573	1469
	F	1921	1805	1932	1745	1859	1689	1734	1645	1348	1538	1450	1520	1602	1560	1456
	P	3915	3603	3857	3532	3783	3522	3554	3363	2732	3172	2950	3155	3086	3133	2925
Tabes mesenterica	M	1064	784	660	531	554	488	424	421	269	338	284	263	238	224	173
	F	834	613	578	438	440	389	367	368	245	249	223	197	168	180	142
	P	1898	1397	1238	969	994	877	791	789	514	587	507	460	406	404	315
Lupus	M	28	23	22	28	18	23	15	13	17	10	16	19	25	27	23
	F	38	57	62	50	38	56	46	43	44	34	37	27	47	66	51
	P	66	80	84	78	56	79	61	56	61	44	53	46	72	93	74
Tubercle of other organs...	M	957	935	1022	957	978	1060	1243	896	881	842	873	852	977	1032	1066
	F	705	713	787	752	646	808	945	772	643	714	617	704	678	768	888
	P	1662	1648	1809	1709	1624	1868	2188	1668	1524	1556	1490	1556	1655	1800	1954
General tuberculosis ...	M	2253	2015	2033	2117	2209	1908	1523	1874	1515	1545	1498	1615	1555	1667	1641
	F	2062	1906	1921	1944	2022	1731	1361	1686	1427	1335	1279	1315	1315	1497	1444
	P	4315	3921	3954	4061	4231	3639	2884	3560	2942	2880	2777	2930	2870	3164	3085
Scrofula. (<i>For Tuberculosis (all forms), see page cæviii.</i>)	M	47	37	25	9	19	13	14	5	3	8	6	4	7	3	1
	F	62	40	24	19	6	14	20	8	7	6	9	10	13	6	2
	P	109	77	49	28	25	27	34	13	10	14	15	14	20	9	3
Parasitic diseases	M	164	143	176	139	130	120	103	135	97	116	111	86	83	71	66
	F	145	102	128	102	116	102	75	120	96	97	74	76	65	51	44
	P	309	245	304	241	246	222	178	255	193	213	185	162	148	122	110
Starvation	M	17	17	14	15	11	11	22	14	16	17	23	25	16	18	12
	F	13	4	12	6	4	11	7	5	15	6	6	13	15	12	1
	P	30	21	26	21	15	22	29	19	31	23	29	38	31	30	13
Scurvy	M	21	21	26	21	25	26	25	22	9	21	13	13	22	21	16
	F	23	27	25	20	25	21	19	23	17	22	10	20	17	16	29
	P	44	48	51	41	50	47	44	45	26	43	23	33	39	37	45
Alcoholism, Delirium tremens.	M	1396	1297	1341	1328	1112	998	862	990	964	1093	1150	870	646	383	244
	F	962	914	940	873	825	673	628	637	686	800	819	681	408	265	95
	P	2358	2211	2281	2201	1937	1671	1490	1627	1650	1893	1969	1551	1054	648	339
Opium, Morphia habit ...	M	6	4	5	5	3	8	4	6	9	6	7	11	11	8	4
	F	4	9	4	7	7	13	6	7	5	5	4	10	9	5	5
	P	10	13	9	12	10	21	10	13	14	11	11	21	20	13	9
Industrial poisoning. {	M	83	76	70	89	102	88	80	106	106	80	79	68	54	49	35
	F	4	2	4	3	3	3	6	4	—	1	—	—	1	2	1
	P	87	78	74	92	105	91	86	110	106	81	79	68	55	51	36
	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	1	—	—	1	—	—	—	—	2	4	—	4	24	8	4
	M	1	1	2	1	1	1	—	2	6	—	4	8	58	43	10
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	1	1	2	1	1	1	—	—	—	—	—	—	—	—	—
Rheumatic fever, Acute rheumatism.	M	894	1016	1090	967	871	961	793	905	916	840	966	1030	877	673	723
	F	894	1105	1129	1057	934	1009	887	1060	1051	930	1094	1121	1009	783	797
	P	1788	2121	2219	2024	1805	1970	1680	1965	1967	1770	2060	2151	1886	1456	1520
Rheumatism of heart* ...	M	240	158	137	181	156	149	134	?	?	?	?	?	?	?	?
	F	346	196	196	234	207	208	184	?	?	?	?	?	?	?	?
	P	586	354	333	415	363	357	318	?	?	?	?	?	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

† Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Chronic rheumatism ...	M	222	165	146	172	195	167	140	152	148	170	182	186	208	217	185
	F	266	272	246	268	249	271	231	243	210	226	241	294	325	258	266
	P	488	437	392	440	444	438	371	395	358	396	423	480	533	475	451
Rheumatoid arthritis, Rheumatic gout.	M	275	253	259	299	245	295	294	309	318	312	325	419	373	408	382
	F	669	645	692	682	715	793	746	791	834	888	889	1034	1079	1030	1129
	P	944	898	951	981	960	1088	1040	1100	1152	1200	1214	1453	1452	1438	1511
Gout	M	405	326	366	362	333	320	307	324	275	302	287	305	279	248	199
	F	95	89	95	88	83	81	76	62	78	76	65	92	60	52	43
	P	500	415	461	450	416	401	383	386	353	378	352	397	339	300	242
Carcinoma	M	6128	6423	6963	6895	7476	7794	8370	9121	9954	10490	10994	10947	11146	11612	11458
	F	9404	9656	10202	10715	10907	11719	11950	12472	13543	14619	14797	14908	15272	15193	15622
	P	15532	16079	17165	17610	18383	19513	20320	21593	23497	25109	25791	25855	26418	26805	27080
Sarcoma	M	893	949	987	1034	1054	1073	1116	1223	1190	1273	1214	1245	1153	1176	1228
	F	860	838	908	813	842	901	957	923	971	1007	1015	969	936	943	947
	P	1753	1787	1895	1847	1896	1974	2073	2146	2161	2280	2229	2214	2089	2119	2175
Cancer, Malignant disease (not otherwise defined). (For Cancer (all forms), see page cxxviii.)	M	5065	5098	5307	5270	5371	5396	5357	5245	5044	5155	5155	5229	5488	5357	5392
	F	7332	7257	7301	7018	7067	7170	6857	6918	6621	6395	6342	6549	6635	6877	6580
	P	12397	12355	12608	12288	12438	12566	12214	12163	11665	11550	11497	11778	12123	12234	11972
Rickets	M	1076	791	778	707	697	664	617	543	434	560	528	524	508	483	387
	F	746	607	599	552	492	454	444	439	318	380	382	335	389	386	341
	P	1822	1398	1377	1259	1189	1118	1061	982	752	940	910	859	897	869	728
Purpura	M	129	130	110	145	148	159	147	164	117	171	153	156	138	169	134
	F	164	130	140	157	145	153	155	150	183	141	163	186	170	151	143
	P	293	260	250	302	293	312	302	314	300	312	316	342	308	320	277
Hæmophilia, Hæmorrhagic diathesis.	M	59	47	46	57	57	58	62	69	78	69	65	77	62	65	40
	F	27	40	38	46	24	33	23	33	44	34	44	35	37	31	26
	P	86	87	84	103	81	91	85	102	122	103	109	112	99	96	66
Anæmia, Leucocythæmia ...	M	786	840	894	1004	968	997	1115	1038	1087	1146	1237	1348	1308	1276	1187
	F	1057	1090	1156	1186	1207	1219	1304	1312	1382	1426	1575	1666	1671	1650	1357
	P	1843	1930	2050	2190	2175	2216	2419	2350	2469	2572	2812	3014	2979	2926	2544
Diabetes mellitus	M	1612	1708	1736	1738	1842	1898	1982	1936	2064	2122	2250	2335	2315	1929	1790
	F	1521	1466	1606	1622	1768	1800	1955	1917	1987	2187	2255	2323	2227	1887	1778
	P	3133	3174	3342	3360	3610	3698	3937	3853	4051	4309	4505	4658	4542	3816	3568
Premature birth	M	11097	10422	10767	10206	10553	10207	9816	9939	9670	9794	9724	8715	8282	7169	7426
	F	8530	8449	8294	8013	8118	8003	7758	7770	7449	7860	7620	6716	6345	5578	5709
	P	19627	18871	19061	18219	18671	18210	17574	17709	17119	17654	17344	15431	14627	12747	13135
Congenital hydrocephalus	M	252	245	211	179	223	203	175	182	182	216	227	208	201	188	181
	F	165	119	166	150	156	126	127	146	116	135	127	148	139	145	125
	P	417	364	377	329	379	329	302	328	298	351	354	356	340	333	306
Other congenital defects ...	M	2391	2493	2579	2547	2661	2517	2538	2469	2468	2668	2582	2532	2433	2051	1854
	F	1923	1999	2084	1973	2075	2084	1953	1972	1899	2030	2049	1981	1912	1708	1476
	P	4314	4492	4663	4520	4736	4601	4491	4441	4367	4698	4631	4513	4345	3759	3330
Injury at birth	M	464	418	521	485	585	566	484	519	571	637	649	553	538	477	382
	F	308	291	345	331	357	390	362	385	366	426	402	377	366	291	278
	P	772	709	866	816	942	956	846	904	937	1063	1051	930	904	768	660
Atelectasis	M	753	830	856	915	916	874	874	854	858	936	909	820	718	622	569
	F	574	614	602	638	681	632	679	637	607	610	614	530	516	452	406
	P	1327	1444	1458	1553	1597	1506	1553	1491	1465	1546	1523	1350	1234	1074	975
Want of breast milk	M	383	379	439	434	447	384	296	305	248	319	248	312	212	226	166
	F	311	282	322	322	331	285	245	248	154	215	225	195	149	146	111
	P	694	661	761	756	778	669	541	553	402	534	473	507	361	372	277
Teething	M	1593	1288	1201	1169	1078	994	896	774	664	810	719	857	713	590	521
	F	1382	1055	974	919	905	775	704	681	570	678	624	691	566	490	490
	P	2975	2343	2175	2088	1983	1769	1600	1455	1234	1488	1343	1548	1279	1080	1011
Meningitis, Inflammation of brain.	M	3404	3233	3301	2880	3016	2902	2653	2931	2228	2320	2377	2406	1998	1902	1849
	F	2897	2801	2696	2549	2500	2442	2353	2481	1925	2079	2025	2031	1743	1596	1597
	P	6301	6034	5997	5429	5516	5344	5006	5412	4153	4399	4402	4437	3741	3498	3446
Softening of brain	M	1209	1094	1156	1158	1183	1105	1075	951	792	720	703	714	633	657	562
	F	1057	1088	1073	1121	1147	1023	1002	966	817	738	745	747	645	662	594
	P	2266	2182	2229	2279	2330	2128	2077	1917	1609	1458	1448	1461	1278	1319	1156
General paralysis of insane	M	1802	1738	1772	1775	1713	1817	1723	1751	1799	1724	1820	1818	1727	1940	1729
	F	578	549	568	557	504	546	490	435	458	399	423	428	368	422	341
	P	2380	2287	2340	2332	2217	2363	2213	2186	2257	2123	2243	2246	2095	2362	2070
Insanity (not puerperal) ...	M	866	888	952	960	941	995	940	1060	1119	991	985	1134	1166	1517	1458
	F	1060	1181	1200	1249	1227	1176	1151	1421	1442	1293	1384	1496	1525	1633	1632
	P	1926	2069	2152	2209	2168	2171	2091	2481	2561	2284	2369	2630	2691	3150	3090

* Including deaths of non-civilians.

TABLE 9—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
Chorea	M	33	36	37	38	41	38	31	37	38	33	36	43	26	19	26
	F	90	115	118	117	91	132	106	92	114	111	140	110	90	58	59
	P	123	151	155	155	132	170	137	129	152	144	176	153	116	77	85
Epilepsy	M	1557	1496	1482	1458	1382	1472	1396	1404	1434	1440	1521	1647	1763	2047	1945
	F	1357	1402	1315	1342	1304	1342	1286	1224	1323	1297	1289	1427	1479	1581	1570
	P	2914	2898	2797	2800	2686	2814	2682	2628	2757	2737	2810	3074	3242	3628	3515
Convulsions... ..	M	8419	7377	7101	6545	6568	5890	5315	5081	4453	4555	4155	4152	3607	3211	2890
	F	6288	5556	5427	5017	4936	4425	4081	3770	3174	3478	3024	3071	2558	2396	2142
	P	14767	12933	12528	11562	11504	10315	9396	8851	7627	8033	7179	7223	6165	5607	5032
Laryngismus stridulus ...	M	220	222	180	191	231	150	126	140	129	136	157	152	131	92	77
	F	178	142	125	124	112	120	110	103	53	103	94	91	81	97	64
	P	398	364	305	315	343	270	236	243	182	239	251	243	212	189	141
Locomotor ataxy	M	411	448	463	461	477	496	485	529	542	615	600	624	684	641	581
	F	103	102	99	123	106	123	95	105	122	117	120	110	101	116	103
	P	514	550	562	584	583	619	580	634	664	732	720	734	785	757	684
Paraplegia, Diseases of cord	M	1205	1115	1113	1030	1110	1156	1152	1122	999	946	1056	1108	1117	1021	1071
	F	988	960	962	953	1003	948	949	863	787	874	898	908	928	904	883
	P	2193	2075	2075	1983	2118	2104	2101	1985	1786	1820	1954	2016	2045	1925	1954
Neuritis, Peripheral, Poly- neuritis.	M	125	103	128	140	132	126	113	121	92	116	122	139	94	101	69
	F	291	284	323	335	264	281	264	300	254	273	261	231	170	120	82
	P	416	387	451	475	396	407	377	421	346	389	383	370	264	221	151
Brain tumour (not specific)	M	330	357	383	383	371	392	403	360	397	395	452	508	527	472	422
	F	334	341	361	370	366	377	401	318	375	414	454	500	487	448	431
	P	664	698	744	753	737	769	804	678	772	809	906	1008	1014	920	853
Other diseases of nervous system. (For total dis- eases of nervous system, see page cxviii.)	M	1797	1516	1568	1382	1291	1368	1212	1294	1142	1220	1213	1298	1384	1306	1318
	F	1850	1551	1511	1430	1286	1371	1199	1300	1206	1176	1187	1273	1242	1187	1198
	P	3647	3067	3079	2812	2577	2739	2411	2594	2348	2396	2400	2571	2626	2493	2516
Otitis, Mastoid disease ...	M	618	624	648	601	578	647	579	601	581	673	660	700	656	584	523
	F	440	491	494	507	455	444	439	518	446	478	567	519	481	436	420
	P	1058	1115	1142	1108	1033	1091	1018	1119	1027	1151	1227	1219	1137	1020	943
Epistaxis, Diseases of nose	M	49	41	41	27	38	40	35	51	54	58	58	42	47	41	40
	F	31	43	26	39	35	41	35	67	40	48	55	43	31	34	30
	P	80	84	67	66	73	81	70	118	94	106	113	85	78	75	70
Ophthalmia, Diseases of eye	M	27	29	38	26	23	33	25	48	42	37	46	49	45	64	50
	F	30	32	37	34	19	21	37	47	32	40	52	32	37	42	24
	P	57	61	75	60	42	54	62	95	74	77	98	81	82	106	74
Valvular disease, Endocar- ditis (not infective)*.	M	6683	6816	7176	7454	7611	7799	7726	8310	9612	10369	10720	12074	12057	12078	11589
	F	7874	8031	8294	8872	8752	9236	9043	9948	11524	11936	12790	13907	13641	13360	13085
	P	14557	14847	15470	16326	16363	17035	16769	18258	21136	22305	23510	25981	25698	25438	24674
Pericarditis	M	226	230	237	273	237	224	247	309	269	251	262	277	217	187	204
	F	190	225	192	208	195	186	199	235	211	176	195	223	188	160	147
	P	416	455	429	481	432	410	446	544	480	427	457	500	405	347	351
Hypertrophy of heart† ...	M	149	137	152	149	181	135	141	?	?	?	?	?	?	?	?
	F	102	85	84	75	85	85	59	?	?	?	?	?	?	?	?
	P	251	222	236	224	266	220	200	?	?	?	?	?	?	?	?
Angina pectoris	M	504	532	576	612	617	629	716	711	738	772	785	847	721	637	640
	F	249	307	313	330	312	328	294	349	352	352	394	407	341	325	284
	P	753	839	889	942	929	957	1010	1060	1090	1124	1179	1254	1062	962	924
Dilatation of heart† ...	M	1430	1478	1551	1742	1670	1771	1586	?	?	?	?	?	?	?	?
	F	1595	1573	1576	1778	1685	1778	1609	?	?	?	?	?	?	?	?
	P	3025	3051	3127	3520	3355	3549	3195	?	?	?	?	?	?	?	?
Fatty degeneration of heart	M	990	1037	1045	1124	1133	1069	1150	1217	1399	1509	1469	1509	1316	1182	914
	F	1242	1231	1275	1359	1417	1424	1267	1469	1712	1826	1800	1793	1700	1429	1086
	P	2232	2268	2320	2483	2550	2493	2417	2686	3111	3335	3269	3302	3016	2611	2000
Syncope, Heart disease(not specified).† (For total diseases of heart, see page cxviii.)	M	13315	12461	12639	12911	12469	12462	11789	12992	12526	12837	12735	14764	14146	13274	12312
	F	15148	14173	13651	14081	13527	13792	12898	13932	13699	13629	13957	15407	15116	13936	12846
	P	28463	26634	26290	26992	25996	26254	24687	26924	26225	26466	26692	30171	29262	27210	25158
Cerebral hæmorrhage, Cerebral embolism.	M	6487	6644	7007	7403	7891	7999	8017	8223	8724	9193	9493	10081	9730	10033	9145
	F	7788	8119	8774	9140	9529	9939	9869	10337	10981	11416	11888	12380	11882	12129	11499
	P	14275	14763	15781	16543	17420	17938	17886	18560	19705	20609	21381	22461	21612	22162	20644
Apoplexy, Hemiplegia ...	M	4375	3980	3949	3847	3696	3609	3303	3669	3454	3342	3244	3412	3326	3297	2798
	F	5533	4780	4881	4718	4473	4485	4081	4584	4355	3974	3982	4306	3902	3792	3506
	P	9908	8760	8830	8565	8169	8094	7384	8253	7809	7316	7226	7718	7228	7089	6304

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).

‡ Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Aneurysm	M	869	898	882	941	867	946	898	935	962	921	902	896	800	770	696
	F	224	188	219	199	192	221	225	225	184	234	229	245	202	225	168
	P	1093	1086	1101	1140	1059	1167	1123	1160	1146	1155	1131	1141	1002	995	864
Senile gangrene	M	746	768	788	783	804	845	767	740	702	722	722	782	780	700	620
	F	657	619	630	662	652	706	640	654	577	600	635	634	633	617	536
	P	1403	1387	1418	1445	1456	1551	1407	1394	1279	1322	1357	1416	1413	1317	1156
Embolism, Thrombosis (not cerebral).	M	174	171	187	231	192	203	171	181	185	194	207	217	190	196	158
	F	270	241	258	285	281	269	230	269	243	248	288	230	202	193	185
	P	444	412	445	516	473	472	401	450	428	442	495	447	392	389	343
Phlebitis	M	57	59	45	46	40	55	37	53	67	48	61	71	74	53	48
	F	91	91	82	84	85	93	99	77	106	111	111	99	89	101	66
	P	148	150	127	130	125	148	136	130	173	159	172	170	163	154	114
Varicose veins	M	44	32	24	33	20	33	32	39	43	42	50	51	73	66	41
	F	77	79	87	70	67	79	74	89	107	117	119	91	93	78	90
	P	121	111	111	103	87	112	106	128	150	159	169	142	166	144	131
Other diseases of blood vessels. (For total diseases of blood vessels, see page cxxviii.)	M	1057	1167	1372	1530	1604	1975	2045	2468	3373	4085	4717	5026	4960	5415	5388
	F	614	692	866	982	943	1143	1240	1549	2169	2820	3174	3430	3520	3632	3745
	P	1671	1859	2238	2512	2547	3118	3285	4017	5542	6905	7891	8456	8480	9047	9133
Laryngitis	M	624	579	578	633	512	566	485	538	481	454	495	550	448	412	357
	F	509	488	484	479	454	425	380	422	351	368	400	429	353	318	313
	P	1133	1067	1062	1112	966	991	865	960	832	822	895	979	801	730	670
Membranous laryngitis(not diphtheritic).	M	25	21	25	18	15	17	11	10	6	10	12	5	3	2	1
	F	17	20	15	11	16	14	7	9	3	5	7	4	5	1	4
	P	42	41	40	29	31	31	18	19	9	15	19	9	8	3	5
Croup (not spasmodic nor membranous).	M	259	260	259	196	167	130	49	43	28	15	15	17	24	12	18
	F	216	205	201	175	153	111	24	32	12	22	20	13	15	9	11
	P	475	465	460	371	320	241	73	75	40	37	35	30	39	21	29
Other diseases of larynx and trachea.	M	29	28	40	22	24	15	11	25	15	22	18	14	24	17	19
	F	17	29	21	21	14	13	10	11	11	18	15	18	13	15	16
	P	46	57	61	43	38	28	21	36	26	40	33	32	37	32	35
Bronchitis	M	20578	18961	17429	20423	18859	19404	17072	17616	18912	19153	19197	24554	21118	21137	20590
	F	21610	19954	18285	21781	19843	21414	17391	18406	20133	19401	20253	25513	21546	20520	20205
	P	42188	38915	35714	42204	38702	40818	34463	36022	39045	38554	39450	50067	42664	41657	40795
Emphysema, Asthma ...	M	957	906	920	1041	985	1089	965	1109	1219	1242	1329	1703	1431	1444	1392
	F	658	656	613	681	685	837	660	767	835	811	898	1148	896	840	955
	P	1615	1562	1533	1722	1670	1926	1625	1876	2054	2053	2227	2851	2327	2284	2347
Pleurisy	M	696	827	738	733	709	815	760	832	867	787	872	891	856	938	847
	F	543	542	521	589	533	588	523	592	587	542	612	636	565	536	549
	P	1239	1369	1259	1322	1242	1403	1283	1424	1454	1329	1484	1527	1421	1524	1396
Fibroid disease of lung ...	M	413	411	408	490	415	420	339	253	239	250	260	218	207	227	180
	F	178	146	121	166	164	163	109	74	80	74	72	65	63	39	59
	P	591	557	529	656	579	583	448	327	319	324	332	283	270	266	239
Other diseases of respiratory system. (For total diseases of respiratory system, see page cxxviii.)	M	1548	1465	1417	1297	1345	1361	1321	1403	1374	1234	1286	1434	1240	1236	1100
	F	1370	1351	1282	1216	1262	1341	1235	1187	1226	1156	1205	1266	1046	1038	1007
	P	2918	2816	2699	2513	2607	2702	2556	2590	2600	2390	2491	2700	2286	2274	2107
Tonsillitis, Quinsy... ..	M	208	191	207	206	200	221	174	226	187	246	301	273	223	185	205
	F	191	200	166	185	163	164	146	204	191	213	255	243	211	196	184
	P	399	391	373	391	363	385	320	430	378	459	556	516	434	381	389
Diseases of mouth, pharynx, oesophagus (not specific).	M	306	273	279	254	236	295	304	308	278	295	363	333	324	277	282
	F	283	285	276	260	276	268	319	250	264	290	349	295	290	237	248
	P	589	558	555	514	512	563	623	558	542	585	712	628	614	514	530
Gastric ulcer	M	552	613	667	655	674	688	773	760	871	882	1018	1001	999	988	1067
	F	1197	1134	1078	1120	1039	1040	1052	1009	971	912	1005	945	942	956	923
	P	1749	1747	1745	1775	1713	1728	1825	1769	1842	1794	2023	1946	1941	1944	1990
Gastritis, Gastric catarrh...				1664	1592	1630	1592	1613	1594	1412	1591	1545	1684	1548	1423	1270
				1738	1675	1833	1666	1575	1631	1396	1577	1695	1685	1580	1439	1308
	M	2151	1928	3402	3267	3463	3258	3188	3225	2808	3168	3240	3369	3128	2862	2578
Other diseases of stomach (not malignant).	F	2347	2061													
	P	4498	3989	291	282	269	252	328	315	359	333	371	344	355	254	251
				255	275	239	206	308	272	310	307	349	337	334	238	245
				546	557	508	458	636	587	669	640	720	681	689	492	496

* Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904–1918.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Ulceration of intestines ...	M	306	276	353	477	462	485	552	561	649	687	726	693	659	618	562
	F	219	221	265	244	282	297	306	296	292	299	305	297	286	287	300
	P	525	497	618	721	744	782	858	857	941	986	1031	990	945	905	862
Enteritis (not epidemic) ...	M	2411	2064	2640	1910	2332	1994	1961	3078	1456	2286	2157	1848	1465	1468	1352
	F	2110	1900	2360	1777	2112	1714	1738	2786	1240	1911	1784	1702	1395	1292	1136
	P	4521	3964	5000	3687	4444	3708	3699	5864	2696	4197	3941	3550	2860	2760	2488
Gastro-enteritis ...	M	1806	1478	2082	1337	1877	1567	1695	3492	1421	2746	2655	2605	2053	1760	1693
	F	1540	1250	1805	1113	1618	1333	1407	3062	1160	2313	2324	2144	1698	1546	1428
	P	3346	2728	3887	2450	3495	2900	3102	6554	2581	5059	4979	4749	3751	3306	3121
Appendicitis, Perityphlitis	M	1124	1096	1287	1161	1236	1279	1336	1597	1322	1387	1513	1441	1474	1389	1298
	F	763	850	857	808	900	997	1025	1132	1034	1141	1111	1062	1129	1053	1118
	P	1887	1946	2144	1969	2136	2276	2361	2729	2356	2528	2624	2503	2603	2442	2416
Hernia ...	M	665	708	738	702	652	695	642	708	710	780	737	897	838	983	943
	F	826	839	816	834	758	806	835	861	803	897	892	1010	1020	1273	1265
	P	1491	1547	1554	1536	1410	1501	1477	1569	1513	1677	1629	1907	1858	2256	2208
Intestinal obstruction ...	M	1270	1263	1336	1314	1301	1355	1205	1330	1232	1209	1243	1316	1312	1308	1389
	F	1240	1314	1309	1249	1352	1262	1297	1350	1260	1206	1210	1276	1157	1324	1459
	P	2510	2577	2645	2563	2653	2617	2502	2680	2492	2415	2453	2592	2469	2632	2848
Other diseases of intestines	M	137	131	128	131	149	147	179	237	228	243	232	273	226	257	222
	F	108	127	110	137	120	151	175	204	221	253	299	287	266	247	240
	P	245	258	238	268	269	298	354	441	449	496	531	560	492	504	462
Peritonitis (not puerperal)	M	435	383	391	308	345	282	223	236	197	236	219	225	216	185	167
	F	531	460	454	389	368	333	331	374	262	295	308	288	289	261	215
	P	966	843	845	697	713	615	554	610	459	531	527	513	507	446	382
Cirrhosis of liver ...	M	2207	2166	2117	2070	2060	2048	1827	1832	1898	2039	2092	1947	1690	1387	1034
	F	1764	1842	1744	1833	1611	1481	1384	1457	1480	1519	1572	1364	1049	738	545
	P	3971	4008	3861	3903	3671	3529	3211	3289	3378	3558	3664	3311	2739	2125	1579
Other diseases of liver and gall bladder. (For total diseases of liver and gall bladder, see page cxviii.)	M	906	866	882	850	746	825	737	750	688	678	749	703	693	615	602
	F	1271	1219	1269	1171	1148	1137	1159	1228	1115	1220	1235	1194	1124	955	891
	P	2177	2085	2151	2021	1894	1962	1896	1978	1803	1898	1984	1897	1817	1570	1493
Other diseases of digestive system. (For total diseases of digestive system, see page cxviii.)	M	272	189	151	186	210	217	118	124	119	138	137	123	103	104	72
	F	239	209	144	196	217	240	116	102	100	128	112	112	107	83	65
	P	511	398	295	382	427	457	234	226	219	266	249	235	210	187	137
Diseases of spleen ...	M	23	20	27	21	22	24	15	17	12	19	29	24	35	15	17
	F	25	36	26	29	17	31	23	12	23	25	32	23	23	27	27
	P	48	56	53	50	39	55	38	29	35	44	61	47	58	42	44
Other diseases of lymphatic system.	M	210	242	240	227	241	258	320	295	326	334	380	379	377	300	336
	F	143	149	160	153	156	167	191	212	209	223	257	232	231	229	217
	P	353	391	400	380	397	425	511	507	535	557	637	611	608	529	553
Diseases of thyroid body ...	M	63	68	62	72	93	74	96	88	95	117	95	118	110	104	126
	F	399	412	421	455	456	535	555	622	619	631	716	680	685	641	609
	P	462	480	483	527	549	609	651	710	714	748	811	798	795	745	735
Diseases of supra renal capsules.	M	92	74	116	83	97	109	96	145	99	108	95	102	100	102	95
	F	103	122	112	91	121	139	130	145	147	115	140	139	132	129	120
	P	195	196	228	174	218	248	226	249	246	223	235	241	232	231	215
Acute nephritis, Uræmia...	M	1664	1680	1716	1844	1975	1974	1897	1920	1936	2031	2158	2345	2241	2273	2058
	F	1458	1473	1554	1591	1723	1862	1698	1878	1760	1885	1979	2113	1918	1821	1739
	P	3122	3153	3270	3435	3698	3836	3595	3798	3696	3916	4137	4458	4159	4094	3797
Chronic Bright's disease, Albuminuria. (For total Nephritis and Bright's disease, see page cxviii.)	M	5465	5207	5498	5573	5374	5627	5530	5717	5887	6342	6243	6413	5871	5815	5268
	F	4541	4415	4584	4869	4688	4877	4822	5014	5207	5342	5532	5455	4892	4631	4297
	P	10006	9622	10082	10442	10062	10504	10352	10731	11094	11684	11775	11868	10763	10446	9565
Calculus (not biliary) ...	M	176	177	187	198	161	155	159	196	181	195	189	185	189	188	173
	F	86	72	77	80	74	86	80	73	89	73	65	85	81	71	71
	P	262	249	264	278	235	241	239	269	270	268	254	270	270	259	244
Diseases of bladder and of prostate.	M	2258	2237	2403	2203	2256	2203	2189	2514	2372	2370	2500	2723	2697	2891	2791
	F	241	232	238	238	249	239	221	257	246	233	261	287	255	261	247
	P	2499	2469	2641	2441	2505	2442	2410	2771	2618	2603	2761	3010	2952	3152	3038
Other diseases of urinary system.	M	451	496	480	470	486	430	543	584	559	583	608	597	626	674	596
	F	140	148	151	139	124	133	169	181	206	205	246	212	191	195	176
	P	591	644	631	609	610	563	712	765	765	788	854	809	817	869	772
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	350	389	375	357	292	307	291	314	288	270	303	300	307	284	273
	P	350	389	375	357	292	307	291	314	288	270	303	300	307	284	273
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	46	40	46	51	31	33	23	24	12	12	18	18	15	8	11
	P	46	40	46	51	31	33	23	24	12	12	18	18	15	8	11

* Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904–1918.—MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Uterine tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	353	376	353	327	358	293	312	324	326	316	298	328	320	331	308
	P	353	376	353	327	358	293	312	324	326	316	298	328	320	331	308
Other diseases of uterus and vagina.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	316	327	305	319	287	337	285	360	326	330	342	344	382	358	348
	P	316	327	305	319	287	337	285	360	326	330	342	344	382	358	348
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	36	42	39	50	36	33	26	31	20	30	27	23	36	28	37
	P	36	42	39	50	36	33	26	31	20	30	27	23	36	28	37
Other diseases of generative and mammary organs. (For total diseases of generative and mammary organs, see page cxxiii.)	M	73	53	62	48	41	50	66	70	79	88	122	96	78	105	68
	F	14	20	18	10	14	12	13	21	20	29	17	23	18	28	24
	P	87	73	80	58	55	62	79	91	99	117	139	119	96	133	92
Abortion, Miscarriage	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	141	151	143	102	83	85	78	89	118	119	125	125	106	119	105
	P	141	151	143	102	83	85	78	89	118	119	125	125	106	119	105
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	62	66	68	70	57	42	48	46	30	28	40	34	27	19	25
	P	62	66	68	70	57	42	48	46	30	28	40	34	27	19	25
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	395	467	438	449	426	462	439	457	457	535	461	430	455	389	388
	P	395	467	438	449	426	462	439	457	457	535	461	430	455	389	388
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	580	619	618	608	560	574	612	557	610	616	595	556	526	418	375
	P	580	619	618	608	560	574	612	557	610	616	595	556	526	418	375
Other accidents of pregnancy and childbirth. (For total non-septic diseases of pregnancy and childbirth, and for total including septic diseases, see page cxxiii.)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	835	868	850	826	840	787	740	748	797	789	819	798	771	570	564
	P	835	868	850	826	840	787	740	748	797	789	819	798	771	570	564
Caries, Necrosis ...	M	305	283	262	205	198	106	43	400	422	437	475	460	469	494	425
	F	234	239	198	177	150	81	23								
	P	539	522	460	382	348	187	66								
Arthritis, Periostitis ...	M	133	133	111	139	164	154	128	287	293	304	311	313	310	327	291
	F	106	89	92	110	88	102	105								
	P	239	222	203	249	252	256	233								
Other diseases of locomotor system.	M	162	178	205	149	147	174	203	147	147	147	147	147	147	147	147
	F	114	137	186	105	116	127	147								
	P	276	315	391	254	263	301	350								
Ulcer, Bed-sore ...	M	136	140	157	144	129	152	149	145	144	149	194	178	135	166	135
	F	290	300	305	341	307	278	310	269	280	283	350	334	284	310	235
	P	426	440	462	485	436	430	459	414	424	432	544	512	419	476	370
Eczema ...	M	192	190	195	164	169	141	138	168	152	149	152	145	135	85	95
	F	134	130	103	123	117	107	107	101	93	84	90	76	84	70	64
	P	326	320	298	287	286	248	245	269	245	233	242	221	219	155	159
Pemphigus ...	M	104	140	134	123	135	113	113	66	68	72	77	61	87	68	52
	F	94	125	110	100	114	101	91	66	52	70	69	52	73	60	53
	P	198	265	244	223	249	214	204	132	120	142	146	113	160	128	105
Other diseases of the skin	M	92	119	110	129	111	111	113	124	124	137	164	153	138	132	134
	F	103	115	101	122	108	124	120	145	128	150	167	147	162	167	118
	P	195	234	211	251	219	235	233	269	252	287	331	300	300	299	252
Other specified diseases ...	M	2	2	—	—	—	3	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	P	2	2	—	—	—	5	—	—	—	—	—	—	—	—	—
Atrophy, Debility ...	M	9761	9090	8902	8340	8460	7872	7359	7818	6258	6683	6151	5626	5063	4223	3848
	F	7785	6920	6998	6267	6460	6107	5686	6098	4644	4976	4475	4317	3596	3273	3002
	P	17546	16010	15900	14607	14920	13979	13045	13916	10902	11659	10626	9943	8659	7496	6850
Old age ...	M	13848	13441	14210	13917	14058	14497	13438	14483	13275	12755	12327	13211	13026	12930	11427
	F	18455	18018	18998	19001	18837	19478	18233	19388	18163	17046	16702	18494	17679	17016	15209
	P	32303	31459	33208	32918	32895	33975	31671	33871	31438	29801	29029	31705	30705	29946	26636
Dropsy, Ascites, Anasarca	M	48	44	36	60	36	23	16	24	18	13	8	14	18	17	9
	F	73	77	46	65	39	41	24	38	23	23	26	24	23	19	17
	P	121	121	82	125	75	64	40	62	41	36	34	38	41	36	26
Tumour ...	M	39	26	28	33	32	41	28	52	71	52	88	87	88	84	93
	F	50	54	40	60	52	56	48	68	72	81	88	114	106	90	86
	P	89	80	68	93	84	97	76	120	143	133	176	201	194	174	179
Abscess ...	M	162	129	140	151	208	137	131	119	154	157	169	203	174	196	132
	F	128	106	132	142	170	129	108	101	112	111	151	175	150	121	102
	P	290	235	272	293	378	266	239	220	266	268	320	378	324	317	234

* Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1904-1918.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Hæmorrhage ...	M	20	19	17	16	19	16	26	39	25	26	30	31	33	29	32
	F	15	17	15	19	16	17	26	24	21	25	23	22	19	27	22
	P	35	36	32	35	35	33	52	63	46	51	53	53	52	56	54
Sudden death (cause un- ascertained).	M	25	18	16	11	4	8	8	7	3	1	2	7	2	1	2
	F	20	12	8	8	11	11	6	2	1	1	2	1	1	3	2
	P	45	30	24	19	15	19	14	9	4	2	4	8	3	4	4
Other ill-defined causes ...	M	435	468	461	421	402	386	391	278	205	179	168	215	227	196	167
	F	342	386	326	291	277	272	243	187	150	136	161	190	154	165	125
	P	777	854	787	712	679	658	634	465	355	315	329	405	381	361	292
Causes not specified. (For total causes ill-defined or not specified, see page cxviii.)	M	152	129	96	111	88	71	102	96	78	78	64	64	71	89	125
	F	91	72	60	66	50	48	78	57	56	62	40	57	51	58	44
	P	243	201	156	177	138	119	180	153	134	140	104	121	122	147	169
Violent Deaths:—																
In mines and quarries ...	M	981	1113	1075	1084	1147	1367	1299	1491	1207	1174	1596	1168	1172	1230	1125
	F	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1
	P	981	1113	1077	1084	1147	1367	1299	1491	1207	1174	1596	1168	1172	1230	1126
Vehicles and horses ...	M	2103	2069	2133	2197	2131	1913	1987	2289	2364	2651	2783	3461	3290	3087	3578
	F	337	355	377	349	356	346	409	462	473	568	580	752	704	675	632
	P	2440	2424	2510	2546	2487	2259	2396	2751	2837	3219	3363	4213	3994	3762	4210
Ships, boats, and docks (not drowning).	M	286	280	268	246	275	263	252	301	337	325	312	507	334	336	326
	F	—	3	2	1	3	1	1	1	1	3	3	—	1	4	1
	P	286	283	270	247	278	264	253	302	338	328	315	507	335	340	327
Building operations ...	M	203	233	233	243	227	166	199	203	206	222	264	211	226	192	203
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	P	203	233	233	243	227	166	199	203	206	222	264	211	226	193	203
Machinery ...	M	242	204	227	237	217	205	198	249	225	250	201	305	289	320	325
	F	8	15	11	8	10	8	11	13	6	8	8	9	23	12	38
	P	250	219	238	245	227	213	209	262	231	258	209	314	312	332	363
Weapons and implements	M	109	104	103	79	91	99	78	81	102	128	154	182	171	139	155
	F	18	8	11	12	10	10	11	12	22	17	21	26	17	16	22
	P	127	112	114	91	101	109	89	93	124	145	175	208	188	155	17
Burns and scalds ...	M	1014	1035	1079	1103	1067	1088	995	1052	972	941	936	1081	1212	1184	1170
	F	1369	1450	1527	1507	1583	1571	1330	1395	1412	1260	1339	1465	1497	1713	1378
	P	2383	2485	2606	2610	2650	2659	2325	2447	2384	2201	2275	2546	2709	2897	2548
Poisons, poisonous vapours	M	324	312	341	329	362	368	322	215	220	201	207	193	182	203	184
	F	196	198	198	216	188	189	196	135	122	135	133	128	112	117	104
	P	520	510	539	545	550	557	518	350	342	336	340	321	294	320	288
Drowning ...	M	2020	2069	1970	1888	2063	1793	1871	2233	2053	1999	2111	2257	2343	2015	1704
	F	391	433	374	367	400	397	387	405	435	421	374	474	459	363	402
	P	2411	2502	2344	2255	2463	2190	2258	2638	2488	2420	2485	2731	2802	2378	2106
Suffocation ...	M	1112	1027	984	1039	936	822	788	755	801	772	809	599	508	515	385
	F	972	855	893	864	890	760	731	699	760	681	666	507	420	394	341
	P	2084	1882	1877	1903	1826	1582	1519	1454	1561	1453	1475	1106	928	909	726
Falls ...	M	1380	1280	1372	1460	1392	1339	1282	1519	1604	1539	1579	1662	1683	1471	1260
	F	1158	1106	1190	1270	1238	1271	1074	1313	1341	1432	1408	1444	1544	1343	1108
	P	2538	2386	2562	2730	2630	2610	2356	2832	2945	2971	2987	3106	3227	2814	2368
Weather agencies ...	M	200	163	215	127	176	144	136	456	193	172	195	186	248	222	124
	F	84	68	89	27	58	52	31	204	56	64	72	42	76	65	32
	P	284	231	304	154	234	196	167	660	249	236	267	228	324	287	156
Otherwise or not stated...	M	928	940	866	863	924	816	882	776	776	681	704	914	689	712	761
	F	292	250	288	268	280	272	383	302	286	245	240	304	252	261	255
	P	1220	1190	1154	1131	1204	1088	1265	1078	1062	926	944	1218	941	973	1016
Battle ...	M	—	3	1	2	1	—	—	1	1	1	671	2115	3909	3585	4290
	F	—	—	—	—	—	—	—	—	—	—	47	89	142	215	93
	P	—	3	1	2	1	—	—	1	1	1	718	2204	4051	3800	4383
Homicide ...	M	176	133	140	139	152	132	140	153	145	140	133	129	116	113	100
	F	151	169	144	126	159	155	147	128	173	180	154	142	141	142	112
	P	327	302	284	265	311	287	287	281	318	320	287	271	257	255	212
Suicide ...	M	2523	2683	2655	2632	2844	2683	2680	2655	2706	2596	2802	2029	2063	1740	1845
	F	822	862	797	901	934	894	887	933	902	918	922	937	792	755	920
	P	3345	3545	3452	3533	3778	3577	3567	3588	3608	3514	3724	2966	2855	2495	2765
Execution. (For total violent deaths, see page cxviii.)	M	17	17	8	9	12	19	16	16	10	18	16	8	11	9	7
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	P	18	17	8	10	12	19	16	16	10	18	16	8	11	9	7

* Including deaths of non-civilians.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904–1918.—MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
All Causes	M	17362	16281	16512	16046	15805	15480	14385	15569	14181	14780	14955	17732	16884	17767	21098
	F	15303	14382	14405	14229	13867	13821	12071	13662	12566	12872	13068	13936	12437	12061	15086
	P	16299	15300	15470	15108	14804	14623	13502	14585	13547	13795	13981	15653	14371	14445	17560
PRINCIPAL SUM-MARIZED HEADINGS.																
Small-pox	M	19	4	0	0	0	1	1	1	0	0	0	0	1	0	0
	F	11	4	1	0	0	0	0	1	0	0	0	0	0	—	0
	P	15	4	1	0	0	0	0	1	0	0	0	0	0	0	0
Diarrhœal diseases... .. (104 and 105, 1911 list approx.)*	M	1235	897	1265	559	848	550	575	1421	358	796	716	680	519	497	467
	F	1017	729	1057	440	685	439	445	1162	271	615	548	459	337	305	273
	P	1122	809	1158	492	763	493	507	1286	313	704	629	559	415	385	354
Venereal diseases	M	64	62	57	58	56	57	56	60	63	68	70	68	76	86	82
	F	48	47	45	40	43	40	38	44	42	48	49	42	41	46	43
	P	55	54	51	49	49	49	47	52	52	58	59	54	56	62	59
Puerperal septic diseases ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	95	99	93	82	77	78	69	72	68	62	76	66	58	47	46
	P	49	51	48	41	39	40	36	37	35	32	39	35	33	27	27
Pneumonia (all forms) ...	M	1485	1525	1422	1574	1392	1502	1302	1234	1208	1214	1284	1687	1381	1582	2118
	F	1099	1100	1026	1147	997	1114	932	864	854	853	899	1087	830	829	1335
	P	1285	1305	1217	1353	1188	1301	1110	1043	1026	1028	1085	1359	1070	1144	1657
Septicæmia, pyæmia ...	M	19	21	21	22	20	17	14	17	18	16	20	20	16	16	17
	F	12	14	17	13	12	11	10	9	10	9	10	10	9	7	8
	P	16	18	19	18	16	13	11	13	14	13	15	15	12	11	12
Phthisis (28 and 29A, 1911 list.)	M	1462	1352	1364	1349	1318	1280	1186	1233	1199	1163	1197	1410	1468	1582	1692
	F	1034	953	964	959	941	913	855	900	855	825	860	910	916	971	1065
	P	1241	1146	1157	1148	1123	1091	1015	1061	1021	989	1022	1136	1156	1228	1323
Tuberculosis (all forms) ...	M	2057	1886	1895	1857	1834	1762	1644	1669	1575	1561	1570	1851	1912	2072	2153
	F	1530	1411	1430	1390	1371	1323	1237	1277	1181	1154	1163	1235	1234	1303	1373
	P	1784	1639	1654	1617	1595	1537	1434	1467	1372	1352	1360	1514	1529	1624	1692
Cancer (all forms)... ..	M	741	759	798	787	818	833	856	891	917	955	971	1076	1163	1263	1280
	F	1010	1011	1038	1035	1036	1082	1070	1086	1122	1164	1161	1158	1168	1173	1175
	P	879	889	922	915	931	962	967	992	1023	1064	1069	1121	1166	1210	1218
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M	1309	1195	1183	1095	1085	1044	961	958	858	859	850	973	968	1031	981
	F	980	916	890	855	820	782	730	718	638	652	631	644	585	572	543
	P	1140	1049	1032	971	947	908	841	837	745	753	737	789	751	763	723
Diseases of heart	M	1429	1380	1407	1445	1407	1495	1348	1346	1391	1454	1453	1819	1866	1913	1827
	F	1516	1460	1436	1490	1431	1467	1373	1389	1460	1478	1526	1640	1585	1489	1393
	P	1472	1423	1420	1468	1418	1437	1361	1367	1426	1466	1490	1721	1706	1666	1580
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M	847	835	858	883	887	914	882	931	992	1048	1084	1269	1312	1442	1352
	F	875	843	892	901	894	925	890	951	995	1032	1070	1106	1050	1057	1005
	P	862	839	874	893	890	919	886	943	993	1040	1078	1180	1163	1219	1149
Diseases of respiratory system (including croup but excluding pneumonia).	M	1542	1427	1313	1481	1354	1392	1215	1246	1312	1309	1315	1822	1664	1774	1748
	F	1442	1333	1214	1403	1274	1362	1101	1152	1234	1184	1230	1501	1253	1191	1174
	P	1491	1378	1263	1440	1312	1375	1156	1198	1271	1243	1270	1648	1431	1435	1410
Diseases of liver and gall bladder.	M	191	185	180	174	165	168	149	148	147	153	159	162	154	137	112
	F	174	174	170	167	152	143	138	144	138	145	147	132	111	87	73
	P	183	179	175	170	158	155	143	146	142	149	153	146	130	108	89
Diseases of digestive system.†	M	907	830	914	800	846	814	791	980	740	891	900	952	906	895	853
	F	839	791	826	741	773	716	712	808	644	764	775	736	659	619	586
	P	871	811	870	769	807	763	750	921	688	828	835	833	766	735	697
Nephritis and Bright's disease.	M	437	419	434	443	432	443	429	437	444	473	470	533	522	546	506
	F	345	336	346	361	333	369	353	369	369	383	394	391	348	329	306
	P	389	376	389	400	391	404	389	402	405	426	431	455	423	419	388
Diseases of generative and mammary organs.	M	4	3	4	3	2	3	4	4	4	5	6	6	5	7	5
	F	64	67	64	63	57	56	51	57	52	53	53	53	56	51	52
	P	34	36	34	32	30	31	29	33	30	29	30	32	33	34	31
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	116	124	120	115	108	106	104	101	106	110	107	101	95	77	74
	P	60	64	62	60	56	54	53	52	56	58	54	56	54	46	44
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	211	223	213	197	185	184	173	173	174	172	183	167	153	124	120
	P	109	115	110	101	95	94	89	89	91	90	93	91	87	73	71
Causes ill-defined or not specified.	M	1496	1424	1440	1375	1379	1348	1243	1307	1140	1128	1062	1215	1238	1261	1146
	F	1550	1465	1500	1447	1430	1432	1326	1389	1240	1199	1136	1207	1112	1057	945
	P	1530	1445	1475	1415	1413	1391	1288	1348	1188	1161	1103	1211	1171	1134	1029
Violent deaths	M	836	830	823	816	822	773	759	826	788	780	865	853	890	876	829
	F	312	329	332	329	330	324	305	322	316	314	312	326	316	307	276
	P	574	571	571	565	572	543	522	565	545	538	581	564	567	549	502

* See note to Diarrhœa due to Food.

† Including some of the headings classed under Diarrhœal Diseases above, viz.:—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis.

‡ Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
DETAILED HEADINGS.																
Small-pox (For total Small-pox, see page cxviii.)	Vaccinated ...	M	3	1	—	0	—	0	0	0	—	—	0	0	0	0
		F	1	1	—	—	—	0	0	0	0	0	0	0	—	—
		P	2	1	—	0	—	0	0	0	0	0	0	0	0	0
	Not Vaccinated.	M	5	0	0	0	—	0	0	0	0	0	0	1	—	—
		F	3	1	—	0	—	0	0	0	0	0	0	0	—	0
		P	4	1	0	0	—	0	0	0	0	0	0	0	—	0
	Doubtful ...	M	11	3	0	0	0	1	1	0	—	0	—	0	—	—
		F	7	2	1	0	—	0	0	—	—	—	0	0	—	—
		P	9	2	1	0	0	0	0	—	0	0	0	0	—	—
Cow-pox and other effects of vaccination.	M	1	1	1	0	0	0	0	1	0	0	0	0	0	0	0
	F	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	P	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Chicken-pox ...	M	3	3	4	4	3	3	3	2	2	2	3	2	2	3	2
	F	3	2	2	3	3	2	2	2	2	2	3	3	2	2	2
	P	3	3	3	3	3	3	3	2	2	2	3	3	2	2	2
Measles (Morbilli) ...	M	387	342	286	392	243	377	249	392	377	314	263	530	187	384	365
	F	344	311	265	337	213	336	216	335	329	269	233	406	129	253	236
	P	365	326	275	364	228	356	232	363	352	291	247	462	155	308	289
German measles ...	M	1	1	1	1	1	1	0	1	1	1	1	2	3	4	2
	F	1	1	1	1	1	1	0	1	1	1	1	2	2	2	1
	P	1	1	1	1	1	1	0	1	1	1	1	2	2	3	2
Scarlet fever ...	M	116	117	108	98	82	97	68	54	56	60	78	71	44	26	33
	F	108	109	95	88	79	85	64	51	54	55	76	61	35	19	26
	P	112	113	101	93	80	91	66	52	55	57	77	66	39	22	29
Typhus ...	M	1	1	0	1	0	1	0	0	0	0	0	0	0	0	0
	F	1	1	0	1	0	0	—	0	0	—	0	0	—	—	0
	P	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0
Plague ...	M	0	0	—	—	0	—	0	—	0	—	0	—	0	0	0
	F	—	—	—	—	—	—	0	—	—	—	0	—	0	—	0
	P	0	0	—	—	0	—	0	—	0	—	0	—	0	0	0
Relapsing fever ...	M	—	0	0	—	0	—	0	—	—	—	0	0	0	—	—
	F	0	0	—	0	0	—	0	—	—	—	—	—	—	—	—
	P	0	0	0	0	0	—	0	—	—	—	0	0	0	—	—
Influenza ...	M	171	206	188	264	285	251	188	127	152	190	173	319	278	257	3,359
	F	167	203	180	269	290	256	176	113	142	160	150	271	230	182	2,907
	P	169	205	184	267	288	254	182	120	147	174	161	293	251	213	3,128
Whooping cough ...	M	322	241	224	268	255	183	223	195	211	136	201	231	178	135	319
	F	382	271	259	321	304	221	267	237	248	161	233	230	174	133	280
	P	353	256	242	296	280	203	246	217	230	149	218	230	176	134	296
Mumps ...	M	3	3	3	3	3	3	3	3	1	2	3	2	3	2	2
	F	3	3	3	4	4	3	3	3	1	1	3	2	2	1	2
	P	3	3	3	3	3	3	3	3	1	2	3	2	2	2	2
Diphtheria ...	M	173	160	177	166	160	147	117	139	119	121	161	177	172	154	166
	F	169	161	179	164	156	148	122	132	117	121	155	155	140	116	126
	P	170	161	178	165	158	148	120	135	118	121	158	165	154	132	142
Cerebro-spinal fever ...	M	3	4	2	6	4	4	4	5	5	5	6	46	26	33	19
	F	2	3	2	3	3	4	3	3	3	4	4	32	19	22	12
	P	2	4	2	5	3	4	4	4	4	4	5	39	22	27	15
Pyrexia (origin uncertain)	M	2	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	F	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0
	P	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0
Enteric fever ...	M	113	106	111	82	95	74	60	81	52	51	57	43	37	33	29
	F	76	74	75	54	57	48	46	53	36	32	36	29	25	24	25
	P	93	90	92	68	75	60	53	67	44	41	46	35	30	28	26
Asiatic cholera ...	M	—	—	—	—	—	0	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	0	—	—	—	—	—	—	—	—	—
Diarrhoea due to food* ...	M	4	7	10	7	9	9	8	?	?	?	?	?	?	?	?
	F	3	6	7	5	8	7	6	?	?	?	?	?	?	?	?
	P	3	6	9	6	8	8	7	?	?	?	?	?	?	?	?

* The increase under this heading since 1904 is partly due to the inclusion of deaths from diarrhoea in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.
 † Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904–1918.—MALES, FEMALES, AND PERSONS—continued.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.‡
Infective enteritis, Epidemic diarrhoea.*	M	551	382	579	164	320	153	172	648	81	281	247	219	129	121	113
	F	459	302	484	129	260	123	132	529	63	226	191	144	87	74	67
	P	504	340	530	146	289	137	151	586	72	253	218	178	105	94	86
Diarrhoea (not otherwise defined). (For Diarrhoeal diseases—1911 List—see page cxxviii.)	M	402	275	371	166	245	153	152	365	76	192	158	145	117	109	99
	F	333	229	316	131	196	126	120	304	64	150	126	101	77	71	61
	P	366	251	342	148	220	139	135	333	70	171	141	121	94	87	77
Dysentery	M	10	7	9	7	8	7	7	8	5	6	7	12	16	33	32
	F	7	5	8	6	6	7	6	9	5	6	8	14	12	19	18
	P	9	6	9	7	7	7	7	8	5	6	7	13	13	25	24
Tetanus	M	12	11	12	10	8	10	9	9	8	8	9	7	8	9	9
	F	4	3	3	3	2	3	2	2	2	2	2	1	2	2	2
	P	8	7	7	7	5	6	6	6	5	5	5	4	4	5	4
Malaria	M	6	4	3	4	3	4	3	3	3	3	3	3	2	6	6
	F	1	0	1	0	0	1	0	0	0	0	0	1	0	0	0
	P	3	2	2	2	2	2	1	2	2	2	2	2	1	3	3
Rabies, Hydrophobia ...	M	—	—	—	—	—	—	0	0	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	0	0	—	—	—	—	—	—	—
Glanders	M	0	0	0	0	0	0	0	0	—	0	0	—	0	—	—
	F	—	0	—	—	—	—	—	—	—	—	0	—	—	—	—
	P	0	0	0	0	0	0	0	0	—	0	0	—	0	—	—
Anthrax (Splenic fever) ...	M	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1
	F	0	0	0	0	0	—	0	0	—	0	—	0	0	0	0
	P	1	1	1	0	0	0	0	0	0	0	0	0	1	1	0
Syphilis	M	62	61	56	57	55	56	55	60	62	67	69	67	75	85	81
	F	47	46	44	39	42	39	37	43	41	47	48	41	40	45	42
	P	54	53	50	48	48	48	46	51	51	57	58	53	55	61	58
Gonorrhoea. (For total Venereal diseases, see page cxxviii.)	M	2	1	1	1	1	1	1	0	1	1	1	1	1	1	1
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Puerperal septicaemia, Puerperal septic intoxication.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	72	74	69	59	57	58	52	54	49	46	58	48	44	37	37
	P	37	38	36	30	29	30	27	28	25	24	30	26	25	21	22
Puerperal pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	3	4	6	5	6	5	5	6	5	6	5	4	4	3
	P	1	2	2	3	3	3	3	2	3	2	3	3	2	2	2
Phlegmasia alba dolens ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	6	6	5	5	4	3	4	3	3	3	3	3	2	2
	P	3	3	3	2	2	2	2	2	2	2	2	1	2	1	1
Puerperal fever (not otherwise defined). (For total Puerperal septic diseases, and for total diseases of pregnancy and childbirth, see page cxxviii.)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	16	14	12	10	10	9	9	10	8	9	10	7	4	4
	P	8	8	7	6	5	5	4	5	5	4	4	5	4	3	2
Infective endocarditis ...	M	12	13	14	13	15	15	14	15	17	16	18	14	14	15	12
	F	11	12	13	15	15	15	15	17	17	17	17	15	13	13	14
	P	12	13	13	14	15	15	15	16	17	16	18	14	13	14	13
Pneumonia. (For Pneumonia (all forms), see page cxxviii.)	Lobar† ...	M	144	181	188	199	178	217	195	267	276	280	310	380	385	474
		F	89	109	106	114	98	129	103	150	155	156	173	212	165	263
		P	115	144	145	155	137	171	147	207	214	216	239	288	257	350
	Broncho- ...	M	634	610	545	670	604	604	538	509	513	531	560	769	687	898
		F	522	500	463	563	483	516	446	420	441	442	459	557	406	606
		P	576	553	503	614	541	559	490	463	476	485	508	653	533	726
	Epidemic†	M	—	0	0	0	0	1	0	?	?	?	?	?	?	?
		F	—	0	0	0	0	0	?	?	?	?	?	?	?	?
		P	—	0	0	0	0	0	?	?	?	?	?	?	?	?
	Not defined	M	707	734	689	705	610	680	569	458	419	408	414	538	449	510
		F	488	491	457	470	416	469	383	294	258	255	267	318	254	466
		P	594	608	569	584	510	571	473	373	336	327	338	418	339	581
Erysipelas	M	38	39	39	32	26	31	25	27	28	24	33	35	26	20	21
	F	34	35	32	27	22	27	21	26	22	19	28	25	17	15	14
	P	36	37	35	30	24	29	23	27	25	22	30	30	21	17	17
Septicaemia, Septic intoxication (not puerperal).	M	13	13	14	16	15	12	10	12	14	13	16	16	13	13	13
	F	9	10	12	9	9	9	7	7	8	7	8	8	7	6	6
	P	11	12	13	13	12	10	8	10	11	10	12	12	10	9	9
Pyæmia (not puerperal), (For total Septicaemia and Pyæmia, see page cxxviii.)	M	6	8	7	6	5	5	4	5	4	3	4	4	3	3	4
	F	3	4	5	4	3	2	3	2	2	2	2	2	2	1	2
	P	5	6	6	5	4	3	3	3	3	3	3	3	2	2	3

* Including deaths from Diarrhoea due to food from 1911 onwards.
† From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.
‡ Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—continued.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
Phlegmon, Carbuncle (not anthrax).	M	28	28	31	28	26	29	24	25	25	24	29	31	27	31	33
	F	15	18	18	17	14	18	15	15	14	15	17	16	15	14	15
	P	21	23	24	22	20	23	19	20	19	19	23	23	21	21	22
Phagedæna ...	M	1	2	1	1	1	1	0	—	0	—	—	0	0	—	—
	F	1	1	1	1	1	1	0	—	—	0	0	0	0	0	—
	P	1	2	1	1	1	1	0	—	0	0	0	0	0	0	—
Other infective processes...	M	5	6	8	8	8	9	8	9	6	8	8	8	6	6	7
	F	3	5	5	4	4	5	3	4	3	4	4	4	3	3	2
	P	4	6	6	6	6	7	6	6	4	6	6	6	5	4	4
Pulmonary tuberculosis (tuberculous phthisis).	M	595	607	651	673	691	707	693	762	799	810	847	1001	1091	1185	1309
	F	384	397	427	450	465	467	476	532	556	558	597	641	661	718	808
	P	486	498	535	558	574	583	581	643	673	680	718	804	848	913	1014
Phthisis (not otherwise defined). (For Phthisis (28 & 29a), see page cxxviii.)	M	867	745	713	676	627	573	493	471	400	353	350	409	377	402	383
	F	650	556	537	509	476	440	379	368	299	267	263	269	255	253	257
	P	755	648	622	590	549	508	434	418	348	309	304	332	308	315	309
Tuberculous meningitis ...	M	206	194	188	184	180	172	167	155	146	151	139	171	168	177	160
	F	174	165	168	156	155	154	140	136	129	124	114	131	122	124	106
	P	189	179	178	170	167	163	153	145	137	137	126	149	142	146	128
Tuberculous peritonitis ...	M	122	109	116	106	113	107	105	98	78	92	84	101	96	108	102
	F	110	103	109	97	102	92	94	88	72	81	76	78	82	79	74
	P	116	106	112	102	108	99	99	93	75	87	80	89	88	91	85
Tabes mesenterica ...	M	65	48	40	32	33	28	24	24	15	19	16	16	16	16	13
	F	48	35	33	24	24	21	20	20	13	13	12	10	9	9	7
	P	56	41	36	28	28	25	22	22	14	16	14	13	12	12	9
Lupus ...	M	2	1	1	2	1	1	1	1	1	1	1	1	2	2	2
	F	2	3	3	3	2	3	2	2	2	2	2	1	2	3	3
	P	2	2	2	2	2	2	2	2	2	1	1	1	2	3	2
Tubercle of other organs...	M	59	57	62	57	58	62	72	51	50	48	49	53	63	70	72
	F	40	41	44	42	36	44	51	41	34	38	32	36	35	39	45
	P	49	48	53	49	46	53	61	46	42	43	40	44	47	52	56
General tuberculosis ...	M	138	123	122	126	130	111	88	107	86	87	84	99	99	112	112
	F	118	109	108	108	111	95	74	90	76	71	67	68	67	78	73
	P	128	115	115	117	120	103	81	98	81	79	77	82	81	92	89
Scrofula. (For Tuberculosis (all forms), see page cxxviii.)	M	3	2	2	1	1	1	1	0	0	0	0	0	0	0	0
	F	4	2	1	1	0	1	1	0	0	0	0	1	1	0	0
	P	3	2	1	1	1	1	1	0	0	0	0	0	1	0	0
Parasitic diseases ...	M	10	9	11	8	8	7	6	8	5	7	6	5	5	5	4
	F	8	6	7	6	6	6	4	6	5	5	4	4	3	3	2
	P	9	7	9	7	7	6	5	7	5	6	5	5	4	4	3
Starvation ...	M	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1
	F	1	0	1	0	0	1	0	0	1	0	0	1	1	1	0
	P	1	1	1	1	0	1	1	1	1	1	1	1	1	1	0
Scurvy ...	M	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1
	F	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Alcoholism, Delirium tremens.	M	86	79	81	79	65	58	50	57	55	62	64	53	40	26	17
	F	55	52	53	49	45	37	34	34	36	42	43	35	21	14	5
	P	70	65	66	63	55	47	42	45	45	52	53	43	29	19	10
Opium, Morphia-habit ...	M	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0
	F	0	1	0	0	0	1	0	0	0	0	0	1	0	0	0
	P	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0
Industrial poisoning.	By Lead ...	M	5	5	4	5	6	5	5	6	6	5	4	4	3	3
		F	0	0	0	0	0	0	0	0	—	0	—	0	0	0
		P	3	2	2	3	3	3	2	3	3	2	2	2	1	1
	By Phosphorus.	M	—	—	—	0	—	—	—	—	—	—	0	2	1	0
		F	0	—	—	0	—	—	—	—	—	—	0	2	2	0
		P	0	—	—	0	—	—	—	—	—	—	0	2	1	0
	By Arsenic and other poisons.	M	0	0	0	0	0	0	—	—	—	—	0	0	0	0
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		P	0	0	0	0	0	0	—	—	—	—	—	—	—	—
Rheumatic fever, Acute rheumatism.	M	55	62	66	58	51	56	46	52	52	47	54	62	56	46	50
	F	51	63	64	59	51	55	48	57	56	49	57	58	52	40	40
	P	53	62	65	58	51	56	47	54	54	48	56	60	53	42	44
Rheumatism of heart* ...	M	15	10	8	11	9	9	8	?	?	?	?	?	?	?	?
	F	20	11	11	13	11	11	10	?	?	?	?	?	?	?	?
	P	17	10	10	12	10	10	9	?	?	?	?	?	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

† Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—continued.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Chronic rheumatism ...	M	14	10	9	10	11	10	8	9	8	10	10	12	14	15	13
	F	15	15	14	15	14	15	12	13	11	12	13	15	17	13	14
	P	14	13	11	13	13	12	10	11	10	11	11	14	15	14	13
Rheumatoid arthritis,Rheumatic gout.	M	17	15	16	18	14	17	17	18	18	18	18	26	25	29	28
	F	38	37	39	38	39	43	40	42	44	47	47	53	55	52	57
	P	28	26	28	28	27	31	29	30	32	33	33	41	42	43	45
Gout	M	25	20	22	22	20	19	18	19	16	17	16	19	18	18	14
	F	5	5	5	5	5	4	4	3	4	4	3	5	3	3	2
	P	15	12	13	13	12	11	11	11	10	10	10	11	10	9	7
Carcinoma	M	376	391	419	411	440	455	483	521	564	592	615	678	729	810	814
	F	540	550	575	598	601	641	647	667	719	773	775	770	781	774	793
	P	460	473	500	508	523	551	568	597	644	686	698	728	759	789	802
Sarcoma	M	55	58	59	62	62	63	64	70	67	72	68	74	73	78	81
	F	49	48	51	45	46	49	52	49	52	53	53	50	48	48	48
	P	52	53	55	53	54	56	58	59	59	62	60	61	59	61	62
Cancer, Malignant disease (not otherwise defined). (For Cancer (all forms), see page cxviii).	M	310	310	320	314	316	315	309	300	286	291	288	324	361	375	385
	F	421	413	412	392	389	392	371	370	351	338	333	338	339	351	334
	P	367	363	367	354	354	355	341	336	320	316	311	332	348	360	354
Rickets	M	66	48	47	42	41	39	36	31	25	32	30	33	34	34	28
	F	43	35	34	31	27	25	24	23	17	20	20	17	20	20	17
	P	54	41	40	36	34	32	30	27	21	26	25	24	26	26	22
Purpura	M	8	8	7	9	9	9	8	9	7	10	9	9	8	11	9
	F	9	7	8	9	8	8	8	8	10	7	9	10	9	8	7
	P	9	8	7	9	8	9	8	9	8	9	9	10	8	9	8
Hæmophilia, Hæmorrhagic diathesis.	M	4	3	3	3	3	3	4	4	4	4	4	5	4	4	3
	F	2	2	2	3	1	2	1	2	2	2	2	2	2	2	1
	P	3	3	2	3	2	3	2	3	3	3	3	3	3	3	2
Anæmia, Leucocythæmia...	M	48	51	54	60	57	58	64	59	62	65	69	82	83	87	82
	F	61	62	65	66	66	67	71	70	73	75	83	86	85	84	69
	P	55	57	60	63	62	63	68	65	68	70	76	84	85	85	74
Diabetes mellitus ...	M	99	104	105	104	108	111	114	111	117	120	126	142	150	133	126
	F	87	84	91	91	97	98	106	103	105	116	118	120	114	96	90
	P	93	93	97	97	103	104	110	106	111	118	122	130	130	112	105
Premature birth ...	M	680	634	648	608	621	596	567	568	548	553	544	545	551	509	539
	F	490	481	468	447	447	437	420	416	395	416	399	347	324	284	290
	P	582	555	555	525	531	514	491	489	469	482	409	436	423	378	392
Congenital hydrocephalus	M	15	15	13	11	13	12	10	10	10	12	13	13	13	13	13
	F	9	7	9	8	9	7	7	8	6	7	7	8	7	7	6
	P	12	11	11	9	11	9	8	9	8	10	10	10	10	10	9
Other congenital defects	M	147	152	155	152	156	147	147	141	140	151	144	158	162	145	134
	F	110	114	118	110	114	114	106	106	101	107	107	102	98	87	75
	P	128	132	136	130	135	130	125	123	120	128	125	128	126	111	99
Injury at birth ...	M	28	25	31	29	34	33	28	30	32	36	36	35	36	34	28
	F	18	17	19	18	20	21	20	21	19	23	21	19	19	15	14
	P	23	21	25	24	27	27	24	25	26	29	28	26	26	23	20
Atelectasis	M	46	50	52	55	54	51	50	49	49	53	51	51	48	44	41
	F	33	35	34	36	38	35	37	34	32	32	32	27	26	23	21
	P	39	42	42	45	45	43	43	41	40	42	41	38	36	32	29
Want of breast milk ...	M	23	23	26	26	26	22	17	17	14	18	14	20	14	16	12
	F	18	16	18	18	18	16	13	13	8	11	12	10	8	7	6
	P	21	19	22	22	22	19	15	15	11	15	13	14	10	11	8
Teething	M	98	78	72	70	63	58	52	44	38	46	40	54	47	42	38
	F	79	60	55	51	50	42	38	36	30	36	33	36	29	25	25
	P	88	69	63	60	56	50	45	40	34	41	36	44	37	32	30
Meningitis, Inflammation of brain.	M	209	197	199	172	177	169	153	167	126	131	133	146	128	128	126
	F	166	160	152	142	138	133	127	133	102	110	106	105	89	81	81
	P	187	178	175	156	157	151	140	150	114	120	119	124	106	101	100
Softening of brain...	M	74	67	70	69	70	64	62	54	45	41	39	45	42	47	41
	F	61	62	61	63	63	56	54	52	43	39	39	39	33	34	30
	P	67	64	65	66	66	60	58	53	44	40	39	41	37	39	35
General paralysis of insane	M	110	106	107	106	101	106	100	100	102	97	102	111	109	126	111
	F	33	31	32	31	28	30	27	23	24	21	22	22	19	22	17
	P	71	67	68	67	63	67	62	60	62	58	61	62	58	65	56
Insanity (not puerperal)...	M	53	54	57	57	55	58	54	61	63	56	55	70	76	106	103
	F	61	67	68	70	68	64	62	76	77	68	73	77	78	83	83
	P	57	61	63	64	62	61	58	69	70	62	64	74	77	93	91

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†	1917.†	1918.†
Chorea	M	2	2	2	2	2	2	2	2	2	2	2	3	2	1	2
	F	5	7	7	7	5	7	6	5	6	6	7	6	5	3	3
	P	4	4	5	4	4	5	4	4	4	4	5	4	3	2	3
Epilepsy	M	95	91	89	87	81	86	81	80	81	81	85	101	115	143	139
	F	78	80	74	75	72	73	70	66	70	69	68	74	76	81	80
	P	86	85	81	81	76	79	75	73	76	75	76	86	93	107	104
Convulsions... ..	M	516	449	428	390	386	344	307	290	252	257	232	260	240	228	210
	F	361	317	306	280	272	242	221	202	168	184	158	159	131	122	109
	P	436	380	365	333	327	291	262	245	209	219	194	204	178	166	150
Laryngismus stridulus ...	M	13	14	11	11	14	9	7	8	7	8	9	10	9	7	6
	F	10	8	7	7	6	7	6	6	3	5	5	5	4	5	3
	P	12	11	9	9	10	8	7	7	5	7	7	7	6	6	4
Locomotor ataxy	M	25	27	28	27	28	29	28	30	31	35	34	39	45	45	42
	F	6	6	6	7	6	7	5	6	6	6	6	6	5	6	5
	P	15	16	16	17	17	17	16	18	18	20	19	21	23	22	20
Paraplegia, Diseases of cord	M	74	68	67	61	65	67	67	64	57	53	59	68	72	71	74
	F	57	55	54	53	56	52	51	46	42	46	47	47	47	46	45
	P	65	61	60	57	60	59	59	55	49	50	53	56	58	56	57
Neuritis, Peripheral, Polyneuritis.	M	8	6	8	8	8	7	7	7	5	7	7	9	6	7	5
	F	17	16	18	19	15	15	14	16	13	14	14	12	9	6	4
	P	12	11	13	14	11	11	11	12	9	11	10	10	8	6	4
Brain tumour (not specific)	M	20	22	23	23	22	23	23	21	22	22	25	30	33	30	28
	F	19	19	20	21	20	21	22	17	20	22	24	26	25	23	22
	P	20	21	22	22	21	22	22	19	21	22	25	28	28	26	24
Other diseases of nervous system. (For total diseases of nervous system, see page cxxviii.)	M	110	92	94	82	76	80	70	74	65	69	68	81	91	92	94
	F	106	88	85	80	71	75	65	70	64	62	62	66	64	60	61
	P	108	90	90	81	73	77	67	72	64	65	65	72	76	74	75
Otitis, Mastoid disease ...	M	38	38	39	36	34	38	33	34	33	38	37	40	38	36	31
	F	25	28	28	28	25	24	24	28	24	25	30	27	25	22	21
	P	31	33	33	32	29	31	28	31	28	31	33	33	30	28	25
Epistaxis, Diseases of nose	M	3	2	2	2	2	2	2	3	3	3	3	2	3	3	3
	F	2	2	1	2	2	2	2	4	2	3	3	2	2	2	2
	P	2	2	2	2	2	2	2	3	3	3	3	2	2	2	2
Ophthalmia, Diseases of eye	M	2	2	2	2	1	2	1	3	2	2	3	3	3	4	3
	F	2	2	2	2	1	1	2	3	2	2	3	2	2	2	1
	P	2	2	2	2	1	2	2	3	2	2	3	2	2	3	2
Valvular disease, Endocarditis (not infective).*	M	410	415	432	444	448	455	446	475	545	586	600	745	790	842	822
	F	452	458	468	495	482	505	489	532	612	632	670	718	698	681	664
	P	431	437	450	470	465	481	468	505	579	609	636	730	738	748	729
Pericarditis	M	14	14	14	16	14	13	14	18	15	14	15	16	13	12	13
	F	11	13	11	12	11	10	11	13	11	9	10	12	10	8	7
	P	12	13	12	14	12	12	12	15	13	12	12	14	11	10	10
Hypertrophy of heart† ...	M	9	8	9	9	11	8	8	?	?	?	?	?	?	?	?
	F	6	5	5	4	5	5	3	?	?	?	?	?	?	?	?
	P	7	7	7	6	8	6	6	?	?	?	?	?	?	?	?
Angina pectoris	M	31	32	35	36	36	37	41	41	42	44	44	52	47	45	46
	F	14	17	18	18	17	18	16	19	19	19	21	21	17	17	14
	P	22	25	26	27	26	27	28	29	30	31	32	35	30	28	27
Dilatation of heart† ...	M	88	90	93	104	98	103	92	?	?	?	?	?	?	?	?
	F	92	90	89	99	93	97	87	?	?	?	?	?	?	?	?
	P	90	90	91	101	95	100	89	?	?	?	?	?	?	?	?
Fatty degeneration of heart	M	61	63	63	67	67	62	66	70	79	85	82	93	86	83	65
	F	71	70	75	76	78	78	69	79	91	97	94	93	87	73	55
	P	66	67	68	72	73	70	68	74	85	91	88	93	86	77	59
Syncope, Heart disease (not specified).† (For total diseases of heart, see page cxxviii.)	M	816	758	761	769	733	727	681	742	710	725	712	913	930	931	881
	F	870	807	770	786	745	754	698	746	727	721	731	796	773	710	653
	P	844	784	766	778	739	741	690	744	719	723	722	849	841	803	755
Cerebral hæmorrhage, Cerebral embolism.	M	398	404	422	441	464	467	463	470	494	519	531	624	641	705	655
	F	447	462	495	510	525	543	534	553	583	604	623	639	608	618	584
	P	423	434	459	477	496	506	500	513	540	563	578	632	622	654	613
Apoplexy, Hemiplegia ...	M	268	242	238	229	217	211	191	210	196	189	181	212	220	233	201
	F	318	272	275	263	246	245	221	245	231	210	209	222	200	193	178
	P	294	258	257	247	232	228	206	228	214	200	196	218	208	210	188

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope. Heart disease (not specified).

‡ Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—continued.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Aneurysm	M	53	55	53	56	51	55	52	53	55	52	50	52	50	51	46
	F	13	11	12	11	11	12	12	12	10	12	12	13	10	11	9
	P	32	32	32	33	30	33	31	32	31	32	31	31	28	28	24
Senile gangrene	M	46	47	47	47	47	49	44	42	40	41	40	49	52	50	45
	F	38	35	36	37	36	39	35	35	31	32	33	33	32	31	27
	P	42	41	41	42	41	44	39	39	35	36	37	40	41	39	35
Embolism, Thrombosis (not cerebral).	M	11	10	11	14	11	12	10	10	10	11	12	13	12	13	11
	F	15	14	15	16	15	15	12	14	13	13	15	12	10	10	9
	P	13	12	13	15	13	13	11	12	12	12	13	12	11	11	10
Phlebitis	M	3	4	3	3	2	3	2	3	4	3	3	4	5	4	3
	F	5	5	5	5	5	5	5	4	6	6	6	5	5	5	3
	P	4	4	4	4	4	4	4	4	5	4	5	5	5	5	3
Varicose veins	M	3	2	1	2	1	2	2	2	2	2	3	3	4	4	3
	F	4	5	5	4	4	4	4	5	6	6	6	5	5	4	5
	P	4	3	3	3	2	3	3	4	4	4	5	4	4	4	4
Other diseases of blood vessels. (For total diseases of blood vessels, see page cxxviii.)	M	65	71	83	91	94	115	118	141	191	231	264	312	328	382	388
	F	35	39	49	55	52	62	67	83	115	149	166	177	180	185	190
	P	50	55	65	72	72	88	92	111	152	189	213	238	244	268	272
Laryngitis	M	38	35	35	38	30	33	28	31	27	26	28	34	30	29	26
	F	29	28	27	27	25	23	21	23	19	19	21	22	18	16	16
	P	34	31	31	32	27	28	24	27	23	22	24	28	23	22	20
Membranous laryngitis (not diphtheritic).	M	2	1	2	1	1	1	1	1	0	1	1	0	0	0	0
	F	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0
	P	1	1	1	1	1	1	1	1	0	0	1	0	0	0	0
Croup (not spasmodic nor membranous).	M	16	16	16	12	10	8	3	2	2	1	1	1	2	1	1
	F	12	12	11	10	8	6	1	2	1	1	1	1	1	0	1
	P	14	14	13	11	9	7	2	2	1	1	1	1	1	1	1
Other diseases of larynx and trachea.	M	2	2	2	1	1	1	1	1	1	1	1	1	2	1	1
	F	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis	M	1262	1154	1049	1217	1109	1133	986	1006	1072	1082	1074	1526	1390	1482	1477
	F	1241	1137	1031	1216	1093	1171	941	985	1069	1026	1061	1317	1102	1046	1026
	P	1251	1145	1040	1216	1101	1152	963	995	1070	1053	1067	1412	1227	1228	1211
Emphysema, Asthma ...	M	59	55	55	62	58	64	56	63	69	70	74	105	91	99	99
	F	38	37	35	38	38	46	36	41	44	43	47	59	46	43	48
	P	48	46	45	50	48	54	45	52	56	56	60	80	66	66	69
Pleurisy	M	43	50	44	44	42	48	44	48	49	44	49	53	54	61	54
	F	31	31	29	33	29	32	28	32	31	29	32	33	29	30	28
	P	37	40	37	38	35	40	36	39	40	36	40	42	40	43	39
Fibroid disease of lung ...	M	25	25	25	29	24	25	20	14	14	14	15	14	14	16	13
	F	10	8	7	9	9	9	6	4	4	4	4	3	3	2	3
	P	18	16	15	19	16	16	13	9	9	9	9	8	8	8	7
Other diseases of respiratory system. (For total diseases of respiratory system, see page cxxviii.)	M	95	89	85	77	79	79	76	80	78	70	72	88	81	85	77
	F	79	77	72	68	70	73	67	64	65	61	63	65	53	53	51
	P	87	83	79	72	74	76	71	72	71	65	67	76	65	66	62
Tonsillitis, Quinsy... ..	M	13	12	12	12	12	13	10	13	11	14	17	16	13	12	13
	F	11	11	9	10	9	9	8	11	10	11	13	13	11	10	9
	P	12	12	11	11	10	11	9	12	10	13	15	14	12	11	11
Diseases of mouth, pharynx, oesophagus (not specific).	M	19	17	17	15	14	17	18	18	16	17	20	20	20	18	19
	F	16	16	16	15	15	15	17	13	14	15	18	15	15	12	13
	P	17	16	16	15	15	16	17	15	15	16	19	17	17	15	15
Gastric ulcer	M	34	37	40	39	40	40	45	43	49	50	57	58	61	64	71
	F	69	65	61	63	57	57	57	54	52	48	53	49	48	49	47
	P	52	51	51	51	49	49	51	49	50	49	55	53	54	55	57
Gastritis, Gastric catarrh...	M			100	95	96	93	93	91	80	90	86	105	102	100	92
	F			98	93	101	91	85	87	74	83	89	87	81	73	66
	P	132	117	99	94	99	92	89	89	77	87	88	95	90	85	77
Other diseases of stomach, (not malignant).	M	135	117													
	F	133	117	18	17	16	15	19	18	20	19	21	21	23	18	18
	P			14	15	13	11	17	15	16	16	18	17	17	12	12
				16	16	14	13	18	16	18	17	19	19	20	14	15

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Ulceration of intestines ...	M	19	17	21	28	27	28	32	32	37	39	41	39	40	39	36
	F	13	13	15	14	16	16	17	16	16	16	16	15	15	15	15
	P	16	15	18	21	21	22	24	24	26	27	28	26	26	25	24
Enteritis (not epidemic)	M	148	126	159	114	137	116	113	176	83	129	121	115	97	103	97
	F	121	108	133	99	116	94	94	149	66	101	93	88	71	66	58
	P	134	117	146	106	126	105	103	162	74	115	107	100	82	81	74
Gastro-enteritis ...	M	111	90	125	80	110	91	98	200	81	155	149	162	136	125	122
	F	88	71	102	62	89	73	76	164	62	122	122	111	87	79	72
	P	99	80	113	71	99	82	87	181	71	138	135	134	108	98	93
Appendicitis, Perityphlitis	M	69	67	77	69	73	75	77	91	75	78	85	81	86	85	79
	F	44	48	48	45	50	55	55	61	55	60	58	55	58	54	57
	P	56	57	62	57	61	64	66	75	65	69	71	67	70	67	66
Hernia ...	M	41	43	44	42	38	41	37	40	40	44	41	55	55	68	67
	F	47	48	46	47	42	44	45	46	43	47	47	52	52	65	64
	P	44	46	45	44	40	42	41	43	41	46	44	53	53	66	65
Intestinal obstruction ...	M	78	77	80	78	77	79	70	76	70	68	70	80	84	90	96
	F	71	75	74	70	74	69	70	72	67	64	63	66	59	67	74
	P	74	76	77	74	75	74	70	74	68	66	66	72	70	77	83
Other diseases of intestines	M	8	8	8	8	9	9	10	14	13	14	13	17	14	17	15
	F	6	7	6	8	7	8	9	11	12	13	16	15	14	13	12
	P	7	8	7	8	8	8	10	12	12	14	14	16	14	15	13
Peritonitis (not puerperal)	M	27	23	24	18	20	16	13	13	11	13	12	14	14	13	11
	F	30	26	26	22	20	18	18	20	14	16	16	15	15	13	11
	P	29	25	25	20	20	17	15	17	13	15	14	14	14	13	11
Cirrhosis of liver ...	M	135	132	127	123	121	120	106	105	108	115	117	120	111	97	73
	F	101	105	98	102	89	81	75	78	79	80	82	70	54	38	28
	P	118	118	112	112	104	100	90	91	93	97	99	93	79	63	46
Other diseases of liver and gall bladder. (For total diseases of liver and gall bladder, see page cxviii.)	M	56	53	53	51	44	48	43	43	39	38	42	42	43	40	39
	F	73	69	72	65	63	62	63	66	59	65	65	62	57	49	45
	P	65	61	63	58	54	55	53	55	49	52	54	53	51	45	43
Other diseases of digestive system. (For total diseases of digestive system, see page cxviii.)	M	17	11	9	11	12	13	7	7	7	8	7	7	7	6	5
	F	14	12	8	11	12	13	6	5	5	7	6	6	5	4	3
	P	15	12	9	11	12	13	7	6	6	7	7	7	6	5	4
Diseases of spleen ...	M	1	1	2	1	1	1	1	1	1	1	2	1	2	1	1
	F	1	2	1	2	1	2	1	1	1	1	2	1	1	1	1
	P	1	2	2	1	1	2	1	1	1	1	2	1	2	1	1
Other diseases of lymphatic system.	M	13	15	14	14	14	15	18	17	18	19	21	23	23	20	23
	F	8	8	9	9	9	9	10	11	11	12	13	12	12	12	11
	P	10	12	12	11	11	12	14	14	15	15	17	17	17	15	16
Diseases of thyroid body	M	4	4	4	4	5	4	6	5	5	7	5	7	7	7	9
	F	23	23	24	25	25	29	30	33	33	33	38	35	35	33	31
	P	14	14	14	15	16	17	18	20	20	20	22	23	23	22	22
Diseases of supra renal capsules.	M	6	5	7	5	6	6	6	6	6	6	5	6	6	7	6
	F	6	7	6	5	7	8	7	8	8	6	7	7	7	7	6
	P	6	6	7	5	6	7	6	7	7	6	6	6	6	7	6
Acute nephritis, Uræmia...	M	102	102	103	111	116	115	110	110	110	115	121	140	140	144	134
	F	84	84	88	89	95	102	92	101	93	100	104	109	98	93	88
	P	93	93	95	99	105	108	100	105	101	107	112	123	116	114	107
Chronic Bright's disease, Albuminuria. (For total Nephritis and Bright's disease, see page cxviii.)	M	335	317	331	332	316	328	319	327	334	358	349	393	382	402	372
	F	261	252	258	272	258	267	261	268	276	283	290	282	250	236	218
	P	296	283	294	301	286	296	289	297	304	319	319	332	307	305	281
Calculus (not biliary) ...	M	11	11	11	12	9	9	9	11	10	11	11	11	11	12	11
	F	5	4	4	4	4	5	4	4	5	4	3	4	4	4	4
	P	8	7	8	8	7	7	7	7	7	7	7	8	7	7	7
Diseases of bladder and of prostate.	M	138	136	145	131	133	129	126	144	134	134	140	169	178	204	202
	F	14	13	13	13	14	13	12	14	13	12	14	15	13	13	13
	P	74	73	77	70	71	69	67	77	72	71	75	85	85	93	90
Other diseases of urinary system.	M	28	30	29	28	29	25	31	33	32	33	34	36	38	45	41
	F	8	8	9	8	7	7	9	10	11	11	13	11	10	10	9
	P	18	19	18	18	17	16	20	21	21	22	23	22	22	25	22
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	22	21	20	16	17	16	17	15	14	16	15	16	14	14
	P	10	11	11	10	8	9	8	9	8	7	8	8	9	8	8
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	2	3	3	2	2	1	1	1	1	1	1	1	0	1
	P	1	1	1	1	1	1	1	1	0	0	0	1	0	0	0

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—continued.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Uterine tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	21	20	18	20	16	17	17	17	17	16	17	16	17	16
	P	10	11	10	9	10	8	9	9	9	9	8	9	9	10	9
Other diseases of uterus and vagina.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	19	17	18	16	18	15	19	17	17	18	18	20	18	18
	P	9	10	9	9	8	10	8	10	9	9	9	10	11	11	10
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	2	3	2	2	1	2	1	2	1	1	2	1	2
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of generative and mammary organs. (For total diseases of generative and mammary organs, see page cxxviii.)	M	4	3	4	3	2	3	4	4	4	5	7	6	5	7	5
	F	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
	P	3	2	2	2	2	2	2	3	3	3	4	3	3	4	3
Abortion, Miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	9	8	6	5	5	4	5	6	6	7	7	5	6	5
	P	4	4	4	3	2	2	2	2	3	3	3	4	3	4	3
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	4	4	4	3	2	3	2	2	1	2	2	1	1	1
	P	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	27	25	25	23	25	24	24	24	28	24	22	23	20	20
	P	12	14	13	13	12	13	12	13	13	15	12	12	13	12	12
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	33	35	35	34	31	31	33	30	32	33	31	29	27	21	19
	P	17	18	18	18	16	16	17	15	17	17	16	16	15	12	11
Other accidents of pregnancy and childbirth. (For total non-septic diseases of pregnancy and childbirth, and for total including septic diseases, see page cxxviii.)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	48	49	48	46	46	43	40	40	42	42	43	41	39	29	29
	P	25	26	25	24	24	22	21	21	22	22	22	23	22	17	17
Caries, Necrosis ...	M	19	17	16	12	12	6	2	23	24	25	27	27	29	33	28
	F	13	14	11	10	8	4	1								
	P	16	15	13	11	10	5	2								
Arthritis, Periostitis ...	M	8	8	7	8	10	9	7	15	16	16	16	16	16	17	15
	F	6	5	5	6	5	6	6								
	P	7	7	6	7	7	7	7								
Other diseases of locomotor system.	M	10	11	12	9	9	10	12	8	8	8	11	11	9	12	10
	F	7	8	10	6	6	7	8								
	P	8	9	11	7	7	8	10								
Ulcer, Bed-sore ...	M	8	9	9	9	8	9	9	8	15	15	18	11	15	16	12
	F	17	17	17	19	17	15	17								
	P	13	13	13	14	12	12	13								
Eczema ...	M	12	12	12	10	10	8	8	10	9	8	9	9	9	6	7
	F	8	7	6	7	6	6	6								
	P	10	9	9	8	8	7	7								
Pemphigus ...	M	6	9	8	7	8	7	7	4	4	4	4	4	6	5	4
	F	5	7	6	6	6	6	5								
	P	6	8	7	6	7	6	6								
Other diseases of the skin	M	6	7	7	8	7	6	7	7	7	8	9	9	9	9	9
	F	6	7	6	7	6	7	6								
	P	6	7	6	7	6	7	7								
Other specified diseases ...	M	0	0	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	0	—								
	P	0	0	—	—	—	0	—								
Atrophy, Debility ...	M	598	553	536	497	498	459	425	447	355	377	345	352	336	300	278
	F	447	394	395	350	356	334	308								
	P	520	471	463	421	424	395	364								
Old age ...	M	844	820	856	829	835	850	776	826	754	723	688	826	866	917	829
	F	1062	1030	1071	1061	1040	1066	990								
	P	962	928	970	951	950	959	890								
Dropsey, Ascites, Anasarca	M	3	3	2	4	2	1	1	1	1	1	0	1	1	1	1
	F	4	4	3	4	2	2	1								
	P	4	4	2	4	2	2	1								
Tumour ...	M	2	2	2	2	2	2	2	3	4	3	5	5	5	6	7
	F	3	3	2	3	3	3	3								
	P	3	2	2	3	2	3	2								
Abscess ...	M	10	8	8	9	12	8	8	7	9	9	9	12	11	13	9
	F	7	6	7	8	9	7	6								
	P	9	7	8	8	11	8	7								

* Based upon civilian deaths and civilian population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1904-1918.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*
Hæmorrhage ...	M	1	1	1	1	1	1	2	2	1	1	2	2	2	2	2
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	2	1	1	1	1	2	2
Sudden death (cause unascertained).	M	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	F	1	1	0	0	1	1	0	0	0	0	0	0	0	0	0
	P	1	1	1	1	0	1	0	0	0	0	0	0	0	0	0
Other ill-defined causes ...	M	27	28	28	25	24	23	23	16	12	10	9	13	13	15	12
	F	20	22	18	16	15	15	13	10	8	7	8	10	10	7	7
	P	23	25	23	21	19	19	18	13	10	9	9	11	11	11	8
Causes not specified. (For total causes ill-defined or not specified, see page cxxviii.)	M	9	8	6	7	5	4	6	5	4	4	4	4	4	7	8
	F	5	4	3	4	3	3	4	3	3	3	2	3	3	3	3
	P	7	6	5	5	4	3	5	4	4	4	3	3	3	4	4
Violent Deaths:—																
In mines and quarries ...	M	60	68	65	65	67	80	75	85	68	66	89	73	78	87	81
	F	—	—	0	—	—	—	—	—	—	—	—	—	—	—	0
	P	29	33	31	31	33	39	36	41	33	32	43	33	34	36	33
Vehicles and horses ...	M	129	126	128	131	125	112	115	131	134	150	156	189	188	167	159
	F	19	20	21	19	20	19	22	25	25	30	30	39	36	34	32
	P	72	71	73	73	71	64	67	76	78	88	91	107	102	90	84
Ships, boats, and docks (not drowning).	M	18	17	16	15	16	15	15	17	19	18	17	19	20	21	18
	F	—	0	0	0	0	0	0	0	0	0	0	—	0	0	0
	P	8	8	8	7	8	7	7	8	9	9	9	9	9	9	7
Building operations ...	M	12	14	14	14	13	10	11	12	12	13	15	13	15	14	15
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	0	—
	P	6	7	7	7	6	5	6	6	6	6	7	6	7	6	6
Machinery ...	M	15	12	14	14	13	12	11	14	13	14	11	19	19	22	23
	F	0	1	1	0	1	0	1	1	0	0	0	0	1	1	2
	P	7	6	7	7	6	6	6	7	6	7	6	9	9	10	10
Weapons and implements	M	7	6	6	5	5	6	5	5	6	7	9	8	7	6	7
	F	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	4	3	3	3	3	3	2	3	3	4	5	4	4	3	3
Burns and scalds ...	M	62	63	65	66	63	64	57	60	55	53	52	66	76	78	78
	F	79	83	86	84	87	86	72	75	75	67	70	76	77	87	70
	P	71	73	76	75	75	75	65	68	65	60	62	71	76	84	73
Poisons, poisonous vapours	M	20	19	21	20	21	21	19	12	12	11	12	11	11	13	12
	F	11	11	11	12	10	10	11	7	6	7	7	7	6	6	5
	P	15	15	16	16	16	16	14	10	9	9	9	9	8	9	8
Drowning ...	M	124	126	119	112	121	105	108	128	116	113	118	124	135	124	108
	F	22	25	21	20	22	22	21	22	23	22	20	24	23	18	20
	P	71	74	68	65	70	62	63	73	68	66	67	69	72	63	57
Suffocation ...	M	68	62	59	62	55	48	46	43	45	44	45	37	33	36	28
	F	56	49	50	48	49	42	40	37	40	36	35	26	21	20	17
	P	62	55	55	55	52	45	42	40	43	40	40	31	27	27	22
Falls ...	M	85	78	83	87	82	78	74	87	91	87	88	100	107	100	87
	F	66	63	67	71	68	69	58	70	71	76	74	75	79	68	56
	P	75	70	75	79	75	74	66	78	81	81	81	86	91	82	69
Weather agencies ...	M	12	10	13	8	10	8	8	26	11	10	11	10	15	14	8
	F	5	4	5	2	3	3	2	11	3	3	4	2	4	3	2
	P	8	7	9	4	7	6	5	18	7	6	7	6	9	8	4
Otherwise or not stated	M	57	57	52	51	54	48	51	44	44	38	39	52	43	47	51
	F	17	14	16	15	15	15	21	16	15	13	13	16	13	13	13
	P	36	35	34	33	34	31	35	30	29	25	26	32	26	28	29
Battle ...	M	—	0	0	0	0	—	—	0	0	0	38	11	20	41	34
	F	—	—	—	—	—	—	—	—	—	—	2	5	7	11	5
	P	—	0	0	0	0	—	—	0	0	0	19	7	13	23	17
Homicide ...	M	11	8	8	8	9	8	8	9	8	8	7	7	7	6	6
	F	9	10	8	7	9	8	8	7	9	10	8	7	7	7	6
	P	10	9	8	8	9	8	8	8	9	9	8	7	7	7	6
Suicide ...	M	155	163	160	157	167	157	155	152	153	147	157	113	115	100	114
	F	47	49	45	50	51	49	48	50	48	49	48	48	41	38	47
	P	99	104	101	102	107	101	100	99	99	96	101	78	73	64	74
Execution. (For total violent deaths, see page cxxviii.)	M	1	1	0	1	1	1	1	1	1	1	1	1	1	0	0
	F	0	—	—	0	—	—	—	—	—	—	—	—	—	—	—
	P	1	1	0	0	0	1	0	0	0	0	0	—	0	0	0

* Based upon civilian deaths and civilian population.

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVILIAN POPULATION at ALL AGES from VARIOUS CAUSES, 1918.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
	All Causes ...	21,098	15,086	17,560	32	Tuberculosis of spinal column.	30	20	24
1	Enteric fever ...	29	25	26	33	Tuberculosis of joints	19	9	13
2	Typhus... ..	0	0	0	34	Tuberculosis of other organs.	25	19	21
3	Relapsing fever ...	0	—	0		A. Lupus	2	3	2
	A. Relapsing fever...	—	—	—		B. Scrofula	0	0	0
	B. Mediterranean fever.	0	—	0		C. Other tuberculosis included under 34.	23	16	19
4	Malaria	6	0	3	35	Disseminated tuberculosis.	87	56	71
5	Small-pox	0	0	0	28-35	Tuberculosis (all forms)	2,153	1,373	1,694
6	Measles... ..	365	236	289	36	Rickets, Softening of bones.	30	19	24
7	Scarlet fever ...	33	26	29		A. Rickets	28	17	22
8	Whooping cough ...	319	280	296		B. Other forms of bone softening.	2	2	2
9	Diphtheria, Croup ...	167	127	143	37	Syphilis	81	42	58
	A. Diphtheria ...	166	126	142	38	Other venereal diseases	3	1	2
	B. Membranous laryngitis.	0	0	0		A. Soft chancre ...	0	—	0
	C. Croup	1	1	1		B. Gonococcus infection.	1	1	1
10	Influenza	3,360	2,967	3,129		C. Purulent ophthalmia.	2	0	1
11	Miliary fever ...	—	—	—	39	Cancer of the buccal cavity.	169	19	81
12	Asiatic cholera ...	—	—	—	40	Cancer of the stomach, liver, &c.	493	324	393
13	Cholera nostras ...	1	0	0	41	Cancer of the peritoneum, intestines, and rectum.	279	236	254
14	Dysentery	32	18	24	42	Cancer of the female genital organs.	—	254	149
15	Plague	0	0	0	43	Cancer of the breast ...	3	207	123
16	Yellow fever ...	—	—	—	44	Cancer of the skin ...	46	20	31
17	Leprosy	0	—	0	45	Cancer of other or unspecified organs.	290	115	187
18	Erysipelas	21	14	17	39-45	Cancer (all sites) ...	1,280	1,175	1,218
19	Other epidemic diseases	6	4	5	46	Other tumours (situation undefined).	7	4	5
	A. Mumps	1	1	1		A. Angioma	0	—	0
	B. German measles ...	2	1	2		B. Adenoma	0	0	0
	C. Varicella	2	2	2		C. Other tumours included under 46.	7	4	5
	D. Other diseases included under 19.	1	0	0	47	Rheumatic fever ...	50	40	44
20	Pyæmia, Septicæmia ...	19	9	13	48	Chronic rheumatism, Osteo-arthritis, Gout.	55	73	65
	A. Pyæmia	4	2	3		A. Chronic rheumatism.	13	14	13
	B. Septicæmia	15	7	10		B. Osteo-arthritis ...	28	57	45
	C. Vaccinia	0	—	0		C. Gout	14	2	7
21	Glanders	—	—	—	49	Scurvy	1	1	1
22	Anthrax (Splenic fever)	1	0	0	50	Diabetes	126	90	105
23	Rabies	—	—	—	51	Exophthalmic goitre ...	3	18	12
24	Tetanus	9	2	4	52	Addison's disease ...	6	6	6
25	Mycoses	1	0	1	53	Leucocythæmia, Lymphadenoma.	26	14	19
	A. Actinomycosis ...	1	0	1		A. Leucocythæmia (Leuchæmia).	13	9	11
	B. Other mycoses ...	0	0	0		B. Lymphadenoma ...	13	5	8
26	Pellagra	—	0	0	54	Anæmia, Chlorosis ...	69	60	64
27	Beri-beri	0	—	0	55	Other general diseases	15	10	13
28	Pulmonary tuberculosis (not acute).	1,593	986	1,235		A. Diabetes insipidus	1	0	1
	A. Pulmonary tuberculosis.	1,210	729	926		B. Purpura	9	7	8
	B. Phthisis (not defined as tuberculous).	383	257	309		C. Hæmophilia ...	3	1	2
29	Acute phthisis, Acute miliary tuberculosis.	124	96	108		D. Other diseases included under 55.	2	2	2
	A. Acute phthisis ...	99	78	87					
	B. Acute miliary tuberculosis.	25	18	21					
28 & 29	Phthisis	1,717	1,082	1,343					
30	Tuberculous meningitis	160	106	128					
31	Tuberculosis of peritoneum and intestines.	115	81	94					
	A. Tabes mesenterica	13	7	9					
	B. Other peritoneal and intestinal tubercle.	102	74	85					

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVILIAN POPULATION at ALL AGES from VARIOUS CAUSES, 1918—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
56	Alcoholism (acute or chronic).	4	1	2	72	Chorea... ..	2	3	3
57	Chronic lead poisoning	3	0	1	73	Hysteria, Neuralgia, Neuritis.	7	5	7
	A. Occupational lead poisoning.	3	0	1		A. Hysteria, Neuralgia, Sciatica.	2	1	2
	B. Non-occupational lead poisoning.	—	—	—		B. Neuritis... ..	5	4	5
58	Other chronic occupational poisonings.	0	0	0	74	Other diseases of the nervous system.	85	58	69
59	Other chronic poisonings.	0	0	0		A. Idiocy, Imbecility	15	8	11
60	Encephalitis	12	8	10		B. Cretinism	2	2	2
61	Meningitis	134	85	105		C. Cerebral tumour	28	22	24
	A. Cerebro-spinal fever.	19	12	15		D. Other diseases included under 74.	40	26	32
	B. Posterior basal meningitis.	5	3	3	75	Diseases of the eyes and annexa.	2	1	1
	C. Meningitis—other forms.	110	70	87	76	Diseases of the ears ...	32	21	26
62	Locomotor ataxy	42	5	20		A. Mastoid disease	8	4	6
63	Other diseases of the spinal cord.	106	62	80		B. Other diseases of the ears.	24	17	20
	A. Diseases formerly classed to "Other nervous affections."	37	21	27	77	Pericarditis	13	7	10
	B. Poliomyelitis, Polioencephalitis.	8	6	7	78	Acute endocarditis ...	42	38	39
	C. Other diseases included under 63.	61	35	46		A. Acute myocarditis.	11	7	8
64	Cerebral hæmorrhage, Apoplexy.	738	643	682		B. Infective endocarditis.	12	14	13
	A. Apoplexy	138	121	128		C. Other acute endocarditis.	19	17	18
	B. Serous apoplexy and Œdema of brain.	4	4	4	79	Organic disease of the heart.	1,680	1,307	1,460
	C. Cerebral congestion.	3	2	2		A. Valvular disease	803	647	711
	D. Cerebral atheroma.	10	7	8		B. Fatty degeneration of the heart.	65	55	59
	E. Cerebral hæmorrhage.	583	509	540		C. Other organic disease of the heart.	812	605	690
65	Softening of brain	41	30	35	80	Angina pectoris	46	14	27
66	Paralysis without specified cause.	78	68	72	81	Diseases of the arteries, Atheroma, Aneurysm, &c.	425	192	288
	A. Hemiplegia	64	57	60		A. Aneurysm	46	9	24
	B. Paraplegia	5	4	4		B. Arterial sclerosis	373	181	260
	C. Other forms of paralysis.	9	7	8		C. Other diseases of arteries	6	2	4
67	General paralysis of the insane.	111	17	56	82	Embolism and thrombosis.	80	82	81
68	Other forms of mental alienation.	42	37	39		A. Cerebral embolism and thrombosis.	72	75	74
69	Epilepsy	138	79	104		B. Other embolism and thrombosis.	8	7	7
70	Convulsions (non-puerperal; 5 years and over).	4	3	4	83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis &c.).	6	8	7
	A. Epileptiform convulsions.	1	0	1		A. Phlebitis	3	3	3
	B. Others included under 70.	3	3	3		B. Varix	3	5	4
71	Infantile convulsions (under 5 years of age).	244	130	177		C. Pylephlebitis	0	0	0
	A. Convulsions with teething.	37	24	29	84	D. Varicocele	—	—	—
	B. Other infantile convulsions.	207	106	148		Diseases of the lymphatic system (Lymphangitis, &c.)	10	6	8
						A. Status lymphaticus.	5	3	4
						B. Other diseases of the lymphatic system.	5	3	4

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVILIAN POPULATION at ALL AGES from VARIOUS CAUSES, 1918—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
85	Hæmorrhage; other diseases of the circulatory system.	10	7	9		C. Parotitis ...	1	1	1
	A. Functional disease of the heart.	7	6	6	100	D. Other diseases of mouth and annexa.	1	1	1
	B. Epistaxis. ...	1	0	1		Diseases of the pharynx, Tonsillitis.	19	12	16
	C. Other diseases included under 85.	2	1	2		A. Tonsillitis ...	13	9	11
86	Diseases of the nasal fossæ.	2	1	2	101	B. Ludwig's angina	2	1	2
87	Diseases of the larynx	33	20	25	102	C. Other diseases of the pharynx.	4	2	3
	A. Laryngismus stridulus.	6	3	4	103	Diseases of the œsophagus.	3	1	1
	B. Laryngitis ...	26	16	20		Perforating ulcer of stomach.	71	47	57
	C. Other diseases of larynx.	1	1	1		Other diseases of the stomach.	110	79	92
88	Diseases of the thyroid body.	4	11	8		A. Inflammation of stomach.	92	67	77
89 & 90	Bronchitis ...	1,504	1,040	1,232		B. Other diseases included under 103.	18	12	15
	A. Bronchiectasis, Bronchial catarrh, &c.	27	14	20	104	Diarrhœa and enteritis	474	278	358
	B. Other bronchitis	1,477	1,026	1,212	105	A. Infective enteritis	109	65	83
91	Broncho-pneumonia...	898	606	727		B. Diarrhœa — not returned as infective.	98	61	76
92	Pneumonia, lobar and undefined.	1,217	724	927		C. Enteritis — not returned as infective.	97	58	74
	A. Lobarpneumonia	476	263	351		D. Gastro-enteritis— not returned as infective.	122	73	93
	B. Pneumonia (type not stated).	741	461	576		E. Dyspepsia— under 2 years.	9	4	6
91 & 92	Pneumonia (all forms)	2,115	1,330	1,654		F. Colic ...	3	1	2
93	Pleurisy ...	54	28	38		G. Ulceration of intestines.	7	9	8
	A. Empyema ...	18	7	11		H. Duodenal ulcer	29	7	16
	B. Other pleurisy ...	36	21	27	106	Ankylostomiasis ...	0	—	0
94	Pulmonary congestion, Pulmonary apoplexy.	40	35	37	107	Other intestinal parasites.	1	1	1
	A. Pulmonary apoplexy and infarction.	0	0	0	108	Appendicitis ...	79	57	66
	B. Pulmonary œdema and congestion.	35	30	32	109	Hernia, Intestinal obstruction.	162	137	147
	C. Hypostatic pneumonia.	5	5	5		A. Hernia ...	67	64	65
	D. Collapse of lung (3 months and over).	0	0	0		B. Intestinal obstruction.	95	73	82
95	Gangrene of the lung	4	2	3	110	Other diseases of the intestines.	15	12	13
96	Asthma ...	88	46	63	111	Acute yellow atrophy of the liver.	1	2	2
					112	Hydatid of liver ...	0	0	0
97	Pulmonary emphysema.	12	3	6					
98	Other diseases of the respiratory system.	24	8	14	113	Cirrhosis of the liver	79	32	51
	A. Fibroid disease of lung.	13	3	7		A. Cirrhosis of the liver not returned as alcoholic.	73	28	46
	B. Other diseases included under 98.	11	5	7		B. Cirrhosis of the liver returned as alcoholic.	4	2	3
99	Diseases of the mouth and annexa.	12	8	10		C. Diseases formerly classed to "Other diseases of liver and gall bladder."	2	2	2
	A. Diseases of the teeth and gums.	7	5	6					
	B. Thrush, Aphthous stomatitis.	3	1	2					

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVILIAN POPULATION at ALL AGES from VARIOUS CAUSES, 1918—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
114	Biliary calculi ...	13	21	18	131	Ovarian cyst, tumour (non cancerous).	—	14	8
115	Other diseases of the liver.	22	20	21	132	Other diseases of the female genital organs.	—	12	6
116	Diseases of the spleen	1	1	1		A. Diseases of ovary (excluding ovarian tu- mour).	—	1	0
	A. Infarction of spleen.	0	—	0		B. Other diseases in- cluded under 132.	—	11	6
	B. Other diseases of the spleen.	1	1	1					
117	Peritonitis (cause un- stated).	11	11	11	133	Non-puerperal diseases of the breast (non- cancerous).	0	1	1
118	Other diseases of the digestive system.	4	4	4	134	Accidents of preg- nancy.	—	13	8
	A. Abdominal ab- scess, Sub- phrenic abscess.	1	1	1		A. Abortion ...	—	5	3
	B. Other diseases in- cluded under 118.	3	3	3		B. Hæmorrhage of pregnancy.	—	3	2
119	Acute nephritis ...	65	41	51		C. Uncontrollable vomiting.	—	1	0
120	Bright's disease ...	436	255	330		D. Ectopic gestation	—	3	2
	A. Bright's disease as in 1901 list.	368	214	278		E. Other accidents of pregnancy.	—	1	1
	B. Nephritis (un- qualified), 10 years and over, and Uræmia.	68	41	52	135	Puerperal hæmorrhage	—	16	10
121	Chyluria ...	—	0	0	136	Other accidents of childbirth.	—	15	9
122	Other diseases of the kidney and annexa.	17	10	14	137	Puerperal fever ...	—	43	25
	A. Abscess of kidney	2	1	2	138	Puerperal albuminuria and convulsions.	—	28	17
	B. Cystic disease ...	2	1	1		A. Puerperal ne- phritis and uræmia.	—	6	4
	C. Suppression of urine.	1	0	1		B. Puerperal albu- minuria and Bright's disease.	—	2	1
	D. Other diseases in- cluded under 122.	12	8	10		C. Puerperal con- vulsions.	—	20	12
123	Calculi of the urinary passages.	11	4	7	139	Puerperal phlegmasia alba dolens, em- bolism, and sudden death.	—	11	6
124	Diseases of the bladder	73	13	37		A. Puerperal phleg- masia alba dolens and phlebitis.	—	2	1
125	Diseases of the urethra, Urinary abscess, &c.	30	0	13		B. Puerperal em- bolism and sudden death.	—	9	5
	A. Perineal abscess	2	—	1	140	Puerperal insanity ...	—	1	1
	B. Other diseases of urethra, &c.	28	0	12	141	Puerperal diseases of the breast.	—	0	0
126	Diseases of the pros- tate.	129	—	53	142	Gangrene ...	51	33	41
127	Non-venereal diseases of male genital organs.	1	—	1		A. Senile gangrene	45	27	35
128	Uterine hæmorrhage (non-puerperal).	—	2	1		B. Noma, Gangrene of mouth.	3	4	3
	A. Menorrhagia ...	—	1	1		C. Noma pudendi ...	1	0	1
	B. Other uterine hæmorrhage.	—	1	0		D. Other gangrene	2	2	2
129	Uterine tumour (non- cancerous).	—	16	9	143	Carbuncle, Boil ...	14	5	9
130	Other diseases of the uterus.	—	7	5	144	Phlegmon, Acute ab- scess.	22	12	17
	A. Disorders of men- struation (ex- cept menorr- hagia).	—	1	1		A. Phlegmon ...	16	8	12
	B. Other diseases in- cluded under 130.	—	6	4		B. Acute abscess ...	6	4	5

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVILIAN POPULATION at ALL AGES from VARIOUS CAUSES, 1918—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
145	Diseases of the integumentary system.	29	24	26	164	Poisoning by food ...	3	2	3
	A. Ulcer, Bed sore...	10	12	11	165	Other acute poisonings	5	3	4
	B. Eczema ...	7	3	5	166	Conflagration ...	2	1	2
	C. Pemphigus ...	4	3	3	167	Burns (conflagration excepted).	65	66	66
	D. Other diseases of the integumentary system.	8	6	7	168	Absorption of deleterious gases (conflagration excepted).	30	18	23
146	Diseases of the bones	20	8	13	169	Accidental drowning	108	20	57
147	Diseases of the joints	5	4	4	170	Injury by firearms ...	5	1	3
148	Amputations ...	0	—	0	171	Injury by cutting or piercing instruments.	2	0	1
149	Other diseases of locomotor system.	2	1	1	172	Injury by fall ...	112	57	79
150	Congenital malformations.	116	67	88	173	Injury in mines and quarries.	81	0	33
	A. Congenital hydrocephalus.	13	6	9	174	Injury by machines ...	24	2	11
	B. Phimosis ...	2	—	1	175	Injury by other crushing (vehicles, railways, landslides, &c.).	177	33	92
	C. Congenital malformation of heart.	47	26	35	176	Injury by animals ...	6	0	3
	D. Other congenital malformations.	54	35	43	177	Starvation ...	1	0	0
151	Premature birth, Infantile debility, Icterus, and Sclerema.	831	442	602	178	Excessive cold ...	4	1	2
	A. Premature birth	539	290	392	179	Effects of heat ...	3	1	2
	B. Infantile atrophy, debility, and marasmus.	263	141	191	180	Lightning ...	1	—	0
	C. Icterus neonatorum.	24	9	15	181	Electricity (lightning excepted).	3	—	1
	D. Sclerema and cedema neonatorum.	1	0	1	182	Homicide by firearms	0	0	0
	E. Want of breast milk.	4	2	3	183	Homicide by cutting or piercing instruments.	1	1	1
152	Other diseases peculiar to early infancy.	78	41	56	184	Homicide by other means.	5	4	4
	A. Diseases of umbilicus, &c.	8	5	6	182-184	Homicide (all methods)	6	5	5
	B. Atelectasis ...	41	21	29	185	Fractures (cause not specified).	4	1	2
	C. Injuries at birth	28	14	20	186	Other violence ...	66	14	35
	D. Cyanosis neonatorum.	1	1	1	155-186	Affections produced by external causes.	822	272	499
153	Lack of care ...	9	6	7	187	Dropsy ...	1	1	1
154	Old age ...	875	810	836	188	Syncope, Sudden death	8	5	6
	A. Senile dementia	46	38	41		A. Syncope (aged 1 year and under 70 years).	8	5	6
	B. Senile decay ...	829	772	795		B. Sudden death not otherwise defined.	0	0	0
155	Suicide by poison ...	7	6	6	189	Ill-defined causes ...	85	55	60
156	Suicide by asphyxia ...	7	4	5		A. Heart failure (aged 1 year and under 70 years).	47	32	34
157	Suicide by hanging or strangulation.	29	8	17		B. Atrophy, debility, marasmus (aged 1 year and under 70 years).	17	12	13
158	Suicide by drowning	23	19	20		C. Teething ...	1	1	1
159	Suicide by firearms ...	10	1	5		D. Pyrexia ...	0	0	0
160	Suicide by cutting or piercing instruments.	29	6	16		E. Other ill-defined deaths.	12	7	8
161	Suicide by jumping from high place.	4	2	3		F. Cause not specified.	8	3	4
162	Suicide by crushing ...	5	1	3					
163	Other suicides ...	0	0	0					
155-163	Suicide (all methods)	114	47	75					

TABLE 12.—ENGLAND AND WALES.—ANNUAL DEATH-RATES from the PRINCIPAL EPIDEMIC DISEASES, 1838–1918.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Typhus.	Enteric Fever.	Pyæmia. (Origin uncertain.)	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838–42 (5 years)	576	539	797		?	504	1,053			?	?		?	?
1847–50 (4 years)	292	403	884		?	480	1,246			1,115	2,385		?	1,345
1851–55	249	399	907		?	511	983			1,114	2,481		?	1,439
1856–60	195	425	806	246	520	498	842			1,185	2,201	609	1,379	1,398
1861–65	219	457	982	248	535	516	922			1,265	2,646	617	1,422	1,437
1866–70	105	428	960	127	335	545	850			1,180	2,589	314	891	1,511
1871–75	411	373	759	121	305	499	81	374	140	1,023	2,018	298	807	1,378
1876–80	78	385	680	122	276	527	34	277	69	1,051	1,806	302	726	1,450
1881–85	78	413	436	156	320	459	23	216	34	1,138	1,160	396	848	1,269
1886–90	14	468	241	170	295	444	7	179	17	1,313	656	445	799	1,250
1891–95	20	407	182	253	323	398	4	174	8	1,174	498	694	896	1,151
1896–1900	7	421	135	272	307	359	1	175	4	1,260	380	790	893	1,079
1901–05	25	327	126	205	222	301	1	113	2	1,016	366	616	668	940
1906–10	0	291	86	154	162	253	0	70	1	930	257	476	503	813
1911–15	0	342	61	139	141	209	0	47	0	1,100	183	435	439	675
1869	67	464	1,244	117	319	493	193	390	239	1,277	3,334	290	849	1,369
1870	113	335	1,446	120	311	529	147	388	233	920	3,844	297	827	1,466
1871	1,012	408	815	111	292	455	121	371	186	1,121	2,147	273	773	1,258
1872	821	368	515	93	250	596	80	377	145	1,010	1,364	229	664	1,648
1873	98	316	562	108	291	411	70	376	132	869	1,504	269	774	1,135
1874	88	517	1,050	150	361	437	74	374	130	1,418	2,798	367	950	1,205
1875	35	257	851	142	331	594	62	371	108	704	2,255	348	869	1,637
1876	99	408	691	129	301	432	48	309	81	1,117	1,828	320	794	1,190
1877	173	366	585	111	269	460	45	279	78	1,001	1,553	274	709	1,265
1878	74	310	753	140	302	710	36	306	71	846	2,009	349	795	1,953
1879	21	362	694	120	261	503	21	231	58	987	1,845	296	683	1,379
1880	25	478	675	109	247	530	21	261	58	1,299	1,789	271	651	1,454
1881	119	280	548	121	259	415	21	212	44	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	36	229	39	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	33	228	36	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	12	236	28	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	12	175	24	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	9	184	22	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	8	185	18	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	6	172	15	972	614	447	810	1,227
1889	1	518	235	189	303	430	5	176	15	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	5	179	13	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	5	168	11	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	3	137	8	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	5	229	9	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	4	159	7	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2	175	5	1,106	418	729	889	927
1896	17	570	177	291	342	429	2	166	5	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	2	156	4	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1	181	4	1,256	320	705	788	973
1899	5	314	117	292	324	318	1	198	4	948	334	857	953	965
1900	3	394	119	290	316	356	1	173	4	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1	155	3	850	380	809	888	965
1902	75	392	148	237	255	298	2	126	3	1,211	427	710	768	924
1903	23	275	125	183	196	286	2	101	2	854	364	550	592	893
1904	15	365	112	170	184	353	1	93	2	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1	90	2	1,025	333	489	532	809
1906	1	275	101	178	191	242	0	92	1	871	301	545	587	768
1907	0	364	93	165	176	296	1	68	1	1,157	275	507	541	944
1908	0	228	80	158	167	280	0	75	1	729	236	492	521	899
1909	0	356	91	148	155	203	0	60	0	1,145	273	462	484	654
1910	0	232	66	120	122	246	0	53	0	750	200	377	384	798
1911	1	363	52	135	137	217	0	67	0	1,170	158	424	430	703
1912	0	352	55	118	119	230	0	44	0	1,144	167	369	373	751
1913	0	291	57	121	122	149	0	41	0	943	174	384	387	488
1914	0	247	77	158	159	218	0	46	0	808	231	501	504	714
1915*	0	462	66	165	166	230	0	35	0	1,433	186	497	500	717
1916*	0	155	39	154	155	176	0	30	0	468	110	455	458	536
1917*	0	308	22	132	133	134	0	28	0	915	60	380	382	399
1918*	0	289	29	142	143	296	0	26	0	867	80	415	418	893

* Among civilian population only.

TABLE 13.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY among the CIVILIAN POPULATION from the principal EPIDEMIC DISEASES and from certain OTHER CAUSES, 1917 and 1918.

(Note.—The figures relate to the areas as constituted at the various dates).

Administrative Counties and County Boroughs.		Mortality per Million Civilian Population at All Ages.												Mortality per 1,000 Births.												
		Small- pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.		
		1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.
England and Wales	0	0	28	26	1,624	1,694	1,250	1,343	308	289	134	296	22	29	133	143	96	97	12·80	11·66	2·58	2·51	1·31	1·28		
Administrative Counties (including London).	0	0	30	29	1,490	1,572	1,143	1,251	261	256	120	276	19	21	132	140	91	91	10·95	9·80	2·77	2·53	1·32	1·20		
Bedfordshire...	—	—	16	—	1,321	1,462	923	1,120	117	131	133	105	5	26	164	189	85	78	9·17	6·33	3·67	2·11	0·61	0·60		
Berkshire ...	—	—	18	35	1,291	1,495	1,015	1,268	216	140	72	233	6	6	72	76	78	68	8·49	5·21	3·32	3·47	1·11	1·04		
Buckinghamshire	—	—	19	—	1,165	1,415	907	1,170	122	38	97	120	5	—	93	91	73	64	5·78	5·26	3·04	2·05	1·82	1·46		
Cambridgeshire	—	—	—	26	1,440	1,567	1,130	1,342	26	35	9	147	—	9	60	61	62	63	5·14	2·12	3·43	2·65	1·14	1·59		
Cheshire ...	—	—	20	13	1,192	1,355	878	998	135	126	99	242	23	18	151	151	86	85	9·13	6·61	3·31	3·05	1·81	1·32		
Cornwall ...	—	—	39	67	1,540	1,833	1,208	1,483	57	127	92	205	7	7	251	184	86	74	6·88	5·36	4·30	3·00	0·65	0·86		
Cumberland	—	—	30	20	1,266	1,253	882	894	299	263	254	172	25	15	199	167	111	94	7·71	11·11	1·93	3·56	1·07	0·84		
Derbyshire ...	—	—	19	29	1,180	1,282	769	940	230	190	87	309	30	23	161	140	88	93	6·76	8·92	2·79	2·23	1·18	0·83		
Devonshire ...	—	—	22	19	1,539	1,658	1,253	1,389	81	137	54	86	11	11	68	83	70	68	3·46	3·07	2·91	2·71	1·64	1·63		
Dorsetshire ...	—	—	31	35	1,144	1,319	891	1,085	149	71	72	177	15	5	98	81	68	63	6·72	4·82	2·92	1·98	1·46	1·42		
Durham ...	—	—	35	47	1,674	1,712	1,117	1,273	464	259	183	401	40	91	208	173	116	121	22·13	19·43	3·46	2·40	0·98	0·70		
Ely, Isle of ...	—	—	31	31	1,429	1,224	1,122	973	92	282	46	220	15	31	77	94	71	102	6·51	10·16	5·70	0·78	0·81	1·56		
Essex ...	—	—	60	13	1,399	1,484	1,117	1,186	296	134	135	181	8	6	118	113	78	71	8·89	5·76	1·82	2·29	1·26	1·26		
Gloucestershire	—	—	38	34	1,483	1,333	1,236	1,122	62	123	62	153	3	7	113	89	73	70	6·69	5·60	2·93	4·20	1·04	1·20		
Herefordshire	—	—	—	10	1,221	1,697	1,026	1,435	10	145	127	242	20	10	29	48	75	87	5·98	5·58	4·18	2·23	—	0·56		
Huntingdonshire	—	—	17	10	1,203	1,288	898	1,040	55	94	31	147	7	7	99	110	68	61	5·86	3·87	2·39	1·94	1·95	0·43		
Huntingdonshire	—	—	—	39	1,294	1,380	935	927	—	256	20	335	—	59	40	—	61	79	1·20	3·37	1·20	2·25	1·20	1·12		
Kent ...	—	—	23	28	1,482	1,637	1,142	1,298	214	165	108	148	8	15	120	174	83	76	8·43	7·52	1·95	2·28	1·34	0·97		
Lancashire ...	—	—	47	59	1,307	1,356	1,010	1,074	273	207	112	311	36	32	135	159	97	100	10·20	10·74	3·55	4·04	1·13	1·59		
Leicestershire	—	—	26	31	1,548	1,628	1,198	1,321	156	224	117	233	9	9	147	171	81	79	5·64	6·01	3·61	2·54	2·71	0·92		
Lincolnshire, Holland	—	—	26	52	1,224	1,158	938	885	39	169	117	429	—	26	91	78	91	86	7·82	7·54	1·30	4·40	—	1·26		
” Kesteven	—	—	—	28	945	1,171	697	840	105	85	38	189	—	—	115	94	80	82	4·66	5·01	1·86	3·19	1·40	0·91		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)		

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
"	—	—	53	35	1,307	1,534	949	1,186	66	181	75	137	13	4	84	150	82	86	5·59	8·08	4·03	2·69	1·12	0·21
London	—	—	25	19	2,107	2,136	1,715	1,782	501	417	141	427	22	30	148	169	104	108	19·04	15·78	1·63	1·72	1·56	1·39
Middlesex	—	—	13	21	1,351	1,430	1,058	1,207	224	158	120	212	7	12	110	109	87	77	13·27	10·52	2·45	2·16	0·98	1·47
Monmouthshire	—	—	80	28	1,103	1,236	824	966	307	537	111	307	22	31	68	81	84	98	8·57	10·06	3·57	3·13	1·07	0·67
Norfolk	—	—	53	21	1,283	1,495	990	1,197	36	71	114	249	—	14	121	85	91	75	5·11	3·58	1·64	2·26	0·82	1·13
Northamptonshire	—	—	16	5	1,493	1,501	1,204	1,194	21	182	79	223	16	5	258	218	82	68	5·94	3·23	2·50	4·85	0·31	1·94
Northumberland	—	—	42	127	1,604	1,693	1,060	1,229	196	136	233	275	39	20	151	201	101	102	13·45	13·30	2·96	2·33	1·48	0·82
Nottinghamshire	—	—	32	44	1,204	1,267	879	946	162	218	110	383	9	6	90	100	96	101	7·77	9·95	2·50	2·58	0·79	0·52
Oxfordshire	—	—	26	25	1,682	1,359	1,449	1,191	95	168	164	126	9	17	129	151	70	58	5·34	5·02	3·21	1·51	1·60	1·51
Peterborough, Soke of	—	—	44	—	1,569	1,525	1,061	1,133	110	196	—	22	66	65	66	218	81	68	3·75	1·25	—	2·50	1·25	—
Rutlandshire	—	—	—	—	1,228	1,102	860	674	61	122	61	122	—	61	—	61	77	68	—	—	—	—	3·66	3·80
Shropshire	—	—	14	9	1,252	1,308	909	1,030	114	116	91	264	5	5	73	107	80	73	4·68	2·57	2·46	2·33	1·48	0·93
Somersetshire	—	—	23	9	1,153	1,403	962	1,178	9	47	138	132	9	9	112	91	72	59	5·21	2·38	3·16	3·67	0·74	1·47
Southampton	—	—	30	21	1,221	1,200	878	873	105	260	59	146	13	5	91	101	71	64	6·44	5·69	2·24	1·19	0·84	0·79
Staffordshire	—	—	17	19	1,271	1,296	934	990	501	297	180	260	25	19	198	156	95	98	10·86	7·82	2·40	1·76	1·00	1·04
Suffolk, East...	—	—	17	17	1,315	1,592	1,032	1,248	11	282	147	265	6	6	68	79	77	78	4·64	4·52	2·32	2·92	0·58	—
Suffolk, West	—	—	—	21	1,421	1,495	1,137	1,165	20	93	51	93	20	12	81	41	81	63	3·76	2·37	4·39	1·78	1·88	0·59
Surrey	—	—	19	6	1,232	1,257	960	1,043	240	192	52	167	11	10	90	119	70	65	7·52	8·33	2·34	1·63	1·66	1·53
Sussex, East...	—	—	9	1	1,233	1,422	917	1,127	61	82	66	91	13	5	99	82	70	67	3·87	6·15	2·26	3·07	1·66	0·84
Sussex, West...	—	—	19	19	1,478	1,499	1,129	1,246	77	49	77	123	13	6	71	173	59	60	5·85	6·48	2·51	1·52	0·84	1·52
"	—	—	7	7	1,112	1,174	839	937	260	97	110	200	27	13	147	120	80	81	7·91	5·80	3·23	1·29	1·13	0·81
Warwickshire	—	—	92	55	1,016	1,302	739	1,045	37	55	18	238	—	37	111	128	69	65	6·01	3·62	6·01	3·62	1·20	1·21
Westmorland	—	—	26	13	1,243	1,215	916	1,023	118	64	—	154	39	—	550	77	59	58	0·76	2·23	1·52	2·23	0·76	2·23
Wight, Isle of	—	—	8	27	1,224	1,362	944	1,080	134	270	107	112	31	4	134	135	80	69	3·06	5·14	2·19	1·50	0·88	1·93
Wiltshire	—	—	15	27	1,238	1,394	1,019	1,154	322	164	204	118	15	11	87	115	83	78	7·65	9·80	3·93	2·00	1·86	1·60
Worcestershire	—	—	55	62	1,217	1,274	851	978	131	83	111	220	7	7	55	145	93	85	6·23	4·57	3·66	3·87	0·73	0·70
Yorkshire, East Riding	—	—	33	41	1,481	1,666	975	1,117	174	140	118	372	41	11	137	247	93	100	7·66	8·68	4·30	3·23	1·31	1·19
" North	—	—	55	57	1,363	1,505	931	1,062	297	710	122	376	19	16	135	138	98	112	10·39	12·58	3·49	2·70	1·28	1·56
" West	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anglesey	—	—	—	63	2,020	2,073	1,616	1,633	21	—	213	126	—	21	64	188	108	88	4·51	4·40	2·25	—	1·13	—
Brecknockshire	—	—	19	19	1,705	1,249	1,469	1,025	127	112	109	410	18	56	145	186	73	91	3·30	2·44	4·12	4·06	3·30	0·81
Cardiganshire	—	—	19	39	2,197	2,404	1,881	2,152	—	—	56	58	—	39	93	39	72	76	4·81	5·66	1·20	3·39	3·61	1·13
Carmarthenshire	—	—	102	19	1,561	1,852	1,184	1,538	30	—	120	345	12	19	126	144	101	96	9·87	10·73	2·60	1·83	1·56	0·78
Carnarvonshire	—	—	19	22	2,190	2,495	1,731	1,944	38	145	57	193	29	29	115	58	82	91	7·24	2·35	6·01	1·17	1·20	1·17
Denbighshire	—	—	22	22	1,260	1,304	938	1,073	176	52	249	395	29	60	125	164	102	106	5·24	7·84	3·84	4·09	2·09	1·70
Flintshire	—	—	11	22	1,397	1,227	1,085	997	107	186	312	208	—	33	86	131	81	74	5·54	3·16	3·02	4·22	2·52	1·05
Glamorganshire	—	—	26	35	1,331	1,405	1,005	1,098	304	423	149	390	27	22	149	145	95	95	9·59	9·00	4·29	4·16	1·89	1·58
Merionethshire	—	—	27	27	2,381	2,140	1,864	1,739	104	80	52	134	—	27	129	187	79	74	11·46	9·54	3·27	6·17	3·27	—
Montgomeryshire	—	—	—	—	1,794	1,745	1,502	1,465	—	22	83	323	—	—	21	108	96	80	6·55	3·30	5·46	3·30	2·18	2·20
Pembrokeshire	—	—	21	12	1,743	1,798	1,371	1,422	35	425	58	279	12	—	93	73	77	95	7·17	9·32	3·31	3·84	1·10	0·55
Radnorshire	—	—	—	—	960	1,569	758	1,128	—	—	152	98	—	—	—	98	64	63	—	—	11·14	—	2·79	—

TABLE 13.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHs: MORTALITY among the CIVILIAN POPULATION from the principal EPIDEMIC DISEASES, &c., 1917 and 1918—continued.

Note.—The figures relate to the areas as constituted at the various dates.

Administrative Counties and County Boroughs.		Mortality per Million Civilian Population at All Ages.														Mortality per 1,000 Births.									
		Small- pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Group.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
		1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.
<i>County Boroughs.</i>		0	0	23	21	1,893	1,935	1,464	1,526	402	354	161	335	28	44	133	151	107	109	16.32	15.18	2.22	2.47	1.28	1.43
Barnsley	...	—	—	104	42	1,752	2,299	1,293	1,688	42	4915	250	338	42	—	63	127	136	162	16.75	25.14	2.51	4.71	0.84	1.57
Barrow in Furness	...	—	—	13	—	1,424	1,247	1,106	923	280	299	127	212	25	25	76	25	97	102	5.93	6.17	4.45	3.32	0.49	0.47
Bath	...	—	—	—	—	1,344	1,648	1,122	1,268	51	32	102	285	—	—	51	48	69	74	2.52	3.60	—	—	1.26	1.20
Birkenhead	...	—	—	30	30	1,853	1,852	1,278	1,341	127	296	194	378	7	378	97	274	99	110	20.26	17.58	2.46	2.24	1.23	2.24
Birmingham	...	—	—	8	6	1,628	1,604	1,361	1,354	386	83	153	317	14	13	130	183	98	97	14.63	18.06	1.10	1.27	1.48	1.55
Blackburn	...	—	—	—	36	1,500	1,534	1,130	1,175	185	368	106	260	18	18	79	99	113	124	11.69	12.89	4.92	3.87	1.85	1.93
Blackpool	...	—	—	16	15	1,270	1,812	1,061	1,441	—	248	32	155	—	—	64	77	81	114	13.35	5.19	2.67	3.90	5.34	3.90
Bolton	...	—	—	49	31	1,560	1,575	1,157	1,227	881	6	49	529	49	12	116	168	107	106	9.53	14.17	2.57	3.63	1.10	1.45
Bootle	...	—	—	15	43	2,251	2,338	1,888	1,871	392	113	465	354	73	326	189	326	100	117	19.22	24.86	2.14	1.66	0.53	1.10
Bournemouth	...	—	—	14	—	1,891	1,629	1,507	1,387	—	188	43	108	—	13	85	27	88	57	9.19	4.85	—	4.85	1.02	6.79
Bradford	...	—	—	11	8	1,569	1,760	1,224	1,440	432	427	105	327	15	4	154	162	132	125	7.99	10.83	4.90	2.58	2.58	1.81
Brighton	...	—	—	18	8	1,672	2,244	1,267	1,874	642	58	211	140	53	25	132	123	100	72	10.58	7.84	0.53	0.49	—	1.47
Bristol	...	—	—	18	30	1,741	1,801	1,437	1,514	3	612	179	213	9	18	81	95	99	92	9.51	12.80	0.82	3.16	1.15	1.66
Burnley	...	—	—	11	11	1,706	1,730	1,162	1,179	469	408	171	275	21	11	64	99	143	126	21.81	10.28	2.64	6.17	0.66	2.06
Burton upon Trent	...	—	—	47	—	1,513	2,135	1,182	1,661	—	380	142	356	—	142	71	119	89	99	8.25	3.81	4.13	2.54	—	2.54
Bury	...	—	—	39	39	1,697	1,725	1,524	1,411	77	216	77	157	—	20	193	216	92	112	14.07	8.22	3.84	5.48	1.28	—
Canterbury	...	—	—	—	45	1,572	1,250	1,248	1,072	185	313	92	45	—	—	185	134	92	58	7.43	4.83	—	—	2.48	2.42
Carlisle	...	—	—	—	—	1,979	1,266	1,451	931	188	130	75	670	—	—	226	93	111	130	28.57	18.36	2.68	3.86	0.89	—
Chester	...	—	—	—	26	2,120	1,760	1,503	1,475	134	181	376	285	—	—	107	78	88	89	7.97	13.44	3.98	2.69	1.33	—
Coventry	...	—	—	8	7	1,663	1,708	1,233	1,398	172	74	8	89	31	30	211	141	77	93	11.59	10.43	1.87	2.88	1.12	2.52
Croydon	...	—	—	—	12	1,557	1,698	1,234	1,401	227	172	72	214	12	42	60	137	87	77	12.58	8.38	2.80	2.29	1.05	1.14
Darlington	...	—	—	33	—	1,901	1,659	1,372	1,112	298	50	66	265	17	33	99	199	121	114	18.61	15.98	2.43	1.52	1.62	—
Derby	...	—	—	—	8	1,267	1,438	948	1,057	461	42	159	195	—	—	134	118	98	95	12.39	8.00	1.77	2.67	1.77	2.67
Dewsbury	...	—	—	38	21	1,225	1,231	1,014	913	689	106	211	191	—	—	191	170	96	112	10.67	7.63	2.13	3.27	2.13	2.18
Dudley	...	—	—	—	—	1,556	1,738	1,287	1,371	922	174	38	193	—	—	134	—	120	125	18.93	16.97	—	0.74	1.58	0.74
Eastbourne	...	—	—	45	—	1,450	1,328	1,204	1,087	22	141	134	181	—	—	—	60	88	74	19.61	4.45	1.63	—	3.27	4.45
East Ham	...	—	—	38	16	1,748	1,536	1,305	1,287	450	218	137	164	8	16	153	140	81	67	10.69	9.12	0.74	2.17	1.11	2.17
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter	—	—	58	—	1,995	1,849	1,627	1,432	19	119	136	40	—	—	19	40	76	65	8·27	4·70	5·91	1·18	—	—
Gateshead	—	—	17	17	2,694	2,441	1,947	1,741	520	102	218	538	25	51	185	145	133	123	24·01	27·98	2·63	1·91	1·64	—
Gloucester	—	—	36	63	1,272	1,607	1,072	1,438	—	—	36	106	—	—	291	190	79	83	7·37	7·02	1·23	4·68	—	—
Great Yarmouth	—	—	66	—	1,692	2,279	1,340	1,903	22	885	154	199	—	—	220	89	83	99	10·82	9·25	1·08	2·06	—	—
Grimsby	—	—	30	59	1,612	1,912	1,179	1,530	254	103	119	235	30	15	75	74	102	129	10·44	27·38	1·96	2·49	—	1·03
Halifax	—	—	119	53	1,444	1,721	1,024	1,326	129	513	65	225	—	—	162	225	121	126	12·75	15·09	5·25	1·51	—	1·87
Hastings	—	—	—	38	1,817	2,058	1,404	1,750	206	231	227	192	62	—	—	77	78	72	3·90	3·39	1·30	1·19	1·50	—
Huddersfield	—	—	104	38	1,181	1,614	964	1,244	284	218	9	199	9	19	104	95	80	101	6·62	5·69	4·81	6·95	1·30	—
Ipswich	—	—	14	—	1,758	1,789	1,319	1,458	14	261	192	261	27	14	165	69	91	83	6·84	5·07	2·28	2·17	0·76	0·63
Kingston upon Hull	—	—	65	62	2,143	2,251	1,579	1,693	16	1064	390	302	41	17	110	128	120	127	3·01	16·11	3·83	1·87	0·96	1·31
Leeds	—	—	17	12	2,309	2,264	1,645	1,660	664	978	165	304	17	44	144	108	135	133	22·58	19·61	1·85	1·89	1·06	0·95
Leicester	—	—	9	15	2,010	2,084	1,657	1,685	494	310	160	182	9	30	80	69	105	109	18·69	11·40	3·25	2·46	—	3·08
Lincoln	—	—	17	—	1,570	1,398	1,160	982	—	449	17	216	—	—	68	116	86	73	12·64	5·84	1·81	2·50	—	0·83
Liverpool	—	—	21	23	2,509	2,627	1,972	2,083	613	577	193	511	102	190	197	326	116	126	23·40	21·89	1·17	2·16	1·81	1·28
Manchester	—	—	15	14	2,377	2,209	1,860	1,796	444	251	80	499	23	32	86	83	111	107	21·80	10·75	2·24	2·09	1·24	1·16
Middlesbrough	—	—	75	17	1,987	2,047	1,501	1,469	1400	104	361	501	42	35	226	207	151	148	33·96	30·36	3·27	1·20	1·63	2·40
Newcastle on Tyne	—	—	8	11	2,157	2,017	1,598	1,524	296	124	236	455	68	41	131	83	113	108	17·27	12·98	2·60	2·32	0·46	1·24
Newport (Mon.)	—	—	24	37	1,403	1,510	1,137	1,240	326	319	97	295	—	—	48	12	89	90	7·78	6·54	2·22	0·54	0·56	—
Northampton	—	—	12	—	2,013	2,688	1,710	2,268	461	1501	36	214	—	12	230	160	87	92	8·16	6·09	1·36	3·05	1·36	2·28
Norwich	—	—	18	9	2,284	2,023	1,629	1,567	46	1501	36	214	9	19	200	168	97	107	13·35	6·80	2·57	2·09	0·51	0·52
Nottingham	—	—	8	21	1,752	1,963	1,385	1,468	443	132	287	280	25	13	76	208	127	123	14·19	16·17	2·84	3·57	0·95	2·14
Oldham	—	—	30	53	1,787	1,674	1,383	1,223	546	255	37	540	15	45	52	90	110	121	10·12	5·43	5·06	4·94	4·14	1·48
Oxford	—	—	56	40	1,582	1,172	1,337	889	—	485	56	81	—	—	75	242	83	62	4·37	7·05	2·92	1·41	1·46	2·82
Plymouth	—	—	33	22	1,907	2,177	1,416	1,665	457	334	111	323	11	33	173	84	97	97	11·28	12·61	2·56	3·60	0·77	2·32
Portsmouth	—	—	20	29	2,005	1,765	1,486	1,450	237	261	176	226	35	25	201	246	72	76	11·78	9·84	1·96	2·93	1·31	2·30
Preston	—	—	19	38	1,639	1,663	1,246	1,200	328	19	262	331	—	—	225	123	125	112	14·21	13·12	2·45	2·10	0·49	1·05
Reading	—	—	36	—	1,782	1,711	1,455	1,444	109	134	242	134	—	12	73	146	101	75	13·38	12·64	1·41	1·90	3·52	2·53
Rochdale	—	—	24	24	1,632	1,849	1,301	1,518	35	429	189	159	24	—	106	61	111	119	10·69	14·14	5·34	2·36	2·29	0·79
Rotherham	—	—	62	47	1,716	1,801	1,144	1,273	649	279	186	512	77	31	46	78	100	136	11·76	36·19	2·48	4·22	1·86	0·60
St. Helens	—	—	22	—	1,799	1,556	1,336	1,181	718	287	210	265	221	265	872	1104	125	127	11·19	15·20	3·58	3·29	0·89	2·05
Salford	—	—	47	53	2,077	2,232	1,552	1,711	662	86	246	368	14	86	62	53	123	112	23·63	17·49	2·67	2·33	0·67	2·33
Sheffield	—	—	43	15	1,847	1,920	1,415	1,468	309	114	98	621	32	47	83	95	104	128	19·59	15·91	1·72	2·61	1·90	1·49
Smethwick	—	—	14	—	1,548	1,694	1,390	1,414	186	29	186	147	29	15	86	118	100	103	17·59	14·28	1·88	1·95	0·63	—
Southampton	—	—	35	52	1,812	1,700	1,378	1,412	217	479	78	157	—	—	104	157	87	92	18·09	16·63	2·06	1·98	0·41	1·19
Southend on Sea	—	—	—	—	1,724	1,881	1,307	1,584	403	42	97	127	14	14	14	42	81	73	7·10	9·80	1·78	1·09	0·89	1·09
Southport	—	—	16	31	1,416	1,162	988	832	16	63	66	63	49	16	49	79	82	60	4·99	10·17	1·25	2·54	2·50	—
South Shields	—	—	19	9	2,676	2,508	1,962	1,883	1211	9	188	492	9	19	75	114	134	120	18·42	20·30	2·58	1·66	1·11	—
Stockport	—	—	27	9	1,394	1,663	1,072	1,282	152	130	54	269	18	26	63	78	97	113	12·14	13·98	2·11	2·80	2·11	1·12
Stoke on Trent	—	—	19	24	2,134	2,097	1,553	1,565	2185	734	414	182	60	34	321	274	116	113	10·14	9·18	2·59	2·49	1·39	0·96
Sunderland	—	—	14	7	2,744	2,512	2,067	1,880	973	624	85	493	21	56	99	28	130	131	25·03	16·42	2·01	2·38	1·15	0·79

TABLE 13.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHs : MORTALITY among the CIVILIAN POPULATION from the principal EPIDEMIC DISEASES, &c., 1917 and 1918—continued.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.		Mortality per Million Civilian Population at all Ages.										Mortality per 1,000 Births.														
		Small- pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.		
		1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.	1918.	1917.
Tynemouth	—	35	54	2,118	2,726	1,545	1,973	139	90	313	287	35	—	52	—	116	111	19.49	16.47	2.78	3.95	2.09	1.32	2.09	1.32
Wakefield	—	63	66	1,610	2,232	1,317	1,657	125	1370	397	133	44	188	110	—	118	90	14.77	10.10	5.68	1.12	1.14	—	1.14	—
Wallasey	—	12	12	1,461	1,149	1,247	926	178	136	83	335	86	12	74	—	68	89	3.45	7.19	2.07	2.88	—	2.88	—	2.88
Walsall	—	11	23	1,967	1,928	1,569	1,643	1148	274	68	559	45	—	398	148	110	110	12.10	15.72	0.93	2.95	2.33	1.97	2.33	1.97
Warrington	—	15	29	1,911	2,112	1,502	1,690	729	58	44	757	29	131	131	—	91	101	18.76	11.08	1.94	2.46	—	2.46	—	2.46
West Bromwich	—	—	—	1,190	1,278	967	1,040	1160	15	119	238	15	—	60	104	120	112	17.45	12.56	0.58	1.20	—	0.60	—	0.60
West Ham	—	29	27	1,883	2,085	1,478	1,689	802	677	125	430	26	15	313	312	107	115	19.46	23.16	0.91	1.67	1.51	0.83	1.51	0.83
West Hartlepool	—	—	16	1,967	1,758	1,161	1,221	838	879	32	602	—	49	32	146	104	167	8.06	43.34	1.34	0.65	0.67	0.65	0.67	0.65
Wigan	—	—	100	1,913	1,468	1,468	1,244	926	212	481	485	60	50	72	100	119	123	20.66	25.50	5.90	4.78	1.97	1.59	1.97	1.59
Wolverhampton	—	—	—	1,365	1,478	1,107	1,261	161	130	204	174	54	54	75	54	82	97	14.38	10.50	1.49	2.86	—	2.39	—	2.39
Worcester	—	22	22	2,078	2,108	1,855	1,816	179	—	22	45	22	22	67	112	67	64	5.17	10.00	1.29	—	1.29	—	1.29	—
York	—	38	68	1,478	1,698	994	1,329	599	205	127	219	13	—	64	14	108	97	17.88	14.11	1.56	8.17	2.33	0.74	2.33	0.74
Cardiff	—	24	46	2,060	2,267	1,700	1,896	112	404	266	159	18	23	112	159	98	104	14.23	21.46	3.28	3.49	1.64	1.07	1.64	1.07
Merthyr Tydfil	—	13	14	1,664	2,103	1,315	1,578	215	983	81	886	27	83	13	180	105	113	13.59	13.08	3.54	2.62	—	1.05	—	1.05
Swansea	—	9	9	1,682	1,869	1,521	1,651	63	594	322	210	9	35	89	201	99	95	7.98	10.18	2.52	5.87	2.10	0.78	2.10	0.78

TABLE 14.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1904–1918.

Cause of Death.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.
ALL CAUSES	137,392	119,091	123,895	107,978	113,254	99,430	94,579	114,600	82,779	95,608	91,971	89,380	71,646	64,483	64,386
I. Common Infectious Diseases (5–9, 19c).	9,287	7,250	6,620	7,952	6,974	6,374	6,484	6,787	6,795	5,044	6,118	7,333	4,104	3,832	5,264
II. Tuberculous Diseases (28–35).	5,813	4,783	4,601	4,177	4,365	3,658	3,509	3,353	2,459	2,672	2,515	2,339	1,879	1,838	1,282
III. Diarrhoea and Enteritis (104) (d).	28,012	19,949	28,776	11,482	18,733	11,566	11,335	31,900	6,734	17,038	15,297	12,333	8,313	6,885	6,319
IV. Developmental & Wasting Diseases (150, 151, 152B) (f, g).	42,522	40,590	40,957	38,771	39,837	38,109	36,300	36,452	32,969	34,624	33,207	30,365	27,978	24,426	23,541
V. Miscellaneous Diseases (Remainder).	51,758	46,519	42,941	45,596	43,345	39,723	36,951	36,108	33,822	36,230	34,834	37,010	29,372	27,502	27,980
Small-pox (5)	74	11	4	...	1	1	1	1	1
Chicken-pox (19c) ...	57	52	64	64	50	48	54	47	42	52	58	50	34	38	24
Measles (6)	2,810	2,474	2,111	2,753	1,778	2,674	1,879	2,785	2,533	2,147	1,879	3,367	1,127	1,825	1,510
Scarlet fever (7) ...	171	178	111	128	110	109	80	72	66	73	94	68	49	31	22
Whooping cough (8) ...	5,810	4,218	3,976	4,734	4,739	3,251	4,270	3,650	3,989	2,557	3,845	3,630	2,710	1,787	3,551
Diphtheria and Croup (9)	365	317	354	273	296	291	200	232	165	215	242	218	183	151	157
Erysipelas (18)	299	275	263	212	213	214	150	136	156	142	182	169	115	85	79
Tuberculous Meningitis (30).	1,632	1,379	1,374	1,333	1,378	1,231	1,177	1,091	926	901	866	888	762	716	548
Abdominal Tuberculosis (31).	2,549	2,007	1,914	1,573	1,718	1,457	1,392	1,313	868	1,106	986	868	623	633	403
Other Tuberculous Diseases (28, 29, 32–35).	1,632	1,397	1,313	1,271	1,269	970	940	949	665	665	663	583	494	489	331
Meningitis (not Tuberculous) (61) (a).	2,123	1,901	1,969	1,655	1,729	1,564	1,489	1,518	1,120	1,178	1,204	1,300	974	872	687
Convulsions (71) (b) ...	14,774	12,862	12,366	11,407	11,304	10,168	9,220	8,530	7,413	7,971	7,137	7,077	5,967	5,271	4,617
Laryngitis (87B)	194	189	155	155	148	151	134	179	141	139	150	138	119	104	66
Bronchitis (89,90) (c) ...	10,689	9,374	7,903	9,872	8,761	7,674	7,082	7,300	6,911	7,161	6,821	7,738	5,871	5,636	5,454
Pneumonia (all forms) (91, 92).	11,093	10,419	9,121	11,485	10,423	9,754	9,152	8,714	8,712	9,606	9,166	10,994	7,727	7,645	8,028
Diarrhoea and Enteritis (104) (d).	28,012	19,949	28,776	11,482	18,733	11,566	11,335	31,900	6,734	17,038	15,297	12,333	8,313	6,885	6,319
Gastritis (103A) (e) ...	2,084	1,776	1,619	1,409	1,608	1,474	1,409	1,447	1,146	1,427	1,426	1,452	1,263	1,080	959
Syphilis (37)	1,229	1,226	1,198	1,133	1,175	1,120	1,028	1,140	1,171	1,286	1,361	1,169	1,232	1,354	1,262
Rickets (36A)	681	541	559	465	428	434	392	346	300	387	343	316	325	276	230
Suffocation, overlying (168 part).	1,835	1,647	1,624	1,659	1,540	1,361	1,285	1,224	1,348	1,226	1,233	1,020	742	704	557
Injury at Birth (152c) ...	772	709	866	816	941	955	844	904	937	1,063	1,051	930	904	768	660
Atelectasis (152B)	1,327	1,444	1,458	1,553	1,597	1,506	1,553	1,491	1,465	1,546	1,523	1,350	1,234	1,074	975
Congenital Malformations (150) (f).	4,273	4,411	4,638	4,462	4,714	4,513	4,425	3,241	3,161	3,462	3,420	3,384	3,295	2,875	2,426
Premature Birth (151A) ...	19,620	18,869	19,061	18,219	18,671	18,210	17,574	17,709	17,119	17,654	17,344	15,431	14,627	12,747	13,135
Atrophy, Debility, and Marasmus (151B–E) (g).	17,302	15,866	15,800	14,537	14,855	13,880	12,748	14,011	11,224	11,962	10,920	10,200	8,822	7,730	7,005
Other Causes	5,985	5,600	5,298	5,328	5,075	4,854	4,766	4,670	4,467	4,644	4,760	4,707	4,133	3,707	5,381

(a) Including encephalitis previous to 1911 (about 20 deaths per annum).
(b) Including teething without statement as to convulsions previous to 1911 (about 35 deaths per annum).
(c) Excluding bronchiectasis and bronchial catarrh previous to 1911 (about 110 deaths per annum).
(d) Including cholera nostras and food poisoning, but excluding dyspepsia and colic previous to 1911 (net defect as compared with 1911–18, about 280 deaths per annum).
(e) Including deaths in 1904–5 which in subsequent years were classed to “Other diseases of stomach (not malignant),” (about 150 per annum).
(f) Including icterus neonatorum, cyanosis neonatorum, and diseases of umbilicus, but excluding phimosis previous to 1911 (net excess as compared with 1911–18 about 960 deaths per annum).
(g) Including dyspepsia, but excluding icterus neonatorum and sclerema and œdema neonatorum previous to 1911 (net defect as compared with 1911–18, about 420 deaths per annum).

TABLE 15.—ENGLAND AND WALES.—INFANT MORTALITY FROM VARIOUS CAUSES, 1904-1918.

Cause of Death.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.
	Proportion of Deaths to 1,000 Births.														
ALL CAUSES	145·33	128·15	132·50	117·62	120·43	108·73	105·44	130·06	94·85	108·41	104·62	109·72	91·21	96·48	97·16
I. Common Infectious Diseases (5-9, 19c).	9·83	7·80	7·08	8·67	7·41	6·97	7·22	7·69	7·79	5·71	6·97	9·00	5·21	5·74	7·95
II. Tuberculous Diseases (28-35).	6·16	5·14	4·92	4·54	4·65	4·00	3·91	3·81	2·81	3·02	2·86	2·88	2·39	2·75	1·94
III. Diarrhœa and Enteritis (104).*	29·63	21·47	30·77	12·51	19·92	12·65	12·64	36·20	7·72	19·32	17·40	15·14	10·58	10·30	9·54
IV. Developmental and Wasting Diseases (150, 151, 152B).*	44·97	43·67	43·80	42·23	42·36	41·68	40·46	41·37	37·78	39·26	37·77	37·27	35·61	36·55	35·52
V. Miscellaneous Diseases (Remainder).	54·74	50·07	45·93	49·67	46·09	43·43	41·21	40·99	38·75	41·10	39·62	45·43	37·42	41·14	42·21
Small-pox (5)	0·08	0·01	0·00	—	0·00	0·00	0·00	0·00	—	—	—	—	0·00	—	—
Chicken-pox (19c) ...	0·06	0·06	0·07	0·07	0·05	0·05	0·06	0·05	0·05	0·06	0·07	0·06	0·04	0·06	0·04
Measles (6)	2·97	2·66	2·26	3·00	1·89	2·92	2·09	3·16	2·90	2·43	2·14	4·13	1·43	2·73	2·28
Scarlet fever (7) ...	0·18	0·19	0·12	0·14	0·12	0·12	0·09	0·08	0·08	0·08	0·11	0·08	0·06	0·05	0·03
Whooping cough (8) ...	6·15	4·54	4·25	5·16	5·04	3·56	4·76	4·14	4·57	2·90	4·37	4·46	3·45	2·67	5·36
Diphtheria and Croup (9)	0·39	0·34	0·38	0·30	0·31	0·32	0·22	0·26	0·19	0·24	0·28	0·27	0·23	0·23	0·24
Erysipelas (18)	0·32	0·30	0·28	0·23	0·23	0·23	0·17	0·15	0·18	0·16	0·21	0·21	0·15	0·13	0·12
Tuberculous Meningitis (30).	1·73	1·48	1·47	1·45	1·47	1·35	1·31	1·24	1·06	1·02	0·99	1·09	0·97	1·07	0·83
Abdominal Tuberculosis (31).	2·70	2·16	2·05	1·71	1·83	1·59	1·55	1·49	0·99	1·25	1·12	1·07	0·79	0·95	0·61
Other Tuberculous Diseases (28, 29, 32-35).	1·73	1·50	1·40	1·38	1·35	1·06	1·05	1·08	0·76	0·75	0·75	0·72	0·63	0·73	0·50
Meningitis (not Tuberculous) (61).*	2·25	2·05	2·11	1·80	1·84	1·71	1·66	1·72	1·28	1·34	1·37	1·60	1·24	1·30	1·04
Convulsions (71)* ...	15·63	13·84	13·22	12·43	12·02	11·12	10·28	9·68	8·49	9·04	8·12	8·69	7·60	7·89	6·97
Laryngitis (87B) ...	0·21	0·20	0·17	0·17	0·16	0·17	0·15	0·20	0·16	0·16	0·17	0·17	0·15	0·16	0·10
Bronchitis (89, 90)* ...	11·31	10·09	8·45	10·75	9·32	8·39	7·90	8·28	7·92	8·12	7·76	9·50	7·47	8·43	8·23
Pneumonia (all forms) (91, 92).	11·73	11·21	9·75	12·51	11·08	10·67	10·20	9·89	9·98	10·89	10·43	13·50	9·84	11·44	12·11
Diarrhœa and Enteritis (104).*	29·63	21·47	30·77	12·51	19·92	12·65	12·64	36·20	7·72	19·32	17·40	15·14	10·58	10·30	9·54
Gastritis (103A)* ...	2·20	1·91	1·73	1·53	1·71	1·61	1·57	1·64	1·31	1·62	1·62	1·78	1·61	1·62	1·45
Syphilis (37)	1·30	1·32	1·28	1·23	1·25	1·22	1·15	1·29	1·34	1·46	1·55	1·44	1·57	2·03	1·90
Rickets (36A)	0·72	0·58	0·60	0·50	0·46	0·47	0·44	0·39	0·34	0·44	0·39	0·39	0·41	0·41	0·35
Suffocation, overlying (168 part).	1·94	1·77	1·74	1·81	1·64	1·49	1·43	1·39	1·54	1·39	1·40	1·25	0·94	1·05	0·84
Injury at Birth (152c)...	0·82	0·76	0·93	0·89	1·00	1·04	0·94	1·03	1·07	1·21	1·20	1·14	1·15	1·15	1·00
Atelectasis (152B) ...	1·40	1·55	1·56	1·69	1·70	1·65	1·73	1·69	1·68	1·75	1·73	1·66	1·57	1·61	1·47
Congenital Malformations (150).*	4·52	4·75	4·96	4·86	5·01	4·94	4·93	3·68	3·62	3·93	3·89	4·15	4·19	4·30	3·66
Premature Birth (151A)	20·75	20·30	20·38	19·85	19·85	19·91	19·59	20·10	19·62	20·02	19·73	18·94	18·62	19·07	19·82
Atrophy, Debility, and Marasmus (151B-E).*	18·30	17·07	16·90	15·83	15·80	15·18	14·21	15·90	12·86	13·56	12·42	12·52	11·23	11·57	10·57
Other Causes	6·31	6·04	5·67	5·82	5·38	5·31	5·32	5·33	5·14	5·27	5·40	5·76	5·29	5·53	8·10

* See note to preceding table.

TABLE 16.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1918.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																
			All Infants.						Legitimate Infants.					Illegitimate Infants.					
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
ALL CAUSES ...	M	40.96	18.93	18.08	15.60	14.34	107.91	38.77	17.10	16.46	14.98	14.10	101.41	73.53	46.17	42.28	24.96	17.93	204.87
	F	31.84	14.96	13.57	12.64	12.89	85.90	30.06	13.52	12.43	12.08	12.54	80.63	58.85	36.59	30.68	21.60	18.12	165.24
	P	36.50	16.99	15.88	14.16	13.63	97.16	34.52	15.35	14.49	13.56	13.34	91.26	66.39	41.52	36.64	23.04	18.02	185.61
I. Common Infectious Diseases (5-9, 19C).	M	0.10	0.91	1.42	2.32	3.17	7.92	0.10	0.92	1.38	2.22	3.12	7.74	0.19	0.65	2.06	4.18	3.61	10.69
	F	0.17	1.12	1.18	2.17	3.33	7.97	0.17	1.11	1.15	2.12	3.27	7.82	0.20	1.04	1.54	3.12	4.38	10.28
	P	0.15	1.00	1.30	2.27	3.23	7.95	0.14	1.01	1.26	2.17	3.19	7.77	0.19	0.85	1.80	3.67	3.98	10.49
II. Tuberculous Diseases (28-35).	M	0.06	0.29	0.63	0.61	0.65	2.24	0.06	0.26	0.58	0.60	0.64	2.14	0.10	0.70	1.22	0.89	0.75	3.66
	F	0.01	0.18	0.45	0.52	0.46	1.62	0.01	0.17	0.41	0.47	0.44	1.50	0.05	0.45	0.84	1.09	0.94	3.37
	P	0.04	0.23	0.53	0.56	0.58	1.94	0.04	0.21	0.51	0.52	0.55	1.83	0.06	0.59	1.03	0.99	0.85	3.52
III. Diarrhoea and Enteritis (104).	M	0.98	2.74	3.79	1.88	1.80	10.69	0.93	2.38	3.32	1.72	1.25	9.60	1.64	8.21	10.84	4.27	1.97	26.93
	F	0.57	2.10	2.77	1.66	1.22	8.32	0.54	1.83	2.42	1.55	1.19	7.53	0.94	6.31	7.89	3.38	1.74	20.26
	P	0.78	2.43	3.30	1.77	1.26	9.54	0.74	2.11	2.88	1.64	1.22	8.59	1.30	7.29	9.40	3.84	1.86	23.69
IV. Developmental and Wasting Diseases (150, 151, 152B).	M	30.72	5.52	2.03	0.75	0.34	39.36	29.58	4.95	1.74	0.65	0.32	37.24	47.43	13.94	6.48	2.16	0.75	70.76
	F	24.24	4.49	1.77	0.65	0.35	31.50	23.43	3.96	1.52	0.53	0.31	29.75	36.88	12.61	5.32	2.44	0.89	58.14
	P	27.55	5.03	1.91	0.69	0.34	35.52	26.58	4.47	1.63	0.59	0.31	33.58	42.32	13.29	5.91	2.29	0.82	64.63
V. Miscellaneous Diseases (Remainder).	M	9.10	9.47	10.21	10.04	8.88	47.70	8.10	8.59	9.44	9.79	8.77	44.69	24.17	22.67	21.68	13.46	10.85	92.83
	F	6.85	7.07	7.40	7.64	7.53	36.49	5.91	6.45	6.93	7.41	7.33	34.03	20.78	16.18	15.09	10.97	10.17	73.19
	P	7.98	8.30	8.84	8.87	8.22	42.21	7.02	7.55	8.21	8.64	8.07	39.49	22.52	19.50	18.50	12.25	10.51	83.28
Small-pox (5) ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox (19C).	M	0.00	—	0.00	0.01	0.02	0.03	0.00	—	0.00	0.02	0.01	0.03	—	—	—	—	0.09	0.09
	F	—	0.01	0.01	0.01	0.01	0.04	—	0.01	0.00	0.01	0.02	0.04	—	—	0.05	0.05	—	0.10
	P	0.00	0.00	0.00	0.03	0.01	0.04	0.00	0.00	0.00	0.02	0.01	0.03	—	—	0.02	0.02	0.06	0.10
Measles (6) ...	M	0.01	0.08	0.13	0.75	1.54	2.51	0.02	0.08	0.11	0.67	1.50	2.38	—	0.09	0.42	1.92	1.93	4.36
	F	0.02	0.05	0.12	0.57	1.28	2.04	0.02	0.04	0.12	0.54	1.25	1.97	—	0.10	0.25	0.99	1.79	3.13
	P	0.02	0.06	0.13	0.66	1.41	2.28	0.02	0.06	0.11	0.61	1.38	2.18	—	0.10	0.34	1.47	1.85	3.76
Scarlet fever (7)	M	—	—	0.00	—	0.04	0.04	—	—	—	—	0.03	0.03	—	—	0.05	—	0.09	0.14
	F	0.00	—	—	0.02	0.01	0.03	0.00	—	—	0.02	0.01	0.03	—	—	—	—	—	—
	P	0.00	—	0.00	0.01	0.02	0.03	0.00	—	—	0.01	0.02	0.03	—	—	0.02	—	0.05	0.07
Whooping cough (8).	M	0.09	0.82	1.27	1.46	1.43	5.07	0.08	0.83	1.24	1.44	1.44	5.03	0.19	0.56	1.59	2.02	1.41	5.77
	F	0.14	1.05	1.04	1.53	1.90	5.66	0.14	1.05	1.02	1.50	1.86	5.57	0.20	0.94	1.24	2.03	2.54	6.95
	P	0.12	0.93	1.15	1.50	1.66	5.36	0.11	0.94	1.13	1.46	1.65	5.29	0.19	0.75	1.42	2.03	1.95	6.34
Diphtheria and Croup (9).	M	0.00	0.01	0.02	0.10	0.14	0.27	0.00	0.01	0.03	0.09	0.14	0.27	—	—	—	0.24	0.09	0.33
	F	0.01	0.01	0.01	0.04	0.13	0.20	0.01	0.01	0.01	0.05	0.13	0.21	—	—	—	0.05	0.05	0.10
	P	0.01	0.01	0.02	0.07	0.13	0.24	0.01	0.01	0.02	0.07	0.13	0.24	—	—	—	0.15	0.07	0.22
Erysipelas (18)...	M	0.04	0.07	0.01	0.02	0.00	0.14	0.04	0.06	0.01	0.01	0.00	0.12	—	0.19	0.05	0.09	—	0.33
	F	0.02	0.04	0.02	0.01	0.01	0.10	0.01	0.05	0.01	0.01	0.02	0.10	0.10	—	0.05	—	—	0.15
	P	0.03	0.06	0.01	0.01	0.01	0.12	0.03	0.05	0.01	0.01	0.01	0.11	0.05	0.09	0.05	0.05	—	0.24
Tuberculous Meningitis (30).	M	0.02	0.09	0.27	0.24	0.32	0.94	0.02	0.09	0.25	0.25	0.31	0.92	0.05	0.09	0.48	0.23	0.42	1.27
	F	0.00	0.03	0.18	0.27	0.23	0.71	0.00	0.04	0.17	0.24	0.23	0.68	—	—	0.25	0.59	0.25	1.09
	P	0.01	0.06	0.22	0.25	0.29	0.83	0.01	0.06	0.21	0.24	0.28	0.80	0.02	0.05	0.36	0.41	0.34	1.18
Abdominal Tuberculosis (31).	M	0.03	0.12	0.24	0.19	0.17	0.75	0.03	0.11	0.22	0.18	0.17	0.71	0.05	0.23	0.51	0.33	0.19	1.31
	F	0.00	0.08	0.16	0.12	0.10	0.46	0.00	0.07	0.14	0.11	0.09	0.41	—	0.20	0.34	0.35	0.30	1.19
	P	0.02	0.10	0.19	0.16	0.14	0.61	0.02	0.09	0.19	0.14	0.13	0.57	0.02	0.22	0.43	0.33	0.24	1.25
Other Tuberculous Diseases (28, 29, 32-35).	M	0.01	0.08	0.12	0.18	0.16	0.55	0.01	0.06	0.11	0.17	0.16	0.51	—	0.38	0.23	0.33	0.14	1.08
	F	0.01	0.07	0.11	0.13	0.13	0.45	0.01	0.06	0.10	0.12	0.12	0.41	0.05	0.25	0.25	0.15	0.39	1.09
	P	0.01	0.07	0.12	0.15	0.15	0.50	0.01	0.06	0.11	0.14	0.14	0.46	0.02	0.32	0.24	0.24	0.27	1.09
Meningitis (not Tuberculous) (61).	M	0.06	0.14	0.33	0.40	0.24	1.17	0.06	0.15	0.33	0.39	0.25	1.18	0.14	0.05	0.37	0.38	0.09	1.03
	F	0.03	0.12	0.21	0.28	0.26	0.90	0.03	0.11	0.20	0.27	0.27	0.88	0.10	0.25	0.35	0.39	0.15	1.24
	P	0.05	0.13	0.27	0.34	0.25	1.04	0.04	0.13	0.27	0.33	0.26	1.03	0.12	0.14	0.36	0.39	0.12	1.13
Convulsions (71)	M	3.10	1.86	1.42	0.91	0.73	8.02	2.98	1.70	1.33	0.90	0.73	7.64	4.78	4.32	2.81	0.99	0.75	13.65
	F	2.13	1.38	1.02	0.73	0.60	5.86	2.00	1.26	0.92	0.70	0.58	5.46	4.03	3.28	2.48	1.14	0.94	11.87
	P	2.62	1.63	1.23	0.82	0.67	6.97	2.51	1.48	1.13	0.80	0.66	6.58	4.42	3.82	2.65	1.06	0.84	12.79
Laryngitis (87B).	M	0.01	0.01	0.02	0.03	0.04	0.11	0.01	0.01	0.01	0.03	0.04	0.10	—	0.05	0.13	0.05	—	0.23
	F	0.01	0.01	0.01	0.02	0.04	0.09	0.01	0.01	0.01	0.02	0.04	0.09						

TABLE 16.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY
1918—continued.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																
			All Infants.						Legitimate Infants.						Illegitimate Infants.				
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Gastritis (103A)	M	0.29	0.66	0.39	0.19	0.12	1.65	0.23	0.60	0.33	0.18	0.12	1.51	0.47	1.50	1.27	0.42	0.14	3.8
	F	0.15	0.41	0.34	0.19	0.14	1.23	0.15	0.36	0.33	0.17	0.13	1.14	0.20	0.98	0.50	0.55	0.35	2.6
	P	0.23	0.53	0.37	0.19	0.13	1.45	0.22	0.49	0.33	0.17	0.12	1.33	0.34	1.26	0.89	0.48	0.24	3.2
Syphilis (37) ...	M	0.66	0.86	0.44	0.15	0.06	2.17	0.47	0.57	0.25	0.10	0.02	1.41	3.52	5.26	3.28	0.89	0.56	13.5
	F	0.46	0.60	0.40	0.13	0.04	1.63	0.35	0.41	0.24	0.08	0.02	1.10	2.08	3.38	2.88	0.84	0.45	9.6
	P	0.56	0.73	0.42	0.14	0.05	1.90	0.41	0.49	0.25	0.09	0.02	1.26	2.82	4.34	3.09	0.87	0.51	11.6
Rickets (36A) ...	M	0.01	0.06	0.07	0.13	0.14	0.41	0.00	0.04	0.07	0.13	0.14	0.38	0.05	0.32	0.19	0.19	0.09	0.8
	F	0.00	0.05	0.05	0.08	0.10	0.28	0.00	0.04	0.05	0.07	0.10	0.26	—	0.15	0.05	0.15	0.20	0.5
	P	0.00	0.05	0.06	0.11	0.13	0.35	0.00	0.04	0.06	0.10	0.12	0.32	0.02	0.25	0.12	0.17	0.14	0.7
Suffocation, over-lying (168 part).	M	0.39	0.27	0.12	0.05	0.01	0.84	0.30	0.24	0.11	0.04	0.01	0.70	1.33	0.61	0.28	0.19	—	2.9
	F	0.37	0.24	0.16	0.06	0.01	0.84	0.29	0.21	0.14	0.05	0.01	0.70	1.54	0.69	0.55	0.10	—	2.8
	P	0.38	0.26	0.14	0.05	0.01	0.84	0.29	0.23	0.12	0.05	0.01	0.70	1.39	0.65	0.41	0.14	—	2.8
Injury at Birth (152C).	M	1.11	0.02	—	—	—	1.13	1.01	0.02	—	—	—	1.03	2.48	0.05	—	—	—	2.5
	F	0.85	0.01	—	—	—	0.86	0.76	0.01	—	—	—	0.77	2.18	—	—	—	—	2.1
	P	0.98	0.02	—	—	—	1.00	0.88	0.02	—	—	—	0.90	2.34	0.02	—	—	—	2.3
Atelectasis (152B).	M	1.59	0.09	—	—	—	1.68	1.54	0.08	—	—	—	1.62	2.25	0.28	—	—	—	2.5
	F	1.16	0.09	—	—	—	1.25	1.15	0.08	—	—	—	1.23	1.39	0.25	—	—	—	1.6
	P	1.38	0.09	—	—	—	1.47	1.35	0.08	—	—	—	1.43	1.83	0.27	—	—	—	2.1
Congenital Malformations (150).	M	2.49	0.83	0.32	0.16	0.12	3.92	2.47	0.78	0.33	0.15	0.12	3.85	2.68	1.64	0.28	0.28	0.05	4.9
	F	2.06	0.71	0.35	0.16	0.11	3.39	2.02	0.70	0.35	0.15	0.11	3.33	2.63	0.94	0.30	0.35	0.05	4.2
	P	2.27	0.78	0.34	0.16	0.11	3.66	2.25	0.74	0.34	0.15	0.12	3.60	2.66	1.30	0.29	0.31	0.05	4.6
Premature Birth (151A .	M	19.94	1.70	0.21	0.04	0.01	21.90	19.19	1.57	0.20	0.04	0.02	21.02	31.01	3.57	0.33	0.05	—	34.9
	F	15.94	1.45	0.19	0.05	0.01	17.64	15.35	1.30	0.17	0.04	0.01	16.87	25.12	3.72	0.35	0.15	—	29.3
	P	17.99	1.58	0.20	0.04	0.01	19.82	17.31	1.44	0.19	0.04	0.01	18.99	28.15	3.64	0.34	0.10	—	32.2
Atrophy, Debility, and Marasmus (151 B-E).	M	6.70	2.90	1.50	0.55	0.21	11.86	6.38	2.52	1.21	0.46	0.18	10.75	11.49	8.45	5.87	1.33	0.70	23.3
	F	5.08	2.24	1.23	0.44	0.23	9.22	4.91	1.88	1.00	0.34	0.19	8.32	7.74	7.70	4.67	1.94	0.84	22.3
	P	5.91	2.58	1.37	0.49	0.22	10.57	5.67	2.21	1.10	0.40	0.18	9.56	9.68	8.08	5.28	1.88	0.77	25.6
Other Causes ...	M	1.91	1.26	2.00	2.15	1.92	9.24	1.49	1.15	1.85	2.13	1.94	8.56	8.51	2.77	3.87	2.28	2.22	19.6
	F	1.67	0.88	1.20	1.60	1.61	6.96	1.13	0.78	1.17	1.59	1.56	6.23	9.60	2.23	2.27	1.85	1.53	17.4
	P	1.77	1.08	1.61	1.89	1.75	8.10	1.31	0.97	1.52	1.89	1.75	7.44	9.03	2.50	3.10	2.07	1.88	18.5

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1918.—CLASSES OF ADMINISTRATIVE AREAS—continued.

Proportion of Deaths to 1,000 Births.																								
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.										
		Total under 1 Year.						Total under 1 Year.						Total under 1 Year.										
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	9-12 Months.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
Small-pox (5) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox (19 C) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (6) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever (7) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough (8) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria and Croup (9) ...	London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Erysipelas (18)	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	0.03	0.11	0.04	0.03	0.04	0.25	0.03	0.10	0.02	0.03	0.05	0.23	—	0.21	0.43	—	0.64
		0.03	0.06	0.01	0.02	0.00	0.12	0.01	0.07	0.00	0.01	0.00	0.11	0.07	0.14	—	—	0.28
		0.01	0.07	0.00	—	0.00	0.08	0.01	0.07	0.00	—	0.00	0.08	0.07	0.07	—	—	0.14
		0.06	0.02	0.01	0.01	0.01	0.11	0.05	0.02	0.02	0.01	0.01	0.11	—	—	0.11	—	0.11
		0.02	0.07	0.01	0.01	0.01	0.12	0.02	0.06	0.01	0.01	0.01	0.11	0.06	0.12	0.06	—	0.27
Tuberculous Meningitis (30).	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	—	0.14	0.35	0.34	0.45	1.28	—	0.15	0.38	0.30	0.47	1.30	—	—	0.86	0.21	1.07
		0.01	0.05	0.29	0.30	0.29	0.94	0.01	0.06	0.28	0.28	0.28	0.91	—	—	0.50	0.35	1.42
		0.02	0.06	0.17	0.23	0.23	0.71	0.01	0.06	0.16	0.22	0.23	0.68	0.07	—	0.29	0.36	1.08
		0.01	0.04	0.12	0.18	0.24	0.59	0.02	0.03	0.12	0.17	0.22	0.56	—	0.23	0.23	0.34	1.03
		0.01	0.07	0.25	0.27	0.29	0.89	0.01	0.07	0.24	0.26	0.29	0.87	0.03	—	0.45	0.34	1.22
Abdominal Tuberculosis (31).	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	—	0.08	0.24	0.11	0.06	0.49	—	0.08	0.23	0.12	0.05	0.48	—	0.21	0.21	0.22	0.64
		0.02	0.16	0.26	0.20	0.20	0.84	0.01	0.15	0.25	0.19	0.18	0.78	0.07	0.21	0.65	0.42	1.77
		0.02	0.06	0.16	0.15	0.15	0.54	0.02	0.05	0.15	0.13	0.15	0.50	—	0.22	0.36	0.42	1.22
		0.02	0.07	0.13	0.12	0.05	0.39	0.02	0.06	0.11	0.12	0.05	0.36	—	0.23	0.34	0.23	0.80
		0.02	0.11	0.21	0.17	0.16	0.67	0.01	0.10	0.21	0.15	0.15	0.62	0.03	0.21	0.45	0.37	1.37
Other Tuberculous Diseases (28, 29, 32-35).	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	0.01	0.08	0.20	0.23	0.35	0.87	0.02	0.08	0.18	0.21	0.32	0.81	—	0.21	0.43	0.43	1.72
		0.01	0.06	0.14	0.19	0.15	0.55	0.01	0.04	0.13	0.18	0.14	0.50	—	0.28	0.35	0.21	1.20
		0.01	0.08	0.09	0.13	0.12	0.43	0.00	0.06	0.09	0.12	0.12	0.39	0.07	0.28	0.14	0.29	1.00
		—	0.09	0.07	0.11	0.07	0.34	—	0.06	0.07	0.11	0.08	0.32	—	0.47	0.11	0.11	0.69
		0.01	0.07	0.13	0.16	0.17	0.54	0.01	0.05	0.12	0.17	0.15	0.50	0.03	0.27	0.27	0.27	1.19
Meningitis (not Tuberculous) (61).	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	0.06	0.17	0.38	0.42	0.32	1.35	0.03	0.18	0.39	0.45	0.35	1.40	0.43	—	0.21	—	0.64
		0.03	0.14	0.34	0.38	0.30	1.19	0.03	0.13	0.34	0.36	0.31	1.17	0.07	0.21	0.42	0.58	1.49
		0.06	0.14	0.23	0.31	0.24	0.98	0.06	0.14	0.22	0.30	0.25	0.97	0.14	0.07	0.36	0.44	1.15
		0.05	0.10	0.17	0.25	0.14	0.71	0.05	0.09	0.16	0.25	0.15	0.70	—	0.23	0.34	0.23	0.80
		0.05	0.14	0.30	0.35	0.28	1.12	0.04	0.14	0.29	0.36	0.29	1.12	0.15	0.12	0.37	0.43	1.22
Convulsions (71)	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	1.40	0.94	0.73	0.34	0.34	3.75	1.47	0.81	0.66	0.35	0.33	3.62	0.43	2.79	1.72	0.21	5.58
		2.79	1.78	1.35	0.96	0.72	7.60	2.66	1.65	1.24	0.97	0.70	7.22	4.89	3.75	3.04	0.71	13.38
		2.73	1.66	1.28	0.98	0.78	7.43	2.60	1.48	1.17	0.94	0.77	6.96	4.52	4.37	3.08	0.93	14.55
		2.84	1.67	1.18	0.56	0.57	6.82	2.65	1.54	1.14	0.52	0.56	6.41	5.61	3.56	1.84	1.15	12.85
		2.58	1.62	1.24	0.88	0.69	7.01	2.47	1.47	1.13	0.87	0.68	6.62	4.09	3.88	2.87	1.04	12.77
Laryngitis (87 B)	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	0.01	—	0.01	0.03	0.03	0.08	0.02	—	0.02	0.02	0.03	0.09	—	—	—	—	—
		0.00	0.01	0.02	0.03	0.05	0.11	0.00	0.01	0.01	0.04	0.05	0.11	—	0.07	0.07	—	0.14
		0.00	0.01	0.02	0.02	0.07	0.12	0.00	0.01	0.01	0.01	0.07	0.10	—	—	0.22	—	0.36
		0.01	0.01	0.01	0.01	0.02	0.06	0.01	0.01	0.02	0.01	0.01	0.06	—	—	—	—	—
		0.01	0.01	0.02	0.03	0.04	0.11	0.01	0.01	0.01	0.03	0.04	0.10	—	0.03	0.12	0.06	0.21
Bronchitis (89, 90)	... { London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	0.65	1.85	1.87	1.53	1.07	7.02	0.65	1.70	1.70	1.51	1.01	6.57	0.64	3.87	4.30	2.58	13.32
		1.10	2.64	2.38	2.15	1.89	10.16	1.10	2.58	2.32	2.12	1.80	9.92	0.99	3.53	3.33	2.69	13.87
		0.88	2.04	1.90	1.67	1.30	7.79	0.86	1.93	1.84	1.61	1.26	7.50	1.15	3.51	2.94	2.58	12.19
		0.63	1.55	1.71	1.33	1.14	6.36	0.63	1.48	1.63	1.26	1.13	6.13	0.57	2.52	2.99	2.41	9.87
		0.94	2.27	2.11	1.87	1.53	8.72	0.94	2.18	2.03	1.82	1.46	8.43	1.01	3.56	3.30	2.63	13.07

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1918.—CLASSES OF ADMINISTRATIVE AREAS—continued.

Proportion of Deaths to 1,000 Births.																								
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.										
		Under 4 Weeks.		3 Months—4 Weeks.		6-9 Months.		9-12 Months.		Total under 1 Year.		Under 4 Weeks.		3 Months—4 Weeks.		3-6 Months.		6-9 Months.		9-12 Months.		Total under 1 Year.		
		4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	4 Weeks.	Under 4 Weeks.	
Pneumonia (all forms) (91, 92).	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ... }	0.77	2.72	3.64	4.47	5.18	16.78	0.74	2.55	3.44	4.36	5.10	16.19	1.29	5.15	6.44	6.01	6.23					Total under 1 Year.	
		0.44	1.97	3.11	4.20	4.40	14.12	0.46	1.87	3.00	4.11	4.32	13.76	0.21	3.54	4.88	5.60	5.38					25.12	
		0.48	1.40	2.49	3.15	3.43	10.95	0.43	1.37	2.35	3.13	3.39	10.67	1.22	1.94	4.73	3.44	3.94					19.61	
		0.34	1.13	1.82	2.60	2.39	8.28	0.32	1.00	1.78	2.57	2.36	8.03	0.69	2.98	2.41	3.10	2.87					15.27	
		0.50	1.83	2.92	3.78	4.09	13.12	0.49	1.75	2.78	3.72	4.02	12.76	0.79	3.09	5.04	4.73	4.89					12.05	
Diarrhoea and Enteritis (104).	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ... }	0.89	3.23	5.38	2.58	1.59	13.67	0.80	2.46	4.19	2.22	1.43	11.10	2.15	14.17	22.33	7.73	3.87					50.25	
		0.94	3.06	4.15	2.41	1.67	12.23	0.90	2.69	3.61	2.21	1.65	11.06	1.49	8.71	12.45	5.38	1.98					30.01	
		0.67	2.09	2.76	1.35	1.12	7.99	0.66	1.86	2.55	1.28	1.09	7.44	0.93	5.52	6.09	2.29	1.51					16.34	
		0.62	1.55	1.65	1.01	0.63	5.46	0.58	1.37	1.57	0.96	0.60	5.08	1.15	4.12	2.87	1.72	1.15					11.01	
		0.82	2.66	3.73	1.97	1.42	10.60	0.78	2.30	3.24	1.81	1.38	9.51	1.34	8.13	11.15	4.40	2.05					27.07	
Gastritis (103 A)	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ... }	0.08	0.21	0.26	0.10	0.08	0.73	0.08	0.16	0.22	0.08	0.09	0.63	0.21	0.87	0.64	0.43					2.15		
		0.26	0.62	0.45	0.26	0.17	1.76	0.27	0.58	0.40	0.23	0.16	1.64	0.14	1.28	1.20	0.78					3.68		
		0.25	0.58	0.40	0.17	0.12	1.52	0.23	0.55	0.37	0.15	0.11	1.41	0.57	1.22	0.86	0.43	0.22					3.30	
		0.20	0.46	0.23	0.17	0.11	1.17	0.19	0.40	0.20	0.17	0.09	1.05	0.34	1.50	0.58	0.11	0.34					2.87	
		0.23	0.55	0.40	0.20	0.14	1.52	0.23	0.50	0.37	0.17	0.13	1.40	0.34	1.19	0.98	0.58	0.21					3.30	
Syphilis (37)	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ... }	0.54	1.21	0.72	0.28	0.03	2.78	0.36	0.70	0.30	0.17	0.02	1.55	3.01	8.37	6.66	1.93	0.21					20.18	
		0.77	1.02	0.64	0.18	0.09	2.70	0.54	0.73	0.37	0.13	0.04	1.81	4.11	5.31	4.81	1.06	0.85					16.14	
		0.47	0.52	0.27	0.10	0.04	1.40	0.37	0.36	0.17	0.06	0.01	0.97	1.86	3.02	1.79	0.79	0.43					7.89	
		0.39	0.34	0.17	0.04	0.02	0.96	0.26	0.18	0.15	0.04	0.01	0.64	2.18	2.76	0.46	0.11	0.23					5.74	
		0.61	0.83	0.49	0.16	0.06	2.15	0.45	0.58	0.27	0.10	0.02	1.42	2.99	4.77	3.79	1.07	0.58					13.20	
Rickets (36 A)...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ... }	—	0.11	0.21	0.14	0.23	0.69	—	0.05	0.19	0.14	0.22	0.60	—	1.08	0.43	0.21	0.21					1.93	
		0.01	0.05	0.08	0.11	0.14	0.39	0.01	0.04	0.07	0.10	0.14	0.36	—	0.21	0.14	0.21	0.22					0.78	
		—	0.05	0.03	0.10	0.09	0.27	—	0.05	0.03	0.09	0.09	0.26	—	0.07	0.07	0.07	0.07					0.43	
		0.01	0.03	0.01	0.07	0.10	0.22	—	0.02	0.02	0.08	0.08	0.21	0.11	0.11	—	—	0.12					0.34	
		0.00	0.06	0.08	0.11	0.13	0.38	0.00	0.04	0.07	0.11	0.13	0.35	—	0.28	0.15	0.21	0.15					0.79	
Suffocation, overlying (168 part).	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ... }	0.81	0.48	0.21	0.11	0.01	1.62	0.58	0.41	0.12	0.09	0.02	1.22	3.87	1.50	1.50	0.43					7.30		
		0.48	0.30	0.20	0.06	0.01	1.05	0.38	0.28	0.18	0.05	0.01	0.90	2.20	0.57	0.42	0.21					3.40		
		0.26	0.22	0.12	0.04	0.01	0.65	0.21	0.18	0.11	0.04	0.01	0.55	0.93	0.79	0.29	0.07					2.08		
		0.21	0.13	0.04	0.01	0.01	0.40	0.14	0.13	0.05	0.02	0.02	0.36	0.92	0.11	—	—					1.03		
		0.43	0.29	0.17	0.06	0.01	0.96	0.34	0.25	0.14	0.05	0.01	0.79	1.90	0.79	0.52	0.18					3.39		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)			(18)			

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Injury at Birth (152 C)	{ London ...	1.27	—	—	—	1.27	0.89	—	—	—	—	0.89	6.66	—	—	—	—	6.66
	{ County Boroughs ...	0.83	0.02	—	—	0.85	0.78	0.02	—	—	—	0.80	1.63	—	—	—	—	1.63
	{ Other Urban Districts ...	0.96	0.03	—	—	0.99	0.92	0.03	—	—	—	0.95	1.51	—	—	—	—	1.51
	{ Rural Districts ...	1.11	0.01	—	—	1.12	1.00	0.01	—	—	—	1.01	2.53	0.11	—	—	—	2.64
Atelectasis (152 B) ...	{ All Urban Districts ...	0.94	0.02	—	—	0.96	0.86	0.02	—	—	—	0.88	2.29	—	—	—	—	2.29
	{ London ...	1.51	0.15	—	—	1.66	1.50	0.08	—	—	—	1.58	1.50	1.29	—	—	—	2.79
	{ County Boroughs ...	1.31	0.09	—	—	1.40	1.27	0.08	—	—	—	1.35	1.98	0.14	—	—	—	2.12
	{ Other Urban Districts ...	1.44	0.09	—	—	1.53	1.41	0.09	—	—	—	1.50	1.80	0.14	—	—	—	1.94
Congenital Malformations (150).	{ Rural Districts ...	1.34	0.06	—	—	1.40	1.31	0.05	—	—	—	1.36	1.84	0.11	—	—	—	1.95
	{ All Urban Districts ...	1.39	0.10	—	—	1.49	1.36	0.09	—	—	—	1.45	1.83	0.31	—	—	—	2.14
	{ London ...	2.28	0.87	0.32	0.15	3.68	2.14	0.81	0.33	0.14	0.06	3.48	4.08	1.72	0.21	0.43	—	6.44
	{ County Boroughs ...	2.29	0.76	0.32	0.17	3.59	2.29	0.67	0.32	0.17	0.12	3.57	2.13	1.20	0.35	0.14	0.07	3.89
Premature Birth (151 A)	{ Other Urban Districts ...	2.31	0.82	0.33	0.12	3.69	2.29	0.77	0.33	0.10	0.11	3.60	2.86	1.58	0.29	0.36	0.07	5.16
	{ Rural Districts ...	2.20	0.77	0.37	0.23	3.72	2.19	0.77	0.38	0.21	0.16	3.71	2.41	0.80	0.23	0.46	—	3.90
	{ All Urban Districts ...	2.30	0.78	0.33	0.14	3.65	2.27	0.73	0.33	0.13	0.11	3.57	2.72	1.44	0.31	0.27	0.06	4.80
	{ London ...	16.58	1.55	0.25	0.08	18.47	15.87	1.43	0.27	0.08	0.02	17.67	26.42	3.22	—	0.21	—	29.85
Atrophy, Debility, and Marasmus (151 B-E).	{ County Boroughs ...	19.64	1.88	0.21	0.02	21.77	18.82	1.75	0.20	0.02	0.02	20.81	31.93	3.96	0.42	0.07	—	36.38
	{ Other Urban Districts ...	17.46	1.53	0.21	0.06	19.26	16.82	1.38	0.19	0.05	—	18.44	27.24	3.80	0.50	0.14	—	31.68
	{ Rural Districts ...	16.85	1.17	0.12	0.03	18.19	16.34	1.04	0.12	0.03	0.02	17.55	24.44	3.10	0.11	—	—	27.65
	{ All Urban Districts ...	18.28	1.69	0.22	0.05	20.25	17.57	1.55	0.20	0.04	0.01	19.37	29.14	3.79	0.40	0.12	—	33.45
Other Causes ...	{ London ...	3.95	3.14	2.47	0.76	10.71	3.59	2.38	1.82	0.53	0.24	8.56	9.02	13.95	11.60	4.08	2.58	41.23
	{ County Boroughs ...	5.96	2.67	1.67	0.53	11.10	5.72	2.28	1.38	0.44	0.24	10.06	9.49	8.63	6.09	1.91	0.78	26.90
	{ Other Urban Districts ...	6.18	2.60	1.05	0.48	10.47	5.92	2.27	0.86	0.39	0.14	9.58	10.25	7.67	3.80	1.79	0.50	24.01
	{ Rural Districts ...	6.43	2.08	0.82	0.32	9.78	6.22	1.91	0.67	0.29	0.13	9.22	9.42	4.70	2.98	0.80	0.23	18.13
Other Causes ...	{ All Urban Districts ...	5.78	2.71	1.51	0.54	10.78	5.51	2.29	1.22	0.43	0.20	9.65	9.74	8.98	5.90	2.17	0.92	27.71
	{ London ...	2.10	1.13	2.00	2.12	9.14	1.24	0.96	1.95	2.08	1.86	8.09	15.02	3.45	3.23	2.16	0.85	24.71
	{ County Boroughs ...	1.65	1.05	1.55	1.98	8.03	1.27	0.94	1.40	2.00	1.79	7.40	7.90	2.64	3.14	1.75	1.97	17.40
	{ Other Urban Districts ...	1.69	1.08	1.68	1.85	8.06	1.25	1.01	1.54	1.87	1.75	7.42	8.31	2.07	3.45	2.36	1.87	18.06
Other Causes ...	{ Rural Districts ...	1.93	1.07	1.45	1.72	7.84	1.53	0.98	1.34	1.66	1.63	7.14	8.72	2.54	2.41	2.08	2.28	18.03
	{ All Urban Districts ...	1.73	1.06	1.63	1.96	8.18	1.24	0.99	1.52	1.92	1.83	7.50	9.13	2.51	3.26	2.10	1.74	18.74

clviii TABLE 18.—INFANT MORTALITY in DIFFERENT PARTS of ENGLAND AND WALES, 1918.

AREA.		Proportion of Deaths to 1,000 Births.																	
		All Causes.						I.—Common Infectious Diseases (5—9, 19c.)						II.—Tuberculous Diseases (28—35.)					
		Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas	North ...	41.47	19.09	18.86	17.23	16.41	113.06	0.16	1.13	1.60	2.88	3.88	9.65	0.03	0.21	0.61	0.65	0.62	2.12
	Midlands ...	34.71	15.23	13.59	11.94	11.89	87.36	0.14	0.90	1.01	1.55	2.39	5.99	0.05	0.27	0.49	0.52	0.59	1.93
	South ...	31.39	15.90	14.83	12.73	12.19	87.04	0.12	0.83	1.18	2.29	3.40	7.82	0.02	0.23	0.54	0.54	0.58	1.91
	Wales ...	36.85	17.76	14.73	13.40	12.49	95.23	0.16	1.35	1.49	2.06	3.17	8.23	0.05	0.21	0.39	0.45	0.20	1.30
	England and Wales.	36.50	16.99	15.88	14.16	13.63	97.16	0.15	1.00	1.30	2.27	3.23	7.95	0.04	0.23	0.53	0.56	0.58	1.94
London	33.10	18.98	21.06	17.34	17.43	107.91	0.16	0.81	1.78	3.47	5.40	11.62	0.01	0.30	0.79	0.68	0.86	2.66
County Boroughs.	North ...	41.49	20.62	20.84	19.11	17.91	119.97	0.13	1.13	1.72	3.25	4.13	10.36	0.02	0.21	0.73	0.75	0.67	2.38
	Midlands ...	36.84	18.13	16.79	14.57	14.30	100.63	0.13	0.98	1.02	1.63	2.87	6.63	0.03	0.31	0.74	0.67	0.73	2.48
	South ...	29.75	17.13	12.37	10.47	9.51	79.23	—	1.04	0.95	1.72	2.36	6.07	0.05	0.41	0.49	0.45	0.41	1.81
	Wales ...	35.59	18.45	16.75	15.26	14.76	100.81	—	1.30	1.60	2.29	3.68	8.87	0.20	0.30	0.60	0.59	0.10	1.79
	England and Wales.	38.68	19.41	18.59	16.71	15.84	109.23	0.11	1.08	1.42	2.56	3.56	8.73	0.04	0.27	0.69	0.69	0.64	2.33
Other Urban Districts.	North ...	41.12	17.84	16.77	15.64	15.33	106.70	0.18	1.15	1.34	2.54	3.98	9.19	0.04	0.18	0.53	0.61	0.62	1.98
	Midlands ...	33.60	15.16	13.67	11.52	11.79	85.74	0.16	0.94	1.10	1.72	2.50	6.42	0.05	0.25	0.42	0.49	0.60	1.81
	South ...	30.36	13.31	10.44	9.64	8.69	72.44	0.05	0.62	0.80	1.47	2.05	4.99	0.05	0.10	0.32	0.43	0.35	1.25
	Wales ...	36.96	18.00	14.90	13.86	14.65	98.37	0.17	1.21	1.10	1.97	3.69	8.14	0.03	0.21	0.31	0.38	0.21	1.14
	England and Wales.	36.05	16.12	14.32	12.90	12.82	92.21	0.15	0.99	1.13	1.99	3.09	7.35	0.05	0.20	0.42	0.51	0.50	1.68
Rural Districts.	North ...	42.27	16.24	16.26	13.85	13.31	101.93	0.21	1.09	1.74	2.33	2.72	8.09	—	0.24	0.38	0.38	0.45	1.45
	Midlands ...	33.59	11.69	9.43	9.27	9.00	72.98	0.12	0.77	0.85	1.21	1.64	4.59	0.09	0.25	0.28	0.37	0.38	1.37
	South ...	29.98	11.15	7.69	7.55	6.38	62.75	0.20	1.01	0.47	0.97	1.21	3.86	—	0.10	0.27	0.44	0.30	1.11
	Wales ...	37.37	16.97	13.28	11.55	7.56	86.73	0.23	1.62	2.08	2.08	2.02	8.03	—	0.17	0.40	0.47	0.23	1.27
	England and Wales.	35.42	13.36	11.23	10.31	9.32	79.64	0.17	1.01	1.15	1.54	1.85	5.72	0.03	0.20	0.32	0.41	0.36	1.32
		III.—Diarrhoea and Enteritis (104).						IV.—Developmental and Wasting Diseases (150, 151, 152b.)						V.—Miscellaneous Diseases (Remainder).					
All Areas	North ...	0.93	2.78	3.84	2.24	1.69	11.48	31.17	5.30	2.13	0.68	0.40	39.68	9.18	9.67	10.68	10.78	9.82	50.13
	Midlands ...	0.61	2.20	2.74	1.47	0.97	7.99	26.89	4.85	1.75	0.67	0.33	34.49	7.02	7.01	7.60	7.73	7.61	36.97
	South ...	0.73	2.40	3.49	1.63	1.01	9.26	23.44	4.92	1.96	0.76	0.31	31.39	7.08	7.52	7.66	7.51	6.89	36.66
	Wales ...	0.87	1.88	2.47	1.33	1.21	7.76	26.77	4.78	1.30	0.60	0.29	33.74	9.00	9.54	9.08	8.96	7.62	44.20
	England and Wales.	0.78	2.43	3.30	1.77	1.26	9.54	27.55	5.03	1.91	0.69	0.34	35.52	7.98	8.30	8.84	8.87	8.22	42.21
London	0.89	3.23	5.38	2.58	1.59	13.67	24.32	5.71	3.04	0.99	0.46	34.52	7.72	8.93	10.07	9.62	9.12	45.46
County Boroughs.	North ...	1.05	3.13	4.31	2.63	2.02	13.14	30.75	5.57	2.51	0.78	0.46	40.07	9.54	10.58	11.57	11.70	10.63	54.02
	Midlands ...	0.79	3.13	4.30	2.35	1.32	11.89	29.04	5.43	2.10	0.71	0.41	37.69	6.85	8.28	8.63	9.21	8.97	41.94
	South ...	0.72	2.27	3.04	1.31	0.86	8.20	22.53	4.77	1.45	0.50	0.24	29.49	6.45	8.64	6.44	6.49	5.64	33.66
	Wales ...	1.10	3.39	3.59	2.29	1.60	11.97	25.12	3.29	0.90	0.40	0.10	29.81	9.17	10.17	10.06	9.69	9.28	48.37
	England and Wales.	0.94	3.06	4.15	2.41	1.67	12.23	29.20	5.34	2.20	0.72	0.40	37.86	8.39	9.66	10.13	10.33	9.57	48.08
Other Urban Districts.	North ...	0.79	2.39	3.43	1.79	1.35	9.75	31.19	5.25	1.66	0.56	0.34	39.00	8.92	8.87	9.81	10.14	9.04	46.78
	Midlands ...	0.53	1.95	2.38	1.20	0.97	7.03	25.68	5.06	1.79	0.72	0.22	33.47	7.18	6.96	7.98	7.39	7.50	37.01
	South ...	0.57	1.93	2.28	0.82	0.57	6.17	23.22	4.42	1.09	0.66	0.17	29.56	6.47	6.24	5.95	6.26	5.55	30.47
	Wales ...	0.90	1.86	2.75	1.28	1.62	8.41	27.77	5.34	1.45	0.65	0.34	35.55	8.09	9.38	9.29	9.58	8.79	45.13
	England and Wales.	0.67	2.09	2.76	1.35	1.12	7.99	27.39	5.04	1.59	0.66	0.27	34.95	7.79	7.80	8.42	8.39	7.84	40.24
Rural Districts.	North ...	0.83	2.36	3.04	1.83	1.24	9.30	32.61	4.49	1.77	0.62	0.30	39.79	8.62	8.06	9.33	8.69	8.60	43.30
	Midlands ...	0.50	1.39	1.80	0.73	0.53	4.45	25.85	3.82	1.24	0.59	0.40	31.90	7.03	5.46	5.76	6.37	6.05	30.67
	South ...	0.57	1.21	0.94	0.67	0.34	3.73	22.53	3.76	0.91	0.47	0.13	27.80	6.68	5.07	5.10	5.00	4.40	26.25
	Wales ...	0.69	1.04	1.33	0.87	0.29	4.22	26.10	4.67	1.27	0.64	0.29	32.97	10.35	9.47	8.20	7.49	4.73	40.24
	England and Wales.	0.62	1.55	1.65	1.01	0.63	5.46	26.82	4.08	1.31	0.58	0.30	33.09	7.78	6.52	6.80	6.77	6.18	34.05
		Measles (6)						Whooping cough. (8).						Meningitis (not Tuberculous.) (61).					
All Areas	North ...	0.01	0.07	0.18	0.79	1.72	2.77	0.13	1.06	1.40	1.97	2.02	6.58	0.07	0.18	0.35	0.34	0.28	1.22
	Midlands ...	0.02	0.08	0.08	0.39	1.01	1.58	0.11	0.81	0.90	1.08	1.23	4.13	0.02	0.10	0.20	0.34	0.27	0.93
	South ...	—	0.04	0.14	0.80	1.43	2.41	0.10	0.76	1.02	1.40	1.75	5.03	0.06	0.13	0.27	0.31	0.22	0.99
	Wales ...	0.05	0.04	0.04	0.67	1.60	2.40	0.11	1.31	1.43	1.37	1.42	5.64	0.01	0.07	0.23	0.33	0.12	0.76
	England and Wales.	0.02	0.06	0.13	0.66	1.41	2.28	0.12	0.93	1.15	1.50	1.66	5.36	0.05	0.13	0.27	0.34	0.25	1.04
London	—	0.06	0.23	1.31	2.29	3.89	0.13	0.72	1.52	1.96	2.69	7.02	0.06	0.17	0.38	0.42	0.32	1.35
County Boroughs.	North ...	0.02	0.06	0.24	0.95	1.84	3.11	0.11	1.08	1.46	2.11	2.13	6.89	0.06	0.16	0.37	0.39	0.29	1.27
	Midlands ...	0.03	0.09	0.14	0.44	1.43	2.13	0.09	0.88	0.85	1.06	1.24	4.12	—	0.13	0.33	0.37	0.40	1.23
	South ...	—	0.14	0.05	0.41	0.80	1.40	—	0.91	0.82	1.31	1.35	4.39	—	0.09	0.23	0.40	0.05	0.77
	Wales ...	—	0.20	0.10	1.30	2.39	3.99	—	1.10	1.39	1.00	1.00	4.49	—	—	0.40	0.30	0.20	0.90
	England and Wales.	0.02	0.08	0.18	0.76	1.64	2.68	0.09	1.00	1.21	1.66	1.73	5.69	0.03	0.14	0.34	0.38	0.30	1.19
Other Urban Districts.	North ...	—	0.09	0.12	0.67	1.73	2.61	0.15	1.04	1.20	1.80	2.11	6.30	0.09	0.22	0.38	0.33	0.24	1.26
	Midlands ...	0.03	0.10	0.06	0.47	1.03	1.69	0.13	0.80	1.00	1.18	1.28	4.39	0.05	0.06	0.16	0.30	0.25	0.82
	South ...	—	—	0.10	0.55	1.00	1.65	0.05	0.57	0.70	0.92								

TABLE 18.—INFANT MORTALITY in DIFFERENT PARTS of ENGLAND and WALES, 1918—*continued*.

AREA.		Proportion of Deaths to 1,000 births.																	
		Convulsions (71).						Bronchitis (89, 90).						Pneumonia (91, 92).					
		Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas	North ...	3.50	2.05	1.52	1.10	0.83	9.00	1.17	2.67	2.71	2.42	1.94	10.91	0.45	1.79	3.26	4.28	4.49	14.27
	Midlands ...	1.95	1.22	1.07	0.64	0.62	5.50	0.75	1.85	1.68	1.42	1.31	7.01	0.39	1.44	2.18	2.92	3.10	10.03
	South ...	1.44	0.93	0.68	0.41	0.39	3.85	0.60	1.58	1.50	1.33	0.92	5.93	0.63	1.92	2.57	3.14	3.50	11.76
	Wales ...	4.87	3.34	2.15	1.44	0.98	12.78	0.91	2.36	1.93	1.42	1.42	8.04	0.41	1.42	2.50	3.82	3.53	11.66
	England and Wales.	2.62	1.63	1.23	0.82	0.67	6.97	0.88	2.12	2.02	1.76	1.45	8.23	0.47	1.68	2.69	3.54	3.73	12.11
London	1.40	0.94	0.73	0.34	0.34	3.75	0.65	1.85	1.87	1.58	1.07	7.02	0.77	2.72	3.64	4.47	5.18	16.78
County Boroughs.	North ...	3.48	2.06	1.61	1.19	0.78	9.12	1.27	2.96	2.82	2.64	2.19	11.88	0.55	2.02	3.59	4.71	4.99	15.86
	Midlands ...	1.63	1.33	1.03	0.68	0.67	5.34	0.94	2.29	1.81	1.66	1.63	8.33	0.37	1.87	2.75	3.78	3.89	12.66
	South ...	1.63	1.36	0.72	0.50	0.41	4.62	0.59	1.91	1.49	1.36	1.31	6.66	0.27	1.99	1.81	2.40	2.36	8.83
	Wales ...	5.08	2.39	1.60	1.00	1.00	11.07	1.20	2.69	2.78	1.20	1.30	9.17	—	2.09	2.59	4.59	4.79	14.06
	England and Wales.	2.79	1.78	1.35	0.96	0.72	7.60	1.10	2.64	2.38	2.15	1.89	10.16	0.44	1.97	3.11	4.20	4.40	14.12
Other Urban Districts.	North ...	3.34	2.02	1.29	1.16	0.94	8.75	1.25	2.53	2.50	2.23	1.48	9.99	0.41	1.56	3.00	3.93	4.10	13.00
	Midlands ...	2.18	1.23	1.29	0.76	0.61	6.07	0.72	1.68	1.76	1.40	1.24	6.80	0.43	1.30	2.24	2.59	3.01	9.57
	South ...	1.28	0.80	0.62	0.50	0.42	3.62	0.55	1.47	1.10	1.10	0.82	5.04	0.77	1.27	1.90	2.25	2.45	8.64
	Wales ...	4.49	3.07	2.17	1.79	1.31	12.83	0.76	2.44	1.83	1.69	1.66	8.38	0.41	1.45	2.65	3.83	4.07	12.41
	England and Wales.	2.73	1.66	1.28	0.98	0.78	7.43	0.88	2.04	1.90	1.67	1.30	7.79	0.48	1.40	2.49	3.15	3.43	10.95
Rural Districts.	North ...	3.92	2.07	1.68	0.65	0.77	9.09	0.65	1.92	2.77	2.04	2.04	9.42	0.18	1.51	2.66	3.48	3.42	11.25
	Midlands ...	2.00	1.09	0.82	0.43	0.57	4.91	0.55	1.51	1.41	1.16	1.01	5.64	0.36	1.10	1.39	2.29	2.24	7.38
	South ...	1.65	0.77	0.57	0.40	0.44	3.83	0.54	0.91	1.14	1.01	0.40	4.00	0.34	0.84	1.48	1.71	1.77	6.14
	Wales ...	5.43	4.33	2.43	1.10	0.40	13.69	0.98	2.01	1.62	1.10	1.10	6.81	0.64	0.98	2.19	3.35	1.91	9.07
	England and Wales.	2.84	1.67	1.18	0.56	0.57	6.82	0.63	1.55	1.71	1.33	1.14	6.36	0.34	1.13	1.82	2.60	2.39	8.28
		Syphilis (37).						Suffocation, Overlying (168 pt.)						Injury at Birth (152c).					
All Areas	North ...	0.71	0.83	0.53	0.17	0.06	2.30	0.32	0.24	0.12	0.04	0.01	0.73	0.96	0.02	—	—	—	0.98
	Midlands ...	0.59	0.57	0.34	0.09	0.07	1.66	0.34	0.28	0.15	0.05	0.02	0.84	0.92	0.00	—	—	—	0.92
	South ...	0.42	0.91	0.47	0.18	0.02	2.00	0.62	0.34	0.18	0.07	0.01	1.22	1.13	0.04	—	—	—	1.17
	Wales ...	0.27	0.36	0.18	0.04	0.02	0.87	0.10	0.02	0.07	0.04	—	0.23	0.82	—	—	—	—	0.82
	England and Wales.	0.56	0.73	0.42	0.14	0.05	1.90	0.38	0.26	0.14	0.05	0.01	0.84	0.98	0.02	—	—	—	1.00
London	0.54	1.21	0.72	0.28	0.03	2.78	0.81	0.48	0.21	0.11	0.01	1.62	1.27	—	—	—	—	1.27
County Boroughs.	North ...	0.86	1.13	0.75	0.21	0.10	3.05	0.50	0.33	0.17	0.06	0.02	1.08	0.81	0.02	—	—	—	0.83
	Midlands ...	0.74	0.84	0.54	0.17	0.11	2.40	0.44	0.37	0.28	0.09	0.01	1.19	0.82	—	—	—	—	0.82
	South ...	0.41	1.21	0.50	0.05	—	2.17	0.53	0.05	0.14	0.05	—	0.77	1.04	0.09	—	—	—	1.13
	Wales ...	0.60	0.50	0.30	0.20	—	1.60	0.40	—	—	—	—	0.40	0.70	—	—	—	—	0.70
	England and Wales.	0.77	1.02	0.64	0.18	0.09	2.70	0.48	0.30	0.20	0.06	0.01	1.05	0.83	0.02	—	—	—	0.85
Other Urban Districts.	North ...	0.61	0.54	0.26	0.12	0.04	1.57	0.12	0.12	0.09	0.03	—	0.36	1.08	0.03	—	—	—	1.11
	Midlands ...	0.51	0.51	0.32	0.09	0.05	1.48	0.33	0.32	0.13	0.05	0.03	0.86	0.93	0.01	—	—	—	0.94
	South ...	0.32	0.61	0.25	0.17	0.02	1.37	0.55	0.35	0.17	0.05	—	1.12	0.90	0.07	—	—	—	0.97
	Wales ...	0.21	0.38	0.17	—	—	0.76	—	—	0.10	0.07	—	0.17	0.83	—	—	—	—	0.83
	England and Wales.	0.47	0.52	0.27	0.10	0.04	1.40	0.26	0.22	0.12	0.04	0.01	0.65	0.96	0.03	—	—	—	0.99
Rural Districts.	North ...	0.38	0.35	0.30	0.15	—	1.18	0.12	0.15	—	—	—	0.27	1.27	—	—	—	—	1.27
	Midlands ...	0.50	0.32	0.12	—	0.04	0.98	0.19	0.10	0.02	0.02	0.04	0.37	1.03	—	—	—	—	1.03
	South ...	0.30	0.41	0.13	0.03	—	0.87	0.35	0.20	0.13	0.03	—	0.71	1.17	0.07	—	—	—	1.24
	Wales ...	0.17	0.29	0.12	—	0.06	0.64	0.11	0.06	0.06	—	—	0.23	0.87	—	—	—	—	0.87
	England and Wales.	0.39	0.34	0.17	0.04	0.02	0.96	0.21	0.13	0.04	0.01	0.01	0.40	1.11	0.01	—	—	—	1.12
		Congenital Malformations (150).						Premature Birth (151A).						Atrophy, Debility, Marasmus (151 B-E).					
All Areas	North ...	2.51	0.78	0.37	0.13	0.13	3.92	20.51	1.70	0.21	0.04	0.01	22.47	6.69	2.74	1.55	0.51	0.26	11.75
	Midlands ...	2.05	0.70	0.31	0.18	0.14	3.38	17.45	1.56	0.21	0.04	0.02	19.28	6.08	2.52	1.23	0.45	0.17	10.45
	South ...	2.27	0.87	0.35	0.18	0.06	3.73	15.73	1.47	0.17	0.05	0.02	17.44	4.18	2.48	1.44	0.53	0.23	8.86
	Wales ...	2.19	0.76	0.25	0.12	0.09	3.41	15.91	1.44	0.16	0.02	—	17.53	7.02	2.40	0.89	0.46	0.20	10.97
	England and Wales.	2.27	0.78	0.34	0.16	0.11	3.66	17.99	1.58	0.20	0.04	0.01	19.82	5.91	2.58	1.37	0.49	0.22	10.57
London	2.28	0.87	0.32	0.15	0.06	3.68	16.58	1.55	0.25	0.08	0.01	18.47	3.95	3.14	2.47	0.76	0.39	10.71
County Boroughs.	North ...	2.45	0.74	0.32	0.18	0.10	3.79	20.70	1.94	0.27	0.03	0.02	22.96	6.38	2.79	1.92	0.57	0.34	12.00
	Midlands ...	1.96	0.62	0.31	0.13	0.14	3.16	19.52	1.84	0.17	0.01	0.03	21.57	6.18	2.88	1.62	0.57	0.24	11.49
	South ...	2.43	0.82	0.41	0.23	0.14	4.03	15.26	1.68	0.09	—	0.05	17.08	3.53	2.27	0.95	0.27	0.05	7.07
	Wales ...	2.19	0.50	0.30	0.10	—	3.09	16.56	1.99	0.10	—	—	18.65	4.38	0.70	0.50	0.30	0.10	5.98
	England and Wales.	2.29	0.70	0.32	0.17	0.11	3.59	19.64	1.88	0.21	0.02	0.02	21.77	5.96	2.67	1.67	0.53	0.27	11.10
Other Urban Districts.	North ...	2.65	0.80	0.41	0.06	0.15	4.07	19.96	1.60	0.14	0.06	—	21.76	6.81	2.79	1.11	0.44	0.19	11.34
	Midlands ...	1.95	0.82	0.25	0.16	0.09	3.27	16.68	1.52	0.30	0.08	—	18.58	5.86	2.67	1.24	0.48	0.13	10.38
	South ...	2.36	0.85	0.37	0.17	—	3.75	15.53	1.50	0.15	0.02	—	17.20	4.16	1.97	0.57	0.47	0.17	7.34
	Wales ...	2.46	0.86	0.24	0.03	0.17	3.76	15.59	1.41	0.21	0.03	—	17.24	8.14	2.79	1.00	0.59	0.17	12.69
	England and Wales.	2.31	0.82	0.33	0.12	0.11	3.69	17.46	1.53	0.21	0.06	—	19.26	6.18	2.60	1.05	0.48	0.16	10.47
Rural Districts.	North ...	2.35	0.89	0.47	0.12	0.21	4.04	21.02	1.09	0.12	0.03	—	22.26	7.59	2.45	1.18	0.47	0.09	11.78
	Midlands ...	2.30	0.64	0.37	0.28	0.20	3.79	15.92	1.26	0.14	0.04	0.04	17.40	6.24	1.85	0.73</			

TABLE 19.—ENGLAND AND WALES.—NAMES on the REGISTERS, SEARCHES, and FEES RECEIVED, at the GENERAL REGISTER OFFICE, 1869–1918.

Year.	Names on the Registers at the end of each Year.				Searches in the Registers, including Non-Parochial.	
	Persons Married.	Births.	Deaths.	Total.	Number.*	Amount received for Searches and for Certificates.*
						£ s. d.
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568 8 0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939 5 6
1911	28,933,526	57,896,782	35,739,781	122,570,089	75,005	10,875 6 0
1912	29,501,194	58,769,519	36,226,720	124,497,433	80,601	11,752 6 0
1913	30,074,360	59,651,409	36,731,695	126,457,464	79,315	11,613 19 0
1914	30,663,162	60,530,505	37,248,437	128,442,104	83,447†	12,432 11 6†
1915	31,384,932	61,345,119	37,810,690	130,540,741	84,151	13,007 10 0
1916	31,944,624	62,130,639	38,318,907	132,394,170	105,665	16,379 17 0
1917	32,462,334	62,798,985	38,817,829	134,079,148	94,796	14,859 14 0
1918	33,036,660	63,461,646	39,429,690	135,927,996	108,958	16,889 0 0

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

TABLE 20.—ISLANDS IN THE BRITISH SEAS. AREA and POPULATION ; and BIRTHS and DEATHS, 1894–1918.

Year.	Islands in the British Seas.	Isle of Man.	Jersey.	Guernsey and adjacent Islands.				
Area in Acres }	189,346	141,263	28,717	19,366				
Enumerated Population.								
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
1911	148,915	52,016	51,898	45,001				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640
1911	3,019	2,663	979	932	1,034	904	1,006	827
1912	2,963	2,249	921	847	993	751	1,049	651
1913	2,802	2,321	899	899	946	772	957	650
1914	2,851	2,227	899	815	998	811	954	601
1915	2,476	2,515	805	884	824	901	847	730
1916	2,232	2,215	728	864	744	740	760	611
1917	2,103	2,298	647	855	724	808	732	635
1918	1,958	2,711	535	908	710	1,120	713	683

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

* The figures in this column for 1894 and 1895 refer to the number of Baptisms.

TABLE 21.—BALANCE inward or outward on PASSENGER MOVEMENT into and out of the UNITED KINGDOM, 1899–1918.

Year.	Balance Outward on Movement to and from non-European Countries.				Balance Inward on Movement to and from European Countries. (All Nationalities).*	Net Balance Outward on Total Movement to and from all Countries. (All Nationalities).*
	British Subjects.	Aliens.	Nationality not Distinguished.	Total.		
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267†	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416
1911	261,809	11,187	—	272,996	31,845	241,151
1912	268,485	47,654	—	316,139	74,405	241,734
1913	241,997	87,076	—	329,073	125,462	203,611
1914	63,334	28,212	—	91,546	200,234	108,688†
1915	24,733†	4,051	—	20,682†	15,465	36,147†
1916§	8,175†	3,481	—	4,694†	6,526†	1,832
1917§	448†	5,723†	—	6,171†	19,469†	13,298
1918§	1,905	5,051†	—	3,146†	17,996†	14,850

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1899 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward

‡ Balance outward.

§ These figures are subject to revision.

TABLE 22.—UNITED KINGDOM AND ITS SEVERAL DIVISIONS.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS, 1894-1918—continued.

NOTE.—The diseases in this table correspond with those of the same name in the Short List of Causes of Death. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births, Deaths.		Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			

SCOTLAND. (Furnished by the Registrar-General, Scotland.)

1894	4,165,606	55,208	124,367	71,113	13·3	29·9	17·1	117	702	129	791	834	2,552	1,828	—	† 7,108	2,928	1894	* Census year.
1895	4,209,645	56,844	126,494	81,852	13·5	30·0	19·4	133	730	47	2,063	782	1,948	1,260	—	7,688	2,993	1895	† Excluding acute miliary tuberculosis for years prior to 1911.
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115	662	2	1,515	669	1,970	1,126	—	6,893	3,013	1896	† No allowance made for movement of Scottish troops overseas. The estimate for 1918 is provisional.
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138	655	10	2,056	716	2,877	812	—	7,200	3,212	1897	
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134	814	2	2,290	909	2,476	850	—	7,090	3,453	1898	
1899	4,390,580	65,956	130,733	79,593	15·0	29·8	18·1	131	803	1	1,599	831	1,894	856	—	7,275	3,572	1899	
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128	644	53	1,825	654	1,812	961	—	7,299	3,503	1900	
1901*	4,479,104	62,774	132,192	80,107	14·0	29·5	17·9	129	717	278	1,655	595	2,751	878	—	6,776	3,662	1901*	
1902	4,507,220	63,826	132,267	77,941	14·2	29·3	17·3	113	552	80	1,388	524	1,765	737	—	6,572	3,711	1902	
1903	4,535,513	64,702	133,525	76,002	14·3	29·4	16·8	118	552	41	1,133	407	1,946	715	—	6,630	3,798	1903	
1904	4,563,985	64,542	132,603	77,981	14·1	29·1	17·1	123	410	185	1,512	277	2,405	750	—	6,738	3,920	1904	
1905	4,592,636	62,540	131,410	74,536	13·6	28·6	16·2	116	373	4	1,662	211	2,243	721	—	6,374	4,132	1905	
1906	4,621,466	66,284	132,005	75,635	14·3	28·6	16·4	115	400	1	1,445	230	1,363	862	—	6,491	4,509	1906	
1907	4,650,478	66,596	128,840	77,296	14·3	27·7	16·6	110	367	1	1,153	233	2,485	729	—	6,415	4,551	1907	
1908	4,679,671	65,212	131,362	77,838	13·5	28·1	16·6	121	282	6	2,503	881	2,144	748	—	6,079	4,611	1908	
1909	4,709,048	60,216	128,669	74,632	12·8	27·3	15·8	108	296	—	890	555	2,215	917	—	6,000	4,782	1909	
1910	4,738,611	61,304	124,059	72,268	13·0	26·2	15·3	108	264	—	2,243	595	999	939	—	5,409	4,863	1910	
1911*	4,751,132	63,688	121,850	71,732	13·4	25·6	15·1	112	272	5	923	451	2,347	931	—	5,451	4,948	1911*	
1912	4,741,077	65,012	122,790	72,340	13·7	25·9	15·3	105	196	17	1,933	439	1,427	824	—	5,306	5,195	1912	
1913	4,728,132	67,373	120,516	73,069	14·2	25·5	15·5	110	171	—	1,329	591	1,319	794	—	5,103	5,212	1913	
1914	4,747,167	70,056	123,934	73,557	14·8	26·1	15·5	111	225	1	1,458	815	1,342	901	—	4,917	5,388	1914	
1915	4,785,598†	72,466	114,181	81,631	15·1	23·9	17·1	126	171	2	2,221	950	2,320	836	—	5,291	5,291	1915	
1916	4,824,308†	62,966	109,942	70,640	13·1	22·8	14·6	97	149	1	1,603	588	718	813	—	5,126	5,431	1916	
1917	4,854,738†	60,964	97,419	69,433	12·6	20·1	14·3	107	94	—	1,804	212	2,128	648	—	5,073	5,544	1917	
1918	4,886,300†	69,188	98,550	78,372	14·2	20·2	16·0	100	126	—	1,198	168	1,602	757	—	5,213	5,468	1918	

IRELAND. (Furnished by the Registrar-General, Ireland.)

1894	4,589,260	43,204	105,354	83,523	9·4	23·0	18·2	102	783	72	1,215	599	1,242	924	—	† 9,626	2,375	1894	* Census year.
1895	4,559,936	46,240	106,113	84,395	10·1	23·3	18·5	104	760	146	301	590	1,047	754	—	9,768	2,296	1895	† Excluding acute miliary tuberculosis for years prior to 1911.
1896	4,542,061	46,110	107,641	75,700	10·2	23·7	16·7	95	716	4	516	752	1,040	745	—	9,051	2,437	1896	† Movements of the military taken into account.
1897	4,529,917	45,782	106,664	83,839	10·1	23·5	18·5	109	998	3	1,070	522	1,351	790	—	9,748	2,635	1897	§ Population in 1917.
1898	4,518,478	45,160	105,457	82,404	10·0	23·3	18·2	110	1,284	—	316	325	1,588	791	—	9,678	2,657	1898	
1899	4,502,401	44,622	103,900	79,699	9·9	23·1	17·7	108	890	1	1,532	205	988	759	—	9,480	2,654	1899	
1900	4,468,501	42,660	101,459	87,606	9·5	22·7	19·6	109	769	1	640	245	689	726	—	10,076	2,717	1900	
1901*	4,447,085	45,123	100,976	79,119	10·1	22·7	17·8	101	829	2	459	205	1,123	663	—	9,549	2,893	1901*	
1902	4,434,551	45,898	101,863	77,676	10·4	23·0	17·5	100	613	1	1,076	186	1,002	735	—	9,400	2,861	1902	
1903	4,417,757	45,984	101,831	77,353	10·4	23·1	17·5	96	480	40	686	210	1,062	670	—	9,559	3,043	1903	
1904	4,408,103	45,922	103,811	79,513	10·4	23·6	18·0	100	466	16	522	204	1,551	585	—	9,833	3,055	1904	
1905	4,399,308	46,156	102,832	75,071	10·5	23·4	17·1	95	502	5	809	170	581	558	—	9,216	3,291	1905	
1906	4,397,571	45,324	103,536	74,427	10·3	23·5	16·9	93	394	—	388	149	929	602	—	8,933	3,481	1906	
1907	4,388,451	45,018	101,742	77,334	10·3	23·2	17·6	92	362	1	584	99	809	432	—	8,828	3,338	1907	
1908	4,384,664	45,468	102,039	76,891	10·4	23·3	17·5	97	338	—	858	72	945	490	—	8,511	3,314	1908	
1909	4,386,601	45,300	102,759	74,973	10·3	23·4	17·1	92	305	—	443	129	1,175	529	—	8,051	3,502	1909	
1910	4,385,421	44,224	101,963	74,894	10·1	23·3	17·1	95	278	—	853	173	1,297	432	—	7,527	3,664	1910	
1911*	4,383,608	46,946	101,758	72,475	10·7	23·2	16·5	94	356	—	431	293	815	475	—	7,584	3,582	1911*	
1912	4,384,710	46,566	101,035	72,187	10·6	23·0	16·5	86	232	—	813	308	1,045	436	—	7,452	3,734	1912	
1913	4,379,012	44,532	100,094	74,694	10·2	22·8	17·1	97	289	—	920	358	618	379	—	7,366	3,900	1913	
1914	4,381,398	47,390	98,806	71,345	10·8	22·6	16·3	87	287	—	1,003	507	751	395	—	7,163	3,807	1914	
1915	4,337,000†	48,308	95,583	76,151	11·1	22·0	17·6	92	238	—	595	426	823	403	—	7,547	3,826	1915	
1916	4,367,000†	44,490	91,437	71,391	10·2	20·9	16·3	83	276	—	452	287	887	351	—	7,342	3,938	1916	
1917	4,380,000†	42,146	86,370	72,724	9·6	19·7	16·6	88	278	—	504	116	525	338	—	7,617	3,839	1917	
1918	4,380,000§	45,140	87,304	78,695	10·3	19·9	18·0	86	267	—	640	91	1,031	268	—	7,566	3,811	1918	

TABLE 23.—METEOROLOGICAL

Year.	Mean weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of rain in Inches and Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air. (Satura- tion = 100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1869 ...	2043	+ 92	24·0	610	0	81	0	49·5	0·0
1870 ...	1872	— 79	18·6	471	— 139	79	— 2	48·7	— 0·8
1871 ...	1749	— 202	22·3	566	— 44	81	0	48·5	— 0·8
1872 ...	1998	+ 47	30·0	763	+ 153	82	+ 1	50·7	+ 1·2
1873 ...	1940	— 11	23·4	593	— 17	82	+ 1	48·9	— 0·6
1874 ...	1915	— 36	20·0	507	— 103	82	+ 1	49·3	— 0·2
1875 ...	1942	— 9	28·0	710	+ 100	80	— 1	49·2	— 0·3
1876 ...	2036	+ 85	24·1	612	+ 2	80	— 1	50·1	+ 0·6
1877 ...	2184	+ 233	27·3	693	+ 83	79	— 2	49·4	— 0·1
1878 ...	1880	— 71	29·0	736	+ 126	81	0	49·6	+ 0·1
1879 ...	1873	— 78	31·4	797	+ 187	83	+ 2	46·2	— 3·3
1880 ...	1928	— 23	29·7	754	+ 144	84	+ 3	49·4	— 0·1
1881 ...	2030	+ 79	25·7	653	+ 43	81	0	48·7	— 0·8
1882 ...	2151	+ 200	25·2	640	+ 30	84	+ 3	49·7	+ 0·2
1883 ...	2058	+ 107	21·9	557	— 53	82	+ 1	49·4	— 0·1
1884 ...	2034	+ 83	18·1	458	— 152	80	— 1	50·7	+ 1·2
1885 ...	2008	+ 57	24·0	610	0	81	0	48·6	— 0·9
1886 ...	1962	+ 11	24·2	615	+ 5	81	0	48·7	— 0·8
1887 ...	1927	— 24	19·9	504	— 106	79	— 2	47·8	— 1·7
1888 ...	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	— 1·8
1889 ...	1934	— 17	23·3	591	— 19	83	+ 2	48·8	— 0·7
1890 ...	1946	— 5	21·9	555	— 55	81	0	48·6	— 0·9
1891 ...	1945	— 6	25·0	636	+ 26	82	+ 1	48·4	— 1·1
1892 ...	1863	— 88	22·3	567	— 43	80	— 1	48·1	— 1·4
1893 ...	1909	— 42	20·1	511	— 99	76	— 5	51·1	+ 1·6
1894 ...	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ...	1951	0	19·7	501	— 109	78	— 3	49·3	— 0·2
1896 ...	1932	— 19	22·4	569	— 41	79	— 2	50·2	+ 0·7
1897 ...	2033	+ 82	22·1	562	— 48	79	— 2	50·3	+ 0·8
1898 ...	1956	+ 5	18·9	479	— 131	78	— 3	51·3	+ 1·8
1899 ...	1911	— 40	22·3	567	— 43	77	— 4	50·6	+ 1·1
1900 ...	2050	+ 99	22·3	567	— 43	79	— 2	50·4	+ 0·9
1901 ...	1970	+ 19	20·3	515	— 95	78	— 3	49·2	— 0·3
1902 ...	1933	— 18	19·3	491	— 119	80	— 1	49·2	— 0·3
1903 ...	2226	+ 275	35·5	903	+ 293	80	— 1	50·1	+ 0·6
1904 ...	1913	— 38	20·7	525	— 85	82	+ 1	49·8	+ 0·3
1905 ...	2063	+ 112	23·0	585	— 25	81	0	49·9	+ 0·4
1906 ...	2093	+ 142	24·7	628	+ 18	79	— 2	50·7	+ 1·2
1907 ...	1977	+ 26	22·3	565	— 45	81	0	49·7	+ 0·2
1908 ...	1932	— 19	23·8	604	— 6	83	+ 2	50·1	+ 0·6
1909 ...	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	— 0·6
1910 ...	2155	+ 204	28·1	713	+ 103	84	+ 3	50·2	+ 0·7
1911 ...	2140	+ 189	23·7	601	— 9	79	— 2	51·8	+ 2·3
1912 ...	2085	+ 134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ...	2030	+ 79	22·4	570	— 40	83	+ 2	51·3	+ 1·8
1914 ...	2087	+ 136	23·9	606	— 4	81	0	51·5	+ 2·0
1915 ...	1932	— 19	30·6	776	+ 166	82	+ 1	49·9	+ 0·4
1916 ...	2040	+ 89	29·8	757	+ 147	84	+ 3	49·9	+ 0·4
1917 ...	2059	+ 108	26·0	660	+ 50	82	+ 1	48·9	— 0·6
1918 ...	1993	+ 42	28·4	722	+ 112	82	+ 1	50·6	+ 1·1
Average 50 years (1861- 1910).	1951	—	24·0	610	—	81	—	49·5	—

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1869-1918.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
41.3	+ 1.3	52.0	- 1.0	61.4	+ 0.9	43.3	- 1.0	1869
38.0	- 2.0	54.4	+ 1.4	60.7	+ 0.2	41.6	- 2.7	1870
40.2	+ 0.2	51.5	- 1.5	61.3	+ 0.8	41.8	- 2.5	1871
43.6	+ 3.6	52.8	- 0.2	61.1	+ 0.6	45.3	+ 1.0	1872
39.4	- 0.6	51.8	- 1.2	60.3	- 0.2	44.2	- 0.1	1873
41.4	+ 1.4	52.8	- 0.2	60.9	+ 0.4	42.3	- 2.0	1874
39.5	- 0.5	53.4	+ 0.4	60.7	+ 0.2	43.1	- 1.2	1875
39.5	- 0.5	51.7	- 1.3	61.8	+ 1.3	47.0	+ 2.7	1876
42.3	+ 2.3	51.9	- 1.1	58.5	- 2.0	45.0	+ 0.7	1877
41.5	+ 1.5	54.6	+ 1.6	60.8	+ 0.3	41.6	- 2.7	1878
37.1	- 2.9	49.5	- 3.5	58.1	- 2.4	39.9	- 4.4	1879
39.8	- 0.2	52.4	- 0.6	61.4	+ 0.9	44.0	- 0.3	1880
37.3	- 2.7	52.9	- 0.1	60.0	- 0.5	44.6	+ 0.3	1881
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.2	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.5	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 3.0	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.3	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.8	1889
41.4	+ 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.5	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.7	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.1	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.4	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 0.9	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.1	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.5	1907
39.5	- 0.5	53.8	+ 0.8	60.3	- 0.2	46.6	+ 2.3	1908
38.4	- 1.6	52.5	- 0.5	59.7	- 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	- 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	- 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	- 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	- 0.1	44.7	+ 0.4	1916
36.4	- 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	- 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910).

TABLE 24.—QUARTERLY METEOROLOGICAL

1st Quarter	2nd do.	3rd do.	4th do.	Jan., Feb., March.	..	April, May, June.	..	July, Aug., Sept.	..	Oct., Nov., Dec.	Temperature of								Vapour Pressure in millibars.		Mass of Vapour in a Cubic Metre of Air.		
											Air.			Evaporation.		Dew Point.		Air—Daily Range.		Mean.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.
											Mean of Maximum and Minimum.	Diff. from Normal of 130 years.	Diff. from Normal of 60 years.	Mean of "Wet Bulb." Readings at 9 h. and 21 h.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.				
1918.				°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	mb.	.	grams	grams					
Year.				50·6	+1·9	+1·2	47·0	+0·5	44·2	+0·7	15·6	−0·2	10·1	+0·2	7·8	0·0							
First Quarter				42·3	+3·4	+2·5	39·2	+1·4	36·7	+1·5	12·8	+1·0	7·4	+0·4	5·8	+0·3							
Second do.				53·2	+0·8	+0·3	48·6	−0·5	44·8	−0·4	19·3	−0·6	10·3	−0·1	7·9	+0·1							
Third do.				60·7	+0·9	+0·3	55·9	−0·6	52·5	−0·5	18·5	−1·2	13·5	−0·1	10·2	−0·3							
Fourth do.				46·1	+2·4	+1·7	44·3	+1·7	42·6	+2·0	11·8	+0·1	9·3	+0·6	7·2	+0·1							

In this Table + and − respectively signify that the numbers in the preceding column are *above* or *below* the average to the inches]. Density is expressed in grams per cubic metre
* Height of barometer cistern

ELEMENTS, GREENWICH, 1918.

Degree of Humidity.		Mean Air Pressure at Station level* in millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.								
Mean of 9 h. and 21 h.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Amount in millimetres.	Diff. from Normal of 86 years.	Number of Nights it was			Lowest Reading at Night.	Highest Reading at Night.	1st Quarter	2nd do.	3rd do.	4th do.
								At or below 30°.	Between 30° and 40°.	Above 40°.						
%	%	millibar	millibar	grams	grams	mm.	mm.				°F.	°F.	1918.			
82	0	1010·6	+ 1·7	1240	— 1	722	+ 92	109	132	124	13·9	55·8	Year.			
85	+1	1013·3	+ 4·5	1266	+2	119	— 6	48	33	9	13·9	46·8	First Quarter.			
78	+1	1011·4	+ 2·2	1234	+2	139	— 4	20	46	25	24·1	50·1	Second do.			
78	+1	1007·7	— 1·9	1211	— 3	328	+146	1	27	64	29·0	55·8	Third do.			
89	0	1010·0	+ 1·9	1249	— 4	136	— 44	40	26	26	17·4	51·3	Fourth do.			

amount of the quantities to which the signs are affixed. Pressure is expressed in millibars [1000 mb. = 29·531 mercury. (2·294 grams per cubic metre = 1 grain per cubic foot).
above Mean Sea Level = 152 feet. (Average correction to Sea Level + 5·6 mb.)

TABLE 25.—METEOROLOGICAL TABLE for LONDON, 1918.
(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

	1918.	Mean Pressure, at Station Level 152 ft.* (Average Correction to Sea Level + 5.6 mb.)	Air Temperature.					Hygrometer.				Bright Sunshine.					
			Mean of		Mean of A and B. ° F.	Difference from Normal,†	Absolute Maximum and Minimum.			Mean of Observations at 9 a.m. and 9 p.m.			Daily mean.	Difference from Normal,†	Per cent. of Possible.		
			Maximum, A	Minimum, B			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.				Vapour Pressure.	Humidity.
						° F.	° F.	° F.	° F.	° F.	° F.	° F.	mb.	%	hrs.	hrs.	%
January	...	1010.3	44.8	34.6	39.7	+1.2	56	19	19	38.7	1.7	6.9	2.25	+1.01	27		
February	...	1017.3	49.3	37.9	43.6	+3.8	59	21	18	42.7	1.9	7.9	2.83	+0.79	29		
March	...	1012.3	52.1	35.3	43.7	+1.2	67	27	9	42.3	2.6	7.3	4.37	+0.97	37		
April	1008.2	52.2	38.2	45.2	-2.4	66	32	3	43.7	1.8	8.4	2.64	-2.38	19		
May	1012.4	66.7	46.0	56.4	+2.4	83	39	3	55.3	3.6	11.6	7.05	+0.58	45		
June	1013.7	69.6	46.4	58.0	-1.9	80	37	17	57.8	5.6	11.0	7.48	+0.78	45		
July	1009.0	72.6	52.7	62.6	-0.9	82	47	28	61.5	4.2	14.1	6.06	-0.44	38		
August	...	1011.2	72.7	53.2	62.9	+0.3	90	46	25	62.1	4.1	14.5	5.85	-0.35	40		
September	...	1002.8	64.6	48.6	56.6	-1.4	73	38	29	55.6	3.3	11.9	5.40	+0.45	43		
October	...	1011.3	56.7	42.4	49.6	-0.6	64	31	18	49.5	1.8	10.5	2.50	-0.62	23		
November	...	1013.3	49.3	37.0	43.2	-0.8	59	29	22	42.5	1.3	8.3	2.31	+0.59	26		
December	...	1005.5	49.8	41.1	45.4	+5.2	60	29	26	45.5	1.4	9.2	0.83	-0.23	11		
Year	...	1010.6	58.4	42.8	50.6	+0.5	90	19	-	49.8	2.8	10.1	4.14	+0.09	34		

* The hours of observation are 9 a.m. and 9 p.m. local time.
† The normals used are obtained from observations extending over 35 years (1881-1915).
Pressure is expressed in millibars (1,000 mb = 29.531 mercury-inches).
Wind Force.—The Summary is obtained from the records of a cup anemograph having 5 in. cups and 15 in. arms. The factor used is 3. Winds above 43 miles per hour are reckoned as gales and winds between 21 and 43 miles per hour as moderate or strong winds. Direction is not tabulated when the speed of the wind is less than 5 miles per hour, and winds of less than that velocity are counted as calm.

TABLE 25—continued.

1918.	Cloud.	Rain and other Forms of Precipitation.			Weather.								Wind.														
		Total Fall.	Difference from Normal. †	Most in a day.		Precipitation (0.2 mm. and above).	Precipitation (1 mm. and above).	Snow.	Hail.	Thunderstorm.	Persistently Clear.	Generally Clear. †	Generally Overcast. †	Persistently Overcast.	Fog.	Gale.	Direction.										
				Amount.	Day of Month.												Force.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.		
January	6.1	69	mm.	mm.	28	15	18	10	0	0	0	5	11	1	6	0	0	16	8	4	2	3	21	27	16	4	
February	6.8	25	mm.	mm.	6	24	15	8	0	0	0	5	14	1	4	0	0	21	10	3	7	6	13	32	10	2	
March	5.2	25	mm.	mm.	11	30	7	5	0	0	1	7	8	1	4	0	0	12	12	15	15	3	10	15	7	4	
April	7.9	72	mm.	mm.	18	15	22	14	4	1	1	0	0	17	6	0	0	8	10	21	7	4	3	7	4	2	
May	5.1	48	mm.	mm.	11	3	11	9	0	0	3	7	8	1	4	0	0	4	21	16	9	17	2	7	12	4	5
June	5.8	19	mm.	mm.	5	14	10	7	0	0	2	2	8	0	0	0	0	3	14	16	6	5	2	7	15	4	10
July	5.7	187	mm.	mm.	45	11	18	16	0	0	6	3	9	0	0	0	0	3	10	11	2	4	4	23	26	5	8
August	6.5	27	mm.	mm.	8	2	10	8	0	0	1	3	9	0	0	0	0	1	14	2	1	4	4	30	19	9	10
September	6.0	114	mm.	mm.	27	29	23	17	0	0	2	3	9	0	3	0	0	17	5	2	0	5	2	13	38	21	4
October	7.0	34	mm.	mm.	5	11	15	12	0	0	0	1	14	1	8	0	0	6	14	16	7	2	2	12	25	11	4
November	6.1	51	mm.	mm.	11	4	17	11	0	0	0	3	12	1	11	0	0	5	19	8	6	7	11	10	15	11	3
December	7.1	51	mm.	mm.	6	10	24	17	0	0	0	1	13	2	0	0	0	21	3	4	0	2	13	36	29	6	
Year	6.3	722	mm.	mm.	45	—	190	134	17	1	16	0	39	136	14	49	0	117	140	130	72	75	45	162	267	142	62

† A day is reckoned as "generally clear" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m., 3 p.m., and 9 p.m. is less than .2, and as "generally overcast" if the average is greater than .8. Days persistently cloudless and days persistently overcast refer to the period midnight to midnight.

TABLE 26.—MEAN ANNUAL VALUES OF METEOROLOGICAL ELEMENTS

1918	DISTRICTS AND STATIONS.	Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Air Pressure at Station Level.	Air Temperature.								Earth Temperature.		Hygrometer.				Bright Sunshine.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.			At 1 foot depth.	At 4 feet depth.	Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m.				Total Observed.	Difference from Normal.	Per cent. of Possible.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				Maximum.	Minimum.			Maximum.	Month and Day.	Minimum.			Month and Day.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.				Humidity.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	Mb.	°	Hrs.	Hrs.	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1. LONDON:—				Ft.	Milli- bars.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.

from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1918.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of									Wind. No. of Observations reduced to a total of 1095 for the year.											
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (See Note on p. clxxii.)	Overcast. (See Note on p. clxxii.)	Fog.	Wind force 8 and above (Gales).	Force (0-12).		Direction.										
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.			
Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Mm.	Mm.	Mm.																						
6.1	743	—	34	Sept. 29	173	7	2	12	46	118	15	3	155	114	115	96	44	98	97	258	111	162			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	754	+ 132	31	Jan. 15	195	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	762	+ 194	37	July 11	179	13	2	15	—	—	22	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.3	720	+ 123	45	July 11	190	17	1	16	39	136	49	0	117	140	130	72	73	45	162	267	142	62			
6.3	713	+ 107	34	Sept. 18	179	15	11	21	23	129	50	0	225	170	127	67	76	27	136	243	172	77			
6.2	738	+ 139	—	—	183	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.4	1,049	—	48	Sept. 15	201	22	6	25	27	129	23	14	202	249	68	61	55	35	105	107	306	109			
—	828	+ 37	24	Feb. 9	207	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1,348	+ 117	32	Feb. 6	232	15	3	12	—	—	0	2	—	—	—	—	—	—	—	—	—	—	—	—	
6.5	564	— 77	26	July 26	114	22	6	28	24	129	16	0	101	195	78	55	15	28	161	326	115	122			
6.3	641	+ 1	22	Jan. 15	191	16	8	10	—	—	9	2	201	102	93	84	72	75	183	186	183	117			
6.8	558	— 40	18	Sept. 4	192	18	2	17	25	122	20	5	154	7	62	119	121	42	146	283	234	81			
7.2	681	+ 7	22	Sept. 15	184	17	11	14	18	166	7	1	518	2	124	104	63	76	182	219	168	157			
5.8	690	+ 59	31	Sept. 29	198	13	8	12	51	121	12	—	312	91	94	122	46	78	154	242	179	89			
7.4	803	+ 46	30	Jan. 15	180	9	4	12	—	—	0	1	93	411	44	102	73	13	35	251	113	53			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.9	701	— 59	27	May 17	171	9	3	13	30	165	12	12	296	260	53	62	15	12	45	366	142	140			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.3	725	+ 39	—	—	188	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1,038	+ 186	44	Sept. 5	185	12	12	10	—	—	21	16	—	—	—	—	—	—	—	—	—	—	—	—	
6.7	700	— 5	36	Jan. 15	173	9	0	11	—	—	12	2	393	45	177	134	70	62	140	242	127	98			
5.8	656	— 51	40	Jan. 15	160	4	4	8	—	—	15	5	321	45	38	198	60	97	18	274	186	179			
5.3	783	+ 2	36	Jan. 15	192	5	2	7	94	111	3	13	210	232	47	226	36	35	31	90	175	223			
5.0	819	+ 33	41	Jan. 15	189	8	3	10	101	106	11	2	341	67	16	208	10	147	8	319	46	274			
6.2	714	— 20	28	Jan. 15	197	2	4	8	65	130	7	3	325	27	118	59	109	107	162	269	167	77			
5.9	749	+ 40	—	—	184	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.9	567	+ 12	31	Apl. 15	213	10	7	17	—	—	36	3	480	36	143	59	53	54	256	153	206	135			
6.3	631	+ 9	37	July 20	174	13	6	16	19	62	47	4	499	32	123	120	59	67	143	223	173	155			
6.2	646	+ 90	41	Apl. 15	159	14	3	10	37	122	26	0	192	60	143	107	53	96	139	264	156	77			
—	603	+ 114	28	Oct. 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7.4	673	+ 41	36	Apl. 15	201	18	6	22	28	193	42	0	89	133	69	103	55	103	76	200	184	172			
—	804	+ 63	38	Apl. 15	191	19	8	13	—	—	9	0	—	—	—	—	—	—	—	—	—	—	—	—	
6.2	674	+ 64	—	—	189	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 26.—MEAN ANNUAL VALUES of METEOROLOGICAL

DISTRICTS AND STATIONS.	1018.	Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Air Pressure at Station Level.	Air Temperature.								Earth Temperature.		Hygrometer.				Bright Sunshine				
				Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.			At 1 foot depth.	At 4 feet depth.	Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m.				Total Observed.	Difference from Normal.	Per cent. of Possible.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.			Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.				Humidity.		
5. ENGLAND, N.E.:—																						
(a) North, (b) South.				Ft.	Milli- bars.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	Mb.	%	Hrs.	Hrs.	%	
{ p Morpeth				331	1001.1	52.9	40.1	46.5	+0.9	75	{ May 21 July 6	8	Jan. 14	46.1	46.8	46.1	2.3	9.1	84	1,391	- 31	31
{ a Tynemouth				72	1010.1	52.6	42.4	47.5	+0.3	76	Aug. 20	15	Jan. 14, 15	—	—	46.0	1.9	9.2	87	1,376	—	31
{ p Durham				352	—	54.0	40.2	47.1	+0.3	79	{ June 2 July 4	10	Jan. 14	—	—	—	—	—	1,391	+ 77	32	
{ p York ..				53	1012.2	55.6	42.6	49.1	+0.8	81	{ May 22 Aug. 21, 22	16	Jan. 9, 14	49.1	49.1	48.2	2.7	9.6	83	1,175	- 90	27
{ a Spurn Head				28	1012.9	52.6	43.7	48.2	-0.2	83	Aug. 22	22	Jan. 9	—	—	47.0	1.5	10.0	89	1,321	—	30
{ b Lincoln ..				42	1013.7	56.2	42.3	49.3	+0.8	83	May 22	16	Jan. 9	49.0	49.4	49.7	2.8	10.1	82	—	—	—
{ p Hull				12	1014.4	56.0	42.3	49.2	+1.3	83	Aug. 22	17	Jan. 9	46.4	48.7	49.3	2.5	10.2	83	934	- 56	21
District Value..				—	—	54.5	42.3	48.4	+0.9	87	—	3	—	48.0	48.2	—	—	—	—	1,416	+ 18	32
6. ENGLAND, N.W.:—																						
{ a Southport ..				42	1012.7	54.7	43.7	49.2	+0.8	83	May 22	19	Jan. 14	49.7	50.5	48.9	2.4	10.2	84	1,573	+ 19	36
{ p Manchester (City)				195	1007.5	55.8	44.8	50.3	+0.5	85	May 22	20	Jan. 14	49.2	50.8	49.5	3.0	10.0	81	982	- 74	22
{ p Aspatia ..				485	995.3	52.8	41.6	47.2	-0.1	80	May 22	15	Jan. 14	47.9	48.1	46.6	2.0	9.6	86	1,343	-101	30
{ p Stonyhurst				363	1001.8	54.0	42.4	45.2	+0.8	80	May 22	13	Jan. 13	—	—	—	—	—	—	1,296	- 32	29
{ p Liverpool (Bid.)				202	1007.0	54.7	44.5	49.6	+0.7	83	May 22	24	Jan. 8, 14	—	—	49.0	2.9	9.7	81	1,511	—	34
{ p Llandudno				21	1014.2	55.7	45.2	50.5	+0.6	79	July 31	25	Jan. 8	—	—	50.3	3.0	10.1	81	1,551	- 35	35
District Value..				—	—	54.9	43.3	49.1	+0.9	85	—	6	—	48.7	49.3	—	—	—	—	1,442	+ 29	33
7. ENGLAND, S.W.:—																						
{ a Pembroke ..				150	1009.7	53.8	46.7	50.3	+0.4	73	June 3	27	Jan. 9	—	—	49.3	1.5	10.8	90	1,668	+ 40	38
{ a Bristol (Clifton)				—	—	57.4	45.0	51.2	+1.0	84	May 22	23	Jan. 4	—	—	—	—	—	—	1,621	—	37
{ a Portland Bill				37	1014.4	54.7	47.6	51.2	+0.5	73	July 2	27	Jan. 4, 9	—	—	50.4	2.6	10.4	82	—	—	—
{ p Plymouth ..				116	1011.9	56.8	46.4	51.6	+0.6	77	July 1	23	Jan. 4	52.5	52.8	51.8	2.3	11.4	86	1,719	+ 53	39
{ a Falmouth ..				183	1009.6	56.7	46.0	51.4	+0.4	76	July 1	25	Jan. 5	54.3	54.3	50.0	1.7	11.1	88	1,752	- 10	40
{ p Woolacombe ..				120	—	56.3	47.5	51.9	+0.8	80	Aug. 21	28	Jan. 4, 8	—	—	—	—	—	—	—	—	—
District Value..				—	—	55.9	44.2	50.1	+0.7	84	—	12	—	52.2	52.3	—	—	—	—	1,632	+ 69	37
8. ENGLISH CHAN.:—																						
{ a Scilly ..				152	1011.2	56.4	48.4	52.4	+0.2	75	June 3	30	Jan. 8	—	—	51.3	1.2	11.8	92	1,818	+ 49	41
{ a Jersey ..				36	1015.9	57.5	47.1	52.3	+0.1	85	Aug. 22	26	Jan. 5, 6	—	—	50.7	2.0	11.1	87	2,018	+105	46
{ p Guernsey (Brooklyn).				311	1005.9	57.1	47.1	52.1	+0.1	84	Aug. 22	28	Jan. 8	53.5	53.7	51.1	2.0	11.3	87	2,022	+111	46
District Value..				—	—	57.2	47.7	52.4	+0.4	85	—	26	—	53.4	53.8	—	—	—	—	1,971	+ 99	45

NOTES ON THE STATISTICAL TABLES.

The letters *a* and *p* indicate whether the readings of the maximum and minimum thermometers are taken at the hours of morning or evening observations. As a rule, observations are made in all parts of the British Islands according to Greenwich Mean Time. "Summer Time" is not used. The air temperature is obtained from thermometers placed in a louvered screen.

Barometer.—Pressure is expressed in millibars. 1 millibar = 0.029531 mercury inches. The correction for latitude has been applied to all the values.

Rainfall.—The amounts are those for the 24 hours commenced at the time of morning observation. At Richmond they are for the period of 0h.-24h.

Hygrometer.—The values are obtained from the monthly means of the dry and wet bulb readings. At certain stations the vapour pressure and relative humidity are the results obtained from the daily values.

Weather Phenomena.—The number of days of Precipitation, Snow, Hail, Thunderstorm, Fog and Gale, are counted irrespective of the hours at which the phenomena occur. Except for rainfall (see above) the day is the civil day. A day is reckoned as a day of "clear sky," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "overcast" day if the mean is greater than 8.

Wind Summaries.—The results given under Wind (but not gales) are based on the observations at fixed hours. At Kew Observatory, Richmond, wind observations are based on the records of a standard Robinson anemometer (factor 2.2). Velocities of between 13 and 38 miles in the hour have been entered as "fresh or strong winds," velocities of 39 miles in the hour, or above, as gales. (At Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer.) At Greenwich a Robinson Anemometer is used.

ELEMENTS from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1918—continued.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather Number of days of								Wind. No. of Observations reduced to a total of 1095.																	
	Total Fall.	Difference from Normal.	Moist in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p.cxxxii.)	Overcast. (See Note on p.cxxxii.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.															
			Amount.	Day of Month.‡									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.								
Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Mm.	Mm.	Mm.																											
7.1	682	- 61	58	Sept. 15	196	13	10	10	6	141	18	8	160	48	50	45	61	109	138	220	257	152								
6.3	554	- 67	36	Sept. 15	171	11	5	6	11	120	64	4	145	60	87	85	82	66	97	210	202	206								
—	574	- 51	28	Sept. 15	196	16	7	17	—	—	20	5	—	—	—	—	—	—	—	—	—	—								
5.9	646	+ 28	28	Dec. 15	184	15	7	18	50	114	21	0	22	19	170	79	31	94	287	156	171	108								
6.5	552	+ 50	23	July 17	170	11	7	16	16	84	34	10	534	12	95	92	86	125	176	190	201	118								
6.9	535	- 46	16	June 25	169	18	7	11	—	—	12	4	357	0	62	89	82	102	76	294	214	176								
6.1	611	- 34	27	July 16	193	19	7	22	47	123	11	6	109	171	89	113	29	43	121	238	171	120								
6.8	636	+ 1	—	—	191	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
6.6	1,015	+ 202	34	Sept. 15	205	9	27	18	27	135	7	31	670	28	53	71	104	167	140	144	251	137								
—	1,126	+ 254	36	Sept. 15	213	18	3	13	—	—	5	0	138	0	93	53	73	121	147	133	238	237								
6.3	1,067	+ 41	73	Sept. 15	203	8	8	8	37	133	6	3	331	61	23	143	9	138	187	404	74	56								
7.1	1,504	+ 321	43	Sept. 15	214	23	29	30	40	179	7	—	—	—	—	—	—	—	—	—	—	—								
6.0	811	+ 102	28	July 20	200	17	21	24	51	117	18	3	287	29	53	60	119	191	102	173	261	107								
6.4	780	+ 15	34	Sept. 15	192	5	6	9	36	113	0	18	351	6	82	36	132	25	221	190	351	52								
6.8	1,000	+ 99	—	—	202	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
7.0	948	+ 51	29	Sept. 29	216	7	7	7	21	105	66	17	444	21	95	69	109	79	179	191	236	116								
—	1,056	+ 44	58	Sept. 11	186	12	1	10	—	—	8	6	—	—	—	—	—	—	—	—	—	—								
5.9	570	- 82	20	Jan. 15	172	1	0	4	36	56	21	17	630	9	75	123	117	53	78	209	259	172								
6.3	951	+ 31	27	Sept. 29	211	5	2	8	39	130	28	27	408	74	144	68	93	99	151	195	169	102								
6.7	1,106	- 1	36	Sept. 29	209	4	21	5	44	118	31	19	522	12	132	61	59	130	125	224	172	180								
—	991	+ 199	35	Sept. 29	198	6	6	7	—	—	8	0	—	—	—	—	—	—	—	—	—	—								
6.1	1,036	+ 35	—	—	206	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
6.9	856	+ 17	42	Aug. 2	232	3	6	1	20	101	59	21	578	57	97	77	71	119	137	130	203	204								
5.8	715	- 135	19	Aug. 1	175	8	7	8	88	94	12	9	352	3	82	111	144	90	109	148	274	134								
6.0	821	- 105	44	July 20	211	3	4	13	67	117	49	10	318	84	64	122	47	78	93	188	270	149								
5.9	772	- 75	—	—	201	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								

Averages.—The normals used for stations are—Pressure, for the 45 years 1871-1915; Temperature, Rainfall and Sunshine for the 35 years 1881-1915. Monthly averages of pressure at telegraphic reporting stations for the epoch 7 a.m. are published in Appendix I to the Daily Weather Report.

The earth temperatures at Oxford are taken at a depth of 6 in. and 3 ft. 6 in.

‡ § Mean Values for Districts.—Stations used in the Weekly Weather Report for computing "district values" of rainfall and temperature, are distinguished by the sign ‡, those used for "district values of bright sunshine" by the sign §. These stations are distributed between Tables III and IV in the Monthly Weather Report of the Meteorological Office. The yearly mean values for districts given in this Report for maximum, minimum and mean temperature, sunshine and rainfall, are computed from the data for these "representative" stations. The mean temperature for districts is computed in the manner shown in the preface to the Weekly Weather Report. The yearly mean values for districts for "amount of cloud" are computed from the data for all stations. The averages for districts with which the current values are compared are for the 35 years 1881-1915, as in the Weekly Weather Report. The "district values" for Earth Temperature are obtained from the data for all stations.

ENGLAND and WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY
and DISTRICT, 1918.

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
ENGLAND AND WALES.	287163	3. KENT— <i>cont.</i>		6. BERKSHIRE.	2516	11. NORTHAMPTONSHIRE— <i>cont.</i>	
I. LONDON.	42893	East Ashford ...	113	Newbury ...	162	Brixworth ...	80
Paddington ...	1787	Bridge ...	81	Hungerford ...	82	Wellingborough ...	437
Kensington ...	1864	Canterbury ...	226	Faringdon ...	81	Kettering ...	380
Hammersmith ...	1151	Blean ...	170	Abingdon ...	130	Thrapston ...	89
Fulham ...	1471	Faversham ...	217	Wantage... ..	97	Oundle ...	62
Chelsea ...	719	Milton ...	235	Wallingford ...	109	Peterborough ...	451
St. George, Hanover Square.	1521	Sheppey... ..	191	Bradfield ...	113		
St. Martin ...	938	Thanet ...	454	Reading ...	864	12. HUNTINGDONSHIRE.	281
St. Marylebone ...	1577	Eastry ...	303	Wokingham ...	179	Huntingdon ...	104
Hampstead ...	746	Dover ...	475	Maidenhead ...	230	St. Ives ...	86
St. Pancras ...	2202	Elham ...	779	Easthampstead ...	105	St. Neots ...	91
Islington ...	2972	Romney Marsh... ..	53	Windsor... ..	364		
Hackney ...	2231					13. BEDFORDSHIRE.	1615
St. Giles ...	442	4. SUSSEX.	5631	7. MIDDLESEX.	9553	Bedford ...	531
Holborn ...	893	Rye ...	69	Staines ...	307	Biggleswade ...	189
London City ...	336	Hastings ...	558	Uxbridge ...	554	Amphill ...	164
Shoreditch ...	916	Battle ...	269	Brentford ...	2485	Leighton Buzzard	128
Bethnal Green ...	869	Eastbourne ...	733	Willesden ...	1289	Luton ...	603
Whitechapel ...	370	Hailsham ...	117	Hendon ...	738		
St. George in the East.	234	Ticehurst ...	98	Barnet ...	608	14. CAMBRIDGE SHIRE.	1561
Stepney ...	428	Uckfield ...	182	Edmonton ...	3572	Caxton ...	34
Mile End Old Town	912	East Grinstead ...	150			Chesterton ...	248
Poplar ...	1302	Cuckfield ...	178	8. HERTFORDSHIRE.	2037	Cambridge ...	380
Southwark ...	1856	Lewes ...	173	Ware ...	129	Linton ...	78
St. Olave (Bermondsey).	1106	Newhaven ...	115	Bishop Stortford	122	Newmarket ...	230
Lambeth ...	2895	Brighton ...	1062	Royston ...	126	Ely ...	130
Wandsworth ...	4241	Steyning ...	771	Hitchin ...	334	North Witchford	118
Camberwell ...	2316	Horsham ...	200	Hertford ...	141	Whittlesey ...	62
Greenwich ...	1559	Petworth ...	51	Hatfield ...	81	Wisbech... ..	281
Lewisham ...	1628	Thakeham ...	49	St. Albans ...	342		
Woolwich ...	1411	East Preston ...	384	Watford... ..	521	15. ESSEX.	10726
		Westhampnett ...	202	Hemel Hempstead	125	West Ham ...	6080
		Chichester ...	98	Berkhampstead	116	Epping ...	252
		Midhurst ...	100			Ongar ...	58
		Westbourne ...	72			Romford ...	1205
2. SURREY.	7613			9. BUCKINGHAMSHIRE.	1354	Orsett ...	371
Epsom ...	694	5. HAMPSHIRE.	7931	Amersham ...	178	Billericay ...	170
Chertsey ...	391	Havant ...	79	Eton ...	305	Chelmsford ...	329
Guildford ...	722	Portsmouth ...	2122	Wycombe ...	394	Rochford ...	717
Farnham ...	596	Alverstoke ...	254	Aylesbury ...	210	Maldon ...	152
Hambleton ...	236	Fareham ...	193	Winslow ...	32	Tendring ...	387
Dorking ...	134	Isle of Wight ...	617	Newport Pagnell	176	Colchester ...	376
Reigate ...	358	Lymington ...	144	Buckingham ...	59	Lexden ...	146
Godstone ...	219	Christchurch ...	767			Halstead ...	89
Croydon ...	2187	Ringwood ...	47	10. OXFORDSHIRE.	1447	Braintree ...	219
Kingston ...	1438	Fordingbridge ...	43	Henley ...	133	Dunmow ...	98
Richmond ...	638	New Forest ...	136	Thame ...	89	Saffron Walden...	77
		Southampton ...	1209	Headington ...	341		
		South Stoneham	450	Oxford ...	246	16. SUFFOLK.	2907
		Romsey ...	97	Bicester ...	105	Risbridge ...	82
		Stockbridge ...	35	Woodstock ...	95	Sudbury ...	170
		Winchester ...	442	Witney ...	123	Cosford ...	99
		Droxford ...	91	Chipping Norton	118	Bury St. Edmunds	210
		Catherington ...	27	Banbury ...	197	Mildenhall ...	60
		Petersfield ...	171			Stow ...	134
		Alresford ...	47	11. NORTHAMPTONSHIRE.	2699	Hartismere ...	156
		Alton ...	158	Brackley ...	67	Bosmere... ..	92
		Hartley Wintney	293	Towcester ...	62	Samford... ..	92
		Basingstoke ...	242	Potterspury ...	123	Ipswich ...	704
		Whitchurch ...	55	Hardingstone ...	93	Woodbridge ...	245
		Andover... ..	156	Northampton ...	755	Plomesgate ...	118
		Kingsclere ...	56	Daventry ...	100	Blything ...	174
						Wangford ...	112
						Mutford... ..	459

ENGLAND and WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY
and DISTRICT, 1918—*continued.*

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
17. NORFOLK.	3358	20. DEVONSHIRE		23. GLOUCESTER-		28. WARWICK-	10988
		— <i>cont.</i>		SHIRE— <i>cont.</i>		SHIRE.	
Yarmouth ...	454	Plymouth ...	1181	Winchcomb ...	62	Kings Norton ...	2093
Flegg ...	51	East Stonehouse ...	153	Cheltenham ...	431	Birmingham ...	2364
Smallburgh ...	123	Devonport ...	729	Tewkesbury ...	79	Aston ...	3258
Erpingham ...	179	Tavistock ...	149			Meriden ...	91
Aylsham ...	102	Okehampton ...	91	24. HEREFORD-	797	Atherstone ...	115
St. Faith's ...	88	Crediton ...	90	SHIRE.		Nuneaton ...	349
Norwich ...	977	Tiverton ...	171	Ledbury ...	73	Foleshill ...	196
Forehoe ...	58	South Molton ...	82	Ross ...	109	Coventry ...	1237
Henstead ...	72	Barnstaple ...	316	Hereford ...	413	Rugby ...	342
Blofield ...	88	Torrington ...	86	Weobley ...	30	Solihull ...	102
Loddon ...	69	Bideford ...	104	Bromyard ...	48	Warwick ...	431
Depwade ...	148	Holsworthy ...	59	Leominster ...	72	Stratford on Avon ...	129
Wayland ...	92			Kington ...	52	Alcester ...	154
Mitford ...	113	21. CORNWALL.	2096			Shipston on Stour ...	76
Walsingham ...	89			25. SHROPSHIRE.	1722	Southam ...	51
Docking ...	111	Stratton ...	50			29. LEICESTER-	3716
Freebridge Lynn ...	72	Camelford ...	37	Ludlow ...	103	SHIRE.	
King's Lynn ...	139	Launceston ...	81	Clun ...	49	Lutterworth ...	70
Downham ...	117	St. Germans ...	125	Church Stretton ...	38	Market ...	133
Swaffham ...	67	Liskeard ...	151	Cleobury Mor-	42	Harborough.	
Thetford ...	149	Bodmin ...	108	timer.		Billesdon ...	37
		St. Columb ...	88	Bridgnorth ...	69	Blaby ...	178
18. WILTSHIRE.	2234	St. Austell ...	217	Shifnal ...	67	Hinckley ...	181
		Truro ...	193	Madeley ...	137	Market Bosworth ...	128
Swindon ...	555	Falmouth ...	224	Atcham ...	394	Ashby de la Zouch ...	386
Cricklade ...	56	Helston ...	120	Oswestry ...	217	Loughborough ...	270
Malmesbury ...	70	Redruth ...	337	Ellesmere ...	102	Barrow upon Soar ...	162
Chippenham ...	130	Penzance ...	352	Wem ...	57	Leicester ...	2026
Calne ...	51	Isles of Scilly ...	13	Whitchurch ...	91	Melton Mowbray ...	145
Marlborough ...	41			Market Drayton ...	91		
Devizes ...	141	22. SOMERSET-	3331	Wellington ...	182	30. RUTLAND-	114
Melksham ...	158	SHIRE.		Newport ...	83	SHIRE.	
Bradford on Avon ...	62	Williton ...	119			Oakham ...	60
Westbury ...	55	Dulverton ...	23	26. STAFFORD-	10728	Uppingham ...	54
Warminster ...	183	Wellington ...	85	SHIRE.			
Pewsey ...	94	Taunton ...	287	Stafford ...	293	31. LINCOLN-	4535
Amesbury ...	121	Bridgwater ...	235	Stone ...	106	SHIRE.	
Salisbury ...	300	Langport ...	84	Newcastle under	328	Stamford ...	137
Wilton ...	140	Chard ...	155	Lyme.		Bourne ...	108
Tisbury ...	53	Yeovil ...	226	Wolstanton ...	799	Spalding ...	154
Mere ...	24	Wincanton ...	113	Stoke upon Trent	1261	Holbeach ...	104
		Frome ...	157	Leek ...	310	Boston ...	270
19. DORSET-	1785	Shepton Mallet ...	89	Cheadle ...	192	Sleaford ...	168
SHIRE.		Wells ...	156	Uttoxeter ...	114	Grantham ...	407
Shaftesbury ...	65	Axbridge ...	298	Burton upon Trent	670	Lincoln ...	791
Sturminster ...	44	Clutton ...	180	Tamworth ...	369	Horncastle ...	99
Blandford ...	109	Bath ...	652	Lichfield ...	301	Spilsby ...	179
Wimborne ...	118	Keynsham ...	317	Cannock ...	415	Louth ...	227
Poole ...	393	Long Ashton ...	155	Wolverhampton	1457	Grimsby ...	1074
Wareham ...	165			Walsall ...	1076	Caistor ...	89
Weymouth ...	483	23. GLOUCESTER-	5510	West Bromwich	1668	Glanford Brigg ...	419
Dorchester ...	175	SHIRE.		Dudley ...	1369	Gainsborough ...	309
Sherborne ...	83	Bristol ...	3222				
Beaminster ...	49	ChippingSodbury	111	27. WORCESTER-	2333	32. NOTTINGHAM-	5646
Bridport ...	101	Thornbury ...	117	SHIRE.		SHIRE.	
		Dursley ...	92	Stourbridge ...	769	East Retford ...	170
20. DEVONSHIRE	5378	Westbury on	154	Kidderminster ...	319	Worksop ...	373
		Severn.		Tenbury ...	41	Mansfield ...	993
Axminster ...	91	Newent ...	43	Worcester ...	421	Basford ...	1365
Honiton ...	114	Gloucester ...	594	Upton on Severn	152	Nottingham ...	2294
St. Thomas ...	300	Wheatenhurst ...	28	Evesham ...	126	Southwell ...	136
Exeter ...	414	Stroud ...	294	Pershore ...	72	Newark ...	243
Newton Abbot ...	695	Tetbury ...	39	Droitwich ...	130	Bingham ...	72
Totnes ...	289	Cirencester ...	124	Bromsgrove ...	303		
Kingsbridge ...	85	Northleach ...	61				
Plympton St. Mary	179	Stow on the Wold	59				

ENGLAND AND WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY AND DISTRICT, 1918—*continued.*

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
33. DERBYSHIRE.	4171	36. WEST RIDING— <i>cont.</i>		39. DURHAM— <i>cont.</i>		45. CARMARTHEN-SHIRE.	1029
Shardlow ...	482	Wharfedale ...	332	Anckland ...	727	Llanelly ...	571
Derby ...	1074	Keighley ...	599	Teesdale... ..	115	Llandoverly ...	58
Belper ...	550	Todmorden ...	194	Weardale ...	75	Llandilofawr ...	174
Ashbourne ...	121	Saddleworth ...	92	Lanchester ...	721	Carmarthen ...	226
Chesterfield ...	1226	Huddersfield ...	1303	Durham ...	609		
Bakewell ...	189	Halifax ...	1384	Easington ...	655	46. PEMBROKE-SHIRE.	653
Chapel en le Frith	285	North Bierley ...	894	Houghton le Spring.	420	Narberth ...	124
Glossop ...	164	Bradford ...	1812	Chester le Street	571	Pembroke ...	265
Hayfield ...	80	Bramley ...	517	Sunderland ...	1772	Haverford west ...	264
		Leeds ...	2289	South Shields	1738		
34. CHESHIRE.	6226	Hunslet ...	626	Gateshead ...	1837	47. CARDIGAN-SHIRE.	433
Stockport... ..	1219	Holbeck ...	281			Cardigan ...	78
Macclesfield ...	340	Dewsbury ...	1227	40. NORTHUMBER-LAND.	5974	Newcastle in Emlyn.	84
Bucklow ...	614	Wakefield ...	911	Newcastle upon Tyne.	2461	Lampeter ...	48
Runcorn ...	302	Pontefract ...	654	Tynemouth ...	1879	Aberayron ...	59
Northwich ...	440	Hemsworth ...	265	Castle Ward ...	339	Aberystwith ...	123
Congleton ...	217	Barnsley ...	1133	Hexham... ..	240	Tregaron ...	41
Nantwich... ..	486	Penistone ...	138	Haltwhistle ...	47	48. BRECKNOCK-SHIRE.	376
Chester ...	578	Wortley ...	308	Bellingham ...	29	Builth ...	49
Wirral ...	406	Ecclesall Bierlow	1548	Morpeth ...	582	Brecknock ...	101
Birkenhead ...	1624	Sheffield ...	2646	Alnwick... ..	188	Crickhowell ...	181
		Rotherham ...	1246	Belford ...	26	Hay ...	45
		Doncaster ...	1046	Berwick... ..	101		
35. LANCASHIRE.	35718	Thorne ...	121	Glendale ...	52	49. RADNOR-SHIRE.	100
Liverpool ...	1456	Goole ...	195	Rothbury ...	30	Knighon ...	52
Toxteth Park ...	1019	Selby ...	134			Rhayader ...	48
West Derby ...	5078	Tadcaster ...	201	41. CUMBERLAND.	2111		
Prescot ...	1228	37. YORKSHIRE, EAST RIDING.	3976	Alston ...	16	50. MONTGOMERY-SHIRE.	311
Ormskirk ...	801	York ...	780	Penrith ...	138	Machynlleth ...	49
Wigan ...	1459	Pocklington ...	87	Brampton ...	64	Newtown ...	112
Warrington ...	857	Howden ...	75	Longtown ...	52	Forden ...	80
Leigh ...	710	Beverley ...	165	Carlisle ...	632	Llanfyllin ...	70
Bolton ...	1834	Sculcoates ...	1717	Wigton ...	166		
Bury ...	909	Hull ...	747	Cockermouth ...	519	51. FLINTSHIRE.	413
Barton upon Irwell	952	Patlington ...	77	Whitehaven ...	416	Holywell ...	244
Chorlton ...	3247	Skirlaugh ...	53	Bootle ...	108	Hawarden ...	169
Salford ...	1829	Driffild ...	92			52. DENBIGH-SHIRE.	983
Manchester ...	942	Bridlington ...	183	42. WESTMOR-LAND.	345	Wrexham ...	578
Prestwich ...	1682	38. YORKSHIRE, NORTH RIDING.	3308	East Ward ...	76	Ruthin ...	68
Ashton under Lyne	1259	Scarborough ...	396	West Ward ...	41	St. Asaph ...	270
Oldham ...	1557	Malton ...	122	Kendal ...	228	Llanrwst ...	67
Rochdale ...	851	Easingwold ...	61	43. MONMOUTH-SHIRE.	3163		
Haslingden ...	642	Thirsk ...	69	Chepstow ...	151	53. MERIONETH-SHIRE.	290
Burnley ...	1330	Helmsley ...	48	Monmouth ...	216	Corwen ...	87
Clitheroe ...	141	Pickering ...	71	Abergavenny ...	202	Bala ...	26
Blackburn ...	1450	Whitby ...	158	Bedwellty ...	891	Dolgelly... ..	68
Chorley ...	460	Guisborough ...	454	Pontypool ...	389	Festiniog ...	109
Preston ...	1064	Middlesbrough	1590	Newport ...	1314		
Fylde ...	1098	Stokesley ...	53			54. CARNARVON-SHIRE.	798
Garstang ...	53	Northallerton	63			Pwllheli... ..	106
Lancaster ...	624	Bedale ...	33	44. GLAMORGAN-SHIRE.	8277	Carnarvon ...	174
Lunesdale ...	41	Leyburn ...	29	Cardiff ...	2237	Bangor ...	236
Ulverston... ..	382	Aysgarth ...	20	Pontypridd ...	1979	Conway ...	282
Barrow in Furness	763	Reeth ...	15	Merthyr Tydfil...	1137		
		Richmond ...	126	Bridgend ...	625		
36. YORKSHIRE, WEST RIDING.	23260			Neath ...	758	55. ANGLESEY.	230
Sedbergh ...	23	39. DURHAM.	11463	Pontardawe ...	216	Anglesey ...	72
Settle ...	71	Darlington ...	581	Swansea... ..	1231	Holyhead ...	158
Skipton ...	351	Stockton ...	656	Gower ...	94		
Pateley Bridge	25	Hartlepool ...	783				
Ripon ...	196	Sedgefield ...	203				
Great Ouseburn ...	51						
Knaresborough ...	374						
Wetherby ...	73						

ENGLAND AND WALES.—AGES and CONDITIONS of the PERSONS MARRIED in the YEAR 1918.

NOTE.—Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters; the marriages of divorced persons are shown separately in the Table on next page.

Age.	All Men	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widows.	Bachelors.	Widows.
All Ages ...	287,163	258,739	28,424	240,461	18,278	16,233	12,191	287,163	256,694	30,469	240,461	16,233	18,278	12,191
14	—	—	—	—	—	—	—	4	4	—	4	—	—	—
15	1	1	—	1	—	—	—	21	21	—	21	—	—	—
16	31	31	—	31	—	—	—	180	180	—	180	—	—	—
17	481	481	—	478	3	—	—	1,175	1,174	1	1,159	15	1	—
18	1,963	1,963	—	1,938	25	—	—	5,631	5,628	3	5,567	61	3	—
19	8,247	8,247	—	8,194	53	—	—	11,563	11,549	14	11,386	163	14	—
20	6,491	6,488	3	6,391	97	2	1	18,448	18,365	83	18,083	282	76	7
Minors, not stated	5	5	—	5	—	—	—	10	10	—	10	—	—	—
Total under 21	12,219	12,216	3	12,038	178	2	1	37,032	36,931	101	36,410	521	94	7
21	16,687	16,683	4	16,327	356	3	1	29,255	28,996	259	28,477	519	246	13
22	19,537	19,512	25	19,005	507	21	4	26,603	26,181	472	25,580	551	441	31
23	23,442	23,395	47	22,799	596	40	7	26,229	25,540	689	24,915	625	635	54
24	24,330	24,254	76	23,484	770	57	19	23,904	23,073	831	22,437	656	753	78
21 and under 25	83,996	83,844	152	81,615	2,229	121	31	105,991	103,740	2,251	101,409	2,331	2,075	176
25	23,258	23,126	132	22,357	769	109	23	21,123	20,163	960	19,468	695	849	111
26	20,974	20,795	179	19,975	820	153	26	17,717	16,707	1,010	16,080	627	867	143
27	18,636	18,389	247	17,609	780	208	39	14,584	13,514	1,070	12,863	651	913	157
28	16,841	16,023	318	15,193	830	259	59	12,341	11,237	1,104	10,617	620	931	173
29	13,211	12,844	367	12,051	793	303	64	9,910	8,806	1,104	8,189	617	898	206
25 and under 30	92,420	91,177	1,243	87,185	3,992	1,032	211	75,675	70,427	5,248	67,217	3,210	4,458	790
30	10,992	10,604	388	9,809	795	331	57	8,728	7,500	1,228	6,792	708	962	266
31	8,508	8,070	438	7,419	651	349	89	6,170	5,144	1,026	4,633	511	761	265
32	7,682	7,199	483	6,525	674	377	106	5,674	4,613	1,061	4,022	591	766	295
33	6,150	5,647	508	5,053	594	386	117	4,505	3,541	964	3,049	492	685	279
34	5,529	4,944	585	4,338	606	417	168	4,114	3,149	965	2,623	521	677	238
30 and under 35	38,861	36,464	2,397	33,144	3,320	1,860	537	29,191	23,947	5,244	21,124	2,823	3,851	1,393
35	4,778	4,196	582	3,570	626	439	143	3,621	2,581	1,040	2,050	531	689	351
36	4,366	3,669	697	3,050	619	498	199	3,248	2,304	944	1,808	496	601	343
37	3,667	3,018	649	2,484	534	444	205	2,789	1,953	836	1,438	515	515	321
38	3,669	2,874	795	2,287	587	529	266	2,913	1,876	1,037	1,353	523	623	414
39	3,199	2,424	775	1,879	545	517	258	2,413	1,465	948	1,024	441	547	401
35 and under 40	19,679	16,181	3,498	13,270	2,911	2,427	1,071	14,984	10,179	4,805	7,673	2,506	2,975	1,830
40	2,850	2,074	776	1,563	511	506	270	2,314	1,367	947	886	481	510	437
41	2,434	1,687	747	1,280	407	475	272	1,627	955	672	606	349	318	354
42	2,678	1,747	931	1,301	446	572	359	1,902	1,011	891	612	399	434	457
43	2,460	1,560	900	1,139	421	533	367	1,614	824	790	481	343	371	419
44	2,314	1,471	873	1,035	436	524	349	1,387	666	721	356	310	318	403
40 and under 45	12,766	8,539	4,227	6,318	2,221	2,610	1,617	8,844	4,823	4,021	2,941	1,882	1,951	2,070
45	2,426	1,432	994	959	473	559	435	1,391	683	708	349	334	306	402
46	2,081	1,144	937	763	381	497	440	1,200	535	665	271	264	288	377
47	1,926	969	957	617	352	516	441	1,130	514	616	250	264	236	380
48	2,018	926	1,092	580	346	580	512	1,198	496	702	234	262	279	423
49	1,624	700	924	439	261	480	444	985	386	599	158	228	224	375
45 and under 50	10,075	5,171	4,904	3,358	1,813	2,632	2,272	5,904	2,614	3,290	1,262	1,352	1,333	1,957
50	1,616	618	998	377	241	491	507	989	323	616	138	185	226	390
51	1,139	396	743	226	170	396	347	584	197	387	78	119	128	259
52	1,246	386	860	212	174	408	452	635	211	424	79	132	135	289
53	1,119	345	774	206	139	386	388	533	168	365	56	112	106	259
54	1,073	330	743	189	141	349	394	571	162	409	64	98	119	290
50 and under 55	6,193	2,075	4,118	1,210	865	2,030	2,088	3,262	1,061	2,201	415	646	714	1,487
55	862	200	662	99	101	306	356	417	135	282	44	91	86	196
56	813	180	633	54	86	284	349	436	114	322	45	69	83	239
57	753	163	590	92	71	277	313	334	77	257	23	54	67	190
58	788	139	649	77	62	299	350	373	102	271	33	69	80	191
59	657	128	529	69	59	236	293	277	67	210	21	46	53	157
55 and under 60	3,873	810	3,063	431	379	1,402	1,661	1,837	495	1,342	166	329	369	973
60	658	88	570	48	40	224	346	298	45	253	10	35	52	201
61	450	55	395	32	23	179	216	193	42	151	14	28	38	113
62	514	70	444	40	30	182	262	193	38	155	8	30	35	120
63	410	65	345	38	27	147	198	165	23	142	4	19	26	116
64	400	42	358	21	21	146	212	163	27	136	12	15	21	115
60 and under 65	2,432	320	2,112	179	141	878	1,234	1,012	175	837	48	127	172	665

ENGLAND AND WALES.—AGES and CONDITIONS of the PERSONS MARRIED in the YEAR 1918
—continued.

	All Men.	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widowers.	Bachelors.	Widowers.
65	341	37	304	19	18	134	170	132	23	109	9	14	20	89
66	301	15	286	8	7	121	165	109	18	91	5	13	8	83
67	274	24	250	13	11	111	139	79	9	70	4	5	9	61
68	245	22	223	12	10	95	128	95	18	77	4	14	9	68
69	176	19	157	10	9	61	96	58	8	50	2	6	8	42
65 and under 70	1,337	117	1,220	62	55	522	698	473	76	397	24	52	54	343
70	178	13	165	11	2	61	104	57	6	51	3	3	4	47
71	117	3	114	3	—	45	69	33	3	35	2	1	6	29
72	121	6	115	4	2	40	75	30	5	25	2	3	1	24
73	86	4	82	2	2	39	43	31	1	30	1	—	6	24
74	80	5	75	5	—	28	47	17	1	16	—	1	2	14
70 and under 75	582	31	551	25	6	213	338	173	16	157	8	8	19	138
75	52	3	49	1	2	18	31	25	4	21	—	4	1	20
76	38	3	35	1	2	11	24	8	—	8	—	—	1	7
77	31	1	30	1	—	12	18	7	2	5	2	—	—	5
78	20	—	20	—	—	9	11	4	1	3	—	1	1	2
79	25	1	24	1	—	7	17	2	—	2	—	—	—	2
75 and under 80	166	8	158	4	4	57	101	46	7	39	2	5	3	36
80	16	1	15	1	—	4	11	1	—	1	—	—	—	1
81	5	1	4	—	1	1	3	—	—	—	—	—	—	—
82	8	—	8	—	—	2	6	1	—	1	—	—	1	—
83	3	—	3	—	—	1	2	1	—	1	—	—	—	1
84	5	—	5	—	—	4	1	—	—	—	—	—	—	—
85	2	—	2	—	—	1	1	—	—	—	—	—	—	—
86	2	—	2	—	—	—	2	—	—	—	—	—	—	—
87	1	—	1	—	—	—	1	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90	—	—	—	—	—	—	—	—	—	—	—	—	—	—
91	—	—	—	—	—	—	—	1	—	1	—	—	—	1
80 and upwards	42	2	40	1	1	13	27	4	—	4	—	—	1	3
Full Age, not stated.	2,522	1,784	738	1,621	163	434	304	2,735	2,203	532	1,762	441	209	323

ENGLAND AND WALES.—MARRIAGES of DIVORCED PERSONS, 1918.

	Ages of Men.										All Ages.	Ages of Women.									
	Under 21.	21-	25-	30-	35-	40-	45-	55-	65 and upwards.	Full Age N.S.		Under 21.	21-	25-	30-	35-	40-	45-	55-	65 and upwards.	Full Age N.S.
Men	—	3	30	85	110	119	123	20	2	3	495	—	—	—	—	—	—	—	—	—	—
Women... ..	—	—	—	—	—	—	—	—	—	—	390	—	11	81	93	108	51	37	3	—	6
Divorced Men and Spinsters	—	2	27	72	79	98	94	15	1	2	390	15	81	121	85	47	25	16	—	—	—
Divorced Men and Widows...	—	—	2	10	25	15	23	5	1	—	81	—	4	8	13	21	19	14	2	—	—
Divorced Women and Bachelors.	1	9	73	80	48	35	32	6	1	3	288	—	10	70	75	79	31	19	1	—	3
Divorced Women and Widowers.	—	—	—	6	9	10	30	17	4	2	78	—	—	7	12	24	14	17	2	—	2
Divorced Men and Divorced Women.	—	1	1	3	6	6	6	—	—	1	24	—	1	4	6	5	6	1	—	—	1

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1918.

		AGES OF WIVES.															
		15	16	17	18	19	20	Minors not stated.	21	22	23	24	25	26	27	28	29
		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
AGES OF HUSBANDS.	16	—	1	4	9*	3	10	—	2	—	1	—	1	1	—	—	—
	17	1	19	99	109	82	70	—	43	27	15	8	4	3	—	—	—
	18	4	26	161	554	426	289	—	209	115	75	35	26	17	12	5	4
	19	2†	19	118	591	916	564	—	437	253	114	96	47	34	8	17	5
	20	1†	21	130	646	1,297	1,653	—	1,176	613	357	259	125	85	46	36	19
	Minors not stated.	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
	21	1	22	138	904	2,057	3,052	2	4,720	2,312	1,419	813	461	305	156	121	61
	22	3	8	132	626	1,558	2,696	1	4,429	3,784	2,472	1,473	928	554	311	186	125
	23	2	9	83	527	1,312	2,469	—	4,283	4,114	4,045	2,532	1,545	925	567	349	233
	24	3†	9	62	416	1,002	1,907	1	3,366	3,566	3,810	3,788	2,308	1,443	895	681	402
	25	1†	12	65	292	719	1,473	—	2,567	2,765	3,252	3,349	3,084	2,001	1,270	806	529
	26	1	5	35	250	534	1,045	1	1,893	2,153	2,569	2,606	2,832	2,563	1,632	1,036	600
	27	1	4	36	146	392	778	—	1,496	1,602	1,968	2,114	2,222	2,108	1,967	1,316	838
	28	1	4	26	143	337	676	—	1,142	1,366	1,408	1,586	1,662	1,714	1,578	1,612	1,053
	29	—	2	15	95	197	393	—	818	904	1,081	1,117	1,202	1,330	1,254	1,223	1,144
	30	—	2	15	64	155	311	—	604	645	790	857	1,016	975	976	917	859
	31	—	5	13	45	109	206	—	443	455	495	638	656	655	721	677	657
	32	—	5	13	36	88	179	—	360	451	466	548	550	545	575	601	569
	33	—	1	3	37	57	118	—	225	278	401	348	437	400	429	470	408
	34	—	—	3	24	49	101	—	186	235	272	359	339	323	378	331	388
	35	1	2	1	22	46	85	—	150	160	215	247	315	295	286	292	311
	36	—	—	4	14	39	55	—	142	144	193	224	227	261	264	263	223
	37	—	—	2	7	19	61	—	78	114	136	136	168	203	250	207	186
	38	—	1	—	16	32	43	—	80	88	119	130	155	170	147	225	193
	39	1	—	2	5	13	33	—	74	67	87	132	116	121	122	159	198
	40	—	—	3	7	22	24	—	57	71	73	80	106	105	104	120	124
	41	—	2	1	1	14	20	—	38	42	42	54	79	81	87	96	91
	42	—	—	2	6	15	18	—	39	49	44	66	84	79	65	85	100
	43	1	—	1	4	16	14	—	31	40	66	60	50	70	76	69	96
	44	—	—	—	5	8	11	—	28	32	38	50	67	45	68	55	71
	45	1	—	2	4	6	13	—	24	34	30	30	58	56	50	59	72
	46	—	—	—	3	7	6	—	24	21	29	33	40	50	46	50	56
	47	—	—	—	2	8	7	—	17	9	26	26	32	34	58	48	45
	48	—	—	1	3	5	7	—	11	17	26	31	33	25	34	57	47
	49	—	1	—	1	1	4	—	9	10	22	16	30	19	29	31	36
	50	—	—	1	4	3	3	—	9	12	13	14	18	26	23	31	15
	51	—	—	1	—	2	2	—	7	6	6	12	20	11	13	14	19
	52	—	—	—	—	1	2	—	5	7	8	6	15	17	14	19	24
	53	—	—	2	1	—	4	—	4	5	10	11	16	19	10	15	19
	54	—	—	—	1	—	1	—	3	7	4	9	8	10	11	11	17
	55	—	—	—	—	—	1	—	5	3	5	6	6	1	6	12	12
	56	—	—	—	—	—	1	—	2	1	1	1	1	9	10	7	8
	57	—	—	—	—	—	2	—	1	3	3	3	5	8	10	6	6
	58	—	—	—	1	1	—	—	4	1	5	6	7	2	8	5	9
	59	—	—	—	—	1	—	—	—	2	1	6	4	6	4	3	8
	60	—	—	—	—	—	—	—	1	1	4	4	4	—	1	2	5
	61	—	—	—	1	—	1	—	2	1	—	2	3	2	1	1	—
	62	—	—	—	1	—	—	—	—	3	2	1	1	2	1	—	2
	63	—	—	—	—	—	—	—	1	1	3	—	2	—	—	2	—
	64	—	—	—	—	—	1	—	2	1	—	2	1	2	1	2	3
	65	—	—	—	—	—	—	—	—	1	1	—	1	—	3	1	3
	66	—	—	—	—	—	—	—	1	3	—	—	—	2	1	4	3
	67	—	—	—	—	—	—	—	2	—	—	1	1	2	3	1	2
	68	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
	69	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	2
	70 years and up- wards.	—	—	—	—	—	—	—	—	—	1	3	3	—	1	1	4
	Full Age, not stated.	—	—	1	8	14	39	2	5	7	3	6	2	2	2	3	5
TOTAL		25†	180	1,175	5,631	11,563	18,448	10	29,255	26,603	26,229	23,904	21,123	17,717	14,584	12,341	9,910

The table read vertically shows the number of Wives at each age, with the ages of their Husbands at marriage:—Thus: Of 18,448 Wives at the age of 20 and under 21 years, ten married husbands aged 16 and under 17 years, seventy married Husbands aged 17 and under 18 years, two hundred and eighty-nine married Husbands aged 18 and under 19 years, five hundred and sixty-four married Husbands aged 19 and under 20 years, &c. Read horizontally the table shows the number of Husbands at each age, with the ages of their Wives at marriage:—Thus: Of 6,491 Husbands aged 20 and under 21 years, one married a wife aged 14 years, twenty-one married wives aged 16 years and under 17 years, one hundred and thirty married wives aged 17 and under 18 years, &c.

* Including one aged 15 years. † Including one aged 14 years. ‡ Including four aged 14 years.

ENGLAND AND WALES.—AGES of the PERSONS MARRIED, 1918—continued.

		AGES OF WIVES.																			
		30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
		16	17	18	19	20	Minors not stated.	21	22	23	24	25	26	27	28	29	30	31	32	33	34
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	19	5	1	3	—	3	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
	20	7	6	2	1	3	1	1	2	—	—	1	1	1	—	—	—	—	—	—	—
	Minors not stated.	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	44	34	23	10	9	6	4	3	3	3	—	—	—	—	—	—	—	—	—	—
	22	106	34	40	15	16	10	5	5	6	2	—	1	1	—	1	1	—	—	—	—
	23	156	83	54	46	21	20	16	12	5	8	6	—	4	1	—	2	—	—	—	—
	24	242	135	89	55	56	39	20	7	20	6	11	3	3	3	1	3	—	—	2	—
	25	371	234	136	95	63	55	26	20	21	10	10	2	3	2	—	1	1	1	—	1
	26	462	228	167	116	76	48	44	16	18	15	8	3	4	2	—	2	1	—	—	1
	27	571	305	255	143	124	70	47	40	27	16	15	8	4	3	3	—	1	—	1	—
	28	656	386	311	184	153	84	76	47	48	28	15	6	9	3	1	3	1	1	1	2
	29	825	467	337	226	155	112	90	57	45	30	29	14	10	6	3	5	2	2	1	1
	30	869	538	386	259	197	148	104	96	66	35	38	7	18	6	9	3	5	—	6	—
	31	701	621	391	270	220	146	107	75	48	53	19	28	14	3	7	5	6	2	1	2
	32	555	472	481	299	223	160	146	96	80	58	38	11	23	12	7	8	2	4	3	2
	33	433	370	399	370	272	172	144	96	85	58	39	24	16	18	7	2	2	4	3	1
	34	343	311	339	305	321	242	170	134	104	69	48	34	31	22	16	11	6	7	5	1
	35	312	267	275	258	256	279	192	133	107	68	54	35	29	10	9	18	10	4	6	1
	36	290	209	224	220	240	216	229	159	163	101	60	38	42	28	22	20	14	7	5	3
	37	234	185	208	159	194	187	173	201	146	133	83	45	47	33	25	15	14	7	10	7
	38	203	188	200	180	182	191	175	169	212	135	110	65	77	45	34	29	18	13	17	4
	39	171	150	152	139	151	154	141	188	175	138	71	77	46	36	23	22	23	6	17	—
	40	177	126	130	127	117	131	158	128	159	134	163	80	70	46	44	37	27	20	24	15
	41	110	114	121	105	125	121	127	118	127	135	114	106	95	63	44	38	33	20	20	19
	42	130	87	191	125	112	122	121	130	133	126	131	92	143	93	57	49	45	31	27	24
	43	97	82	111	122	111	106	123	93	116	120	117	94	112	129	76	65	35	39	28	32
	44	74	83	91	118	109	105	94	98	107	94	104	88	106	117	115	76	60	56	44	30
	45	85	84	87	88	95	128	102	107	128	98	110	92	123	119	94	98	84	62	45	36
	46	68	61	71	69	66	65	109	63	77	107	103	74	93	94	97	98	102	57	69	42
	47	60	59	60	68	68	61	62	93	86	70	115	71	77	85	77	83	70	79	74	45
	48	64	40	74	58	72	75	72	57	114	78	85	78	98	87	96	84	85	76	108	65
	49	48	33	37	40	53	52	46	54	79	71	67	49	82	64	63	72	61	53	94	83
	50	46	25	33	31	37	58	59	66	58	73	88	57	60	75	61	62	69	61	74	84
	51	30	33	28	32	23	34	28	31	40	37	52	62	41	34	40	57	46	48	43	51
	52	22	24	37	31	30	27	40	36	38	38	44	41	66	54	41	51	54	55	62	35
	53	27	14	23	28	17	35	36	31	33	37	40	29	52	53	39	43	35	38	45	51
	54	16	14	14	19	28	30	22	22	32	37	28	38	52	35	41	47	47	60	45	40
	55	13	5	10	18	22	24	20	31	31	24	30	29	29	28	35	27	24	41	37	28
	56	5	8	13	16	19	16	17	25	24	24	21	20	29	28	25	38	39	36	28	32
	57	15	5	11	10	16	16	11	21	27	24	32	21	23	25	21	31	23	47	28	26
	58	13	11	8	11	12	11	15	14	19	21	19	9	28	24	20	31	21	35	44	35
	59	9	1	8	8	7	15	9	8	20	10	18	16	14	18	14	24	20	21	43	38
	60	12	1	12	8	9	12	8	10	13	15	32	9	8	15	12	22	24	25	33	22
	61	6	6	5	3	2	4	3	8	7	10	12	14	13	15	13	16	16	11	19	20
	62	9	4	2	6	2	11	6	4	14	8	14	9	14	10	14	9	13	20	16	11
	63	9	5	3	2	6	8	6	8	3	7	11	9	10	11	9	14	9	14	11	—
	64	3	3	1	1	5	5	2	5	4	8	10	5	14	15	17	15	4	13	10	13
	65	4	1	3	1	2	6	5	5	6	7	4	10	8	6	5	11	6	10	10	8
	66	3	2	4	2	4	2	1	4	5	3	6	7	6	6	6	9	8	3	7	7
	67	2	4	3	3	2	3	3	2	1	2	2	3	3	3	5	9	4	13	8	7
	68	1	4	4	—	2	2	6	2	4	5	3	3	6	4	4	11	7	3	10	6
	69	—	1	3	—	1	—	1	—	3	4	3	3	2	2	3	2	2	1	6	5
	70 years and up- wards.	5	1	2	4	5	4	8	3	5	11	11	12	11	12	13	16	17	12	16	20
	Full Age not stated.	6	2	2	1	—	1	3	2	3	2	2	1	1	—	—	—	—	—	—	1
TOTAL		8,728	6,170	5,674	4,505	4,114	3,621	3,248	2,789	2,913	2,413	2,314	1,627	1,902	1,614	1,387	1,391	1,200	1,130	1,195	985

For the method of reading this table, see explanatory note on page 6.

ENGLAND AND WALES.—AGES of the PERSONS MARRIED 1918—continued.

		AGES OF WIVES.																					70 & upws.	Full Age, not stated.	Total.	
		50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69					
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*32	
	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	481	
	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,963	
	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	3,247	
	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	6,491	
	Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	
	21	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	16,687
	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	19,537
	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	23,442
	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	24,330
	25	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19	23,258
	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	20,974
	27	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	12	18,636
	28	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	16,341
	29	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	18	13,211
	30	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	10,992
	31	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	8,508
	32	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	7,682
	33	—	1	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	14	6,150
	34	2	1	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	13	5,529	
	35	3	2	1	1	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	16	4,778
	36	5	1	—	2	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4,366
	37	5	2	1	1	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	3,667
	38	3	1	5	2	—	3	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	7	3,669
	39	4	3	6	3	3	1	1	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	8	3,199
	40	10	5	4	1	5	1	1	3	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	7	2,850
	41	11	3	4	2	1	—	—	2	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	4	2,434
	42	10	12	8	6	5	1	3	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	8	2,678
	43	19	7	7	7	4	3	4	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	4	2,460
	44	32	11	8	8	7	7	3	5	1	3	2	1	1	2	—	—	1	—	—	—	—	—	—	5	2,344
	45	43	19	11	7	9	13	5	4	3	2	—	—	2	—	—	1	—	—	—	—	—	—	—	3	2,426
	46	35	18	20	10	8	7	3	2	8	4	2	—	3	1	1	—	—	—	—	—	—	1	8	2,081	
	47	39	18	22	17	13	6	7	8	3	5	2	1	—	—	1	1	1	1	—	—	—	1	5	1,926	
	48	36	17	22	16	10	10	12	4	11	3	3	1	3	3	1	1	—	—	—	—	—	1	1	2,018	
	49	59	27	28	20	19	15	6	8	5	6	—	2	—	4	1	—	—	—	1	—	—	1	7	1,624	
	50	73	45	36	18	27	18	11	5	6	1	4	1	2	3	2	1	1	1	1	2	1	8	1,616		
	51	42	45	42	20	19	13	10	6	13	2	8	5	4	2	1	—	—	1	1	—	—	2	2	1,139	
	52	60	37	44	33	34	17	15	9	11	8	8	3	7	5	1	—	1	1	1	—	—	2	5	1,246	
	53	48	35	48	34	34	21	24	13	10	6	6	—	4	2	2	1	1	—	—	—	—	1	2	1,119	
	54	49	27	29	39	47	29	22	13	17	11	10	3	3	4	5	1	1	1	1	1	4	7	1,073		
	55	36	28	30	25	49	29	26	12	20	9	8	4	6	3	2	3	1	2	3	1	—	2	2	862	
	56	31	26	33	29	34	24	36	24	23	11	8	4	4	7	4	5	3	1	—	—	1	1	1	813	
	57	26	21	24	25	27	21	19	27	18	18	10	7	10	4	3	2	2	1	1	4	—	1	1	753	
	58	32	14	31	27	29	25	29	28	40	21	14	10	10	6	7	2	1	1	3	2	3	3	3	788	
	59	34	18	17	26	28	13	28	19	23	23	25	11	5	5	6	4	—	5	1	2	1	2	2	657	
	60	45	14	22	23	25	18	25	17	24	19	36	14	13	8	7	4	3	4	5	—	2	6	6	658	
	61	18	22	12	11	14	20	16	18	19	13	16	11	14	9	4	3	5	2	4	—	1	1	1	450	
	62	18	21	33	20	23	17	21	16	19	14	19	24	15	13	9	7	5	2	2	1	6	—	514		
	63	16	16	12	29	16	14	12	7	13	8	16	16	10	9	10	11	6	4	1	5	6	—	410		
	64	17	14	7	11	18	13	17	15	8	14	18	10	10	13	12	12	6	6	1	2	7	1	400		
	65	16	7	17	14	11	8	14	11	16	10	11	10	5	12	14	10	11	5	3	1	6	1	341		
	66	12	15	5	10	9	8	11	9	8	4	16	5	12	11	23	10	8	7	2	—	7	—	301		
	67	9	7	11	6	7	3	10	12	8	8	5	7	13	9	13	7	11	5	10	4	14	1	274		
	68	9	2	7	3	9	7	6	5	10	12	8	8	6	8	7	13	13	6	5	2	10	—	245		
	69	4	8	6	7	8	5	6	6	7	9	7	4	6	2	5	3	5	5	8	5	13	1	176		
	70 years and up- wards.	23	13	20	17	12	22	29	19	20	23	32	27	22	18	22	30	23	17	41	29	128	2	790		
	Full Age not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2,395	2,522	
TOTAL ...		939	584	635	533	571	417	436	334	373	277	298	193	193	165	163	132	109	79	95	58	223	2,735	287,163		

For the method of reading this table, see explanatory note on page 6.

* Including one aged 15.

ENGLAND AND WALES.—AGES of the BACHELORS and SPINSTERS who INTERMARRIED,
1918.

		AGES OF WIVES.															
		15	16	17	18	19	20	Minors not stated.	21	22	23	24	25	26	27	28	29
AGES OF HUSBANDS.	16	—	1	4	9†	3	10	—	2	—	1	—	1	1	—	—	—
	17	1	19	99	109	82	70	—	43	27	14	7	3	3	—	—	—
	18	4	26	161	553	426	288	—	208	112	73	30	22	15	11	3	3
	19	2*	19	118	591	915	562	—	427	249	108	88	41	28	8	12	5
	20	1*	21	130	646	1,297	1,645	—	1,166	606	348	236	119	76	42	26	18
	Minors not stated.	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
	21	1	22	138	904	2,057	3,040	2	4,666	2,256	1,366	772	438	270	140	102	52
	22	3	8	132	625	1,554	2,684	1	4,390	3,705	2,392	1,411	880	503	275	154	104
	23	2	9	81	524	1,307	2,459	—	4,250	4,058	3,949	2,451	1,477	865	508	314	204
	24	3*	9	62	414	1,001	1,888	1	3,327	3,521	3,726	3,645	2,192	1,368	829	616	363
	25	1*	12	64	289	713	1,454	—	2,530	2,717	3,181	3,253	2,958	1,917	1,190	736	474
	26	1	5	35	248	522	1,018	1	1,847	2,098	2,497	2,519	2,729	2,438	1,537	951	541
	27	1	4	35	143	380	762	—	1,458	1,542	1,910	2,031	2,130	2,013	1,853	1,229	750
	28	1	4	26	140	320	655	—	1,103	1,316	1,340	1,514	1,577	1,621	1,476	1,489	957
	29	—	2	14	91	187	377	—	787	859	1,018	1,040	1,128	1,233	1,164	1,129	1,022
	30	—	2	13	59	146	298	—	568	588	736	801	936	881	883	831	765
	31	—	5	10	42	105	188	—	407	408	442	582	603	584	642	601	590
	32	—	5	13	31	78	164	—	333	409	405	494	489	474	503	519	495
	33	—	1	3	33	51	107	—	204	247	353	304	375	344	366	384	351
	34	—	—	3	24	44	86	—	167	201	229	289	281	281	301	272	306
35	1	2	1	20	38	71	—	126	127	175	207	246	245	225	239	241	
36	—	—	3	9	28	40	—	116	112	153	168	172	213	205	199	160	
37	—	—	2	6	16	45	—	62	87	107	109	128	150	168	157	137	
38	—	1	—	12	24	31	—	56	64	93	99	101	124	99	148	132	
39	1	—	1	5	9	23	—	52	52	63	97	74	87	74	109	111	
40	—	—	1	7	16	15	—	36	49	42	60	69	62	68	77	62	
41	—	2	—	1	12	14	—	23	24	23	37	55	43	60	57	57	
42	—	—	2	5	10	12	—	24	31	23	43	46	45	38	47	63	
43	1	—	1	3	11	7	—	21	25	36	36	32	38	48	41	48	
44	—	—	—	4	7	8	—	16	18	26	23	40	29	35	29	36	
45	1	—	2	3	4	8	—	16	20	18	12	34	34	20	30	28	
46	—	—	—	3	5	4	—	17	12	16	16	21	28	22	24	24	
47	—	—	—	1	3	4	—	7	4	8	12	17	16	17	26	18	
48	—	—	—	3	1	3	—	4	9	12	16	14	10	11	25	17	
49	—	1	—	—	—	2	—	2	5	11	8	11	9	12	8	16	
50	—	—	1	2	—	1	—	3	4	5	5	5	10	11	11	4	
51	—	—	1	—	1	—	—	2	2	1	3	6	2	3	3	4	
52	—	—	—	—	1	—	—	2	1	3	1	2	5	4	4	5	
53	—	—	2	1	—	2	—	1	3	3	5	4	6	3	6	8	
54	—	—	—	1	—	—	—	1	3	1	3	3	1	3	4	4	
55	—	—	—	—	—	—	—	2	1	2	2	2	1	1	1	2	
56	—	—	—	—	—	—	—	—	—	—	—	—	2	3	1	3	
57	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	5	
58	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	
59	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	3	
60	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	
61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
62	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	
63	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
64	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
65	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
67	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
69	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
70 years and up- wards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Full Age, not stated.	—	—	1	6	12	38	2	4	6	3	3	2	—	1	1	1	
TOTAL	...	25†	180	1,159	5,567	11,386	18,083	10	28,477	25,580	24,915	22,437	19,468	16,080	12,863	10,617	8,189

For the method of reading this table, see explanatory note on page 6.

* Including one aged 14 years.

† Including one aged 15 years.

‡ Including four aged 14 years

ENGLAND AND WALES.—AGES of the BACHELORS and SPINSTERS who INTERMARRIED,
1918—continued.

		AGES OF WIVES.																			
		30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	18	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	19	4	1	2	—	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	20	2	3	1	1	2	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	Minors	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	31	25	16	6	7	5	1	2	1	3	—	—	—	—	—	—	—	—	—	—
	22	85	24	27	12	11	6	1	4	3	2	—	1	1	—	—	1	—	—	—	—
	23	128	65	37	34	18	17	8	10	2	3	5	—	1	1	—	2	—	—	—	—
	24	193	106	64	44	34	24	10	4	13	4	3	1	3	2	—	—	—	—	1	—
	25	314	198	114	73	51	38	18	14	12	5	7	2	1	2	—	—	—	—	—	—
	26	409	189	131	89	54	34	34	8	15	10	3	2	1	1	—	—	1	—	—	—
	27	506	266	216	115	92	50	29	28	17	10	11	7	4	1	1	—	1	—	—	—
	28	566	334	258	148	120	58	59	32	27	16	9	4	5	2	1	—	—	—	—	—
	29	726	390	291	180	121	76	68	42	29	16	18	7	7	3	2	3	1	1	1	1
	30	769	467	334	214	157	98	72	65	43	19	21	5	9	2	6	2	3	—	5	—
	31	613	520	322	210	170	118	73	54	38	32	13	16	4	1	6	2	4	—	—	2
	32	474	401	386	230	172	114	112	64	53	33	22	6	16	6	3	4	—	1	—	1
	33	370	296	322	292	207	121	88	71	52	41	23	11	8	6	2	1	1	4	—	—
	34	279	239	264	239	246	171	120	90	65	45	28	20	17	9	4	4	1	3	—	—
	35	246	203	200	204	186	183	120	81	61	31	25	18	13	5	3	5	3	—	4	1
	36	197	159	154	161	164	134	145	100	90	55	32	17	26	8	12	5	2	4	2	—
	37	169	132	135	102	136	118	115	125	83	56	41	23	20	18	12	6	6	2	2	2
	38	141	127	131	124	111	105	109	96	119	73	49	29	30	17	12	7	7	4	5	—
	39	98	96	100	87	92	93	92	83	101	76	64	37	33	14	14	6	6	8	4	2
	40	99	72	73	66	68	83	97	66	88	63	83	35	26	19	17	8	9	5	8	1
	41	56	58	66	54	67	67	70	57	73	65	66	47	33	25	18	17	10	4	5	2
	42	65	45	103	69	56	61	69	68	59	65	58	32	51	34	18	16	12	12	4	3
	43	43	42	58	63	49	45	53	47	53	52	48	39	43	51	30	28	8	10	7	8
	44	31	42	47	63	49	38	40	42	47	41	41	42	40	47	40	33	20	19	15	10
	45	36	24	40	35	43	54	44	50	52	41	39	38	42	43	25	33	25	20	13	10
	46	31	22	29	26	26	27	36	18	22	35	35	32	34	35	31	30	31	16	12	13
	47	21	21	16	29	28	18	28	34	24	18	34	25	29	28	17	22	21	26	17	9
	48	19	16	21	11	30	27	21	13	30	19	20	22	23	18	24	23	26	23	30	21
	49	12	8	12	12	12	11	17	11	17	26	19	12	32	17	17	17	17	15	23	10
	50	14	6	13	10	8	8	10	19	12	18	19	15	15	17	6	13	16	14	17	20
	51	11	6	8	16	3	7	7	6	8	5	8	15	2	7	6	12	7	8	10	14
	52	4	6	5	6	13	8	8	9	5	8	4	9	7	9	5	6	6	10	10	1
	53	4	6	3	6	7	9	8	4	8	6	8	8	8	9	3	6	2	10	8	6
	54	3	4	3	3	4	4	5	5	8	12	9	13	7	3	6	7	4	8	11	3
	55	3	—	1	3	3	5	3	3	5	3	3	4	4	3	4	5	1	3	2	4
	56	—	3	—	2	7	4	2	2	5	4	2	2	3	3	—	3	5	—	4	2
	57	1	1	4	3	2	2	2	6	3	3	3	3	2	4	2	2	4	5	1	1
	58	2	2	2	2	—	—	2	—	4	2	3	2	7	—	3	6	3	3	6	—
	59	3	—	3	—	—	3	2	2	—	2	3	2	1	2	2	3	—	2	2	5
	60	1	—	4	1	1	1	1	—	—	1	2	—	—	3	1	2	3	3	1	—
	61	2	1	1	2	—	—	—	—	—	—	—	1	—	1	—	2	2	2	1	2
62	3	1	1	1	—	—	1	1	3	1	1	1	—	2	—	1	1	—	—	1	
63	—	2	2	—	—	1	1	—	1	1	—	—	1	1	1	1	1	1	2	—	
64	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	1	—	—	
65	1	—	—	1	—	—	—	—	1	—	—	—	—	1	2	—	—	1	—	—	
66	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
67	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	
68	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	
69	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
70 years and upwards.	—	—	—	—	—	1	2	1	—	—	—	1	1	—	1	3	1	—	—	1	
Full age, not stated.	4	1	2	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
TOTAL	...	6,792	4,633	4,022	3,049	2,628	2,050	1,808	1,438	1,353	1,024	886	606	612	481	356	349	271	250	234	158

ENGLAND AND WALES.—AGES of the BACHELORS and SPINSTERS who INTERMARRIED,
1918—*continued.*

		AGES OF WIVES.																				70 & upws.	Full Age, not stated.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
AGES OF HUSBANDS.	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

For the method of reading this table, see explanatory note on page 6.

* Including one aged 15 years.

ENGLAND AND WALES.—AGES OF the BACHELORS and WIDOWS who INTERMARRIED, 1918.

AGES OF WIVES.										AGES OF HUSBANDS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
19—	20—	Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Full Age not stated.	Total.	17—	18—	19—	20—	Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Full Age not stated.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
—	1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	25	53	97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

For the method of reading this table, see explanatory note on page 6.

* Aged 18 years. † Including one aged 18 years.

‡ Including one aged 17 years.

§ Including one aged 17 years and three aged 18 years.

ENGLAND AND WALES.—AGES of the WIDOWERS and SPINSTERS who Intermarried, 1918.

AGES OF WIVES.												AGES OF HUSBANDS.												Total.
15—	16—	17—	18—	19—	20—	Minors not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Full age not stated.			
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18—		
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19—		
20—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	20—		
Minors not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Minors not stated.		
21—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21—		
22—	—	—	—	—	—	—	7	4	3	1	1	—	—	—	—	—	—	—	—	—	—	22—		
23—	—	—	—	—	—	—	5	4	9	3	5	—	—	—	—	—	—	—	—	—	—	23—		
24—	—	—	—	—	—	—	9	7	6	6	13	2	—	—	—	—	—	—	—	—	—	24—		
25—	—	—	—	—	—	—	125	118	110	100	342	74	14	3	—	—	—	—	—	—	—	25—		
30—	—	—	—	—	—	—	122	150	170	164	650	351	111	19	—	—	—	—	—	—	—	30—		
35—	—	—	—	—	—	—	105	113	121	146	774	535	389	108	23	1	—	—	—	—	—	35—		
40—	—	—	—	—	—	—	68	74	98	93	566	675	528	334	105	12	3	1	—	—	—	40—		
45—	—	—	—	—	—	—	36	36	59	62	439	569	549	475	281	72	11	2	6	—	—	45—		
50—	—	—	—	—	—	—	19	24	28	31	239	309	422	396	347	148	34	6	—	—	—	50—		
55—	—	—	—	—	—	—	10	8	12	17	111	167	273	250	287	151	87	14	3	—	—	55—		
60—	—	—	—	—	—	—	5	7	8	6	28	77	126	179	162	140	98	28	5	—	—	60—		
65—	—	—	—	—	—	—	3	5	—	—	25	49	64	72	95	85	55	45	18	4	—	65—		
70—	—	—	—	—	—	—	—	—	1	3	7	11	15	30	39	28	34	22	18	5	—	70—		
75—	—	—	—	—	—	—	—	—	—	—	1	1	6	9	9	7	6	7	8	3	—	75—		
80—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	3	2	1	2	—	—	—	80—		
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	85 and upwards.		
Full age not stated.	—	—	—	—	—	—	1	1	—	3	9	2	8	3	1	—	—	—	—	—	401	Full age not stated.		
Total	—	—	15	61	163	282	519	551	625	636	3,210	2,823	2,506	1,882	1,352	646	329	127	52	13	441	Total.		

For the method of reading this table, see explanatory note on page 6.

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1918.

NOTE.—The numbers in the second column indicate the following combinations:—1, bachelors with spinsters; 2, bachelors with widows; 3, widowers with spinsters; and 4, widowers with widows.

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).
England and Wales.	1	12,038	81,615	37,185	33,144	19,588	4,568	702	1,621	240,461	36,410	101,409	67,217	21,124	10,614	1,677	248	1,762
	2	178	2,229	3,992	3,320	5,132	2,678	586	163	18,278	94	2,075	4,458	3,851	4,926	2,047	618	209
	3	2	121	1,032	1,860	5,037	4,662	3,085	434	16,233	521	2,331	3,210	2,823	4,388	1,998	521	441
	4	1	31	211	537	2,688	4,360	4,059	304	12,191	7	176	790	1,393	3,900	3,444	2,158	323
1. London ...	1	1,740	11,545	12,619	5,197	3,409	926	189	131	35,756	5,071	15,168	9,832	3,285	1,845	321	74	160
	2	21	340	666	528	877	516	120	24	3,092	14	337	747	605	827	395	124	43
	3	—	13	110	229	668	704	550	52	2,326	66	321	459	412	641	283	90	54
	4	—	6	25	66	379	648	567	28	1,719	—	27	101	200	609	495	257	30
2. Surrey ...	1	182	2,008	2,399	1,082	673	155	15	26	6,540	786	2,523	2,039	701	401	49	6	35
	2	6	60	98	74	123	54	7	3	425	—	55	115	102	102	29	14	8
	3	—	4	20	44	145	127	98	9	447	19	58	74	76	136	58	15	11
	4	—	—	4	8	50	68	68	3	201	—	3	16	18	72	57	32	3
3. Kent ...	1	309	2,413	2,716	1,025	577	137	15	49	7,241	1,158	2,947	2,081	627	315	54	7	52
	2	4	60	122	108	162	72	10	7	545	2	65	126	107	161	63	10	11
	3	—	3	31	67	122	130	79	11	443	18	80	86	64	121	50	14	10
	4	—	—	3	12	48	107	112	9	291	1	5	14	28	89	87	56	11
4. Sussex ...	1	153	1,451	1,784	792	465	109	17	41	4,812	615	1,803	1,440	570	284	45	6	49
	2	2	41	71	58	94	40	11	2	319	1	29	83	73	84	31	14	4
	3	—	4	19	26	92	93	90	20	344	11	45	57	57	95	47	12	20
	4	—	—	1	11	32	44	61	7	156	—	2	7	20	53	37	30	7
5. Hampshire	1	205	2,114	2,579	1,001	529	126	17	72	6,643	1,067	2,717	1,856	599	276	45	10	73
	2	4	67	162	95	158	75	15	9	555	4	63	161	116	148	57	25	11
	3	—	4	18	48	134	103	84	17	408	14	64	67	77	108	49	13	16
	4	—	—	7	5	70	108	98	7	295	—	4	14	25	95	93	55	9
6. Berkshire	1	65	662	851	332	193	44	2	6	2,155	276	853	679	222	97	15	2	11
	2	1	25	26	30	31	18	4	1	136	—	19	31	31	33	13	8	1
	3	—	3	8	16	36	38	25	2	128	3	14	27	26	36	13	7	2
	4	—	—	3	—	14	41	36	3	97	—	1	7	17	15	36	18	3
7. Middlesex	1	309	2,687	3,156	1,190	695	169	28	18	8,252	1,006	3,520	2,439	823	366	63	9	26
	2	2	45	125	100	121	71	15	3	482	—	52	131	97	127	58	14	3
	3	1	3	28	68	150	167	107	9	533	8	87	122	92	139	59	15	11
	4	—	—	8	16	64	108	86	4	286	—	8	25	48	82	74	43	6
8. Hertfordshire.	1	88	560	659	278	147	33	4	6	1,775	221	699	542	196	101	8	—	8
	2	1	11	16	15	24	15	1	—	83	—	10	22	13	20	15	3	—
	3	—	1	6	14	41	31	25	1	119	5	15	24	15	38	17	3	2
	4	—	—	—	2	16	16	23	3	60	—	—	4	9	14	19	11	3
9. Buckinghamshire.	1	43	380	458	153	96	20	—	7	1,157	150	463	359	119	50	6	—	10
	2	1	9	13	11	26	6	3	—	69	—	9	19	15	15	8	3	—
	3	—	—	6	11	22	31	18	1	89	5	8	24	10	21	16	3	2
	4	—	—	1	2	3	10	21	2	39	—	1	3	—	8	11	14	2
10. Oxfordshire.	1	38	365	467	218	120	26	2	14	1,250	135	495	377	139	79	10	—	15
	2	—	11	19	15	18	7	2	3	75	1	7	22	16	19	6	1	3
	3	—	—	10	14	14	22	24	1	85	2	13	21	10	27	6	4	2
	4	—	—	—	—	9	13	12	3	37	—	—	3	2	12	12	5	3
1. Northamptonshire.	1	90	769	895	340	168	30	5	18	2,315	274	960	746	221	75	16	4	19
	2	2	20	26	28	40	23	10	1	150	—	12	42	30	36	19	9	2
	3	—	2	8	15	41	44	16	1	127	3	22	27	25	37	12	—	1
	4	—	—	2	3	23	42	33	4	107	—	3	8	7	42	21	22	4
2. Huntingdonshire.	1	15	82	74	30	19	4	1	9	234	44	92	50	28	9	2	—	9
	2	1	2	4	3	6	1	—	1	18	—	2	6	2	3	2	—	1
	3	—	—	1	3	6	6	2	—	18	—	3	5	3	4	3	—	—
	4	—	—	—	—	2	4	4	1	11	—	—	1	—	4	4	1	1
3. Bedfordshire.	1	70	510	515	180	108	11	4	6	1,404	201	559	448	122	56	11	1	6
	2	1	10	13	13	21	13	2	—	73	—	9	19	10	23	9	2	1
	3	—	1	13	11	21	23	24	2	95	2	18	17	16	18	16	6	2
	4	—	—	—	2	7	13	21	—	43	—	—	2	4	11	14	12	—

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1918—*continued.*

Counties.	Condition. (See page 15.)	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).
14. Cambridge- shire.	1	91	434	488	201	81	18	5	11	1,329	214	521	402	130	45	7	—	10
	2	—	9	14	17	29	13	3	1	86	1	8	19	20	22	11	14	1
	3	—	—	—	6	21	25	31	5	88	1	3	14	10	28	20	7	5
	4	—	—	—	1	14	21	20	2	58	—	—	1	5	22	17	11	2
15. Essex ...	1	334	3,188	3,488	1,293	671	150	15	11	9,150	1,276	3,980	2,725	745	328	65	7	24
	2	4	81	121	128	187	113	26	1	661	2	70	139	141	192	86	29	2
	3	—	4	30	48	156	164	96	5	503	17	71	112	82	132	65	18	6
	4	—	1	8	21	76	160	141	5	412	—	5	28	49	128	129	68	5
16. Suffolk ...	1	130	782	897	355	226	45	3	49	2,487	404	949	705	234	137	12	—	46
	2	5	21	35	36	38	24	4	2	165	3	21	36	34	47	18	4	2
	3	—	1	8	18	40	30	29	7	133	4	33	24	17	33	11	4	7
	4	—	—	2	3	26	45	39	7	122	—	1	11	21	35	23	25	6
17. Norfolk ...	1	147	941	1,027	420	229	55	8	20	2,849	421	1,161	829	277	116	19	3	23
	2	2	33	47	31	48	22	3	2	188	2	31	46	41	38	18	9	3
	3	—	2	5	15	52	58	37	10	179	4	26	36	28	42	23	12	8
	4	—	—	5	3	18	58	56	2	142	—	2	3	12	42	41	40	2
18. Wiltshire	1	67	558	713	306	163	34	6	44	1,891	259	757	533	187	97	11	2	45
	2	1	21	21	22	37	17	2	7	128	—	15	34	24	31	13	4	7
	3	—	—	9	12	48	39	23	7	138	1	14	25	33	35	17	6	7
	4	—	—	—	2	15	27	30	3	77	—	—	5	9	24	16	19	4
19. Dorset- shire.	1	54	473	561	247	149	31	1	17	1,533	225	607	430	162	79	12	—	18
	2	1	19	20	22	27	13	2	2	106	1	13	24	25	28	11	2	2
	3	—	—	6	8	28	39	25	4	110	3	13	19	16	33	22	2	2
	4	—	—	—	1	6	9	20	—	36	—	—	3	2	7	12	12	—
20. Devonshire	1	154	1,389	1,753	708	374	97	16	45	4,536	550	1,898	1,363	429	201	35	8	52
	2	4	29	83	55	78	38	8	5	300	1	35	73	66	89	24	6	6
	3	—	—	16	34	90	98	85	14	337	8	47	64	54	89	49	11	15
	4	—	—	5	6	28	72	88	6	205	—	2	12	23	69	59	34	6
21. Cornwall...	1	64	561	652	247	172	39	6	59	1,800	243	691	523	178	97	8	—	60
	2	3	13	11	10	24	13	3	6	83	1	9	16	19	16	15	1	6
	3	—	—	8	15	40	35	38	14	150	1	13	22	29	40	20	10	15
	4	—	1	1	2	15	16	23	5	63	1	—	4	8	17	15	12	6
22. Somerset- shire.	1	92	827	1,111	447	288	68	3	17	2,853	283	1,122	948	316	139	22	2	21
	2	3	13	26	26	44	22	4	—	138	1	11	35	27	37	23	4	—
	3	—	—	8	20	65	66	48	11	218	5	31	42	35	54	30	11	10
	4	—	1	1	3	18	34	60	5	122	—	—	6	8	29	35	38	6
23. Gloucester- shire.	1	177	1,471	1,706	683	395	100	15	52	4,599	504	1,954	1,411	424	207	38	6	55
	2	5	23	64	56	77	44	15	2	286	—	32	71	60	70	43	8	2
	3	—	2	21	35	120	103	91	11	383	10	47	76	49	126	54	10	11
	4	—	1	1	11	45	76	97	11	242	—	—	14	17	84	71	44	12
24. Hereford- shire.	1	18	193	251	104	76	24	2	11	679	66	277	206	77	35	5	1	2
	2	1	6	9	5	3	8	4	1	47	—	4	13	5	12	6	6	1
	3	—	—	4	3	14	16	8	5	50	1	7	9	13	10	4	1	5
	4	—	—	—	1	2	12	5	1	21	—	—	2	3	5	6	4	1
25. Shropshire	1	43	450	490	234	171	52	2	24	1,466	151	573	432	165	102	18	1	24
	2	—	12	12	19	26	17	4	2	92	—	8	17	25	24	12	4	2
	3	—	—	5	15	23	31	28	6	113	2	18	14	20	30	17	6	6
	4	—	—	—	—	13	18	18	5	54	—	—	2	5	20	12	10	5
26. Stafford- shire.	1	680	3,486	3,115	1,023	519	131	16	68	9,038	1,533	4,078	2,360	615	313	52	6	76
	2	5	73	134	138	212	88	24	7	681	1	72	152	174	180	76	19	7
	3	—	3	49	67	168	135	73	17	512	28	84	112	86	124	51	7	20
	4	—	1	13	30	112	180	144	17	497	—	6	35	54	153	141	89	19
27. Worcester- shire.	1	93	709	702	268	140	41	6	13	1,972	269	859	570	155	86	16	4	13
	2	2	20	34	18	31	20	1	2	128	—	15	36	35	28	9	3	2
	3	—	1	10	22	41	40	23	4	141	6	22	24	29	27	19	11	3
	4	—	—	4	2	17	35	33	1	92	—	2	8	9	25	23	24	1

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1918—*continued.*

Counties.	Condition. See page 15.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (not stated).
28. Warwick- shire.	1	542	3,432	3,184	1,095	718	180	28	38	9,217	1,400	4,224	2,389	697	377	77	11	42
	2	3	82	116	111	193	129	21	4	659	2	63	174	131	178	82	25	4
	3	1	5	37	56	214	193	102	12	620	18	104	137	101	169	66	11	14
	4	—	—	12	18	117	193	150	2	492	—	7	40	61	173	134	74	3
29. Leicester- shire.	1	201	1,158	1,119	377	206	49	1	7	3,118	457	1,363	879	277	120	13	2	7
	2	3	20	35	37	49	36	8	2	190	—	22	46	39	55	20	6	2
	3	—	1	18	24	78	64	57	7	249	5	32	52	44	71	32	7	6
	4	—	—	1	1	27	55	70	5	159	—	1	9	13	39	59	33	5
30. Rutland- shire.	1	2	20	37	24	15	—	—	—	98	5	34	41	13	5	—	—	—
	2	—	1	1	—	4	—	—	—	6	—	1	—	1	3	1	—	—
	3	—	—	—	—	1	3	3	—	7	—	—	2	1	2	2	—	—
	4	—	—	—	—	—	—	3	—	3	—	—	—	—	—	1	2	—
31. Lincoln- shire.	1	245	1,403	1,331	478	294	71	6	24	3,852	714	1,630	974	311	170	26	3	24
	2	3	40	49	45	66	36	14	6	259	2	33	61	59	57	27	15	5
	3	—	1	19	33	74	74	50	10	261	13	37	41	45	84	25	8	8
	4	—	—	3	7	30	43	73	7	163	1	2	10	17	39	38	49	7
32. Notting- hamshire.	1	360	1,916	1,517	480	283	77	10	49	4,692	961	2,126	1,066	301	159	23	6	50
	2	2	53	90	65	98	46	10	5	369	2	46	94	74	101	34	13	5
	3	—	5	20	30	95	67	55	12	284	8	47	45	60	77	29	6	12
	4	—	1	3	11	67	97	111	11	301	—	4	18	24	100	77	65	13
33. Derbyshire	1	237	1,295	1,208	439	238	47	9	34	3,507	635	1,503	907	269	133	21	3	36
	2	3	41	62	36	61	29	15	1	248	1	34	64	52	55	29	12	1
	3	—	2	18	22	88	65	31	7	233	7	31	43	51	63	25	6	7
	4	—	—	4	9	44	55	65	6	183	—	2	11	22	51	50	41	6
34. Cheshire ...	1	190	1,595	2,005	842	482	108	10	28	5,260	620	2,175	1,562	580	256	32	1	34
	2	—	38	72	62	90	42	11	—	315	1	31	78	67	101	33	4	—
	3	—	6	25	46	125	122	68	7	399	22	62	66	77	109	48	8	7
	4	—	2	2	10	51	98	80	9	252	—	5	14	26	83	65	50	9
35. Lancashire	1	1,280	9,628	10,904	3,899	2,304	505	81	417	29,018	3,561	12,140	8,767	2,585	1,325	209	18	413
	2	14	265	587	444	725	369	72	35	2,511	10	239	577	543	771	265	67	39
	3	—	21	128	238	752	662	332	76	2,209	60	255	450	396	621	286	64	77
	4	—	4	30	100	467	733	569	74	1,977	1	32	107	241	668	579	276	73
36. West Riding.	1	1,324	6,989	6,813	2,289	1,324	290	54	65	19,148	3,420	8,074	5,145	1,562	727	126	17	77
	2	15	189	320	276	441	221	47	4	1,513	10	172	351	340	403	165	67	5
	3	—	6	104	171	421	405	254	17	1,378	42	181	259	236	391	199	56	14
	4	1	5	19	58	264	424	437	13	1,221	—	26	81	120	373	342	266	13
37. East Riding (with York).	1	187	1,110	1,196	415	268	49	8	7	3,240	577	1,331	895	279	138	10	4	6
	2	8	50	74	66	78	37	5	—	318	7	41	87	64	79	33	6	1
	3	—	1	12	32	58	64	54	5	226	10	33	44	38	54	34	7	6
	4	—	—	2	6	47	61	75	1	192	—	5	8	18	65	57	36	3
38. North Riding.	1	184	952	933	373	220	41	12	8	2,723	516	1,142	694	234	110	15	2	10
	2	9	32	62	44	65	32	8	—	252	4	36	63	55	64	24	6	—
	3	—	—	17	25	73	39	35	4	193	7	34	37	34	49	20	9	3
	4	—	—	4	10	28	48	48	2	140	—	2	12	16	34	49	25	2
39. Durham ...	1	696	3,839	3,185	978	576	108	15	8	9,405	2,299	4,168	2,086	542	259	34	7	10
	2	14	147	219	178	239	122	33	2	954	10	156	245	185	235	96	25	2
	3	—	12	57	90	177	123	63	4	526	28	101	133	87	111	50	13	3
	4	—	4	14	44	165	177	167	7	578	—	10	59	87	189	122	102	9
40. North- umberland.	1	268	1,824	1,799	636	374	84	12	10	5,007	995	2,173	1,227	365	209	23	2	13
	2	8	68	119	97	111	56	6	—	465	5	72	130	98	117	32	10	1
	3	—	1	19	39	95	73	41	2	270	11	44	57	49	70	29	8	2
	4	—	1	5	21	63	83	55	4	232	1	1	17	47	78	58	26	4

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1918—*continued.*

Counties.	Condition. <i>See page 15.</i>	Ages of Men.								All Ages.	Ages of Women.							
		Un- der 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (<i>not stated</i>).		Un- der 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (<i>not stated</i>).
41. Cumber- land.	1	81	577	661	275	183	32	7	8	1,824	276	790	471	174	97	6	1	9
	2	2	16	21	17	33	14	2	3	108	—	19	26	15	29	15	1	3
	3	—	1	6	17	38	34	20	1	117	3	16	17	30	37	9	4	1
	4	—	—	2	2	15	20	22	1	62	—	—	4	10	18	14	15	1
42. Westmor- land.	1	15	80	124	53	29	9	—	4	314	30	108	116	40	14	2	—	4
	2	—	—	1	2	3	2	—	—	8	—	1	2	1	3	1	—	—
	3	—	—	2	—	2	5	6	4	19	—	2	2	3	7	1	—	4
	4	—	—	—	—	—	1	3	—	4	—	—	—	—	—	3	1	—
43. Mon- mouthshire.	1	177	973	924	333	199	37	5	17	2,665	584	1,202	623	136	91	14	—	15
	2	2	28	36	35	61	26	10	1	199	1	25	52	41	47	22	9	2
	3	—	1	13	29	51	41	12	8	155	4	33	32	26	35	12	4	9
	4	—	1	—	5	37	53	45	3	144	—	—	14	15	45	42	25	3
44. Glamorgan- shire.	1	417	2,469	2,448	945	484	84	19	8	6,874	1,405	3,125	1,664	426	201	31	5	16
	2	5	58	104	107	174	76	15	1	540	4	50	127	126	149	66	16	2
	3	—	5	56	74	159	107	46	7	454	25	97	104	78	97	42	3	8
	4	—	2	14	16	103	151	110	13	409	2	6	39	52	118	127	52	13
45. Carmar- thenshire.	1	55	289	304	133	82	14	2	2	881	149	384	223	74	46	2	1	2
	2	2	3	7	5	9	9	—	—	35	—	5	7	7	8	7	1	—
	3	—	2	5	10	27	23	12	—	79	4	7	13	17	23	12	3	—
	4	—	—	1	2	9	17	5	—	34	—	1	4	2	10	14	3	—
46. Pembroke- shire.	1	26	196	183	98	45	9	—	3	560	86	230	150	64	23	5	—	2
	2	1	2	5	3	7	5	—	1	24	—	2	6	4	9	1	1	1
	3	—	—	1	8	16	12	9	—	46	1	3	13	8	10	10	1	—
	4	—	—	—	1	2	7	12	1	23	—	—	—	3	6	10	3	1
47. Cardigan- shire.	1	13	78	116	82	54	15	6	2	366	26	120	109	65	32	11	1	2
	2	—	—	1	1	2	3	1	—	8	—	—	1	3	2	2	—	—
	3	—	—	1	6	10	16	9	1	43	—	4	5	7	15	7	3	2
	4	—	—	—	—	—	7	9	—	16	—	—	—	2	5	4	5	—
48. Brecknock- shire.	1	14	92	124	45	42	4	1	4	326	41	143	90	32	16	—	—	4
	2	—	—	3	1	6	4	1	—	15	—	1	3	3	6	1	1	—
	3	—	—	3	2	6	6	1	1	19	—	4	7	1	3	3	—	1
	4	—	—	1	1	3	8	3	—	16	—	—	—	1	9	4	2	—
49. Radnor- shire.	1	2	20	34	17	9	6	1	—	89	13	28	27	12	7	2	—	—
	2	—	1	—	1	—	—	—	1	3	—	—	—	—	2	—	—	1
	3	—	—	—	1	1	—	3	—	5	1	—	—	1	1	2	—	—
	4	—	—	—	—	1	1	1	—	3	—	—	—	1	1	—	1	—
50. Mont- gomeryshire.	1	10	49	96	61	40	10	—	3	269	23	89	82	47	20	4	1	3
	2	1	4	1	2	3	4	1	1	17	—	1	5	4	4	1	1	1
	3	—	—	—	3	12	4	3	—	22	—	7	4	2	7	1	1	—
	4	—	—	—	—	1	1	1	—	3	—	—	—	1	—	1	1	—
51. Flintshire.	1	8	103	125	58	41	13	—	1	349	39	134	104	45	20	6	—	1
	2	—	2	3	1	9	3	1	1	20	—	—	4	7	4	3	1	1
	3	—	—	2	3	6	13	3	—	27	1	2	9	6	6	3	—	—
	4	—	—	—	—	7	5	5	—	17	—	—	2	2	3	5	5	—
52. Denbigh- shire.	1	27	278	291	125	71	19	7	17	835	88	353	252	67	47	8	2	18
	2	—	9	4	15	13	7	—	1	49	—	8	11	5	16	7	—	2
	3	—	—	5	9	16	21	11	2	64	1	7	12	14	19	8	—	3
	4	—	—	—	2	6	16	11	—	35	—	—	—	5	13	11	6	—
53. Merioneth- shire.	1	2	50	82	64	37	8	1	5	249	14	77	82	48	19	3	—	6
	2	—	1	4	1	5	2	1	—	14	—	1	2	2	6	3	—	—
	3	—	—	—	—	7	6	2	1	17	1	2	1	3	5	4	—	1
	4	—	—	—	—	2	4	3	1	10	—	—	—	1	3	5	—	1
54. Carnarvon- shire.	1	11	136	246	145	95	20	3	6	662	49	223	221	110	45	9	1	4
	2	—	4	4	7	12	4	1	—	32	—	1	6	11	8	5	1	—
	3	—	—	6	7	25	17	22	—	77	2	7	17	21	22	7	1	—
	4	—	—	—	—	7	14	6	—	27	—	—	2	2	9	9	5	—
55. Anglesey.	1	13	56	68	31	22	4	1	2	197	20	93	46	23	12	—	1	2
	2	1	1	—	—	3	1	—	—	6	—	2	1	1	—	2	—	—
	3	—	—	—	1	7	5	4	—	17	—	2	5	3	6	1	—	—
	4	—	—	—	—	3	3	4	—	10	—	—	—	1	2	4	3	—

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918.

NOTE.—Two estimates of population are shown in this table for each area—one suitable for the calculation of marriage- and birth-rates, and the other for that of death-rates. The “Birth-rate” population is a total population obtained by distributing the “birth-rate” population of England and Wales over the several areas in proportion to their civilian populations. The “death-rate” population is one consisting of civilians only and is based upon results obtained under the National Registration Act, 1915, and under the scheme for rationing of food. (See section “Population”). Births occurring in lying-in institutions have been transferred to the parents’ area of residence where this differed from that in which the birth took place. Deaths of civilians, in this as in other tables, have been transferred to the area of residence in accordance with the rules laid down by the Local Government Board. Under these rules the deaths of refugees and interned aliens could not be transferred. Deaths of non-civilians have been excluded from all tables relating to administrative areas or groups of areas.

Summary.

Area.		Estimated Popula- tion, Middle 1918.		BIRTHS (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
				Legitimate.		Illegitimate.		Total.	Rate per 1000 Total Popu- lation.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
		For Birth- rates. (Total.)	For Death- rates. (Civilian)	M.	F.	M.	F.						
All Areas	North ...	12,710,157	11,343,673	114,412	109,033	7,202	6,908	237,555	18·7	214,931	18·9	26,857	113
	Midlands ...	11,912,395†	10,631,677†	98,562	94,472	6,594	6,243	205,871	17·3	175,752	16·5	17,985	87
	South* ...	10,269,753†	9,165,639†	77,370	73,666	6,133	5,716	162,885	15·9	158,536	17·3	14,178	87
	Wales ...	2,614,837	2,333,711	27,457	26,237	1,382	1,274	56,350	21·6	38,609	16·5	5,366	95
	England and Wales.	37,507,142	33,474,700	317,801	303,408	21,311	20,141	662,661	17·7	587,828†	17·6	64,386	97
London	4,430,929	3,954,554	33,951	32,368	2,438	2,219	70,976	16·0	75,928	19·2	7,659	108
County Boroughs.	North ...	6,783,323†	6,054,039†	60,651	57,681	3,884	3,787	126,003	18·6	119,972	19·8	15,116	120
	Midlands ...	3,979,580†	3,551,730†	33,951	32,400	2,193	2,019	70,563	17·7	62,405	17·6	7,101	101
	South ...	1,324,397	1,182,010	10,412	9,834	932	896	22,074	16·7	20,114	17·0	1,749	79
	Wales ...	497,291†	443,826†	4,942	4,669	219	199	10,029	20·2	7,682	17·3	1,011	101
	England and Wales.	12,584,591†	11,231,605†	109,956	104,584	7,228	6,901	228,669	18·2	210,173	18·7	24,977	109
Other Urban Districts.	North ...	4,221,486†	3,767,628†	37,416	35,806	2,314	2,139	77,675	18·4	68,365	18·1	8,288	107
	Midlands ...	4,692,940	4,188,396	37,861	36,272	2,539	2,431	79,103	16·9	66,780	15·9	6,782	86
	South ...	2,574,966	2,298,129	18,776	18,058	1,657	1,557	40,048	15·6	35,814	15·6	2,901	72
	Wales ...	1,278,116†	1,140,705†	14,061	13,629	663	645	29,003	22·7	18,199	16·0	2,853	98
	England and Wales.	12,767,508†	11,394,858†	108,114	103,765	7,178	6,772	225,829	17·7	189,158	16·6	20,824	92
Rural Districts.	North ...	1,705,348†	1,522,006†	16,345	15,546	1,004	982	33,877	19·9	26,594	17·5	3,453	102
	Midlands ...	3,239,875†	2,891,551†	26,750	25,800	1,862	1,793	56,205	17·3	46,567	16·1	4,102	73
	South ...	1,939,461†	1,730,946†	14,231	13,406	1,106	1,044	29,787	15·4	26,680	15·4	1,869	63
	Wales ...	839,430†	749,180†	8,454	7,939	495	430	17,318	20·6	12,728	17·0	1,502	87
	England and Wales.	7,724,114†	6,893,683†	65,780	62,691	4,467	4,249	137,187	17·8	112,569	16·3	10,926	80

County Boroughs.

Administrative Area.	Estimated Popula- tion, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth- rates. (Total.)	For Death- rates. (Civilian.)	Legitimate.		Illegiti- mate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
Barnsley ...	53,116	47,405	567	593	50	63	1,273	24·0	1,371	28·9	206	162
Barrow in Furness ...	89,817	80,161	1,039	984	44	40	2,107	23·5	1,175	14·7	215	102
Bath ...	70,703	63,102	368	379	40	46	833	11·8	1,046	16·6	62	74
Birkenhead ...	151,284	135,019	1,535	1,461	71	62	3,129	20·7	2,685	19·9	345	110
Birmingham ...	971,199	866,785	8,364	8,139	479	404	17,386	17·9	13,212	15·2	1,683	97
Blackburn ...	124,872	111,447	768	691	49	43	1,551	12·4	2,181	19·6	193	124
Blackpool ...	72,331†	64,554†	350	336	52	32	770	10·6	1,079	16·7	88	114
Bolton ...	179,968	160,619	1,317	1,248	99	89	2,753	15·3	2,801	17·4	292	106
Bootle ...	79,064	70,564	868	885	30	27	1,810	22·9	1,436	20·4	212	117
Bournemouth ...	83,227	74,279	466	430	68	67	1,031	12·4	1,065	14·3	59	57
Bradford ...	290,992	259,707	1,882	1,670	163	163	3,878	13·3	4,973	19·1	486	125
Brighton ...	136,311	121,656	913	916	113	100	2,042	15·0	2,172	17·9	148	72
Bristol ...	378,910†	338,174†	2,964	2,743	159	149	6,015	15·9	5,795	17·1	551	92
Burnley ...	101,704	90,770	688	662	58	51	1,459	14·3	1,707	18·8	184	126
Burton upon Trent ...	47,233	42,155	386	338	29	34	787	16·7	817	19·4	78	99
Bury ...	57,168	51,022	384	299	23	24	730	12·8	978	19·2	82	112
Canterbury ...	25,089	22,392	203	166	19	26	414	16·5	408	18·2	24	58
Carlisle ...	60,188	53,717	482	464	35	54	1,035	17·2	861	16·0	135	130
Chester ...	43,285	38,631	351	330	30	33	744	17·2	665	17·2	66	89
Coventry ...	151,507	135,218	1,343	1,301	69	67	2,780	18·3	1,951	14·4	259	93
Croydon ...	188,755	168,462	1,232	1,186	96	110	2,624	13·9	2,500	14·8	201	77
Darlington ...	67,525	60,265	640	579	46	49	1,314	19·5	1,009	16·7	150	114
Derby ...	132,461	118,220	1,121	1,008	67	53	2,249	17·0	1,911	16·2	214	95
Dewsbury ...	52,775	47,101	414	427	48	29	918	17·4	954	20·3	103	112
Dudley ...	58,018	51,780	692	609	26	28	1,355	23·4	1,021	19·7	170	125
Eastbourne ...	55,667	49,682	307	281	45	41	674	12·1	653	13·1	50	74
East Ham ...	143,665	128,219	1,162	1,057	38	45	2,302	16·0	1,943	15·2	154	67
Exeter ...	56,349	50,291	397	362	56	36	851	15·1	895	17·8	55	65
Gateshead ...	131,304	117,187	1,536	1,444	79	86	3,145	24·0	2,292	19·6	386	123

* Including London. † Population adjusted to allow for changes in boundary during the year.
‡ This number differs from the total given elsewhere by excluding deaths of non-civilians.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
Gloucester	52,980	47,284	406	401	29	19	855	16·1	803	17·0	71	83
Great Yarmouth	50,640	45,196	446	441	47	39	973	19·2	953	21·1	96	99
Grimsby	76,179	67,989	747	732	63	65	1,607	21·1	1,296	19·1	208	129
Halifax	104,795	93,528	600	618	58	49	1,325	12·6	1,863	19·9	167	126
Hastings	58,263	51,999	388	345	53	52	838	14·4	1,014	19·5	60	72
Huddersfield	118,036	105,346	742	715	61	64	1,582	13·4	1,771	16·8	160	101
Ipswich	81,436	72,681	632	614	70	64	1,380	16·9	1,145	15·8	115	83
Kingston upon Hull	270,761	241,651	2,508	2,470	188	172	5,338	19·7	5,336	22·1	676	127
Leeds	479,097	427,589	3,559	3,309	265	262	7,395	15·4	8,523	19·9	983	133
Leicester	227,463	203,008	1,527	1,500	113	106	3,246	14·3	3,888	19·2	354	109
Lincoln	67,348	60,107	586	520	46	46	1,198	17·8	921	15·3	87	73
Liverpool	790,884	705,856	8,399	7,876	440	418	17,133	21·7	15,430	21·9	2,158	126
Manchester	746,011	665,807	6,143	5,910	455	418	12,926	17·3	12,227	18·4	1,381	107
Middlesbrough	129,696	115,752	1,629	1,500	107	91	3,327	25·7	2,682	23·2	491	148
Newcastle upon Tyne	297,740	265,730	3,210	2,906	179	177	6,472	21·7	4,840	18·2	696	108
Newport (Mon.)	91,299	81,483	915	833	39	49	1,836	20·1	1,178	14·5	166	90
Northampton	90,884	81,113	634	602	37	40	1,313	14·4	1,375	17·0	121	92
Norwich	120,164	107,245	938	788	96	91	1,913	15·9	2,062	19·2	204	107
Nottingham	264,101	235,707	1,893	1,847	238	227	4,205	15·9	5,047	21·4	519	123
Oldham	149,285	133,235	904	980	69	71	2,024	13·6	2,809	21·1	245	121
Oxford	55,472	49,508	355	293	32	29	709	12·8	876	17·7	44	62
Plymouth	201,268	179,629	1,871	1,782	131	101	3,885	19·3	3,402	18·9	375	97
Portsmouth	227,898	203,396	2,306	2,154	148	166	4,774	20·9	3,573	17·6	365	76
Preston	118,595	105,845	902	823	82	99	1,906	16·1	1,944	18·4	213	112
Reading	92,320	82,395	751	693	66	72	1,582	17·1	1,327	16·1	118	75
Rochdale	91,513	81,674	567	577	69	60	1,273	13·9	1,701	20·8	151	119
Rotherham	72,175	64,415	783	769	52	54	1,658	23·0	1,329	20·6	225	136
St. Helens	101,528	90,613	1,208	1,115	53	59	2,435	24·0	1,922	21·2	309	127
Salford	234,484	209,274	2,028	2,016	124	121	4,289	18·3	3,791	18·1	479	112
Sheffield	521,258	465,217	5,144	5,037	275	292	10,748	20·6	9,735	20·9	1,377	128
Smethwick	76,056	67,879	749	738	34	20	1,541	20·3	1,065	15·7	158	103
Southampton	128,547	114,727	1,210	1,140	97	79	2,526	19·7	2,059	17·9	232	92
Southend on Sea	79,208	70,692	438	403	42	35	918	11·6	1,005	14·2	67	73
Southport	71,360	63,688	376	332	32	47	787	11·0	1,057	16·6	47	60
South Shields	118,387	105,659	1,452	1,391	84	78	3,005	25·4	2,374	22·5	362	120
Stockport	129,352	115,445	855	831	54	48	1,788	13·8	2,115	18·3	202	113
Stoke on Trent	233,465	208,365	2,444	2,428	202	153	5,227	22·4	4,250	20·4	592	113
Sunderland	161,480	144,119	1,857	1,736	96	88	3,777	23·4	3,490	24·2	495	131
Tynemouth	62,475	55,758	753	698	35	32	1,518	24·3	1,157	20·8	168	111
Wakefield	50,702	45,251	424	432	17	18	891	17·6	878	19·4	80	90
Wallasey	90,708	80,956	697	626	39	28	1,390	15·3	1,175	14·5	124	89
Walsall	98,192	87,635	993	959	39	44	2,035	20·7	1,788	20·4	224	110
Warrington	76,923	68,653	809	743	31	42	1,625	21·1	1,276	18·6	164	101
West Bromwich	75,410	67,303	819	771	36	46	1,672	22·2	1,323	19·7	188	112
West Ham	294,523	262,858	2,952	2,795	139	116	6,002	20·4	5,467	20·8	690	115
West Hartlepool	68,834	61,434	760	693	37	56	1,546	22·5	1,483	24·1	258	167
Wigan	90,046	80,365	899	902	41	40	1,882	20·9	1,562	19·4	231	123
Wolverhampton	103,102	92,017	1,002	1,002	36	55	2,095	20·3	1,697	18·4	203	97
Worcester	49,964	44,592	358	371	27	44	800	16·0	794	17·8	51	64
York	81,805	73,010	622	603	64	58	1,347	16·5	1,335	18·3	131	97
Cardiff	196,739	175,587	1,797	1,770	86	75	3,728	18·9	3,206	18·3	387	104
Merthyr Tydfil	80,969	72,264	973	862	45	31	1,911	23·6	1,345	18·6	215	113
Swansea	128,284*	114,492*	1,257	1,204	49	44	2,554	19·9	1,953	17·1	243	95

Administrative Counties.

BEDFORDSHIRE.	213,072	190,164	1,539	1,488	156	132	3,315	15·6	2,936	15·4	257	78
Total Urban Districts ...	134,394	119,945	965	935	92	89	2,081	15·5	1,783	14·9	180	86
Total Rural Districts ...	78,678	70,219	574	553	64	43	1,234	15·7	1,153	16·4	77	62
Urban Districts.												
Amphill	2,215	1,977	15	14	1	2	32	14·4	52	26·3	4	125
Bedford, M.B.	44,033	39,299	282	275	43	25	625	14·2	592	15·1	60	96
Biggleswade	5,460	4,873	41	43	3	4	91	16·7	106	21·8	9	99
Dunstable, M.B.	9,305	8,305	56	69	2	6	133	14·3	120	14·4	4	30
Kempston	5,159	4,604	34	38	8	3	83	16·1	72	15·6	10	120
Leighton Buzzard	7,369	6,577	55	52	3	7	117	15·9	113	17·2	6	51
Luton, M.B.	60,853	54,310	482	444	32	42	1,000	16·4	728	13·4	87	87
Rural Districts.												
Amphill	18,786	16,766	152	122	15	16	305	16·2	291	17·4	18	59
Bedford	20,062	17,905	138	134	16	10	298	14·9	277	15·5	17	57
Biggleswade	21,672	19,342	169	161	17	9	356	16·4	322	16·6	24	67
Eaton Bray	3,850	3,436	21	26	5	2	54	14·0	62	18·0	2	37
Eaton Socon	3,277	2,925	21	23	3	1	48	14·6	51	17·4	5	104
Luton	11,031	9,845	73	87	8	5	173	15·7	150	15·2	11	64

* Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
BERKSHIRE.	192,603	171,896	1,360	1,288	118	112	2,878	14·9	2,712	15·8	197	68
Total Urban Districts ...	60,004	53,553	410	402	46	45	903	15·0	890	16·6	68	75
Total Rural Districts ...	132,599	118,343	950	886	72	67	1,975	14·9	1,822	15·4	129	65
Urban Districts.												
Abingdon, M.B. ...	6,844	6,108	45	53	4	3	105	15·3	121	19·8	4	38
Maidenhead, M.B. ...	16,896	15,080	110	108	9	8	235	13·9	222	14·7	21	89
Newbury, M.B. ...	12,628	11,270	84	81	9	5	179	14·2	208	18·5	11	61
New Windsor, M.B. ...	12,755	11,384	100	89	15	15	219	17·2	167	14·7	15	68
Wallingford, M.B. ...	2,673	2,386	20	16	2	3	41	15·3	42	17·6	4	98
Wantage ...	3,663	3,269	23	31	3	2	59	16·1	63	19·3	8	136
Wokingham, M.B. ...	4,545	4,056	28	24	4	9	65	14·3	67	16·5	5	77
Rural Districts.												
Abingdon ...	9,888	8,825	74	53	8	4	139	14·1	156	17·7	18	129
Bradfield ...	13,862	12,372	85	73	9	12	179	12·9	191	15·4	11	61
Cookham ...	12,538	11,190	93	89	5	9	196	15·6	137	12·2	10	51
Easthampstead ...	16,537	14,759	112	106	7	10	235	14·2	224	15·2	17	72
Faringdon (part of)* ...	9,930	8,862	75	67	5	7	154	15·5	137	15·5	7	45
Hungerford ...	8,288	7,397	60	70	3	2	135	16·3	131	17·7	6	44
Newbury ...	11,097	9,904	81	55	4	3	143	12·9	162	16·4	9	63
Wallingford ...	6,663	5,947	56	47	3	4	110	16·5	80	13·5	8	73
Wantage ...	11,494	10,258	81	85	8	2	176	15·3	163	15·9	12	68
Windsor ...	14,953	13,345	107	106	7	6	226	15·1	213	16·0	19	84
Wokingham ...	17,349	15,484	126	135	13	8	282	16·3	228	14·7	12	43
BUCKINGHAMSHIRE.	233,577	208,465	1,609	1,553	126	131	3,419	14·6	3,292	15·8	220	64
Total Urban Districts ...	88,839	79,288	633	594	63	41	1,331	15·0	1,262	15·9	91	68
Total Rural Districts ...	144,738	129,177	976	959	63	90	2,088	14·4	2,030	15·7	129	62
Urban Districts.												
Aylesbury, M.B. ...	12,749	11,378	94	78	12	7	191	15·0	196	17·2	13	68
Beaconsfield ...	3,312	3,402	20	18	—	—	38	10·0	27	7·9	—	—
Bletchley ...	6,082	5,428	60	47	4	5	116	19·1	70	12·9	6	52
Buckingham, M.B. ...	3,205	2,860	23	12	1	2	38	11·9	37	12·9	3	79
Chepping Wycombe, M.B. ...	22,897	20,436	165	176	23	8	372	16·2	305	14·9	32	86
Chesham ...	9,026	8,056	61	58	2	1	122	13·5	137	17·0	8	66
Eton ...	2,377	2,121	10	16	1	1	28	11·8	32	15·1	—	—
Linslade ...	2,434	2,172	18	15	1	1	35	14·4	37	17·0	2	57
Marlow ...	5,150	4,596	27	22	7	7	63	12·2	95	20·7	6	95
Newport Pagnell ...	4,143	3,698	28	23	6	3	60	14·5	73	19·7	5	83
Slough ...	16,964	15,141	127	129	6	6	268	15·8	253	16·7	16	60
Rural Districts.												
Amersham ...	22,586	20,158	137	150	10	14	311	13·8	243	12·1	16	51
Aylesbury ...	14,493	12,935	100	117	8	11	236	16·3	244	18·9	18	76
Buckingham ...	7,612	6,794	60	46	2	4	112	14·7	128	18·8	6	54
Eton ...	27,587	24,620	187	175	16	22	400	14·5	306	12·4	18	45
Hambleton ...	1,890	1,687	12	9	—	2	23	12·2	17	10·1	—	—
Long Crendon ...	3,920	3,499	29	23	1	5	58	14·8	74	21·1	3	52
Newport Pagnell ...	18,523	16,532	126	125	8	9	268	14·5	281	17·0	16	60
Stratford and Wolverton ...	10,558	9,423	62	65	2	3	132	12·5	161	17·1	9	68
Wing ...	5,814	5,189	40	41	2	—	83	14·3	110	21·2	7	84
Winslow ...	6,425	5,734	31	34	3	4	72	11·2	94	16·4	4	56
Wycombe ...	25,330	22,606	192	174	11	16	393	15·5	372	16·5	32	81
CAMBRIDGESHIRE.	129,455	115,537	889	837	83	76	1,885	14·6	1,805	15·6	118	63
Urban District ...	58,243	51,981	395	363	27	36	821	14·1	770	14·8	54	66
Total Rural Districts ...	71,212	63,556	494	474	56	40	1,064	14·9	1,035	16·3	64	60
Urban District.												
Cambridge, M.B. ...	58,243	51,981	395	363	27	36	821	14·1	770	14·8	54	66
Rural Districts.												
Caxton and Arrington ...	7,395	6,600	53	44	7	2	106	14·3	101	15·3	13	122
Chesterton ...	23,571	21,037	130	120	21	10	281	11·9	321	15·3	17	60
Linton ...	9,942	8,873	76	72	8	3	159	16·0	148	16·7	7	44
Melbourn ...	8,491	7,578	61	59	9	4	133	15·7	112	14·8	7	53
Newmarket ...	19,302	17,227	156	160	11	19	346	17·9	316	18·3	18	52
Swavesey ...	2,511	2,241	18	19	—	2	39	15·5	37	16·5	2	51
CHESHIRE.	615,333	549,178	4,730	4,502	314	292	9,838	16·0	8,903	16·2	839	85
Total Urban Districts ...	430,924	384,595	3,297	3,144	220	218	6,879	16·0	6,425	16·7	641	93
Total Rural Districts ...	184,409	164,583	1,433	1,358	94	74	2,959	16·0	2,478	15·1	198	67
Urban Districts.												
Alderley Edge ...	3,298	2,943	16	14	1	2	33	10·0	32	10·9	1	30
Alsager ...	2,766	2,469	17	24	2	3	46	16·6	30	12·2	2	43
Altrincham ...	18,816	16,793	159	131	12	19	321	17·1	310	18·5	31	97
Ashton upon Mersey ...	7,854	7,010	49	43	4	2	103	13·1	85	12·1	4	39
Bollington ...	4,736	4,227	25	25	1	1	52	11·0	78	18·5	3	58

* The remainder of Faringdon Rural District is in Gloucestershire; see page 27.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—*continued*.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
CHESHIRE—cont.												
Bowdon	3,106	2,772	13	10	1	1	25	8.0	30	10.8	2	80
Bredbury and Romiley ...	9,310	8,309	73	53	—	4	130	14.0	114	13.7	8	62
Bromborough	2,347	2,095	18	22	—	—	40	17.0	31	14.8	5	125
Buglawton	1,606	1,433	18	11	1	1	31	19.3	20	14.0	—	—
Cheadle and Gatley	9,794	8,741	69	54	2	4	129	13.2	114	13.0	7	54
Compstall	905	808	11	7	1	—	19	21.0	15	18.6	1	53
Congleton, M.B.	11,609	10,361	93	93	4	7	197	17.0	199	19.2	15	76
Crewe, M.B.	47,874	42,728	375	364	19	19	777	16.2	694	16.2	75	97
Dukinfield, M.B.	17,967	16,035	156	155	15	11	337	18.8	362	22.6	32	95
Ellesmere Port and Whitby	12,753	11,382	168	131	6	9	314	24.6	188	16.5	34	108
Hale	9,915	8,849	45	41	3	2	91	9.2	105	11.9	4	44
Handforth	917	818	6	5	1	—	12	13.1	10	12.2	—	—
Hazel Grove and Bramhall	9,945	8,876	65	70	2	2	139	14.0	122	13.7	14	101
Higher Bebington	1,822	1,626	14	13	—	—	27	14.8	24	14.8	2	74
Hollingworth	2,387	2,130	21	12	2	2	37	15.5	43	20.2	8	216
Hoole	6,087	5,433	38	47	3	4	92	15.1	83	15.3	3	33
Hoylake and West Kirby	15,136	13,509	90	93	9	5	197	13.0	167	12.4	7	36
Hyde, M.B.	34,042	30,383	230	243	18	7	498	14.6	616	20.3	57	114
Knutsford	5,144	4,591	31	35	1	—	67	13.0	70	15.2	2	30
Lower Bebington	14,518	12,957	120	126	4	11	261	18.0	184	14.2	22	84
Lymm	5,215	4,654	52	34	3	3	92	17.6	67	14.4	5	54
Macclesfield, M.B.	33,211	29,640	188	192	25	17	422	12.7	592	20.0	48	114
Marple	6,753	6,027	38	46	—	2	86	12.7	72	11.9	11	128
Middlewich	5,159	4,604	56	50	6	4	116	22.5	70	15.2	11	95
Mottram in Longdendale	2,844	2,538	15	10	—	1	26	9.1	27	10.6	5	192
Nantwich	7,104	6,340	65	49	6	5	125	17.6	136	21.5	14	112
Neston and Parkgate	4,630	4,132	46	39	3	—	88	19.0	58	14.0	4	45
Northwich	19,665	17,551	200	182	12	16	410	20.8	309	17.6	44	107
Runcorn	18,684	16,675	180	198	8	8	394	21.1	260	15.6	29	74
Sale	16,615	14,829	104	116	2	10	232	14.0	215	14.5	19	82
Sandbach	5,951	5,311	64	43	4	4	115	19.3	110	20.7	19	165
Stalybridge, M.B.	26,465	23,620	193	179	22	18	412	15.6	481	20.4	58	141
Tarporley	2,595	2,316	18	22	—	1	41	15.8	24	10.4	6	146
Wilmslow	8,442	7,534	47	61	8	3	119	14.1	116	15.4	4	34
Winsford	11,263	10,052	93	89	9	10	201	17.8	132	13.1	22	109
Yeardsley-cum-Whaley ...	1,674	1,494	18	7	—	—	25	14.9	30	20.1	3	120
Rural Districts.												
Bucklow	21,605	19,282	165	145	9	9	328	15.2	293	15.2	21	64
Chester	12,001	10,711	97	87	3	7	194	16.2	146	13.6	10	52
Congleton	13,537	12,082	124	119	9	5	257	19.0	185	15.3	10	39
Disley	3,123	2,787	14	17	—	—	31	9.9	37	13.3	2	65
Macclesfield	15,987	14,268	107	100	6	2	215	13.4	202	14.2	12	56
Malpas	4,350	3,882	31	29	6	2	68	15.6	79	20.4	7	103
Nantwich	24,940	22,259	204	194	13	12	423	17.0	343	15.4	30	71
Northwich	25,674	22,914	225	220	11	11	467	18.2	353	15.4	46	99
Runcorn	27,545	24,584	215	211	11	10	447	16.2	386	15.7	25	56
Tarvin	13,392	11,952	93	98	14	8	213	15.9	192	16.1	15	70
Tintwistle	2,034	1,815	9	15	2	1	27	13.3	30	16.5	2	74
Wirral	20,221	18,047	149	123	10	7	289	14.3	232	12.9	18	62
CORNWALL.												
Total Urban Districts ...	316,675	282,629	2,254	2,127	144	139	4,664	14.7	5,036	17.8	347	74
Total Rural Districts ...	142,082	126,807	998	911	75	69	2,053	14.4	2,206	17.4	163	79
Total	174,593	155,822	1,256	1,216	69	70	2,611	15.0	2,830	18.2	184	70
Urban Districts.												
Bodmin, M.B.	4,055	3,619	31	28	1	2	62	15.3	70	19.3	4	65
Callington	1,724	1,539	10	16	—	1	27	15.7	21	13.6	2	74
Camborne	16,637	14,849	122	119	9	5	255	15.3	269	18.1	31	122
Falmouth, M.B.	12,554	11,204	102	82	11	8	203	16.2	235	21.0	22	108
Fowey, M.B.	2,002	1,787	14	12	1	1	28	14.0	35	19.6	1	36
Hayle	1,124	1,003	15	8	—	—	23	20.5	13	13.0	1	43
Helston, M.B.	3,033	2,707	16	20	2	2	40	13.2	44	16.3	1	25
Launceston, M.B.	3,963	3,537	17	12	—	3	32	8.1	47	13.3	3	94
Liskeard, M.B.	4,427	3,951	31	24	1	4	60	13.6	62	15.7	1	17
Looe	2,605	2,325	24	13	—	—	37	14.2	41	17.6	—	—
Lostwithiel, M.B.	1,330	1,187	3	11	1	1	16	12.0	28	23.6	1	63
Ludgvan	2,167	1,934	17	14	1	—	32	14.8	33	17.1	2	63
Madron	3,090	2,758	23	22	1	1	47	15.2	56	20.3	2	43
Newquay	4,941	4,410	22	27	4	2	55	11.1	67	15.2	4	73
Padstow	2,061	1,839	16	16	1	1	34	16.5	31	16.9	5	147
Paul	5,485	4,895	39	29	3	1	72	13.1	78	15.9	5	69
Penryn, M.B.	2,992	2,670	24	15	2	1	42	14.0	50	18.7	3	71
Penzance, M.B.	13,272	11,846	84	77	3	11	175	13.2	171	14.4	10	57

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS, IN ADMINISTRATIVE AREAS, 1918—*continued*.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
CORNWALL—cont.												
Phillack	4,043	3,608	34	31	—	3	68	16·8	76	21·1	11	162
Redruth	11,121	9,925	77	97	7	7	188	16·9	170	17·1	19	101
St. Austell	3,098	2,765	20	18	5	1	44	14·2	51	18·4	1	23
St. Ives, M.B.	6,574	5,867	51	39	1	1	92	14·0	129	22·0	6	65
St. Just	5,429	4,845	40	34	7	1	82	15·1	93	19·2	9	110
Saltash, M.B.	3,878	3,461	29	29	3	1	62	16·0	35	10·1	4	65
Stratton and Bude	3,126	2,790	16	19	2	3	40	12·8	51	18·3	3	75
Torpoint	4,604	4,109	39	36	3	1	79	17·2	64	15·6	4	51
Truro, M.B.	10,390	9,273	68	52	4	7	131	12·6	156	16·8	7	53
Wadebridge	2,357	2,104	14	11	2	—	27	11·5	30	14·3	1	37
Rural Districts.												
Bodmin	9,809	8,754	91	53	6	5	155	15·8	139	15·9	7	45
Calstock	4,625	4,128	24	31	2	2	59	12·8	86	20·8	4	68
Camelford	7,219	6,443	54	54	2	1	111	15·4	120	18·6	4	36
East Kerrier	7,800	6,961	57	42	5	2	106	13·6	109	15·7	4	38
Helston	16,149	14,413	100	116	5	6	227	14·1	240	16·7	10	44
Holsworthy (part of)*	326	291	4	1	—	—	5	15·3	3	10·3	—	—
Launceston	6,801	6,070	54	57	2	2	115	16·9	110	18·1	2	17
Liskeard	14,628	13,055	121	95	10	2	228	15·6	228	17·5	22	96
Redruth	17,958	16,027	155	168	6	9	338	18·8	329	20·5	33	98
St. Austell	28,901	25,795	178	187	9	13	387	13·4	447	17·3	31	80
St. Columb Major	11,717	10,457	70	78	5	3	156	13·3	154	14·7	16	103
St. Germans	12,350	11,022	101	96	4	8	209	16·9	188	17·1	15	72
Scilly, Isles of	1,923	1,716	11	8	—	1	20	10·4	25	14·6	2	100
Stratton	4,994	4,457	32	41	—	3	76	15·2	106	23·8	4	53
Truro	18,716	16,704	127	117	8	10	262	14·0	358	21·4	13	50
West Penwith	10,677	9,529	77	72	5	3	157	14·7	188	19·7	17	108
CUMBERLAND.												
Total Urban Districts	221,778	197,934	2,311	2,149	175	134	4,769	21·5	3,490	17·6	447	94
Total Rural Districts	124,569	111,176	1,374	1,323	95	66	2,858	22·9	2,059	18·5	287	100
Urban Districts.												
Arlecdon and Frizington	5,332	4,759	62	77	1	7	147	27·6	72	15·1	9	61
Aspatria	3,745	3,342	32	40	1	1	74	19·8	43	12·9	9	122
Cleator Moor	8,955	7,992	116	120	8	6	250	27·9	132	16·5	29	116
Cockermouth	4,798	4,282	33	31	6	2	72	15·0	99	23·1	12	167
Egremont	7,123	6,357	109	99	6	1	215	30·2	145	22·8	19	88
Harrington	4,508	4,023	57	64	5	1	127	28·2	65	16·2	15	118
Holme Cultram	4,684	4,180	37	38	3	2	80	17·1	68	16·3	7	88
Keswick	3,917	3,496	22	15	4	2	43	11·0	69	19·7	7	163
Maryport	11,215	10,009	112	99	9	10	230	20·5	191	19·1	24	104
Millom	10,572	9,435	100	115	3	3	221	20·9	155	16·4	18	81
Penrith	8,563	7,642	58	62	9	5	134	15·6	132	17·3	5	37
Whitehaven, M.B.	19,823	17,693	229	233	17	6	485	24·5	398	22·5	55	113
Wigton	3,550	3,168	32	27	5	3	67	18·9	65	20·5	4	60
Workington, M.B.	27,784	24,798	375	303	18	17	713	25·7	425	17·1	74	104
Rural Districts.												
Alston with Garrigill	2,922	2,608	22	17	2	1	42	14·4	51	19·6	—	—
Bootle	6,102	5,446	41	55	4	2	102	16·7	86	15·8	3	29
Brampton	7,642	6,820	67	50	8	9	134	17·5	132	19·4	14	104
Carlisle	11,609	10,361	97	78	5	7	187	16·1	161	15·5	11	59
Cockermouth	23,153	20,664	260	247	19	14	540	23·3	347	16·8	57	106
Longtown	7,218	6,442	61	50	11	12	134	18·6	101	15·7	21	157
Penrith	12,454	11,115	92	79	7	5	183	14·7	161	14·5	11	60
Whitehaven	14,717	13,135	189	146	15	10	360	24·5	206	15·7	27	75
Wigton	11,392	10,167	108	104	9	8	229	20·1	186	18·3	16	70
DERBYSHIRE.												
Total Urban Districts	583,131	520,438	5,886	5,572	336	309	12,103	20·8	8,733	16·8	1,120	93
Total Rural Districts	303,606	270,965	2,940	2,832	184	155	6,111	20·1	4,591	16·9	580	95
Urban Districts.												
Alfreton	20,720	18,492	230	242	8	12	492	23·7	326	17·6	43	87
Alvaston and Boulton	1,645	1,468	15	12	2	—	29	17·6	19	12·9	1	34
Ashbourne	3,952	3,527	31	21	1	2	55	13·9	55	15·6	5	91
Bakewell	2,818	2,515	22	13	1	1	37	13·1	48	19·1	2	54
Baslow and Bubnell	820	732	4	3	—	—	7	8·5	5	6·8	—	—
Belper	12,107	10,805	123	123	4	4	254	21·0	176	16·3	33	130
Bolsover	11,688	10,431	131	140	10	4	285	24·4	180	17·3	28	98
Bonsall	1,120	1,000	5	10	2	2	19	17·0	21	21·0	1	53
Brampton and Walton	2,053	1,832	19	20	2	1	42	20·5	23	12·6	3	71
Buxton, M.B.	14,196	12,670	91	106	16	14	227	16·0	191	15·1	20	88

* The remainder of Holsworthy Rural District is in Devonshire; see page 25.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.		
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.	
			M.	F.	M.	F.							
DERBYSHIRE—cont.													
Chesterfield, M.B. ...	40,278	35,948	421	399	40	29	889	22·1	719	20·0	89	100	
Clay Cross ...	8,752	7,811	103	113	6	5	227	25·9	153	19·6	32	141	
Dronfield ...	4,576	4,084	56	40	2	3	101	22·1	82	20·1	11	109	
Glossop, M.B. ...	20,744	18,514	135	118	10	7	270	13·0	309	16·7	18	67	
Heage ...	4,338	3,872	46	48	1	—	95	21·9	42	10·8	8	84	
Heanor ...	21,852	19,503	259	198	7	10	474	21·7	317	16·3	43	91	
Ilkeston, M.B. ...	32,737	29,217	345	343	21	16	725	22·1	481	16·4	67	92	
Long Eaton ...	22,304	19,906	154	153	9	3	319	14·3	267	13·4	30	94	
Matlock ...	6,297	5,620	37	32	—	4	73	11·6	103	18·3	4	55	
Matlock Bath and Scarthin Nick.	1,674	1,494	9	8	1	1	19	11·4	20	13·4	2	105	
New Mills ...	8,290	7,399	50	54	8	4	116	14·0	117	15·8	7	60	
North Darley ...	3,022	2,697	24	17	3	1	45	14·9	52	19·3	4	89	
Ripley ...	14,156	12,634	122	135	1	3	261	18·4	169	13·4	19	73	
South Darley ...	748	668	9	4	—	—	13	17·4	9	13·5	1	77	
Swadlincote District ...	19,821	17,690	242	230	8	13	493	24·9	306	17·3	48	97	
Whittington and Newbold	19,383	17,299	222	230	16	13	481	24·8	328	19·0	58	121	
Wirksworth ...	3,515	3,137	35	20	5	3	63	17·9	73	23·3	3	48	
Rural Districts.													
Ashbourne ...	10,721	9,568	108	68	2	7	185	17·3	144	15·1	14	76	
Bakewell ...	19,441	17,351	147	151	5	8	311	16·0	342	19·7	30	96	
Belper ...	24,082	21,493	240	190	12	9	451	18·7	320	14·9	33	73	
Blackwell ...	41,634	37,158	559	509	28	36	1,132	27·2	621	16·7	126	111	
Chapel-en-le-Frith ...	14,466	12,911	110	103	12	5	230	15·9	197	15·3	16	70	
Chesterfield ...	76,677	68,434	965	938	54	49	2,006	26·2	1,210	17·7	188	94	
Clowne ...	17,833	15,916	219	189	10	9	427	23·9	245	15·4	33	77	
Glossop Dale ...	3,842	3,429	22	17	—	1	40	10·4	55	16·0	1	25	
Hartshorn and Seals ...	8,269	7,380	86	79	3	2	170	20·6	113	15·3	12	71	
Hayfield ...	4,126	3,682	22	23	1	1	47	11·4	66	17·9	7	149	
Norton ...	4,669	4,167	36	34	—	3	73	15·6	60	14·4	6	82	
Repton ...	15,003	13,390	140	122	9	5	276	18·4	227	17·0	27	98	
Shardlow ...	34,588	30,869	247	287	14	18	566	16·4	491	15·9	42	74	
Sudbury ...	2,680	2,392	31	20	2	1	54	20·1	26	10·9	3	56	
Codnor Park and Shipley Civil Parishes administered by Rural District Council of Basford (Nottinghamshire).	1,494	1,333	14	10	—	—	24	16·1	25	18·8	2	83	
DEVONSHIRE.													
Total Urban Districts ...	416,980	372,150	2,618	2,517	202	198	5,535	13·3	6,270	16·8	377	68	
Total Rural Districts ...	204,994	182,955	1,153	1,176	97	105	2,531	12·3	3,190	17·4	173	68	
Urban Districts.	211,986	189,195	1,465	1,341	105	93	3,004	14·2	3,080	15·3	204	68	
Ashburton ...	2,379	2,123	13	19	—	—	32	13·5	37	17·4	3	94	
Axminster ...	1,975	1,763	8	15	2	—	25	12·7	27	15·3	1	40	
Bampton ...	1,520	1,357	10	8	—	—	18	11·8	21	15·5	1	56	
Barnstaple, M.B. ...	14,614	13,042	78	65	10	13	166	11·4	227	17·4	9	54	
Bideford, M.B. ...	8,726	7,788	57	54	4	1	116	13·3	158	20·3	13	112	
Brixham ...	8,066	7,199	65	85	2	1	153	19·0	122	16·9	13	85	
Buckfastleigh ...	2,258	2,015	6	19	—	5	30	13·3	43	21·3	5	167	
Budleigh Salterton ...	2,616	2,335	12	10	—	—	22	8·4	35	15·0	1	45	
Crediton ...	3,503	3,126	16	27	1	2	46	13·1	61	19·5	4	87	
Dartmouth, M.B. ...	6,251	5,579	41	41	4	2	88	14·1	113	20·3	3	34	
Dawlish ...	4,198	3,747	22	24	1	1	48	11·4	56	14·9	2	42	
Exmouth ...	13,118	11,708	62	67	1	2	132	10·1	163	13·9	7	53	
Great Torrington, M.B....	3,033	2,707	19	20	1	4	44	14·5	47	17·4	—	—	
Holsworthy ...	1,389	1,240	10	4	3	1	18	13·0	17	13·7	—	—	
Honiton, M.B. ...	3,027	2,702	15	21	1	3	40	13·2	47	17·4	2	50	
Ilfracombe ...	9,360	8,354	39	54	3	8	104	11·1	117	14·0	2	19	
Ivybridge ...	1,553	1,386	7	6	—	1	14	9·0	31	22·4	3	214	
Kingsbridge ...	2,877	2,568	15	13	—	—	28	9·7	40	15·6	2	71	
Lynton ...	1,933	1,725	12	8	1	1	22	11·4	16	9·3	—	—	
Newton Abbot ...	12,925	11,535	100	87	5	7	199	15·4	188	16·3	20	101	
Northam ...	5,533	4,938	37	43	2	1	83	15·0	111	22·5	2	24	
Okehampton, M.B. ...	3,048	2,720	19	11	2	1	33	10·8	57	21·0	4	121	
Ottery St. Mary ...	3,544	3,163	20	21	2	1	44	12·4	59	18·7	5	114	
Paignton ...	13,393	11,953	78	68	9	7	162	12·1	207	17·3	11	68	
Salcombe ...	2,022	1,805	9	14	—	2	25	12·4	26	14·4	—	—	
Seaton ...	1,954	1,744	11	13	—	—	24	12·3	15	8·6	2	83	

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
DEVONSHIRE—cont.												
Sidmouth	5,343	4,769	29	24	—	2	55	10·3	85	17·8	2	36
South Molton, M.B. ...	2,704	2,413	16	20	6	1	43	15·9	47	19·5	3	70
Tavistock	4,147	3,701	25	22	1	2	50	12·1	65	17·6	3	60
Teignmouth	10,054	8,973	36	46	6	1	89	8·9	135	15·0	10	112
Tiverton, M.B.	9,782	8,730	63	50	1	3	117	12·0	117	13·4	5	43
Torquay, M.B.	34,410	30,710	179	174	29	30	412	12·0	622	20·3	31	75
Totnes, M.B.	3,739	3,337	24	23	—	2	49	13·1	78	23·4	4	82
Rural Districts.												
Axminster	9,488	8,468	73	62	—	5	140	14·8	132	15·6	5	36
Barnstaple	18,545	16,551	127	116	7	7	257	13·9	243	14·7	6	23
Bideford	6,024	5,376	49	52	2	1	104	17·3	91	16·9	8	77
Broadwood Widger ...	1,883	1,681	20	21	1	—	42	22·3	27	16·1	—	—
Crediton	10,347	9,235	67	57	4	3	131	12·7	156	16·9	11	84
Culmstock	2,891	2,580	24	16	—	—	40	13·8	43	16·7	4	100
Holsworthy (part of)* ...	7,079	6,318	58	50	2	—	110	15·5	109	17·3	8	73
Honiton	9,099	8,121	54	55	5	2	116	12·7	116	14·3	4	34
Kingsbridge	11,248	10,039	73	69	7	5	154	13·7	168	16·7	11	71
Newton Abbot	18,399	16,421	121	114	10	7	252	13·7	260	15·8	17	67
Okehampton	13,377	11,939	81	93	9	12	195	14·6	233	19·5	16	82
Plympton St. Mary ...	19,928	17,785	155	139	11	11	316	15·9	284	16·0	23	73
St. Thomas	24,623	21,975	151	148	12	13	324	13·2	344	15·7	21	65
South Molton	10,197	9,101	63	68	10	4	145	14·2	168	18·5	9	62
Tavistock	14,540	12,977	110	72	7	7	196	13·5	213	16·4	15	77
Tiverton	14,833	13,238	106	81	7	2	196	13·2	184	13·9	17	87
Torrington	8,130	7,256	65	58	4	6	133	16·4	148	20·4	18	135
Totnes	11,355	10,134	68	70	7	8	153	13·5	161	15·9	11	72
DORSETSHIRE.												
Total Urban Districts ...	220,939	197,186	1,700	1,536	155	138	3,529	16·0	3,007	15·2	222	63
Total Rural Districts ...	119,077	106,275	937	824	93	91	1,945	16·3	1,616	15·2	147	76
Total	101,862	90,911	763	712	62	47	1,584	15·6	1,391	15·3	75	47
Urban Districts.												
Blandford Forum, M.B....	3,789	3,382	37	27	5	3	72	19·0	64	18·9	8	111
Bridport, M.B.	5,947	5,308	34	27	1	1	63	10·6	107	20·2	2	32
Dorchester, M.B.	9,847	8,788	81	66	10	9	166	16·9	135	15·4	18	108
Lyme Regis, M.B.	2,374	2,119	10	7	—	1	18	7·6	35	16·5	1	56
Poole, M.B.	43,829	39,116	339	279	31	31	680	15·5	582	14·9	55	81
Portland	9,656	8,618	88	70	5	4	167	17·3	127	14·7	12	72
Shaftesbury, M.B.	1,640	1,464	7	5	2	3	17	10·4	22	15·0	1	59
Sherborne... ..	5,907	5,272	36	26	4	3	69	11·7	77	14·6	3	43
Swanage	5,115	4,565	61	36	5	3	105	20·5	60	13·1	7	67
Wareham, M.B.	2,169	1,936	21	23	2	2	48	22·1	39	20·1	6	125
Weymouth and Melcombe Regis, M.B.	24,931	22,250	199	233	28	26	486	19·5	311	14·0	32	66
Wimborne Minster	3,873	3,457	24	25	—	5	54	13·9	57	16·5	2	37
Rural Districts.												
Beaminster	8,284	7,393	67	75	7	3	152	18·3	113	15·3	7	46
Blandford	8,899	7,942	65	56	6	3	130	14·6	140	17·6	5	38
Bridport	6,883	6,143	40	40	—	1	81	11·8	99	16·1	5	62
Cerne	4,535	4,047	40	36	2	1	79	17·4	63	15·6	6	76
Dorchester	8,219	7,335	59	59	8	5	131	15·9	101	13·8	3	23
Poole	7,132	6,365	39	57	5	—	101	14·2	85	13·4	4	40
Shaftesbury	9,748	8,701	76	70	4	1	151	15·5	133	15·3	6	40
Sherborne	5,451	4,865	36	46	3	3	88	16·1	77	15·8	4	45
Sturminster	7,772	6,936	65	41	5	5	116	14·9	126	18·2	6	52
Wareham and Purbeck ...	11,130	9,934	86	75	7	10	178	16·0	123	12·4	9	51
Weymouth	8,987	8,021	83	74	8	11	176	19·6	116	14·5	8	45
Wimborne and Cranborne	14,822	13,229	107	83	7	4	201	13·6	215	16·3	12	60
DURHAM.												
Total Urban Districts ...	930,900	830,818	11,033	10,735	613	577	22,958	24·7	16,195	19·5	2,776	121
Total Rural Districts ...	504,186	449,980	6,038	5,808	316	285	12,447	24·7	9,126	20·3	1,488	120
Total	426,714	380,838	4,995	4,927	297	292	10,511	24·6	7,069	18·6	1,288	123
Urban Districts.												
Annfield Plain	16,642	14,853	216	178	11	7	412	24·8	248	16·7	38	92
Barnard Castle	4,398	3,925	31	17	4	5	57	13·0	84	21·4	5	88
Benfieldside	8,104	7,233	98	109	7	4	218	26·9	123	17·0	27	124
Bishop Auckland	13,517	12,064	110	153	7	11	281	20·8	271	22·5	35	125
Blaydon	33,987	30,333	429	419	22	15	885	26·0	532	17·5	121	137
Brandon and Byshottles...	18,729	16,715	218	236	13	8	475	25·4	281	16·8	45	95
Chester-le-Street	15,209	13,574	172	162	13	12	359	23·6	270	19·9	44	123
Consett	12,209	10,896	137	121	7	8	273	22·4	210	19·3	32	117

* The remainder of Holsworthy Rural District is in Cornwall; see page 23.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
DURHAM—cont.												
Crook	12,874	11,490	162	144	7	5	318	24·7	270	23·5	44	138
Durham, M.B.	15,489	13,824	137	115	17	9	278	17·9	332	24·0	43	155
Felling	27,265	24,334	332	271	24	14	641	23·5	495	20·3	85	133
Hartlepool, M.B....	20,459	18,259	253	268	12	12	545	26·6	504	27·6	90	165
Hebburn	24,379	21,758	385	339	15	12	751	30·8	533	24·5	94	125
Hetton	16,165	14,427	229	186	8	5	428	26·5	287	19·9	51	119
Houghton-le-Spring ...	9,631	8,596	128	117	7	8	260	27·0	165	19·2	26	100
Jarrow, M.B.	38,204	34,097	486	537	18	19	1,060	27·7	746	21·9	124	117
Leadgate	5,216	4,655	60	72	2	4	138	26·5	82	17·6	11	80
Ryton	14,344	12,802	174	151	10	5	340	23·7	234	18·3	35	103
Seaham Harbour...	16,134	14,399	210	216	8	19	453	28·1	276	19·2	47	104
Shildon	14,535	12,972	158	161	9	7	335	23·0	252	19·4	34	101
Southwick on Wear ...	14,462	12,907	187	178	14	11	390	27·0	294	22·8	47	121
Spennymoor	18,028	16,090	217	214	15	5	451	25·0	373	23·2	69	153
Stanhope	2,026	1,808	21	26	—	—	47	23·2	33	18·3	4	85
Stanley	24,394	21,771	282	272	18	16	588	24·1	382	17·5	87	148
Stockton on Tees, M.B....	63,931	57,057	724	681	31	35	1,471	23·0	1,214	21·3	154	105
Tanfield	10,448	9,325	122	123	3	6	254	24·3	151	16·2	28	110
Tow Law	3,929	3,507	39	49	3	1	92	23·4	51	14·5	6	65
Whickham	20,194	18,023	218	207	8	13	446	22·1	280	15·5	36	81
Willington	9,284	8,286	103	86	3	9	201	21·7	153	18·5	26	129
Rural Districts.												
Auckland	62,164	55,481	718	689	46	47	1,500	24·1	1,063	19·2	190	127
Barnard Castle	11,139	9,941	104	105	11	9	229	20·6	188	18·9	26	114
Chester-le-Street ...	76,006	67,835	901	889	50	60	1,900	25·0	1,179	17·4	234	123
Darlington	9,144	8,161	90	71	5	2	168	18·4	167	20·5	14	83
Durham	30,850	27,533	354	364	19	17	754	24·4	475	17·3	85	113
Easington... ..	72,261	64,492	950	978	55	58	2,041	28·2	1,220	18·9	267	131
Hartlepool	2,559	2,284	31	17	2	1	51	19·9	60	26·3	6	118
Houghton le-Spring ...	26,552	23,697	315	329	20	18	682	25·7	405	17·1	77	113
Lanchester	33,030	29,479	400	345	23	18	786	23·8	554	18·8	105	134
Sedgefield	34,450	30,746	436	451	25	18	930	27·0	590	19·2	122	131
South Shields	16,865	15,052	185	148	11	13	357	21·2	324	21·5	55	154
Stockton	12,287	10,966	113	126	5	7	251	20·4	220	20·1	29	116
Sunderland	30,075	26,842	325	336	22	17	700	23·3	505	18·8	71	101
Weardale	9,332	8,329	73	79	3	7	162	17·4	119	14·3	7	43
ELY, ISLE OF.												
Total Urban Districts ...	71,417	63,739	610	574	46	50	1,280	17·9	1,057	16·6	130	102
Total Rural Districts ...	36,164	32,276	309	258	28	33	628	17·4	555	17·2	54	86
Urban Districts.												
Chatteris	5,373	4,795	41	46	3	1	91	16·9	92	19·2	4	44
Ely	7,764	6,929	68	43	6	4	121	15·6	96	13·9	12	99
March	8,902	7,945	76	69	5	6	156	17·5	99	12·5	7	45
Whittlesey	4,203	3,751	30	26	4	7	67	15·9	79	21·1	5	75
Wisbech, M.B.	9,922	8,856	94	74	10	15	193	19·5	189	21·3	26	135
Rural Districts.												
Ely	13,198	11,779	98	111	8	3	220	16·7	184	15·6	23	105
North Witchford ...	5,182	4,625	47	41	1	1	90	17·4	66	14·3	12	133
Thorney	2,309	2,061	30	22	1	4	57	24·7	45	21·8	13	228
Whittlesey	3,555	3,173	26	36	1	4	67	18·8	48	15·1	7	104
Wisbech	11,009	9,825	100	106	7	5	218	19·8	159	16·2	21	96
ESSEX.												
Total Urban Districts ...	869,002	775,574	6,506	6,272	398	368	13,544	15·6	11,777	15·2	958	71
Total Rural Districts ...	615,153	549,017	4,644	4,487	251	242	9,624	15·6	8,379	15·3	730	76
Urban Districts.												
Barking Town	253,849	226,557	1,862	1,785	147	126	3,920	15·4	3,398	15·0	228	58
Braintree	35,383	31,579	342	353	21	12	728	20·6	542	17·2	60	82
Brentwood	7,923	7,071	60	51	1	3	115	14·5	93	13·2	8	78
Brightlingsea	6,212	5,544	43	33	11	5	92	14·8	88	15·9	5	54
Buckhurst Hill	4,728	4,220	39	50	6	4	99	20·9	57	13·5	5	51
Burnham on Crouch ...	4,988	4,452	38	33	—	2	73	14·6	71	15·9	6	82
Chelmsford, M.B. ...	3,016	2,692	17	14	1	2	34	11·3	45	16·7	1	29
Chingford... ..	21,741	19,404	169	172	12	15	368	16·9	239	12·3	26	71
Clacton	9,215	8,224	69	66	6	4	145	15·7	113	13·7	8	55
Colchester, M.B....	9,484	8,464	71	50	9	7	137	14·4	153	18·1	15	109
Epping	42,491	37,923	342	337	22	29	730	17·2	584	15·4	41	56
Frinton on Sea	4,243	3,787	30	26	3	1	60	14·1	70	18·5	6	100
...	2,255	2,013	14	13	1	—	28	12·4	22	10·9	—	—

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
Essex—cont												
Grays Thurrock ...	15,448	13,787	145	135	10	8	298	19·3	243	17·6	20	67
Halstead ...	6,059	5,408	32	41	2	3	78	12·9	98	18·1	4	51
Harwich, M.B. ...	12,455	11,116	157	149	6	8	320	25·7	184	16·6	24	75
Ilford ...	81,598	72,825	498	510	26	19	1,053	12·9	947	13·0	73	69
Leyton ...	121,037	108,024	852	863	42	34	1,791	14·8	1,729	16·0	161	90
Loughton ...	6,212	5,544	42	38	2	2	84	13·5	85	15·3	8	95
Maldon, M.B. ...	5,804	5,180	34	36	4	3	77	13·3	99	19·1	4	52
Romford ...	18,684	16,675	138	143	10	13	304	16·3	243	14·6	20	66
Saffron Walden, M.B. ...	5,707	5,093	38	30	2	2	72	12·6	91	17·9	5	69
Shoeburyness ...	4,639	4,140	41	48	1	1	91	19·6	53	12·8	2	22
Tilbury ...	7,059	6,300	86	81	1	3	171	24·2	132	21·0	16	94
Waltham Holy Cross ...	7,280	6,497	56	61	2	2	121	16·6	107	16·5	12	99
Walthamstow ...	127,701	113,973	1,015	941	35	43	2,034	15·9	1,789	15·7	169	83
Walton on the Naze ...	2,298	2,051	21	8	2	5	36	15·7	26	12·7	3	83
Wanstead... ..	15,551	13,879	79	58	1	3	141	9·1	156	11·2	6	43
Witham ...	3,541	3,160	25	20	4	1	50	14·1	63	19·9	8	160
Wivenhoe ...	2,471	2,205	18	21	—	2	41	16·6	43	19·5	2	49
Woodford... ..	19,930	17,787	133	106	8	6	253	12·7	214	12·0	12	47
Rural Districts.												
Belchamp ...	4,146	3,700	30	22	—	3	55	13·3	74	20·0	—	—
Billericay ...	20,828	18,589	124	131	11	3	269	12·9	260	14·0	11	41
Braintree ...	19,209	17,144	103	128	8	11	250	13·0	218	12·7	13	52
Bumpstead ...	2,276	2,031	15	21	4	—	40	17·6	33	16·2	2	50
Chelmsford ...	22,726	20,283	174	181	17	11	383	16·9	293	14·4	22	57
Dunmow ...	15,167	13,536	116	99	14	10	239	15·8	199	14·7	14	59
Epping ...	13,553	12,096	99	80	3	8	190	14·0	195	16·1	14	74
Halstead ...	9,701	8,658	67	62	9	4	142	14·6	165	19·1	8	56
Lexden and Winstree ...	18,177	16,223	144	131	14	6	295	16·2	237	14·6	14	47
Maldon ...	15,907	14,197	113	101	6	9	229	14·4	217	15·3	12	52
Ongar ...	9,716	8,671	75	71	7	6	159	16·4	154	17·8	13	82
Orsett ...	19,868	17,732	151	144	12	13	320	16·1	249	14·0	30	94
Rochford ...	18,866	16,838	155	149	13	7	324	17·2	248	14·7	11	34
Romford ...	26,585	23,727	220	211	12	14	457	17·2	367	15·5	22	48
Saffron Walden ...	10,324	9,214	76	55	2	2	135	13·1	127	13·8	6	44
Stansted ...	6,843	6,107	42	43	2	1	88	12·9	80	13·1	6	68
Tendring ...	19,957	17,811	158	156	13	18	345	17·3	282	15·8	30	87
GLOUCESTERSHIRE.												
Total Urban Districts ...	328,540†	293,218†	2,348	2,324	171	158	5,001	15·2	4,699	16·0	348	70
Total Rural Districts ...	100,430	89,633	644	602	53	44	1,343	13·4	1,545	17·2	83	62
	228,110†	203,585†	1,704	1,722	118	114	3,658	16·0	3,154	15·5	265	72
Urban Districts.												
Awre ...	1,078	962	9	13	—	—	22	20·4	12	12·5	1	45
Charlton Kings ...	4,546	4,057	32	21	—	—	53	11·7	75	18·5	2	38
Cheltenham, M.B. ...	47,726	42,595	270	242	23	25	560	11·7	780	18·3	40	71
Cirencester ...	7,328	6,540	49	62	5	3	119	16·2	107	16·4	5	42
Coleford ...	2,586	2,308	29	23	1	4	57	22·0	36	15·6	4	70
Kingswood ...	15,543	13,872	113	107	4	2	226	14·5	184	13·3	14	62
Nailsworth ...	2,993	2,671	15	16	3	1	35	11·7	34	12·7	3	86
Newnham ...	1,127	1,006	6	6	3	—	15	13·3	21	20·9	3	200
Stow on the Wold ...	1,204	1,075	10	4	1	1	16	13·3	22	20·5	—	—
Stroud ...	8,361	7,462	53	56	9	3	121	14·5	130	17·4	2	17
Tetbury ...	1,672	1,492	18	8	—	—	26	15·6	42	28·2	1	38
Tewkesbury, M.B. ...	4,701	4,196	26	31	3	3	63	13·4	79	18·8	6	95
Westbury on Severn ...	1,565	1,397	14	13	1	2	30	19·2	23	16·5	2	67
Rural Districts.												
Campden ...	5,400	4,819	29	36	5	5	75	13·9	83	17·2	4	53
Cheltenham ...	5,404	4,823	34	33	1	3	71	13·1	69	14·3	1	14
Chipping Sodbury ...	21,536	19,221	132	161	16	4	313	14·5	274	14·3	21	67
Cirencester ...	11,727	10,466	87	95	8	5	195	16·6	135	12·9	6	31
Dursley ...	12,451	11,112	86	87	4	3	180	14·5	164	14·8	10	56
East Dean and United Parishes.	20,835	18,595	245	218	18	23	504	24·2	288	15·5	30	60
Faringdon (part of)* ...	1,042	930	5	4	1	—	10	9·6	11	11·8	1	100
Gloucester ...	12,275	10,955	72	87	6	5	170	13·8	155	14·1	13	76
Lydney ...	9,523	8,499	90	84	3	7	184	19·3	125	14·7	14	76
Marston Sica ...	1,606	1,433	12	8	—	1	21	13·1	20	14·0	2	95
Newent ...	6,479	5,782	46	39	2	5	92	14·2	121	20·9	9	98
Northleach ...	8,231	7,346	52	60	4	3	119	14·5	102	13·9	6	50
Pebworth... ..	3,254	2,904	17	21	2	1	41	12·6	37	12·7	1	24

* The remainder of Faringdon Rural District is in Berkshire; see page 21.

† Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
GLOUCESTERSHIRE—cont.												
Stow on the Wold (part of)*	6,637	5,923	56	44	3	3	106	16·0	86	14·5	9	85
Stroud ...	28,728	25,640	163	160	6	15	344	12·0	426	16·6	29	84
Tetbury (part of)†	3,941	3,518	32	20	2	2	56	14·2	44	12·5	4	71
Tewkesbury (part of)*	4,855	4,333	24	25	3	4	56	11·5	76	17·5	2	36
Thornbury ...	17,949‡	16,020‡	124	146	11	6	287	16·0	252	15·7	29	101
Warmley ...	16,194	14,453	136	149	7	2	294	18·2	282	19·5	37	126
West Dean ...	15,363	13,711	166	152	4	6	328	21·3	163	11·9	22	67
Wheatenhurst ...	5,710	5,096	44	36	6	4	90	15·8	103	20·2	5	56
Winchcomb (part of)*	8,970	8,006	52	57	6	7	122	13·6	138	17·2	10	82
HEREFORDSHIRE.												
Total Urban Districts ...	115,540	103,118	839	780	84	89	1,792	15·5	1,752	17·0	156	87
Total Rural Districts ...	43,672	38,977	285	277	44	41	647	14·8	640	16·4	60	93
Urban Districts.	71,868	64,141	554	503	40	48	1,145	15·9	1,112	17·3	96	84
Bromyard... ..	1,630	1,455	13	9	1	4	27	16·6	41	28·2	3	111
Hereford, M.B. ...	27,129	24,212	166	169	28	29	392	14·4	350	14·5	36	92
Kington	1,621	1,447	12	11	1	2	26	16·0	33	22·8	3	115
Ledbury	2,956	2,638	21	19	2	3	45	15·2	69	26·2	1	22
Leominster, M.B. ...	5,480	4,891	41	41	9	1	92	16·8	75	15·3	8	87
Ross	4,856	4,334	32	28	3	2	65	13·4	72	16·6	9	138
Rural Districts.												
Bredwardine ...	1,920	1,714	13	16	—	—	29	15·1	30	17·5	3	103
Bromyard... ..	7,424	6,626	57	49	5	5	116	15·6	101	15·2	4	34
Dore	6,179	5,515	55	49	2	3	109	17·6	125	22·7	17	156
Hereford	13,053	11,649	102	88	5	15	210	16·1	187	16·1	18	86
Kington	4,890	4,364	43	36	6	2	87	17·8	94	21·5	9	103
Ledbury	8,917	7,958	58	57	4	5	124	13·9	150	18·8	12	97
Leominster	7,795	6,957	64	50	6	7	127	16·3	122	17·5	9	71
Ross	10,440	9,317	74	73	2	7	156	14·9	137	14·7	10	64
Weobley	6,429	5,738	46	55	4	3	108	16·8	97	16·9	9	83
Whitechurch ...	1,386	1,237	16	10	2	—	28	20·2	21	17·0	2	71
Wigmore	3,435	3,066	26	20	4	1	51	14·8	48	15·7	3	59
HERTFORDSHIRE.												
Total Urban Districts ...	334,942	298,932	2,267	2,079	158	147	4,651	13·9	4,299	14·4	286	61
Total Rural Districts ...	225,810	201,533	1,501	1,404	116	99	3,120	13·8	2,883	14·3	209	67
Urban Districts.	109,132	97,399	766	675	42	48	1,531	14·0	1,416	14·5	77	50
Baldock	3,005	2,682	31	18	1	3	53	17·6	51	19·0	8	151
Barnet	11,980	10,692	57	61	4	3	125	10·4	154	14·4	11	88
Bishop's Stortford ...	8,399	7,496	61	48	6	1	116	13·8	118	15·7	9	78
Bushey	8,173	7,294	55	42	5	3	105	12·8	84	11·5	4	38
Cheshunt	14,882	13,282	115	109	8	7	239	16·1	199	15·0	16	67
Chorleywood	2,534	2,262	13	12	1	—	26	10·3	21	9·3	—	—
East Barnet Valley ...	13,972	12,470	77	72	8	2	159	11·4	164	13·2	10	63
Great Berkhamstead ...	7,525	6,716	55	53	5	5	118	15·7	90	13·4	7	59
Harpenden	6,130	5,471	49	35	1	6	91	14·8	74	13·5	2	22
Hemel Hempstead, M.B.	13,689	12,217	111	97	6	7	221	16·1	201	16·5	11	50
Hertford, M.B.	9,946	8,877	63	79	6	3	151	15·2	152	17·1	20	132
Hitchin	13,711	12,237	93	100	12	12	217	15·8	169	13·8	11	51
Hoddesdon	5,687	5,076	45	46	4	—	95	16·7	90	17·7	8	84
Rickmansworth	7,838	6,995	73	46	2	4	125	15·9	92	13·2	6	48
Royston	3,897	3,478	12	29	1	—	42	10·8	44	12·7	1	24
St. Albans, M.B....	26,103	23,297	164	168	23	20	375	14·4	360	15·5	30	80
Sawbridgeworth	2,314	2,065	15	18	1	6	40	17·3	49	23·7	3	75
Stevenage... ..	5,155	4,601	40	36	4	2	82	15·9	54	11·7	5	61
Tring	4,528	4,041	26	30	2	2	60	13·3	54	13·4	1	17
Ware	5,840	5,212	35	43	2	4	84	14·4	86	16·5	5	60
Watford	50,502	45,072	311	262	14	9	596	11·8	577	12·8	41	69
Rural Districts.												
Ashwell	3,787	3,380	23	27	1	3	54	14·3	51	15·1	2	37
Barnet	4,361	3,892	34	35	—	4	73	16·7	49	12·6	4	55
Berkhamstead	5,025	4,485	30	23	1	2	56	11·1	69	15·4	1	18
Buntingford	4,901	4,374	33	26	6	2	67	13·7	64	14·6	—	—
Hadham	5,501	4,910	37	34	4	2	77	14·0	74	15·1	2	26
Hatfield	8,552	7,633	46	45	4	1	96	11·2	116	15·2	6	63
Hemel Hempstead ...	6,838	6,103	43	35	—	1	79	11·6	90	14·7	4	51
Hertford	7,344	6,554	60	47	3	5	115	15·7	107	16·3	12	104
Hitchin	24,932	22,251	207	169	13	10	399	16·0	289	13·0	23	58

* The remaining parts of Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Worcestershire; see page 44.

† The remainder of Tetbury Rural District is in Wiltshire; see page 43.

‡ Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
HERTFORDSHIRE—cont.												
St. Albans	11,523	10,284	84	71	4	7	166	14·4	164	15·9	12	72
Ware	10,938	9,762	86	74	2	6	168	15·4	156	16·0	7	42
Watford	12,947	11,555	71	76	4	4	155	12·0	167	14·5	4	26
Welwyn	2,483	2,216	12	13	—	1	26	10·5	20	9·0	—	—
HUNTINGDONSHIRE.												
Total Urban Districts ...	56,829	50,719	419	388	44	38	889	15·6	831	16·4	70	79
Total Rural Districts ...	25,411	22,679	194	168	23	15	400	15·7	355	15·7	38	95
Urban Districts.	31,418	28,040	225	220	21	23	489	15·6	476	17·0	32	65
Godmanchester, M.B. ...	2,150	1,919	10	16	4	1	31	14·4	34	17·7	3	97
Huntingdon, M.B. ...	4,578	4,086	29	23	4	2	58	12·7	70	17·1	8	138
Old Fletton	5,717	5,102	54	44	5	4	107	18·7	66	12·9	10	93
Ramsey	5,544	4,948	42	39	6	7	94	17·0	85	17·2	9	96
St. Ives, M.B.	3,008	2,685	22	21	3	—	46	15·3	53	19·7	3	65
St. Neots	4,414	3,939	37	25	1	1	64	14·5	47	11·9	5	78
Rural Districts.												
Huntingdon	6,903	6,161	48	50	3	4	105	15·2	118	19·2	11	105
Norman Cross	5,611	5,008	39	33	4	7	83	14·8	73	14·6	3	36
Oundle (part of)* ...	1,069	954	12	3	1	—	16	15·0	13	13·6	—	—
St. Ives	9,748	8,699	69	79	9	8	165	16·9	146	16·8	12	73
St. Neots—												
No. 1	2,243	2,002	23	16	1	2	42	18·7	34	17·0	1	24
No. 2	348	311	2	—	—	—	2	5·7	5	16·1	—	—
No. 3	2,311	2,062	12	12	—	1	25	10·8	36	17·5	2	80
No. 4	1,901	1,697	10	15	1	1	27	14·2	27	15·9	1	37
Thrapston (part of)* ...	830	741	8	6	2	—	16	19·3	20	27·0	2	125
Civil Parish of Sibson cum Stibbington administered by Rural District Council of Barnack (Soke of Peterborough).	454	405	2	6	—	—	8	17·6	4	9·9	—	—
KENT.												
Total Urban Districts ...	1,022,438	912,515	8,246	7,879	735	704	17,564	17·2	14,705	16·1	1,336	76
Total Rural Districts ...	708,615	632,431	5,677	5,440	521	500	12,138	17·1	10,322	16·3	966	80
Urban Districts.	313,823	280,084	2,569	2,439	214	204	5,426	17·3	4,383	15·6	370	68
Ashford	14,792	13,202	124	122	13	16	275	18·6	223	16·9	19	69
Beckenham	32,970	29,425	153	186	15	22	376	11·4	496	13·8	35	93
Bexley	23,951	21,376	228	234	13	15	490	20·5	272	12·7	36	73
Broadstairs and St. Peter's	7,227	6,450	28	38	4	8	78	10·8	107	16·6	7	90
Bromley, M.B.	35,375	31,572	234	184	27	20	465	13·1	420	13·3	40	86
Chatham, M.B.	42,207	37,669	397	404	24	21	846	20·0	762	20·2	72	85
Cheriton	4,743	4,233	56	63	7	9	135	28·5	69	16·3	12	89
Chislehurst	9,212	8,222	60	49	3	4	116	12·6	109	13·3	5	43
Dartford	24,583	21,940	196	175	20	14	405	16·5	381	17·4	29	72
Deal, M.B.	11,254	10,044	115	114	15	19	263	23·4	165	16·4	12	46
Dover, M.B.	38,706	34,545	366	348	47	32	793	20·5	523	15·1	43	54
Erith	36,701	32,755	312	320	16	12	660	18·0	435	13·3	50	76
Faversham, M.B.	12,094	10,794	107	91	12	7	217	17·9	168	15·6	17	78
Folkestone, M.B.† ...	32,122	28,669	271	258	42	24	595	18·5	461	16·1	41	69
Foots Cray	9,866	8,805	58	69	4	4	135	13·7	102	11·6	5	37
Gillingham, M.B.	48,353	43,154	512	435	14	22	983	20·3	669	15·5	71	72
Gravesend, M.B.	31,168	27,817	226	250	21	11	508	16·3	438	15·7	41	81
Herne Bay	7,147	6,379	48	53	6	18	125	17·5	115	18·0	13	104
Hythe, M.B.	7,202	6,428	60	65	5	6	136	18·9	88	13·7	11	81
Lydd, M.B.	2,707	2,416	21	20	—	3	44	16·3	23	9·5	5	114
Maidstone, M.B.	34,323	30,633	282	224	28	30	564	16·4	577	18·8	45	80
Margate, M.B.	19,214	17,148	111	72	20	19	222	11·6	314	18·3	26	117
Milton Regis	7,101	6,338	60	58	4	6	128	18·0	95	15·0	12	94
New Romney, M.B. ...	1,545	1,379	17	11	—	—	28	18·1	30	21·8	3	107
Northfleet... ..	15,114	13,489	135	141	4	10	290	19·2	284	21·1	26	90
Penge	25,365	22,638	199	185	22	17	423	16·7	340	15·0	30	71
Queenborough, M.B. ...	3,273	2,921	45	35	1	2	83	25·4	33	11·3	7	84
Ramsgate, M.B.	21,830	19,483	142	150	23	21	336	15·4	408	20·9	39	116
Rochester, M.B.	31,727	28,316	276	296	11	20	603	19·0	471	16·6	53	88
Sandgate ‡	2,045	1,825	29	29	3	2	63	30·8	21	11·5	4	63
Sandwich, M.B.	3,748	3,345	29	31	10	4	74	19·7	60	17·9	10	135
Sevenoaks... ..	9,344	8,339	56	53	10	9	128	13·7	126	15·1	4	31
Sheerness	15,930	14,271	132	146	8	7	293	18·3	264	18·5	31	106
Sittingbourne	8,756	7,815	86	72	7	13	178	20·3	138	17·7	20	112
Southborough	6,950	6,203	50	3	5	6	96	13·8	129	20·8	9	94
Tenterden, M.B.	3,336	2,977	26	16	1	1	44	13·2	69	23·2	3	68
Tonbridge	14,184	12,659	103	109	15	14	241	17·0	225	17·8	26	108

* The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire: see page 36.
 † Excluding Civil Parish of Folkestone next Sandgate. ‡ Including Civil Parish of Folkestone next Sandgate.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates, (Total.)	For Death-rates, (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
KENT—cont.												
Tunbridge Wells, M.B. ...	36,188	32,297	197	176	35	23	431	11·9	544	16·8	44	102
Walmer	3,845	3,432	32	37	—	2	71	18·5	46	13·4	1	14
Whitstable	8,211	7,328	70	58	4	4	136	16·6	153	20·9	5	37
Wrotham	4,146	3,700	28	28	2	3	61	14·7	59	15·9	4	66
Rural Districts.												
Blean	7,280	6,497	58	46	5	7	116	15·9	98	15·1	6	52
Bridge	10,302	9,194	101	86	7	7	201	19·5	175	19·0	14	70
Bromley	22,963	20,494	185	179	22	21	407	17·7	312	15·2	31	76
Cranbrook	12,436	11,099	81	65	7	1	154	12·4	193	17·4	9	58
Dartford	45,956	41,016	445	443	25	27	940	20·5	664	16·2	67	71
Dover	7,265	6,484	71	79	5	4	159	21·9	104	16·0	13	82
East Ashford	14,528	12,966	109	116	8	10	243	16·7	184	14·2	18	74
Eastry	13,653	12,185	136	104	14	6	260	19·0	165	13·5	17	65
Elham	7,680	6,854	46	52	3	7	108	14·1	110	16·0	5	46
Faversham	14,653	13,078	136	156	9	8	309	21·1	191	14·6	22	71
Hollingbourne	12,626	11,269	87	71	6	10	174	13·8	176	15·6	13	75
Hoo	4,578	4,086	53	34	2	1	90	19·7	66	16·2	11	122
Isle of Thanet	8,726	7,788	76	53	11	11	151	17·3	119	15·3	8	53
Maidstone... ..	16,271	14,522	115	115	8	5	243	14·9	257	17·7	14	58
Malling	23,528	20,999	176	188	29	20	413	17·6	354	16·9	25	61
Milton	13,187	11,769	105	101	10	8	224	17·0	179	15·2	14	63
Romney Marsh	2,866	2,558	22	20	3	2	47	16·4	39	15·2	5	106
Sevenoaks... ..	24,077	21,489	168	148	17	19	352	14·6	283	13·2	22	63
Sheppey	4,164	3,716	43	36	—	1	80	19·2	34	9·1	4	50
Strood	16,109	14,377	129	146	2	8	285	17·7	232	16·1	17	60
Tenterden	5,998	5,353	39	26	3	4	72	12·0	86	16·1	6	83
Tonbridge	17,326	15,463	133	119	15	12	279	16·1	240	15·5	18	65
West Ashford	7,651	6,828	55	56	3	5	119	15·6	122	17·9	11	92
LANCASHIRE.												
Total Urban Districts ...	1,723,881†	1,538,545†	13,456	12,749	803	728	27,736	16·1	26,563	17·3	2,779	100
Total Rural Districts ...	1,488,387†	1,328,369†	11,624	10,958	711	660	23,953	16·1	23,114	17·4	2,435	102
Urban Districts.	235,494†	210,176†	1,832	1,791	92	68	3,783	16·1	3,449	16·4	344	91
Abram	6,626	5,914	75	82	—	3	160	24·1	96	16·2	18	113
Accrington, M.B. ...	44,669	39,866	310	271	13	17	611	13·7	601	15·1	57	93
Adlington	4,235	3,780	35	37	1	—	73	17·2	50	13·2	5	68
Ashton in Makerfield ...	22,921	20,457	278	264	6	7	555	24·2	362	17·7	59	106
Ashton under Lyne, M.B.	44,458	39,677	332	331	36	28	727	16·4	796	20·1	88	121
Aspull	8,026	7,163	87	71	4	6	168	20·9	169	23·6	25	149
Atherton	19,829	17,697	174	193	8	9	384	19·4	318	18·0	53	138
Audenshaw	8,179	7,300	73	50	5	4	132	16·1	104	14·2	14	106
Bacup, M.B.	21,061	18,797	126	130	9	13	278	13·2	385	20·5	41	147
Barrowford	5,525	4,931	21	25	2	3	51	9·2	74	15·0	3	59
Billinge	4,898	4,371	52	68	1	—	121	24·7	77	17·6	11	91
Bispham with Norbreck*	665†	594†	2	1	—	1	4	6·0	6	10·1	—	—
Blackrod	3,787	3,380	36	38	3	1	78	20·6	70	20·7	10	128
Brierfield	7,676	6,851	39	43	3	5	90	11·7	113	16·5	5	56
Carnforth	3,305	2,950	28	28	4	1	61	18·5	48	16·3	4	66
Chadderton	28,107	25,085	221	190	18	14	443	15·8	517	20·6	52	117
Chorley, M.B.	34,404	30,705	232	193	13	14	452	13·1	572	18·6	49	108
Church	6,745	6,020	49	48	2	4	103	15·3	95	15·8	12	117
Clayton le Moors	9,342	8,338	75	56	2	2	135	14·5	125	15·0	19	141
Clitheroe, M.B. ...	12,127	10,823	77	65	11	9	162	13·4	184	17·0	14	86
Colne, M.B.	23,884	21,316	135	124	11	14	284	11·9	355	16·7	26	92
Crompton	14,965	13,356	88	87	11	6	192	12·8	280	21·0	32	167
Croston	1,990	1,776	10	9	—	—	19	9·5	31	17·5	—	—
Dalton in Furness ...	15,263	13,622	172	184	18	10	384	25·2	278	20·4	48	125
Darwen, M.B.	36,814	32,856	175	162	9	7	353	9·6	692	21·1	26	74
Denton	17,328	15,465	127	114	6	4	251	14·5	254	16·4	17	68
Droylsden	14,260	12,727	114	114	6	5	239	16·8	214	16·8	16	67
Eccles, M.B.	44,452	39,673	323	321	21	9	674	15·2	601	15·1	53	79
Failsworth	17,093	15,255	122	104	7	7	240	14·0	261	17·1	23	96
Farnworth	26,844	23,958	260	235	14	11	520	19·4	411	17·2	59	113
Fleetwood	16,858	15,046	157	146	16	4	323	19·2	265	17·6	31	96
Formby	5,923	5,286	38	33	4	1	76	12·8	79	14·9	2	26
Fulwood	5,215	4,654	30	35	2	—	67	12·8	121	26·0	3	45
Golborne	7,117	6,352	76	55	6	3	140	19·7	90	14·2	12	86
Grange	2,130	1,901	7	9	2	1	19	8·9	40	21·0	3	158
Great Crosby	14,091	12,576	117	95	6	6	224	15·9	163	13·0	18	80

* Abolished on 1st April, 1918. † Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M	F.						
LANCASHIRE—cont.												
Great Harwood ...	13,484	12,034	84	64	3	6	157	11·6	196	16·3	20	127
Haslingden, M.B. ...	17,326	15,463	98	95	2	1	196	11·3	238	15·4	14	71
Haydock ...	9,631	8,596	140	136	3	7	286	29·7	169	19·7	44	154
Heysham ...	4,083	3,644	24	19	3	2	48	11·8	70	19·2	5	104
Heywood, M.B. ...	24,602	21,957	174	149	18	15	356	14·5	503	22·9	40	112
Hindley ...	24,678	22,025	291	245	9	20	565	22·9	404	18·3	73	129
Horwich ...	16,117	14,384	114	134	4	3	255	15·8	218	15·2	25	98
Hurst ...	8,392	7,490	66	63	3	3	135	16·1	131	17·5	17	126
Huyton with Roby ...	4,712	4,205	45	28	3	4	80	17·0	78	18·5	11	138
Ince in Makerfield ...	23,057	20,578	286	269	10	19	584	25·3	422	20·5	65	111
Irlam ...	9,524	8,500	102	111	1	2	216	22·7	117	13·8	12	56
Kearsley ...	9,711	8,667	83	83	7	6	179	18·4	152	17·5	22	123
Kirkham ...	3,673	3,278	29	27	5	7	68	18·5	57	17·4	4	59
Lancaster, M.B. ...	44,396	39,623	323	289	46	36	694	15·6	682	17·2	96	138
Lathom and Burscough ...	7,665	6,841	65	59	10	4	138	18·0	153	22·4	20	145
Lees ...	4,766	4,254	34	40	1	3	78	16·4	109	25·6	15	192
Leigh, M.B. ...	46,281	41,304	456	440	23	20	939	20·3	739	17·9	135	144
Leyland ...	9,333	8,330	85	81	2	4	172	18·4	130	15·6	13	76
Litherland ...	15,295	13,651	192	179	12	13	396	25·9	266	19·5	26	66
Littleborough ...	11,731	10,470	63	75	4	8	150	12·8	212	20·2	14	93
Little Crosby ...	939	838	7	9	—	—	16	17·0	15	17·9	2	125
Little Hulton ...	8,593	7,669	74	75	1	3	153	17·8	118	15·4	15	98
Little Lever ...	4,896	4,370	35	32	1	—	68	13·9	71	16·2	8	118
Longridge ...	4,303	3,840	25	26	—	4	55	12·8	62	16·1	7	127
Lytham ...	10,164	9,071	49	49	5	1	104	10·2	118	13·0	2	19
Middleton, M.B. ...	28,500	25,436	184	165	13	10	372	13·1	440	17·3	30	81
Milnrow ...	8,356	7,458	49	44	3	4	100	12·0	160	21·5	11	110
Morecambe, M.B. ...	17,331	15,468	114	98	11	10	233	13·4	220	14·2	14	60
Mossley, M.B. ...	12,666	11,304	84	77	7	8	176	13·9	169	15·0	12	68
Nelson, M.B. ...	38,309	34,190	178	177	15	12	382	10·0	512	15·0	43	113
Newton in Makerfield ...	18,931	16,896	179	192	6	8	385	20·3	265	15·7	24	62
Norden ...	3,994	3,565	36	15	1	1	53	13·3	66	18·5	5	94
Ormskirk ...	6,937	6,191	75	54	11	4	144	20·8	118	19·1	13	90
Orrell ...	7,002	6,249	58	77	1	3	139	19·9	105	16·8	18	129
Oswaldtwistle ...	14,798	13,207	110	112	8	5	235	15·9	231	17·5	29	123
Padiham ...	11,819	10,548	79	58	13	6	156	13·2	179	17·0	22	141
Poulton le Fylde ...	2,635	2,352	14	18	—	—	32	12·1	47	20·0	—	—
Preesall ...	1,668	1,489	8	9	1	—	18	10·8	21	14·1	1	56
Prescot ...	8,968	8,004	100	83	3	7	193	21·5	150	18·7	21	109
Prestwich ...	15,925	14,213	82	92	5	6	185	11·6	212	14·9	11	59
Radcliffe ...	24,461	21,831	183	160	11	7	361	14·8	362	16·6	30	83
Rainford ...	3,454	3,083	37	37	3	1	78	22·6	44	14·3	1	13
Ramsbottom ...	15,128	13,502	80	77	7	5	169	11·2	230	17·0	15	89
Rawtenstall, M.B. ...	28,272	25,232	183	160	7	12	362	12·8	434	17·2	37	102
Rishton ...	7,072	6,312	34	50	3	2	89	12·6	96	15·2	5	56
Royton ...	16,936	15,115	128	91	13	10	242	14·3	348	23·0	38	157
St. Anne's on the Sea ...	11,323	10,106	38	50	3	2	93	8·2	117	11·6	4	43
Skelmersdale ...	7,000	6,247	77	84	5	3	169	24·1	123	19·7	21	124
Standish with Langtree ...	7,510	6,703	87	77	1	4	169	22·5	107	16·0	18	107
Stretford ...	45,532	40,636	270	271	9	23	573	12·6	569	14·0	36	63
Swinton and Pendlebury ...	30,824	27,510	263	225	15	6	509	16·5	463	16·8	51	100
Thornton ...	5,261	4,695	31	39	4	2	76	14·4	82	17·5	6	79
Tottington ...	6,667	5,950	39	34	—	—	73	10·9	112	18·8	6	82
Trawden ...	2,747	2,452	18	11	—	—	29	10·6	41	16·7	2	69
Turton ...	12,010	10,719	54	62	2	1	119	9·9	148	13·8	8	67
Tyldesley with Shakerley ...	15,080	13,459	162	184	4	4	354	23·5	230	17·1	26	73
Ulverston ...	11,537	10,297	117	99	11	7	234	20·3	200	19·4	18	77
Upholland ...	5,440	4,855	47	54	1	2	104	19·1	84	17·3	12	115
Urmston ...	8,727	7,789	54	63	1	2	120	13·8	95	12·2	7	58
Walton le Dale ...	11,907	10,627	81	80	3	3	167	14·0	177	16·7	13	78
Wardle ...	3,509	3,132	17	14	2	1	34	9·7	92	29·4	4	118
Waterloo with Seaforth ...	28,266	25,227	280	239	20	17	556	19·7	431	17·1	48	86
Westhoughton ...	15,372	13,719	144	142	4	6	296	19·3	216	15·7	27	91
Whitefield ...	7,108	6,344	47	45	2	7	101	14·2	96	15·1	8	79
Whitworth ...	8,007	7,146	38	46	4	6	94	11·7	160	22·4	7	74
Widnes, M.B. ...	35,479	31,665	417	390	19	20	846	23·8	598	18·9	100	118
Withnell ...	3,094	2,761	23	18	1	—	42	13·6	47	17·0	5	119
Worsley ...	14,661	13,085	108	97	2	3	210	14·3	190	14·5	15	71

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rates per 1,000 Births.
			M.	F.	M.	F.						
LANCASHIRE—cont.												
Rural Districts.												
Barton upon Irwell ...	9,840	8,782	62	83	3	2	150	15·2	143	16·3	13	87
Blackburn... ..	8,616	7,690	53	48	3	2	106	12·3	128	16·6	15	142
Burnley	18,907	16,874	104	113	4	6	227	12·0	247	14·6	18	79
Bury	9,143	8,160	55	50	6	2	113	12·4	155	19·0	14	124
Chorley	21,898	19,544	179	166	7	5	357	16·3	347	17·8	38	106
Clitheroe	6,500	5,801	48	40	2	—	90	13·8	72	12·4	5	56
Fylde	11,641*	10,390*	87	72	7	3	169	14·5	168	16·2	14	83
Garstang	10,836	9,671	76	75	6	2	159	14·7	166	17·2	14	88
Lancaster	8,882	7,927	75	78	1	2	156	17·6	173	21·8	22	141
Leigh	10,642	9,498	122	93	3	4	222	20·9	166	17·5	22	99
Limehurst	9,295	8,296	67	74	3	2	146	15·7	129	15·5	17	116
Lunesdale... ..	6,721	5,998	54	38	5	3	100	14·9	73	12·2	7	70
Preston	19,447	17,356	151	141	5	4	301	15·5	306	17·6	22	73
Sefton	4,980	4,445	47	40	3	1	91	18·3	66	14·8	6	66
Ulverston	18,294	16,327	128	159	8	6	301	16·5	249	15·3	25	83
Warrington	11,909	10,629	106	98	3	5	212	17·8	175	16·5	20	94
West Lancashire...	19,970	17,823	165	158	13	10	346	17·3	316	17·7	28	81
Whiston	21,632	19,306	202	214	9	8	433	20·0	291	15·1	37	85
Wigan	6,341	5,659	51	51	1	1	104	16·4	79	14·0	7	67
LEICESTERSHIRE.												
Total Urban Districts ...	255,329	227,878	2,087	2,023	115	101	4,326	16·9	3,772	16·6	340	79
Total Rural Districts ...	107,281	95,747	889	823	58	41	1,811	16·9	1,548	16·2	153	84
Total	148,048	132,131	1,198	1,200	57	60	2,515	17·0	2,224	16·8	187	74
Urban Districts.												
Ashby de la Zouch ...	4,597	4,103	49	43	2	6	100	21·8	63	15·4	7	70
Ashby Woulds	3,138	2,801	35	27	1	2	65	20·7	38	13·6	5	77
Coalville	21,294	19,005	263	225	9	11	508	23·9	309	16·3	56	110
Hinckley	14,406	12,857	93	85	8	1	187	13·0	171	13·3	16	86
Loughborough, M.B. ...	24,701	22,045	186	190	15	11	402	16·3	343	17·4	32	80
Market Harborough ...	8,938	7,977	41	36	3	1	81	9·1	126	15·8	4	49
Melton Mowbray	9,013	8,044	75	75	9	2	161	17·9	144	17·9	9	56
Oadby	2,967	2,648	13	17	—	2	32	10·8	40	15·1	3	94
Quorndon	2,445	2,182	13	12	1	—	26	10·6	48	22·0	5	192
Shepshed	5,330	4,757	40	39	3	3	85	15·9	69	14·5	10	118
Thurmaston	2,119	1,891	18	15	1	1	35	16·5	37	19·6	2	57
Wigston Magna	8,333	7,437	63	59	6	1	129	15·5	120	16·1	4	31
Rural Districts.												
Ashby de la Zouch ...	17,447	15,571	195	187	5	7	394	22·6	234	15·0	33	84
Barrow upon Soar ...	24,086	21,497	162	152	10	9	333	13·8	383	17·8	36	108
Belvoir	3,003	2,680	26	26	3	2	57	19·0	44	16·4	4	70
Billesdon	6,196	5,530	33	39	4	3	79	12·8	94	17·0	5	63
Blaby	16,037	14,313	102	120	5	4	231	14·4	234	16·3	12	52
Castle Donington ...	6,322	5,642	57	40	7	4	108	17·1	109	19·3	9	83
Hallaton	1,650	1,473	15	13	—	3	31	18·8	37	25·1	5	161
Hinckley	14,153	12,631	101	107	5	4	217	15·3	179	14·2	10	46
Loughborough	4,272	3,813	30	36	2	5	73	17·1	74	19·4	7	96
Lutterworth	10,284	9,178	80	71	1	1	153	14·9	129	14·1	9	59
Market Bosworth ...	22,571	20,144	247	237	5	9	498	22·1	358	17·8	43	86
Market Harborough ...	7,425	6,627	49	48	2	1	100	13·5	113	17·1	5	50
Melton Mowbray ...	14,602	13,032	101	124	8	8	241	16·5	236	18·1	9	37
LINCOLNSHIRE												
(PARTS OF HOLLAND).												
Total Urban Districts ...	86,097	76,841	772	718	51	50	1,591	18·5	1,344	17·5	137	86
Total Rural Districts ...	37,439	33,414	313	289	33	27	662	17·7	676	20·2	71	107
Total	48,658	43,427	459	429	18	23	929	19·1	668	15·4	66	71
Urban Districts.												
Boston, M.B.	15,620	13,941	118	110	18	11	257	16·5	296	21·2	35	136
Holbeach	5,459	4,872	49	51	4	2	106	19·4	76	15·6	6	57
Long Sutton	2,965	2,646	32	22	3	3	60	20·2	72	27·2	9	150
Spalding	11,044	9,857	100	87	7	9	203	18·4	198	20·1	21	103
Sutton Bridge	2,351	2,098	14	19	1	2	36	15·3	34	16·2	—	—
Rural Districts.												
Boston	21,920	19,564	208	184	6	14	412	18·8	330	16·9	28	68
Crowland	2,954	2,636	21	20	2	1	44	14·9	43	16·3	5	114
East Elloe... ..	9,692	8,650	102	77	3	3	185	19·1	123	14·2	14	76
Spalding	14,092	12,577	128	148	7	5	288	20·4	172	13·7	19	66

* Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
LINCOLNSHIRE—cont.												
(PARTS OF KESTEVEN).	118,680	105,920	1,010	1,029	71	86	2,196	18·5	1,796	17·0	180	82
Total Urban Districts ...	47,842	42,698	419	427	27	44	917	19·2	738	17·3	89	97
Total Rural Districts ...	70,838	63,222	591	602	44	42	1,279	18·1	1,058	16·7	91	71
Urban Districts.												
Bourne	4,233	3,778	35	37	—	2	74	17·5	60	15·9	6	81
Bracebridge	2,768	2,470	28	33	2	4	67	24·2	46	18·6	6	90
Grantham, M.B.	22,902	20,439	210	217	18	26	471	20·6	343	16·8	40	85
Ruskington	1,222	1,091	10	8	1	—	19	15·5	20	18·3	—	—
Sleaford	6,401	5,713	52	42	1	5	100	15·6	101	17·7	14	140
Stamford, M.B.	10,316	9,207	84	90	5	7	186	18·0	168	18·2	23	124
Rural Districts.												
Bourne	13,197	11,778	113	113	8	5	239	18·1	215	18·3	24	100
Branston	17,159	15,314	133	151	11	7	302	17·6	233	15·2	23	76
Claypole	8,054	7,188	71	65	2	2	140	17·4	124	17·3	9	64
Grantham... ..	13,427	11,983	113	113	12	11	249	18·5	212	17·7	13	52
Sleaford	17,455	15,579	147	151	10	16	324	18·6	257	16·5	20	62
Uffington	1,546	1,380	14	9	1	1	25	16·2	17	12·3	2	80
(PARTS OF LINDSEY).												
Total Urban Districts ...	254,138	226,815	2,278	2,192	193	162	4,825	19·0	3,788	16·7	417	86
Total Rural Districts ...	107,558	95,994	948	876	91	86	2,001	18·6	1,646	17·1	208	104
Total Rural Districts ...	146,580	130,821	1,330	1,316	102	76	2,824	19·3	2,142	16·4	209	74
Urban Districts.												
Alford	2,420	2,160	12	20	2	2	36	14·9	35	16·2	5	139
Barton upon Humber ...	6,317	5,638	51	60	5	5	121	19·2	115	20·4	13	107
Brigg	3,201	2,857	27	13	3	2	45	14·1	66	23·1	4	89
Broughton	1,777	1,586	24	17	1	2	44	24·8	31	19·5	2	45
Brumby and Frodingham	4,509	4,024	47	53	1	3	104	23·1	55	13·7	11	106
Cleethorpe with Thrun-	26,481	23,633	256	221	14	10	501	18·9	296	12·5	42	84
coe.												
Crowle	3,016	2,692	22	29	5	5	61	20·2	48	17·8	8	131
Gainsborough	21,840	19,492	186	173	14	13	386	17·7	381	19·5	37	96
Horncastle	3,345	2,985	20	24	3	4	51	15·2	46	15·4	7	137
Louth, M.B.	9,173	8,187	71	69	16	14	170	18·5	220	26·9	24	141
Mablethorpe	1,291	1,152	7	8	2	2	19	14·7	14	12·2	—	—
Market Rasen	2,255	2,013	15	11	4	2	32	14·2	33	16·4	2	63
Roxby cum Risby	636	568	7	5	1	—	13	20·4	5	8·8	1	77
Scunthorpe	14,469	12,913	162	134	12	13	321	22·2	193	14·9	42	131
Skegness	3,571	3,187	19	14	6	5	44	12·3	43	13·5	5	114
Winterton	1,743	1,556	18	18	2	2	40	22·9	43	27·6	4	100
Woodhall Spa	1,514	1,351	4	7	—	2	13	8·6	22	16·3	1	77
Rural Districts.												
Caistor	12,662	11,301	101	122	11	7	241	19·0	147	13·0	21	87
Gainsborough	14,584	13,016	144	124	10	—	278	19·1	270	20·7	22	79
Glanford Brigg	33,991	30,336	371	347	26	24	768	22·6	468	15·4	58	76
Grimsby	11,293	10,079	132	131	4	5	272	24·1	154	15·3	22	81
Horncastle	13,468	12,020	108	106	8	7	229	17·0	181	15·1	17	74
Isle of Axholme	6,666	5,949	54	52	3	3	112	16·8	124	20·8	7	63
Louth	17,581	15,691	135	149	15	12	311	17·7	294	18·7	15	48
Sibsey	3,258	2,908	26	20	3	1	50	15·3	54	18·6	6	120
Spilsby	21,180	18,903	151	163	18	7	339	16·0	287	15·2	34	100
Welton	11,897	10,618	108	102	4	10	224	18·8	163	15·4	7	31
GREATER LONDON.												
	7,432,929	6,633,805	56,167	53,584	3778	3508	117,037	15·7	116,023	17·5	11,389	97
LONDON.												
	4,430,929	3,954,554	33,951	32,368	2438	2219	70,976	16·0	75,928	19·2	7,659	108
Metropolitan Boroughs.												
City of London	17,841	15,923	52	43	6	—	101	5·7	299	18·8	16	158
Battersea	168,014	149,951	1,258	1,271	85	86	2,700	16·1	2,809	18·7	267	99
Bermondsey	121,465	108,406	1,188	1,187	37	33	2,445	20·1	2,409	22·2	327	134
Bethnal Green	115,859	103,403	1,059	1,100	38	28	2,225	19·2	2,473	23·9	288	129
Camberwell	262,001	233,833	2,114	1,944	110	76	4,244	16·2	4,279	18·3	432	102
Chelsea	63,576	56,741	390	367	35	33	825	13·0	1,105	19·5	73	88
Deptford	114,328	102,036	1,048	1,007	67	52	2,174	19·0	1,833	18·0	212	98
Finsbury	74,502	66,492	637	622	33	32	1,324	17·8	1,589	23·9	144	109
Fulham	160,463	143,211	1,257	1,190	115	110	2,672	16·7	2,501	17·5	291	109
Greenwich	100,773	89,939	878	821	48	53	1,800	17·9	1,750	19·5	212	118
Hackney	219,391	195,804	1,602	1,488	91	85	3,266	14·9	3,709	18·9	366	112
Hammersmith	129,787	115,833	945	900	85	84	2,014	15·5	2,003	17·3	206	102
Hampstead	80,466	71,815	406	391	42	56	895	11·1	1,027	14·3	69	77
Holborn	41,198	36,769	205	223	39	30	497	12·1	834	22·7	73	147
Islington	320,900	286,400	2,589	2,326	159	156	5,230	16·3	5,859	20·5	575	110
Kensington	173,463	154,814	1,107	1,088	137	127	2,459	14·2	2,751	17·8	224	91
Lambeth	293,869	262,275	2,226	2,158	179	174	4,737	16·1	5,063	19·3	461	97
Lewisham... ..	170,078	151,793	1,103	1,111	79	64	2,357	13·9	2,249	14·8	170	72

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—*continued*.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
LONDON—cont.												
Paddington	131,673	117,517	973	843	113	100	2,029	15·4	2,252	19·2	236	116
Poplar	156,338	139,530	1,604	1,479	39	39	3,161	20·2	3,172	22·7	347	110
St. Marylebone	110,395	98,526	603	547	122	103	1,375	12·5	1,839	18·7	155	113
St. Pancras	196,883	175,716	1,514	1,495	162	155	3,326	16·9	3,924	22·3	339	102
Shoreditch	98,203	87,645	865	825	51	46	1,787	18·2	2,119	24·2	292	163
Southwark	181,479	161,968	1,633	1,613	106	98	3,450	19·0	3,808	23·5	433	126
Stepney	258,763	230,943	2,403	2,273	64	70	4,810	18·6	4,833	20·9	543	113
Stoke Newington	49,519	44,195	322	285	15	14	636	12·8	802	18·1	59	93
Wandsworth	327,633	292,408	2,087	2,034	178	140	4,439	13·5	4,459	15·2	422	95
Westminster	141,419	126,215	676	558	107	109	1,450	10·3	2,078	16·5	157	108
Woolwich	150,650	134,453	1,207	1,179	96	66	2,548	16·9	2,100	15·6	270	106
MIDDLESEX.												
Total Urban Districts ...	1,286,928	1,148,569	9,152	8,727	561	570	19,010	14·8	16,238	14·1	1,470	77
Total Rural Districts ...	1,232,291	1,099,806	8,720	8,294	526	543	18,083	14·7	15,562	14·1	1,409	78
Urban Districts.	54,637	48,763	432	433	35	27	927	17·0	676	13·9	61	66
Acton	64,114	57,221	456	457	33	19	965	15·1	870	15·2	76	79
Brentford... ..	17,690	15,788	158	154	11	8	331	18·7	290	18·4	36	109
Chiswick	45,031	40,190	279	296	20	22	617	13·7	646	16·1	45	73
Ealing, M.B.	72,247	64,480	466	410	33	33	942	13·0	880	13·6	72	76
Edmonton	71,442	63,761	573	571	35	37	1,216	17·0	910	14·3	97	80
Enfield	61,074	54,508	490	432	27	22	971	15·9	769	14·1	67	69
Feltham	6,082	5,428	58	60	1	3	122	20·1	86	15·8	10	82
Finchley	48,442	43,231	292	289	15	24	620	12·8	548	12·7	31	50
Friern Barnet	14,694	13,114	109	112	4	8	233	15·9	205	15·6	19	82
Greenford	1,401	1,250	10	3	2	1	16	11·4	23	18·4	1	63
Hampton	10,658	9,512	77	68	5	7	157	14·7	98	10·3	11	70
Hampton Wick	2,826	2,522	14	15	—	1	30	10·6	35	13·9	2	67
Hanwell	20,975	18,720	124	159	17	12	312	14·9	268	14·3	32	103
Harrow on the Hill	19,757	17,633	97	111	5	4	217	11·0	171	9·7	7	32
Hayes	5,916	5,307	49	43	2	6	100	16·8	58	10·9	9	90
Hendon	55,743	49,750	344	355	20	25	744	13·3	582	11·7	44	59
Heston and Isleworth	43,129	38,492	348	339	21	19	727	16·9	689	17·9	63	87
Hornsey, M.B.	88,723	79,184	529	499	30	30	1,088	12·3	1,094	13·8	64	59
Kingsbury	994	887	6	6	2	—	14	14·1	12	13·5	—	—
Ruislip Northwood	8,305	7,412	51	33	3	1	88	10·6	68	9·2	3	34
Southall Norwood	33,282	29,704	219	254	20	24	517	15·5	382	12·9	39	75
Southgate... ..	39,586	35,330	209	181	9	11	410	10·4	371	10·5	11	27
Staines	8,030	7,167	47	53	8	5	113	14·1	91	12·7	8	71
Sunbury on Thames	5,359	4,783	35	35	2	5	77	14·4	71	14·8	7	91
Teddington	21,508	19,196	173	156	15	15	359	16·7	272	14·2	24	67
Tottenham	157,126	140,233	1,205	1,118	50	59	2,432	15·5	2,068	14·7	207	85
Twickenham	38,508	34,368	286	222	26	19	553	14·4	517	15·0	63	114
Uxbridge	12,214	10,901	96	100	11	12	219	17·9	184	16·9	25	114
Wealdstone	13,909	12,414	96	87	5	10	198	14·2	184	14·8	17	86
Wembley	16,464	14,694	135	111	5	2	253	15·4	157	10·7	10	40
Willesden... ..	168,469	150,356	1,306	1,203	75	75	2,659	15·8	2,292	15·2	261	98
Wood Green	53,623	47,858	343	319	8	21	691	12·9	613	12·8	39	56
Yiewsley	4,940	4,409	40	43	6	3	92	18·6	58	13·2	9	98
Rural Districts.												
Hendon	18,150	16,199	123	117	6	5	251	13·8	206	12·7	14	56
South Mimms	2,854	2,547	21	16	1	—	38	13·3	30	11·8	2	53
Staines	22,952	20,484	198	215	18	12	443	19·3	308	15·0	30	68
Uxbridge	10,681	9,533	90	85	10	10	195	18·3	132	13·8	15	77
MONMOUTHSHIRE.												
Total Urban Districts ...	360,777	321,990	4,223	4,384	172	169	8,948	24·8	4,943	15·4	874	98
Total Rural Districts ...	317,885	283,709	3,856	3,988	154	143	8,141	25·6	4,318	15·2	820	101
Urban Districts.	42,892	38,281	367	396	18	26	807	18·8	625	16·3	54	67
Abercarn	20,755	18,524	239	267	7	18	531	25·6	268	14·5	51	96
Abergavenny, M.B.	8,876	7,922	59	76	6	11	152	17·1	148	18·7	13	86
Abersychan	27,554	24,592	326	348	11	8	693	25·2	358	14·6	74	107
Abertillery	40,342	36,004	541	558	21	18	1,138	28·2	572	15·9	117	103
Bedwas and Machen	8,540	7,622	109	99	6	3	217	25·4	92	12·1	20	92
Bedwellty... ..	31,448	28,067	438	435	13	11	897	28·5	383	13·6	92	103
Blaenavon	14,653	13,078	161	179	2	4	346	23·6	220	16·8	42	121
Caerleon	1,822	1,626	24	13	1	3	41	22·5	36	22·1	5	122
Chepstow	3,188	2,845	29	24	7	4	64	20·1	45	15·8	6	94
Ebbw Vale	40,061	35,754	469	469	18	14	970	24·2	497	13·9	91	94
Llanfrechfa Upper	4,812	4,295	60	53	1	3	117	24·3	85	19·8	16	137
Llantarnam	7,275	6,493	91	95	3	3	192	26·4	105	16·2	18	94

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth rates. (Total.)	For Death-rates. (Civilian)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
MONMOUTHSHIRE—cont.												
Monmouth, M.B. ...	5,211	4,651	32	32	—	3	67	12·9	80	17·2	5	75
Mynyddislwyn ...	13,744	12,266	182	182	4	7	375	27·3	176	14·3	47	125
Nantyglo and Blaina ...	16,250	14,503	201	205	12	6	424	26·1	224	15·4	35	83
Panteg ...	10,997	9,815	111	138	10	3	262	23·8	146	14·9	21	80
Pontypool ...	6,884	6,144	79	82	3	4	168	24·4	115	18·7	15	89
Rhymney ...	11,922	10,640	165	156	3	4	328	27·5	155	14·6	28	85
Risca ...	16,534	14,756	198	214	5	4	421	25·5	196	13·3	36	86
Tredegar ...	25,669	22,909	336	357	21	12	726	28·3	381	16·6	86	118
Usk ...	1,348	1,203	6	6	—	—	12	8·9	36	29·9	2	167
Rural Districts.												
Abergavenny ...	8,116	7,243	58	64	5	7	134	16·5	115	15·9	4	30
Chepstow ...	8,851	7,899	70	83	4	6	163	18·4	122	15·4	11	67
Magor ...	5,129	4,578	42	42	—	3	87	17·0	61	13·3	3	34
Monmouth ...	6,198	5,532	70	50	4	2	126	20·3	97	17·5	11	87
Pontypool ...	4,820	4,302	37	53	1	4	95	19·7	100	23·2	11	116
St. Mellons ...	9,778	8,727	90	104	4	4	202	20·7	130	14·9	14	69
NORFOLK.												
Total Urban Districts ...	315,540	281,616	2,446	2,321	275	269	5,311	16·8	4,654	16·5	396	75
Total Rural Districts ...	60,585	54,071	408	420	64	62	954	15·7	969	17·9	84	88
	254,955	227,545	2,038	1,901	211	207	4,357	17·1	3,685	16·2	312	72
Urban Districts.												
Cromer ...	3,795	3,387	33	29	7	3	72	19·0	44	13·0	2	28
Diss ...	3,829	3,417	24	30	5	4	63	16·5	55	16·1	7	111
Downham Market ...	2,238	1,997	12	16	4	2	34	15·2	43	21·5	3	88
East Dereham ...	5,693	5,081	24	40	6	6	76	13·3	88	17·3	8	105
King's Lynn, M.B. ...	20,055	17,898	131	143	19	17	310	15·5	357	19·9	33	106
New Hunstanton ...	2,469	2,204	16	15	—	2	33	13·4	37	16·8	—	—
North Walsham ...	4,464	3,984	27	29	7	7	70	15·7	71	17·8	7	100
Sheringham ...	3,457	3,085	21	23	4	3	51	14·8	45	14·6	4	78
Swaffham ...	3,080	2,749	22	23	2	3	50	16·2	50	18·2	1	20
Thetford, M.B. ...	5,240	4,677	40	30	6	8	84	16·0	91	19·5	9	107
Walsoken ...	3,779	3,373	32	24	2	4	62	16·4	56	16·6	6	97
Wells ...	2,486	2,219	26	18	2	3	49	19·7	32	14·4	4	82
Rural Districts.												
Aylsham ...	16,448	14,680	140	129	21	14	304	18·5	279	19·0	30	99
Blofield ...	10,994	9,812	86	71	7	6	170	15·5	170	17·3	15	88
Depwade ...	19,492	17,397	154	131	10	14	309	15·9	241	13·9	11	36
Docking ...	15,914	14,203	130	106	10	21	267	16·8	293	20·6	28	105
Downham ...	15,549	13,877	121	124	14	14	273	17·6	220	15·9	16	59
East and West Flegg ...	9,708	8,664	85	88	9	5	187	19·3	140	16·2	23	123
Erpingham ...	17,778	15,867	129	126	20	15	290	16·3	240	15·1	22	76
Forehoe ...	11,004	9,821	97	86	11	12	206	18·7	153	15·6	15	73
Freebridge Lynn ...	11,730	10,469	96	87	10	5	198	16·9	174	16·6	11	56
Henstead ...	10,025	8,947	78	73	4	8	163	16·3	140	15·6	15	92
King's Lynn ...	940	839	10	6	2	—	18	19·1	10	11·9	1	56
Loddon and Clavering ...	12,326	11,001	102	107	12	9	230	18·7	177	16·1	9	39
Marshland ...	14,485	12,928	134	117	10	8	269	18·6	180	13·9	17	63
Mitford and Launditch ...	17,632	15,736	136	132	14	13	295	16·7	265	16·8	18	61
St. Faith's ...	10,733	9,579	74	82	8	8	172	16·0	121	12·6	7	41
Smallburgh ...	13,430	11,986	105	102	12	10	229	17·1	173	14·4	21	92
Swaffham ...	7,337	6,548	58	51	6	10	125	17·0	110	16·8	9	72
Thetford ...	9,573	8,544	78	64	12	11	165	17·2	142	16·6	13	79
Walsingham ...	16,553	14,773	128	137	14	11	290	17·5	237	16·0	17	59
Wayland ...	13,304	11,874	97	82	5	13	197	14·8	220	18·5	14	71
NORTHAMPTONSHIRE.												
Total Urban Districts ...	215,761	192,564	1,417	1,468	107	104	3,096	14·3	2,938	15·3	210	68
Total Rural Districts ...	100,715	89,887	580	641	48	53	1,322	13·1	1,211	13·5	95	72
	115,046	102,677	837	827	59	51	1,774	15·4	1,727	16·8	115	65
Urban Districts.												
Brackley, M.B. ...	2,152	1,921	9	15	—	7	31	14·4	34	17·7	7	226
Daventry, M.B. ...	3,536	3,156	15	30	3	3	51	14·4	71	22·5	6	118
Desborough ...	4,182	3,732	21	26	2	—	49	11·7	60	16·1	6	122
Finedon ...	4,340	3,873	32	48	5	2	87	20·0	60	15·5	7	80
Higham Ferrers, M.B. ...	2,987	2,666	14	21	1	—	36	12·1	38	14·3	3	83
Irthlingborough ...	5,229	4,667	29	31	3	2	65	12·4	61	13·1	9	133
Kettering ...	31,775	28,359	186	186	15	18	405	12·7	364	12·8	23	57
Oundle ...	2,239	1,998	6	7	2	—	15	6·7	24	12·0	—	—
Raunds ...	4,221	3,767	31	26	3	2	62	14·7	54	14·3	3	48
Rothwell ...	4,297	3,835	26	29	1	4	60	14·0	66	17·2	6	100
Rushden ...	14,454	12,900	79	96	5	5	185	12·8	129	10·0	8	43
Wellingborough ...	21,303	19,013	132	126	8	10	276	13·0	250	13·1	17	62

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—*continued.*

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.		
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.	
			M.	F.	M.	F.							
NORTHAMPTONSHIRE— <i>cont.</i>													
<i>Rural Districts.</i>													
Brackley	6,771	6,043	55	54	1	2	112	16·5	128	21·2	8	71	
Brixworth... ..	11,373	10,150	89	69	5	5	168	14·8	156	15·4	9	54	
Crick	2,510	2,240	28	20	3	4	55	21·9	42	18·8	6	109	
Daventry	14,179	12,655	106	125	9	8	248	17·5	200	15·8	12	48	
Easton on the Hill ...	1,528	1,364	13	14	1	1	29	19·0	33	24·2	5	172	
Gretton	1,460	1,303	9	9	—	1	19	13·0	18	13·8	1	53	
Hardingstone	7,440	6,640	49	54	4	1	108	14·5	118	17·8	14	130	
Kettering... ..	13,047	11,644	84	96	7	7	194	14·9	188	16·1	11	57	
Middleton Cheney ...	2,523	2,252	15	22	—	1	38	15·1	40	17·8	2	53	
Northampton	5,794	5,171	45	36	3	3	87	15·0	65	12·6	1	11	
Oundle (part of)* ...	6,624	5,912	33	54	2	3	92	13·9	113	19·1	4	43	
Oxendon	4,087	3,648	24	27	3	2	56	13·7	53	14·5	3	54	
Potterspury	4,825	4,306	38	34	4	2	78	16·2	91	21·1	6	77	
Thrapston (part of)* ...	10,235	9,134	95	78	8	1	182	17·8	145	15·9	14	77	
Towcester	9,254	8,259	64	65	7	5	141	15·2	169	20·5	11	78	
Wellingborough	13,396	11,956	90	70	2	5	167	12·5	168	14·1	8	48	
NORTHUMBERLAND.													
Total Urban Districts ...	294,797†	263,102†	3,282	3,138	225	173	6,818	23·1	4,650	17·7	726	106	
Total Rural Districts ...	100,985	90,128	848	773	61	71	1,753	17·4	1,480	16·4	145	83	
<i>Urban Districts.</i>													
Alnwick	6,727	6,004	66	65	10	5	146	21·7	106	17·7	10	68	
Amble	4,403	3,930	37	32	5	4	78	17·7	81	20·6	7	90	
Ashington	28,000	24,990	364	356	26	13	759	27·1	438	17·5	91	120	
Bedlingtonshire	25,880	23,098	300	286	27	15	628	24·3	415	18·0	74	118	
Berwick upon Tweed, M.B.	12,092	10,792	105	92	9	10	216	17·9	225	20·8	14	65	
Blyth	31,327	27,959	365	350	27	28	770	24·6	534	19·1	92	119	
Cramlington	8,434	7,527	115	81	11	5	212	25·1	139	18·5	19	90	
Earsdon	11,210	10,005	109	141	7	10	267	23·8	176	17·6	30	112	
Gosforth	16,417	14,652	144	133	12	8	297	18·1	218	14·9	27	91	
Hexham	8,288	7,397	59	53	5	3	120	14·5	157	21·2	13	108	
Longbenton	13,948	12,448	168	151	13	8	340	24·4	220	17·7	40	118	
Morpeth, M.B.	7,038	6,281	57	71	9	4	141	20·0	146	23·2	23	163	
Newbiggin by the Sea ...	6,359	5,675	69	70	3	5	147	23·1	68	12·0	17	116	
Newburn	19,986†	17,837†	211	224	11	10	456	22·8	252	14·1	34	75	
Prudhoe	9,020	8,050	100	114	7	8	229	25·4	131	16·3	23	100	
Rothbury	1,200	1,071	8	8	2	—	18	15·0	19	17·7	—	—	
Seaton Delaval	7,197	6,423	64	70	10	4	148	20·6	97	15·1	14	95	
Seghill	2,029	1,811	22	17	2	1	42	20·7	37	20·4	5	119	
Wallsend, M.B.	48,845	43,593	688	596	24	18	1,326	27·1	855	19·6	148	112	
Weetslade... ..	6,836	6,101	78	86	3	6	173	25·3	107	17·5	15	87	
Whitley and Monkseaton	19,561	17,458	153	142	2	8	305	15·6	229	13·1	30	98	
<i>Rural Districts.</i>													
Alnwick	11,914	10,633	95	86	6	10	197	16·5	176	16·6	14	71	
Belford	4,584	4,091	40	28	5	2	75	16·4	63	15·4	2	27	
Bellingham	5,650	5,043	44	36	3	3	86	15·2	67	13·3	7	81	
Castle Ward	10,994	9,812	107	74	8	7	196	17·8	156	15·9	19	97	
Glendale	8,337	7,441	66	50	2	4	122	14·6	112	15·1	13	107	
Haltwhistle	10,046	8,966	106	106	8	9	229	22·8	171	19·1	22	96	
Hexham	22,133	19,753	176	159	9	16	360	16·3	352	17·8	32	89	
Morpeth	17,238	15,385	139	147	14	15	315	18·3	261	17·0	27	86	
Norham and Islandshires	5,689	5,077	51	48	2	5	106	18·6	69	13·6	7	66	
Rothbury... ..	4,400	3,927	24	39	4	—	67	15·2	53	13·5	2	30	
<i>Moot Hall and precincts†</i>	?	?	—	—	—	—	—	—	—	—	—	—	
NOTTINGHAMSHIRE.													
Total Urban Districts ...	247,329	220,738	2,572	2,397	152	193	5,314	21·5	3,947	17·9	554	104	
Total Rural Districts ...	133,018	118,718	1,153	1,140	65	70	2,428	18·3	2,070	17·4	225	93	
<i>Urban Districts.</i>													
Arnold	12,112	10,810	106	103	5	11	225	18·6	225	20·8	24	107	
Beeston	13,765	12,285	94	91	5	8	198	14·4	245	19·9	21	106	
Carlton	18,321	16,351	176	147	8	13	344	18·8	269	16·5	39	113	
East Retford, M.B. ...	13,317	11,885	126	113	16	10	265	19·9	208	17·5	26	98	
Eastwood	5,240	4,677	68	57	4	6	135	25·8	90	19·2	13	96	
Hucknall	17,363	15,496	171	195	6	15	387	22·3	331	21·4	36	93	
Huthwaite	5,977	5,334	63	56	3	3	125	20·9	87	16·3	13	104	
Kirkby in Ashfield ...	17,613	15,719	219	198	10	13	440	25·0	257	16·3	43	98	
Mansfield, M.B.	43,330	38,672	535	489	29	36	1,089	25·1	661	17·1	124	114	
Mansfield Woodhouse ...	13,365	11,928	168	168	6	8	350	26·2	217	18·2	40	114	
Newark, M.B.	16,917	15,098	141	145	17	33	336	19·9	279	18·5	38	113	

* The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire; see page 29.

† Included with the Rural Districts for convenience. The population, which was 8 at the Census of 1911 is included in that of Newcastle-upon-Tyne County Borough.

‡ Revised populations.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle, 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.		
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.	
			M.	F.	M.	F.							
NOTTINGHAMSHIRE—cont.													
Sutton in Ashfield ...	24,374	21,754	289	240	22	13	564	23·1	410	18·8	61	108	
Warsop ...	7,094	6,331	109	101	6	5	221	31·2	104	16·4	26	118	
West Bridgford ...	15,581	13,906	89	70	1	2	162	10·4	153	11·0	4	25	
Worksop ...	22,960	20,492	218	224	14	17	473	20·6	411	20·1	46	97	
Rural Districts.													
Basford ...	43,230	38,584	404	424	13	15	856	19·8	692	17·9	89	104	
Bingham ...	13,694	12,222	111	94	3	9	217	15·8	219	17·9	23	106	
Blyth and Cuckney ...	5,019	4,479	47	48	2	2	99	19·7	52	11·6	11	111	
East Retford ...	14,488	12,930	104	94	8	9	215	14·8	220	17·0	18	84	
Leake ...	3,760	3,356	33	21	—	2	56	14·9	68	20·3	5	89	
Misterton ...	3,868	3,452	40	38	3	4	85	22·0	71	20·6	6	71	
Newark ...	8,800	7,854	78	75	9	9	171	19·4	129	16·4	14	82	
Skegby ...	8,639	7,710	104	104	6	2	216	25·0	136	17·6	15	69	
Southwell ...	19,643	17,531	128	163	15	14	320	16·3	318	18·1	26	81	
Stapleford ...	11,438	10,208	100	76	5	4	185	16·2	164	16·1	18	97	
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by Rural District Council of Shardlow (Derbyshire).	439	392	4	3	1	—	8	18·2	1	2·6	—	—	
OXFORDSHIRE.													
Total Urban Districts ...	133,535	119,178	919	909	85	80	1,993	14·9	2,038	17·1	116	58	
Total Rural Districts ...	36,784	32,829	270	235	28	24	557	15·1	585	17·8	37	66	
	96,751	86,349	649	674	57	56	1,436	14·8	1,453	16·8	79	55	
Urban Districts.													
Banbury, M.B. ...	13,803	12,319	112	96	8	9	225	16·3	219	17·8	17	76	
Bicester ...	3,425	3,057	20	27	6	2	55	16·1	64	20·9	4	73	
Chipping Norton, M.B. ...	3,448	3,077	26	16	2	2	46	13·3	46	15·0	—	—	
Henley on Thames, M.B. ...	6,947	6,200	52	35	3	8	98	14·1	117	18·9	9	92	
Thame ...	2,882	2,572	13	22	1	1	37	12·8	46	17·9	3	81	
Wheatley ...	962	859	9	6	—	1	16	16·6	13	15·1	—	—	
Witney ...	3,887	3,469	29	23	5	—	57	14·7	51	14·7	3	53	
Woodstock, M.B. ...	1,430	1,276	9	10	3	1	23	16·1	29	22·7	1	43	
Rural Districts.													
Banbury ...	10,948	9,771	65	76	4	6	151	13·8	177	18·1	8	53	
Bicester ...	9,950	8,880	66	45	3	7	121	12·2	148	16·7	5	41	
Chipping Norton ...	10,399	9,281	62	86	7	3	158	15·2	155	16·7	8	51	
Crowmarsh ...	4,463	3,983	29	33	5	2	69	15·5	74	18·6	3	43	
Culham ...	2,500	2,231	22	19	3	—	44	17·6	32	14·3	4	91	
Goring ...	3,282	2,929	13	23	1	—	37	11·3	44	15·0	1	27	
Headington ...	12,716	11,348	96	88	11	13	208	16·4	196	17·3	13	63	
Henley ...	10,258	9,158	64	77	3	2	146	14·2	124	13·5	5	34	
Thame ...	5,499	4,908	37	32	2	2	73	13·3	87	17·7	4	55	
Witney ...	16,350	14,591	116	115	12	10	253	15·5	240	16·4	15	59	
Woodstock ...	10,386	9,269	79	80	6	11	176	16·9	176	19·0	13	74	
PETERBOROUGH, SOKE OF.													
Urban District ...	51,440	45,910	378	358	33	31	800	15·6	701	15·3	54	68	
Total Rural Districts ...	39,623	35,363	278	286	29	24	617	15·6	535	15·1	48	78	
	11,817	10,547	100	72	4	7	183	15·5	166	15·7	6	33	
Urban District.													
Peterborough, M.B. ...	39,623	35,363	278	286	29	24	617	15·6	535	15·1	48	78	
Rural Districts.													
Barnack ...	2,201	1,965	10	18	1	1	30	13·6	29	14·8	—	—	
Peterborough ...	9,616	8,582	90	54	3	6	153	15·9	137	16·0	6	39	
RUTLANDSHIRE.													
Urban District ...	18,296*	16,330*	122	115	11	15	263	14·4	311	19·0	18	68	
Total Rural Districts ...	3,146	2,808	21	13	3	3	40	12·7	61	21·7	1	25	
	15,150*	13,522*	101	102	8	12	223	14·7	250	18·5	17	76	
Urban District.													
Oakham ...	3,146	2,808	21	13	3	3	40	12·7	61	21·7	1	25	
Rural Districts.													
Ketton ...	2,934	2,619	16	26	1	2	45	15·3	41	15·7	4	89	
Oakham ...	6,364	5,680	58	38	4	5	105	16·5	103	18·1	8	76	
Uppingham ...	5,852*	5,223*	27	38	3	5	73	12·5	106	20·3	5	68	
SHROPSHIRE.													
Total Urban Districts ...	241,492	215,529	1,975	1,958	181	169	4,283	17·7	3,702	17·2	314	73	
Total Rural Districts ...	111,864	99,837	863	880	90	86	1,919	17·2	1,822	18·2	156	81	
	129,628	115,692	1,112	1,078	91	83	2,364	18·2	1,880	16·3	158	67	
Urban Districts.													
Bishop's Castle, M.B. ...	1,257	1,122	7	8	1	—	16	12·7	21	18·7	2	125	
Bridgnorth, M.B. ...	5,002	4,464	32	35	3	2	72	14·4	64	14·3	6	83	
Church Stretton ...	1,385	1,236	7	4	—	—	11	7·9	14	11·3	1	91	
Dawley ...	7,245	6,466	77	71	4	6	158	21·8	127	19·6	12	76	

* Revised population.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
SHROPSHIRE—cont.												
Ellesmere	1,796	1,603	10	17	—	2	29	16·1	40	25·0	3	103
Ludlow, M.B.	5,536	4,941	44	33	1	3	81	14·6	92	18·6	4	49
Market Drayton	4,749	4,238	37	29	12	7	85	17·9	77	18·2	17	200
Newport	2,986	2,665	22	25	2	4	53	17·7	40	15·0	3	57
Oakengates	11,578	10,333	97	111	5	5	218	18·8	197	19·1	23	106
Oswestry, M.B.	10,799	9,638	82	90	13	14	199	18·4	185	19·2	14	70
Shrewsbury, M.B.	31,046	27,708	247	245	27	22	541	17·4	486	17·5	42	78
Wellington	7,573	6,759	50	58	6	4	118	15·6	109	16·1	9	76
Wem	2,101	1,875	12	19	2	2	35	16·7	32	17·1	2	57
Wenlock, M.B.	12,615	11,259	99	102	7	4	212	16·8	237	21·0	12	57
Whitchurch	6,196	5,530	40	33	7	11	91	14·7	101	18·3	6	66
Rural Districts.												
Atcham	21,287	18,998	184	181	15	8	388	18·2	311	16·4	19	49
Bridgnorth	8,845	7,894	58	62	6	—	126	14·2	113	14·3	8	63
Burford	1,277	1,140	15	7	1	3	26	20·4	14	12·3	1	38
Chirbury	3,154	2,815	22	26	2	2	52	16·5	43	15·3	1	19
Church Stretton	4,648	4,148	35	35	3	5	78	16·8	74	17·8	7	90
Cleobury Mortimer	6,015	5,368	76	71	3	5	155	25·8	104	19·4	14	90
Clun	6,586	5,878	60	43	6	2	111	16·9	100	17·0	11	99
Drayton	7,361	6,570	63	64	1	7	135	18·3	108	16·4	11	81
Ellesmere	7,977	7,119	65	69	6	7	147	18·4	114	16·0	12	82
Ludlow	9,275	8,278	70	79	6	8	163	17·6	113	13·7	8	49
Newport	5,745	5,127	44	56	3	1	104	18·1	77	15·0	8	77
Oswestry	15,937	14,224	163	136	15	11	325	20·4	240	16·9	27	83
Shifnal	8,145	7,270	57	51	4	1	113	13·9	116	16·0	7	62
Teme	1,481	1,322	15	16	—	1	32	21·6	24	18·2	2	63
Wellington	10,782	9,623	81	86	7	6	180	16·7	177	18·4	12	67
Wem	8,882	7,927	88	79	13	11	191	21·5	124	15·6	10	52
Whitchurch	2,231	1,991	16	17	—	5	38	17·0	28	14·1	—	—
SOMERSETSHIRE.												
Total Urban Districts	383,402*	342,182*	2,656	2,518	157	120	5,451	14·2	5,335	15·6	324	59
Total Rural Districts	160,645	143,374	1,075	996	60	50	2,181	13·6	2,294	16·0	134	61
Total	222,757*	198,808*	1,581	1,522	97	70	3,270	14·7	3,041	15·3	190	58
Urban Districts.												
Bridgwater, M.B.	15,003	13,390	127	123	5	8	263	17·5	256	19·1	20	76
Burnham	4,576	4,084	24	14	1	1	40	8·7	53	13·0	—	—
Chard, M.B.	4,262	3,804	32	30	3	—	65	15·3	53	13·9	2	31
Clevedon	6,184	5,519	22	28	—	3	53	8·6	103	18·7	6	113
Crewkerne	3,742	3,340	35	20	1	—	56	15·0	67	20·1	2	36
Frome	10,712	9,560	63	60	11	5	139	13·0	165	17·3	9	65
Glastonbury, M.B.	4,485	4,003	29	32	5	1	67	14·9	62	15·5	6	90
Highbridge	2,073	1,850	25	11	—	2	38	18·3	42	22·7	4	105
Ilminster	2,473	2,207	15	18	2	—	35	14·2	40	18·1	5	143
Midsomer Norton	7,844	7,001	75	72	2	2	151	19·3	115	16·4	9	60
Minehead	5,188	4,630	33	19	—	2	54	10·4	68	14·7	1	19
Portishead	3,709	3,310	21	31	2	1	55	14·8	51	15·4	3	55
Radstock	3,768	3,363	33	41	1	2	77	20·4	52	15·5	4	52
Shepton Mallet	4,028	3,595	27	20	2	—	49	12·2	45	12·5	4	82
Street	4,344	3,877	39	24	—	—	63	14·5	44	11·3	5	79
Taunton, M.B.	21,942	19,583	136	131	9	11	287	13·1	314	16·0	14	49
Watchet	1,711	1,527	14	12	1	1	28	16·4	26	17·0	3	107
Wellington	7,452	6,651	39	40	4	1	84	11·3	95	14·3	2	24
Wells, M.B.	4,253	3,796	21	28	1	1	51	12·0	52	13·7	2	39
Weston super Mare	25,648	22,890	140	119	4	5	268	10·4	355	15·5	16	60
Wiveliscombe	1,268	1,132	9	6	—	—	15	11·8	20	17·7	—	—
Yeovil, M.B.	15,980	14,262	116	117	6	4	243	15·2	216	15·1	17	70
Rural Districts.												
Axbridge	21,187	18,910	150	144	11	10	315	14·9	276	14·6	15	48
Bath	14,610	13,039	97	122	5	4	228	15·6	187	14·3	16	70
Bridgwater	17,448	15,573	114	128	10	1	253	14·5	242	15·5	15	59
Chard	13,247	11,823	87	81	6	3	177	13·4	170	14·4	9	51
Clutton	15,641	13,959	148	131	7	5	291	18·6	210	15·0	18	62
Dulverton	4,495	4,012	25	26	4	3	58	12·9	58	14·5	5	86
Frome	11,004	9,821	95	92	6	3	196	17·8	147	15·0	12	61
Keynsham	9,865	8,804	65	67	2	2	136	13·8	133	15·1	11	81
Langport	12,569	11,218	81	80	1	5	167	13·3	192	17·1	14	84
Long Ashton	17,032*	15,200*	107	131	3	6	247	14·5	225	14·8	14	57
Shepton Mallet	9,867	8,806	76	68	6	3	153	15·5	119	13·5	9	59
Taunton	16,407	14,643	116	95	5	8	224	13·7	241	16·5	14	63
Wellington	5,998	5,353	36	33	2	1	72	12·0	65	12·1	5	69
Wells	9,248	8,254	75	70	3	2	150	16·2	130	15·7	9	60
Williton	11,736	10,474	75	55	8	3	141	12·0	179	17·1	4	28
Wincanton	15,484	13,819	119	105	11	5	240	15·5	204	14·8	8	33
Yeovil	16,919	15,100	115	94	7	6	222	13·1	263	17·4	12	54

* Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
SOUTHAMPTON.	431,216	384,855	3,581	3,409	297	267	7,554	17·5	5,445	14·1	485	64
Total Urban Districts ...	203,205	181,358	1,768	1,786	148	130	3,832	18·9	2,521	13·9	258	67
Total Rural Districts ...	228,011	203,497	1,813	1,623	149	137	3,722	16·3	2,924	14·4	227	61
Urban Districts.												
Aldershot ...	23,961	21,385	201	228	20	20	469	19·6	289	13·5	36	77
Alton ...	5,607	5,004	44	42	3	3	92	16·4	89	17·8	4	43
Andover, M.B. ...	8,862	7,909	75	84	7	6	172	19·4	124	15·7	13	76
Basingstoke, M.B. ...	13,491	12,041	105	144	9	10	268	19·9	143	11·9	16	60
Christchurch, M.B. ...	6,133	5,474	49	63	10	1	123	20·1	74	13·5	6	49
Eastleigh and Bishopstoke	17,260	15,404	153	122	8	7	290	16·8	202	13·1	16	55
Fareham ...	8,678	7,745	74	72	6	4	156	18·0	126	16·3	11	71
Farnborough ...	11,744	10,481	113	122	6	3	244	20·8	108	10·3	15	61
Fleet ...	4,035	3,601	24	33	—	1	58	14·4	41	11·4	—	—
Gosport and Alverstoke...	31,279	27,917	322	308	25	26	681	21·8	412	14·8	47	69
Havant ...	4,461	3,981	30	27	5	—	62	13·9	46	11·6	—	—
Itchen ...	24,720	22,062	282	255	13	10	560	22·7	279	12·6	49	88
Lymington, M.B. ...	4,463	3,983	32	29	6	4	71	15·9	65	16·3	5	70
Petersfield ...	3,971	3,544	24	30	4	6	64	16·1	52	14·7	3	47
Romsey, M.B. ...	5,002	4,464	47	32	4	5	88	17·6	76	17·0	6	68
Warblington ...	4,142	3,697	27	38	2	2	69	16·7	43	11·6	2	29
Winchester, M.B. ...	25,396	22,666	166	157	20	22	365	14·4	352	15·5	29	79
Rural Districts.												
Alresford ...	7,060	6,301	54	54	3	2	113	16·0	103	16·3	7	62
Alton ...	13,571	12,112	132	99	11	11	253	18·6	159	13·1	10	40
Andover ...	11,677	10,422	97	97	11	10	215	18·4	149	14·3	16	74
Basingstoke ...	12,573	11,221	107	88	7	6	208	16·5	174	15·5	18	87
Catherington ...	3,684	3,288	25	28	—	2	55	14·9	41	12·5	1	18
Christchurch ...	5,132	4,580	41	23	2	5	71	13·8	65	14·2	3	42
Droxford ...	13,006	11,608	93	89	6	7	195	15·0	189	16·3	10	51
Fareham ...	14,828	13,234	126	117	8	6	257	17·3	187	14·1	11	43
Fordingbridge ...	6,040	5,391	32	34	5	3	74	12·3	87	16·1	4	54
Hartley Wintney ...	19,909	17,768	171	154	9	16	350	17·6	248	14·0	29	83
Havant ...	6,277	5,602	32	31	5	3	71	11·3	65	11·6	3	42
Hursley ...	4,624	4,127	41	33	1	2	77	16·7	54	13·1	4	52
Kingsclere ...	8,364	7,465	60	50	5	2	117	14·0	122	16·3	8	68
Lymington ...	11,751	10,488	97	76	9	9	191	16·3	153	14·6	11	58
New Forest ...	18,131	16,182	134	113	10	11	268	14·8	238	14·7	19	71
Petersfield ...	11,344	10,124	88	92	8	11	199	17·5	126	12·4	5	25
Ringwood...	7,327	6,539	57	65	3	4	129	17·6	83	12·7	7	54
Romsey ...	7,524	6,715	55	60	11	5	131	17·4	92	13·7	8	61
South Stoneham ...	18,835	16,809	152	137	14	5	308	16·4	255	15·2	22	71
Stockbridge ...	6,589	5,881	51	45	7	6	109	16·5	84	14·3	8	73
Whitechurch ...	6,318	5,639	65	50	6	2	123	19·5	90	16·0	8	65
Winchester ...	13,447	12,001	103	88	8	9	208	15·5	160	13·3	15	72
STAFFORDSHIRE.												
701,760	626,312	7,488	7,168	356	327	15,339	21·9	11,237	17·9	1,501	98	
Total Urban Districts ...	493,124	440,108	5,458	5,190	246	226	11,120	22·5	8,173	18·6	1,152	104
Total Rural Districts ...	208,636	186,204	2,030	1,978	110	101	4,219	20·2	3,064	16·5	349	83
Urban Districts.												
Amblecote ...	3,294	2,940	28	28	—	2	58	17·6	48	16·3	7	121
Audley ...	15,269	13,627	174	143	7	8	332	21·7	243	17·8	38	114
Biddulph ...	8,382	7,481	89	95	4	4	192	22·9	132	17·6	23	120
Bilston ...	25,904	23,119	318	345	11	7	681	26·3	523	22·6	73	107
Brierley Hill ...	12,834	11,454	149	135	4	8	296	23·1	212	18·5	32	108
Brownhills ...	18,614	16,613	230	228	9	8	475	25·5	373	22·5	59	124
Cannock ...	32,276	28,806	425	390	20	25	860	26·6	615	21·3	107	124
Coseley ...	23,983	21,405	295	277	11	13	596	24·9	400	18·7	73	122
Darlaston ...	18,371	16,396	229	216	8	6	459	25·0	335	20·4	42	92
Heathtown or Wednes-	12,769	11,396	132	136	2	4	274	21·5	236	20·7	31	113
field Heath.												
Kidsgrove...	9,522	8,498	106	100	5	6	217	22·8	150	17·7	21	97
Leek ...	17,433	15,559	111	99	7	10	227	13·0	239	15·4	21	93
Lichfield, M.B. ...	8,401	7,498	62	63	4	4	133	15·8	150	20·0	7	53
Newcastle under Lyme,	20,135	17,970	224	199	11	11	445	22·1	342	19·0	49	110
M.B.												
Perry Barr ...	2,500	2,231	25	14	—	2	41	16·4	41	18·4	2	49
Quarry Bank ...	8,135	7,260	109	82	2	—	193	23·7	111	15·3	22	114
Rowley Regis ...	40,254	35,927	487	438	10	15	950	23·6	563	15·7	83	87
Rugeley ...	4,784	4,270	47	55	3	2	107	22·4	60	14·1	8	75
Sedgley ...	16,796	14,990	182	170	9	8	369	22·0	306	20·4	41	111
Short Heath ...	4,514	4,029	59	49	—	—	108	23·9	61	15·1	16	148
Smallthorne ...	14,193	12,667	161	176	12	4	353	24·9	230	18·2	35	99
Stafford, M.B. ...	27,069	24,159	205	223	20	13	461	17·0	383	15·9	47	102
Stone ...	5,124	4,573	35	45	6	4	90	17·6	64	14·0	6	67

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
STAFFORDSHIRE—cont.												
Tamworth, M.B....	7,763	6,928	62	67	3	4	136	17·5	117	16·9	12	88
Tettenhall ...	5,557	4,960	38	35	3	8	84	15·1	77	15·5	9	107
Tipton ...	35,018	31,253	436	405	23	12	876	25·0	632	20·2	89	102
Uttoxeter ...	5,121	4,570	38	47	5	2	92	18·0	81	17·7	7	76
Wednesbury, M.B. ...	32,089	28,639	394	360	21	13	788	24·6	581	20·3	82	104
Wednesfield ...	7,101	6,338	73	71	1	6	151	21·3	95	15·0	10	66
Willenhall ...	19,823	17,692	225	227	6	11	469	23·7	358	20·2	40	85
Wolstanton United ...	30,096	26,860	310	272	19	6	607	20·2	415	15·5	60	99
Rural Districts.												
Blore Heath ...	2,317	2,068	19	22	2	—	43	18·6	26	12·6	—	—
Cannock ...	20,992	18,735	194	222	13	14	443	21·1	274	14·6	46	104
Cheadle ...	27,461	24,509	318	281	8	8	615	22·4	355	14·5	54	88
Dudley* ...	—	—	—	—	—	—	—	—	—	—	—	—
Gnosall ...	4,898	4,371	41	32	2	2	77	15·7	93	21·3	7	91
Kingswinford ...	22,887	20,426	268	253	9	13	543	23·7	352	17·2	52	96
Leek ...	15,568	13,894	161	160	14	8	343	22·0	245	17·6	26	76
Lichfield ...	26,394	23,556	267	271	13	18	569	21·6	402	17·1	51	90
Mayfield ...	3,925	3,503	29	30	3	—	62	15·8	43	12·3	5	81
Newcastle under Lyme ...	5,978	5,335	69	52	4	2	127	21·2	82	15·4	9	71
Seisdon ...	15,580	13,905	134	147	8	10	299	19·2	239	17·2	19	64
Stafford ...	9,081	8,105	73	59	6	4	142	15·6	116	14·3	9	63
Stoke upon Trent ...	4,686	4,182	51	45	4	3	103	22·0	64	15·3	7	68
Stone ...	13,863	12,373	106	103	8	3	220	15·9	211	17·1	12	55
Tamworth (part of)† ...	5,585	4,984	36	39	1	4	80	14·3	82	16·5	8	100
Tutbury ...	8,384	7,483	81	54	5	7	147	17·5	160	21·4	16	109
Uttoxeter... ..	7,370	6,578	57	63	3	1	124	16·8	100	15·2	4	32
Walsall ...	12,870	11,486	121	138	7	4	270	21·0	203	17·7	22	81
Civil Parishes of Blymhill and Weston under Lizard administered by Rural District Council of Shifnal (Shropshire).	797	711	5	7	—	—	12	15·1	17	23·9	2	167
SUFFOLK, EAST.												
Total Urban Districts ...	198,429	177,095	1,771	1,665	172	153	3,761	19·0	2,748	15·5	294	78
Total Rural Districts ...	81,366	72,618	742	767	75	62	1,646	20·2	1,133	15·6	142	86
Urban Districts.	117,063	104,477	1,029	898	97	91	2,115	18·1	1,615	15·5	152	72
Rural Districts.												
Aldeburgh, M.B....	2,475	2,209	15	14	5	2	36	14·5	28	12·7	3	83
Beccles, M.B. ...	7,215	6,439	54	55	8	8	125	17·3	97	15·1	9	72
Bungay ...	2,951	2,634	26	36	5	2	69	23·4	58	22·0	10	145
Eye, M.B....	1,727	1,541	10	11	1	2	24	13·9	24	15·6	2	83
Felixstowe ...	8,601	7,676	80	89	6	6	181	21·0	69	9·0	9	50
Halesworth ...	2,108	1,881	15	19	2	3	39	18·5	39	20·7	4	103
Leiston cum Sizewell ...	5,218	4,657	40	40	3	6	89	17·1	60	12·9	7	79
Lowestoft, M.B. ...	33,831	30,194	346	347	28	29	750	22·2	505	16·7	67	89
Oulton Broad ...	4,232	3,777	47	40	5	—	92	21·7	54	14·3	9	98
Saxmundham ...	1,563	1,395	9	12	1	—	22	14·1	26	18·6	3	136
Southwold, M.B....	2,452	2,188	23	18	3	2	46	18·8	30	13·7	6	130
Stowmarket ...	4,394	3,922	45	45	3	1	94	21·4	66	16·8	8	85
Woodbridge ...	4,599	4,105	32	41	5	1	79	17·2	77	18·8	5	63
Rural Districts.												
Blything ...	18,318	16,348	157	135	14	17	323	17·6	246	15·0	12	37
Bosmere and Claydon ...	14,304	12,766	124	106	10	10	250	17·5	183	14·3	24	96
East Stow ...	6,397	5,709	67	49	2	7	125	19·5	93	16·3	10	80
Hartismere ...	10,977	9,797	101	83	14	6	204	18·6	166	16·9	13	64
Hoxne ...	9,672	8,632	87	85	9	7	188	19·4	163	18·9	21	112
Mutford and Lothingland	11,295	10,081	99	95	9	4	207	18·3	143	14·3	21	101
Plomesgate ...	14,661	13,085	128	113	19	17	277	18·9	215	16·4	24	87
Samford ...	12,142	10,837	103	89	6	8	206	17·0	156	14·4	10	49
Wangford... ..	4,517	4,031	39	40	4	4	87	19·3	47	11·7	4	46
Woodbridge ...	14,780	13,191	124	103	10	11	248	16·8	203	15·4	13	52
SUFFOLK, WEST.												
Total Urban Districts ...	108,692	97,006	779	749	70	87	1,685	15·5	1,670	17·2	106	63
Total Rural Districts ...	39,956	35,660	265	277	34	37	613	15·3	649	18·2	34	55
Urban Districts.	68,736	61,346	514	472	36	50	1,072	15·6	1,021	16·6	72	67
Rural Districts.												
Bury St. Edmunds, M.B.	15,635	13,954	101	101	14	20	236	15·1	297	21·3	14	59
Glemsford ...	1,380	1,232	9	10	—	2	21	15·2	23	18·7	1	48
Hadleigh ...	3,060	2,731	28	30	5	—	63	20·6	46	16·8	4	63
Haverhill ...	4,140	3,695	18	28	2	2	50	12·1	70	18·9	4	80
Newmarket ...	9,085	8,108	62	76	4	8	150	16·5	115	14·2	5	33
Sudbury, M.B. ...	6,656	5,940	47	32	9	5	93	14·0	98	16·5	6	65

* The population, which was 12 at the Census of 1911, is included in that of Dudley County Borough.
† The remainder of Tamworth Rural District is in Warwickshire; see page 42.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
SUFFOLK, WEST—cont.												
Rural Districts.												
Brandon	6,016	5,369	47	43	8	10	108	18·0	94	17·5	6	56
Clare	7,659	6,836	62	58	2	2	124	16·2	113	16·5	6	48
Cosford	10,780	9,621	74	77	4	8	163	15·1	156	16·2	10	61
Melford	11,377	10,154	80	81	8	9	178	15·6	182	17·9	11	62
Mildenhall	8,369	7,469	57	54	1	3	115	13·7	125	16·7	5	43
Moulton	2,179	1,945	10	7	2	—	19	8·7	23	11·8	—	—
Thedwastre	8,458	7,549	71	59	3	6	139	16·4	120	15·9	15	108
Thingoe	13,898	12,403	113	93	8	12	226	16·3	208	16·8	19	84
SURREY.												
Total Urban Districts ...	723,822	646,003	4,923	4,728	401	390	10,442	14·4	8,891	13·8	682	65
Total Rural Districts ...	566,404	505,509	3,843	3,688	307	306	8,144	14·4	7,003	13·9	556	68
Urban Districts.												
Barnes	35,279	31,486	230	213	23	15	481	13·6	437	13·9	42	87
Beddington & Wallington	17,072	15,237	106	96	5	4	211	12·4	175	11·5	10	47
Carshalton	12,902	11,515	90	93	3	6	192	14·9	161	14·0	12	63
Caterham	8,814	7,866	81	70	4	6	161	18·3	121	15·4	8	50
Chertsey	15,503	13,836	122	103	7	10	242	15·6	208	15·0	16	66
Coulsdon and Purley ...	20,697	18,472	89	108	9	14	220	10·6	187	10·1	13	59
Dorking	8,082	7,213	54	55	3	7	119	14·7	154	21·4	6	50
East and West Molesey...	6,933	6,188	59	58	3	3	123	17·7	131	21·2	15	122
Egham	13,537	12,082	94	99	9	6	208	15·4	177	14·6	14	67
Epsom	14,074	12,561	111	104	9	8	232	16·5	173	13·8	21	91
Esher and the Dittons ...	14,456	12,902	113	84	7	11	215	14·9	162	12·6	17	79
Farnham	12,185	10,875	85	84	6	7	182	14·9	144	13·2	3	16
Frimley	11,633	10,382	85	79	5	3	172	14·8	111	10·7	14	81
Godalming, M.B.	10,438	9,316	73	65	9	14	161	15·4	139	14·9	13	81
Guildford, M.B.	25,543	22,797	190	168	16	19	393	15·4	335	14·7	20	51
Ham	1,426	1,273	7	12	—	1	20	14·0	20	15·7	—	—
Haslemere	4,216	3,763	23	39	2	8	72	17·1	53	14·1	5	69
Kingston on Thames, M.B.	40,802	36,414	267	242	18	24	551	13·5	583	16·0	42	76
Leatherhead	5,730	5,114	34	41	1	—	76	13·3	63	12·3	4	53
Merton and Morden ...	17,425	15,552	121	133	7	7	268	15·4	206	13·2	25	93
Mitcham	34,341	30,649	312	272	15	18	617	18·0	456	14·9	48	78
Reigate, M.B.	29,669	26,479	192	170	17	15	394	13·3	377	14·2	23	58
Richmond, M.B.	37,538	33,502	216	189	22	14	441	11·7	521	15·6	37	84
Sarbiton	20,782	18,548	90	137	10	8	245	11·8	234	12·6	15	61
Sutton	21,573	19,254	144	140	22	7	313	14·5	217	11·3	23	73
The Maldens and Coombe	15,181	13,549	108	96	8	9	221	14·6	150	11·1	11	50
Walton upon Thames ...	14,221	12,692	102	108	7	8	225	15·8	143	11·3	7	31
Weybridge	8,137	7,262	66	57	4	4	131	16·1	81	11·2	6	46
Wimbledon, M.B.	57,155	51,009	352	346	32	29	759	13·3	742	14·5	57	75
Windlesham	4,560	4,070	17	25	3	1	46	10·1	52	12·8	1	22
Woking	26,500	23,651	210	202	21	20	453	17·1	290	12·3	28	62
Rural Districts.												
Chertsey	10,838	9,673	74	76	5	2	157	14·5	137	14·2	11	70
Dorking	10,479	9,352	60	55	3	7	125	11·9	118	12·6	7	56
Epsom	30,825	27,512	220	187	19	12	438	14·2	371	13·5	19	43
Farnham	19,129	17,072	151	169	25	15	360	18·8	205	12·0	24	67
Godstone	24,240	21,634	161	148	12	7	328	13·5	291	13·5	13	40
Guildford	17,908	15,983	112	111	12	15	250	14·0	205	12·8	14	56
Hambleton	22,163	19,780	171	161	12	18	362	16·3	271	13·7	15	41
Reigate	21,836	19,488	131	133	6	8	278	12·7	290	14·9	23	83
SUSSEX, EAST												
Total Urban Districts ...	246,652	220,134	1,639	1,574	188	178	3,579	14·5	3,407	15·5	241	67
Total Rural Districts ...	122,529	109,356	845	870	105	103	1,923	15·7	1,768	16·2	141	73
Total	124,123	110,778	794	704	83	75	1,656	13·3	1,639	14·8	100	60
Urban Districts.												
Battle	2,938	2,622	17	12	—	3	32	10·9	35	13·3	4	125
Bexhill, M.B.	15,823	14,122	108	116	21	20	265	16·7	204	14·4	18	68
Burgess Hill	5,659	5,051	32	36	5	4	77	13·6	91	18·0	6	78
Cuckfield	1,780	1,589	9	10	2	2	23	12·9	27	17·0	2	87
East Grinstead	6,909	6,166	38	43	8	4	93	13·5	110	17·8	5	54
Hayward's Heath	4,859	4,337	34	27	1	2	64	13·2	62	14·3	1	16
Hove, M.B.	45,712	40,797	245	261	37	31	574	12·6	686	16·8	47	82
Lewes, M.B.	11,070	9,880	85	89	7	9	190	17·2	175	17·7	17	89
Newhaven	6,917	6,173	73	75	5	1	154	22·3	81	13·1	6	39
Portslade by Sea	7,570	6,756	67	67	12	12	158	20·9	117	17·3	16	101
Rye, M.B.	4,099	3,658	31	29	1	3	64	15·6	64	17·5	4	63
Seaford	5,835	5,208	81	76	3	5	165	28·3	64	12·3	11	67
Uckfield	3,358	2,997	25	29	3	7	64	19·1	52	17·4	4	63

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle, 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
SUSSEX, EAST—cont.												
Rural Districts.												
Battle	6,091	5,436	38	32	7	3	80	13·1	81	14·9	4	50
Chailey	11,227	10,029	61	72	6	4	143	12·7	164	16·4	9	63
Cuckfield	16,584	14,801	83	90	4	5	182	11·0	173	11·7	4	22
Eastbourne	5,596	4,994	42	45	6	2	95	17·0	77	15·4	4	42
East Grinstead	13,376	11,938	88	66	8	14	176	13·2	170	14·2	9	51
Hailsham	18,010	16,074	125	112	13	16	266	14·8	276	17·2	18	68
Hastings	1,563	1,395	16	8	3	—	27	17·3	12	8·6	1	37
Newhaven... ..	4,560	4,070	36	25	5	—	66	14·5	54	13·3	7	106
Rye	6,881	6,141	42	36	8	3	89	12·9	93	15·1	9	101
Steyning East	2,840	2,535	15	14	1	—	30	10·6	40	15·8	2	67
Ticehurst	12,646	11,286	76	79	6	14	175	13·8	196	17·4	14	80
Uckfield	24,749	22,088	172	125	16	14	327	13·2	303	13·7	19	58
SUSSEX, WEST.												
Total Urban Districts ...	89,766	80,115	632	572	67	54	1,325	14·8	1,327	16·6	87	66
Total Rural Districts ...	91,851	81,976	638	557	47	56	1,298	14·1	1,196	14·6	71	55
Urban Districts.												
Arundel, M.B.	2,605	2,325	22	17	2	—	41	15·7	29	12·5	1	24
Bognor	9,299	8,299	53	60	5	4	122	13·1	123	14·8	8	66
Chichester, M.B.	11,851	10,577	99	62	12	8	181	15·3	182	17·2	11	61
Horsham	11,729	10,468	87	71	7	5	170	14·5	180	17·2	8	47
Littlehampton	10,466	9,341	82	71	5	5	163	15·6	150	16·1	8	49
Shoreham by Sea	6,393	5,706	53	64	5	4	126	19·7	63	11·0	11	87
Southwick	5,175	4,619	38	50	10	5	103	19·9	89	19·3	8	78
Worthing, M.B.	32,248	28,780	198	177	21	23	419	13·0	511	17·8	32	76
Rural Districts.												
East Preston	6,788	6,058	45	34	—	6	85	12·5	74	12·2	3	35
Horsham	20,615	18,398	116	120	10	10	256	12·4	271	14·7	23	90
Midhurst	14,093	12,578	105	98	9	12	224	15·9	162	12·9	12	54
Petworth	8,096	7,226	50	42	3	8	103	12·7	113	15·6	3	29
Steyning West	8,772	7,829	71	48	5	5	129	14·7	125	16·0	7	54
Thakeham	8,110	7,238	59	47	5	4	115	14·2	120	16·6	5	43
Westbourne	8,650	7,720	73	65	7	3	148	17·1	121	15·7	4	27
Westhampnett	16,727	14,929	119	103	8	8	238	14·2	210	14·1	14	59
WARWICKSHIRE.												
Total Urban Districts ...	150,201	134,053	1,217	1,237	80	65	2,599	17·3	2,175	16·2	221	85
Total Rural Districts ...	185,863	165,881	1,717	1,727	86	80	3,610	19·4	2,600	15·7	279	77
Urban Districts.												
Bulkington	2,149	1,918	18	24	—	—	42	19·5	43	22·4	4	95
Kenilworth	6,855	6,118	67	43	3	3	116	16·9	99	16·2	9	78
Nuneaton, M.B.	40,817	36,429	433	439	14	14	900	22·0	601	16·5	90	100
Royal Leamington Spa M.B.	30,730	27,426	199	190	24	19	432	14·1	489	17·8	31	72
Rugby	25,405	22,674	188	203	10	5	406	16·0	303	13·4	35	86
Stratford on Avon, M.B.	8,522	7,606	57	49	5	7	118	13·8	160	21·0	4	34
Sutton Coldfield, M.B. ...	23,177	20,685	159	180	16	10	365	15·7	270	13·1	24	66
Warwick, M.B.	12,546	11,197	96	109	8	7	220	17·5	210	18·8	24	109
Rural Districts.												
Alcester	11,959	10,673	83	91	4	10	188	15·7	193	18·1	14	74
Atherstone	20,864	18,621	242	253	9	8	512	24·5	263	14·1	26	51
Brailes	5,714	5,100	38	48	2	2	90	15·8	92	18·0	4	44
Coventry	3,838	3,425	30	31	6	7	74	19·3	42	12·3	10	135
Farnborough	1,413	1,261	7	5	—	—	12	8·5	30	23·8	1	83
Foleshill	34,606	30,885	413	421	9	14	857	24·8	501	16·2	94	110
Meriden	14,054	12,543	109	118	6	3	236	16·8	201	16·0	14	59
Monks Kirby	1,519	1,356	8	8	1	1	18	11·8	17	12·5	1	56
Nuneaton	3,220	2,874	31	41	3	2	77	23·9	36	12·5	8	104
Rugby	18,932	16,897	179	151	6	5	341	18·0	297	17·6	35	103
Solihull	20,316	18,132	153	135	8	4	300	14·8	205	11·3	13	43
Southam	9,656	8,618	76	78	11	7	172	17·8	181	21·0	12	70
Stratford on Avon	10,762	9,605	74	71	7	4	156	14·5	149	15·5	11	71
Tamworth (part of)* ...	17,494	15,613	200	200	9	10	419	24·0	222	14·2	24	57
Warwick	11,516	10,278	74	76	5	3	158	13·7	171	16·6	12	76
WESTMORLAND.												
Total Urban Districts ...	25,486	22,746	128	131	16	12	287	11·3	430	18·9	22	77
Total Rural Districts ...	35,618	31,789	273	240	13	16	542	15·2	549	17·3	32	59
Urban Districts.												
Ambleside... ..	2,199	1,963	14	9	1	—	24	10·9	28	14·3	3	125
Appleby, M.B.	1,709	1,525	10	10	—	—	20	11·7	46	30·2	1	50
Grasmere	837	747	5	5	—	—	10	11·9	16	21·4	—	—

* The remainder of Tamworth Rural District is in Staffordshire; see page 40.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—*continued.*

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.		
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.	
			M.	F.	M.	F.							
WESTMORLAND—cont.													
Kendal, M.B. ...	12,951	11,559	71	71	11	5	158	12·2	241	20·8	12	76	
Kirkby Lonsdale ...	1,433	1,279	4	7	—	1	12	8·4	13	10·2	2	167	
Shap ...	900	803	7	6	1	1	15	16·7	13	16·2	2	133	
Windermere ...	5,457	4,870	17	23	3	5	48	8·8	73	15·0	2	42	
Rural Districts.													
East Westmorland ...	11,115	9,920	110	90	4	5	209	18·8	186	18·8	11	53	
South Westmorland ...	18,240	16,279	115	103	7	7	232	12·7	260	16·0	14	60	
West Ward ...	6,263	5,590	48	47	2	4	101	16·1	103	18·4	7	69	
WIGHT, ISLE OF.													
Total Urban Districts ...	87,583	78,167	611	622	56	54	1,343	15·3	1,184	15·1	78	58	
Rural District ...	60,256	53,778	408	414	39	31	892	14·8	784	14·6	46	52	
Urban Districts.													
Cowes ...	27,327	24,389	203	208	17	23	451	16·5	400	16·4	32	71	
East Cowes ...	12,247	10,930	107	102	2	3	214	17·5	118	10·8	8	37	
Newport, M.B. ...	6,085	5,431	51	39	2	4	96	15·8	64	11·8	6	63	
Ryde, M.B. ...	12,425	11,090	88	92	13	11	204	16·4	172	15·5	11	54	
St. Helens ...	10,221	9,122	57	58	7	6	128	12·5	151	16·6	12	94	
Sandown ...	5,052	4,509	33	48	2	3	86	17·0	58	12·9	5	58	
Shanklin ...	5,262	4,696	36	38	6	2	82	15·6	81	17·2	2	24	
Ventnor ...	4,642	4,143	21	15	4	1	41	8·8	68	16·4	1	24	
Rural District.													
Isle of Wight ...	4,322	3,857	15	22	3	1	41	9·5	72	18·7	1	24	
WILTSHIRE.													
Total Urban Districts ...	290,500	259,267	2,149	2,137	196	191	4,673	16·1	3,979	15·3	323	69	
Total Rural Districts ...	137,389	122,618	1,030	979	99	73	2,181	15·9	1,893	15·4	162	74	
Urban Districts.													
Bradford on Avon ...	153,111	136,649	1,119	1,158	97	118	2,492	16·3	2,086	15·3	161	65	
Calne, M.B. ...	4,799	4,283	29	33	3	2	67	14·0	69	16·1	7	104	
Chippenham, M.B. ...	3,700	3,302	21	22	5	1	49	13·2	48	14·5	4	82	
Devizes, M.B. ...	7,718	6,888	62	43	1	—	106	13·7	98	14·2	3	28	
Malmesbury, M.B. ...	6,412	5,723	51	41	3	1	96	15·0	103	18·0	5	52	
Marlborough, M.B. ...	2,505	2,236	15	18	—	2	35	14·0	47	21·0	3	86	
Melksham... ..	3,287	2,934	10	29	1	4	44	13·4	47	16·0	1	23	
Salisbury, M.B. ...	3,628	3,238	12	29	1	1	43	11·9	46	14·2	1	23	
Swindon, M.B. ...	23,221	20,724	187	174	29	25	415	17·9	302	14·6	29	70	
Trowbridge ...	56,494	50,419	460	420	31	23	934	16·5	763	15·1	76	81	
Warminster ...	13,593	12,132	80	87	8	5	180	13·2	193	15·9	16	89	
Westbury... ..	6,096	5,441	59	43	9	6	117	19·2	81	14·9	7	60	
Wilton, M.B. ...	3,561	3,178	24	14	4	—	42	11·8	56	17·6	6	143	
Rural Districts.													
Amesbury ...	2,375	2,120	20	26	4	3	53	22·3	40	18·9	4	75	
Bradford on Avon ...	10,354	9,241	80	88	9	6	183	17·7	130	14·1	10	55	
Calne ...	5,133	4,581	36	30	7	4	77	15·0	62	13·5	2	26	
Chippenham ...	4,570	4,079	23	32	3	5	63	13·8	54	13·2	4	63	
Cricklade and Wootton Bassett ...	14,467	12,911	100	102	3	11	216	14·9	203	15·7	14	65	
Devizes ...	10,373	9,258	86	86	5	7	184	17·7	161	17·4	12	65	
Highworth ...	11,563	10,320	89	82	7	6	184	15·9	161	15·6	17	92	
Malmesbury ...	15,230	13,592	118	109	12	8	247	16·2	231	17·0	25	101	
Marlborough ...	7,955	7,100	57	64	2	4	127	16·0	121	17·0	10	79	
Melksham... ..	4,329	3,864	30	40	3	4	77	17·8	81	21·0	8	104	
Mere ...	4,785	4,271	39	32	3	2	76	15·9	58	13·6	5	66	
Pewsey ...	4,831	4,312	34	37	6	7	84	17·4	64	14·8	3	36	
Ramsbury ...	12,474	11,132	108	114	10	17	249	20·0	170	15·3	20	80	
Salisbury ...	6,194	5,528	34	48	3	3	88	14·2	102	18·5	5	57	
Tetbury (part of)* ...	10,326	9,216	84	52	8	5	149	14·4	127	13·8	7	47	
Tisbury ...	376	335	1	4	1	—	6	16·0	3	9·0	—	—	
Warminster ...	7,782	6,945	38	58	3	8	107	13·7	102	14·7	6	56	
Westbury and Whorwells-down. ...	7,124	6,358	52	64	2	11	129	18·1	82	12·9	5	39	
Wilton ...	6,619	5,907	49	44	2	4	99	15·0	84	14·2	4	40	
WORCESTERSHIRE.													
Total Urban Districts ...	8,626	7,699	61	72	8	6	147	17·0	90	11·7	4	27	
Total Rural Districts ...	293,321	261,787	2,446	2,304	135	114	4,999	17·0	4,437	16·9	389	78	
Urban Districts.													
Bewdley, M.B. ...	164,114	146,471	1,388	1,300	74	60	2,822	17·2	2,587	17·7	249	88	
Bromsgrove ...	129,207	115,316	1,058	1,004	61	54	2,177	16·8	1,850	16·0	140	64	
Droitwich, M.B. ...	2,688	2,399	31	20	1	—	52	19·3	49	20·4	4	77	
Evesham, M.B. ...	9,347	8,342	82	78	5	5	170	18·2	144	17·3	18	106	
Rural Districts.													
Bewdley, M.B. ...	3,877	3,460	39	36	4	1	80	20·6	79	22·8	9	113	
Bromsgrove ...	8,594	7,670	57	81	2	2	142	16·5	110	14·3	12	85	

* The remainder of Tetbury Rural District is in Gloucestershire; see page 28.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—*continued*.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
WORCESTERSHIRE—cont.												
Kidderminster, M.B. ...	25,601	22,849	213	166	12	13	404	15·8	470	20·6	27	67
Lye and Wollescote ...	11,829	10,557	122	94	5	8	229	19·4	203	19·2	18	79
Malvern ...	15,797	14,099	63	65	7	8	143	9·1	221	15·7	4	28
North Bromsgrove ...	7,777	6,941	72	72	7	4	155	19·9	100	14·4	13	84
Oldbury ...	39,378	35,145	404	381	19	13	817	20·7	577	16·4	90	110
Redditch ...	16,839	15,029	119	125	7	1	252	15·0	264	17·6	22	87
Stourbridge, M.B. ...	18,146	16,195	158	154	5	4	321	17·7	304	18·8	29	90
Stourport... ..	4,241	3,785	28	28	—	1	57	13·4	66	17·4	3	53
Rural Districts.												
Bromsgrove ...	15,506	13,838	108	125	5	6	244	15·7	207	15·0	14	57
Droitwich... ..	12,066	10,769	99	89	8	5	201	16·7	181	16·8	7	35
Evesham ...	9,819	8,763	85	69	2	2	158	16·1	132	15·1	9	57
Feckenham ...	5,276	4,709	34	32	2	1	69	13·1	89	18·9	7	101
Halesowen ...	28,883	25,777	313	290	7	7	617	21·4	359	13·9	54	88
Kidderminster ...	7,220	6,444	46	45	3	1	95	13·2	90	14·0	4	42
Martley ...	11,852	10,578	90	98	9	7	204	17·2	167	15·8	17	83
Pershore ...	12,207	10,895	88	76	8	11	183	15·0	206	18·9	5	27
Rock ...	2,198	1,962	15	15	—	2	32	14·6	34	17·3	2	63
Shipston on Stour ...	4,211	3,758	39	25	2	3	69	16·4	61	16·2	3	43
Stow on the Wold (part of)*	305	273	—	1	—	—	1	3·3	10	36·6	—	—
Tenbury ...	4,374	3,904	36	37	7	3	83	19·0	74	19·0	4	48
Tewkesbury (part of)*...	2,212	1,974	14	16	2	—	32	14·5	34	17·2	1	31
Upton on Severn ...	11,860	10,585	81	80	6	6	173	14·6	188	17·8	12	69
Winchcomb (part of)* ...	109	97	1	—	—	—	1	9·2	2	20·6	—	—
Civil Parishes of Redmarley d'Abitôt and Staunton administered by Rural District Council of Newent (Gloucestershire).	1,109	990	9	6	—	—	15	13·5	16	16·2	1	67
YORKSHIRE, EAST RIDING.												
Total Urban Districts ...	63,835	56,972	453	432	49	61	995	15·6	1,026	18·0	89	89
Total Rural Districts ...	98,864	88,235	883	820	71	74	1,848	18·7	1,470	16·7	152	82
Urban Districts.												
Beverley, M.B. ...	14,030	12,522	111	121	14	14	260	18·5	233	18·6	22	85
Bridlington, M.B. ...	14,977	13,367	92	68	10	16	186	12·4	230	17·2	20	108
Cottingham ...	5,000	4,462	38	43	2	2	85	17·0	72	16·1	9	106
Filey ...	3,206	2,861	31	19	6	4	60	18·7	62	21·7	6	100
Great Driffield ...	6,019	5,372	33	38	2	10	83	13·8	117	21·8	9	108
Hedon, M.B. ...	1,238	1,105	8	8	1	—	17	13·7	26	23·5	—	—
Hessle ...	6,040	5,391	38	43	4	2	87	14·4	74	13·7	6	69
Hornsea ...	3,735	3,333	26	16	5	2	49	13·1	42	12·6	2	41
Norton ...	3,903	3,483	29	27	3	4	63	16·1	67	19·2	3	48
Pocklington ...	2,439	2,177	20	21	—	6	47	19·3	59	27·1	9	191
Withernsea ...	3,248	2,899	27	28	2	1	58	17·9	44	15·2	3	52
Rural Districts.												
Beverley ...	11,540	10,299	96	87	4	10	197	17·1	177	17·2	14	71
Bridlington ...	8,131	7,257	78	55	13	5	151	18·6	148	20·4	28	185
Driffield ...	12,246	10,929	107	108	7	10	232	18·9	187	17·1	13	56
Escrick ...	5,675	5,065	39	54	3	4	100	17·6	79	15·6	4	40
Howden ...	12,719	11,351	114	109	9	11	243	19·1	197	17·4	24	99
Norton ...	5,789	5,167	47	51	5	6	109	18·8	69	13·4	6	55
Patrington ...	7,638	6,817	78	72	3	9	162	21·2	105	15·4	17	105
Pocklington ...	11,134	9,937	98	92	8	10	208	18·7	153	15·4	15	72
Riccall ...	4,987	4,451	51	50	6	2	109	21·9	75	16·9	14	128
Sculcoates... ..	9,383	8,374	85	73	5	1	164	17·5	129	15·4	5	30
Sherburn ...	2,078	1,855	17	7	2	2	28	13·5	44	23·7	3	107
Skirlaugh ...	7,544	6,733	73	62	6	4	145	19·2	107	15·9	9	62
YORKSHIRE, NORTH RIDING.												
Total Urban Districts ...	169,304	151,102	1,666	1,736	127	126	3,655	21·6	3,026	20·0	395	108
Total Rural Districts ...	134,618	120,145	1,027	1,005	88	100	2,220	16·5	2,217	18·5	194	87
Urban Districts.												
Eston ...	31,652	28,249	441	462	17	23	943	29·8	588	20·8	124	131
Guisborough ...	7,384	6,590	108	97	4	8	217	29·4	145	22·0	28	129
Hinderwell ...	2,528	2,256	26	21	1	1	49	19·4	43	19·1	2	41
Kirklington cum Upsland	233	208	2	3	—	—	5	21·5	6	28·8	1	200
Loftus ...	10,940	9,764	111	100	2	6	219	20·0	150	15·4	23	105
Malton ...	4,372	3,902	36	26	4	7	73	16·7	96	24·6	7	96
Masham ...	2,083	1,859	15	13	3	1	32	15·4	25	13·4	—	—

* The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire; see page 28.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
YORKSHIRE, NORTH RIDING—cont.												
Northallerton	4,660	4,159	39	39	8	4	90	19·3	75	18·0	15	167
Pickering	3,364	3,002	25	27	7	3	62	18·4	69	23·0	9	145
Redcar	13,950	12,450	120	145	8	9	282	20·2	173	13·9	24	85
Richmond, M.B.	3,956	3,531	32	35	3	6	76	19·2	67	19·0	6	79
Saltburn by the Sea ...	3,936	3,513	20	37	2	4	63	16·0	45	12·8	6	95
Scalby	1,192	1,064	5	6	—	—	11	9·2	13	12·2	—	—
Scarborough, M.B. ...	32,563	29,062	186	197	31	25	439	13·5	637	21·9	36	82
Skelton and Brotton ...	16,465	14,695	207	209	20	12	448	27·2	311	21·2	45	100
Thornaby on Tees, M.B.	19,871	17,735	199	247	12	7	465	23·4	385	21·7	53	114
Whitby	10,155	9,063	94	72	5	10	181	17·8	198	21·8	16	88
Rural Districts.												
Aysgarth	4,292	3,831	22	29	1	2	54	12·6	68	17·7	—	—
Bedale	6,160	5,498	44	37	7	6	94	15·3	107	19·5	9	96
Croft	2,515	2,245	16	24	1	—	41	16·3	37	16·5	1	24
Easingwold	10,289	9,183	74	78	8	9	169	16·4	170	18·5	10	59
Flaxton	8,144	7,268	48	58	4	5	115	14·1	130	17·9	9	78
Guisborough	7,633	6,812	84	71	9	7	171	22·4	135	19·8	32	187
Helmsley	4,857	4,335	34	31	8	—	73	15·0	64	14·8	5	68
Kirkby Moorside	4,826	4,307	43	29	4	6	82	17·0	69	16·0	6	73
Leyburn	6,108	5,451	46	46	2	3	97	15·9	104	19·1	13	134
Malton	5,723	5,108	47	38	4	4	93	16·3	97	19·0	7	75
Middlesbrough	2,550	2,276	18	9	—	2	29	11·4	29	12·7	3	103
Northallerton	7,510	6,703	60	49	7	11	127	16·9	130	19·4	8	63
Pickering	6,607	5,897	45	52	6	2	105	15·9	97	16·4	5	48
Reeth	2,299	2,052	21	11	—	2	34	14·8	37	18·0	2	59
Richmond	8,679	7,746	81	71	2	7	161	18·6	116	15·0	6	37
Scarborough	5,894	5,260	45	48	3	3	99	16·8	111	21·1	8	81
Startforth	4,773	4,260	30	44	4	1	79	16·6	81	19·0	12	152
Stokesley	12,948	11,555	89	119	5	9	222	17·1	232	20·1	24	108
Thirsk	12,498	11,154	113	98	6	12	229	18·3	227	20·4	22	96
Wath	2,048	1,828	20	14	2	3	39	19·0	28	15·3	7	179
Whitby	8,265	7,376	47	49	5	6	107	12·9	148	20·1	5	47
YORKSHIRE, WEST RIDING.												
Total Urban Districts ...	1,509,429	1,347,149	13,671	12,942	763	757	28,133	18·6	24,960	18·5	3,145	112
Total Rural Districts ...	1,117,992	997,795	9,554	9,136	555	538	19,783	17·7	18,509	18·5	2,205	111
	391,437	349,354	4,117	3,806	208	219	8,350	21·3	6,451	18·5	940	113
Urban Districts.												
Adwick le Street	11,657	10,404	170	132	5	5	312	26·8	148	14·2	40	128
Altofts	5,113	4,563	52	55	2	—	109	21·3	63	13·8	7	64
Ardley	7,203	6,429	90	83	7	6	186	25·8	152	23·6	31	167
Ardley East and West ...	8,856	7,904	85	87	2	2	176	19·9	150	19·0	30	170
Baildon	6,334	5,653	33	32	1	2	68	10·7	105	18·6	3	44
Barkisland	1,786	1,594	12	9	—	—	21	11·8	18	11·3	1	48
Barnoldswick	11,536	10,296	58	69	5	2	134	11·6	161	15·6	20	149
Batley, M.B.	36,422	32,506	311	260	20	21	612	16·8	641	19·7	76	124
Bentley with Arksey ...	13,853	12,364	160	140	6	2	308	22·2	185	15·0	34	110
Bingley	18,751	16,735	118	94	5	7	224	11·9	326	19·5	19	85
Birkenshaw	2,719	2,427	16	11	1	—	28	10·3	42	17·3	3	107
Birstal	7,507	6,700	55	53	5	6	119	15·9	120	17·9	8	67
Bolton upon Dearne ...	11,262	10,051	155	166	11	13	345	30·6	188	18·7	38	110
Brighouse, M.B.	21,697	19,364	158	127	12	11	308	14·2	370	19·1	35	114
Burley in Wharfedale ...	3,164	2,824	26	21	—	2	49	15·5	41	14·5	4	82
Calverley	3,469	3,096	19	21	—	—	40	11·5	39	12·6	4	100
Castleford	25,719	22,954	290	281	22	20	613	23·8	381	16·6	58	95
Clayton	4,538	4,050	29	29	2	1	61	13·4	87	21·5	3	49
Clayton West	2,232	1,992	22	19	—	—	41	18·4	33	16·6	1	24
Cudworth	7,530	6,720	96	89	9	2	196	26·0	157	23·4	27	138
Darfield	5,695	5,083	68	66	4	4	142	24·9	81	15·9	15	106
Darton	11,940	10,656	143	155	3	8	309	25·9	173	16·2	23	74
Denby and Cumberworth ...	3,754	3,350	24	31	—	—	55	14·7	46	13·7	3	55
Denholme	2,724	2,431	10	9	1	—	20	7·3	41	16·9	2	100
Dodworth	3,350	2,990	46	45	3	1	95	28·4	55	18·4	10	105
Doncaster, M.B.	53,194	47,475	498	449	36	29	1,012	19·0	801	16·9	99	98
Drighlington	4,140	3,695	22	30	—	1	53	12·8	78	21·1	7	132
Earby	5,414	4,832	34	31	3	2	70	12·9	72	14·9	5	71
Elland	10,967	9,788	62	70	4	5	141	12·9	177	18·1	3	21
Emley	1,701	1,518	17	13	—	2	32	18·8	21	13·8	2	63
Farnley Tyas	469	419	3	3	—	—	6	12·8	3	7·2	1	167

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
YORKSHIRE, WEST RIDING												
—cont.												
Farsley	6,453	5,759	43	43	1	5	92	14·3	94	16·3	11	120
Featherstone	16,008	14,287	200	202	14	12	428	26·7	295	20·6	67	157
Flockton	1,423	1,270	22	13	—	1	36	25·3	14	11·0	—	—
Garforth	4,052	3,616	39	50	2	4	95	23·4	67	18·5	10	105
Gildersome	2,971	2,652	23	15	—	1	39	13·1	44	16·6	7	179
Golcar	10,799	9,638	60	69	6	1	136	12·6	131	13·6	14	103
Goole	18,453	16,469	208	183	26	12	429	23·2	409	24·8	34	79
Greasbrough	3,357	2,996	25	35	1	1	62	18·5	77	25·7	12	194
Greetland	4,676	4,173	28	19	1	2	50	10·7	70	16·8	7	140
Guiseley	5,349	4,774	28	36	—	1	65	12·2	91	19·1	7	108
Gunthwaite and Ingbirchworth.	342	305	3	—	—	—	3	8·8	8	26·2	—	—
Handsworth	17,021	15,191	199	176	7	6	388	22·8	261	17·2	43	111
Harrogate, M.B.	37,250	33,245	171	182	23	22	398	10·7	461	13·9	37	93
Haworth	7,097	6,334	33	30	3	2	68	9·6	96	15·2	6	88
Hebden Bridge	6,822	6,089	33	27	—	2	62	9·1	116	19·1	7	113
Heckmondwike	8,884	7,929	68	67	6	4	145	16·3	179	22·6	9	62
Hipperholme	5,001	4,463	32	26	—	1	59	11·8	75	16·8	1	17
Holme	361	322	2	2	—	—	4	11·1	2	6·2	—	—
Holmfirth	10,472	9,346	61	57	2	3	123	11·7	145	15·5	10	81
Honley	4,799	4,283	25	26	1	—	52	10·8	66	15·4	6	115
Horbury	8,152	7,276	62	70	2	3	137	16·8	113	15·5	16	117
Horsforth	9,248	8,254	54	59	—	—	113	12·2	109	13·2	5	44
Hoyland Nether	15,490	13,825	194	163	5	15	377	24·3	331	23·9	62	164
Hoyland Swaine	679	606	5	5	—	—	10	14·7	14	23·1	1	100
Hunsworth	1,327	1,184	6	12	—	—	18	13·6	20	16·9	2	111
Ilkley	8,415	7,510	34	39	7	4	84	10·0	108	14·4	7	83
Keighley, M.B.	42,617	38,035	280	268	27	15	590	13·8	716	18·8	48	81
Kirkburton	3,435	3,066	20	29	2	4	55	16·0	55	17·9	6	109
Kirkheaton	2,788	2,488	21	13	—	1	35	12·6	52	20·9	6	171
Knaresborough	5,134	4,582	24	27	5	7	63	12·3	128	27·9	8	127
Knottingley	7,275	6,493	83	85	2	6	176	24·2	137	21·1	20	114
Lepton	3,302	2,947	27	21	—	—	48	14·5	27	9·2	2	42
Linthwaite	9,983	8,910	71	67	2	7	147	14·7	133	14·9	15	102
Luddenden Foot	2,909	2,596	18	16	—	2	36	12·4	66	25·4	3	83
Marsden	5,996	5,351	36	27	1	4	68	11·3	89	16·6	6	88
Meltham	5,040	4,498	32	28	—	1	61	12·1	74	16·5	6	98
Methley	4,757	4,246	48	51	3	1	103	21·7	66	15·5	13	126
Mexborough	15,164	13,534	184	157	11	13	365	24·1	325	24·0	53	145
Midgley	1,901	1,697	12	9	—	—	21	11·0	43	25·3	3	143
Mirfield	12,266	10,947	96	79	4	8	187	15·2	197	18·0	10	53
Monk Bretton	5,259	4,694	78	56	2	6	142	27·0	134	28·5	32	225
Morley, M.B.	24,865	22,192	188	182	11	9	390	15·7	430	19·4	42	108
Mytholmroyd	4,221	3,767	24	14	1	—	39	9·2	65	17·3	3	77
New Mill	4,551	4,062	39	39	2	2	82	18·0	83	20·4	9	110
Normanton	16,255	14,507	194	168	10	6	378	23·3	283	19·5	50	132
Oakworth	3,829	3,417	22	19	—	—	41	10·7	60	17·6	5	122
Ossett, M.B.	15,145	13,517	128	128	7	10	273	18·0	259	19·1	27	99
Otley	9,514	8,491	63	45	6	5	119	12·5	157	18·5	13	109
Oxenhope	2,318	2,069	8	10	1	—	19	8·2	37	17·9	—	—
Penistone	4,005	3,574	26	38	—	3	67	16·7	85	23·8	10	149
Pontefract, M.B.	16,016	14,294	210	180	8	13	411	25·7	332	23·2	56	136
Pudsey, M.B.	14,349	12,806	96	82	2	5	185	12·9	243	19·0	20	108
Queensbury	5,907	5,272	38	36	1	2	77	13·0	93	17·6	9	117
Rawdon	3,467	3,094	16	16	—	1	33	9·5	53	17·1	4	121
Rawmarsh	18,805	16,783	221	228	8	9	466	24·8	379	22·6	67	144
Ripon, M.B.	9,277	8,280	87	78	15	10	190	20·5	171	20·7	25	132
Rishworth	751	670	2	5	—	—	7	9·3	12	17·9	1	143
Rothwell	16,519	14,743	172	148	7	6	333	20·2	219	14·9	28	84
Royston	6,695	5,975	92	93	5	4	194	29·0	136	22·8	25	129
Saddleworth	12,224	10,910	76	81	4	2	163	13·3	183	16·8	8	49
Scammonden	313	279	—	1	—	—	1	3·2	4	14·3	—	—
Selby	11,044	9,857	83	85	6	8	182	16·5	155	15·7	21	115
Shelf	2,382	2,126	11	14	—	2	27	11·3	38	17·9	6	222
Shelley	1,825	1,629	13	12	1	—	26	14·2	29	17·8	2	77
Shepley	1,787	1,595	10	8	1	—	19	10·6	23	14·4	4	211
Shipley	29,045	25,922	174	171	13	17	375	12·9	534	20·6	58	155
Silsden	4,994	4,457	25	26	—	—	51	10·2	74	16·6	5	98
Skelmanthorpe	4,000	3,570	23	38	—	1	62	15·5	67	18·8	3	48
Skipton	11,542	10,301	70	63	4	1	138	12·0	201	19·5	23	167
Slaitwaite	5,510	4,918	32	45	2	2	81	14·7	88	17·9	6	74

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—*continued.*

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
YORKSHIRE, WEST RIDING												
—cont.												
South Crosland ...	3,124	2,788	21	20	—	3	44	14.1	30	10.8	3	68
Southowram ...	2,595	2,316	18	14	2	1	35	13.5	44	19.0	4	114
Sowerby ...	3,164	2,824	20	14	—	—	34	10.7	58	20.5	3	88
Sowerby Bridge ...	11,779	10,513	71	99	4	3	177	15.0	171	16.3	18	102
Soyland ...	2,714	2,422	18	15	1	—	34	12.5	30	12.4	1	29
Spennborough ...	33,156	29,591	234	224	15	9	482	14.5	513	17.3	58	120
Springhead ...	4,735	4,226	20	38	2	1	61	12.9	62	14.7	5	82
Stainland with Old Lindley	5,229	4,667	19	34	1	—	54	10.3	61	13.1	2	37
Stanley ...	15,758	14,064	170	159	4	4	337	21.4	263	18.7	46	136
Stocksbridge ...	9,184	8,197	93	95	4	2	194	21.1	125	15.2	16	82
Swinton ...	14,371	12,826	176	201	12	10	399	27.8	305	23.8	61	153
Thurlstone ...	2,896	2,585	32	31	—	—	63	21.8	57	22.1	9	143
Thurnscoe ...	4,509	4,024	60	54	4	3	121	26.8	78	19.4	13	107
Thurstonland ...	940	839	6	7	—	2	15	16.0	22	26.2	2	133
Tickhill ...	2,185	1,950	24	20	—	1	45	20.6	30	15.4	3	67
Todmorden, M.B. ...	23,479	20,955	121	126	7	8	262	11.2	407	19.4	23	88
Wath upon Dearne ...	12,646	11,286	150	159	7	8	324	25.6	284	25.2	44	136
Whitley Upper ...	891	795	8	8	—	—	16	18.0	6	7.5	2	125
Whitwood ...	5,947	5,308	84	72	8	8	172	28.9	102	19.2	19	110
Wombwell ...	18,352	16,379	275	253	21	19	568	31.0	358	21.9	63	111
Worsborough ...	14,144	12,623	174	176	11	3	364	25.7	293	23.2	41	113
Yeadon ...	7,616	6,797	47	45	2	4	98	12.9	124	18.2	15	153
Rural Districts.												
Barnsley ...	4,109	3,667	46	57	5	5	113	27.5	70	19.1	6	53
Bishopthorpe ...	2,098	1,872	14	19	—	1	34	16.2	27	14.4	1	29
Bowland ...	5,503	4,911	42	36	—	1	79	14.4	82	16.7	2	25
Doncaster... ..	39,795	35,517	522	466	24	35	1,047	26.3	733	20.6	155	148
Goole ...	8,305	7,412	77	64	11	12	164	19.7	153	20.6	14	85
Great Ouseburn ...	11,029	9,843	89	68	7	6	170	15.4	158	16.1	12	71
Halifax ...	6,267	5,593	48	47	1	1	97	15.5	122	21.8	14	144
Hemsworth ...	47,049	41,992	674	598	36	32	1,340	28.5	882	21.0	172	128
Hunslet ...	8,308	7,415	74	48	5	5	132	15.9	98	13.2	6	45
Keighley ...	6,679	5,961	32	30	—	2	64	9.6	90	15.1	6	94
Kiveton Park ...	15,078	13,457	161	165	6	3	335	22.2	231	17.2	37	110
Knarborough ...	7,568	6,754	49	49	2	4	104	13.7	98	14.5	7	67
Pateley Bridge ...	6,557	5,852	44	43	2	3	92	14.0	107	18.3	6	65
Penistone ...	5,551	4,954	65	67	—	1	133	24.0	88	17.8	11	83
Pontefract ...	17,276	15,419	209	219	11	14	453	26.2	344	22.3	56	124
Ripon ...	5,401	4,820	31	44	7	5	87	16.1	81	16.8	8	92
Rotherham ...	37,274	33,267	475	500	21	18	1,014	27.2	636	19.1	127	125
Sedburgh ...	3,525	3,146	23	30	—	—	53	15.0	47	14.9	1	19
Selby ...	6,430	5,739	54	48	2	4	108	16.8	96	16.7	12	111
Settle ...	14,736	13,152	115	103	7	4	229	15.5	188	14.3	20	87
Skipton ...	18,441	16,458	124	85	1	6	216	11.7	278	16.9	19	88
Tadcaster ...	28,286	25,245	287	262	17	18	584	20.6	451	17.9	52	89
Thorne ...	10,153	9,061	109	83	5	10	207	20.4	195	21.5	35	169
Todmorden ...	4,124	3,681	25	16	1	3	45	10.9	61	16.6	4	89
Wakefield... ..	17,461	15,584	215	196	10	6	427	24.5	303	19.4	58	136
Wetherby... ..	14,119	12,601	102	90	9	4	205	14.5	193	15.3	14	68
Wharfedale:—												
North ...	2,784	2,485	27	23	1	—	51	18.3	48	19.3	4	78
South ...	4,613	4,117	25	16	2	—	43	9.3	63	15.3	6	140
Wortley ...	32,918	29,379	359	334	15	16	724	22.0	528	18.0	75	104
ANGLESEY.												
Total Urban Districts ...	53,508	47,755	418	398	41	53	910	17.0	889	18.6	80	88
Total Rural Districts ...	19,932	17,789	164	171	14	21	370	18.6	318	17.9	30	81
	33,576	29,966	254	227	27	32	540	16.1	571	19.1	50	93
Urban Districts.												
Amlwch ...	2,676	2,388	16	28	1	1	46	17.2	56	23.5	3	65
Beaumaris, M.B....	2,043	1,823	11	15	2	2	30	14.7	18	9.9	1	33
Holyhead ...	11,686	10,430	113	101	6	14	234	20.0	181	17.3	24	103
Llangefni... ..	1,786	1,594	13	17	4	3	37	20.7	32	20.1	1	27
Menai Bridge ...	1,741	1,554	11	10	1	1	23	13.2	32	20.6	1	43
Rural Districts.												
Aethwy ...	8,529	7,612	73	49	7	11	140	16.4	153	20.1	11	79
Dwyran ...	2,965	2,646	24	22	4	—	50	16.9	55	20.8	6	120
Twrcelyn ...	10,485	9,358	72	62	3	7	144	13.7	170	18.2	15	104
Valley ...	11,597	10,350	85	94	13	14	206	17.8	193	18.6	18	87

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
BRECKNOCKSHIRE.	60,101	53,639	595	567	40	30	1,232	20.5	920	17.2	112	91
Total Urban Districts ...	17,810	15,895	157	158	11	11	337	18.9	294	18.5	29	86
Total Rural Districts ...	42,291	37,744	438	409	29	19	895	21.2	626	16.6	83	93
Urban Districts.												
Brecknock* ...	5,551	4,954	38	36	2	4	80	14.4	85	17.2	10	125
Brynmawr ...	8,239	7,353	93	98	7	3	201	24.4	144	19.6	15	75
Builth Wells ...	1,674	1,494	10	8	1	2	21	12.5	25	16.7	1	48
Hay ...	1,544	1,378	10	14	1	2	27	17.5	30	21.8	2	74
Llanwrtyd ...	802	716	6	2	—	—	8	10.0	10	14.0	1	125
Rural Districts.												
Brecknock ...	8,818	7,870	80	91	7	3	181	20.5	137	17.4	9	50
Builth ...	4,139	3,694	40	34	2	3	79	19.1	52	14.1	12	152
Crickhowell ...	8,007	7,146	92	69	7	7	175	21.9	118	16.5	19	109
Hay ...	3,199	2,855	26	23	5	1	55	17.2	47	16.5	4	73
Vaynor and Penderyn ...	5,835	5,208	51	57	3	1	112	19.2	100	19.2	19	170
Ystradgynlais ...	11,203	9,998	143	120	5	4	272	24.3	162	16.2	20	74
Civil Parish of Llanwrthwl administered by Rural District Council of Rhayader (Radnor).	401	358	2	3	—	—	5	12.5	3	8.4	—	—
Civil Parish of Ystradfellte administered by Rural District Council of Neath (Glam.).	689	615	4	12	—	—	16	23.2	7	11.4	—	—
CARDIGANSHIRE.	57,786	51,573	424	395	29	36	884	15.3	1,073	20.8	67	76
Total Urban Districts ...	15,830	14,128	95	76	10	10	191	12.1	315	22.3	17	89
Total Rural Districts ...	41,956	37,445	329	319	19	26	693	16.5	758	20.2	50	72
Urban Districts.												
Aberayron ...	1,359	1,213	8	6	1	2	17	12.5	25	20.6	2	118
Aberystwyth, M.B. ...	8,220	7,336	49	36	5	7	97	11.8	152	20.7	7	72
Cardigan, M.B. ...	3,366	3,004	21	17	2	1	41	12.2	79	26.3	4	98
Lampeter, M.B. ...	1,672	1,492	12	11	1	—	24	14.4	32	21.4	3	125
New Quay ...	1,213	1,083	5	6	1	—	12	9.9	27	24.9	1	83
Rural Districts.												
Aberayron ...	7,403	6,607	70	51	4	6	131	17.7	122	18.5	8	61
Aberystwyth—												
North ...	6,787	6,057	42	52	2	3	99	14.6	129	21.3	6	61
South ...	5,312	4,741	35	37	2	3	77	14.5	99	20.9	2	26
Cardigan ...	3,295	2,941	27	22	2	1	52	15.8	62	21.1	6	115
Lampeter ...	3,458	3,086	29	30	3	1	63	18.2	72	23.3	4	63
Llandyssil ...	7,898	7,049	53	66	3	8	130	16.5	130	18.4	7	54
Tregaron ...	7,417	6,620	70	60	3	4	137	18.5	134	20.2	16	117
Civil Parish of Ysgubory Coed administered by Rural District Council of Machynlleth (Montgomeryshire).	386	344	3	1	—	—	4	10.4	10	29.1	1	250
CARMARTHENSHIRE.	178,467	159,280	1,919	1,752	80	71	3,822	21.4	2,696	16.9	366	96
Total Urban Districts ...	75,214	67,128	753	693	36	35	1,517	20.2	1,063	15.8	144	95
Total Rural Districts ...	103,253	92,152	1,166	1,059	44	36	2,305	22.3	1,633	17.7	222	96
Urban Districts.												
Ammanford ...	7,298	6,513	94	72	2	3	171	23.4	99	15.2	20	117
Burry Port ...	6,607	5,897	62	58	4	5	129	19.5	98	16.6	12	93
Carmarthen, M.B. ...	9,797	8,744	77	76	3	4	160	16.3	141	16.1	10	63
Cwmamman ...	5,844	5,216	68	53	1	4	126	21.6	60	11.5	7	56
Kidwelly, M.B. ...	3,436	3,067	48	31	4	1	84	24.4	49	16.0	11	131
Llandilo ...	1,917	1,711	15	15	—	2	32	16.7	31	18.1	1	31
Llandovery, M.B. ...	1,928	1,721	12	17	3	1	33	17.1	38	22.1	4	121
Llanelly, M.B. ...	37,525	33,490	372	368	19	14	773	20.6	532	15.9	78	101
Newcastle Emlyn ...	862	769	5	3	—	1	9	10.4	15	19.5	1	111
Rural Districts.												
Carmarthen ...	24,958	22,275	293	269	11	11	584	23.4	479	21.5	54	92
Llandilo Fawr ...	22,193	19,807	265	239	12	8	524	23.6	333	16.8	53	101
Llandovery ...	6,881	6,141	56	55	2	2	115	16.7	134	21.8	15	130
Llanelly ...	33,773	30,142	424	382	14	9	829	24.5	453	15.0	76	92
Llanybyther ...	3,518	3,140	34	28	3	3	68	19.3	64	20.4	4	59
Newcastle in Emlyn ...	6,666	5,949	48	40	2	1	91	13.7	89	15.0	10	110
Whitland ...	5,264	4,698	46	46	—	2	94	17.9	81	17.2	10	106

* Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—*continued.*

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
CARNARVONSHIRE.	115,878	103,419	805	724	88	88	1,705	14.7	2,216	21.4	156	91
Total Urban Districts ...	55,810	49,810	346	336	46	41	769	13.8	1,001	20.1	88	114
Total Rural Districts ...	60,068	53,609	459	388	42	47	936	15.6	1,215	22.7	68	73
<i>Urban Districts.</i>												
Bangor, M.B. ...	10,639	9,495	71	76	6	7	160	15.0	193	20.3	23	144
Bethesda ...	3,785	3,378	31	15	3	2	51	13.5	83	24.6	8	157
Bettws y Coed ...	919	820	3	3	1	1	8	8.7	9	11.0	—	—
Carnarvon, M.B. ...	8,641	7,712	60	63	8	11	142	16.4	208	27.0	23	162
Conway, M.B. ...	5,508	4,916	31	34	3	3	71	12.9	85	17.3	5	70
Criccieth ...	1,379	1,231	3	10	1	—	14	10.2	20	16.2	1	71
Llandudno ...	10,990	9,809	57	62	12	6	137	12.5	169	17.2	14	102
Llanfairfechan ...	2,712	2,420	17	14	3	3	37	13.6	41	16.9	3	81
Penmaenmawr ...	3,546	3,165	17	14	3	2	36	10.2	45	14.2	1	28
Portmadoc ...	4,214	3,761	33	26	3	3	65	15.4	89	23.7	5	77
Pwllheli, M.B. ...	3,477	3,103	23	19	3	3	48	13.8	59	19.0	5	104
<i>Rural Districts.</i>												
Conway ...	6,940	6,193	65	53	5	3	126	18.2	131	21.2	8	63
Geirionydd ...	3,900	3,481	27	28	4	2	61	15.6	65	18.7	5	82
Glaslyn ...	2,856	2,549	25	20	2	—	47	16.5	60	23.5	5	106
Gwyrfa ...	23,840	21,277	179	117	14	18	328	13.8	528	24.8	27	82
Lleyn ...	16,833	15,023	133	132	16	20	301	17.9	324	21.6	21	70
Ogwen ...	5,699	5,086	30	38	1	4	73	12.8	107	21.0	2	27
DENBIGHSHIRE.	150,316	134,156	1,371	1,337	138	87	2,933	19.5	2,169	16.2	310	106
Total Urban Districts ...	49,715	44,370	339	331	40	26	736	14.8	730	16.5	72	98
Total Rural Districts ...	100,601	89,786	1,032	1,006	98	61	2,197	21.8	1,439	16.0	238	108
<i>Urban Districts.</i>												
Abergele and Pensarn ...	2,501	2,232	14	20	2	2	38	15.2	34	15.2	6	158
Colwyn Bay and Colwyn	14,308	12,770	60	53	7	2	122	8.5	193	15.1	6	49
Denbigh, M.B. ...	5,752	5,134	45	54	6	4	109	18.9	103	20.1	11	101
Llangollen ...	3,153	2,814	21	15	2	4	42	13.3	47	16.7	7	167
Llanrwst ...	2,382	2,126	24	12	2	2	40	16.8	50	23.5	6	150
Ruthin, M.B. ...	2,448	2,185	16	12	3	1	32	13.1	35	16.0	4	125
Wrexham, M.B. ...	19,171	17,109	159	165	18	11	353	18.4	268	15.7	32	91
<i>Rural Districts.</i>												
Chirk ...	4,594	4,100	42	44	3	2	91	19.8	57	13.9	7	77
Llangollen ...	3,738	3,336	33	19	4	2	58	15.5	48	14.4	9	155
Llanrwst ...	4,496	4,013	41	37	7	9	94	20.9	84	20.9	9	96
Llansilin ...	2,992	2,670	23	22	—	1	46	15.4	52	19.5	6	130
Ruthin ...	9,118	8,138	62	85	4	4	155	17.0	146	17.9	12	77
St. Asaph (Denbigh) ...	6,747	6,022	73	57	12	3	145	21.5	104	17.3	13	90
Uwchale ...	2,206	1,969	25	20	2	2	49	22.2	22	11.2	2	41
Wrexham ...	65,058	58,063	723	706	60	37	1,526	23.5	899	15.5	175	115
Civil Parishes of Llanellian yn Rhôs and Llansantffraid Glan Conway administered by Rural District Council of Conway (Carnarvonshire).	1,652	1,475	10	16	6	1	33	20.0	27	18.3	5	152
FLINTSHIRE.	102,315	91,315	899	878	68	51	1,896	18.5	1,437	15.7	141	74
Total Urban Districts ...	40,287	35,956	341	368	22	22	753	18.7	541	15.0	52	69
Total Rural Districts ...	62,028	55,359	558	510	46	29	1,143	18.4	896	16.2	89	78
<i>Urban Districts.</i>												
Buckley ...	7,339	6,550	97	80	2	2	181	24.7	101	15.4	12	66
Connah's Quay ...	5,310	4,739	49	64	1	2	116	21.8	66	13.9	7	60
Flint, M.B. ...	6,425	5,734	55	78	4	2	139	21.6	86	15.0	14	101
Holywell ...	2,734	2,440	19	20	1	2	42	15.4	51	20.9	—	—
Mold ...	4,790	4,275	45	46	7	2	100	20.9	57	13.3	2	20
Prestatyn ...	3,032	2,706	13	18	1	3	35	11.5	32	11.8	—	—
Rhyl ...	10,657	9,512	63	62	6	9	140	13.1	148	15.6	17	121
<i>Rural Districts.</i>												
Hawarden ...	24,223	21,619	247	234	21	9	511	21.1	306	14.2	40	78
Holywell ...	25,385	22,656	210	186	17	10	423	16.7	388	17.1	31	73
Overton ...	5,093	4,545	47	38	2	2	89	17.5	69	15.2	3	34
St. Asaph (Flint) ...	7,327	6,539	54	52	6	8	120	16.4	133	20.3	15	125
GLAMORGANSHIRE.	829,428*	740,254*	10,091	9,393	366	364	20,214	24.4	11,348	15.3	1,930	95
Total Urban Districts ...	600,975*	536,363*	7,355	6,863	283	282	14,783	24.6	8,367	15.6	1,472	100
Total Rural Districts ...	228,453*	203,891*	2,736	2,530	83	82	5,431	23.8	2,981	14.6	458	84
<i>Urban Districts.</i>												
Aberavon, M.B. ...	15,760	14,066	196	178	11	6	391	24.8	223	15.9	44	113
Aberdare ...	56,039	50,014	642	630	20	32	1,324	23.6	928	18.6	163	123
Barry ...	37,906	33,831	416	388	14	19	837	22.1	485	14.3	76	91

* Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. (Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
GLAMORGANSHIRE—cont.												
Bridgend	8,185	7,305	67	61	2	6	136	16·6	132	18·1	9	66
Briton Ferry	9,205	8,215	81	85	—	4	170	18·5	112	13·6	10	59
Caerphilly	38,831	34,656	452	431	21	12	916	23·6	449	13·0	89	97
Cowbridge, M.B....	1,073	958	6	4	1	—	11	10·3	21	21·9	1	91
Gelligaer	41,592	37,120	556	567	24	27	1,174	28·2	595	16·0	146	124
Glyncorwg	10,620	9,478	152	158	9	8	327	30·8	148	15·6	31	95
Maesteg	30,223	26,974	403	377	14	13	807	26·7	357	13·2	71	88
Margam	17,357	15,491	202	167	3	9	381	22·0	195	12·6	26	68
Mountain Ash ...	45,250	40,385	568	501	18	21	1,108	24·5	645	16·0	108	97
Neath, M.B.	18,457	16,473	211	154	12	5	382	20·7	260	15·8	35	92
Ogmore and Garw ...	31,395	28,020	402	347	15	15	779	24·8	468	16·7	80	103
Oystermouth* ...	6,464†	5,769†	62	44	2	2	110	17·0	82	14·2	5	45
Penarth	16,711	14,914	182	138	10	4	334	20·0	208	13·9	19	57
Pontypridd	45,869	40,938	576	536	21	19	1,152	25·1	660	16·1	109	95
Porthcawl... ..	4,997	4,460	35	24	1	2	62	12·4	53	11·9	3	48
Rhondda	165,041	147,296	2,146	2,073	85	78	4,382	26·6	2,346	15·9	447	102
Rural Districts.												
Cowbridge	9,420	8,407	111	85	8	2	206	21·9	128	15·2	15	73
Gower	9,254†	8,259†	107	92	2	6	207	22·4	104	12·6	13	63
Llandaff and Dinas Powis	35,327	31,529	326	336	14	9	685	19·4	470	14·9	42	61
Llantrisant and Llantwit-fardre.	23,382	20,868	319	293	7	9	628	26·9	290	13·9	51	81
Neath	45,697	40,784	573	533	18	16	1,140	24·9	598	14·7	106	93
Penybont... ..	24,436	21,809	295	259	10	9	573	23·4	320	14·7	53	92
Pontardawe	33,832	30,195	423	418	12	18	871	25·7	505	16·7	94	108
Swansea	47,105†	42,040†	582	514	12	13	1,121	23·8	566	13·5	84	75
MERIONETHSHIRE.												
Total Urban Districts ...	41,877	37,375	297	289	36	26	648	15·5	642	17·2	48	74
Total Rural Districts ...	17,759	15,850	107	103	11	7	228	12·8	302	19·1	14	61
Total	24,118	21,525	190	186	25	19	420	17·4	340	15·8	34	81
Urban Districts.												
Bala	1,413	1,261	9	8	1	—	18	12·7	22	17·4	1	56
Barmouth... ..	2,366	2,112	17	8	1	1	27	11·4	40	18·9	—	—
Dolgelley	1,982	1,769	10	15	2	2	29	14·6	31	17·5	1	34
Ffestiniog... ..	7,286	6,502	37	48	5	2	92	12·6	136	20·9	11	120
Mallwyd	748	668	6	5	1	1	13	17·4	17	25·4	—	—
Towyn	3,964	3,538	28	19	1	1	49	12·4	56	15·8	1	20
Rural Districts.												
Deudraeth	7,386	6,592	65	59	6	8	138	18·7	119	18·1	12	87
Dolgelley	7,598	6,781	53	47	8	4	112	14·7	105	15·5	8	71
Edeirnion... ..	4,719	4,212	40	37	4	5	86	18·2	64	15·2	8	93
Penllyn	4,018	3,586	30	42	7	2	81	20·2	47	13·1	6	74
Civil Parish of Pennal administered by Rural District Council of Machynlleth (Montgomeryshire).	397	354	2	1	—	—	3	7·6	5	14·1	—	—
MONTGOMERYSHIRE.												
Total Urban Districts ...	52,018	46,426	430	404	36	39	909	17·5	842	18·1	73	80
Total Rural Districts ...	19,050	17,002	129	132	15	12	288	15·1	287	16·9	22	76
Total	32,968	29,424	301	272	21	27	621	18·8	555	18·9	51	82
Urban Districts.												
Llanfyllin, M.B. ...	1,514	1,351	10	8	2	1	21	13·9	30	22·2	3	143
Llanidloes, M.B. ...	2,676	2,388	14	25	4	2	45	16·8	48	20·1	4	89
Machynlleth	1,923	1,716	8	11	5	3	27	14·0	39	22·7	2	74
Montgomery, M.B. ...	993	886	5	8	—	—	13	13·1	16	18·1	2	154
Newtown and Llanllwchaarn.	5,974	5,333	43	36	1	4	84	14·1	80	15·0	5	60
Welshpool, M.B....	5,970	5,328	49	44	3	2	98	16·4	74	13·9	6	61
Rural Districts.												
Forden	5,466	4,878	51	47	4	5	107	19·6	82	16·8	9	84
Llanfyllin... ..	12,418	11,083	103	96	5	12	216	17·4	214	19·3	18	83
Machynlleth	3,813	3,404	34	32	4	7	77	20·2	69	20·3	5	65
Newtown and Llanidloes	11,271	10,059	113	97	8	3	221	19·6	190	18·9	19	86
PEMBROKESHIRE.												
Total Urban Districts ...	92,222	82,307	859	861	50	55	1,825	19·8	1,408	17·1	173	95
Total Rural Districts ...	41,636	37,160	385	379	22	33	819	19·7	588	15·8	87	106
Total	50,586	45,147	474	482	28	22	1,006	19·9	820	18·2	86	85
Urban Districts.												
Fishguard... ..	2,948	2,631	21	26	1	—	48	16·3	46	17·5	1	21
Haverfordwest, M.B. ...	5,731	5,115	35	50	6	11	102	17·8	85	16·6	8	78
Milford Haven	8,362	7,463	86	85	4	6	181	21·6	123	16·5	30	166
Narberth	1,144	1,021	7	13	—	2	22	19·2	19	18·6	2	91

* Abolished on 9th November, 1918. † Population adjusted to allow for changes in boundary during the year.

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1918—continued.

Administrative Area.	Estimated Population, Middle 1918.		BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).		Deaths under one year.	
	For Birth-rates. (Total.)	For Death-rates. Civilian.)	Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civilian Population.	Number.	Rate per 1,000 Births.
			M.	F.	M.	F.						
PEMBROKESHIRE—cont.												
Neyland	2,574	2,297	33	32	3	5	73	28·4	46	20·0	12	164
Pembroke, M.B.	16,427	14,661	171	155	4	6	336	20·5	207	14·1	32	95
Tenby, M.B.	4,450	3,972	32	18	4	3	57	12·8	62	15·6	2	35
Rural Districts.												
Haverfordwest	21,005	18,746	206	221	9	10	446	21·2	341	18·2	30	67
Llanfyrnach	2,492	2,224	19	21	3	—	43	17·3	41	18·4	6	140
Narberth	10,429	9,308	90	84	5	8	187	17·9	166	17·8	15	80
Pembroke... ..	8,494	7,581	87	85	7	3	182	21·4	141	18·6	18	99
St. Dogmells	8,166	7,288	72	71	4	1	148	18·1	131	18·0	17	115
RADNORSHIRE.												
Total Urban Districts ...	22,853	20,396	184	186	19	6	395	17·3	344	16·9	25	63
Total Rural Districts ...	6,213	5,545	34	31	4	2	71	11·4	75	13·5	6	85
Urban Districts.	16,640	14,851	150	155	15	4	324	19·5	269	18·1	19	59
Knighton	1,717	1,532	7	9	1	—	17	9·9	23	15·0	3	176
Llandrindod Wells ...	3,179	2,838	14	11	2	1	28	8·8	29	10·2	2	71
Presteigne	1,317	1,175	13	11	1	1	26	19·7	23	19·6	1	38
Rural Districts.												
Colwyn	2,007	1,791	22	23	2	—	47	23·4	27	15·1	3	64
Knighton	4,519	4,033	32	39	7	2	80	17·7	58	14·4	6	75
New Radnor	2,694	2,404	31	30	—	1	62	23·0	47	19·6	4	65
Painscastle	2,353	2,100	24	25	2	1	52	22·1	36	17·1	2	38
Rhayader	5,067	4,523	41	38	4	—	83	16·4	101	22·3	4	48

DEATHS OF ALL INFANTS AND OF ILLEGITIMATE INFANTS IN VARIOUS PORTIONS OF THE FIRST YEAR OF LIFE ; AND MORTALITY (PER 1,000 BIRTHS) OF THE FIRST FOUR WEEKS AND OF THE FIRST YEAR OF LIFE IN ADMINISTRATIVE AREAS, 1918.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
2980	3198	3676	4533	4480	4092	3898	26857	41	113	All Areas.	70	201	296	299	397	601	559	379	308	2839
2138	2383	2626	3135	2796	2460	2447	17985	35	87	North	66	167	303	232	309	458	388	247	209	2146
1652	1694	1769	2590	2415	2073	1985	14178	31	87	Midlands	62	190	314	198	223	551	494	282	195	2257
587	695	794	1001	830	755	704	5366	37	95	South*	68	170	45	53	83	111	78	47	35	452
7357	7970	8865	11259	10521	9380	9034	64386	37	97	Wales	66	186	958	782	1012	1721	1519	955	747	7694
										England and Wales.										
754	749	846	1347	1495	1231	1237	7659	33	108	London	75	260	179	80	89	291	296	163	113	1211
										Co. Boroughs										
1541	1684	2004	2597	2626	2408	2256	15116	41	120	North	72	224	184	156	210	356	375	245	192	1718
772	860	968	1279	1185	1028	1009	7101	37	101	Midlands	74	198	96	88	126	176	159	100	91	836
220	209	228	378	273	231	210	1749	30	79	South	47	160	28	24	34	85	60	37	24	292
97	119	141	185	168	153	148	1011	36	101	Wales	84	242	5	14	16	24	30	7	5	101
2630	2872	3341	4439	4252	3820	3623	24977	39	109	England and Wales.	69	209	313	282	386	641	624	389	312	2947
										Oth. Ur. Dsts.										
942	1037	1214	1386	1303	1215	1191	8288	41	107	North	72	183	81	102	137	181	132	96	86	815
798	861	1000	1199	1081	911	932	6782	34	86	Midlands	63	171	124	81	108	187	168	103	78	849
371	440	405	533	418	386	348	2901	30	72	South	52	147	61	54	52	106	101	58	39	471
306	354	412	522	432	402	425	2853	37	98	Wales	68	165	26	26	37	46	37	24	20	216
2417	2692	3031	3640	3234	2914	2896	20824	36	92	England and Wales.	64	169	292	263	334	520	438	281	223	2351
										Rural Dists.										
497	477	458	550	551	469	451	3453	42	102	North	61	154	31	41	50	64	52	38	30	306
568	662	658	657	530	521	506	4102	34	73	Midlands	60	126	83	63	75	95	61	44	40	461
307	296	290	332	229	225	190	1869	30	63	South	62	132	46	40	48	69	37	24	19	283
184	222	241	294	230	200	131	1502	37	87	Wales	62	146	14	13	30	41	11	16	10	135
1556	1657	1647	1833	1540	1415	1278	10926	35	80	England and Wales.	61	136	174	157	203	269	161	122	99	1185

Summary.

Greater London and Metropolitan Boroughs.

1180	1178	1361	2047	2128	1742	1753	11389	32	97	Greater London.	70	237	251	113	143	404	430	233	156	1730
										Met. Boro's.										
2	1	1	3	4	3	2	16	40	158	City of Lond.	167	333	1	—	—	1	—	—	—	2
21	27	33	52	47	47	40	267	30	99	Battersea	76	292	5	3	5	15	12	7	3	50
38	17	31	47	61	70	63	327	35	134	Bermondsey	114	371	5	2	1	4	6	3	5	26
19	25	20	30	65	56	73	288	29	129	Bethnal Gr.	45	303	1	2	—	3	6	3	5	20
38	33	53	86	76	77	69	432	29	102	Camberwell	59	323	6	—	5	18	16	12	3	60
11	7	4	19	11	9	12	73	27	88	Chelsea	59	176	3	1	—	5	1	1	1	12
22	19	38	36	45	28	24	212	36	98	Deptford	67	160	5	1	2	5	4	—	2	19
16	13	8	23	28	21	35	144	28	109	Finsbury	31	200	—	2	—	3	2	4	2	13
27	36	27	48	63	44	46	291	34	109	Fulham	67	227	4	5	6	10	16	4	6	51
25	12	21	41	41	32	40	212	32	118	Greenwich	119	347	11	—	1	8	7	4	4	35
22	39	39	64	80	64	58	366	31	112	Hackney	51	358	4	—	5	18	18	9	9	63
29	22	19	43	36	31	26	206	35	102	Hammers'th	83	243	10	3	1	7	8	4	8	41
12	8	7	10	17	5	10	69	30	77	Hampstead	82	173	4	1	3	3	5	—	1	17
8	7	10	16	13	11	8	73	50	147	Holborn	116	261	6	1	1	5	3	2	—	18
60	64	61	87	115	80	108	575	35	110	Islington	57	219	10	5	3	15	21	8	7	69
20	31	24	43	44	37	25	224	31	91	Kensington	61	212	5	9	2	13	17	6	4	56
46	41	58	73	94	71	78	461	31	97	Lambeth	74	246	14	6	6	23	19	7	12	87
18	23	25	54	22	17	11	170	28	72	Lewisham	91	392	7	2	4	27	7	7	2	56
28	32	27	35	48	40	26	236	43	116	Paddington	113	286	11	6	7	13	15	7	2	61
31	34	41	53	68	66	54	347	34	110	Poplar	38	218	3	—	—	3	4	6	1	17
18	21	22	32	31	18	13	155	44	113	St. Marylne	102	231	9	9	5	14	10	4	1	52
29	31	36	68	68	50	57	339	29	102	St. Pancras	57	237	10	1	7	17	19	10	11	75
23	16	24	54	53	56	66	292	35	163	Shoreditch	103	309	4	1	5	5	5	7	3	30
33	31	57	75	76	76	85	433	35	126	Southwark	69	255	5	5	4	9	11	14	4	52
47	60	46	90	108	85	107	543	32	113	Stepney	90	306	4	4	4	5	13	5	6	41
5	8	13	11	6	9	7	59	41	93	Stoke New.	34	241	—	—	1	1	1	3	1	7
40	47	46	80	84	74	51	422	30	95	Wandswrth	66	292	9	7	5	20	28	17	7	93
29	11	15	36	28	20	18	157	38	108	Westminstr	102	227	16	2	4	12	10	3	2	49
37	33	40	38	63	34	25	270	43	106	Woolwich	68	241	7	2	2	9	12	6	1	39

* Including London.

DEATHS OF ALL INFANTS AND OF ILLEGITIMATE INFANTS IN VARIOUS PORTIONS OF THE FIRST YEAR OF LIFE; AND MORTALITY (PER 1,000 BIRTHS) OF THE FIRST FOUR WEEKS AND OF THE FIRST YEAR OF LIFE IN ADMINISTRATIVE AREAS, 1918—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-19 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
County Boroughs—continued.																				
18	20	33	38	18	22	15	164	44	101	Warrington	68	233	1	2	2	3	5	2	2	17
27	20	25	35	37	22	22	188	43	112	W. Brom'ich	37	232	2	1	—	8	6	1	1	19
49	66	75	116	134	118	132	690	32	115	West Ham	67	239	4	4	9	8	16	11	9	61
23	21	34	46	46	50	38	258	50	167	W. Hartlep'l	75	237	3	2	2	7	2	3	3	22
24	41	28	36	36	33	33	231	49	123	Wigan	86	198	2	3	2	4	4	—	1	16
22	29	35	40	25	29	23	203	41	97	Wolv'rh'pt'n	55	121	1	3	1	3	1	1	1	11
7	9	4	10	9	5	7	51	25	64	Worcester	42	70	1	1	1	—	—	—	2	5
16	20	18	19	15	25	18	131	40	97	York	74	189	3	2	4	4	4	4	2	23
38	39	65	67	68	64	56	387	35	104	Cardiff	130	311	4	8	9	12	9	5	3	50
18	26	25	41	36	32	37	215	36	113	Merthyr Td.	53	263	1	1	2	6	8	1	1	20
23	29	31	46	42	37	35	243	32	95	Swansea	65	237	—	1	5	6	9	—	1	22

County Boroughs—continued.

Administrative Counties.																				
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-19 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
27	32	28	36	23	21	13	180	42	86	Bedford										
9	11	11	18	9	11	8	77	25	62	U.D.'s.	61	127	1	4	6	5	4	3	—	23
										R.D.'s.	65	140	3	2	2	5	1	2	—	15
10	10	8	14	14	5	7	68	31	75	Berks.										
15	15	24	24	14	26	11	129	27	65	U.D.'s.	55	187	2	2	1	6	4	1	1	17
										R.D.'s.	36	144	—	1	4	5	5	2	3	20
18	10	12	16	14	14	7	91	30	68	Bucks.										
16	22	18	22	14	22	15	129	27	62	U.D.'s.	67	154	4	—	3	4	3	2	—	16
										R.D.'s.	59	118	—	1	5	6	3	2	1	18
5	9	7	14	7	2	10	54	26	66	Camb.										
9	15	10	8	10	6	6	64	32	60	U.D.'s.	32	127	—	1	1	1	3	1	1	8
										R.D.'s.	63	94	1	2	3	—	2	1	—	9
67	77	98	106	97	93	103	641	35	93	Cheshire										
30	22	22	36	35	22	31	198	25	67	U.D.'s.	57	151	6	8	11	20	9	9	3	66
										R.D.'s.	24	101	3	—	1	5	3	1	4	17
18	24	12	29	26	28	26	163	26	79	Cornwall										
30	22	29	30	28	26	19	184	31	70	U.D.'s.	21	174	1	1	1	5	7	4	6	25
										R.D.'s.	58	94	3	2	3	3	2	—	—	13
22	45	38	47	55	39	41	287	37	100	Cumberland										
23	19	27	32	20	24	15	160	36	84	U.D.'s.	56	168	—	2	7	6	5	3	4	27
										R.D.'s.	61	128	2	2	5	6	—	3	1	19
68	80	98	87	95	68	84	580	40	95	Derby										
52	62	85	93	99	70	79	540	33	90	U.D.'s.	59	153	7	7	6	13	7	5	7	52
										R.D.'s.	52	176	5	3	8	12	18	4	4	54
23	21	20	33	23	25	28	173	25	68	Devon										
17	44	36	30	30	24	23	204	32	68	U.D.'s.	30	119	1	4	1	5	4	5	4	24
										R.D.'s.	45	116	2	3	4	4	4	1	5	23
20	27	18	25	22	20	15	147	33	76	Dorset										
15	18	10	8	8	5	11	75	27	47	U.D.'s.	76	147	3	6	5	4	3	6	—	27
										R.D.'s.	55	83	2	2	2	1	1	—	1	9
198	171	206	251	254	207	201	1488	46	120	Durham										
214	156	174	197	228	179	140	1288	52	123	U.D.'s.	83	230	14	14	22	32	23	19	14	138
										R.D.'s.	80	187	10	15	22	25	19	13	6	110
7	6	8	12	9	7	5	54	33	86	Ely, I. of.										
13	12	8	16	14	8	5	76	51	117	U.D.'s.	33	164	1	—	1	5	—	1	2	10
										R.D.'s.	57	114	2	—	—	1	1	—	—	4
94	101	119	139	100	90	87	730	33	76	Essex										
30	39	32	43	21	36	27	228	26	58	U.D.'s.	59	156	14	6	9	15	22	7	4	77
										R.D.'s.	48	125	3	5	5	14	3	2	2	34
19	14	10	8	11	9	12	83	32	62	Gloucester										
36	54	39	42	25	42	27	265	35	72	U.D.'s.	72	113	3	2	2	4	—	—	—	11
										R.D.'s.	56	103	5	5	3	8	—	2	1	24
9	10	13	10	4	5	9	60	49	93	Hereford										
11	18	17	12	12	12	14	96	40	84	U.D.'s.	129	188	4	2	5	3	—	1	1	16
										R.D.'s.	34	102	—	1	2	1	1	2	2	9
29	34	31	44	35	11	25	209	30	67	Hertford										
12	16	14	10	7	5	13	77	27	50	U.D.'s.	51	153	7	2	2	7	9	2	4	33
										R.D.'s.	22	56	2	—	—	2	—	—	1	5
8	3	6	5	7	4	5	38	43	95	Huntingdon										
4	7	1	7	5	5	3	32	25	65	U.D.'s.	158	263	4	1	1	—	2	1	1	10
										R.D.'s.	91	114	2	2	—	1	—	—	—	5
115	133	143	181	150	124	120	966	32	80	Kent										
65	56	49	61	49	50	40	370	31	68	U.D.'s.	54	146	23	15	17	37	33	12	12	149
										R.D.'s.	50	139	10	6	5	12	13	6	6	58
271	306	375	454	371	335	323	2435	40	102	Lancs.										
49	51	43	62	52	43	44	344	38	91	U.D.'s.	73	172	24	34	42	50	37	27	22	236
										R.D.'s.	75	150	6	2	4	4	3	3	2	24
19	23	26	24	23	18	20	153	38	84	Leicester										
17	29	28	29	30	32	22	187	29	74	U.D.'s.	40	162	—	2	2	4	5	—	3	16
										R.D.'s.	43	94	—	3	2	3	2	—	1	11

DEATHS OF ALL INFANTS AND OF ILLEGITIMATE INFANTS IN VARIOUS PORTIONS OF THE FIRST YEAR OF LIFE; AND MORTALITY (PER 1,000 BIRTHS) OF THE FIRST FOUR WEEKS AND OF THE FIRST YEAR OF LIFE IN ADMINISTRATIVE AREAS, 1918—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
Administrative Counties—continued.																				
7	12	14	13	6	6	13	71	50	107	Lincs. Holl.	133	283	2	2	4	4	1	1	3	17
7	8	12	11	8	10	10	66	29	71	U.D.'s.	73	146	1	1	1	1	—	1	1	6
8	12	17	19	14	9	10	89	40	97	Lincs. Kest.	42	169	—	1	2	4	2	2	1	12
14	11	23	11	14	9	9	91	38	71	U.D.'s.	47	105	2	1	1	2	1	1	1	9
30	29	23	39	38	28	21	208	41	104	Lincs. Linds.	73	164	5	7	1	5	3	6	2	29
29	36	25	36	37	27	19	209	32	74	U.D.'s.	45	90	3	4	1	2	4	1	1	16
178	159	187	258	254	188	185	1409	29	78	Middx.	63	212	33	17	17	50	60	33	17	227
12	10	8	13	4	9	5	61	32	66	U.D.'s.	113	161	4	1	2	2	—	—	1	10
99	106	117	153	94	130	121	820	40	101	Monmouth	81	192	4	12	8	11	8	6	8	57
6	10	7	1	13	8	9	54	29	67	U.D.'s.	45	91	2	—	—	—	1	1	—	4
5	11	12	10	12	18	16	84	29	88	Norfolk	56	127	2	2	3	2	3	2	2	16
46	55	55	42	45	37	32	312	36	72	U.D.'s.	79	129	11	11	11	9	3	6	3	54
11	14	15	18	8	12	17	95	30	72	Northants.	59	99	2	1	3	—	1	1	2	10
15	16	20	20	11	9	24	115	29	65	U.D.'s.	73	109	3	3	2	2	1	1	—	12
101	88	111	120	112	105	89	726	44	106	Northumb.	73	168	8	14	7	17	12	4	5	67
30	19	18	21	21	24	12	145	38	83	U.D.'s.	23	68	—	1	2	4	—	2	—	9
47	60	74	93	102	90	88	551	34	104	Notts.	43	171	4	4	7	9	16	13	6	59
31	34	27	35	31	36	31	225	38	93	U.D.'s.	96	185	7	3	3	2	4	2	4	25
3	6	5	8	8	6	1	37	25	66	Oxford	58	115	—	3	—	2	1	—	—	6
12	14	17	9	6	10	11	79	30	55	U.D.'s.	88	150	3	1	6	2	—	3	2	17
10	7	4	10	4	7	6	48	34	78	Peter. S. of	57	132	—	2	1	4	—	—	—	7
—	2	1	—	—	1	2	6	16	33	U.D.'s.	—	—	—	—	—	—	—	—	—	—
—	—	—	1	—	—	—	1	—	25	Rutland	—	167	—	—	—	1	—	—	—	1
4	—	2	2	7	1	1	17	27	76	U.D.'s.	50	50	1	—	—	—	—	—	—	1
20	15	22	32	19	21	27	156	30	81	Shropsh.	51	153	2	2	5	4	4	3	7	27
29	31	27	29	13	14	15	158	37	67	U.D.'s.	57	98	6	1	3	2	4	1	—	17
21	23	28	23	11	19	9	134	33	61	Somerset	36	82	1	—	3	3	1	1	—	9
39	26	32	36	18	19	20	190	30	58	U.D.'s.	48	72	2	2	4	3	1	—	—	12
30	38	33	57	34	33	33	258	26	67	Southants.	47	151	2	7	4	11	9	5	4	42
42	37	31	45	27	27	18	227	30	61	U.D.'s.	84	175	8	6	10	16	3	7	—	50
107	124	170	200	177	198	176	1152	36	104	Staffs.	81	197	15	6	17	23	11	13	8	93
61	59	62	57	36	27	47	349	43	83	U.D.'s.	66	137	5	4	5	6	2	1	6	29
12	21	19	21	24	13	27	142	32	86	Suffolk, E.	58	146	3	1	4	3	5	3	1	20
23	20	31	26	17	12	23	152	35	72	U.D.'s.	48	122	6	—	3	4	4	2	4	23
7	4	10	5	3	3	2	34	34	55	Suffolk, W.	70	99	3	1	1	1	—	—	1	7
11	11	16	6	7	15	6	72	35	67	U.D.'s.	35	116	3	—	—	—	2	4	1	10
69	82	84	92	83	80	66	556	29	68	Surrey	54	152	15	7	11	18	22	14	6	93
27	14	22	24	15	11	13	126	27	55	U.D.'s.	67	157	6	2	4	7	5	2	2	28
19	28	22	26	19	19	8	141	36	73	Sussex, E.	67	159	7	4	3	8	6	4	1	33
21	16	11	18	10	14	10	100	29	60	U.D.'s.	63	127	4	3	3	6	3	1	—	20
16	14	10	20	11	8	8	87	30	66	Sussex, W.	50	149	2	3	1	4	6	2	—	18
10	12	15	11	11	7	5	71	29	55	U.D.'s.	78	146	4	2	2	3	—	3	1	15
19	25	37	40	43	33	24	221	31	85	Warwick	55	145	4	3	1	6	3	2	2	21
45	40	51	42	27	41	33	279	38	77	U.D.'s.	84	151	4	4	6	3	2	4	2	25
5	5	2	2	2	2	4	22	42	77	Westmorl.	71	143	2	—	—	—	—	1	1	4
9	6	2	9	2	—	4	32	31	59	U.D.'s.	69	138	2	—	—	2	—	—	—	4
6	7	8	6	7	8	4	46	24	52	Wight, I. of	71	157	1	2	2	1	2	1	2	11
6	4	4	10	—	5	3	32	31	71	U.D.'s.	150	250	1	3	2	3	—	1	—	10
24	33	19	27	18	17	24	162	35	74	Wilts	52	134	3	3	3	4	4	3	3	23
20	32	27	35	19	11	17	161	32	65	U.D.'s.	79	116	4	8	5	6	—	1	1	25
31	40	33	37	41	25	42	249	37	88	Worcester	75	187	4	2	4	8	3	1	3	25
20	30	18	18	21	14	19	140	31	64	U.D.'s.	61	165	1	5	1	5	3	2	2	19

ENGLAND and WALES—DEATHS at EACH YEAR of AGE REGISTERED in the
YEAR 1918. (Total deaths registered.)

Age.	Persons.	Males.	Females.				Age.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	611,861	314,704	297,157	132,008	92,913	72,236	50	5,995	3,249	2,746	506	1,828	412
0	64,386	36,593	27,793	27,793	—	—	51	5,509	2,987	2,522	486	1,614	422
1	26,447	13,518	12,929	12,929	—	—	52	6,305	3,434	2,871	494	1,836	541
2	14,955	7,505	7,450	7,450	—	—	53	6,140	3,423	2,717	475	1,714	528
3	10,508	5,081	5,427	5,427	—	—	54	6,600	3,582	3,018	514	1,839	665
4	7,857	3,820	4,037	4,037	—	—	55	5,913	3,240	2,673	500	1,603	570
5	6,395	3,119	3,276	3,276	—	—	56	6,348	3,514	2,834	511	1,647	676
6	4,697	2,286	2,411	2,411	—	—	57	6,274	3,493	2,781	454	1,596	731
7	3,650	1,801	1,849	1,849	—	—	58	6,899	3,826	3,073	510	1,752	811
8	3,149	1,471	1,678	1,678	—	—	59	6,535	3,646	2,889	458	1,606	825
9	2,975	1,487	1,488	1,488	—	—	60	6,780	3,720	3,060	502	1,579	979
10	2,836	1,371	1,465	1,465	—	—	61	6,474	3,577	2,897	481	1,451	965
11	2,534	1,223	1,311	1,311	—	—	62	7,637	4,186	3,451	519	1,671	1,261
12	2,449	1,152	1,297	1,297	—	—	63	7,697	4,170	3,527	512	1,679	1,336
13	2,736	1,210	1,526	1,526	—	—	64	8,000	4,349	3,651	513	1,693	1,445
14	3,233	1,479	1,754	1,754	—	—	65	8,243	4,402	3,841	529	1,645	1,667
15	3,698	1,716	1,982	1,982	—	—	66	7,727	4,125	3,602	477	1,489	1,636
16	4,182	2,096	2,086	2,083	3	—	67	8,447	4,510	3,937	523	1,563	1,851
17	4,501	2,435	2,066	2,056	10	—	68	9,068	4,742	4,326	582	1,592	2,152
18	5,405	3,200	2,205	2,156	48	1	69	8,868	4,623	4,245	551	1,453	2,241
19	4,858	2,584	2,274	2,123	145	6	70	8,433	4,399	4,034	559	1,320	2,155
20	4,793	2,389	2,404	2,116	279	9	71	7,666	3,927	3,739	509	1,112	2,118
21	5,251	2,627	2,624	2,083	525	16	72	8,625	4,363	4,262	529	1,166	2,567
22	5,306	2,709	2,597	1,881	686	30	73	8,608	4,198	4,410	556	1,136	2,718
23	5,650	2,893	2,757	1,785	932	40	74	8,969	4,267	4,702	571	1,115	3,016
24	5,824	2,902	2,922	1,657	1,196	69	75	8,252	3,938	4,314	578	904	2,832
25	6,250	3,102	3,148	1,576	1,483	89	76	8,099	3,773	4,326	516	796	3,014
26	6,487	3,214	3,273	1,476	1,709	88	77	7,775	3,657	4,118	519	714	2,885
27	6,497	3,171	3,326	1,358	1,850	118	78	7,507	3,478	4,029	472	660	2,897
28	6,697	3,373	3,324	1,163	1,998	163	79	6,139	2,755	3,384	432	483	2,469
29	6,474	3,233	3,241	1,026	2,080	135	80	5,903	2,616	3,287	427	395	2,465
30	6,742	3,421	3,321	1,032	2,134	155	81	4,860	2,105	2,755	353	304	2,098
31	5,842	2,967	2,875	791	1,958	126	82	4,858	2,076	2,782	345	282	2,155
32	6,186	3,147	3,039	801	2,098	140	83	4,265	1,688	2,577	286	248	2,043
33	5,751	3,013	2,738	684	1,917	137	84	4,039	1,650	2,389	342	184	1,863
34	5,681	3,008	2,673	669	1,871	133	85	3,311	1,362	1,949	232	120	1,597
35	5,461	2,911	2,550	596	1,824	130	86	2,826	1,061	1,765	198	103	1,464
36	5,145	2,728	2,417	537	1,753	127	87	2,365	902	1,463	196	96	1,171
37	5,018	2,657	2,361	533	1,679	149	88	1,968	727	1,241	161	53	1,027
38	5,370	2,772	2,598	559	1,877	162	89	1,540	525	1,015	134	18	863
39	5,092	2,701	2,391	465	1,763	163	90	1,162	358	804	94	28	682
40	5,028	2,693	2,335	520	1,644	171	91	839	244	595	98	11	486
41	4,671	2,549	2,122	373	1,570	179	92	678	212	466	58	5	403
42	5,327	2,916	2,411	480	1,739	192	93	462	141	321	48	4	269
43	5,267	2,838	2,429	475	1,753	201	94	343	108	235	32	3	200
44	5,200	2,858	2,342	487	1,646	209	95	231	68	163	20	5	138
45	5,482	3,066	2,416	466	1,716	234	96	199	61	138	13	5	120
46	5,222	2,937	2,285	487	1,544	254	97	127	31	96	14	2	80
47	5,588	3,029	2,559	490	1,769	300	98	88	27	61	13	2	46
48	5,726	3,103	2,623	493	1,817	313	99	61	14	47	11	—	36
49	5,665	3,083	2,582	436	1,773	373	100 and over.	60	18	42	9	—	33

NOTE.—The 611,861 deaths at all ages include 1,009 cases (670 males and 339 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age “about 40” under age 40). In 55 cases (47 males and 8 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 241 cases (230 males and 11 females) the ages were stated to be unknown; these have been distributed to the particular ages with regard as far as possible to the cause of death (the number of males showed a considerable increase over the number in 1914, owing in the main, to the inclusion of the deaths resulting from the War).

Of the 297,157 deaths of females, 1,194 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 24 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND IN METROPOLITAN BOROUGHS, 1918
(Civilian Population only).

Age.	Sex.	Greater London.	City of London.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammer-smith.	Hampstead.	Holborn.
All Ages	M	56,589	173	1353	1263	1201	2098	530	920	832	1192	910	1765	967	435	443
	F	59,434	126	1456	1146	1272	2181	575	913	757	1309	840	1944	1036	592	391
Under 1½ month	M	2109	3	50	48	30	70	12	45	25	47	33	59	43	10	11
	F	1610	1	31	38	34	54	10	34	12	43	25	41	27	17	14
1-3 months	M	1179	2	34	30	14	52	12	16	12	30	28	40	20	5	11
	F	868	1	18	17	16	34	7	20	11	18	13	24	23	5	5
3-6 months	M	1213	1	26	38	42	41	5	21	17	38	25	46	23	12	4
	F	915	3	21	23	23	35	6	24	11	25	16	34	13	5	9
6-12 months	M	1933	3	48	78	58	80	14	24	32	53	42	69	37	8	12
	F	1562	2	39	55	71	66	7	28	24	37	30	53	20	7	7
Total under 1 year	M	6434	9	158	194	144	243	43	106	86	168	128	214	123	35	38
	F	4955	7	109	133	144	189	30	106	58	123	84	152	83	34	35
1—	M	2744	2	75	83	122	120	18	39	55	60	41	78	43	8	19
	F	2708	—	66	94	132	98	13	52	53	58	44	88	45	10	11
2—	M	1486	2	35	50	73	54	10	33	23	25	20	41	26	4	1
	F	1510	—	38	51	72	71	9	34	30	23	19	41	21	6	5
3—	M	958	—	29	33	39	41	3	20	21	29	17	31	13	2	4
	F	1051	—	36	27	55	31	13	17	13	28	19	34	17	5	4
4—	M	717	1	17	23	20	30	4	15	13	15	14	30	9	3	2
	F	703	1	15	22	25	25	5	13	15	14	18	17	10	2	3
Total under 5 years	M	12,339	14	314	383	398	488	78	213	198	297	220	394	214	52	64
	F	10,927	8	264	327	428	414	70	222	169	246	184	332	176	57	58
5—	M	1828	1	52	35	46	85	11	37	29	34	29	46	27	8	6
	F	1899	1	44	41	44	79	6	25	38	32	37	64	37	9	8
10—	M	1233	2	28	31	24	46	12	19	15	26	23	40	15	2	9
	F	1384	—	40	26	33	50	4	21	14	27	24	49	28	13	2
15—	M	1656	3	40	23	30	71	9	25	27	33	39	54	22	13	9
	F	2123	4	54	41	34	78	18	33	36	68	24	73	37	17	14
20—	M	1335	1	34	30	21	61	16	29	15	30	33	36	24	10	10
	F	2896	5	73	53	57	98	27	54	28	59	47	99	62	27	29
25—	M	2069	4	48	46	35	71	14	34	13	40	52	69	33	15	10
	F	3586	9	109	52	62	129	38	58	43	95	41	138	66	27	23
30—	M	2377	10	52	48	50	85	12	33	26	71	41	84	30	20	13
	F	3122	5	64	54	51	104	21	46	42	69	40	107	42	40	20
35—	M	2328	5	59	41	39	79	17	37	27	46	29	57	44	21	19
	F	2505	4	57	40	43	83	16	48	28	47	36	85	45	27	21
40—	M	2567	11	62	52	41	85	15	34	44	68	47	76	44	18	21
	F	2413	9	59	38	64	66	29	36	25	66	29	75	47	23	23
45—	M	3160	14	69	55	74	112	29	57	44	73	41	97	60	31	31
	F	2676	10	68	47	42	98	28	33	29	50	47	82	34	36	23
50—	M	3433	15	79	92	65	118	36	61	61	66	43	109	61	26	31
	F	2861	3	65	49	54	119	40	31	39	78	36	89	59	32	22
55—	M	3565	11	88	69	71	104	48	60	56	62	58	125	64	21	39
	F	2810	10	77	45	47	103	38	50	38	60	47	96	40	40	20
60—	M	3982	16	97	72	83	148	36	62	56	79	60	130	64	35	43
	F	3227	8	83	61	65	117	40	46	39	62	38	115	56	36	24
65—	M	4368	23	90	87	74	150	55	67	73	93	61	136	77	44	32
	F	3830	12	99	73	67	121	40	55	45	95	53	140	77	48	29
70—	M	4062	24	103	92	77	154	62	57	67	75	54	101	82	42	46
	F	4039	15	99	72	64	158	46	53	47	87	51	121	74	45	28
75—	M	3344	10	72	63	37	136	40	51	44	54	39	103	66	44	39
	F	3962	12	105	65	56	156	42	53	45	76	44	115	67	45	24
80—	M	1869	4	41	30	26	74	26	29	25	27	26	75	23	21	14
	F	2876	5	48	41	41	109	42	29	32	51	31	91	48	38	13
85—	M	1074	5	25	14	10	31	14	15	12	18	15	33	17	12	7
	F	2298	6	48	21	20	99	30	20	20	41	31	73	41	32	10

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGH, 1918 (Civilian Population only)—*continued.*

Age.	Sex.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages {	M	2853	1190	2487	1020	981	1670	886	2030	1123	1958	2566	403	2075	1062	1065
	F	3006	1561	2576	1229	1271	1502	953	1894	996	1850	2267	399	2384	1016	1035
Under 1 month {	M	106	43	70	34	50	64	30	53	39	70	79	19	78	31	65
	F	79	32	75	32	37	42	31	43	24	51	74	7	55	24	45
1-3 months {	M	55	29	41	30	16	27	21	38	26	42	57	7	42	18	20
	F	32	14	32	24	19	26	11	30	28	33	33	4	38	18	18
3-6 months {	M	67	24	53	10	27	40	20	41	32	40	70	3	48	15	32
	F	48	20	41	12	21	28	11	27	21	36	38	3	36	13	31
6-12 months {	M	101	30	82	15	34	70	19	61	72	77	108	7	72	26	23
	F	87	32	67	13	32	50	12	46	50	84	84	9	53	12	36
Total under 1 year {	M	329	126	246	89	127	201	90	193	169	229	314	36	240	90	140
	F	246	98	215	81	109	146	65	146	123	204	229	23	182	67	130
1— {	M	159	57	118	34	36	123	26	92	100	140	155	15	72	35	36
	F	162	50	118	28	62	115	34	81	98	154	167	8	68	12	43
2— {	M	74	32	61	22	34	67	14	48	56	67	72	7	48	10	18
	F	83	21	58	25	20	57	8	43	48	78	81	7	36	8	21
3— {	M	56	19	45	10	21	32	6	31	24	39	42	5	25	2	11
	F	53	26	46	14	23	39	12	32	30	51	47	6	21	5	14
4— {	M	24	11	37	13	11	36	5	19	16	31	27	3	27	9	13
	F	26	13	29	8	13	24	6	28	24	22	26	5	25	3	13
Total under 5 years {	M	642	245	507	168	229	459	141	383	365	506	610	66	412	146	218
	F	570	208	466	156	227	381	125	330	323	509	550	49	332	95	221
5— {	M	73	31	75	40	29	60	14	74	39	54	80	16	58	10	48
	F	98	38	78	48	34	59	20	52	31	73	77	9	73	16	34
10— {	M	45	23	44	23	19	31	11	38	34	30	50	12	40	16	26
	F	63	19	48	31	7	42	15	43	25	46	57	10	45	16	31
15— {	M	79	29	63	28	21	52	15	59	27	48	77	15	70	22	26
	F	90	48	88	44	34	51	29	52	36	63	87	11	80	38	47
20— {	M	65	19	58	22	20	38	13	45	18	43	79	8	44	18	39
	F	120	71	107	64	50	86	50	100	45	86	107	18	106	55	46
25— {	M	102	38	87	32	33	53	28	68	22	49	111	13	84	36	44
	F	175	94	133	60	80	75	53	131	53	101	106	33	150	50	77
30— {	M	123	45	97	49	31	60	32	52	29	59	104	17	98	35	51
	F	148	82	120	65	60	76	59	96	42	85	115	20	143	52	65
35— {	M	109	36	107	39	35	65	39	85	35	64	107	10	96	54	50
	F	111	50	104	47	50	47	48	95	44	85	102	18	110	42	48
40— {	M	103	63	105	46	34	75	34	97	46	78	137	19	102	49	58
	F	110	66	111	47	44	50	44	96	38	51	90	12	102	43	48
45— {	M	176	55	143	53	51	98	51	148	54	123	146	26	104	55	51
	F	132	61	129	53	69	66	50	85	38	69	116	15	104	61	50
50— {	M	185	71	160	63	62	82	66	142	65	136	161	23	109	82	73
	F	167	77	135	54	64	62	57	86	44	81	118	24	131	57	44
55— {	M	188	90	150	70	65	90	72	137	66	154	184	22	132	87	60
	F	141	79	104	60	66	67	53	84	40	82	116	16	123	57	43
60— {	M	198	90	176	76	72	100	85	167	78	142	170	24	142	111	79
	F	183	98	154	68	66	73	60	109	43	94	127	15	107	79	43
65— {	M	238	106	227	76	101	137	97	157	83	158	209	37	163	102	69
	F	195	134	167	84	83	96	66	141	57	118	150	34	176	86	39
70— {	M	216	84	199	89	72	119	80	143	58	143	153	36	147	97	64
	F	226	125	178	96	92	98	63	142	52	105	138	35	160	78	61
75— {	M	166	85	154	73	52	92	60	128	57	107	115	33	136	78	57
	F	204	135	195	117	109	79	69	108	42	109	90	42	187	83	52
80— {	M	102	43	94	50	33	44	27	69	33	37	48	14	91	40	30
	F	148	101	162	71	63	44	46	89	29	57	71	18	143	59	50
85— {	M	43	37	41	23	22	15	21	38	14	27	25	12	47	24	22
	F	125	75	97	64	73	50	46	55	14	36	50	20	112	49	36

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1918 (Civilian Population only).

Age.	Sex.	Barnsley.	Barrow in Furness.	Bath.	Birken-head.	Birming-ham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bourne-mouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.
All Ages {	M	689	612	474	1392	6717	997	510	1358	746	469	2401	1027	2747	795	419	484
	F	682	563	572	1293	6495	1184	569	1443	690	596	2572	1145	3048	912	398	494
Under 1 month {	M	30	41	14	65	343	44	31	48	27	15	90	32	113	38	15	17
	F	36	46	10	51	258	29	11	60	29	8	76	25	91	27	9	15
1-3 months {	M	18	17	7	44	163	16	10	28	32	9	51	25	59	19	11	10
	F	18	13	7	22	145	17	9	24	19	7	36	7	41	14	6	2
3-6 months {	M	20	16	2	43	187	20	9	35	25	1	59	14	57	11	5	14
	F	20	20	5	14	113	17	2	24	16	3	37	9	31	18	4	5
6-12 months {	M	36	33	13	63	240	26	11	38	37	12	86	18	84	31	19	14
	F	28	29	4	43	234	24	5	35	27	4	51	18	75	26	9	5
Total under 1 year {	M	104	107	36	215	933	106	61	149	121	37	286	89	313	99	50	55
	F	102	108	26	130	750	87	27	143	91	22	200	59	238	85	28	27
1— {	M	78	33	11	84	313	43	12	52	44	11	101	34	160	40	14	15
	F	77	36	6	91	319	51	14	50	54	3	81	35	116	42	15	17
2— {	M	36	14	4	36	185	23	6	37	21	8	67	22	84	24	6	8
	F	40	22	8	42	194	25	5	27	39	8	50	19	61	19	11	14
3— {	M	38	7	5	32	111	18	4	26	16	1	43	14	47	15	11	7
	F	32	9	3	39	103	22	8	29	22	4	54	12	45	14	13	6
4— {	M	26	6	3	25	88	14	6	18	14	2	29	3	42	15	12	6
	F	24	13	3	35	86	14	2	19	14	2	40	10	46	8	8	2
Total under 5 years {	M	282	167	59	392	1630	204	89	282	216	59	526	162	646	193	93	91
	F	275	188	46	337	1452	199	56	268	220	39	425	135	506	168	75	66
5— {	M	50	17	12	58	223	43	5	55	41	6	75	31	87	33	28	10
	F	59	21	7	48	250	32	10	60	32	8	71	43	72	24	14	18
10— {	M	18	17	13	25	140	24	8	24	19	8	37	18	59	14	13	9
	F	18	9	6	36	147	26	10	23	19	9	64	30	64	23	13	12
15— {	M	22	17	16	42	158	27	12	49	30	8	60	31	88	24	8	10
	F	18	21	23	45	211	39	18	42	19	16	84	39	133	26	16	16
20— {	M	12	17	8	33	143	11	11	37	26	10	43	30	72	24	7	7
	F	26	33	13	63	272	52	27	64	29	14	96	60	140	36	24	16
25— {	M	16	35	13	79	238	32	10	35	37	21	56	36	96	20	15	13
	F	32	23	18	78	352	67	32	60	37	22	122	61	182	49	28	18
30— {	M	12	35	17	69	289	35	17	51	33	20	79	45	111	19	12	12
	F	22	22	21	72	343	58	29	57	40	29	105	55	145	52	21	19
35— {	M	17	37	17	58	286	30	17	53	31	27	81	42	119	23	17	22
	F	25	30	23	46	266	55	23	51	24	23	98	46	153	42	15	19
40— {	M	19	27	19	60	340	44	21	53	40	16	115	45	129	28	12	30
	F	18	24	13	46	287	48	28	69	32	24	116	44	118	42	17	16
45— {	M	25	31	20	71	393	60	35	59	41	24	127	67	139	32	26	31
	F	13	23	26	54	276	56	34	65	24	27	103	48	124	52	18	25
50— {	M	35	36	29	79	431	70	53	90	47	26	195	56	176	56	33	35
	F	32	18	26	57	293	78	32	86	27	28	168	52	140	53	16	42
55— {	M	30	34	32	75	444	74	44	93	37	24	190	63	155	65	17	40
	F	17	22	41	62	307	68	41	75	30	38	164	55	135	48	15	30
60— {	M	40	28	32	81	489	92	46	121	37	29	212	84	196	82	30	46
	F	23	25	36	54	360	97	34	118	26	43	164	68	175	74	23	33
65— {	M	38	42	45	99	517	90	36	127	36	47	221	92	183	57	36	38
	F	36	39	57	76	408	89	53	126	30	61	237	79	207	63	18	60
70— {	M	36	39	56	70	422	71	39	100	39	45	177	81	191	70	23	49
	F	25	24	65	85	460	94	50	113	39	63	216	98	245	64	22	39
75— {	M	26	22	40	61	300	49	46	69	23	49	132	64	166	43	29	26
	F	15	24	58	82	391	71	42	92	29	69	187	96	217	60	29	36
80— {	M	4	8	24	23	189	34	15	45	9	35	57	49	84	11	16	9
	F	15	13	49	30	262	39	37	43	18	51	113	59	164	22	19	21
85— {	M	7	3	22	17	85	7	6	15	4	15	18	31	50	1	4	6
	F	13	4	44	22	158	16	13	31	15	32	39	77	128	14	15	8

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1918 (Civilian Population only)—
continued.

Age.	Sex.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimaby.	Halifax.	Hastings.
All Ages {	M	186	422	334	989	1097	550	960	472	544	293	976	424	1150	395	421	625	911	434
	F	222	439	331	962	1403	459	951	482	477	360	967	471	1142	408	532	671	952	580
Under 1 month {	M	8	26	14	60	43	36	62	27	44	13	42	17	65	17	17	48	27	20
	F	3	15	9	46	28	27	37	19	28	7	25	5	64	16	14	24	30	10
1-3 months {	M	5	9	7	30	22	17	21	8	10	5	17	5	44	9	10	25	24	8
	F	3	10	6	22	18	11	14	6	12	5	13	9	31	4	9	21	13	4
3-6 months {	M	2	17	9	23	18	17	23	10	22	6	13	5	40	4	12	16	13	5
	F	—	11	9	17	19	9	19	3	13	4	11	4	32	3	5	18	13	3
6-12 months {	M	2	20	9	32	31	20	20	19	26	5	21	6	66	11	15	31	26	4
	F	1	27	3	29	22	13	18	11	15	5	12	4	44	7	14	25	21	6
Total under 1 year {	M	17	72	39	145	114	90	126	64	102	29	93	33	215	41	54	120	90	37
	F	7	63	27	114	87	60	88	39	68	21	61	22	171	30	42	88	77	23
1— {	M	5	19	25	47	40	31	33	22	30	17	47	7	83	11	29	30	41	15
	F	8	17	14	29	47	23	43	9	40	8	38	10	71	17	31	39	30	8
2— {	M	2	5	6	26	24	12	25	13	19	4	20	7	40	6	8	11	18	13
	F	6	8	4	23	35	11	21	9	17	4	31	6	48	10	9	15	19	6
3— {	M	4	3	5	11	19	13	6	6	13	2	20	7	23	9	9	9	19	2
	F	2	6	5	23	16	5	20	14	9	2	14	2	26	6	11	17	13	9
4— {	M	3	2	2	13	13	7	21	15	9	2	21	1	31	3	7	7	17	4
	F	3	3	4	6	15	4	8	7	13	6	22	2	26	6	5	7	11	4
Total under 5 years {	M	31	101	77	242	210	153	211	120	173	54	201	55	392	70	107	177	185	71
	F	26	97	54	195	200	103	180	78	147	41	166	42	342	69	98	166	150	50
5— {	M	1	8	12	36	38	14	34	22	27	8	37	14	66	15	15	29	38	10
	F	12	15	11	31	45	20	36	25	14	4	46	10	62	14	22	14	28	10
10— {	M	5	7	4	21	19	13	9	4	11	4	26	6	32	11	7	8	18	3
	F	5	9	4	18	34	14	27	5	12	8	27	12	37	8	8	17	24	14
15— {	M	8	15	7	36	20	13	25	7	11	5	41	17	30	16	15	19	23	7
	F	6	14	10	43	47	16	32	13	11	6	49	13	48	16	16	29	24	17
20— {	M	5	10	5	24	27	8	13	9	15	6	23	14	20	10	7	13	14	7
	F	8	12	17	58	59	26	37	12	12	17	55	18	49	23	18	29	36	21
25— {	M	5	13	10	52	35	21	31	15	21	7	46	10	31	19	9	17	27	8
	F	9	18	21	78	74	25	49	24	29	21	67	27	55	27	20	41	38	21
30— {	M	7	21	18	63	52	18	38	15	21	12	50	13	39	11	20	22	31	21
	F	13	20	22	56	68	17	52	21	14	23	59	28	40	27	26	31	40	28
35— {	M	7	18	18	47	50	26	34	21	17	11	33	31	38	19	11	36	24	19
	F	9	15	18	45	58	19	34	15	18	19	42	16	49	17	17	33	34	22
40— {	M	9	16	19	45	55	28	43	13	26	10	50	17	39	8	12	21	37	17
	F	5	12	16	39	61	22	44	32	19	9	40	19	51	13	19	28	30	25
45— {	M	8	22	17	54	53	23	53	30	22	13	61	22	55	17	9	20	52	27
	F	8	17	19	44	66	16	39	20	18	12	39	18	42	15	19	31	52	25
50— {	M	12	28	20	69	55	32	61	29	36	12	56	23	55	23	20	34	66	19
	F	11	28	20	38	55	15	28	35	14	16	49	18	42	23	24	36	56	37
55— {	M	11	28	16	53	57	33	60	36	36	11	58	23	69	29	22	34	63	21
	F	5	22	18	39	69	28	45	34	18	20	38	32	46	18	30	25	52	43
60— {	M	13	27	27	58	67	31	69	49	30	31	71	38	77	27	33	52	93	33
	F	14	30	27	48	89	30	78	27	35	23	60	32	55	25	23	24	77	37
65— {	M	11	33	31	60	97	45	99	32	32	26	58	40	75	35	33	50	101	38
	F	20	34	19	66	107	26	67	39	27	32	46	33	53	23	36	45	81	41
70— {	M	16	25	26	46	95	35	73	31	26	26	61	29	55	28	37	30	68	51
	F	16	37	21	62	105	32	72	31	36	28	64	37	52	28	52	38	77	50
75— {	M	14	29	19	43	92	31	60	30	19	31	58	35	54	27	34	35	43	28
	F	17	31	14	52	97	27	66	37	25	32	53	58	55	33	39	31	75	58
80— {	M	13	15	6	30	46	20	32	6	14	14	31	22	15	16	15	17	23	35
	F	22	19	13	35	91	13	40	23	20	17	38	33	44	14	34	28	52	40
85— {	M	10	6	2	10	29	6	15	3	7	12	15	15	8	14	15	11	5	19
	F	16	9	7	15	78	10	25	11	8	32	29	25	20	15	31	25	26	41

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1918 (Civilian Population only)—
continued.

Age.	Sex.	Hudders- field.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middles- brough.	Newcastle upon Tyne.	Newport (Mon.).	Northamp- ton.	Norwich.	Notting- ham.	Oldham.
All Ages {	M	892	538	2649	4181	1820	445	7909	6073	1442	2562	638	655	978	2336	1372
	F	879	607	2687	4342	2068	476	7521	6154	1240	2278	540	720	1084	2711	1437
Under 1 month {	M	41	24	126	192	66	15	382	278	94	173	42	30	55	122	63
	F	22	22	90	124	57	11	252	218	66	100	31	19	34	86	45
1-3 months {	M	18	13	55	89	33	8	200	141	45	61	17	11	19	52	23
	F	12	8	62	63	29	10	167	90	34	50	14	13	8	35	16
3-6 months {	M	11	12	68	103	28	9	219	112	52	61	11	9	14	44	21
	F	10	8	50	96	26	6	181	101	30	48	11	6	14	36	12
6-12 months {	M	23	17	128	177	63	13	422	258	87	119	24	22	27	71	35
	F	23	11	97	139	52	15	335	183	83	84	16	11	33	73	30
Total under 1 year {	M	93	66	377	561	190	45	1223	789	278	414	94	72	115	289	142
	F	67	49	299	422	164	42	935	592	213	282	72	49	89	230	103
1— {	M	27	21	178	253	71	15	562	339	85	143	29	25	50	105	67
	F	37	17	164	221	96	21	544	296	88	150	26	21	68	128	67
2— {	M	18	17	102	164	45	7	263	153	58	69	11	18	31	85	33
	F	15	14	96	157	38	14	326	198	59	55	9	19	44	63	33
3— {	M	12	5	81	123	32	7	171	117	49	39	12	10	31	55	24
	F	12	6	75	135	38	12	182	128	43	57	5	13	23	58	28
4— {	M	5	5	46	71	28	7	134	85	24	28	3	6	20	37	21
	F	9	7	56	94	25	8	123	107	22	25	13	9	26	34	24
Total under 5 years {	M	155	114	784	1172	366	81	2353	1463	494	693	149	131	247	571	287
	F	140	93	690	1029	361	97	2110	1321	425	569	125	111	250	513	255
5— {	M	36	26	126	148	60	16	307	216	66	90	18	19	45	77	65
	F	32	20	147	155	71	23	341	222	79	89	23	24	52	110	64
10— {	M	19	11	71	88	52	6	182	137	31	64	12	8	23	33	25
	F	16	20	89	121	59	16	214	151	30	76	15	21	22	94	40
15— {	M	30	20	88	128	63	10	225	155	46	81	17	20	23	63	31
	F	36	23	115	174	75	14	287	233	62	84	18	36	30	87	45
20— {	M	12	14	51	80	45	12	208	120	36	73	18	20	20	50	28
	F	25	36	123	199	116	21	328	267	67	80	26	35	49	132	62
25— {	M	24	29	83	100	72	14	307	206	44	81	24	21	37	74	33
	F	40	36	145	217	141	26	380	292	67	133	33	58	54	169	66
30— {	M	40	15	85	127	89	28	336	194	57	79	28	30	31	73	50
	F	31	24	136	172	104	22	337	292	63	90	33	38	49	153	65
35— {	M	37	16	97	119	61	17	341	251	53	113	35	37	31	83	49
	F	44	28	107	146	92	16	295	249	49	100	24	43	37	101	52
40— {	M	30	21	107	176	84	19	382	315	70	117	22	26	26	108	69
	F	46	19	93	156	82	16	313	281	48	96	17	21	30	112	61
45— {	M	66	31	128	210	83	18	435	390	89	147	30	28	37	157	92
	F	47	18	106	191	87	14	318	277	44	93	21	32	51	125	81
50— {	M	56	26	154	284	98	24	492	434	86	141	58	37	42	138	97
	F	48	28	105	237	107	24	355	329	50	104	35	33	40	142	90
55— {	M	82	22	153	293	108	31	477	448	62	158	51	40	56	140	122
	F	50	34	109	216	118	22	337	337	42	105	26	35	42	134	110
60— {	M	81	31	154	304	136	36	479	472	75	175	35	44	57	171	137
	F	61	29	122	269	108	23	406	387	35	133	19	36	51	149	113
65— {	M	90	53	192	328	163	30	513	448	88	170	46	53	87	185	119
	F	82	48	143	294	131	33	409	442	60	134	33	52	70	193	124
70— {	M	71	37	134	301	142	38	431	381	72	169	48	54	73	174	94
	F	79	51	149	293	136	32	443	431	39	145	31	33	74	174	91
75— {	M	33	35	127	183	115	29	276	259	45	119	30	43	75	131	45
	F	43	39	125	242	112	40	347	358	50	123	36	51	69	161	71
80— {	M	21	24	71	89	54	24	113	120	20	62	11	26	38	73	24
	F	36	31	110	150	90	19	203	191	21	74	15	31	67	98	36
85— {	M	9	13	44	51	29	12	52	44	8	30	6	18	30	35	5
	F	23	30	73	81	78	18	98	94	9	50	10	30	47	64	41

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1918 (Civilian Population only)—
continued.

Age.	Sex.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southamp- ton.	Southend on Sea.	Southport.	South Shields.	Stockport.
All Ages {	M	408	1607	1776	897	612	781	707	1006	1843	5016	495	1071	486	474	1197	996
	F	468	1795	1797	1047	715	920	622	916	1948	4719	570	988	519	583	1177	1119
Under 1 month {	M	7	72	76	45	21	37	31	77	103	250	39	45	15	14	82	31
	F	10	62	59	26	21	27	24	48	79	228	28	43	14	6	47	26
1-3 months {	M	5	49	38	15	22	21	17	31	50	129	14	33	6	4	35	24
	F	4	34	29	19	7	12	16	24	37	104	17	20	7	5	28	17
3-6 months {	M	7	39	38	22	12	14	30	31	52	135	15	22	7	5	39	20
	F	3	11	26	19	8	8	24	20	31	87	11	17	3	2	21	12
6-12 months {	M	4	55	57	31	16	17	41	45	68	235	16	28	8	5	60	35
	F	4	53	42	36	11	15	42	33	59	209	18	24	7	6	50	37
Total under 1 year {	M	23	215	209	113	71	89	119	184	273	749	84	128	36	28	216	110
	F	21	160	156	100	47	62	106	125	206	628	74	104	31	19	146	92
1— {	M	13	77	90	42	20	31	48	64	83	300	17	44	9	16	66	32
	F	18	73	58	43	17	34	47	60	75	309	26	37	6	12	59	35
2— {	M	10	27	37	26	14	22	24	39	49	172	11	23	7	6	34	29
	F	12	26	36	20	18	13	20	31	57	165	13	23	8	6	45	33
3— {	M	5	28	34	16	6	12	22	25	42	116	7	13	5	3	27	17
	F	5	25	24	25	11	19	23	39	31	132	10	20	3	4	40	19
4— {	M	7	9	16	14	5	7	15	26	25	94	5	15	3	2	25	19
	F	11	19	29	15	5	12	11	30	32	83	9	19	2	1	26	21
Total under 5 years {	M	58	356	386	211	116	161	228	338	472	1431	124	223	60	55	368	207
	F	67	303	303	203	98	140	207	285	401	1317	132	203	50	42	316	200
5— {	M	17	47	58	38	17	28	43	52	66	209	13	28	15	12	68	33
	F	13	53	60	41	21	25	29	69	77	232	31	32	13	14	65	40
10— {	M	9	40	40	22	12	17	17	32	37	144	16	15	8	6	39	30
	F	9	37	48	22	14	16	23	35	46	134	15	18	15	9	64	20
15— {	M	11	56	56	28	14	19	13	30	63	160	19	24	9	12	40	33
	F	15	65	57	38	25	23	24	27	84	188	18	37	21	15	47	27
20— {	M	15	51	52	16	15	17	19	25	69	102	15	33	13	12	35	26
	F	25	91	90	38	31	35	25	41	68	219	26	50	25	23	59	40
25— {	M	13	62	79	34	16	30	27	25	65	188	21	32	24	20	53	34
	F	29	97	117	59	52	44	38	41	119	262	40	52	29	29	61	62
30— {	M	22	82	101	25	26	17	24	33	65	231	22	50	21	20	40	36
	F	29	116	95	41	37	34	23	49	89	219	29	52	29	26	55	63
35— {	M	13	58	75	26	27	34	24	35	83	229	25	69	24	16	57	45
	F	19	86	91	46	37	36	17	37	82	212	27	41	23	19	43	45
40— {	M	15	84	66	33	24	40	23	48	86	256	20	47	19	19	44	40
	F	19	67	70	33	24	39	19	34	74	175	18	58	22	13	44	45
45— {	M	21	91	89	47	27	43	35	57	105	240	21	64	28	23	64	47
	F	26	80	86	39	35	49	22	31	104	187	20	37	24	20	35	46
50— {	M	23	96	113	65	32	48	46	62	128	300	24	68	30	32	58	63
	F	24	74	77	56	20	64	28	33	96	219	34	42	29	25	51	62
55— {	M	27	82	87	71	35	60	39	55	124	294	33	84	25	32	60	72
	F	17	72	91	71	42	62	26	46	105	198	26	44	23	40	56	56
60— {	M	28	101	105	67	40	76	27	82	140	302	30	73	32	46	68	89
	F	28	117	89	76	37	72	26	38	104	241	27	46	51	45	44	79
65— {	M	39	105	146	60	63	78	48	36	127	331	43	84	45	49	57	86
	F	33	115	122	83	46	87	36	51	143	264	34	56	38	54	80	97
70— {	M	33	101	126	66	57	62	46	50	108	269	32	63	53	49	63	72
	F	33	129	107	75	48	76	32	37	127	260	35	71	35	58	65	93
75— {	M	27	109	102	57	47	28	32	29	62	196	21	51	39	38	65	49
	F	30	113	127	80	62	68	29	33	130	208	32	62	33	69	39	69
80— {	M	23	53	55	20	29	17	11	13	32	86	11	43	28	19	11	23
	F	27	85	92	28	40	31	11	22	57	118	19	48	38	44	36	48
85— {	M	14	33	40	11	15	6	5	4	11	48	5	20	13	14	7	11
	F	25	94	75	18	37	19	7	7	42	66	7	39	21	38	17	27

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1918 (Civilian Population only)—
continued.

Age.	Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Swansea.
All Ages {	M	2137	1716	593	470	563	934	640	695	2762	753	771	858	383	637	1739	719	1016
	F	2113	1774	564	408	612	854	636	628	2705	730	791	839	411	698	1467	626	937
Under 1 month {	M	106	96	37	16	35	45	35	41	109	50	60	46	10	34	77	36	48
	F	87	70	31	15	16	31	36	31	81	28	33	40	10	20	55	33	35
1-3 months {	M	59	47	16	8	12	19	24	22	57	24	19	25	5	7	32	22	22
	F	50	28	16	6	6	16	14	13	59	22	17	15	5	12	35	19	24
3-6 months {	M	51	51	21	8	10	15	10	24	70	30	11	18	3	10	39	18	24
	F	40	45	14	3	4	20	8	13	64	16	25	7	6	5	29	18	18
6-12 months {	M	111	80	21	14	22	37	21	24	143	47	28	26	6	26	68	42	32
	F	88	78	12	10	19	41	16	20	107	41	38	26	6	17	52	27	40
Total under 1 year {	M	327	274	95	46	79	116	90	111	379	151	118	115	24	77	216	118	126
	F	265	221	73	34	45	108	74	77	311	107	113	88	27	54	171	97	117
1— {	M	143	125	26	23	16	57	34	37	180	52	52	41	12	27	69	64	57
	F	127	121	25	27	25	58	40	32	179	61	47	32	8	30	83	46	53
2— {	M	89	78	14	14	10	27	29	19	101	41	32	22	6	20	44	32	24
	F	72	80	23	14	10	25	18	21	121	42	24	33	5	11	43	26	26
3— {	M	49	57	9	15	11	23	16	15	79	22	20	15	4	7	25	12	15
	F	60	51	11	10	8	19	19	12	71	22	21	17	5	14	29	19	19
4— {	M	49	45	6	11	3	22	9	7	52	21	9	15	3	10	22	8	12
	F	45	51	6	8	10	24	5	10	46	19	15	7	7	13	16	21	10
Total under 5 years {	M	657	579	150	109	119	245	178	189	791	287	231	208	49	141	376	234	234
	F	569	524	138	93	98	234	156	152	728	251	220	177	52	122	342	209	225
5— {	M	128	108	23	18	18	37	33	26	113	37	41	24	9	24	40	25	33
	F	120	114	24	29	15	35	23	26	133	27	36	34	12	32	43	24	29
10— {	M	52	56	20	11	18	19	18	18	65	17	20	17	8	16	36	13	21
	F	58	70	12	13	12	29	28	17	75	23	20	26	13	13	39	13	23
15— {	M	66	62	19	17	16	27	15	15	87	20	20	23	11	23	72	18	31
	F	61	55	20	16	26	37	31	22	101	37	31	36	15	27	73	25	33
20— {	M	55	23	25	12	8	17	15	26	75	23	16	15	3	17	77	24	27
	F	111	63	27	12	34	36	27	21	149	22	32	46	21	32	85	26	36
25— {	M	55	50	26	10	19	27	23	37	113	18	31	34	12	14	106	30	52
	F	106	101	23	18	37	53	49	34	174	35	46	52	29	41	91	29	55
30— {	M	76	48	22	21	23	39	24	30	139	24	30	49	16	16	94	35	65
	F	92	72	33	15	32	38	35	41	137	35	36	34	23	34	81	27	48
35— {	M	77	60	23	15	22	30	27	25	126	16	20	28	19	19	83	27	55
	F	82	65	26	17	20	33	34	25	109	22	30	29	13	31	56	27	54
40— {	M	79	62	25	19	29	45	38	33	113	19	42	41	20	28	90	23	44
	F	105	63	23	20	21	29	39	25	94	30	36	33	19	23	68	28	49
45— {	M	98	85	29	29	33	38	37	34	126	29	44	41	28	36	87	37	54
	F	113	55	34	17	34	36	20	34	87	19	32	27	13	34	74	23	33
50— {	M	149	74	34	36	33	67	35	38	131	33	43	52	25	36	114	43	61
	F	94	77	19	19	32	39	35	21	113	35	32	45	17	22	63	23	51
55— {	M	158	78	28	41	39	64	43	44	153	32	41	57	29	40	112	34	78
	F	99	72	31	16	33	43	32	32	131	23	34	35	27	40	69	28	43
60— {	M	128	84	42	37	40	55	41	37	175	40	47	74	27	47	108	40	69
	F	103	85	28	19	42	44	31	33	121	35	53	58	16	33	79	46	41
65— {	M	136	106	38	32	40	73	37	50	190	53	60	64	36	69	111	55	70
	F	113	104	32	33	43	41	26	34	137	44	47	41	30	54	82	27	50
70— {	M	109	122	38	31	45	76	37	48	150	48	44	53	36	40	91	46	54
	F	110	98	33	34	44	40	33	38	148	34	46	59	28	49	86	30	59
75— {	M	74	72	32	20	30	44	23	25	129	38	32	35	27	37	83	24	37
	F	91	85	36	19	42	47	21	37	108	34	40	51	37	52	55	28	56
80— {	M	32	31	14	11	20	23	13	11	58	10	6	31	16	26	39	6	24
	F	61	36	14	12	31	25	11	22	92	13	12	32	28	31	53	10	32
85— {	M	8	16	5	1	11	8	3	9	28	9	3	12	12	8	20	5	7
	F	25	35	11	6	16	15	5	14	68	11	8	24	18	28	28	3	20

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1918 (Civilian Population only).

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.		Devonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	851	574	417	906	575	941	349	528	3105	1217	1051	1370	1019	733	2265	2077	1466	1527
	F	932	579	473	916	687	1089	421	507	3320	1261	1155	1460	1040	698	2326	2065	1724	1553
Under 1 month	M	54	16	14	33	24	24	8	21	141	48	41	43	65	38	144	109	39	60
	F	33	15	14	21	16	32	13	13	101	26	13	38	40	31	102	90	25	37
1-3 months	M	18	9	8	15	14	14	5	5	56	19	18	19	21	21	47	51	23	19
	F	18	9	6	9	2	8	9	3	50	17	11	11	20	11	40	42	10	11
3-6 months	M	15	5	7	4	9	11	3	6	57	21	16	15	29	13	53	51	16	20
	F	8	4	7	10	5	3	4	4	40	14	10	13	26	7	42	48	7	10
6-12 months	M	21	10	5	21	10	18	4	5	124	28	31	29	47	24	76	77	28	23
	F	13	9	7	16	11	19	8	7	72	25	23	16	33	15	76	72	25	24
Total under 1 year	M	108	40	34	73	57	67	20	37	378	116	106	106	168	96	320	288	106	122
	F	72	37	34	56	34	62	34	27	263	82	57	78	119	64	260	252	67	82
1—	M	26	13	9	27	13	13	9	6	118	36	32	37	48	21	123	109	28	29
	F	26	18	9	23	15	19	8	9	140	34	25	29	69	30	107	100	27	30
2—	M	19	6	5	9	12	11	4	6	67	16	21	27	27	19	68	63	16	19
	F	16	5	3	12	10	15	7	6	78	16	10	22	24	8	70	45	19	11
3—	M	10	6	1	12	4	6	2	3	63	15	4	16	13	11	44	36	21	11
	F	12	4	3	9	10	10	4	5	55	12	10	11	15	10	57	37	13	11
4—	M	14	8	3	8	5	7	1	2	39	8	10	5	19	7	32	32	15	9
	F	7	1	4	7	10	12	4	7	45	13	6	11	12	11	37	33	19	7
Total under 5 years	M	177	73	52	129	91	104	36	54	665	191	173	191	275	154	587	528	186	190
	F	133	65	53	107	79	118	57	54	581	157	108	151	239	123	531	467	145	141
5—	M	37	15	4	28	18	22	6	21	113	39	30	30	44	20	68	75	34	34
	F	30	13	9	17	23	24	9	12	111	32	23	34	39	22	84	83	31	24
10—	M	25	7	8	28	7	18	9	16	56	33	14	25	22	15	61	54	29	32
	F	24	8	10	19	19	27	5	6	77	21	19	25	22	12	71	61	48	29
15—	M	25	27	12	24	16	30	12	21	82	39	17	35	33	32	75	73	41	27
	F	29	12	18	24	28	42	18	29	105	34	40	45	36	26	110	76	52	42
20—	M	20	16	6	16	14	31	13	15	74	29	28	38	26	20	56	45	25	46
	F	37	22	17	37	36	38	24	16	131	59	45	57	50	28	109	97	79	60
25—	M	32	21	15	31	29	31	18	12	98	49	47	59	45	35	97	96	52	47
	F	56	36	32	57	48	57	34	28	177	78	55	75	62	34	138	124	85	75
30—	M	38	24	14	44	24	41	19	25	128	69	54	67	34	24	90	92	61	52
	F	47	29	28	46	36	63	18	22	153	78	40	57	48	40	113	95	63	64
35—	M	33	12	17	38	32	40	13	17	137	47	49	63	38	27	99	65	42	54
	F	32	29	17	32	32	35	13	22	149	72	46	51	36	25	77	92	62	55
40—	M	33	15	13	30	35	36	16	11	141	51	47	61	34	23	104	90	52	52
	F	40	22	15	38	22	45	15	12	146	42	40	40	29	19	97	90	56	61
45—	M	44	21	19	41	22	54	16	18	158	61	59	67	39	26	115	82	69	73
	F	37	23	17	48	31	37	11	17	159	54	44	54	36	24	104	86	57	70
50—	M	51	24	21	45	27	51	18	20	194	62	57	79	42	31	111	103	92	76
	F	54	31	30	46	25	58	22	16	161	56	44	58	47	29	108	87	96	87
55—	M	31	34	24	49	36	55	24	32	200	70	71	76	63	46	125	116	88	95
	F	50	33	25	43	36	48	16	12	180	57	51	70	51	42	97	79	82	87
60—	M	49	29	33	62	42	68	24	33	234	85	81	84	79	49	132	116	109	111
	F	47	32	29	49	37	70	28	30	173	83	76	91	46	45	135	113	93	90
65—	M	71	59	45	82	44	80	32	56	244	97	84	99	67	60	164	137	114	144
	F	77	42	32	78	55	89	23	38	293	93	112	95	67	47	137	116	151	137
70—	M	68	65	43	74	44	88	25	53	226	96	82	128	76	50	158	172	157	154
	F	69	45	36	65	54	104	38	52	270	103	116	164	86	59	157	137	186	132
75—	M	54	60	38	79	45	95	40	63	189	97	71	135	62	53	134	126	148	152
	F	76	63	49	79	57	94	36	61	233	105	131	159	62	52	132	124	176	172
80—	M	41	36	39	54	26	61	15	37	109	59	46	73	24	46	61	74	96	109
	F	60	40	32	73	45	84	25	38	144	83	89	124	49	42	74	87	139	117
85—	M	22	36	14	52	23	36	13	24	57	43	41	60	16	22	28	33	75	79
	F	34	34	24	58	24	56	29	42	77	54	76	110	35	29	52	57	127	110

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1918 (Civilian Population only)—*continued.*

Age.	Sex.	Dorset-shire		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.		Huntingdonshire.		Kent.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	781	698	4763	3576	274	238	4113	1703	709	1532	319	577	1336	659	177	221	4943	2226
	F	835	693	4363	3493	281	264	4266	1695	836	1622	321	535	1547	757	178	255	5379	2157
Under 1 month	M	42	25	333	300	11	23	188	54	23	79	19	24	47	22	12	10	235	87
	F	23	18	242	244	10	10	126	47	20	50	13	22	47	20	5	2	156	83
1-3 months	M	11	6	139	99	11	8	93	25	6	25	7	8	26	6	3	3	107	38
	F	14	2	112	98	1	8	46	18	2	17	3	4	18	4	2	4	74	23
3-6 months	M	13	3	157	137	6	7	65	15	3	15	4	8	28	2	6	3	84	27
	F	9	5	97	91	3	7	35	6	8	10	—	4	7	5	1	2	66	22
6-12 months	M	19	11	226	165	9	6	93	39	14	36	10	14	22	8	4	7	143	48
	F	16	5	182	154	3	7	84	24	7	33	4	12	14	10	5	1	101	42
Total under 1 year	M	85	45	855	701	37	44	439	133	46	155	40	54	123	38	25	23	569	200
	F	62	30	633	587	17	32	291	95	37	110	20	42	86	39	13	9	397	170
1—	M	29	12	286	204	10	12	160	44	23	31	8	9	44	13	7	10	169	63
	F	11	6	296	212	10	6	143	33	11	29	9	5	30	19	3	5	170	45
2—	M	11	9	190	112	9	3	91	28	9	17	5	5	17	7	2	6	103	39
	F	9	5	139	121	4	5	86	17	16	22	3	2	17	15	1	3	89	24
3—	M	6	5	113	72	3	—	74	17	16	10	3	2	13	7	3	1	84	20
	F	12	5	128	90	4	1	73	15	7	10	4	6	22	11	3	2	66	15
4—	M	9	3	80	53	2	2	40	17	7	11	2	1	14	3	2	1	55	14
	F	8	1	86	58	—	1	56	12	7	12	2	5	11	4	3	3	53	18
Total under 5 years	M	140	74	1524	1142	61	61	804	239	101	224	58	71	211	68	39	41	980	336
	F	102	47	1282	1068	35	45	649	172	78	183	38	60	166	88	23	22	775	272
5—	M	17	14	247	170	2	4	147	55	20	44	8	14	38	24	3	2	163	54
	F	17	9	266	172	8	12	138	43	24	23	9	17	41	13	9	7	167	86
10—	M	12	9	124	105	5	7	112	34	23	29	6	12	29	12	6	3	114	56
	F	14	4	148	119	4	3	111	35	23	29	4	11	40	20	3	6	133	65
15—	M	16	20	148	124	10	8	153	52	18	47	6	13	39	23	7	8	151	65
	F	24	19	183	150	14	8	173	63	19	76	14	25	67	29	6	6	208	78
20—	M	13	9	119	106	5	10	97	51	21	46	4	16	31	9	3	6	128	54
	F	36	28	203	168	17	11	242	66	43	79	20	15	74	36	12	11	228	87
25—	M	24	21	171	123	7	16	166	72	20	53	10	16	57	22	8	7	175	74
	F	50	21	223	185	9	21	295	68	56	93	20	24	85	50	13	11	293	117
30—	M	33	31	186	144	12	5	204	64	35	60	13	20	62	24	12	12	198	93
	F	45	28	218	164	12	11	217	88	47	79	12	19	87	32	9	8	306	132
35—	M	23	34	171	114	7	9	176	55	27	52	8	24	53	30	4	10	188	93
	F	44	32	164	141	15	9	200	74	42	60	10	17	62	34	8	8	231	90
40—	M	34	17	174	144	10	11	192	72	27	60	13	18	59	20	5	3	232	88
	F	31	20	142	129	6	11	167	55	34	59	8	15	71	41	1	10	201	81
45—	M	40	25	199	134	13	5	234	60	32	55	19	28	67	31	8	12	240	84
	F	36	28	154	128	15	10	193	67	35	70	20	14	76	36	7	8	250	98
50—	M	39	39	217	163	13	4	257	73	38	85	18	16	73	38	6	12	250	103
	F	45	36	177	121	10	10	179	88	36	71	15	18	68	30	4	13	240	91
55—	M	55	51	260	202	12	7	261	87	44	83	19	52	72	47	17	5	281	135
	F	40	46	195	124	8	5	187	96	39	85	13	22	73	33	12	15	223	113
60—	M	52	46	289	206	17	18	264	101	47	96	25	51	97	50	7	15	335	156
	F	53	27	172	160	10	13	214	78	42	92	28	27	84	52	8	21	310	118
65—	M	61	71	288	224	19	9	270	156	75	142	27	62	107	63	10	18	382	167
	F	59	70	219	193	23	19	277	126	63	116	19	41	101	53	12	16	351	155
70—	M	78	74	303	200	24	20	291	178	76	157	26	51	117	72	14	23	392	203
	F	74	59	237	150	14	22	303	161	78	129	26	50	119	62	8	23	388	166
75—	M	67	73	189	159	23	16	241	181	51	144	34	65	116	54	14	24	357	231
	F	64	85	192	166	37	24	296	170	70	148	25	69	147	64	13	27	432	157
80—	M	47	48	104	84	17	15	144	107	37	95	14	34	71	43	7	15	232	143
	F	51	69	119	101	13	15	246	129	49	129	19	52	95	34	12	23	357	134
85—	M	30	42	50	32	17	13	100	66	17	60	11	14	37	29	7	5	145	91
	F	50	65	69	54	31	15	179	116	58	101	21	39	91	50	18	20	286	117

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1918 (Civilian Population only)—*continued.*

Age.	Sex.	Lancashire.		Leicestershire.		Lincolnshire, (Parts of Holland).		Lincolnshire, (Parts of Kesteven).		Lincolnshire, (Parts of Lindsey).		Middlesex.		Monmouthshire.		Norfolk.		Northamptonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	11326	1742	770	1123	328	326	356	526	855	1075	7328	341	2289	330	477	1747	603	860
	F	11788	1707	778	1101	348	342	382	532	791	1067	8224	335	2029	295	492	1938	608	867
Under 1 month {	M	576	92	40	43	15	12	27	30	53	48	304	19	164	10	20	88	27	29
	F	376	51	28	31	18	15	10	18	29	42	220	11	158	13	8	68	13	22
1-3 months {	M	283	43	14	18	8	5	10	7	20	20	150	10	86	—	6	25	9	9
	F	171	19	10	11	5	6	9	4	19	16	108	3	67	1	4	17	9	11
3-6 months {	M	218	27	16	19	3	5	6	5	27	19	138	3	54	7	6	26	2	7
	F	153	25	7	11	3	3	8	9	11	18	116	1	40	6	6	19	6	4
6-12 months {	M	375	45	21	26	12	11	13	9	26	31	206	5	141	12	19	41	15	16
	F	283	42	17	28	7	9	6	9	23	15	167	9	110	5	15	28	14	17
Total under 1 year {	M	1452	207	91	106	38	33	56	51	126	118	798	37	445	29	51	180	53	61
	F	983	137	62	81	33	33	33	40	82	91	611	24	375	25	33	132	42	54
1— {	M	533	67	44	42	20	16	13	20	45	31	261	14	170	9	17	44	26	16
	F	471	52	25	43	17	14	16	10	30	32	248	6	153	7	20	48	19	16
2— {	M	243	27	17	25	4	4	9	8	23	16	157	10	71	7	15	21	13	12
	F	296	32	15	28	11	6	—	8	28	19	178	3	67	5	14	29	12	17
3— {	M	207	26	17	29	5	7	3	5	13	5	87	5	41	2	5	22	8	8
	F	196	28	19	14	5	4	7	3	23	12	125	4	51	1	2	23	9	15
4— {	M	141	18	14	14	3	2	4	4	6	12	97	1	38	2	4	9	9	5
	F	145	17	18	9	5	5	4	2	11	9	86	3	40	2	8	15	10	6
Total under 5 years {	M	2576	345	183	216	70	62	85	88	213	182	1400	67	765	49	92	276	109	102
	F	2091	266	139	175	71	62	60	63	174	163	1248	40	686	40	77	247	92	108
5— {	M	432	65	33	39	7	10	16	13	23	31	243	7	71	10	20	41	20	28
	F	448	64	46	44	6	10	10	14	34	36	242	9	100	7	7	41	29	25
10— {	M	287	45	15	37	5	10	11	12	29	17	205	9	55	4	10	38	19	16
	F	278	41	26	33	6	7	12	9	28	34	217	11	49	7	9	42	16	15
15— {	M	365	55	24	40	4	15	8	24	30	33	267	5	88	14	12	59	19	29
	F	393	49	33	35	17	12	13	18	19	30	311	14	75	11	18	59	32	32
20— {	M	252	45	21	26	8	8	7	13	20	20	172	4	73	6	9	34	20	18
	F	473	78	44	60	13	12	15	30	47	38	397	19	84	9	22	86	35	28
25— {	M	366	71	34	57	13	13	14	20	33	46	312	11	84	16	19	41	23	29
	F	603	89	58	71	19	20	22	30	27	65	508	17	101	15	25	87	39	46
30— {	M	393	65	38	50	10	15	19	19	34	54	354	13	98	16	20	56	24	46
	F	604	94	39	47	17	25	21	33	38	61	499	18	105	14	24	99	32	50
35— {	M	440	55	31	49	8	8	13	14	38	32	358	13	100	18	19	65	30	33
	F	507	85	33	54	13	8	17	17	42	53	356	23	82	21	12	80	25	33
40— {	M	484	73	32	32	18	13	15	12	28	26	342	19	98	23	11	60	21	37
	F	525	84	24	46	11	8	12	23	32	33	351	14	84	10	13	47	32	36
45— {	M	582	74	36	45	10	8	12	17	33	36	402	22	102	19	18	67	32	36
	F	577	80	26	45	6	17	21	21	27	44	386	17	80	10	16	55	22	28
50— {	M	691	86	38	41	11	12	13	28	30	46	441	13	107	12	21	63	32	42
	F	650	90	36	45	6	14	21	26	30	42	379	15	67	16	13	89	21	37
55— {	M	815	105	43	62	20	17	16	27	32	55	443	15	109	15	20	84	37	58
	F	649	84	41	51	20	13	18	19	38	51	376	21	66	13	18	79	28	42
60— {	M	899	136	51	63	18	17	18	33	49	59	516	22	128	20	41	104	46	49
	F	809	107	45	51	20	17	22	33	32	52	440	19	98	22	31	93	33	44
65— {	M	957	142	49	86	27	30	38	45	80	88	509	21	138	26	28	146	45	68
	F	925	150	47	66	24	22	18	33	47	64	506	24	88	15	33	149	27	82
70— {	M	833	153	49	87	32	27	22	37	68	99	514	35	128	31	41	165	48	72
	F	902	130	48	82	23	23	28	54	52	75	568	20	107	25	41	176	41	88
75— {	M	568	111	45	74	33	25	22	43	62	105	427	24	86	27	44	178	46	98
	F	756	99	41	63	31	32	34	48	60	85	619	20	83	28	47	195	45	70
80— {	M	279	84	33	66	18	18	16	48	33	94	257	25	39	12	32	163	24	52
	F	401	75	28	67	24	22	18	26	35	81	453	17	48	15	36	160	28	51
85— {	M	107	32	15	53	16	18	11	33	20	52	166	16	20	12	20	107	8	47
	F	197	42	24	66	21	18	20	35	29	60	378	17	26	17	50	154	31	52

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1918 (Civilian Population only)—*continued.*

Age.	Sex.	North- berland.		Noting- hamshire.		Oxford- shire.		Peter- borough, Soke of.		Rutland- shire.		Shropshire.		Somerset- shire.		South- ampton.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	2371	719	1984	1043	271	721	260	81	24	117	907	934	1075	1524	1249	1483
	F	2279	761	1963	1027	314	732	275	85	37	133	915	946	1219	1517	1272	1441
Under 1 month {	M	173	35	99	51	7	21	13	2	—	4	39	50	38	58	59	64
	F	127	32	82	41	7	22	8	1	—	2	18	37	34	39	42	46
1-3 months {	M	74	11	57	18	3	3	5	—	—	2	13	20	15	21	34	21
	F	46	10	36	17	5	6	5	—	1	—	19	9	8	15	23	24
3-6 months {	M	68	14	59	24	6	2	3	—	—	2	13	5	7	11	18	15
	F	44	7	43	7	2	4	1	—	—	5	6	8	4	7	16	12
6-12 months {	M	94	20	100	34	4	14	10	2	—	—	29	17	15	21	34	25
	F	100	16	78	33	3	7	3	1	—	2	19	12	13	18	32	20
Total under 1 year {	M	409	80	315	127	20	40	31	4	—	8	94	92	75	111	145	125
	F	317	65	239	98	17	39	17	2	1	9	62	66	59	79	113	102
1— {	M	128	11	110	56	7	11	4	2	1	4	34	17	26	30	47	45
	F	120	15	103	44	4	9	3	3	1	4	21	21	28	24	43	41
2— {	M	63	9	81	33	5	7	4	3	—	—	15	16	22	18	31	21
	F	63	10	63	24	11	9	9	2	2	4	19	10	18	19	23	20
3— {	M	43	7	47	14	4	14	1	—	—	2	8	11	15	12	25	17
	F	60	6	54	18	3	9	2	1	1	1	11	12	11	10	11	12
4— {	M	40	6	26	14	2	4	1	—	—	1	8	7	10	12	8	15
	F	40	5	39	21	5	8	3	1	—	2	12	2	11	10	13	18
Total under 5 years {	M	683	113	579	244	38	76	41	9	1	15	159	143	148	183	256	223
	F	600	101	498	205	40	74	34	9	5	20	125	111	127	142	203	193
5— {	M	90	12	87	32	5	16	9	2	1	1	30	21	27	30	34	47
	F	91	26	105	34	3	20	12	3	2	2	21	31	26	31	38	43
10— {	M	65	20	58	20	6	14	5	2	2	—	19	16	21	2	22	36
	F	61	14	62	28	3	12	4	2	—	3	23	27	33	31	23	37
15— {	M	93	27	62	34	6	24	9	4	3	1	27	28	27	41	32	50
	F	86	38	83	44	9	21	3	4	2	7	31	45	38	41	48	41
20— {	M	71	21	54	40	4	11	3	1	1	1	18	25	32	39	29	38
	F	116	35	97	45	18	26	15	1	1	7	34	48	69	57	52	68
25— {	M	85	21	66	54	10	19	8	1	—	5	39	25	47	48	53	45
	F	114	43	106	70	13	35	18	1	3	7	50	49	76	72	77	67
30— {	M	89	34	72	43	11	37	11	7	1	9	41	35	44	52	52	55
	F	105	33	88	63	11	37	19	4	3	10	35	38	69	64	71	64
35— {	M	76	27	77	36	9	31	12	3	3	2	33	42	42	63	55	59
	F	116	37	88	33	15	29	12	3	2	7	42	36	47	74	44	73
40— {	M	90	33	87	35	8	33	8	2	1	4	42	28	42	54	43	69
	F	89	31	77	32	15	25	8	3	2	4	38	37	48	53	47	57
45— {	M	92	35	91	28	16	33	17	—	1	4	48	40	55	66	67	54
	F	77	32	85	35	19	29	13	2	1	5	30	33	51	64	44	57
50— {	M	131	45	85	48	22	33	14	6	—	2	49	50	56	96	53	76
	F	102	25	89	42	16	41	7	2	3	4	39	41	51	72	63	61
55— {	M	115	44	108	47	12	37	12	8	1	7	44	68	59	95	86	88
	F	104	39	85	25	13	31	15	4	1	5	43	42	63	86	58	64
60— {	M	150	45	101	65	14	57	29	5	1	8	52	63	94	116	90	80
	F	112	58	92	57	14	38	17	5	1	6	55	54	70	94	62	71
65— {	M	166	58	128	82	19	68	20	7	2	9	95	75	97	130	111	130
	F	125	49	98	56	16	70	23	5	2	9	75	69	86	111	93	109
70— {	M	148	60	133	84	26	87	16	5	1	19	74	79	104	168	94	139
	F	125	66	102	67	27	67	29	12	6	9	86	80	103	145	101	111
75— {	M	128	49	109	72	36	70	20	10	1	11	74	97	86	155	84	145
	F	126	63	107	84	32	66	21	11	2	14	100	84	109	159	103	121
80— {	M	58	37	65	37	15	45	14	5	2	10	47	52	57	87	58	93
	F	78	48	60	59	27	51	15	10	1	10	55	63	69	117	90	111
85— {	M	41	38	22	42	14	30	12	4	2	9	16	47	37	72	30	56
	F	52	23	41	48	23	60	10	4	—	4	33	58	84	104	55	93

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1918 (Civilian Population only)—*continued.*

Age.	Sex.	Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.		Warwick-shire.		Westmor-land.		Wight, Isle of.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	4176	1524	538	786	293	498	3208	915	790	815	592	576	1025	1234	211	283	371	207
	F	3997	1540	595	829	356	523	3795	973	978	824	735	620	1150	1366	219	266	413	193
Under 1 month	M	225	104	20	39	12	28	133	32	44	27	23	22	44	72	4	12	13	7
	F	176	78	32	35	9	10	102	31	25	21	17	15	37	64	8	5	8	7
1-3 months	M	112	29	9	14	1	5	53	13	13	12	11	9	24	13	1	4	5	4
	F	88	28	12	12	4	1	39	11	13	6	9	2	16	19	1	5	1	6
3-6 months	M	105	20	15	13	1	4	49	10	12	4	8	6	26	14	—	1	5	—
	F	72	16	9	4	2	3	34	5	7	6	3	5	17	13	2	1	2	—
6-12 months	M	215	42	26	23	3	10	80	13	14	13	5	7	38	46	2	2	7	3
	F	159	32	19	12	2	11	66	11	13	11	11	5	19	28	4	2	5	5
Total under 1 year	M	657	195	70	89	17	47	315	68	83	56	47	44	132	155	7	19	30	14
	F	495	154	72	63	17	25	241	58	58	44	40	27	83	124	15	13	16	18
1—	M	254	62	26	23	11	11	119	19	15	18	11	5	51	50	5	3	11	1
	F	245	72	24	13	6	10	108	27	11	13	21	7	31	42	2	1	7	5
2—	M	132	42	12	8	5	8	82	18	9	9	13	3	18	19	3	3	9	2
	F	156	39	10	15	7	3	55	10	11	5	6	12	27	26	2	5	3	—
3—	M	99	16	12	6	4	10	37	6	5	1	9	—	23	20	6	3	5	1
	F	111	30	13	7	1	6	39	13	2	8	9	4	26	14	4	1	1	—
4—	M	53	21	3	5	4	7	30	3	4	7	6	5	18	14	1	2	4	1
	F	78	24	7	4	4	4	37	5	5	8	6	3	13	22	4	4	—	3
Total under 5 years	M	1195	336	123	131	41	83	583	114	116	91	86	57	242	258	22	30	59	19
	F	1085	319	126	102	35	48	480	113	87	78	82	53	186	228	27	24	27	26
5—	M	177	60	15	16	6	16	118	24	25	20	20	21	41	38	3	3	9	4
	F	207	71	17	19	9	16	105	25	16	16	25	13	43	56	4	5	12	4
10—	M	90	44	11	13	4	17	61	19	20	12	10	3	27	21	4	2	7	5
	F	115	44	10	23	11	14	78	15	27	17	18	14	26	24	2	5	5	3
15—	M	118	47	21	28	9	16	87	23	19	28	14	9	31	49	9	10	8	4
	F	139	56	26	42	15	22	121	30	34	32	15	18	41	42	4	10	9	7
20—	M	99	44	13	13	11	13	65	18	12	20	13	13	33	31	6	8	7	7
	F	165	81	15	30	10	25	181	34	45	43	20	15	64	75	10	16	12	9
25—	M	167	51	15	32	9	19	112	32	20	32	21	17	43	49	4	10	12	7
	F	227	68	32	36	19	31	234	58	50	45	41	32	71	90	11	12	15	8
30—	M	170	70	15	31	9	13	125	42	23	27	29	14	38	63	6	11	14	9
	F	173	86	27	49	19	15	208	59	46	40	24	26	56	85	10	20	12	7
35—	M	148	41	17	31	7	11	127	28	23	37	19	22	47	47	6	14	13	8
	F	135	56	26	35	14	18	185	46	49	43	33	28	51	61	6	13	25	6
40—	M	154	56	17	25	19	13	154	38	27	35	21	15	38	47	13	9	7	18
	F	130	46	12	24	10	18	142	55	40	37	34	19	49	64	6	10	18	8
45—	M	207	51	10	16	19	10	183	43	34	36	36	30	45	60	14	12	15	9
	F	146	68	21	21	14	17	165	45	34	33	36	21	51	51	9	8	19	6
50—	M	210	55	25	34	20	18	170	67	46	35	29	31	42	48	12	12	17	13
	F	174	56	24	39	8	27	200	31	47	39	40	35	50	40	9	7	18	6
55—	M	237	85	37	28	22	35	186	50	48	46	36	41	53	55	11	15	18	17
	F	173	63	17	30	17	23	210	45	55	52	28	32	58	68	8	13	30	15
60—	M	270	102	28	45	18	29	217	72	64	50	43	49	72	82	18	23	27	14
	F	208	80	35	41	18	16	202	62	62	40	51	46	58	64	20	19	35	17
65—	M	295	130	51	55	26	49	282	84	65	71	51	54	82	108	25	41	32	11
	F	226	104	35	67	26	38	230	86	71	62	64	51	70	94	23	29	31	14
70—	M	245	115	38	92	32	39	246	89	74	90	54	55	67	82	21	29	37	18
	F	253	105	43	70	42	49	303	95	94	76	57	50	80	96	25	26	46	8
75—	M	228	130	42	97	28	62	240	71	77	76	52	66	52	92	18	30	41	23
	F	235	116	46	79	37	46	317	61	89	75	89	65	75	101	20	23	43	19
80—	M	116	68	45	57	8	32	143	60	59	64	28	52	46	64	13	16	30	9
	F	134	76	42	57	28	47	225	66	61	49	40	56	58	60	12	13	31	15
85—	M	50	39	15	42	5	23	109	41	38	45	30	27	26	40	6	8	18	12
	F	72	45	41	65	24	53	209	47	71	47	38	46	63	67	13	13	25	15

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1918 (Civilian Population only)—*continued.*

Age.	Sex.	Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.		Yorkshire, West Riding.		Anglesey.		Brecknockshire.		Cardiganshire.		Carmarthenshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	915	1028	1219	937	518	716	1532	1139	9148	3295	173	293	144	340	119	362	560	839
	F	978	1058	1338	913	508	754	1494	1078	9361	3156	145	278	150	286	196	396	503	794
Under 1 month	M	49	43	63	36	25	36	89	47	458	204	7	13	6	27	4	12	40	56
	F	27	36	41	32	15	34	74	39	346	158	4	13	3	10	—	6	15	44
1-3 months	M	14	19	22	7	4	16	33	19	195	74	8	3	5	13	1	4	17	33
	F	13	16	15	11	8	14	24	13	142	57	1	4	—	9	2	9	10	16
3-6 months	M	12	11	29	15	7	10	38	15	204	84	2	5	1	6	3	4	17	24
	F	6	8	12	6	4	10	27	10	132	64	1	4	2	1	1	3	9	12
6-12 months	M	22	14	31	18	14	23	65	25	391	175	6	6	6	10	3	7	22	19
	F	19	14	36	15	12	9	45	26	337	124	1	2	6	7	3	5	14	18
Total under 1 year	M	97	87	145	76	50	85	225	106	1248	537	23	27	18	56	11	27	96	132
	F	65	74	104	64	39	67	170	88	957	403	7	23	11	27	6	23	48	90
1—	M	36	27	53	28	11	20	75	21	536	229	5	9	8	16	—	2	23	33
	F	25	28	40	26	9	18	61	32	528	220	4	7	5	13	2	6	12	29
2—	M	17	17	31	15	12	9	45	17	323	153	6	3	6	6	1	4	7	18
	F	27	21	31	8	8	14	57	26	317	111	4	2	3	2	4	—	9	12
3—	M	18	14	22	13	5	9	37	13	193	72	2	6	7	2	1	1	13	10
	F	9	10	21	8	4	12	32	11	241	84	—	1	3	3	1	3	9	8
4—	M	15	9	22	7	10	4	25	5	166	74	—	3	1	2	—	—	6	8
	F	15	6	21	10	2	7	28	3	183	75	1	1	1	7	—	2	8	2
Total under 5 years	M	183	154	273	139	88	127	407	162	2466	1065	36	48	40	82	13	34	145	201
	F	141	139	217	116	62	118	348	160	2226	893	16	34	23	52	13	34	86	141
5—	M	20	27	41	20	30	15	68	29	405	148	6	9	1	10	1	4	16	25
	F	33	38	48	22	18	21	63	27	420	183	5	7	4	10	3	4	11	10
10—	M	13	28	24	19	16	9	40	16	209	75	5	6	1	5	3	5	10	16
	F	33	20	42	24	10	22	42	23	233	85	1	10	2	6	3	6	10	19
15—	M	26	36	25	37	14	36	34	34	316	114	5	5	3	11	9	13	15	37
	F	37	35	57	36	24	22	45	35	313	93	6	8	3	15	7	14	18	31
20—	M	23	23	37	26	12	22	45	41	218	64	6	6	4	9	8	15	17	36
	F	48	42	72	23	19	47	63	64	358	147	4	11	4	14	11	13	24	41
25—	M	31	27	51	30	14	30	77	46	318	140	8	7	3	18	3	13	24	47
	F	42	50	68	41	20	46	83	59	434	153	3	8	9	20	10	10	32	47
30—	M	32	31	47	42	13	27	79	51	338	134	4	8	4	20	8	17	32	44
	F	51	52	69	42	12	41	66	61	405	150	8	8	7	14	9	24	17	34
35—	M	51	33	35	35	10	27	47	48	322	100	9	6	4	16	3	16	30	48
	F	43	42	69	39	17	37	61	38	336	102	4	9	7	14	10	16	24	35
40—	M	45	38	66	18	18	18	60	35	356	105	6	10	7	19	3	8	22	36
	F	41	34	39	39	26	21	50	42	323	97	6	7	3	8	6	11	20	34
45—	M	44	43	52	45	17	22	67	43	430	128	9	7	8	12	2	12	33	42
	F	42	32	54	45	22	21	56	25	341	111	6	8	10	14	14	11	26	34
50—	M	49	41	77	45	25	20	58	49	451	136	8	25	8	15	6	17	31	20
	F	35	39	66	45	27	28	60	40	459	104	10	18	8	15	10	15	28	37
55—	M	53	65	71	73	33	39	76	48	522	158	6	20	10	13	7	19	21	33
	F	46	47	63	37	31	32	57	49	462	124	6	13	12	8	12	18	27	34
60—	M	61	60	85	65	40	56	68	96	669	180	15	19	12	24	9	30	45	57
	F	57	75	64	35	26	31	83	54	578	152	13	10	9	11	13	19	29	38
65—	M	64	109	109	78	42	53	108	90	728	211	16	19	10	19	10	34	30	53
	F	50	66	96	81	38	59	120	84	668	166	7	23	12	17	14	49	35	51
70—	M	77	97	114	77	49	72	133	116	604	196	16	25	8	20	12	44	36	64
	F	87	103	115	76	33	59	101	103	660	204	21	40	15	12	15	40	40	60
75—	M	84	106	78	93	45	63	98	97	459	159	9	33	13	27	11	38	25	37
	F	94	119	88	90	57	58	85	92	574	173	13	24	12	29	20	46	40	58
80—	M	38	62	45	55	32	46	37	86	232	115	8	25	6	15	6	24	23	24
	F	54	72	68	68	33	50	60	77	355	128	12	17	5	15	14	32	28	52
85—	M	21	48	19	40	20	34	30	52	105	67	1	15	2	5	5	19	5	19
	F	44	53	43	54	33	41	51	45	216	91	4	23	5	12	12	34	8	38

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1918 (Civilian Population only)—*continued.*

Age.	Sex.	Carnarvon-shire.		Denbigh-shire.		Flintshire.		Glamorgan-shire.		Merioneth-shire.		Montgomery-shire.		Pembroke-shire.		Radnor-shire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	488	607	359	760	249	447	4490	1560	155	188	143	302	289	392	40	153
	F	513	608	371	679	292	449	3877	1421	147	152	144	253	299	428	35	116
Under 1 month {	M	19	21	14	54	11	23	330	105	4	9	5	10	17	20	1	8
	F	11	11	10	39	8	11	219	83	4	8	4	16	13	21	1	4
1-3 months {	M	9	5	6	26	11	8	146	47	1	2	3	6	13	8	1	1
	F	3	8	10	20	3	7	114	48	—	3	1	3	4	9	—	1
3-6 months {	M	11	3	16	25	1	10	140	41	—	3	2	3	6	9	1	2
	F	2	3	4	16	2	5	105	24	2	3	—	2	10	7	—	2
6-12 months {	M	23	7	8	30	10	16	227	58	1	4	6	5	10	9	2	—
	F	10	10	4	28	6	9	191	52	2	2	1	6	14	3	—	1
Total under 1 year {	M	62	36	44	135	33	57	843	251	6	18	16	24	46	46	5	11
	F	26	32	28	103	19	32	629	207	8	16	6	27	41	40	1	8
1— {	M	9	15	8	34	12	20	263	60	5	3	2	7	7	16	—	3
	F	12	17	8	23	11	22	256	77	3	—	—	2	7	7	1	1
2— {	M	4	9	2	14	9	9	145	49	1	—	3	2	5	6	—	1
	F	5	4	6	9	6	6	132	39	1	—	1	3	15	6	—	—
3— {	M	4	10	3	8	8	6	92	22	2	2	2	2	6	5	—	1
	F	2	7	2	13	1	8	95	24	2	2	1	1	7	2	1	—
4— {	M	5	3	3	8	3	2	61	23	1	2	—	3	6	2	—	—
	F	5	1	3	9	3	4	57	16	—	3	2	2	5	5	—	—
Total under 5 years {	M	84	73	60	199	65	94	1404	405	15	25	23	38	70	75	5	16
	F	50	61	47	157	40	72	1169	363	14	21	10	35	75	60	3	9
5— {	M	13	8	8	21	9	8	145	56	6	2	4	11	9	11	1	3
	F	14	17	14	23	12	13	160	61	5	6	5	4	6	11	1	3
10— {	M	9	9	9	11	3	6	85	28	—	1	4	1	5	10	1	2
	F	7	18	3	15	4	9	105	29	3	1	3	7	5	8	1	1
15— {	M	23	35	10	15	4	16	140	59	2	7	1	13	9	12	—	1
	F	9	21	12	23	10	12	129	65	3	4	7	9	6	15	—	4
20— {	M	12	25	5	26	4	20	128	59	5	6	8	9	7	13	—	7
	F	19	29	12	21	16	15	197	70	5	1	3	8	11	7	2	3
25— {	M	22	22	9	21	10	18	189	75	5	5	2	13	12	23	2	6
	F	28	15	16	31	22	21	226	83	9	4	5	16	12	27	2	5
30— {	M	16	23	16	31	16	24	229	80	9	4	7	7	13	23	3	4
	F	20	39	23	34	8	33	207	78	10	5	8	10	11	18	2	4
35— {	M	24	44	24	29	16	15	219	68	6	12	8	9	14	21	1	6
	F	18	40	14	23	11	16	174	76	7	9	7	8	16	9	—	2
40— {	M	19	41	18	27	6	21	233	91	6	4	5	14	11	18	—	3
	F	25	20	12	30	14	11	186	68	3	9	7	16	8	17	—	5
45— {	M	30	31	21	34	9	25	248	88	6	7	6	12	7	18	1	7
	F	27	28	18	31	10	21	151	49	6	6	10	9	7	24	—	4
50— {	M	27	25	25	30	10	22	245	83	7	8	8	17	14	17	2	5
	F	23	20	26	24	15	23	165	55	9	6	6	11	9	14	3	7
55— {	M	27	34	18	49	17	18	242	74	10	16	13	13	11	14	4	7
	F	26	33	23	35	16	24	180	58	9	13	3	10	18	31	1	9
60— {	M	36	60	24	45	12	26	263	97	20	17	3	22	17	20	2	6
	F	38	43	23	38	17	24	173	68	10	14	14	16	22	29	3	9
65— {	M	40	39	29	53	21	42	268	92	20	19	13	24	21	23	3	21
	F	33	40	27	45	18	33	163	75	10	7	10	16	20	39	2	5
70— {	M	40	45	31	61	13	38	213	78	17	19	20	31	26	36	5	18
	F	52	56	41	51	38	32	198	79	14	10	13	18	24	42	4	12
75— {	M	33	48	29	61	18	27	149	69	15	18	4	31	19	31	4	21
	F	58	67	25	60	17	38	150	80	11	14	18	25	22	38	4	17
80— {	M	22	33	16	34	5	16	65	34	3	10	9	25	16	15	4	11
	F	37	35	18	25	14	25	98	40	9	14	9	19	16	27	3	9
85— {	M	11	12	7	13	11	11	25	24	3	8	5	12	8	12	2	9
	F	29	26	17	13	10	27	46	24	10	8	6	16	11	12	4	8

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	... { M F	314,704 297,157	13,888 10,304	6,419 4,840	6,131 4,390	10,155 8,259	36,593 27,793	13,518 12,929	7,505 7,450	5,081 5,427	3,820 4,037
1	Enteric fever	... { M F	458 492	— —	— —	— —	1 —	1 —	— —	2 1	1 4	3 3
2	Typhus	... { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
3	Relapsing fever	... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Relapsing fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Mediterranean fever	... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Malaria	... { M F	188 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Small-pox	... { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
6	Measles	... { M F	5,147 4,640	5 5	26 15	44 40	775 600	850 660	1,884 1,605	913 848	559 557	326 355
7	Scarlet fever	... { M F	507 513	— 1	— —	1 —	12 8	13 9	45 30	56 56	65 75	60 66
8	Whooping cough	... { M F	4,391 5,507	31 46	277 339	429 335	984 1,110	1,721 1,830	1,353 1,763	571 832	334 484	198 289
9	Diphtheria, Croup	... { M F	2,340 2,492	1 4	4 3	8 4	79 54	92 65	229 181	284 231	304 345	337 339
	A. Diphtheria	... { M F	2,321 2,477	1 4	4 3	8 4	74 53	87 64	226 179	283 228	302 343	334 338
	B. Membranous laryngitis.	... { M F	1 4	— —	— —	— —	— 1	— 1	— —	— 1	— —	— —
	C. Croup	... { M F	18 11	— —	— —	— —	5 —	5 —	3 2	1 2	2 2	3 1
10	Influenza	... { M F	53,883 58,446	52 41	133 95	344 209	906 698	1,435 1,043	1,767 1,799	1,563 1,621	1170 1351	1033 1147
11	Miliary fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12	Asiatic cholera	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Cholera nostras	... { M F	8 3	— —	— —	— —	— —	— —	— —	1 —	— —	— 1
14	Dysentery	... { M F	485 353	— —	— —	— —	3 2	3 2	1 1	2 —	— —	— 1
15	Plague	... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
16	Yellow fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
17	Leprosy	... { M F	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
18	Erysipelas	... { M F	326 283	13 5	23 16	3 5	7 7	46 33	3 3	2 1	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered).

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
66,517 57,636	10,164 10,702	6,435 7,353	12,031 10,613	13,520 13,304	16,093 16,312	15,556 14,646	13,769 12,317	13,854 11,639	15,218 12,465	16,675 13,874	17,719 14,250	20,002 16,586	22,402 19,951	21,154 21,147	17,601 20,171	10,135 13,790	5,859 10,401	All Causes	
7 8	13 25	29 34	57 82	62 78	47 49	48 48	46 41	46 28	29 28	22 26	17 24	19 10	12 7	3 —	1 3	— 1	— —	1	
— —	— —	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	2	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B	
— —	3 —	— —	4 —	38 —	33 2	32 3	23 1	10 2	18 —	16 —	5 —	5 —	1 1	— —	— —	— —	— —	4	
— —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5	
4,532 4,025	451 535	22 29	33 15	62 11	25 5	9 7	6 4	1 6	— —	2 1	1 —	1 —	2 1	— —	— —	— 1	— —	6	
239 236	153 160	37 55	38 21	20 19	10 6	5 7	— 5	2 2	1 2	1 —	— —	— —	1 —	— —	— —	— —	— —	7	
4,177 5,198	199 291	8 5	— 2	— 1	— 2	2 —	— 1	1 1	— 1	— —	— 1	1 —	— 3	2 1	1 —	— —	— —	8	
1,246 1,161	842 992	169 216	34 47	18 27	9 17	6 11	2 5	3 3	3 3	1 5	3 2	2 —	1 1	— 2	1 —	— —	— —	9	
1,232 1,152	837 986	169 216	34 47	18 27	9 17	6 11	2 5	3 3	3 3	1 5	3 2	2 —	1 1	— 2	1 —	— —	— —	A	
— 2 14 7	1 2 4 4	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	B	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C	
6,968 6,961	2,977 3,417	1971 2625	4114 4227	4343 6121	6837 8430	6530 6319	4060 4089	3167 2853	2906 2554	2484 2327	1799 1732	1800 1649	1684 1752	1176 1376	684 847	257 432	126 235	10	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12	
1 1	— —	— —	— 1	— —	— —	— —	1 —	— —	2 —	1 —	1 —	1 —	— —	— 1	— —	1 —	— —	13	
6 4	4 2	1 —	4 4	25 5	34 18	43 20	48 14	42 36	47 39	49 43	46 53	46 27	36 35	35 27	8 18	8 5	3 3	14	
— —	— —	— —	— —	— —	1 —	— —	— —	— 1	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	15	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16	
— —	— —	— —	1 —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	17	
51 37	3 3	5 8	9 7	8 8	7 7	12 12	17 15	17 8	16 14	33 20	29 22	19 21	24 26	31 21	26 25	14 24	5 5	18	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
19	Other epidemic diseases {	M 112	1	4	7	13	25	15	9	4	2
	F 72	—	—	2	4	12	18	16	6	6	9
	A. Mumps ... {	M 25	—	2	—	—	2	1	2	1	2
	F 16	—	—	—	—	1	1	2	—	2	1
	B. German measles ... {	M 44	—	2	6	4	12	7	4	2	—
	F 25	—	—	—	2	1	3	10	3	2	4
	C. Varicella ... {	M 24	1	—	1	9	11	7	3	1	—
	F 30	—	—	2	2	9	13	4	3	2	4
	D. Other diseases in- cluded under 19. {	M 19	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	1	1	—	—	—	—
20	Pyæmia, Septicæmia ... {	M 308	6	4	4	4	18	6	2	4	4
	F 172	—	4	7	4	3	18	8	2	5	—
	A. Pyæmia ... {	M 64	1	—	—	2	3	2	1	1	1
	F 43	—	2	4	1	1	8	4	1	1	—
	B. Septicæmia .. {	M 241	5	4	2	2	13	4	1	3	3
	F 129	—	2	3	3	2	10	4	1	4	—
	C. Vaccinia ... {	M 3	—	—	2	—	2	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
21	Glanders ... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic fever) {	M 10	—	—	—	—	—	—	—	—	—
	F 2	—	—	—	—	—	—	—	—	—	—
23	Rabies ... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
24	Tetanus ... {	M 126	4	—	—	—	4	—	3	1	—
	F 30	—	1	1	1	—	3	1	—	—	1
25	Mycoses ... {	M 20	—	—	—	—	—	—	—	—	—
	F 10	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis ... {	M 17	—	—	—	—	—	—	—	—	—
	F 7	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses ... {	M 3	—	—	—	—	—	—	—	—	—
	F 3	—	—	—	—	—	—	—	—	—	—
26	Pellagra ... {	M —	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
27	Beri-beri ... {	M 4	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis {	M 22,815	—	1	9	38	48	123	85	69	54
	(not acute). {	F 19,432	—	6	13	30	49	76	75	69	55
	A. Pulmonary tuber- culosis. {	M 17,446	—	1	6	34	41	107	74	61	46
	F 14,372	—	—	5	12	26	43	71	67	57	48
	B. Phthisis (not defined as tuberculous). {	M 5,369	—	—	3	4	7	16	11	8	8
	F 5,060	—	—	1	1	4	6	5	8	12	7
29	Acute phthisis, Acute {	M 1,941	1	10	10	23	44	54	36	28	25
	miliary tuberculosis. {	F 1,889	—	3	5	21	29	41	34	24	25
	A. Acute phthisis ... {	M 1,556	—	3	4	9	16	14	14	12	12
	F 1,535	—	—	—	1	6	7	15	16	11	9
	B. Acute miliary tuber- culosis. {	M 385	1	7	6	14	28	40	22	16	13
	F 354	—	—	3	4	15	22	26	18	13	16
28 & 29	Pulmonary tuberculosis, acute and chronic. {	M 24,756	1	11	19	61	92	177	121	97	79
	F 21,321	—	—	9	18	51	78	117	109	93	80
30	Tuberculous meningitis {	M 2,283	7	30	90	192	319	346	243	189	147
	F 2,096	—	1	11	58	159	229	294	210	168	124

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

AGES AT DEATH.																		International List Nos
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
55	11	—	5	19	12	3	3	2	—	1	—	1	—	—	—	—	—	19
55	11	3	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
8	4	—	2	8	3	—	—	—	—	—	—	—	—	—	—	—	—	A
6	5	2	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
25	4	—	2	6	4	1	1	1	—	—	—	—	—	—	—	—	—	B
22	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
26	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	1	5	5	2	2	1	—	1	—	1	—	—	—	—	—	D
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
34	8	11	32	18	15	12	20	20	16	28	24	24	14	10	13	5	4	20
33	5	7	2	13	10	11	7	9	9	6	9	10	12	8	11	7	3	
8	3	4	9	3	6	6	5	5	1	2	2	4	3	1	2	—	—	A
14	—	1	—	4	3	2	1	2	2	2	3	2	2	2	1	1	1	
24	5	7	22	15	9	6	15	15	15	26	22	20	11	9	11	5	4	B
19	5	6	2	9	7	9	6	7	7	4	6	8	10	6	10	6	2	
2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	—	1	—	3	—	1	1	1	1	—	—	—	22
—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	10	23	12	5	3	5	6	6	8	16	12	6	5	—	1	—	—	24
5	1	5	1	2	3	—	2	1	1	3	—	—	3	2	—	1	—	
—	—	—	—	2	1	5	2	3	2	1	3	—	1	—	—	—	—	25
—	—	—	1	1	1	—	—	1	2	—	—	2	1	1	—	—	—	
—	—	—	—	2	1	5	1	2	2	—	3	—	1	—	—	—	—	A
—	—	—	1	1	1	—	—	—	2	—	—	1	—	1	—	—	—	
—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
379	309	455	1519	2164	2,413	2,523	2,651	2,681	2,379	1,914	1,469	983	606	258	87	19	6	28
324	395	962	2371	2670	2,585	2,266	2,117	1,733	1,322	952	663	492	332	163	67	14	4	
329	268	370	1161	1680	1,797	1,924	2,060	2,032	1,799	1,437	1,107	742	470	188	63	15	4	A
286	304	738	1791	1898	1,904	1,639	1,553	1,271	999	711	488	368	241	126	45	8	2	
50	41	85	358	484	616	599	591	649	580	477	362	241	136	70	24	4	2	B
38	91	224	580	772	681	627	564	462	323	241	175	124	91	37	22	6	2	
187	99	88	242	204	162	200	192	153	149	101	72	53	32	5	2	—	—	29
153	127	185	314	250	209	186	126	111	89	61	34	19	16	5	3	1	—	
68	48	58	192	171	146	180	169	142	134	95	65	51	31	4	2	—	—	A
58	68	145	269	225	181	167	116	101	81	55	31	18	13	5	2	—	—	
119	51	30	50	33	16	20	23	11	15	6	7	2	1	1	—	—	—	B
95	59	40	45	25	28	19	10	10	8	6	3	1	3	—	1	1	—	
566	408	543	1761	2368	2,575	2,723	2,843	2,834	2,528	2,015	1,541	1,036	638	263	89	19	6	28 & 29.
477	522	1147	2685	2920	2,794	2,452	2,243	1,844	1,411	1,013	697	511	348	168	70	15	4	
1,244	445	235	151	49	31	37	27	27	18	10	4	4	1	—	—	—	—	30
1,025	462	240	142	79	46	26	27	21	12	8	6	1	1	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
31	Tuberculosis of peri- toneum and intestines. {	M 1,642	10	40	84	121	255	218	171	110	74
		F 1,598	1	26	48	73	148	195	125	95	70
	A. Tabes mesenterica {	M 173	2	11	20	33	66	37	30	8	10
		F 142	—	4	16	11	31	39	18	8	10
	B. Other peritoneal and intestinal tubercle {	M 1,469	8	29	64	88	189	181	141	102	64
		F 1,456	1	22	32	62	117	156	107	87	60
32	Tuberculosis of spinal column. {	M 451	—	—	1	3	4	5	4	4	7
		F 401	—	—	—	—	—	2	6	4	5
33	Tuberculosis of joints ... {	M 273	—	—	—	1	1	1	5	2	2
		F 178	—	—	1	1	2	4	1	2	1
34	Tuberculosis of other organs. {	M 366	—	3	2	11	16	9	8	7	3
		F 362	—	2	5	6	13	10	8	3	4
	A. Lupus ... {	M 23	—	—	—	—	—	—	—	—	—
		F 51	—	—	—	—	—	—	—	—	—
	B. Scrofula ... {	M 1	—	—	—	—	—	1	—	—	—
		F 2	—	—	—	—	—	—	1	—	—
	C. Other tuberculosis included under 34. {	M 342	—	3	2	11	16	8	8	7	3
		F 309	—	2	5	6	13	10	7	3	4
35	Disseminated tuberculosis {	M 1,256	1	12	19	40	72	67	69	45	37
		F 1,090	3	11	12	27	53	55	40	36	29
28-35	Tuberculosis (all forms) {	M 31,027	19	96	215	429	759	823	621	454	349
		F 27,046	5	59	142	317	523	677	499	401	313
36	Rickets, Softening of bones. {	M 410	2	19	25	94	140	133	51	30	12
		F 379	1	15	17	57	90	116	63	33	12
	A. Rickets ... {	M 387	2	19	25	94	140	133	51	30	12
		F 341	1	15	17	57	90	116	63	33	12
	B. Other forms of bone softening. {	M 23	—	—	—	—	—	—	—	—	—
		F 38	—	—	—	—	—	—	—	—	—
37	Syphilis ... {	M 1,171	224	292	150	69	735	34	18	5	2
		F 823	149	192	131	55	527	32	8	7	3
38	Other venereal diseases... {	M 48	8	15	—	1	24	1	—	—	—
		F 24	2	5	—	—	7	1	—	—	—
	A. Soft chancre ... {	M 1	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
	B. Gonococcus infec- tion. {	M 24	—	2	—	—	2	—	—	—	—
		F 19	1	1	—	—	2	1	—	—	—
	C. Purulent ophthal- mia. {	M 23	8	13	—	1	22	1	—	—	—
		F 5	1	4	—	—	5	—	—	—	—
39	Cancer of the buccal cavity. {	M 2,357	—	—	1	1	2	—	1	—	1
		F 377	—	—	—	—	—	—	—	1	—
40	Cancer of the stomach, liver, &c. {	M 6,938	—	1	—	2	3	—	1	2	2
		F 6,378	—	—	—	2	2	—	1	—	—
41	Cancer of the peritoneum, intestines and rectum. {	M 3,914	—	—	1	—	1	—	1	—	2
		F 4,649	—	—	—	—	—	1	1	1	—
42	Cancer of the female genital organs. {	M —	—	—	—	—	—	—	—	—	—
		F 4,997	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ... {	M 37	—	—	—	—	—	—	—	1	—
		F 4,082	—	—	—	—	—	—	—	—	—
44	Cancer of the skin ... {	M 647	—	—	—	—	—	—	—	—	—
		F 392	—	—	—	—	—	—	1	—	—
45	Cancer of other or un- specified organs. {	M 4,185	2	—	—	4	6	9	11	8	9
		F 2,274	—	—	1	1	2	7	8	6	7

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

Total under 5 years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
828 633	157 160	165 143	118 162	63 98	46 82	47 71	44 72	43 43	39 46	30 28	20 23	18 15	13 15	6 6	5 1	— —	— —	31
151 106 677 527	8 12 149 148	9 9 156 134	3 6 115 156	1 5 62 93	— 2 46 80	— 1 47 70	— — 44 72	1 — 42 43	— 1 39 45	— — 30 28	— — 20 23	— — 18 15	— — 13 15	— — 6 6	— — 5 1	— — — —	— — — —	A B
24 17	38 31	58 47	59 47	49 48	34 26	32 29	30 21	33 24	23 14	22 22	21 16	16 18	3 18	6 7	2 10	1 6	— —	32
11 10	22 12	23 18	49 24	27 13	21 9	15 9	15 6	12 4	15 10	14 13	15 14	10 10	11 9	3 9	6 5	3 3	1 —	33
43 38	14 17	15 11	29 29	28 20	18 28	26 30	27 20	26 18	26 19	23 16	21 19	21 21	20 30	11 16	13 22	5 4	— 4	34
— — 1 1	— — — —	1 — — —	1 — — —	1 — — —	— 2 — —	— 2 — —	2 4 — —	1 3 — —	1 3 — —	— 5 — —	3 4 — —	1 6 — —	5 12 — —	2 2 — —	2 7 — —	3 — — —	— 1 — —	A B
42 37	14 17	14 11	28 29	27 20	18 26	26 28	25 15	25 15	25 16	23 11	18 15	20 15	15 18	9 14	11 15	2 4	— 3	C
290 213	134 111	112 138	140 95	95 88	81 71	88 67	81 71	56 54	48 42	39 43	40 33	24 30	17 19	7 9	1 2	3 2	— 2	35
3,006 2,413	1,218 1,315	1,151 1,744	2,307 3,184	2,679 3,266	2,806 3,056	2,968 2,684	3,067 2,460	3,031 2,008	2,697 1,554	2,153 1,143	1,662 808	1,129 605	703 440	296 215	116 110	31 30	7 10	28-35
366 314 366 314	13 15 13 13	1 5 1 3	6 8 2 5	4 4 2 2	5 3 — 1	4 6 2 3	2 1 — —	3 1 — —	1 — — —	1 6 — —	1 1 — —	1 4 — —	— 2 — —	2 4 1 —	— 3 — —	— 1 — —	— 1 — —	36 A
— —	— 2	— 2	4 3	2 2	5 2	2 3	2 1	3 1	1 —	1 6	1 1	1 4	— 2	1 4	— 3	— 1	— 1	B
794 577	2 5	3 5	11 10	22 17	23 34	26 21	49 39	57 13	49 30	34 17	41 21	30 12	22 11	5 10	2 —	1 1	— —	37
25 8	— —	— —	1 2	6 3	3 3	2 6	3 —	3 1	1 1	2 —	— —	— —	2 —	— —	— —	— —	— —	38
— — 2 3 23 5	— — — — —	— — — — —	— — 1 2 —	— — 6 3 —	— — 3 3 —	— — 2 6 —	— — 2 — —	1 — 3 1 —	— — 1 1 —	— — 2 — —	— — — — —	— — — — —	— — — — —	— — 2 — —	— — — — —	— — — — —	— — — — —	A B C
4 1	3 2	— 4	3 —	2 2	1 2	7 9	20 12	83 14	208 32	317 44	364 49	393 44	395 48	276 50	172 36	81 20	28 8	39
8 3	2 2	2 1	2 4	10 6	22 22	49 52	115 148	255 256	497 397	842 655	1,035 764	1,202 968	1,201 1,121	942 934	516 662	183 276	55 107	40
4 3	1 1	4 1	5 4	13 10	21 22	32 69	68 116	145 205	220 292	374 402	517 533	665 686	690 717	576 727	382 553	143 203	50 105	41
— —	— 1	— 3	— 9	— 9	— 28	— 113	— 270	— 459	— 659	— 759	— 765	— 622	— 554	— 352	— 255	— 97	— 42	42
1 —	— —	— —	— —	1 1	1 10	— 46	1 156	3 324	2 509	3 589	5 540	5 487	3 463	5 384	5 290	2 173	— 110	43
— 1	1 —	1 2	1 —	3 1	3 3	11 1	12 7	19 12	35 12	57 21	77 40	87 34	80 49	78 61	79 67	63 46	40 35	44
43 30	25 12	28 20	50 37	43 22	67 31	76 55	98 69	189 125	301 183	464 262	587 267	608 318	678 281	491 264	310 187	96 74	31 37	45

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
39-45	Cancer (all sites) ... {	M 18,078	2	1	2	7	12	9	14	11	14
	F 23,149	—	—	—	1	3	4	8	11	8	7
46	Other tumours (situation undefined). {	M 99	—	—	1	—	1	—	—	—	—
	F 87	—	—	—	—	—	—	—	—	1	—
	A. Angioma ... {	M 3	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
	B. Adenoma ... {	M 3	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
	C. Other tumours included under 46. {	M 93	—	—	1	—	1	—	—	—	—
	F 86	—	—	—	—	—	—	—	—	1	—
47	Rheumatic fever ... {	M 723	—	1	1	1	3	—	7	7	14
	F 797	—	—	1	—	3	4	2	2	5	6
48	Chronic rheumatism, Osteo-arthritis, Gout. {	M 766	—	1	—	—	1	—	—	—	—
	F 1,438	—	—	—	—	—	—	—	—	—	1
	A. Chronic rheumatism. {	M 185	—	—	—	—	—	—	—	—	—
	F 266	—	—	—	—	—	—	—	—	—	1
	B. Osteo-arthritis ... {	M 382	—	1	—	—	1	—	—	—	—
	F 1,129	—	—	—	—	—	—	—	—	—	—
	C. Gout ... {	M 199	—	—	—	—	—	—	—	—	—
	F 43	—	—	—	—	—	—	—	—	—	—
49	Scurvy ... {	M 16	—	3	2	3	8	2	—	—	—
	F 29	—	—	—	4	4	8	10	4	—	1
50	Diabetes ... {	M 1,790	—	—	—	—	—	2	3	5	1
	F 1,778	—	—	—	—	1	1	1	5	5	2
51	Exophthalmic goitre ... {	M 46	—	—	—	—	—	—	—	—	—
	F 357	—	—	—	—	—	—	—	—	—	—
52	Addison's disease ... {	M 95	—	—	—	—	—	—	—	—	—
	F 120	—	—	—	—	—	—	—	—	1	—
53	Leucocythæmia, Lymphadenoma. {	M 397	—	—	—	3	3	4	2	7	7
	F 283	—	1	—	—	1	2	2	2	—	1
	A. Leucocythæmia (Leuchæmia). {	M 209	—	—	—	3	3	3	2	4	5
	F 176	—	1	—	—	1	2	2	1	—	1
	B. Lymphadenoma ... {	M 188	—	—	—	—	—	1	—	3	2
	F 107	—	—	—	—	—	—	—	1	—	—
54	Anæmia, Chlorosis ... {	M 978	2	6	1	5	14	10	3	8	2
	F 1,181	—	2	2	1	1	6	5	4	4	4
55	Other general diseases ... {	M 221	18	6	3	12	39	7	8	7	5
	F 207	—	9	6	4	7	26	9	7	6	3
	A. Diabetes insipidus {	M 15	—	—	—	—	—	—	—	1	—
	F 8	—	—	—	—	—	—	—	—	—	—
	B. Purpura ... {	M 135	8	5	3	11	27	7	4	5	3
	F 143	—	4	4	3	6	17	7	6	5	3
	C. Hæmophilia ... {	M 40	7	1	—	—	8	—	3	1	2
	F 26	—	5	2	—	—	7	—	1	—	—
	D. Other diseases included under 55. {	M 31	3	—	—	1	4	—	1	—	—
	F 30	—	—	—	1	1	2	2	—	1	—

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
60 38	32 18	35 31	61 54	72 51	115 118	175 345	314 778	694 1,395	1,263 2,084	2,057 2,732	2,585 2,958	2,964 3,159	3,047 3,233	2,368 2,772	1,464 2,050	568 889	204 444	} 39-45	
1 1	1 —	1 1	— 1	3 —	1 2	1 1	4 2	8 4	12 8	13 11	14 10	8 8	7 13	12 13	7 7	4 5	2 —		
—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	} A	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—		} B
1 1	1 —	1 1	— 1	3 —	— 2	— 1	4 2	8 4	12 8	13 11	13 10	8 8	7 13	10 12	6 7	4 5	2 —	} C	
31 19	66 89	137 142	116 111	58 86	36 39	30 49	45 45	32 39	47 42	45 42	32 35	25 17	11 20	5 10	6 11	1 —	— 1		} 47
1 1	— 1	— —	1 2	2 3	1 4	3 8	14 24	11 42	33 61	38 97	81 121	109 179	148 251	148 267	102 217	43 97	31 63	} 48	
—	—	—	—	—	—	—	1	2	4	3	20	21	45	38	29	13	9		} A
1 1	—	—	—	—	—	—	1	2	11	14	12	25	56	51	50	31	12	} B	
—	1	—	1	2	1	3	13	7	25	25	38	52	64	70	50	20	10		} C
—	—	—	—	—	—	—	23	39	50	82	107	150	188	208	158	59	47	}	
—	—	—	—	—	—	—	—	2	4	10	23	36	39	40	23	10	12		}
—	—	—	—	—	—	—	—	1	—	1	2	4	7	8	9	7	4	}	
10 23	— 1	1 —	— —	— —	— 1	— —	— —	— 1	— —	1 1	— —	1 1	— 1	3 —	— —	— —	— —		} 49
11 14	21 20	33 33	70 53	77 69	92 81	95 78	99 103	82 72	99 88	134 132	167 172	217 240	261 266	157 173	121 113	39 42	15 29	} 50	
—	1	—	1	2	3	6	3	5	3	8	6	3	3	1	—	1	—		} 51
—	1	1	16	26	28	32	32	52	43	53	29	25	14	2	2	1	—	}	
—	—	1	3	6	5	4	14	8	13	7	9	6	14	5	—	—	—		} 52
1	—	—	4	5	6	10	12	12	13	15	13	11	10	5	2	1	—	}	
23 7	25 11	25 6	24 14	32 17	30 13	25 16	38 26	32 26	26 25	20 30	30 33	26 23	23 18	11 10	5 5	1 3	1 —		} 53
17 6	11 9	14 3	16 6	19 9	12 7	12 13	20 17	23 18	15 18	7 20	15 22	15 12	7 11	3 3	3 1	— 1	— 1	} A	
6 6	14 2	11 3	8 8	13 8	18 6	13 3	18 9	9 8	11 7	13 10	15 11	11 11	16 7	8 7	2 4	1 2	1 —		} B
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
37 23	16 15	14 13	10 27	10 39	19 38	33 45	32 73	67 78	95 111	108 122	131 144	158 154	127 152	81 90	30 43	8 11	2 3		} 54
66 51	20 27	20 19	11 10	10 7	10 9	3 6	6 12	7 9	6 6	9 6	9 7	11 8	17 12	7 3	5 7	3 4	1 4	} 55	
1	1	1	—	—	—	—	1	—	—	—	1	3	6	1	—	—	—		} A
—	—	—	—	1	1	—	—	1	—	1	2	—	1	1	—	—	—	} B	
46 38	10 20	14 15	8 7	4 5	3 5	2 3	3 8	5 5	4 4	6 4	3 2	6 5	9 8	3 2	5 6	3 3	1 3		} C
14	5	5	—	3	6	—	—	2	—	—	3	1	—	1	—	—	—	} D	
8	3	2	1	1	2	2	2	—	—	—	1	2	1	—	—	1	—		}
5	4	—	3	3	1	1	2	—	2	3	2	1	2	—	1	—	—	}	
—	—	—	—	—	3	4	11	8	8	12	7	6	1	—	—	1	—		} 56
—	—	—	—	—	1	1	2	2	4	3	4	—	1	2	—	—	—	}	
—	—	—	—	—	—	2	5	2	3	8	5	4	2	4	—	—	—		} 57
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	} A	
—	—	—	—	—	—	2	5	2	3	8	5	4	2	4	—	—	—		} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-
58	Other chronic occupa- tional poisonings.	M 4 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings	M 4 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ...	M 207 F 159	3 —	— —	3 1	2 3	8 4	7 4	6 3	3 3	— 1
61	Meningitis ...	M 2,213 F 1,680	22 10	49 39	112 68	213 174	396 291	265 232	154 113	111 115	88 63
	A. Cerebro-spinal fever	M 571 F 241	— —	2 1	13 8	24 17	39 26	13 21	17 9	13 9	13 9
	B. Posterior basal men- ingitis.	M 62 F 52	— —	4 1	12 6	9 15	25 22	14 11	5 5	3 2	3 2
	C. Meningitis — other forms.	M 1,580 F 1,387	22 10	43 37	87 54	180 142	332 243	235 200	132 99	95 104	72 52
62	Locomotor ataxy...	M 582 F 103	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord.	M 1,510 F 1,211	1 —	5 1	6 2	6 4	18 7	11 13	11 11	5 6	5 8
	A. Diseases formerly classed to "Other nervous affectns."	M 511 F 404	— —	— —	— —	— —	— —	— —	1 —	— —	1 —
	B. Poliomyelitis, Polioencephalitis.	M 116 F 121	1 —	4 1	6 2	5 3	16 6	11 13	10 10	3 6	2 8
	C. Other diseases in- cluded under 63.	M 883 F 686	— —	1 —	— —	1 1	2 1	— 1	— 1	2 —	2 —
64	Cerebral hæmorrhage, Apoplexy.	M 10,293 F 12,669	— 2	1 1	2 2	9 1	12 6	7 5	2 4	1 1	— 2
	A. Apoplexy ...	M 1,913 F 2,385	— —	— —	— —	— —	— —	1 —	— 1	— —	— —
	B. Serous apoplexy and œdema of brain.	M 61 F 74	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
	C. Cerebral congestion	M 37 F 40	— 2	1 1	1 2	3 —	5 5	2 2	1 1	— 1	— 1
	D. Cerebral atheroma	M 140 F 145	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Cerebral hæmorr- hage.	M 8,142 F 10,025	— —	— —	1 —	6 —	7 —	4 3	1 2	1 —	— 1
65	Softening of brain ...	M 564 F 594	— —	— —	— —	— —	— —	— —	— —	— —	— —
66	Paralysis without speci- fied cause.	M 1,084 F 1,335	— —	— 2	— —	1 1	1 3	1 1	— 2	1 —	2 —
	A. Hemiplegia ...	M 887 F 1,121	— —	— 1	— —	1 1	1 2	1 —	— —	1 —	— —
	B. Paraplegia ...	M 74 F 76	— —	— —	— —	— —	— —	— —	— —	— —	1 —
	C. Other forms of par- alysis.	M 123 F 138	— —	— 1	— —	— —	— 1	— 1	— 2	— —	1 —
67	General paralysis of the insane.	M 1,731 F 342	— —	— —	— —	— —	— —	— —	— —	— —	— —
68	Other forms of mental alienation.	M 617 F 723	— —	— —	— —	— —	— —	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	}	58
—	—	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	—	—	—	1	—	—	1	1	—	—	—	—	}	59
—	—	—	—	—	—	—	2	—	1	1	—	—	1	—	—	—	—		
24	19	11	21	19	16	8	7	18	15	10	15	7	5	7	1	2	2	}	60
15	14	12	11	14	12	9	10	7	15	7	11	8	5	6	—	2	1		
1,014	244	157	246	117	83	69	50	51	41	34	36	23	18	17	8	4	1	}	61
814	267	149	107	70	52	33	35	29	23	22	17	13	19	12	9	6	3		
95	42	40	160	91	47	36	24	17	10	3	2	2	2	—	—	—	—	}	A
74	47	30	22	19	12	10	6	10	4	3	2	1	1	—	—	—	—		
50	4	4	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	}	B
42	6	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
869	198	113	86	25	36	32	26	34	31	30	34	20	16	17	8	4	1	}	C
698	214	117	84	51	40	23	29	19	18	19	15	12	18	12	9	6	3		
—	—	—	1	—	6	12	26	47	96	95	98	71	84	34	11	1	—	}	62
—	—	—	—	1	1	1	7	10	10	14	21	16	11	6	5	—	—		
50	23	30	35	37	39	52	83	93	94	125	159	182	192	170	100	36	10	}	63
45	31	19	26	22	43	48	54	82	82	105	89	135	145	136	101	32	16		
2	2	6	14	2	4	2	11	13	12	26	56	71	89	111	62	23	5	}	A
—	2	1	5	3	3	5	6	12	13	23	25	56	75	81	63	22	9		
42	17	13	7	4	4	2	4	6	6	3	2	3	2	—	—	1	—	}	B
43	23	14	7	3	5	4	4	4	4	3	1	2	3	—	1	—	—		
6	4	11	14	31	31	48	68	74	76	96	101	108	101	59	38	12	5	}	C
2	6	4	14	16	35	39	44	66	65	79	63	77	67	55	37	10	7		
22	15	7	20	14	25	55	115	183	388	671	1,023	1,397	1,765	1,895	1,511	836	351	}	64
18	9	13	12	23	36	55	107	214	515	857	1,137	1,562	1,981	2,157	2,109	1,192	672		
1	1	—	3	3	4	8	14	28	65	119	183	263	334	359	274	188	66	}	A
1	1	2	2	7	6	7	15	36	83	170	207	286	370	400	406	248	138		
—	2	—	—	—	1	1	—	—	3	2	4	6	11	12	9	6	4	}	B
1	—	1	1	—	2	1	1	1	3	11	4	10	5	15	7	6	5		
8	4	—	1	—	—	1	—	2	1	3	4	1	2	3	4	3	—	}	C
10	4	—	—	1	—	1	—	1	1	2	3	1	3	5	1	1	6		
—	—	—	—	—	1	—	1	1	2	7	11	7	23	33	31	15	8	}	D
—	—	—	—	—	—	—	—	—	8	5	9	9	15	38	34	15	11		
13	8	7	16	11	19	45	100	152	317	540	821	1,120	1,395	1,488	1,193	624	273	}	E
6	4	10	9	15	28	46	90	176	420	669	914	1,256	1,588	1,699	1,661	922	512		
—	—	—	—	—	4	8	8	14	15	25	47	61	107	106	101	50	18	}	65
—	—	—	1	1	5	4	7	6	17	39	42	73	88	92	106	72	41		
5	2	2	3	3	6	9	14	18	39	63	91	144	182	195	180	89	39	}	66
6	2	1	5	1	5	6	8	22	49	70	96	109	217	259	248	158	73		
3	1	1	—	2	5	6	8	12	29	54	76	119	156	170	142	70	33	}	A
2	2	1	3	1	4	5	4	15	42	62	79	97	185	213	210	134	62		
1	1	—	1	1	1	3	2	4	3	7	3	8	5	11	15	8	—	}	B
—	—	—	—	—	—	—	3	6	4	4	7	3	6	10	15	10	8		
1	—	1	2	—	—	—	4	2	7	2	12	17	21	14	23	11	6	}	C
4	—	—	2	—	1	1	1	1	3	4	10	9	26	36	23	14	3		
—	—	3	6	10	36	159	345	346	324	234	128	79	39	16	5	1	—	}	67
—	1	—	4	7	17	30	57	45	67	40	41	12	6	11	3	1	—		
—	—	—	1	17	15	29	26	48	65	78	96	97	66	43	21	10	5	}	68
—	—	1	8	10	24	34	42	70	75	92	82	94	90	52	25	19	5		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
69	Epilepsy ... {	M 1,937	12	8	6	8	34	10	10	13	17
		F 1,562	2	1	1	6	10	7	9	5	8
70	Convulsions (non- peral; 5 years and over). {	M 54	—	—	—	—	—	—	—	—	—
		F 59	—	—	—	—	—	—	—	—	—
	A. Epileptiform con- vulsions. {	M 10	—	—	—	—	—	—	—	—	—
		F 9	—	—	—	—	—	—	—	—	—
	B. Others included under 70. {	M 44	—	—	—	—	—	—	—	—	—
		F 50	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years). {	M 3,351	1,051	631	483	555	2,720	424	132	44	31
		F 2,561	691	448	329	429	1,897	458	126	54	26
	A. Convulsions with teething. {	M 505	—	1	53	233	287	184	33	1	—
		F 469	—	—	37	194	231	202	34	1	1
	B. Other infantile con- vulsions. {	M 2,846	1,051	630	430	322	2,433	240	99	43	31
		F 2,092	691	448	292	235	1,666	256	92	53	25
72	Chorea ... {	M 26	—	—	—	—	—	—	—	1	—
		F 59	—	—	—	—	—	1	—	1	—
73	Hysteria, Neuralgia, Neuritis. {	M 99	—	—	—	—	—	—	—	—	—
		F 113	—	—	—	—	—	—	1	1	—
	A. Hysteria, Neuralgia, Sciatica. {	M 26	—	—	—	—	—	—	—	—	—
		F 28	—	—	—	—	—	—	1	—	—
	B. Neuritis ... {	M 73	—	—	—	—	—	—	—	—	—
		F 85	—	—	—	—	—	—	—	1	—
74	Other diseases of the nervous system. {	M 1,231	7	5	7	17	36	29	21	18	9
		F 1,148	1	1	5	7	14	9	18	15	17
	A. Idiocy, Imbecility {	M 213	—	2	1	2	5	10	10	5	4
		F 162	—	—	3	2	5	3	9	5	5
	B. Cretinism ... {	M 30	—	—	3	3	6	4	3	3	1
		F 38	—	—	—	3	3	2	2	4	1
	C. Cerebral tumour ... {	M 422	—	—	1	2	3	4	1	4	3
		F 431	—	—	—	—	—	1	3	4	3
	D. Other diseases in- cluded under 74. {	M 566	7	3	2	10	22	11	7	6	1
		F 517	1	1	2	2	6	3	4	2	8
75	Diseases of the eyes and annexa. {	M 27	—	1	2	—	3	1	—	2	1
		F 19	—	—	—	—	—	—	3	—	1
76	Diseases of the ears ... {	M 523	—	4	12	30	46	37	13	24	18
		F 420	—	1	9	22	32	25	18	18	20
	A. Mastoid disease ... {	M 133	—	2	1	9	12	6	4	6	3
		F 87	—	—	1	5	6	5	1	4	1
	B. Other diseases of the ears. {	M 390	—	2	11	21	34	31	9	18	15
		F 333	—	1	8	17	26	20	17	14	19
77	Pericarditis ... {	M 204	—	1	—	1	2	5	2	2	2
		F 147	—	—	—	2	2	6	3	2	1
78	Acute endocarditis ... {	M 711	—	—	2	1	3	3	3	5	5
		F 749	—	—	2	3	5	5	7	5	6
	A. Acute myocarditis {	M 158	—	—	2	1	3	1	—	—	1
		F 138	—	—	1	—	1	2	2	1	1
	B. Infective endocar- ditis. {	M 273	—	—	—	—	—	1	—	1	2
		F 274	—	—	—	1	1	—	1	2	1
	C. Other acute endo- carditis. {	M 280	—	—	—	—	—	1	3	4	2
		F 337	—	—	1	2	3	3	4	2	4

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

Total under 5 years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
84 39	74 47	83 72	162 84	167 124	168 125	154 136	165 127	152 141	133 129	132 127	112 103	108 90	109 82	73 68	47 42	10 16	4 10	69
— —	32 41	7 10	2 1	1 —	— —	— 1	1 1	— —	2 1	1 —	1 —	2 1	1 1	2 1	— 1	1 —	1 —	70
— —	1 2	2 1	— 1	1 —	— —	— —	1 —	— —	— 1	— —	— —	2 1	— 1	2 1	— 1	1 —	— —	A
— —	31 39	5 9	2 —	— —	— —	— 1	— 1	— —	2 —	1 —	1 —	— —	1 —	— —	— —	— —	1 —	B
3,351 2,561	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	71
505 469	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
2,846 2,092	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
1 2	5 6	5 22	3 15	3 5	1 1	1 1	1 1	4 2	1 2	1 2	— —	— —	— —	— —	— —	— —	— —	72
— 2	— 1	— 1	— 1	1 3	— 1	1 3	3 2	7 9	4 12	13 10	13 13	16 15	22 15	12 8	4 12	2 4	1 1	73
— 1	— —	— 1	— 1	— —	— —	— 3	1 —	1 2	1 5	1 3	3 —	1 5	6 3	8 1	2 1	1 2	1 —	A
— 1	— 1	— —	— —	1 3	— 1	1 —	2 2	6 7	3 7	12 7	10 13	15 10	16 12	4 7	2 11	1 2	— 1	B
113 73	64 64	66 51	62 47	52 45	49 53	53 61	79 60	97 99	104 95	106 100	108 104	109 66	60 83	54 62	34 40	17 31	4 14	74
34 27	17 18	20 16	24 13	21 12	12 13	15 8	17 5	10 12	7 9	12 9	14 7	5 6	2 4	2 2	1 —	— —	— 1	A
17 12	1 5	1 3	2 4	2 3	2 3	2 4	— 2	— 2	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	B
15 11	35 27	32 24	25 18	19 23	21 26	19 35	36 41	43 52	50 50	38 42	33 34	32 12	9 18	10 12	5 3	— 3	— —	C
47 23	11 14	13 8	11 12	10 7	14 11	17 14	26 12	44 33	45 36	55 49	61 63	72 48	49 61	42 48	28 37	17 28	4 13	D
7 4	2 1	— 2	3 —	3 1	1 —	1 1	1 1	— —	1 —	— 1	1 2	— —	4 —	— 5	1 —	2 1	— —	75
138 113	64 64	50 65	73 53	39 22	42 17	34 14	22 11	15 12	10 11	9 13	7 12	5 2	4 5	6 3	3 2	2 —	— 1	76
31 17	19 15	13 18	24 16	9 5	10 3	10 4	4 3	5 —	5 —	1 1	— 3	2 1	— —	— —	— 1	— —	— —	A
107 96	45 49	37 47	49 37	30 17	32 14	24 10	18 8	10 12	5 11	8 12	7 9	3 1	4 5	6 3	3 1	2 —	— 1	B
13 14	7 13	16 15	21 12	8 5	11 8	13 10	11 10	17 3	21 3	13 10	19 9	11 7	10 15	9 6	3 5	1 1	— 1	77
19 28	24 39	31 46	53 66	66 76	68 70	66 61	77 59	51 46	56 66	81 74	73 76	19 15	12 14	9 9	5 1	1 1	— 2	78
5 7	3 2	— 1	2 2	4 4	5 6	8 3	18 10	13 9	13 16	44 30	31 36	6 2	2 5	1 4	3 1	— —	— —	A
4 5	6 7	9 19	23 40	44 41	41 36	32 31	34 22	15 14	22 17	14 10	6 9	9 10	7 9	6 3	— —	1 —	— 1	B
10 16	15 30	22 26	28 24	18 31	22 28	26 27	25 27	23 23	21 33	23 34	36 31	4 3	3 —	2 2	2 —	— 1	— 1	C

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
79	Organic disease of the heart. {	M 23,517	—	—	1	5	6	11	6	15	13
		F 25,756	—	—	—	7	7	14	8	13	16
	A. Valvular disease ... {	M 11,314	—	—	—	2	2	2	3	10	4
		F 12,748	—	—	—	1	1	10	4	5	9
	B. Fatty degeneration of the heart. {	M 918	—	—	—	—	—	—	—	—	—
		F 1,089	—	—	—	1	1	—	—	—	—
	C. Other organic disease of the heart. {	M 11,285	—	—	1	3	4	9	3	5	9
		F 11,919	—	—	—	5	5	4	4	8	7
80	Angina pectoris ... {	M 640	—	—	—	—	—	—	—	—	—
		F 284	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c. {	M 5,945	—	—	—	—	—	—	—	—	—
		F 3,772	—	—	—	—	—	—	—	—	—
	A. Aneurysm ... {	M 696	—	—	—	—	—	—	—	—	—
		F 168	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis ... {	M 5,172	—	—	—	—	—	—	—	—	—
		F 3,560	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries. {	M 77	—	—	—	—	—	—	—	—	—
		F 44	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis {	M 1,131	2	1	—	—	3	—	2	1	1
		F 1,610	1	—	—	1	2	3	1	—	—
	A. Cerebral embolism and thrombosis. {	M 1,008	—	1	—	—	1	—	1	—	1
		F 1,478	—	—	—	—	—	2	1	—	—
	B. Other embolism and thrombosis. {	M 123	2	—	—	—	2	—	1	1	—
		F 132	1	—	—	1	2	1	—	—	—
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.) {	M 91	—	—	—	—	—	—	—	—	—
		F 160	—	—	—	—	—	—	—	—	—
	A. Phlebitis ... {	M 48	—	—	—	—	—	—	—	—	—
		F 67	—	—	—	—	—	—	—	—	—
	B. Varix ... {	M 41	—	—	—	—	—	—	—	—	—
		F 90	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis ... {	M 2	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—
	D. Varicocele ... {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
84	Dis. of the lymphatic system (Lymphangitis, &c.) {	M 145	8	13	24	12	57	12	2	5	5
		F 109	9	10	10	10	39	10	7	2	2
	A. Status lymphaticus {	M 73	7	10	20	6	43	5	1	4	1
		F 59	9	9	9	3	30	3	7	—	1
	B. Other diseases of the lymphatic system. {	M 72	1	3	4	6	14	7	1	1	4
		F 50	—	1	1	7	9	7	—	2	1
85	Hæmorrhage, other dis. of the circulatory system. {	M 133	1	—	—	—	1	—	—	—	1
		F 149	—	—	—	—	—	—	—	1	—
	A. Functional disease of the heart. {	M 92	—	—	—	—	—	—	—	—	—
		F 118	—	—	—	—	—	—	—	—	—
	B. Epistaxis ... {	M 9	1	—	—	—	1	—	—	—	—
		F 9	—	—	—	—	—	—	—	1	—
	C. Other diseases included under 85. {	M 32	—	—	—	—	—	—	—	—	1
		F 22	—	—	—	—	—	—	—	—	—
86	Diseases of the nasal fossæ. {	M 31	1	5	—	1	7	2	1	—	—
		F 21	2	4	—	1	7	—	1	—	—

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
51 58	140 131	239 314	361 445	409 499	479 604	518 718	687 876	843 1,026	1,218 1,275	1,688 1,612	2,237 2,043	2,966 2,705	3,662 3,574	3,461 3,711	2,675 3,218	1,299 1,887	584 1,060	79
21 29	97 84	172 216	260 318	308 358	346 421	337 480	442 569	536 670	687 776	938 902	1,083 1,072	1,416 1,292	1,604 1,609	1,403 1,587	1,045 1,317	433 703	186 345	
— 1	— 1	— 1	1 1	1 1	2 14	11 12	22 20	29 42	44 49	75 84	135 119	127 160	155 176	140 161	119 144	40 67	16 35	A
30 28	42 47	67 97	100 124	100 140	131 169	170 226	223 287	278 314	487 450	675 626	1,019 852	1,423 1,253	1,903 1,789	1,918 1,963	1,511 1,757	826 1,117	382 680	
— —	— —	1 1	— —	— 1	— 3	3 1	12 2	15 7	28 11	63 27	91 30	132 40	102 59	104 50	56 28	27 17	6 7	80
— —	— —	— —	3 3	3 3	8 1	36 6	59 21	125 26	227 64	323 119	466 187	678 297	982 492	1,102 684	1,003 772	588 623	342 474	
— —	— —	— —	2 3	2 1	6 —	26 2	41 7	80 11	109 19	116 24	103 20	88 19	70 20	37 22	11 12	3 7	2 1	A
— —	— —	— —	1 1	1 1	1 1	9 4	18 13	43 15	117 43	200 94	356 164	579 274	898 467	1,051 654	982 754	580 610	336 466	
— —	— —	— —	— —	— 1	1 —	1 —	— 1	2 —	1 2	7 1	7 3	11 4	14 5	14 8	10 6	5 6	4 7	C
7 6	7 2	2 6	4 7	8 16	10 7	15 25	17 26	32 46	44 81	66 82	98 81	119 189	181 201	181 268	164 261	111 173	65 133	
3 3 4 3	6 1 1 1	1 4 1 2	3 3 1 4	6 11 2 5	8 2 2 5	8 15 7 10	13 18 4 8	27 39 5 7	38 68 6 13	54 69 12 13	83 72 15 9	103 178 16 11	169 191 12 10	167 261 14 7	151 247 13 14	109 167 2 6	59 129 6 4	A
— —	1 —	2 2	2 1	— 2	1 5	4 4	2 9	4 11	8 14	9 21	13 21	10 13	10 20	11 21	7 11	5 4	2 1	
— — — — — —	1 — — — — —	2 1 — 1 — —	— 1 1 2 — —	— — — 2 — —	1 1 — 3 — —	— 2 4 2 — —	1 5 1 3 — —	2 5 2 6 — —	4 5 3 9 — —	7 11 2 10 — —	4 10 9 11 — —	7 5 3 8 — —	7 8 3 11 — —	4 7 3 14 — —	5 4 2 7 — —	2 1 3 3 — —	1 1 1 — — —	A
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	
81 60	11 9	7 8	4 4	3 4	1 2	5 —	— 1	1 —	2 2	6 2	4 4	5 1	5 3	5 3	4 5	1 1	— —	84
54 41 27 19	7 5 4 4	7 6 — 2	2 2 2 2	— 2 3 2	1 1 — 1	2 — 3 —	— 1 — —	— — 1 —	— — 2 2	— — 6 2	— — 4 3	— — 5 1	— — 5 3	— — 5 3	— — 4 5	— 1 1 —	— — — —	
2 1	1 2	1 —	2 2	3 5	2 3	7 1	3 3	6 12	10 4	11 7	13 9	7 17	21 23	21 15	16 30	6 9	1 6	85
— —	1 1	1 —	— —	2 4	1 3	5 1	2 3	5 5	6 2	5 4	7 7	5 15	16 19	19 13	11 27	5 9	1 5	
1 1	— —	— —	2 —	— —	— —	1 —	— —	— 1	— 2	— —	1 —	— 1	1 1	— 1	3 2	— —	— —	B
1 —	— 1	— —	— 2	1 1	1 —	1 —	1 —	1 6	4 —	6 3	5 2	2 1	4 3	2 1	2 1	1 —	— 1	
10 8	8 3	3 —	2 2	— 3	— —	— —	— 1	2 —	2 —	— 1	1 —	— —	1 —	— —	1 —	1 1	— —	86

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	
87	Diseases of the larynx ...	M	453	7	4	11	36	58	77	63	67	40
		F	393	4	6	5	31	46	56	51	55	43
	A. Laryngismus strid- ulus.	M	77	5	—	4	12	21	21	12	12	4
		F	64	2	2	1	10	15	14	5	12	7
	B. Laryngitis ...	M	357	2	4	7	23	36	56	51	54	34
		F	313	2	3	4	21	30	42	46	41	35
	C. Other diseases of larynx.	M	19	—	—	—	1	1	—	—	1	2
F		16	—	1	—	—	1	—	—	2	1	
88	Diseases of the thyroid body.	M	50	—	—	—	—	—	—	—	—	—
		F	214	—	—	—	—	—	—	—	1	—
89 & 90.	Bronchitis ...	M	20,981	340	801	783	1,177	3,101	1,084	355	170	89
		F	20,492	241	606	559	947	2,353	1,032	358	180	98
	A. Bronchiectasis, Bron- chial catarrh, &c.	M	382	10	12	14	9	45	10	4	3	—
		F	285	7	10	7	15	39	11	4	6	3
	B. Other bronchitis ...	M	20,599	330	789	769	1,168	3,056	1,074	351	167	89
		F	20,207	234	596	552	932	2,314	1,021	354	174	95
91	Broncho-pneumonia ...	M	13,416	127	508	832	2,135	3,602	2,808	1,283	689	405
		F	11,944	100	363	582	1,620	2,665	2,692	1,317	835	483
92	Pneumonia, lobar and undefined.	M	20,035	48	138	220	631	1,037	854	528	359	255
		F	14,271	37	107	149	431	724	754	500	351	277
	A. Lobar pneumonia...	M	8,065	11	30	48	126	215	178	134	82	73
		F	5,190	3	24	40	95	162	157	95	85	76
	B. Pneumonia (type not stated).	M	11,970	37	108	172	505	822	676	394	277	182
		F	9,081	34	83	109	336	562	597	405	266	201
93	Pleurisy ...	M	849	—	1	1	5	7	19	22	12	8
		F	549	2	1	1	6	10	11	12	10	4
	A. Empyema ...	M	331	—	1	1	3	5	17	18	11	5
		F	130	—	1	1	4	6	9	9	9	2
	B. Other pleurisy ...	M	518	—	—	—	2	2	2	4	1	3
		F	419	2	—	—	2	4	2	3	1	2
94	Pulmonary congestion, Pulmonary apoplexy.	M	559	25	22	13	27	87	21	11	6	5
		F	687	17	10	15	19	61	19	10	7	7
	A. Pulmonary apop- lexy & infarction.	M	7	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
	B. Pulmonary oedema and congestion.	M	487	25	22	13	27	87	21	11	6	5
		F	591	17	10	14	17	58	18	10	7	7
	C. Hypostatic pneu- monia.	M	64	—	—	—	—	—	—	—	—	—
		F	90	—	—	—	1	1	1	—	—	—
	D. Collapse of lung (3 months & over).	M	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	1	2	—	—	—	—
95	Gangrene of the lung ...	M	60	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	—	—	—	—	—	—
96	Asthma ...	M	1,228	—	—	1	1	2	—	2	2	4
		F	899	—	—	1	1	2	2	1	2	3
97	Pulmonary emphysema	M	165	—	—	—	—	—	—	—	—	—
		F	56	—	—	—	—	—	1	—	—	—
98	Other diseases of the respiratory system.	M	351	—	2	5	3	10	—	—	1	1
		F	151	—	—	2	4	6	1	—	—	1
	A. Fibroid disease of lung.	M	181	—	—	—	—	—	—	—	—	—
		F	59	—	—	—	—	—	1	—	—	—
	B. Other diseases in- cluded under 98.	M	170	—	2	5	3	10	—	—	1	1
		F	92	—	—	2	4	6	—	—	—	1

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

Total under 5 years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
305 251	75 79	10 12	6 4	— 2	1 7	3 4	2 5	5 2	8 2	8 3	6 6	7 4	6 4	5 5	2 —	3 2	1 1	} 87
70 53	7 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
231 194	66 66	10 12	5 4	— 2	1 7	3 1	— 5	4 1	6 2	8 1	4 5	5 3	3 3	5 4	2 —	3 2	1 1	} B
4 4	2 2	— —	1 —	— —	— —	— 3	2 —	1 1	2 —	— 2	2 1	2 1	3 1	— 1	— —	— —	— —	
— 1	— 2	4 5	9 8	2 3	4 6	2 8	1 8	1 9	3 24	5 17	8 19	2 28	6 26	1 23	1 20	1 6	— 1	} 88
4,799 4,021	177 164	61 58	79 75	100 97	140 140	183 169	277 222	410 318	621 468	922 715	1,346 930	1,969 1,554	2,702 2,227	2,763 2,850	2,358 2,961	1,292 2,024	782 1,499	
62 63	7 6	6 4	6 9	10 11	12 3	12 3	14 4	18 4	25 8	23 10	35 12	26 14	31 16	26 21	26 34	22 20	21 43	} A
4,737 3,958	170 158	55 54	73 66	90 86	128 137	171 166	263 218	392 314	596 460	899 705	1,311 918	1,943 1,540	2,671 2,211	2,737 2,829	2,332 2,927	1,270 2,004	761 1,456	
8,787 7,992	660 790	188 183	305 120	376 140	361 191	281 157	200 143	203 142	242 153	226 208	272 220	297 267	331 310	314 343	219 294	94 151	60 140	} 91
3,033 2,606	751 750	478 563	1223 757	1450 1013	1,828 1,429	1,529 1,131	1,235 816	1,241 737	1,263 664	1,329 650	1,153 548	1,073 643	1,011 658	724 580	425 413	196 217	93 96	
682 575	270 247	197 215	540 291	697 419	829 589	676 480	545 312	576 303	576 270	586 278	523 227	454 277	406 260	291 214	136 136	56 75	25 22	} A
2,351 2,031	481 503	281 348	683 466	753 594	999 840	853 651	690 504	665 434	687 394	743 372	630 321	619 366	605 398	433 366	289 277	140 142	68 74	
68 47	39 19	17 13	45 17	55 26	43 24	40 31	41 42	42 21	62 34	66 47	69 31	84 31	67 55	61 45	27 38	20 17	3 11	} 93
56 35	27 11	9 5	26 11	43 9	25 10	20 11	20 7	18 5	14 6	14 6	18 4	22 3	8 5	8 1	3 1	— —	— —	
12 12	12 8	8 8	19 6	12 17	18 14	20 20	21 35	24 16	48 28	52 41	51 27	62 28	59 50	53 44	24 37	20 17	3 11	} B
130 104	11 16	4 6	7 6	5 3	10 9	7 14	9 13	15 13	16 16	19 26	20 28	28 34	42 61	65 85	69 93	58 75	44 85	
— —	— 1	— —	— —	— —	1 —	— —	1 —	1 —	2 —	— 1	— —	— —	— —	1 —	1 —	— —	— 1	} A
130 100	10 15	4 6	7 6	5 3	9 9	7 13	8 13	14 13	14 15	17 24	20 24	23 33	36 52	54 68	49 67	44 62	36 68	
— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— 4	5 1	6 9	10 17	19 25	14 13	8 16	} C
— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	1 1	3 2	1 —	4 4	2 3	4 5	7 5	7 1	6 1	7 6	5 2	5 2	3 1	5 1	— 1	— 2	— —	} 95
10 10	10 —	5 3	5 9	6 14	33 38	40 42	74 42	83 61	124 86	158 96	135 102	163 94	179 111	106 85	66 60	24 27	7 19	
— 1	— —	— —	— —	1 —	— 2	7 2	1 5	4 4	13 1	12 3	20 3	20 5	29 10	30 8	15 5	9 6	4 1	} 97
12 8	5 4	— 4	4 1	5 9	10 6	7 7	15 5	32 11	34 12	49 13	50 10	57 13	35 18	26 13	8 11	2 2	— 4	
— 1	— —	— 1	1 —	1 4	3 2	1 2	6 1	16 6	24 4	26 5	30 7	31 5	22 9	15 7	5 3	— 1	— 1	} A
12 7	5 4	— 3	3 1	4 5	7 4	6 5	9 4	16 5	10 8	23 8	20 3	26 8	13 9	11 6	3 8	2 1	— 3	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
99	Diseases of the mouth and annexa.	M	186	22	20	6	7	55	13	5	5	4
		F	166	14	10	4	5	33	16	5	4	1
	A. Diseases of the teeth and gums.	M	117	8	4	3	1	16	5	3	3	4
		F	102	4	2	2	3	11	9	4	2	1
	B. Thrush, Aphthous stomatitis.	M	42	14	15	3	4	36	4	1	1	—
		F	24	8	8	1	2	19	4	1	—	—
	C. Parotitis ...	M	13	—	—	—	—	—	—	1	1	—
		F	26	1	—	—	—	1	—	—	1	—
	D. Other diseases of mouth and annexa.	M	14	—	1	—	2	3	4	—	—	—
		F	14	1	—	1	—	2	3	—	1	—
100	Diseases of the pharynx, Tonsillitis.	M	304	2	1	5	11	19	14	18	19	10
		F	258	2	3	1	9	15	10	20	21	18
	A. Tonsillitis ...	M	205	—	—	3	4	7	7	12	17	9
		F	184	—	—	—	5	5	8	10	18	15
	B. Ludwig's angina ...	M	33	2	—	—	1	3	2	1	1	—
		F	25	—	1	—	—	1	—	5	—	—
	C. Other diseases of the pharynx.	M	66	—	1	2	6	9	5	5	1	1
		F	49	2	2	1	4	9	2	5	3	3
101	Diseases of the œsophagus	M	41	—	—	—	—	—	—	1	—	—
		F	10	—	—	—	—	—	—	—	1	—
102	Perforating ulcer of stomach.	M	1,067	1	—	1	—	2	3	—	1	1
		F	923	—	—	—	—	—	—	—	—	—
103	Other diseases of the stomach.	M	1,526	112	233	145	114	604	85	31	21	17
		F	1,555	52	139	117	113	421	88	40	28	16
	A. Inflammation of stomach.	M	1,274	100	222	133	105	560	82	30	17	15
		F	1,310	50	130	110	109	399	84	34	24	13
	B. Other diseases in- cluded under 103.	M	252	12	11	12	9	44	3	1	4	2
		F	245	2	9	7	4	22	4	6	4	3
104 & 105	Diarrhoea and enteritis ...	M	6,627	331	930	1,288	1,077	3,626	733	224	111	70
		F	5,446	184	681	895	933	2,693	674	208	90	59
	A. Infective enteritis...	M	1,508	64	224	399	373	1,060	236	51	21	19
		F	1,275	27	191	274	317	809	210	58	28	20
	B. Diarrhoea—not re- turned as infective.	M	1,357	61	225	261	228	775	167	57	24	18
		F	1,203	45	151	198	200	594	170	46	13	10
	C. Enteritis—not re- turned as infective.	M	1,352	68	168	228	172	636	113	34	26	13
		F	1,136	39	118	151	128	436	98	37	15	13
	D. Gastro-enteritis—not returned as infective.	M	1,693	114	255	361	289	1,019	211	81	39	19
		F	1,429	61	189	245	276	771	190	65	32	15
	E. Dyspepsia—under 2 years.	M	119	21	51	31	13	116	3	—	—	—
		F	78	9	30	26	9	74	4	—	—	—
	F. Colic ...	M	36	3	5	7	—	15	1	—	1	—
		F	25	3	2	1	1	7	—	1	—	1
	G. Ulceration of in- testines.	M	109	—	2	1	1	4	2	1	—	1
		F	170	—	—	—	1	1	1	1	1	—
	H. Duodenal ulcer ...	M	453	—	—	—	1	1	—	—	—	—
		F	130	—	—	—	1	1	1	—	1	—
106	Ankylostomiasis...	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	12	—	—	—	—	—	3	1	2	2
		F	11	—	—	—	—	—	2	4	—	—
108	Appendicitis ...	M	1,298	—	—	1	1	2	1	4	21	41
		F	1,118	1	—	—	—	1	3	9	9	25

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
82	5	5	8	3	4	10	10	8	4	12	5	10	9	5	4	2	—	99
59	7	4	9	9	6	9	6	10	6	5	7	6	7	3	8	4	1	
31	4	4	6	3	3	9	8	7	4	12	3	9	8	4	2	—	—	A
27	4	4	9	8	5	6	4	8	5	4	6	4	2	1	3	2	—	
42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	1	1	—	—	1	2	1	—	—	1	—	—	—	2	2	—	C
2	2	—	—	—	1	2	2	—	—	1	1	1	4	2	5	2	1	
7	1	—	1	—	1	—	—	—	—	—	1	1	1	1	—	—	—	D
6	1	—	—	1	—	1	—	2	1	—	—	1	1	—	—	—	—	
80	62	28	19	11	12	12	9	14	6	7	8	9	10	6	9	2	—	100
84	59	13	17	9	7	8	4	8	6	8	4	6	9	9	2	4	1	
52	49	24	17	7	9	7	6	5	6	2	2	4	6	3	5	1	—	A
56	49	12	14	6	7	4	3	4	4	4	2	2	6	6	1	3	1	
7	3	—	1	1	2	3	1	5	—	3	2	1	2	—	2	—	—	B
6	—	—	2	2	—	2	—	3	—	3	1	2	2	2	—	—	—	
21	10	4	1	3	1	2	2	4	—	2	4	4	2	3	2	1	—	C
22	10	1	1	1	—	2	1	1	2	1	1	2	1	1	1	1	—	
1	—	—	—	—	—	2	—	1	5	9	2	8	4	4	3	1	1	101
1	—	—	—	—	—	—	—	1	3	1	1	—	—	1	1	1	—	
7	4	4	24	23	50	70	94	127	155	115	131	111	79	42	20	7	4	102
—	3	5	17	48	66	83	104	102	108	96	90	84	49	38	19	9	2	
758	40	14	17	12	15	15	25	31	46	72	58	80	91	96	67	56	33	103
593	49	32	17	10	14	21	22	36	44	46	57	83	109	115	148	102	57	
704	35	9	9	10	12	7	20	18	34	51	43	54	74	75	54	45	20	A
554	40	21	11	9	8	16	15	27	37	33	46	67	84	93	120	83	46	
54	5	5	8	2	3	8	5	13	12	21	15	26	17	21	13	11	13	B
39	9	11	6	1	6	5	7	9	7	13	11	16	25	22	28	19	11	
4,764	125	52	49	32	58	70	100	109	125	126	152	169	220	180	161	90	45	104 & 105
3,724	131	32	38	32	44	66	82	70	109	99	113	129	163	182	197	135	100	
1,387	26	9	9	2	1	4	4	3	6	4	11	4	14	6	12	4	2	A
1,125	33	6	4	4	5	5	9	5	9	4	8	6	14	11	15	9	3	
1,041	24	6	3	—	3	2	2	6	3	10	15	22	48	50	54	44	24	B
833	25	3	2	1	—	2	7	2	7	5	16	27	34	58	75	62	44	
822	30	11	14	7	16	11	28	29	33	37	39	57	71	61	48	24	14	C
599	22	12	8	9	8	22	27	23	41	36	45	50	65	56	48	37	28	
1,369	44	21	12	7	8	8	7	12	14	14	27	30	45	33	29	11	2	D
1,073	46	9	10	3	8	7	12	15	20	21	21	17	36	38	48	22	23	
119	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
78	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17	—	—	1	—	1	—	—	—	2	2	1	1	1	3	5	2	—	F
9	1	—	1	—	—	—	—	—	—	2	—	1	2	2	5	1	1	
8	1	1	3	8	5	5	10	9	13	11	7	7	10	7	1	2	1	G
4	3	1	8	10	15	21	15	13	16	17	13	18	6	6	3	1	—	
1	—	4	7	8	24	40	49	50	54	48	52	48	31	20	12	3	2	H
3	1	1	5	5	8	9	12	12	16	14	10	10	6	11	3	3	1	
—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	107
6	3	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
69	168	200	183	77	82	62	79	75	75	44	66	48	34	21	9	5	1	108
47	156	155	141	101	72	61	60	54	52	67	38	38	40	14	15	6	1	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
367 185	64 34	46 21	62 31	36 27	45 41	53 67	63 85	79 143	96 169	133 183	175 234	228 307	256 320	251 349	219 270	89 167	51 74	} 109	
82 24	6 3	4 1	1 2	10 —	12 4	12 17	18 24	30 62	33 77	65 96	86 145	121 190	130 175	138 203	125 129	43 77	28 37		} A
285 161	58 31	42 20	61 29	26 27	33 37	41 50	45 61	49 81	63 92	68 87	89 89	107 117	126 145	113 146	94 141	46 90	23 37	} B	
38 28	4 1	5 —	1 3	4 9	6 4	7 7	9 7	7 16	16 13	14 19	19 8	19 18	20 19	19 28	15 25	10 20	9 15		} 110
3 1	2 1	— 1	1 2	4 5	5 5	2 2	6 4	1 2	1 2	1 1	3 2	2 3	2 1	1 2	— —	1 —	— —	} 111	
— —	1 —	— —	— 2	1 —	2 1	— 1	— 1	1 1	1 1	— —	2 —	1 —	— —	1 1	— —	— —	— 1		} 112
4 4	5 2	4 3	3 3	4 2	4 8	11 9	32 12	71 34	114 71	165 74	200 91	189 98	160 87	97 55	43 39	11 14	4 3	} 113	
4 3	5 2	4 3	3 3	4 1	4 6	10 8	28 11	62 31	104 60	152 66	185 85	178 92	147 77	92 48	39 33	9 13	4 3		} A
— —	— —	— —	— —	— —	— 1	1 1	3 1	7 2	8 7	11 5	11 4	7 1	6 5	3 3	1 4	— —	— —	} B	
— 1	— —	— —	— —	— 1	— 1	— —	1 —	2 1	2 4	2 3	4 2	4 5	7 5	2 4	3 2	2 1	— —		} C
— —	— —	— —	1 —	1 1	— 5	4 7	7 12	12 16	15 27	18 36	27 46	28 71	31 62	18 62	13 44	8 23	6 11	} 114	
25 28	12 17	5 3	10 2	9 4	10 7	12 13	12 6	31 16	23 27	29 29	32 39	28 37	34 48	24 41	25 37	13 26	13 21		} 115
1 1	— 1	1 —	— 1	— 1	2 2	3 1	1 1	2 3	1 4	2 3	— 1	1 2	3 3	— 1	1 2	— —	— —	} 116	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		} A
1 1	— 1	1 —	— 1	— 1	2 2	3 1	1 1	2 3	1 4	1 3	— 1	1 2	3 3	— 1	1 2	— —	— —	} B	
32 22	9 23	7 13	10 10	10 12	4 9	4 22	9 15	3 9	13 16	16 10	13 7	14 13	8 10	6 12	3 8	6 2	1 2		} 117
2 1	1 2	1 1	1 1	1 3	3 2	2 5	3 2	4 6	6 7	7 9	10 9	10 6	7 4	3 4	2 5	— 2	— 1	} 118	
1 —	1 —	— —	— 1	— 1	— 2	1 2	2 —	1 1	1 1	2 —	— —	— 1	1 —	— 2	— 2	— 1	— —		} A
1 1	— 1	1 1	1 —	1 2	3 —	1 3	1 2	3 5	5 6	5 8	10 9	10 5	6 4	3 2	2 3	— 1	— 1	} R	
174 188	115 80	49 47	67 52	53 31	54 37	60 44	72 47	67 53	58 36	65 43	47 31	54 39	42 36	28 24	12 13	12 5	2 1		} 119
16 23	27 24	70 60	78 67	96 112	160 138	175 159	224 226	320 284	462 415	638 492	716 533	863 581	898 693	703 538	519 406	190 185	70 80	} 120	
15 20	26 23	41 35	47 47	69 77	111 97	136 120	169 170	263 232	375 342	522 421	611 461	746 520	787 603	618 465	446 355	173 160	56 67		} A
1 3	1 1	29 25	31 20	27 35	49 41	39 39	55 56	57 52	87 73	116 71	105 72	117 61	111 90	85 73	73 51	17 25	14 13	} B	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —		} 121

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
122	Other diseases of the kidney and annexa.	M F	257 223	1 —	1 —	2 1	2 —	6 1	1 3	1 1	— —	2 1
	A. Abscess of kidney...	M F	33 28	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	B. Cystic disease ...	M F	28 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Suppression of urine	M F	13 9	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
	D. Other diseases included under 122	M F	183 164	— —	1 —	2 1	2 —	5 1	1 3	— 1	— —	2 1
123	Calculi of the urinary passages.	M F	173 71	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder...	M F	1,012 247	1 —	— —	1 1	— —	2 1	— —	1 1	2 —	— —
125	Diseases of the urethra, Urinary abscess, &c.	M F	429 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Perineal abscess ...	M F	31 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases of urethra, &c.	M F	398 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate...	M F	1,779 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs.	M F	20 —	3 —	3 —	— —	— —	6 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal).	M F	— 34	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Menorrhagia ...	M F	— 20	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other uterine hæmorrhage.	M F	— 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous).	M F	— 308	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus.	M F	— 140	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Disorders of menstruation (except menorrhagia).	M F	— 17	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases included under 130.	M F	— 123	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous).	M F	— 273	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs.	M F	— 218	— —	— —	— —	1 —	1 —	2 —	1 —	1 —	— —
	A. Diseases of ovary (excluding ovarian tumour).	M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases included under 132.	M F	— 207	— —	— —	— —	1 —	1 —	2 —	1 —	1 —	— —
133	Non-puerperal diseases of the breast (non-cancerous).	M F	1 24	1 2	— 3	— —	— —	1 5	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
10 6	3 1	2 1	8 3	11 10	13 7	11 15	13 10	19 26	23 21	21 27	29 24	24 15	18 18	20 16	15 13	10 7	7 3	122	
1	1	—	2 3	3 1	3 1	1 4	2 2	5 6	7 2	1 4	3 1	1 —	1 —	1 —	— 1	1 2	—	A	
—	—	—	—	—	—	1	2 3	3 4	2 2	5 3	7 2	3 3	2 2	3 1	— 1	—	—	B	
1	—	—	—	—	—	—	—	—	2	—	—	—	—	2 5	5 2	2 3	1	C	
8 6	2 1	2 —	6 —	8 7	10 6	9 11	9 7	11 16	12 16	15 20	19 21	20 11	15 15	14 13	10 9	7 2	6 3	D	
—	2 1	4 —	1 —	4 3	8 3	10 5	11 8	13 8	15 4	12 12	13 9	15 6	27 5	16 3	16 1	6 1	— 2	123	
5 2	— 2	5 3	2 2	3 2	9 5	7 4	7 11	21 5	24 14	42 11	61 10	85 13	131 39	185 33	214 40	139 26	72 25	124	
—	—	—	1	3	4	7 1	18	27 1	47	57	53	71	66 1	46	16	12	1	125	
—	—	—	—	—	—	—	2	1	4	4	1	7	7	2	—	3	—	A	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	3	4	7 1	16	26 1	43	53	52	64	59 1	44	16	9	1	B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	5	19	56	184	310	403	433	241	127	126	
6	—	—	—	—	—	—	—	—	—	2	3	4	4	1	—	—	—	127	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	2	2	3	3	5	5	10	—	1	—	—	—	1	—	—	128	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	1	1	1	3	3	3	7	—	—	—	—	—	—	—	—	A	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	1	1	2	—	2	2	3	—	1	—	—	—	1	—	—	B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	6	13	29	52	67	41	26	23	17	14	11	8	—	129	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	5	6	10	15	18	17	20	10	13	8	6	7	2	2	1	130	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	1	—	2	7	3	2	—	—	—	—	—	—	—	A	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	4	5	9	15	16	10	17	8	13	8	6	7	2	2	1	B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	1	15	9	9	23	25	23	26	26	31	26	24	15	13	6	131	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	—	—	7	22	50	41	37	33	10	6	4	—	2	—	—	—	1	132	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	3	3	—	2	1	—	1	—	1	—	—	—	—	A	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	—	—	7	22	47	38	37	31	9	6	3	—	1	—	—	—	1	B	
1 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	1	3	4	2	2	—	1	2	—	2	—	133	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
134	Accidents of pregnancy { M F	— 258	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Abortion ... { M F	— 106	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Hæmorrhage of pregnancy. { M F	— 54	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Uncontrollable vomiting. { M F	— 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
	D. Ectopic gestation ... { M F	— 58	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Other accidents of pregnancy. { M F	— 28	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 321	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 290	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever... { M F	— 845	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 543	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal nephritis and uræmia. { M F	— 122	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease. { M F	— 33	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Puerperal convulsions. { M F	— 388	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 218	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens and phlebitis. { M F	— 42	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal embolism and sudden death. { M F	— 176	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
134-141	All accidents of pregnancy and childbirth. { M F	— 2,509	— —	— —	— —	— —	— —	— —	— —	— —	— —
142	Gangrene ... { M F	707 663	4 2	1 1	1 1	2 1	8 5	1 6	5 8	6 16	5 11
	A. Senile gangrene ... { M F	620 536	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gangrene of mouth. { M F	45 73	2 —	— 1	1 1	1 —	4 2	1 4	4 8	6 16	5 11
	C. Noma pudendi ... { M F	14 5	2 —	— —	— —	1 1	3 1	— 2	1 —	— —	— —
	D. Other gangrene ... { M F	28 49	— 2	1 —	— —	— —	1 2	— —	— —	— —	— —
143	Carbuncle, Boil ... { M F	221 99	1 —	— —	— —	3 2	4 2	— 1	1 1	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	7	23	46	60	74	41	7	—	—	—	—	—	—	—	—	134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	8	19	28	28	18	2	—	—	—	—	—	—	—	—	
—	—	—	—	3	7	8	20	12	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	2	4	1	4	—	—	—	—	—	—	—	—	—	—	135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	7	10	15	17	6	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	3	6	8	5	5	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	2	26	42	84	95	63	9	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	40	64	68	70	39	7	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	23	147	221	189	166	91	7	1	—	—	—	—	—	—	—	137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	43	117	126	121	79	56	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	6	22	26	33	20	15	—	—	—	—	—	—	—	—	—	138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	4	6	9	4	9	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	36	91	94	79	55	32	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	5	21	45	65	45	31	6	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	5	18	38	52	33	25	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	3	8	7	1	5	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	3	1	1	1	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	84	380	553	595	531	328	37	1	—	—	—	—	—	—	—	142
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	17	2	1	2	1	3	—	3	5	5	12	40	91	144	163	123	70	
46	19	3	2	4	2	3	6	1	3	9	24	36	62	125	131	108	79	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	143
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20	17	1	1	—	1	1	—	1	—	—	5	37	87	139	160	121	70	
41	18	3	1	2	—	1	2	—	1	—	3	32	60	124	131	107	79	
4	—	—	—	—	—	—	—	—	2	1	—	1	—	1	—	1	—	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	144
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	1	—	1	2	1	2	4	1	2	9	19	3	2	2	2	1	—	
5	—	2	7	9	5	8	10	17	27	21	19	23	24	21	13	6	4	
4	—	1	—	2	3	4	5	11	4	7	8	13	8	13	8	6	2	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
144	Phlegmon, Acute abscess {	M	336	15	11	4	5	35	14	2	3	2
		F	249	11	23	5	8	47	9	7	1	3
	A. Phlegmon ... {	M	244	5	3	—	3	11	7	—	1	1
		F	163	4	14	3	3	24	4	5	1	3
	B. Acute Abscess ... {	M	92	10	8	4	2	24	7	2	2	1
		F	86	7	9	2	5	23	5	2	—	—
145	Diseases of the integu- mentary system. {	M	401	69	35	23	21	148	18	5	3	2
		F	461	65	16	11	12	104	6	9	2	2
	A. Ulcer, Bedsore ... {	M	135	1	2	1	—	4	1	—	—	—
		F	235	1	—	1	—	2	1	—	—	—
	B. Eczema ... {	M	95	11	19	12	16	58	12	—	—	—
		F	64	17	8	6	6	37	2	4	—	—
	C. Pemphigus... {	M	52	31	5	2	2	40	2	—	—	—
		F	53	29	2	1	2	34	1	2	—	—
	D. Other dis. of the in- tegumentary sys. {	M	119	26	9	8	3	46	3	5	3	2
		F	109	18	6	3	4	31	2	3	2	2
146	Diseases of the bones ... {	M	304	4	3	2	7	16	5	6	8	4
		F	165	—	3	1	2	6	7	4	8	5
147	Diseases of the joints ... {	M	76	2	2	—	2	6	1	1	—	2
		F	77	2	—	—	1	3	1	—	—	—
148	Amputations ... {	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of loco- motor system. {	M	22	1	—	—	—	1	—	1	—	—
		F	12	—	1	—	—	1	1	—	—	—
150	Congenital malformations {	M	1,615	844	283	110	93	1,330	78	32	23	11
		F	1,320	666	231	112	87	1,096	59	22	16	14
	A. Congenital hydro- cephalus. {	M	181	22	19	17	33	91	33	19	9	3
		F	125	26	17	20	19	82	18	5	2	3
	B. Phimosi ... {	M	32	8	7	4	4	23	6	1	1	—
		F	—	—	—	—	—	—	—	—	—	—
	C. Congenital malfor- mation of heart. {	M	652	367	90	38	32	527	22	6	9	6
		F	504	248	73	30	33	384	19	9	10	8
	D. Other congenital malformations. {	M	750	447	167	51	24	689	17	6	4	2
		F	691	392	141	62	35	630	22	8	4	3
151	Premature birth, Infantile debility, Icterus and Sclerema. {	M	11,447	9,037	1,558	578	274	11,447	—	—	—	—
		F	8,693	6,805	1,196	457	235	8,693	—	—	—	—
	A. Premature birth ... {	M	7,426	6,762	576	70	18	7,426	—	—	—	—
		F	5,709	5,160	470	60	19	5,709	—	—	—	—
	B. Infant.atrophy, debi- lity and marasmus. {	M	3,630	1,974	909	496	251	3,630	—	—	—	—
		F	2,773	1,490	690	383	210	2,773	—	—	—	—
	C. Icterus neonatorum {	M	329	282	44	3	—	329	—	—	—	—
		F	168	146	21	1	—	168	—	—	—	—
	D. Sclerema and œdema neonatorum. {	M	12	10	2	—	—	12	—	—	—	—
		F	6	5	1	—	—	6	—	—	—	—
	E. Want of breast milk {	M	50	9	27	9	5	50	—	—	—	—
		F	37	4	14	13	6	37	—	—	—	—
152	Other diseases peculiar to early infancy. {	M	1,074	1,017	57	—	—	1,074	—	—	—	—
		F	797	750	47	—	—	797	—	—	—	—
	A. Diseases of um- bilicus, &c. {	M	109	94	15	—	—	109	—	—	—	—
		F	97	85	12	—	—	97	—	—	—	—
	B. Atelectasis ... {	M	569	537	32	—	—	569	—	—	—	—
		F	406	378	28	—	—	406	—	—	—	—
	C. Injuries at birth ... {	M	382	374	8	—	—	382	—	—	—	—
		F	278	274	4	—	—	278	—	—	—	—
	D. Cyanosis neona- torum. {	M	14	12	2	—	—	14	—	—	—	—
		F	16	13	3	—	—	16	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—*continued.*

AGES AT DEATH.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	
56	8	3	9	10	7	18	14	15	23	20	16	24	31	34	22	20	6 9 5 7 1 2
67	6	4	4	7	9	3	3	6	9	18	19	22	19	18	13	13	
20	6	3	5	6	7	14	10	12	17	19	11	18	29	28	17	17	A
37	5	4	3	5	6	1	3	5	6	12	14	16	9	11	11	8	
36	2	—	4	4	—	4	4	3	6	1	5	6	2	6	5	3	B
30	1	—	1	2	3	2	—	1	3	6	5	6	10	7	2	5	
176	5	—	3	5	3	3	2	6	6	16	16	23	28	23	43	30	13 41 7 6 2 1 1 3 3
123	8	5	6	3	4	5	3	6	8	15	31	20	36	51	50	46	
5	1	—	2	1	—	—	1	2	3	12	6	17	15	20	26	17	A
3	—	1	1	—	1	3	2	3	3	9	22	13	23	38	43	34	
70	—	—	—	3	—	—	—	1	—	1	2	1	4	1	5	5	B
43	3	1	1	—	1	—	—	1	—	—	—	2	3	3	2	3	
42	—	—	—	—	—	—	—	—	—	—	3	1	1	—	2	2	C
37	1	—	2	1	1	—	1	—	—	2	2	—	2	1	1	1	
59	4	—	1	1	3	3	1	3	3	3	5	4	8	2	10	6	D
40	4	3	2	2	1	2	—	2	5	4	7	5	8	9	4	8	
39	58	47	37	17	7	9	6	9	6	6	18	11	15	10	5	4	146
30	34	23	10	5	5	5	3	3	6	7	3	12	6	9	3	1	
10	9	4	1	5	3	1	4	3	7	5	1	6	7	3	4	1	147
4	6	4	2	2	—	2	2	—	3	7	4	8	6	11	8	6	
—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	1	—	—	1	—	1	—	2	2	2	2	1	2	2	3	149
2	1	—	—	—	—	—	—	—	1	—	2	—	2	1	1	2	
1,474	47	26	28	12	6	4	6	1	4	2	3	—	1	1	—	—	150
1,207	33	32	19	6	3	7	3	2	2	3	1	1	1	—	—	—	
155	11	4	3	1	1	—	3	—	1	1	—	—	—	—	—	—	A
110	5	4	4	—	1	—	1	—	—	—	—	—	—	—	—	—	
31	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
570	27	17	16	8	4	4	2	1	1	—	1	—	1	—	—	—	C
430	22	27	12	4	2	3	2	—	2	—	—	—	—	—	—	—	
718	9	5	9	2	1	—	1	—	2	1	1	—	—	1	—	—	D
667	6	1	3	2	—	4	—	2	—	3	1	1	1	—	—	—	
11,447	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151
8,693	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7,426	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
5,709	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3,630	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
2,773	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
329	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
168	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,074	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
797	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
109	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
569	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
406	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
382	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
278	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered.)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
129 118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153	
—	—	—	—	—	—	—	—	—	1	9	18	176	659	2,271	3,474	3,059	2,388		
—	—	—	—	—	—	—	—	—	—	7	41	196	679	2,369	3,948	4,237	4,479		
—	—	—	—	—	—	—	—	—	—	3	5	51	110	153	158	97	51		
—	—	—	—	—	—	—	—	—	—	4	12	40	92	151	211	127	110		
—	—	—	—	—	—	—	—	—	1	6	13	125	549	2,118	3,316	2,962	2,337	B	
—	—	—	—	—	—	—	—	—	—	3	29	156	587	2,218	3,737	4,110	4,369		
—	—	2	1	6	4	6	14	8	19	12	8	8	6	1	1	—	—	155	
—	—	—	8	14	12	13	14	13	10	18	8	7	3	2	—	—	—		
—	—	—	1	3	7	5	14	9	13	10	12	9	8	2	2	1	—	156	
—	—	—	—	4	9	7	10	11	12	9	6	6	3	1	2	—	—		
—	—	1	15	7	25	26	36	47	60	54	53	50	43	26	9	6	4	157	
—	—	—	—	8	4	14	16	24	15	13	20	14	13	7	4	—	2		
—	—	4	11	11	15	21	26	29	43	49	39	32	22	19	13	3	2	158	
—	—	2	33	34	35	40	37	36	32	37	26	15	13	6	2	1	—		
—	—	1	12	19	27	22	18	21	13	26	14	13	9	6	3	1	—	159	
—	—	—	—	1	1	6	2	1	4	1	1	—	—	—	—	—	—		
—	—	—	2	11	27	55	55	56	56	56	56	51	34	21	7	6	1	160	
—	—	—	—	4	17	10	7	17	13	22	16	6	4	2	3	2	1		
—	—	—	2	3	10	5	7	4	9	4	6	7	5	2	1	—	1	161	
—	—	—	—	2	1	2	5	5	3	4	5	4	4	1	2	3	—		
—	—	—	4	7	5	5	10	14	13	7	7	3	3	3	1	—	—	162	
—	—	—	—	4	1	3	4	4	5	4	2	—	1	—	—	—	—		
—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	163	
—	—	—	—	1	—	1	2	—	—	1	—	—	—	—	—	—	—		
7 2	6 5	4 5	5 5	— 2	— 2	4 1	2 9	3 3	7 —	— 3	4 2	4 1	2 1	4 1	— 1	— —	— —	164	
22 12	4 2	1 3	6 3	3 3	3 7	5 4	6 4	3 2	15 3	7 5	7 1	1 1	1 2	1 1	— 1	— 1	1 —		
6 5	2 3	2 1	4 —	2 2	3 3	1 2	2 3	— —	2 3	— 3	1 1	2 1	2 —	— 1	— —	— 1	2 —	166	
576 513	91 272	17 99	43 53	34 33	23 17	14 27	12 17	17 18	22 23	21 27	13 27	19 19	13 40	18 37	8 41	11 28	6 18		
292 284	6 1	4 4	12 4	5 5	9 4	12 4	9 2	9 5	11 5	15 5	13 3	8 2	5 6	10 3	6 6	— 4	1 5	168	
162 71	243 29	148 20	149 26	101 22	110 22	109 30	125 27	133 37	110 22	89 21	73 26	43 17	46 10	38 10	21 8	2 4	2 —		
2 4	4 —	10 1	25 3	24 3	13 1	9 1	4 —	9 —	7 —	3 1	7 1	3 —	2 1	3 —	— —	— —	— —	170	
6 3	2 —	2 —	2 2	3 —	— —	1 —	4 —	— 1	— —	4 —	2 —	1 —	1 —	1 —	— —	1 —	— —		
63 39	59 17	78 8	73 15	42 15	42 16	59 12	73 19	108 18	112 21	109 36	125 61	124 55	153 99	142 140	118 180	95 201	61 161	172	
—	2	43	155	69 1	96	97	114	129	106	107	105	51	35	6	3	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	173	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
174	Injury by machines ... { M 352 F 38		—	—	—	—	—	—	—	—	3
175	Injury by other crushing (vehicles, railways, landslides, &c.) { M 3,836 F 645		—	—	1	3	4	26	27	49	64
176	Injury by animals ... { M 105 F 5		—	1	—	1	2	2	4	4	2
177	Starvation ... { M 12 F 1		—	—	—	—	—	1	—	—	—
178	Excessive cold ... { M 59 F 13		—	—	—	—	—	—	—	—	—
179	Effects of heat ... { M 44 F 17		1	—	1	1	3	1	3	3	1
180	Lightning... { M 13 F —		—	—	—	—	—	—	—	—	—
181	Electricity (lightning ex- cepted). { M 40 F —		—	—	—	—	—	—	—	—	—
182	Homicide by firearms ... { M 8 F 5		—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments. { M 16 F 29		—	—	—	1	1	1	2	—	—
184	Homicide by other means { M 76 F 78		25 20	3 6	3 2	1 4	32 32	2 2	2 1	2 2	3 1
185	Fractures (cause not specified). { M 65 F 16		3 6	—	—	—	3 6	1	—	—	1
186	Other violence ... { M 4,837 F 272		8 12	8 8	12 4	12 10	40 34	12 12	6 8	6 4	8 5
155- 186	All violence ... { M 17,475 F 5,365		183 171	108 96	64 75	88 76	443 418	272 195	291 197	246 173	205 165
187	Dropsy ... { M 9 F 17		—	—	1	—	1	1	1	—	—
188	Syncope, Sudden death... { M 124 F 97		—	—	—	—	—	1	1	—	—
	A. Syncope (aged 1 year and under 70 yrs.) { M 122 F 95		—	—	—	—	—	1	1	—	—
	B. Sudden death (not otherwise defined.) { M 2 F 2		—	—	—	—	—	—	—	—	1
189	Ill-defined causes ... { M 1,194 F 1,006		39 30	10 4	9 10	13 11	71 55	142 132	42 47	10 18	12 6
	A. Heart failure (aged 1 yr. and under 70). { M 664 F 579		—	—	—	—	—	8 2	1	—	2
	B. Atrophy, debility, marasmus (aged 1 yr. and under 70). { M 218 F 229		—	—	—	—	—	122 119	36 44	8 14	8 5
	C. Teething ... { M 16 F 21		—	—	1 5	10 7	11 12	4 8	1	—	—
	D. Pyrexia ... { M 4 F 8		—	—	1	—	1	—	—	—	—
	E. Other ill-defined deaths. { M 167 F 125		21 13	6 4	8 3	2 2	37 22	5 3	3	1 1	2 1
	F. Cause not specified { M 125 F 44		18 17	4	—	1 2	23 20	3	1	1	—

AT DIFFERENT AGE-PERIODS, 1918 (Total deaths registered)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
3 2	5 1	38 4	53 9	16 5	18 5	23 1	29 5	24 —	35 1	31 3	35 —	20 1	19 1	1 —	1 —	1 —	— —	174	
170 91	308 87	228 47	518 33	606 36	331 25	157 18	180 28	169 27	187 32	196 41	163 31	179 40	188 39	119 33	79 19	46 13	12 5	175	
14 2	5 1	6 1	13 —	1 —	3 —	6 1	8 —	6 —	5 —	6 —	11 —	6 —	6 —	4 —	3 —	2 —	— —	176	
1 —	— —	— —	1 —	— —	— —	4 —	1 —	— 1	— —	1 —	1 —	2 —	— —	1 —	— —	— —	— —	177	
— —	2 —	— —	2 —	5 —	2 —	— —	1 —	3 1	2 2	6 2	8 3	7 —	5 2	6 1	6 1	3 —	1 1	178	
11 4	3 3	5 3	2 —	2 —	1 1	1 1	4 —	1 1	3 3	4 —	2 —	1 1	1 —	2 —	1 —	— —	— —	179	
— —	1 —	2 —	2 —	— —	1 —	3 —	— —	— —	1 —	2 —	1 —	— —	— —	— —	— —	— —	— —	180	
— —	2 —	5 —	11 —	3 —	3 —	— —	2 —	4 —	4 —	2 —	3 —	1 —	— —	— —	— —	— —	— —	181	
— —	— —	— —	2 —	2 1	1 —	— 1	2 1	1 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	182	
4 9	4 —	1 —	2 2	— 1	2 3	1 6	— 2	1 1	1 2	— —	— —	— 2	— —	— —	— 1	— —	— —	183	
41 38	3 4	3 1	— 2	1 9	— 9	6 1	4 5	3 3	3 1	1 1	5 —	2 1	— 1	1 —	2 1	1 1	— —	184	
5 6	2 —	2 —	4 —	1 —	5 —	6 —	2 —	4 —	12 1	3 —	2 1	5 3	6 —	1 1	3 1	— 2	2 1	185	
72 63	24 20	38 8	506 14	1469 26	1004 14	703 18	490 22	271 8	104 15	54 10	41 12	26 8	14 11	11 8	8 5	2 5	— 5	186	
1,457 1,148	778 445	645 207	1638 212	2456 236	1790 209	1366 224	1254 241	1086 238	979 229	879 267	817 253	678 204	629 254	449 255	297 278	181 266	96 199	155- 186	
— 3	1 —	— —	— —	— —	1 —	— —	— 2	— —	2 2	— 4	1 2	1 1	— 2	1 —	— 1	2 —	— —	187	
2 1	2 1	3 1	3 1	2 1	4 2	— 3	8 6	7 8	9 9	10 8	20 14	21 19	31 23	1 —	— —	1 —	— —	188	
2 —	2 1	3 1	3 1	2 1	4 2	— 3	8 6	7 8	9 9	10 8	20 14	21 19	31 22	— —	— —	— —	— —	A	
— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	B	
277 258 11 4	27 18 10 9	7 30 6 19	17 18 9 10	10 23 7 16	24 22 18 15	23 23 10 17	42 34 26 27	61 47 38 34	59 53 41 42	109 84 81 72	138 94 114 78	164 113 131 99	195 161 162 137	20 17 — —	14 4 — —	6 5 — —	1 2 — —	189	
174 182	10 3	— 3	1 1	— 1	1 3	— 3	— 3	— 3	3 4	4 2	9 5	5 7	11 9	— —	— —	— —	— —	B	
16 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C	
— 1	1 —	— —	— —	1 2	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	D	
48 29 28 21	6 6 — —	1 7 — 1	2 7 5 —	— 2 2 2	2 2 3 1	4 2 8 1	4 2 11 2	5 6 18 4	3 3 12 4	11 9 13 —	9 10 6 —	20 5 8 2	19 11 3 3	15 14 5 3	13 4 1 —	4 5 2 —	1 1 — —	E F	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1918—(Civilian Population only).

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
8,424 7,497	1,147 1,205	734 829	1029 1329	879 1829	1,284 2,261	1,457 1,933	1,451 1,581	1,664 1,541	2,121 1,725	2,343 1,917	2,443 1,842	2,691 2,109	3,022 2,580	2,736 2,609	2,191 2,526	1,196 1,770	639 1,394	All Causes
1	2	1	3	3	3	5	2	2	1	3	—	1	—	—	—	—	—	1
—	1	2	5	12	4	13	4	2	2	3	4	1	2	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
—	—	—	—	—	1	1	1	1	3	—	1	2	—	—	—	—	—	5
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
818 715	40 66	— 1	— 3	— 3	—	—	1	—	—	—	—	—	—	—	—	—	—	7
30 42	12 22	2 —	2 2	1 2	1 1	—	— 2	— 1	—	—	—	—	—	—	—	—	—	8
741 871	25 47	— 2	— —	— —	—	—	—	1	—	—	—	—	—	—	—	—	—	9 A
216 198	92 106	14 29	— 2	— 4	— 3	1 1	—	—	1	—	—	—	1	—	—	—	—	9 B, C
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
761 745	304 368	219 296	373 543	287 882	537 1,189	609 915	403 531	296 362	379 322	313 312	247 228	223 215	233 249	206 175	106 99	43 64	17 34	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	14
—	1	—	—	4	6	12	12	15	16	21	18	20	16	8	1	3	—	15
—	—	—	2	3	7	8	5	11	17	21	30	14	20	8	10	1	3	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18
9 11	— 1	1 2	1 —	— 1	1 —	—	1 2	— 2	2 5	4 2	10 3	3 3	4 4	9 4	3 2	1 5	— 3	19
7 10	1 2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	20
10 3	1 —	— 1	3 —	— 2	4 3	2 1	— 1	1 1	1 1	2 1	2 2	3 —	— 2	— 2	1 3	— 1	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	2	1	—	1	—	—	—	—	3	—	2	—	—	—	—	—	} 24
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
70	49	42	209	272	316	344	385	481	448	391	317	211	145	53	24	4	2	} 28
53	44	104	326	336	346	301	326	264	214	161	127	102	48	39	20	5	2	
10	4	5	23	11	14	19	22	19	18	17	11	7	3	—	—	—	—	} 29A
7	3	11	31	18	17	20	14	7	9	9	6	1	2	1	—	—	—	
26	11	4	4	4	3	—	1	1	4	—	1	—	1	—	—	—	—	} 29B
25	19	8	4	2	5	1	1	1	1	—	—	—	1	—	—	—	—	
106	64	51	236	287	333	363	408	501	470	408	329	218	149	53	24	4	2	} 28 & 29
85	66	123	361	356	368	322	341	272	224	170	133	103	51	40	20	5	2	
223	63	25	13	2	1	1	3	4	—	1	—	1	1	—	—	—	—	} 30
194	82	34	13	10	1	5	1	—	1	2	—	—	—	—	—	—	—	
63	10	14	7	2	2	2	2	3	5	2	3	2	1	1	2	—	—	} 31
55	11	12	12	5	6	6	4	4	3	6	1	1	2	1	—	—	—	
8	6	9	11	5	1	2	4	4	1	2	6	2	—	3	—	—	—	} 32
2	3	10	5	3	4	1	1	1	—	4	1	3	2	1	1	2	—	
1	2	3	7	2	2	1	1	3	4	1	5	2	1	1	—	—	—	} 33
3	2	2	3	1	—	2	—	1	1	3	1	1	1	3	1	2	—	
3	1	—	1	3	1	—	—	2	4	3	2	4	1	2	3	—	—	} 34
10	1	1	3	4	3	3	1	1	2	2	3	—	—	2	3	—	—	
48	18	10	10	10	6	4	5	1	3	4	2	1	2	1	1	—	—	} 35
31	8	12	7	4	7	3	5	4	3	4	4	2	2	1	—	2	2	
452	164	112	285	311	346	373	423	518	487	421	347	230	155	61	30	4	2	} 28-35
380	173	194	404	383	389	342	353	283	234	191	143	110	58	48	25	11	4	
63	2	1	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	} 36
39	1	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	1	
116	—	—	2	1	—	3	7	10	7	8	9	8	6	1	—	1	—	} 37
96	1	—	1	4	5	5	5	3	7	3	3	4	2	1	—	—	—	
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} 38
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	4	10	37	47	66	58	51	44	20	9	4	} 39
—	—	—	—	—	—	3	3	2	8	8	6	7	10	9	3	3	—	
—	—	1	—	—	3	5	16	36	60	123	119	171	164	105	48	23	7	} 40
—	1	—	—	1	3	5	17	29	43	75	66	101	120	108	75	32	15	
1	—	1	1	—	7	6	15	21	39	69	76	103	80	53	18	4	—	} 41
—	—	—	1	2	3	8	17	28	39	54	61	87	87	75	66	28	9	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 42
—	—	—	2	2	2	21	28	63	95	106	99	67	71	59	37	18	5	
—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	1	—	} 43
—	—	—	—	1	2	8	20	37	77	84	64	62	68	48	37	24	11	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	65 42	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	556 318	— —	— —	— 1	— —	— 1	1 2	1 —	— 1	2 1
39-45	Cancer (all sites)... { M F	2,351 2,896	— —	— —	— 1	— —	— 1	1 2	2 —	— 1	2 1
46	Other tumours (situation undefined) { M F	18 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	74 92	— —	— 1	— —	— —	— 1	— 1	2 —	— 1	3 2
48 A, B	Chronic rheumatism, { Osteo-arthritis. { M F	57 153	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
48C	Gout ... { M F	32 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	1 5	— —	— —	— —	1 2	1 2	— 2	— 1	— —	— —
50	Diabetes ... { M F	177 181	— —	— —	— —	— —	— —	— —	1 —	— —	— —
51	Exophthalmic goitre ... { M F	4 34	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	8 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	46 33	— —	— —	— —	— —	— —	1 —	1 1	— —	— —
54	Anæmia, Chlorosis ... { M F	72 75	— —	1 —	— —	2 —	3 —	— 2	— —	— —	— —
55	Other general diseases ... { M F	26 16	— —	— —	— 1	3 2	3 3	2 1	1 —	— —	— —
56	Alcoholism (acute or chronic). { M F	6 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	31 31	1 —	— —	— —	1 1	2 1	— 1	2 2	— 2	— —
61A	Cerebro-spinal fever ... { M F	66 52	— —	— 1	5 3	12 8	17 12	3 10	7 3	2 2	5 1
61B	Posterior basal meningitis { M F	10 8	— —	— 1	3 1	2 3	5 5	2 —	1 1	— —	— —
61C	Meningitis, other forms { M F	117 113	3 1	6 4	5 10	15 13	29 28	19 13	8 13	10 11	4 3
62	Locomotor ataxy... { M F	99 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	164 148	— —	3 —	4 —	— —	7 —	— 1	1 —	1 1	1 1

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—*continued*.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	1	—	3	2	4	9	12	9	10	8	5	2	44
—	—	—	—	1	—	—	—	2	—	4	2	5	4	4	10	5	5	
4	1	2	5	1	3	9	11	31	38	67	77	80	91	72	44	17	3	45
5	2	5	4	1	9	8	10	20	23	44	36	48	31	36	26	7	3	
5	1	4	6	1	6	22	34	95	159	280	340	398	419	312	173	73	20	39-45
5	3	5	7	8	19	53	95	181	285	375	334	377	391	339	254	117	48	
—	—	1	—	1	—	—	—	2	4	4	2	—	1	2	1	—	—	46
—	—	—	—	—	—	1	—	1	3	3	1	2	1	1	—	2	—	
5	9	15	12	3	4	2	8	2	6	2	4	1	—	1	—	—	—	47
5	10	19	12	8	5	6	5	5	4	4	4	1	2	—	1	—	1	
1	—	—	—	—	—	1	1	1	1	3	4	8	14	12	5	5	1	48 A, B
—	1	—	—	2	—	—	1	3	5	5	9	22	25	28	29	15	8	
—	—	—	—	—	—	—	—	—	1	—	2	4	11	6	4	2	2	48C
—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	1	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	2	2	5	4	6	6	3	4	8	16	19	27	32	12	16	11	3	50
—	—	3	2	10	11	10	5	12	9	13	19	23	18	19	16	6	5	
—	—	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	—	51
—	—	1	—	4	1	4	5	4	4	6	2	2	—	1	—	—	—	
—	—	—	—	1	—	—	2	—	1	1	1	—	2	—	—	—	—	52
—	—	—	1	—	1	1	—	2	2	3	1	1	—	2	—	—	—	
2	4	5	3	2	3	2	3	—	6	4	3	5	—	3	—	—	1	53
1	—	2	—	3	4	3	1	3	2	4	4	3	2	1	—	—	—	
3	—	3	—	—	2	3	2	5	5	6	7	23	7	5	1	—	—	54
2	3	1	2	1	1	2	3	7	5	11	6	14	9	4	3	1	—	
6	3	2	1	1	2	1	1	2	1	1	—	1	2	2	—	—	—	55
4	3	1	2	—	1	1	—	—	—	1	—	1	1	—	—	1	—	
—	—	—	—	—	—	—	1	2	2	1	—	—	—	—	—	—	—	56
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	59
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	4	4	1	3	—	1	1	5	1	2	3	1	—	1	—	—	—	60
6	3	—	2	1	2	4	2	1	5	3	1	—	—	1	—	—	—	
34	7	11	9	—	—	—	2	2	—	1	—	—	—	—	—	—	—	61A
28	6	4	6	1	3	1	1	1	—	1	—	—	—	—	—	—	—	
8	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	61B
6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
70	10	12	5	1	—	2	3	3	3	5	1	1	1	—	—	—	—	61C
68	13	6	4	4	3	1	1	2	—	3	1	3	3	1	—	—	—	
—	—	—	—	—	—	2	3	7	17	17	17	7	19	6	4	—	—	62
—	—	—	—	—	—	—	—	2	2	1	—	—	1	1	3	—	—	
10	1	1	2	3	1	7	7	10	8	6	18	17	25	26	14	8	—	63
3	4	2	4	3	2	8	6	11	14	10	9	21	18	10	17	1	5	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— —	3 2	2 2	— 1	— 4	5 4	6 11	9 11	19 28	48 56	62 85	104 110	127 133	156 197	167 209	147 205	86 117	21 63	} 64
— —	— —	— —	— —	— —	1 —	5 1	2 1	2 1	4 4	2 11	6 6	3 6	4 8	2 10	8 7	4 3	1 7	} 65
— 1	— —	— —	1 —	— 1	— —	— —	— —	1 4	3 4	4 4	10 8	9 12	14 13	13 26	17 24	6 18	5 9	} 66
— —	— 1	2 —	4 3	2 —	5 1	21 9	47 11	49 8	58 14	37 3	22 5	15 —	10 —	1 —	— 1	— —	— —	} 67
— —	— —	— —	— —	3 1	3 4	3 1	4 5	4 6	8 12	9 15	19 9	12 23	9 17	5 13	3 5	1 4	— 2	} 68
5 1	8 5	8 7	12 13	19 12	19 12	26 19	23 16	16 16	12 11	14 15	20 19	13 14	12 11	16 9	8 7	2 5	— 2	} 69
— —	— —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 70
187 134	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 71
— —	— —	1 2	— 2	1 2	— —	— —	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	} 72
— —	— —	— —	— —	— 1	— —	— —	— —	— 2	— 3	1 —	— —	4 1	1 1	2 2	— 2	— —	— 1	} 73
23 11	11 10	15 9	4 9	7 5	3 3	3 1	7 1	10 8	13 12	14 7	8 9	10 6	6 10	1 2	2 2	— 4	1 1	} 74
1 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	— —	— —	— —	} 75
6 1	4 3	3 2	4 3	— —	2 —	— 1	— 1	— —	1 —	1 —	— 1	1 —	— —	— —	— —	— —	— —	} 76A
11 13	3 7	5 4	4 2	3 3	1 3	1 2	1 —	— 3	1 3	2 1	— 2	— —	— 1	3 —	2 —	— —	— —	} 76B
4 6	2 1	7 2	5 1	— —	— —	3 —	1 1	3 1	4 1	2 2	3 —	3 1	3 6	3 —	1 1	— —	— —	} 77
3 6	1 6	5 10	4 10	7 18	6 10	7 5	8 10	8 7	10 12	12 9	14 10	— —	3 1	— —	— —	— 1	— —	} 78
2 2	11 15	23 30	43 53	41 56	41 74	43 75	48 77	79 100	96 110	142 127	146 121	172 149	214 188	159 194	125 153	43 92	26 36	} 79A
— 1	— —	— 1	— 1	— —	1 5	1 4	9 3	6 10	12 6	15 13	22 19	27 25	30 41	26 25	16 26	9 13	3 4	} 79B
1 5	8 5	9 12	14 21	12 23	14 19	20 30	27 44	40 42	67 63	85 70	134 123	185 162	290 244	284 247	226 259	136 172	52 127	} 79C
— —	— —	— —	— —	— —	— —	— —	— —	2 —	4 1	8 3	11 4	21 4	16 8	9 5	4 5	6 3	— 2	} 80
— —	— —	— —	1 2	— 1	3 —	5 —	2 1	8 4	14 5	31 4	14 4	16 3	18 4	8 7	2 4	1 2	— —	} 81A
— —	— —	— —	— —	— —	— —	1 —	4 2	7 3	22 7	30 21	53 29	87 48	139 72	155 115	146 142	85 125	44 96	} 81B
— —	— —	— —	— —	— 1	— —	— —	— —	— —	1 1	1 —	— 1	2 —	1 1	— 1	— 1	— —	1 —	} 81C

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 115 F 165	— —	— —	— —	— —	— —	— 1	— —	— —	1 —
82B	Other embolism and thrombosis. {	M 18 F 15	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 11 F 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 21 F 10	2 1	2 2	7 3	1 1	12 7	2 1	— —	2 —	— 1
84B	Other diseases of the lymphatic system. {	M 12 F 8	— —	1 —	3 —	1 1	5 1	— 1	— —	— —	— —
85	Hæmorrhage; other diseases of the circulatory system. {	M 14 F 25	— —	— —	— —	— —	— —	— —	— —	— 1	— —
86	Diseases of the nasal fossæ. {	M 4 F 2	— —	— —	— —	— —	— —	1 —	— —	— —	— —
87	Diseases of the larynx ... {	M 40 F 30	1 1	— —	1 —	5 1	7 2	6 7	9 2	6 4	1 1
88	Diseases of the thyroid body. {	M 4 F 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90	Bronchitis ... {	M 2,874 F 2,748	26 20	71 60	81 52	103 85	281 217	102 97	30 30	12 15	8 6
91	Broncho-pneumonia ... {	M 1,860 F 1,828	16 24	80 66	107 87	297 245	500 422	455 446	177 191	89 129	61 54
92A	Lobar pneumonia ... {	M 863 F 847	1 3	7 3	15 6	13 17	36 29	21 30	13 19	14 12	6 6
92B	Pneumonia (type not stated). {	M 1,270 F 1,241	3 8	16 21	30 13	67 46	116 88	106 98	55 58	40 40	26 19
93	Pleurisy ... {	M 108 F 79	— —	— —	— —	1 1	1 1	4 3	4 3	4 3	1 —
94	Pulmonary congestion, Pulmonary apoplexy. {	M 56 F 88	1 1	4 1	1 —	4 2	10 4	— 4	1 —	1 2	1 2
95	Gangrene of the lung ... {	M 11 F 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 131 F 110	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
97	Pulmonary emphysema {	M 28 F 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
98A	Fibroid disease of lung ... {	M 11 F 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. {	M 20 F 6	— —	— —	1 —	1 —	2 —	— —	— —	— —	— —
99A	Diseases of the teeth and gums. {	M 15 F 10	— —	— —	— —	— 1	— 1	2 1	— 1	1 —	— —
99B, C, D	Other diseases of the mouth and annexe. {	M 8 F 11	3 —	2 2	— —	— —	5 2	1 1	1 —	— —	— —
100	Diseases of pharynx, Tonsillitis. {	M 27 F 30	1 1	— 1	1 —	3 3	5 5	5 —	— —	2 2	1 2

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... {	M 7	—	—	—	—	—	—	1	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of {	M 155	—	—	—	—	—	2	—	—	—
	F 130	—	—	—	—	—	—	—	—	—	—
103A	Inflammation of stomach {	M 86	3	8	9	9	29	5	2	1	—
	F 110	—	3	7	9	4	23	7	3	1	—
103B	Other diseases of the {	M 20	2	1	1	—	4	—	—	—	—
	F 12	—	—	—	—	—	—	—	—	—	—
104 & 105.	Diarrhœa and enteritis ... {	M 829	45	132	213	154	544	62	20	5	5
	F 715	—	18	97	169	142	426	88	14	6	3
106	Ankylostomiasis... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites {	M 2	—	—	—	—	—	1	—	—	1
	F —	—	—	—	—	—	—	—	—	—	—
108	Appendicitis ... {	M 131	—	—	1	—	1	—	—	4	8
	F 137	—	—	—	—	—	—	—	1	1	3
109A	Hernia ... {	M 106	—	1	3	1	5	2	1	—	—
	F 210	—	4	—	—	1	5	1	—	1	—
109B	Intestinal obstruction ... {	M 153	2	2	15	12	31	8	1	—	1
	F 214	—	3	1	5	16	25	4	1	—	1
110	Other diseases of the {	M 26	—	2	—	—	2	—	1	—	—
	F 28	—	—	—	—	—	—	—	—	—	—
111	Acute yellow atrophy of {	M 1	—	—	—	—	—	—	1	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
112	Hydatid of liver ... {	M 2	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ... {	M 180	—	—	—	—	—	1	—	—	—
	F 98	—	—	—	—	—	—	—	—	—	1
114	Biliary calculi ... {	M 21	—	—	—	—	—	—	—	—	—
	F 43	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver {	M 42	—	—	1	—	1	1	1	1	—
	F 46	—	—	—	1	—	1	—	—	—	—
116	Diseases of the spleen ... {	M 1	—	—	—	—	—	—	1	—	—
	F 3	—	—	—	—	—	—	—	1	—	—
117	Peritonitis (cause un- {	M 20	1	—	1	1	3	—	—	1	—
	F 24	—	1	—	1	—	2	—	1	—	—
118	Other diseases of the {	M 7	—	—	—	—	—	—	—	—	—
	F 7	—	—	—	—	—	—	—	—	—	—
119	Acute nephritis ... {	M 81	1	1	—	—	2	1	2	2	5
	F 70	—	—	2	—	2	4	3	3	1	3
120	Bright's disease ... {	M 766	—	—	—	—	—	—	—	1	—
	F 665	—	—	—	—	—	—	—	1	—	—
121	Chyluria ... {	M —	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the {	M 45	—	—	2	2	4	—	—	—	1
	F 41	—	—	—	—	—	—	1	—	—	—

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1 —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	2 —	— —	2 —	— —	— —	— —	— 1	— —	} 101
2 —	— —	— 1	2 —	2 7	2 12	5 12	13 12	22 19	22 16	19 9	22 17	21 13	15 3	5 3	2 5	— 1	1 —	
37 34	— 1	— 1	1 —	— 1	1 1	2 1	1 1	3 2	1 8	11 2	3 5	4 5	3 6	6 10	6 11	3 15	4 6	} 103A
4 —	— —	1 1	— 1	— —	— 1	— —	— —	1 —	— —	3 2	— 1	3 1	1 2	3 1	— 1	2 1	2 —	
636 537	6 8	3 1	— 5	5 4	5 4	4 6	9 5	12 10	13 17	23 13	12 8	22 11	21 18	23 16	18 25	10 19	7 8	} 104 & 105
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 107
13 5	21 11	27 17	17 15	3 13	2 15	7 8	3 7	3 5	11 8	6 11	8 6	7 6	3 3	— 3	— 3	— —	— 1	
8 7	— 1	— —	— —	— —	— 1	— 5	2 5	2 8	2 14	12 22	12 22	20 33	13 26	10 27	16 19	4 13	5 7	} 109A
41 31	10 3	6 3	1 1	2 4	— 4	1 7	4 12	3 11	7 7	1 16	5 10	15 28	24 21	17 22	10 22	3 8	3 4	
3 —	1 —	1 —	— —	1 —	1 1	— 1	1 1	— 1	2 1	1 4	2 1	6 3	3 1	2 4	1 5	1 2	— 3	} 110
1 —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— 1	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	} 112
1 1	2 —	2 —	2 —	— —	— 3	1 3	6 1	16 11	16 10	34 7	32 15	19 17	23 12	17 11	8 4	— 1	1 2	
— —	— —	— —	— —	— —	— —	— 1	— 4	2 1	2 4	— 1	3 5	2 9	5 3	1 5	3 3	— 4	3 3	} 114
4 1	— 2	1 —	— —	1 —	— 1	2 1	2 2	1 2	2 3	2 8	6 5	4 5	6 3	3 4	2 5	1 3	5 1	
1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	} 116
4 3	1 —	1 2	1 3	— 2	— —	1 1	— 4	— 1	2 1	— 1	2 1	2 1	1 1	2 3	— —	3 —	— —	
— —	1 —	1 —	— —	— 1	— —	— —	— 1	— 1	— 1	2 1	1 —	— 1	2 —	— 1	— —	— —	— —	} 118
12 14	12 12	6 4	10 2	4 1	2 2	3 3	— 3	2 3	4 6	8 4	4 3	5 9	2 3	3 —	2 1	2 —	— —	
1 1	2 3	9 9	8 3	8 11	11 24	14 19	31 19	40 40	62 58	69 81	96 70	112 85	122 92	82 53	72 52	22 26	5 19	} 120
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 1	1 —	1 —	2 —	— 2	— 1	3 4	3 1	— 5	1 2	2 6	9 4	3 1	4 4	4 3	3 4	3 3	1 —	} 122
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	

ADMINISTRATIVE COUNTY OF LONDON.--CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-
123	Calculi of the urinary passages. { M F	21 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	116 43	— —	— —	— 1	— —	— 1	— —	— 1	2 —	— —
125	Diseases of the urethra, Urinary abscess, &c. { M F	54 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	189 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M F	1 —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M F	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M F	— 38	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous). { M F	— 29	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M F	— 33	— —	— —	— —	— —	— —	1 —	— —	— —	— —
133	Non-puerperal dis. of the breast (non-cancerous). { M F	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 17	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 28	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 99	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 41	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
134-141	All accidents of pregnancy and childbirth. { M F	— 221	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	49 63	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	7 15	— 1	— —	— —	— —	— 1	— —	— —	— 1	1 2
143	Carbuncle, Boil ... { M F	36 14	— —	— —	— —	1 —	1 —	— —	— 1	— —	— —
144	Phlegmon, Acute abscess { M F	47 32	1 —	2 2	1 —	— 4	4 6	2 —	— —	— —	— 1
145	Diseases of the integumentary system. { M F	45 45	9 6	1 2	4 —	— 1	14 9	— —	1 2	— —	— 1

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	1	—	2	2	3	2	1	2	2	—	6	—	—	} 123
—	—	—	—	1	—	3	1	2	—	4	—	1	—	1	—	—	—	
2	—	—	—	—	3	—	—	3	3	3	8	15	20	18	21	9	11	} 124
2	—	—	—	—	—	—	1	1	6	4	1	2	3	11	3	3	6	
—	—	—	—	—	—	—	1	4	6	2	9	17	7	5	3	—	—	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	3	6	20	32	42	40	26	20	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	4	3	6	11	5	2	1	3	2	—	—	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	—	—	1	2	1	1	—	2	1	1	—	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	2	1	2	2	—	2	6	2	6	2	2	—	1	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	3	7	11	5	4	1	1	—	—	—	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	4	5	4	2	—	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	4	3	2	9	3	—	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	6	4	4	7	7	—	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	21	25	17	19	14	1	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	8	8	6	10	6	3	—	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	3	3	3	2	—	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	11	43	45	42	48	31	1	—	—	—	—	—	—	—	—	} 134- 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	4	8	10	18	4	4	} 142A
—	—	—	—	—	—	—	—	—	—	—	—	3	9	11	16	15	9	
1	1	—	—	—	—	—	—	—	1	1	1	1	—	—	1	—	—	} 142B. C. D.
4	—	—	—	1	—	—	—	—	—	—	8	2	—	—	—	—	—	
1	—	—	1	—	—	—	—	3	6	4	3	6	1	6	2	2	1	} 143
1	—	—	—	—	—	—	—	4	1	1	—	2	2	—	—	—	—	
6	2	—	—	—	—	—	1	2	3	3	—	3	8	8	10	—	1	} 144
7	1	—	1	1	—	1	2	2	1	2	3	2	4	4	—	1	—	
15	1	—	—	—	—	1	—	—	—	1	5	3	4	4	3	5	3	} 145
12	—	—	—	—	—	—	1	1	—	1	3	2	3	9	5	4	4	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	35 33	— —	— 1	— —	1 —	1 1	— 2	— 1	1 2	— 2
147	Diseases of the joints ... { M F	8 14	— 1	— —	— —	— —	— 1	— 1	— —	— —	1 —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	3 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	171 140	89 72	37 25	12 11	10 5	148 113	12 11	3 4	1 1	— —
151A	Premature birth ... { M F	725 586	651 525	65 45	6 12	3 4	725 586	— —	— —	— —	— —
151, B-E.	Infantile debility, Icterus and Sclerema. { M F	443 317	160 120	135 88	100 75	48 34	443 317	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	135 103	128 95	7 8	— —	— —	135 103	— —	— —	— —	— —
153	Lack of care ... { M F	30 18	30 18	— —	— —	— —	30 18	— —	— —	— —	— —
154	Old age ... { M F	1,091 1,631	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	20 21	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	19 26	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	42 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	15 23	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	19 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	60 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	15 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	12 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	7 7	— —	— —	— —	— —	— —	— —	— —	1 1	1 —
165	Other acute poisonings ... { M F	8 7	— —	— —	— —	— —	— —	— 1	— —	— —	— —
166	Conflagration ... { M F	4 14	— —	— —	— —	— —	— —	— —	— —	1 —	— 1
167	Burns (conflagration ex- cepted). { M F	95 142	— —	1 —	— 1	7 5	8 6	21 11	23 14	9 7	5 10
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	85 72	33 24	18 16	9 6	6 3	66 49	— 2	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
2 8	7 2	6 5	5 2	— 1	2 1	2 2	1 1	2 1	3 1	— 1	2 —	— 3	1 1	1 3	— 1	1 —	— —	146
1 2	1 —	1 —	— —	1 1	— —	— —	1 —	— —	1 1	2 1	— —	— 1	— 1	— 4	— 2	— 1	— —	147
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	148
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 2	— —	— —	1 —	— —	— 1	— —	149
164 129	1 —	1 3	3 1	1 1	— 1	— 2	1 1	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	150
725 586	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	151A
443 317	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	151 B-E
135 103	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	152
30 18	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	2 6	31 22	73 86	230 244	307 389	253 397	195 486	154
— —	— —	— —	— —	2 4	2 1	— 2	5 1	1 2	4 2	2 4	1 —	2 5	1 —	— —	— —	— —	— —	155
— —	— —	— —	— —	— 1	3 2	— 2	3 3	1 2	1 6	4 2	2 4	2 3	2 —	— —	— 1	1 —	— —	156
— —	— —	— —	2 —	— —	— —	4 —	— 2	3 3	10 3	9 2	3 2	3 1	4 1	1 —	3 —	— —	— —	157
— —	— —	— —	1 2	1 1	— 5	— 5	— 1	2 2	— —	3 3	2 1	2 2	2 —	2 1	— —	— —	— —	158
— —	— —	— —	— —	— 1	1 —	1 1	2 1	3 —	— 2	4 —	3 —	3 —	— —	1 —	1 —	— —	— —	159
— —	— —	— —	— 1	1 2	— 5	5 —	6 —	6 1	6 2	7 5	10 2	5 —	3 —	5 1	2 —	2 —	1 —	160
— —	— —	— —	2 —	1 1	4 —	— 1	— —	1 2	1 1	— 1	2 2	2 2	1 1	1 —	— —	— 2	— —	161
— —	— —	— —	— —	— 1	1 —	1 —	1 —	1 2	3 1	1 1	— 1	— —	2 —	2 —	— —	— —	— —	162
— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	163
2 1	2 —	— 4	1 —	— 1	— —	— —	— 2	— 1	1 —	— —	— 1	— —	1 —	— —	— —	— —	— —	164
— 1	— —	— —	— 1	— 1	— 2	— —	1 —	1 —	2 —	1 —	1 —	— 1	1 1	— —	— —	— —	1 —	165
1 1	1 —	— —	— —	— 2	— 3	— 1	1 3	— —	— 2	— 2	— —	— —	— —	— —	— —	— —	— —	166
66 48	6 34	2 11	1 5	3 2	1 —	— 2	1 4	2 1	1 3	1 2	— 3	4 3	2 5	— 3	1 6	3 6	1 4	167
66 51	3 1	— 1	1 1	— —	— 2	2 2	2 1	1 3	1 4	1 2	2 —	— —	3 3	2 —	1 1	— —	— —	168

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	141 35	— 1	— —	— —	— —	— 1	— —	— —	3 —	4 —
170	Injury by firearms ... { M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or { M piercing instruments. { F	1 2	— —	— —	— —	— —	— —	— 1	— —	— —	— —
172	Injury by fall ... { M F	264 211	— 1	1 —	— 1	1 2	2 4	3 5	3 1	1 2	4 2
173	Injury in mines and { M quarries. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	28 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Injury by other crushing { M (vehicles, railways, { F landslides, &c.).	390 137	— —	— —	1 —	— —	1 —	5 2	4 4	11 1	9 1
176	Injury by animals ... { M F	7 —	— —	1 —	— —	— —	1 —	— —	1 —	— —	— —
177	Starvation ... { M F	2 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
178	Excessive cold ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
180	Lightning... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { M cepted) { F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or { M piercing instruments. { F	1 5	— 2	— —	— —	— —	— 2	— —	— —	— —	— —
184	Homicide by other means { M F	8 14	4 2	1 1	— —	— —	5 3	— —	— —	— —	— —
185	Fractures (cause not { M specified) { F	10 5	1 3	— —	— —	— —	1 3	— —	— —	— —	1 —
186	Other violence ... { M F	140 90	4 1	4 2	3 2	4 —	15 5	5 2	3 3	2 1	3 —
155- 186	All violence ... { M F	1,396 870	42 34	26 19	13 10	18 10	99 73	35 24	37 22	29 12	25 14
187	Dropsy .. { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and { M under 70). { F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- { M wise defined) { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { M and under 70). { F	6 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
189 B-E.	Other ill-defined causes... { M F	24 29	— —	— —	— —	— —	— —	18 20	3 5	— —	1 —
189F	Cause not specified ... { M F	— 4	— 1	— —	— —	— —	— 1	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
9 1	39 3	13 —	7 1	7 4	9 2	7 1	5 4	13 4	6 2	4 4	9 3	3 2	7 2	1 —	1 2	— —	1 —	169
— —	— —	1 —	— —	— —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	170
— 1	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	171
13 14	12 1	6 1	4 2	2 2	2 2	8 3	5 2	13 5	14 2	22 7	30 11	24 13	25 24	27 24	28 26	17 45	12 27	172
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	173
— —	1 —	4 1	5 —	3 1	3 —	— —	1 —	2 —	2 —	3 —	1 —	2 1	— —	— —	1 —	— —	— —	174
30 8	62 14	50 8	26 5	6 6	5 8	7 4	14 8	16 8	30 7	24 10	18 13	27 4	26 13	26 11	14 5	7 4	2 1	175
2 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	1 —	2 —	— —	— —	— —	— —	176
1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	177
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	178
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	179
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	180
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	181
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	182
— 2	— —	1 —	— —	— —	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	183
5 3	— —	— —	— 2	— 2	— 2	— —	1 3	— —	— —	— 1	1 —	— —	— —	— 1	— —	— 1	— —	184
2 3	— —	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	2 1	2 —	1 —	— —	— 1	— —	185
28 11	5 5	8 3	13 3	10 7	12 8	6 8	10 9	7 3	11 10	9 4	10 6	3 4	4 4	1 2	2 —	1 2	— 1	186
225 145	132 58	85 26	64 23	36 38	45 41	41 35	58 45	73 39	97 47	96 51	96 49	86 42	88 54	71 42	54 41	31 61	18 33	155- 186
— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	187
— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	4 1	— —	— —	— —	— —	188A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	188B
— —	1 —	— —	— —	— —	— —	— —	— 2	— —	— —	2 —	— 1	2 1	1 6	— —	— —	— —	— —	189A
22 25	1 —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	1 1	— 1	— —	— —	— —	— —	— —	189 B-E
— 1	— —	— —	— —	— —	— —	— 1	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	189F

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

[illegible]

T DIFFERENT AGE-PERIODS, 1918 (Civilian Population only).

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
26,372 23,305	3,994 4,211	2325 2785	3046 3852	2481 4704	3,658 5,786	4,156 5,083	4,189 4,336	4,649 4,276	5,547 4,499	6,456 5,091	6,571 5,210	7,255 6,015	7,782 6,960	6,803 6,991	5,086 6,188	2,597 3,971	1,301 2,642	All Causes.	
1 2	5 4	10 13	10 21	9 19	8 12	10 9	11 11	13 7	8 10	8 9	1 8	4 2	6 3	— —	1 1	— —	— —		1
— —	— —	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	2	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3	
— —	1 —	— —	4 —	5 —	7 1	2 2	4 —	1 1	4 —	5 —	3 —	1 —	1 1	— —	— —	— —	— —	4	
— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5	
1,894 1,681	178 198	3 3	4 3	1 4	— 1	— 2	— —	1 3	— —	— 1	— —	— —	— —	— —	— —	— —	— —	6	
135 119	85 81	18 24	6 14	2 7	1 3	— —	— 2	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7	
1,572 2,002	77 106	1 1	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	1 —	— 2	1 —	— —	— —	— —	8	
472 434	274 356	55 52	4 12	2 5	1 7	— 2	— 2	1 1	— —	— 2	1 —	1 —	— —	— 1	— —	— —	— —	9A	
6 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 B, C	
2,531 2,668	1,153 1,258	650 924	983 1411	726 1970	1485 2827	1574 2162	1047 1297	922 984	966 863	933 862	652 640	654 611	591 652	387 471	203 266	68 111	27 64	10	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12	
— —	— —	— —	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	13	
1 2	1 —	— —	1 1	3 1	1 6	6 5	17 4	14 7	10 8	10 7	11 11	9 4	9 4	12 11	4 —	2 1	1 —	14	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16	
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17	
23 9	1 1	1 5	3 2	— 5	1 3	2 6	5 6	5 2	4 3	12 12	11 10	9 8	5 13	7 5	5 9	6 8	3 —	18	
19 19	5 3	— —	— 1	— —	1 —	— 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19	
10 13	4 2	3 2	6 —	3 4	2 —	6 5	3 2	4 3	5 6	7 2	14 3	9 4	6 3	4 4	3 5	2 2	2 2	20	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21	

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	1	—	1	—	—	—	1	1	—	—	—	} 22	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	2	10	2	—	—	2	—	2	4	3	1	—	1	—	1	—	—	} 24	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	} 25	
—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 26	
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	} 27	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
178	145	202	524	701	776	902	1,006	1,025	917	781	581	381	221	84	28	3	—	} 28	
144	183	402	917	1002	916	841	800	677	495	330	229	154	114	44	18	3	—		
32	24	26	63	38	45	58	60	50	54	39	19	17	14	1	1	—	—	} 29A	
28	31	83	109	96	74	61	55	45	31	21	12	9	3	—	2	—	—		
44	13	13	14	6	4	7	5	2	4	1	2	1	—	—	—	—	—	} 29B	
30	14	10	15	4	11	6	2	3	2	3	1	—	—	—	—	—	—		
254	182	241	601	745	825	967	1071	1077	975	821	602	399	235	85	29	3	—	} 28 & 29	
202	228	495	1041	1102	1,001	908	857	725	528	354	242	163	117	44	20	3	—		
478	171	92	52	7	9	16	7	8	8	4	2	—	—	—	—	—	—	} 30	
410	178	97	53	25	17	10	6	8	4	2	1	—	1	—	—	—	—		
386	75	84	49	20	11	10	12	13	16	10	6	4	7	1	—	—	—	} 31	
294	68	60	73	34	28	28	27	11	14	8	9	3	1	1	—	—	—		
7	11	21	23	9	12	10	9	10	4	8	7	9	2	1	2	—	—	} 32	
7	11	26	16	17	8	12	5	5	4	5	6	8	6	2	5	4	—		
2	8	12	14	4	4	4	5	2	2	4	7	4	4	—	1	—	—	} 33	
3	4	10	13	5	4	4	3	1	5	5	3	4	2	2	—	—	—		
21	4	7	8	9	5	10	7	2	6	6	10	8	11	5	4	2	—	} 34	
13	6	6	9	5	9	9	7	4	4	7	7	12	13	3	6	2	—		
107	60	50	51	31	26	31	28	27	21	14	13	7	7	1	—	—	—	} 35	
90	55	54	35	37	24	23	19	20	14	14	9	6	6	3	—	—	—		
1,255	511	507	798	825	892	1048	1139	1139	1032	867	647	431	266	93	36	5	—	} 28-35	
1,019	550	748	1240	1225	1091	994	924	774	573	395	277	196	146	55	31	9	—		
145	7	—	4	2	3	1	—	2	—	—	1	—	—	—	—	—	—	} 36	
129	5	2	2	2	1	2	1	—	—	3	—	—	1	2	1	1	—		
389	2	1	3	7	8	8	17	18	17	11	19	12	9	2	1	—	—	} 37	
281	3	4	6	11	12	11	12	4	11	8	10	4	4	6	—	1	—		
9	—	—	—	1	—	—	1	1	1	1	—	—	2	—	—	—	—	} 38	
3	—	—	—	1	1	3	—	1	—	—	—	—	—	—	—	—	—		
1	2	—	—	—	—	1	5	26	78	135	157	151	139	86	36	14	2	} 39	
—	—	2	—	—	1	1	4	4	10	17	17	19	16	18	7	5	4		
3	—	—	1	3	6	11	29	87	178	304	352	369	353	258	124	34	7	} 40	
1	1	—	3	3	6	20	58	101	145	224	261	338	356	270	160	70	28		
1	1	—	—	6	—	7	21	46	79	146	157	197	193	159	101	24	9	} 41	
1	—	—	2	3	11	22	44	81	93	119	204	222	220	214	138	53	26		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 42	
—	—	2	2	3	13	47	110	187	245	288	275	239	192	105	82	18	15		
—	—	—	—	1	—	—	1	—	—	2	1	2	1	3	2	—	—	} 43	
—	—	—	—	—	4	14	45	108	166	201	182	139	152	120	81	59	31		

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	211 121	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- { M specified organs. ... { F	1,305 683	1 —	— —	— —	3 —	4 —	3 1	2 —	5 —	4 3
39-45	Cancer (all sites) ... { M F	5,628 7,552	1 —	1 —	— —	5 1	7 1	3 2	2 —	5 —	6 3
46	Other tumours (situation { M undefined). ... { F	28 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever ... { M F	238 282	— —	1 —	— —	— —	1 —	— 1	— —	4 2	4 2
48 A, B.	Chronic rheumatism, { M Osteo-arthritis. ... { F	178 440	— —	— —	— —	— —	— —	— —	— —	— —	— 1
8C	Gout ... { M F	61 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	8 8	— —	2 —	1 1	1 —	4 1	— 2	— 2	— —	— —
50	Diabetes ... { M F	554 534	— —	— —	— —	— 1	— 1	1 —	1 3	4 2	— —
51	Exophthalmic goitre ... { M F	13 119	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	26 44	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- { M denoma. ... { F	116 103	— —	— —	— —	2 —	2 —	— —	— —	4 —	2 —
54	Anæmia Chlorosis ... { M F	319 379	— 2	2 —	— 1	1 1	3 4	4 2	1 2	4 1	1 2
55	Other general diseases ... { M F	62 70	10 2	1 2	— 1	6 2	17 7	2 4	1 2	3 1	1 3
56	Alcoholism (acute or { M chronic). ... { F	22 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning ... { M F	15 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occu- { M pational poisonings. ... { F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	50 52	— —	— —	1 —	— 2	1 2	6 —	2 —	2 —	— —
61A	Cerebro-spinal fever ... { M F	72 80	— —	— —	5 2	8 3	13 5	6 5	5 4	4 2	2 3
61B	Posterior basal meningitis { M F	30 20	— —	3 —	6 2	5 8	14 10	7 5	3 3	1 —	2 1
61C	Meningitis, other forms { M F	622 573	7 —	14 14	42 21	70 63	133 98	93 90	54 47	40 43	30 24
62	Locomotor ataxy... { M F	229 48	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the { M spinal cord. ... { F	441 374	— —	2 —	1 1	4 3	7 4	3 4	6 7	— 1	1 4

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	—	1	2	1	3	6	7	15	22	31	25	32	22	20	16	7	} 44	
—	—	1	—	—	1	—	3	2	7	5	17	14	13	14	20	13	11		
18	10	11	7	4	16	20	27	58	117	161	201	204	207	141	79	16	8	} 45	
4	6	6	12	10	10	11	17	39	61	76	90	102	88	79	47	19	6		
23	14	11	9	16	23	42	89	224	467	770	899	948	925	669	362	104	33	} 39-45	
6	7	11	19	19	46	115	281	522	727	930	1,046	1,073	1,037	820	535	237	121		
—	—	—	—	1	1	—	2	1	6	1	4	4	1	5	1	—	1	} 46	
—	—	—	—	—	—	—	—	2	3	2	4	3	1	3	3	1	—		
9	27	52	37	17	10	6	8	11	17	20	9	10	3	1	1	—	—	} 47	
5	33	54	49	29	9	17	14	12	14	13	16	7	5	3	2	—	—		
—	—	—	—	—	—	1	6	4	12	13	17	28	29	32	24	10	2	} 48	
1	—	—	—	1	1	5	8	16	16	34	45	61	86	65	61	22	18		
—	—	—	—	—	—	—	—	—	2	6	8	8	13	14	5	2	3	} 48C	
—	—	—	—	—	—	—	—	1	—	1	1	1	4	2	1	3	1		
4	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	} 49	
5	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—		
6	5	9	27	18	25	27	36	32	38	42	56	72	72	47	33	6	3	} 50	
6	3	9	10	19	27	24	28	18	32	51	40	87	81	52	30	9	8		
—	1	—	—	1	1	2	1	1	2	1	1	1	1	—	—	—	—	} 51	
—	1	—	6	9	8	13	8	14	17	20	8	7	6	—	1	1	—		
—	—	1	—	—	—	1	2	4	4	3	2	2	4	3	—	—	—	} 52	
—	—	—	2	2	3	8	3	3	5	6	3	5	3	1	—	—	—		
8	9	9	8	5	4	6	12	10	6	6	12	8	10	1	2	—	—	} 53	
—	4	2	6	9	4	3	14	6	9	14	13	9	6	3	—	1	—		
13	7	3	1	2	8	5	11	20	33	32	50	52	46	22	11	3	—	} 54	
11	4	3	8	18	8	18	27	25	33	37	45	54	52	17	16	2	1		
24	9	4	2	1	2	—	2	—	1	—	4	4	5	2	2	—	—	} 55	
17	9	7	4	2	5	1	6	4	1	2	4	1	—	3	3	1	—		
—	—	—	—	—	1	1	7	—	2	4	4	2	1	—	—	—	—	} 56	
—	—	—	—	—	—	1	1	2	2	1	1	—	—	—	—	—	—		
—	—	—	—	—	—	1	3	1	—	4	3	1	1	1	—	—	—	} 57	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	} 58	
—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	} 59	
—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—		
11	6	2	4	3	3	1	1	3	4	2	3	2	2	1	1	1	—	} 60	
2	7	5	5	4	5	2	3	2	3	2	5	2	3	2	—	—	—		
30	14	9	9	—	2	1	2	2	2	—	1	—	—	—	—	—	—	} 61A	
19	15	13	7	8	5	4	2	5	—	—	1	1	—	—	—	—	—		
27	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 61B	
19	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
350	93	43	24	4	6	8	3	12	10	14	11	8	12	12	8	3	1	} 61C	
302	90	43	23	14	17	9	12	5	10	7	8	4	7	8	8	3	3		
—	—	—	1	—	5	4	14	16	40	41	41	27	29	9	1	—	—	} 62	
—	—	—	—	1	—	—	5	6	6	6	11	6	5	2	—	—	—		
17	5	5	9	7	9	15	25	31	31	51	53	65	51	34	22	9	2	} 63	
20	10	9	11	7	16	17	16	28	21	26	25	41	47	43	24	10	3		

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

T DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
11 8	6 3	2 3	6 4	3 9	4 14	17 19	31 44	76 78	169 201	268 325	399 421	546 565	646 704	640 705	440 611	185 324	73 157	} 64	
— —	— —	— —	— —	— —	— 1	1 —	2 2	6 2	7 7	8 9	16 14	29 28	46 31	44 40	52 35	12 27	6 14		
3 1	— —	1 —	2 3	— —	1 2	4 5	5 4	10 8	21 20	32 23	37 52	66 43	82 87	70 97	69 79	29 49	10 18	} 66	
— —	— —	— —	— 1	4 5	11 6	50 11	110 23	131 19	130 27	110 22	59 15	35 5	11 2	7 4	1 —	— —	— —		
— —	— —	— 1	— 3	4 4	4 10	7 12	8 15	16 21	19 25	26 22	35 32	42 30	26 33	8 14	9 6	6 7	3 1	} 68	
14 13	21 12	31 25	55 33	50 55	54 43	41 45	53 46	63 54	50 49	47 51	46 33	42 37	34 25	18 19	9 15	3 4	1 1		
— —	19 15	2 3	1 1	1 —	— —	— —	— —	— —	— 1	— —	— —	— —	1 1	1 1	— —	1 —	— —	} 70	
1,289 970	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 1	2 3	3 7	1 5	— 1	1 —	— —	— 1	2 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	} 72	
— 1	— —	— —	— 1	— 1	— —	— 1	1 2	3 3	1 6	7 2	8 5	4 8	8 3	4 3	1 3	— —	1 —		
31 28	21 25	21 17	18 15	18 13	18 24	21 30	25 30	31 29	20 29	34 36	39 36	38 23	28 30	18 22	12 19	4 11	— 4	} 74	
— 1	2 1	— —	1 —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	— 2	1 —	— —	— —		
14 5	10 6	1 10	4 7	1 3	— 1	1 1	1 —	— —	1 —	— 1	— —	1 1	— —	— —	— —	— —	— —	} 76A	
32 37	13 18	11 21	19 14	8 10	10 6	4 3	3 3	4 4	1 4	1 4	4 1	1 —	2 1	1 1	— —	1 —	— —		
6 6	3 7	5 5	5 6	5 1	5 3	4 6	6 3	8 2	5 —	4 3	6 3	— —	2 4	3 3	1 1	— —	— —	} 77	
9 10	8 11	14 20	26 29	10 28	13 33	14 23	21 19	10 17	23 22	34 23	25 25	6 3	3 6	4 5	3 —	1 —	— 1		
10 15	41 35	64 86	105 125	106 158	108 162	138 194	170 218	191 267	263 293	340 335	389 385	500 450	482 535	412 462	276 383	89 194	33 63	} 79A	
— —	— —	— —	— 1	— 1	1 4	3 3	2 1	12 13	12 23	27 26	40 34	36 47	47 47	38 48	27 27	10 15	4 11		
16 12	19 24	21 35	33 43	32 56	38 68	66 83	83 92	112 123	174 171	253 243	350 298	490 384	570 573	543 560	359 448	179 282	71 141	} 79C	
— —	— —	— —	— —	— —	— 1	— 1	2 1	8 5	10 8	23 8	34 11	40 19	36 19	34 12	22 8	8 7	2 —		
— —	— —	— —	— —	— —	1 —	9 —	13 3	29 3	28 7	35 9	39 11	28 6	32 10	11 9	4 4	— —	— —	} 81A	
— —	— —	— —	— —	— —	— 1	2 2	4 7	10 10	42 19	84 39	127 69	228 111	353 161	340 229	305 251	158 173	82 139		
— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— 1	3 —	3 1	4 2	4 1	5 2	2 3	2 2	1 2	} 81C	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 331 F 437	— —	1 —	— —	— —	1 —	— 1	— 1	— —	— —
82B	Other embolism and thrombosis. {	M 25 F 35	1 1	— —	— —	— —	1 1	— 1	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 24 F 49	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 21 F 11	1 —	4 1	4 3	1 1	10 5	2 —	— 2	— —	1 —
84B	Other diseases of the lymphatic system. {	M 20 F 20	1 —	1 1	1 1	2 3	5 5	1 2	— —	— —	2 1
85	Hæmorrhage; other diseases of the circulatory system. {	M 43 F 60	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
86	Diseases of the nasal fossæ. {	M 11 F 9	— —	2 2	— —	— —	2 2	— —	1 —	— —	— —
87	Diseases of the larynx ... {	M 137 F 147	1 1	1 4	2 3	12 17	16 25	26 18	19 15	19 22	13 19
88	Diseases of the thyroid body. {	M 16 F 59	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90.	Bronchitis ... {	M 8,372 F 8,153	137 114	323 281	313 231	516 409	1,289 1,035	461 438	148 156	66 71	41 46
91	Broncho-pneumonia ... {	M 5,317 F 5,179	46 29	211 139	336 234	871 658	1,464 1,060	1203 1161	579 607	323 376	190 227
92A	Lobar pneumonia ... {	M 2,862 F 2,089	6 —	14 9	15 14	59 39	94 62	90 60	62 42	30 36	32 36
92B	Pneumonia (type not stated). {	M 4,277 F 3,765	12 8	39 39	69 44	201 136	321 227	277 261	180 188	115 127	84 97
93	Pleurisy ... {	M 261 F 181	— —	1 —	1 1	2 3	4 4	9 6	10 3	3 4	5 —
94	Pulmonary congestion, Pulmonary apoplexy. {	M 207 F 213	14 8	5 2	6 6	8 11	33 27	12 7	4 4	4 3	4 2
95	Gangrene of the lung ... {	M 16 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 409 F 316	— —	— —	— 1	— 1	— 2	— —	— 1	1 1	— —
97	Pulmonary emphysema {	M 46 F 12	— —	— —	— —	— —	— —	— 1	— —	— —	— —
98A	Fibroid disease of lung ... {	M 48 F 20	— —	— —	— —	— —	— —	— 1	— —	— —	— —
98B	Other diseases of the respiratory system. {	M 71 F 31	— —	— —	2 2	1 1	3 3	— —	— —	— —	1 —
99A	Diseases of the teeth and gums. {	M 33 F 33	3 1	1 —	2 1	1 1	7 3	2 3	2 3	2 —	4 1
99B, C, D.	Other diseases of the mouth and annexa. {	M 22 F 20	6 3	1 2	2 1	3 —	12 6	2 3	— —	1 —	— —
100	Diseases of pharynx, Tonsillitis. {	M 89 F 80	— —	1 1	2 —	7 4	10 5	4 5	6 6	8 4	6 5

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 2	1 1	1 1	— 2	3 5	4 1	2 6	5 3	9 9	10 23	22 27	30 22	42 59	66 58	49 84	46 69	30 40	10 25	}	82A
1 2	— 1	— —	— 1	— —	— 1	— 5	— 2	— 4	2 2	3 5	3 2	5 2	3 1	4 —	1 5	— 3	1 —		}
— —	— —	1 —	2 —	1 1	— 1	— 3	— —	— —	1 4	4 4	3 10	6 5	2 4	1 8	2 3	1 6	— —	}	
13 7	4 1	2 1	1 1	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
8 8	2 2	— —	— 2	1 —	— 1	— —	— —	— —	— 1	2 1	— —	2 1	— —	— 1	4 3	— —	— —	}	
1 —	— 2	1 —	1 —	1 4	2 —	1 1	1 —	1 5	2 1	4 2	5 4	4 5	4 12	7 10	5 10	2 1	1 3		}
3 2	4 1	2 —	— 1	— 2	— —	— —	— 1	— —	1 —	1 —	— 1	— —	— —	— 1	— —	— —	— —	}	
93 99	18 27	2 3	1 1	— —	— 5	1 1	1 2	4 —	3 1	3 —	1 4	4 —	3 1	2 3	1 —	— —	— —		}
— —	— 1	1 3	2 1	— 1	1 1	1 —	— 5	— 3	1 5	— 4	5 6	1 8	4 5	— 9	— 6	— —	— 1	}	
2,005 1,746	83 65	25 28	25 22	25 45	48 52	79 73	107 96	180 143	267 219	472 353	635 435	855 711	1,129 880	1,100 1,117	776 1,093	375 663	186 412		}
3,759 3,431	290 394	88 77	37 55	45 58	59 85	62 72	63 59	72 67	107 69	98 96	126 105	128 134	139 132	121 144	75 111	32 50	16 40	}	
308 236	133 113	90 104	125 125	135 175	201 252	222 183	195 129	219 122	230 101	262 118	233 76	191 117	156 83	97 83	46 43	17 23	2 6		}
977 900	208 223	120 144	183 199	151 229	244 339	249 274	240 203	274 179	277 169	312 151	237 143	253 158	237 169	164 140	99 90	35 41	17 14	}	
31 17	17 10	5 3	8 8	4 7	8 7	13 13	14 14	16 5	18 12	23 12	27 11	26 8	18 21	18 14	8 10	6 6	1 3		}
57 43	5 7	3 2	1 4	2 —	6 3	3 7	3 5	4 2	6 5	7 14	9 10	15 12	16 24	17 24	23 18	19 16	11 17	}	
— —	— 1	1 —	1 —	— —	— —	1 1	2 1	3 —	2 —	1 —	2 —	2 1	— —	1 1	— —	— 1	— —		}
1 4	2 —	3 —	1 2	1 9	8 19	10 15	32 20	35 25	48 33	59 28	50 36	48 37	57 37	33 21	14 18	3 9	4 3	}	
— 1	— —	— —	— —	— —	— 1	1 —	— 2	1 2	2 1	6 1	5 1	4 —	10 1	7 1	6 1	2 —	2 —		}
— 1	— —	— —	— —	— —	1 —	— 2	1 —	3 3	7 2	8 1	6 2	10 2	5 3	6 1	1 2	— 1	— —	}	
4 3	1 2	— 2	1 1	2 1	2 2	2 1	3 2	8 3	6 2	11 3	7 1	9 2	7 2	4 2	3 1	1 —	— 1		}
17 10	3 2	— 2	— 3	— 3	— 2	3 1	— 1	2 3	— 2	4 1	— —	1 —	1 1	2 —	— 2	— —	— —	}	
15 9	1 —	1 —	1 —	— 1	1 —	— 1	— —	1 1	— —	— —	1 —	— 1	— 3	— 1	— 1	1 1	— 1		}
34 25	22 16	6 4	1 4	1 4	1 3	6 3	2 2	4 3	— —	2 2	2 3	3 1	2 3	— 4	1 —	2 3	— —	}	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	11 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	321 295	— —	— —	— —	— —	— —	1 —	— —	1 —	— —
103A	Inflammation of stomach { M F	509 505	41 19	94 48	52 51	41 57	228 175	37 34	12 12	6 8	7 5
103B	Other diseases of the { M F	102 88	4 —	6 4	7 3	5 3	22 10	2 4	— 3	1 3	2 1
104 & 105.	Diarrhœa and enteritis ... { M F	2,712 2,293	139 76	394 305	556 393	488 445	1,577 1,219	361 315	91 99	51 40	25 27
106	Ankylostomiasis ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
108	Appendicitis ... { M F	331 368	— —	— —	— —	— —	— —	1 2	2 1	8 3	13 9
109A	Hernia ... { M F	318 411	2 2	3 1	10 2	7 —	22 5	9 2	2 —	— —	— 1
109B	Intestinal obstruction ... { M F	411 467	2 2	5 3	25 12	36 20	68 37	9 4	4 3	7 6	3 2
110	Other diseases of the { M F	65 77	2 1	4 3	2 4	4 4	12 12	4 2	2 —	1 1	— —
111	Acute yellow atrophy of { M F	5 12	— 1	— —	— —	— —	— 1	— —	— —	— —	1 —
112	Hydatid of liver ... { M F	2 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	348 194	— —	— —	1 —	— —	1 —	— —	1 —	— —	1 2
114	Biliary calculi ... { M F	67 134	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	93 133	— —	— —	1 —	3 3	4 3	— 3	2 3	— 1	— 1
116	Diseases of the spleen ... { M F	5 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- { M F	51 79	1 —	1 —	— 1	2 —	4 1	3 3	1 —	— —	2 1
118	Other diseases of the { M F	19 29	— —	— —	— —	— —	— —	— —	— —	— —	1 1
119	Acute nephritis ... { M F	342 323	— 1	3 5	3 4	11 5	17 15	10 19	13 20	9 16	18 11
120	Bright's disease ... { M F	2,100 1,732	— —	— —	— —	— —	— —	1 1	1 2	1 4	3 3
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	64 71	— —	— —	— 1	— —	— 1	— 1	— 1	— —	1 —

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	2	2	2	4	—	—	—	1	—	} 101	
—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—		
2	1	3	12	6	20	22	30	40	52	28	44	30	20	9	—	2	—	} 102	
—	2	3	7	21	20	26	41	33	28	31	26	22	18	11	3	2	1		
290	18	5	1	5	5	—	10	7	13	21	19	16	35	29	15	10	10	} 103A	
234	16	15	4	4	4	6	7	9	17	14	16	26	33	28	41	22	9		
27	3	3	2	—	1	5	3	7	4	9	2	9	5	8	7	4	3	} 103B	
21	4	4	2	—	1	—	2	5	1	5	6	8	8	9	6	3	3		
2,105	46	17	17	5	10	18	26	37	39	45	56	52	77	68	53	25	16	} 104 & 105	
1,700	45	9	8	7	16	22	35	23	35	28	44	56	61	73	60	48	23		
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} 106	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24	44	57	44	10	12	7	21	20	20	10	19	22	11	6	3	1	—	} 108	
15	55	52	48	34	24	22	19	16	13	24	10	14	13	2	5	2	—		
33	2	3	—	2	3	4	7	13	15	24	25	44	47	52	23	15	6	} 109A	
8	—	—	1	—	—	3	10	21	29	32	46	67	65	61	35	26	7		
91	24	17	16	5	5	16	12	16	26	21	27	32	27	30	26	16	4	} 109B	
52	7	9	11	12	11	13	16	29	36	38	34	35	50	48	33	21	12		
19	2	—	—	1	3	—	2	2	4	4	9	5	4	2	4	3	1	} 110	
15	—	—	1	3	2	2	1	6	3	2	2	5	9	14	7	3	2		
1	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	} 111	
1	—	—	1	2	2	—	1	—	1	—	—	2	1	1	—	—	—		
—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	} 112	
—	—	—	1	—	1	1	—	1	1	—	—	—	—	1	—	—	1		
3	—	2	—	—	—	1	11	20	37	55	65	61	48	24	13	5	3	} 113	
2	1	2	2	1	2	2	3	10	27	32	25	28	29	18	7	3	—		
—	—	—	1	—	—	—	3	3	6	6	7	11	12	6	6	4	2	} 114	
—	—	—	—	—	—	6	1	7	11	16	17	20	25	14	9	6	2		
6	3	3	2	1	—	3	1	7	6	8	14	9	12	6	7	3	2	} 115	
11	6	—	1	1	3	9	2	5	12	6	13	9	13	15	10	10	7		
—	—	1	—	—	—	1	—	—	1	1	—	—	1	—	—	—	—	} 116	
—	—	—	1	—	—	1	1	1	—	—	—	—	—	1	2	—	—		
10	1	2	4	1	1	—	5	1	5	6	5	4	—	2	1	3	—	} 117	
5	9	7	4	5	4	10	3	4	6	3	1	5	3	5	4	—	1		
1	—	—	—	—	—	1	—	1	3	4	3	3	2	1	—	—	—	} 118	
1	1	—	—	1	2	2	1	—	2	2	6	3	2	2	2	2	—		
67	48	14	22	17	12	13	24	20	26	25	14	17	9	10	3	1	—	} 119	
81	33	24	15	12	14	17	21	27	9	13	14	15	14	8	4	1	1		
6	11	28	33	29	57	62	75	106	178	260	279	304	308	195	125	34	10	} 120	
10	5	24	33	45	49	63	80	105	156	168	191	210	250	151	126	49	17		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	1	—	4	3	2	2	2	4	6	8	11	10	2	2	4	—	2	} 122	
3	—	—	1	3	3	4	5	12	7	8	9	8	2	—	5	—	1		

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List No.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	50 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder { M F	270 71	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	193 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate { M F	508 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of { M male genital organs. { F	9 —	2 —	1 —	— —	— —	3 —	— —	— —	— —	— —
128	Uterine hæmorrhage { M (non-puerperal). { F	— 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non- { M cancerous). { F	— 96	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the { M uterus. { F	— 49	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour { M (non-cancerous). { F	— 95	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the { M female genital organs. { F	— 90	— —	— —	— —	— —	— —	— —	— —	1 —	— —
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	1 5	1 1	— —	— —	— —	1 1	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 90	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 104	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child- { M birth. { F	— 92	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 326	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria { M and convulsions. { F	— 190	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death.	— 77	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the { M breast. { F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
134- 141	All accidents of pregnancy { M and childbirth. { F	— 891	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	184 160	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B. C, D.	Gangrene, other types ... { M F	35 63	3 —	1 —	— 1	1 —	5 1	— 5	2 6	4 10	1 7
143	Carbuncle, Boil ... { M F	61 34	— —	— —	— —	2 2	2 2	— —	— —	— —	— —
144	Phlegmon, Acute abscess { M F	108 80	5 4	2 4	1 4	4 3	12 15	6 4	1 2	2 1	1 2
145	Diseases of the integu- { M mentary system { F	116 150	23 17	17 4	5 7	10 4	55 32	7 1	2 3	1 2	— 1

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)--continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	1	2	1	2	1	2	3	3	4	5	4	5	8	2	4	3	—	123
—	—	—	—	—	—	—	3	1	3	4	3	2	2	2	1	—	1	123
1	—	3	—	1	2	1	3	9	11	17	22	24	31	44	46	34	21	124
—	1	2	1	1	2	2	2	1	4	5	2	3	18	10	9	4	4	124
—	—	—	—	2	2	4	8	8	28	30	21	30	31	17	5	7	—	125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125
—	—	—	—	—	—	1	—	—	2	8	19	65	87	119	120	63	24	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	126
3	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	127
—	—	—	1	1	1	—	—	3	3	—	—	—	—	—	—	—	—	128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	—	—	—	2	5	10	19	18	13	8	8	7	3	2	1	—	129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	1	3	2	8	7	6	5	5	4	4	3	1	—	—	—	130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	—	4	6	4	6	8	8	17	5	12	8	9	4	2	2	131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
1	—	—	3	10	21	18	15	14	4	3	1	—	—	—	—	—	—	132
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
—	—	—	4	6	22	13	34	10	1	—	—	—	—	—	—	—	—	134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	—	9	17	20	28	26	4	—	—	—	—	—	—	—	—	135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	—	13	27	22	23	7	—	—	—	—	—	—	—	—	—	136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	13	54	79	76	60	39	4	1	—	—	—	—	—	—	—	137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	9	48	49	44	26	14	—	—	—	—	—	—	—	—	—	138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	—	8	16	25	18	8	2	—	—	—	—	—	—	—	—	139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	—	1	2	4	—	3	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	26	141	212	204	189	107	11	1	—	—	—	—	—	—	—	134-141
—	—	—	—	—	—	—	—	—	—	—	2	14	39	49	45	27	8	142A
—	—	—	—	—	—	—	—	—	—	—	2	13	21	49	35	19	21	142A
12	7	1	—	—	—	2	—	1	2	2	4	1	2	—	1	—	—	142B,
29	11	1	—	2	2	1	2	—	2	5	7	—	—	1	—	—	—	C. D.
2	—	1	3	1	3	1	1	1	6	6	7	8	8	6	1	3	3	143
2	—	1	—	—	1	1	4	4	1	3	4	4	4	1	3	1	—	143
22	1	3	3	—	4	4	6	6	7	6	6	6	11	9	5	8	1	144
24	1	3	2	4	3	1	—	1	2	6	3	8	6	6	6	4	—	144
65	1	—	—	1	—	1	1	—	2	2	3	2	12	6	13	5	2	145
39	5	2	3	1	2	—	—	2	5	4	14	12	10	19	13	13	6	145

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	{ M F	87 67	2 —	1 1	— 1	4 1	7 3	2 2	1 3	3 1	2 2
147	Diseases of the joints ...	{ M F	21 19	2 1	2 —	— —	1 1	5 2	— —	1 —	— —	1 —
148	Amputations ...	{ M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system.	{ M F	9 2	— —	— —	— —	— —	— —	— 1	1 —	— —	— —
150	Congenital malformations	{ M F	524 450	279 244	84 76	38 36	31 33	432 389	21 15	9 6	11 2	3 7
151A	Premature birth ...	{ M F	2,820 2,159	2,553 1,936	233 198	29 20	5 5	2,820 2,159	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema.	{ M F	1,436 1,103	780 583	340 271	220 162	96 87	1,436 1,103	— —	— —	— —	— —
152	Other diseases peculiar to early infancy.	{ M F	340 253	321 237	19 16	— —	— —	340 253	— —	— —	— —	— —
153	Lack of care ...	{ M F	40 46	39 46	1 —	— —	— —	40 46	— —	— —	— —	— —
154	Old age ...	{ M F	3,508 4,891	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ...	{ M F	33 40	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ...	{ M F	43 28	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	{ M F	114 56	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ...	{ M F	96 107	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ...	{ M F	28 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	{ M F	135 55	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	{ M F	20 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ...	{ M F	16 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ...	{ M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ...	{ M F	12 17	— —	— —	— —	— —	— —	— —	1 —	1 1	— —
165	Other acute poisonings ...	{ M F	32 14	— —	— —	— —	1 —	1 —	4 1	3 2	1 —	2 —
166	Conflagration ...	{ M F	8 8	— —	— —	— —	— —	— —	1 —	— 1	1 2	— —
167	Burns (conflagration ex- cepted).	{ M F	402 567	— 1	2 —	2 5	14 14	18 20	85 56	74 53	49 55	30 54
168	Absorption of deleterious gases (conflagration excepted)	{ M F	172 157	60 51	32 36	21 24	9 8	122 119	3 4	1 3	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
15 14	17 16	20 6	8 7	5 3	— 3	2 1	2 2	1 1	— 2	— 3	7 —	1 5	4 —	2 4	1 —	2 —	— —	} 146
7 2	3 3	2 —	— 2	— —	— —	— 1	2 1	— —	1 —	1 1	— 1	— —	4 2	— 1	— 2	— 2	1 1	
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 148
1 1	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	2 —	1 —	— —	1 1	2 —	— —	— —	
476 419	20 11	5 6	9 7	3 2	2 1	2 2	2 —	1 1	2 —	— 1	1 —	— —	— —	1 —	— —	— —	— —	} 150
2,820 2,159	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1,436 1,103	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151 B-E
340 253	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
40 46	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 4	8 17	72 78	279 257	748 835	1,034 1,268	833 1,274	529 1,158	
— —	— —	— —	1 3	1 6	— 5	1 5	5 5	5 1	6 5	4 7	3 2	1 —	4 1	1 —	1 —	— —	— —	} 155
— —	— —	— —	— —	1 2	1 5	4 3	6 5	4 3	8 1	4 5	7 1	4 2	3 1	— —	1 —	— —	— —	
— —	— —	— —	3 —	— 1	5 1	3 9	10 7	10 9	17 7	16 2	15 7	17 4	11 4	5 3	1 1	1 —	1 —	} 157
— —	— —	1 —	1 10	2 14	5 13	6 12	3 11	8 8	20 12	17 13	12 7	11 3	5 2	3 2	2 —	— —	— —	
— —	— —	— —	1 —	— —	3 —	1 2	6 —	2 —	3 —	7 1	1 —	2 —	— —	— —	1 —	1 —	— —	} 159
— —	— —	— —	— —	2 —	6 8	11 4	14 3	11 8	18 4	18 11	20 7	11 5	11 1	6 —	5 1	4 —	1 —	
— —	— —	— —	— —	1 —	2 1	4 —	1 2	3 1	4 1	3 —	2 2	— —	1 1	1 —	— 2	— —	1 —	} 161
— —	— —	— —	1 —	1 —	1 —	1 2	4 1	1 1	2 1	2 —	2 —	1 —	— 1	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 163
2 1	1 1	— —	1 1	— —	— 2	— 1	— 5	1 1	4 —	— 1	2 —	— 1	— 1	1 1	— 1	— —	— —	
11 3	2 —	1 1	2 1	— —	1 3	1 —	2 1	1 —	5 2	3 3	3 —	— —	— —	— —	— —	— —	— —	} 165
2 3	— 1	— —	1 —	— —	— —	— —	— —	— —	2 —	— —	1 1	— 1	1 —	— 1	— —	— 1	1 —	
256 238	55 131	6 44	10 17	5 13	5 8	8 10	5 4	5 6	11 7	7 13	6 13	7 8	1 16	7 12	2 16	3 9	3 2	} 167
126 126	— —	1 —	5 —	2 4	3 2	3 1	4 1	3 1	4 1	6 2	4 3	3 1	— 3	5 2	2 4	— 3	1 3	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	432 123	3 1	—	1 2	1 —	5 3	3 5	11 4	10 3	11 1
170	Injury by firearms ... { M F	4 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or piercing instruments. { M F	9 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —
172	Injury by fall ... { M F	635 409	— —	1 —	2 —	1 3	4 3	8 4	8 2	3 3	7 2
173	Injury in mines and quarries { M F	121 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	144 15	— —	— —	— —	— —	— —	— —	— 1	— —	1 —
175	Injury by other crushing (vehicles, railways, landslides, &c.). { M F	820 201	— —	— —	— —	2 —	2 —	9 11	10 8	20 13	26 11
176	Injury by animals ... { M F	18 2	— —	— —	— —	1 —	1 —	— —	— —	— 1	— —
177	Starvation ... { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	10 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	9 3	— —	— —	— 1	1 —	1 1	1 —	— —	2 —	— —
180	Lightning... { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	15 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	6 10	— 1	— 1	— —	— —	— 2	1 —	1 1	— —	— —
184	Homicide by other means { M F	19 20	7 5	1 1	— 1	— 1	8 8	1 1	2 —	— —	— —
185	Fractures (cause not specified). { M F	19 4	— 2	— —	— —	— —	— 2	— —	— —	— —	— —
186	Other violence ... { M F	318 93	2 5	3 3	5 1	5 6	15 15	3 5	2 1	1 2	3 3
155- 186	All violence ... { M F	3,697 1,962	72 66	39 41	31 34	35 32	177 173	119 87	113 76	88 80	81 71
187	Dropsy ... { M F	4 7	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	50 29	— —	— —	— —	— —	— —	— —	1 —	— —	— —
188B	Sudden death (not other- wise defined). { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	203 183	— —	— —	— —	— —	— —	1 1	1 —	— 2	2 —
189 B-E.	Other ill-defined causes... { M F	163 166	9 4	3 3	5 5	3 2	20 14	57 62	18 19	4 10	7 3
189F	Cause not specified ... { M F	13 9	4 5	1 —	— —	— —	5 5	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
40 16	71 12	49 6	32 8	15 6	13 7	23 11	25 7	31 13	33 10	20 4	22 8	19 5	17 3	13 4	9 2	— 1	—	169	
— —	— —	— —	2 2	— 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	170	
1 —	1 —	1 —	1 —	1 —	— —	1 —	— —	— 1	— —	1 —	1 —	— —	— —	1 —	— —	— —	— —	171	
30 14	26 8	30 3	33 4	11 9	15 6	16 4	34 8	42 8	51 9	51 17	38 30	50 21	70 39	55 57	34 63	26 61	23 48	172	
— —	— —	5 —	25 —	8 —	13 —	7 —	8 —	15 —	13 —	7 —	8 —	9 —	3 —	— —	— —	— —	— —	173	
1 1	1 —	15 1	21 3	2 3	12 4	11 —	13 2	12 —	10 —	17 1	14 —	10 —	5 —	— —	— —	— —	— —	174	
67 43	100 29	60 7	69 8	13 8	13 8	23 4	50 7	36 6	57 9	71 12	49 5	61 14	68 12	40 14	22 9	13 2	8 4	175	
1 1	2 —	2 1	2 —	— —	— —	1 —	2 —	3 —	— —	— —	2 —	1 —	1 —	1 —	— —	— —	— —	176	
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	177	
— —	— —	— —	— —	— —	— —	— —	— —	1 1	— 1	1 —	2 —	2 —	1 —	1 1	2 —	— —	1 —	178	
4 1	1 —	1 2	2 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	179	
— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	180	
— —	1 —	3 —	3 —	1 —	1 —	— —	1 —	1 —	3 —	— —	1 —	— —	— —	— —	— —	— —	— —	181	
— —	— —	— —	1 —	— —	— —	— 1	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	182	
2 3	1 —	— —	— —	— 1	1 1	1 2	— 1	— 1	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	183	
11 9	1 1	— —	— —	— 2	— 5	— —	1 2	1 —	2 —	— —	1 —	— —	— 1	— —	— 1	— —	— —	184	
— 2	— —	1 —	1 —	— —	2 —	1 —	1 —	2 —	5 —	1 —	1 —	1 1	1 —	— —	2 1	— —	— —	185	
24 26	7 7	13 —	14 6	41 9	34 3	26 5	37 8	35 5	30 3	25 3	12 4	8 3	5 3	5 4	1 2	1 —	2 —	186	
578 487	271 190	189 65	233 63	105 81	137 82	152 76	234 82	233 75	310 74	281 95	229 90	220 69	208 90	145 101	86 103	49 77	37 62	155- 186	
— 1	— —	— —	— —	— —	1 —	— —	— 1	— —	2 —	— 2	1 —	— —	— 2	— —	— —	— —	— —	187	
1 —	2 1	— —	1 —	— —	1 1	— 1	3 1	5 —	6 —	5 4	8 6	5 9	13 6	— —	— —	— —	— —	188A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	188B	
4 3	1 4	5 7	2 3	1 7	5 6	2 6	9 8	13 12	13 17	34 21	30 26	45 34	39 29	— —	— —	— —	— —	189A	
106 108	6 3	— 2	3 3	— 2	1 3	2 3	— 2	4 3	2 1	8 6	6 9	6 4	10 8	5 4	3 4	1 —	— 1	189 B-E.	
5 5	— —	— —	— —	1 —	— —	— —	— —	1 1	2 2	3 —	— —	— —	1 —	— —	— —	— —	— —	189F	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M 199 F 131		—	—	—	—	—	—	—	—	—
45	Cancer of other or un- specified organs. { M 1,341 F 793		1	—	—	1	2	4	7	1	3
39-45	Cancer (all sites) ... { M 5,725 F 7,836		1	—	2	1	4	4	8	2	5
46	Other tumours (situation undefined). { M 34 F 25		—	—	1	—	1	—	—	—	—
47	Rheumatic fever... { M 240 F 276		—	—	—	1 2	1 2	—	2 2	2 1	7 2
48 A,B	Chronic rheumatism, Osteo-arthritis. { M 178 F 483		—	—	—	—	—	—	—	—	—
48C	Gout ... { M 63 F 15		—	—	—	—	—	—	—	—	—
49	Scurvy ... { M 5 F 12		—	1	—	—	1	2	—	—	—
50	Diabetes ... { M 614 F 664		—	—	—	—	—	—	1 2	—	1
51	Exophthalmic goitre ... { M 14 F 94		—	—	—	—	—	—	—	—	—
52	Addison's disease ... { M 31 F 33		—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lympha- denoma. { M 120 F 89		— 1	—	—	—	— 1	1 1	1 1	2 —	4 1
54	Anæmia, Chlorosis ... { M 343 F 461		—	3 2	1 —	1 —	5 2	1 1	1 2	3 2	1 1
55	Other general diseases ... { M 75 F 78		7 4	4 3	2 2	2 3	15 12	2 2	4 3	3 4	4 —
56	Alcoholism (acute or chronic). { M 23 F 10		—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning... { M 11 F —		—	—	—	—	—	—	—	—	—
58	Other chronic occupa- tional poisonings. { M 1 F 3		—	—	—	—	—	—	—	—	—
59	Other chronic poisonings { M — F 1		—	—	—	—	—	—	—	—	—
60	Encephalitis ... { M 58 F 53		1 —	—	1 1	1 —	3 1	— 2	1 —	1 1	— 1
61A	Cerebro-spinal fever ... { M 73 F 64		—	1 —	— 3	4 5	5 8	3 5	3 —	4 1	3 3
61B	Posterior basal meningitis { M 17 F 16		—	1 —	2 2	2 3	5 5	2 4	— 1	2 1	1 1
61C	Meningitis, other forms { M 521 F 483		7 7	16 13	28 17	66 44	117 81	87 67	49 31	28 38	30 21
62	Locomotor ataxy ... { M 184 F 33		—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord. { M 508 F 435		—	— 1	1 1	1 1	2 3	3 5	1 3	2 2	— 1

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— 1	— —	— 1	— —	— —	1 2	1 1	3 3	6 6	12 2	18 8	28 12	30 6	22 21	25 22	25 18	15 15	13 13	} 44
17 15	6 4	14 7	22 15	8 9	12 9	12 18	22 31	51 38	86 67	158 98	194 74	203 104	219 101	176 92	99 68	31 26	11 17	
23 20	8 7	17 13	24 22	11 20	19 39	37 108	75 269	202 454	379 706	652 908	813 971	986 1059	977 1069	767 970	480 744	179 299	76 158	} 39-45
1 —	1 —	— 1	— 1	1 —	— 1	1 —	— —	4 —	1 1	5 4	5 2	3 1	2 3	4 7	2 2	3 2	1 —	
12 7	18 30	45 45	37 36	16 35	15 19	15 20	15 11	11 13	12 14	11 14	12 10	10 7	6 6	1 3	3 6	1 —	— —	} 47
— —	— —	— —	— 1	— —	— 3	— 2	5 12	3 12	12 21	10 46	22 47	25 60	36 75	31 95	23 71	6 20	5 18	
— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	3 —	10 1	12 2	10 1	8 2	9 5	4 2	4 2	} 48C
3 10	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	
2 3	8 11	13 12	19 23	22 28	30 23	33 25	28 42	26 29	33 30	47 50	60 66	71 85	98 102	57 61	47 45	12 19	8 10	} 50
— —	— —	— —	1 1	— 7	1 12	1 7	1 9	3 17	1 10	3 12	1 6	1 8	1 4	— —	— 1	— —	— —	
1 —	— —	— —	1 1	1 2	2 2	2 1	4 3	3 3	5 5	3 3	1 5	3 1	6 2	— 2	— 2	— —	— —	} 52
8 4	8 3	7 —	6 7	10 5	4 4	5 7	14 9	8 10	10 8	9 7	10 9	9 6	7 5	4 3	— 2	1 —	— —	
11 8	5 3	5 5	4 11	3 13	2 14	14 10	8 27	23 34	36 50	42 49	42 57	58 52	44 69	32 41	11 14	2 3	1 1	} 54
28 21	2 12	7 6	3 3	2 4	1 3	1 4	1 2	2 2	4 2	7 2	4 2	2 3	6 8	2 —	1 3	1 —	1 1	
— —	— —	— —	— —	— —	1 1	2 —	— 1	6 —	2 1	4 1	3 3	4 —	— 1	— 2	— —	1 —	— —	} 56
— —	— —	— —	— —	— —	— —	1 —	— —	1 —	2 —	2 —	2 —	2 —	— —	1 —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 58
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 5	5 2	5 7	3 3	1 7	4 3	3 3	2 4	4 3	6 5	3 2	8 2	3 3	2 1	3 1	— —	— 2	1 —	} 60
18 17	14 17	13 6	8 4	— 6	1 4	5 2	5 1	1 2	3 3	1 2	1 —	1 —	2 —	— —	— —	— —	— —	
10 12	2 2	2 2	— —	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	} 61B
311 238	57 78	36 41	26 40	7 23	11 15	11 8	8 6	10 7	12 4	8 6	13 2	4 4	2 6	4 1	— 1	1 3	— —	
— —	— —	— —	— —	— —	1 1	4 1	8 2	16 2	29 2	26 5	28 5	27 7	28 4	12 2	5 2	— —	— —	} 62
8 14	10 10	17 7	15 7	11 4	10 18	17 16	20 18	27 29	33 32	45 44	48 37	59 49	75 55	68 45	32 33	10 12	3 5	

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)---continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
7 4	3 2	3 8	6 6	2 7	4 8	9 17	29 40	58 79	113 171	223 303	343 404	480 569	606 693	635 760	509 751	289 424	113 228	} 64
— —	— —	— —	— 1	— —	1 2	2 2	2 2	6 2	3 5	10 16	16 13	24 26	37 37	34 27	20 36	18 27	7 8	
1 2	1 1	1 1	— 1	1 —	— 2	— 1	4 4	5 5	10 14	18 24	29 23	41 33	46 63	57 81	49 94	26 47	7 25	} 66
— —	— —	— —	2 —	1 2	3 3	40 8	87 15	80 15	92 18	55 9	37 17	23 6	12 2	2 3	1 1	— —	— —	
— —	— —	— —	— 3	3 3	— 7	10 14	7 13	12 25	22 21	24 30	27 29	30 25	22 23	18 19	3 12	3 6	— —	} 68
40 9	27 21	25 28	52 19	68 34	52 47	51 50	56 39	49 43	47 48	45 32	28 30	29 21	38 32	19 20	15 14	2 5	2 2	
— —	11 19	1 3	— —	— —	— —	— 1	— 1	— —	1 —	— —	1 —	2 1	— —	1 —	— —	— —	— —	} 70
1,246 908	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— 1	2 2	1 7	2 8	1 1	— 1	— —	1 —	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	} 72
— 1	— —	— —	— —	— 1	— 1	1 —	1 —	4 2	— 2	4 6	3 5	7 3	9 10	2 2	— 6	1 3	— —	
44 25	18 21	17 15	25 14	13 12	16 16	18 13	30 19	30 34	44 35	40 36	40 35	36 29	15 25	22 24	10 12	6 8	2 7	} 74
3 1	— —	— 1	1 —	— —	— —	— —	— 1	— —	1 —	— —	— —	— —	2 —	— 2	— —	1 1	— —	
10 8	2 5	7 5	8 4	2 2	1 1	5 1	— —	3 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 76A
46 28	18 17	14 18	5 16	3 4	6 4	5 3	2 3	4 3	3 3	4 3	2 3	1 1	1 2	— —	— —	— —	1 1	
2 1	2 3	3 4	5 2	1 3	2 4	3 3	1 3	2 —	7 2	4 3	6 3	6 3	2 3	— 3	— 3	1 —	— 1	} 77
5 12	10 17	10 10	10 18	9 25	8 19	9 20	13 23	11 20	16 21	21 22	28 36	11 9	1 4	3 2	2 —	— —	— 1	
5 10	30 23	53 73	76 104	95 97	109 130	86 155	130 204	164 203	197 233	306 285	336 363	455 418	529 518	441 496	305 401	145 210	54 123	} 79A
— —	1 —	— —	1 —	— —	— 2	1 1	6 12	4 12	14 14	20 32	46 44	39 51	47 51	53 56	40 55	13 23	4 7	
10 8	10 14	29 38	31 42	29 36	49 59	52 82	62 113	75 89	160 145	190 202	325 276	452 424	600 574	597 666	469 572	257 365	129 234	} 79C
— —	— —	— 1	— —	— —	— 1	2 —	4 1	2 1	10 1	21 10	32 12	46 10	23 19	41 22	14 7	7 3	3 3	
— —	— —	— —	1 —	— —	1 —	3 2	7 2	22 3	37 6	29 8	28 1	27 4	13 2	9 3	1 3	— 2	1 1	} 81A
— —	— —	— —	— —	— 1	— —	1 2	4 1	9 2	34 12	50 22	112 36	165 70	249 147	345 201	303 230	190 180	98 113	
— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	2 1	3 1	3 2	5 2	6 3	5 2	2 2	1 5	} 81C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 338	—	—	—	—	—	—	1	—	—
		F 520	—	—	—	—	—	—	—	—	—
82B	Other embolism and thrombosis. {	M 42	—	—	—	—	—	—	1	1	—
		F 49	—	—	—	—	—	—	—	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 24	—	—	—	—	—	—	—	—	—
		F 63	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ... {	M 18	2	1	8	2	13	1	—	1	—
		F 23	3	4	2	1	10	2	4	—	—
84B	Other diseases of the lymphatic system. {	M 24	—	1	—	2	3	4	1	1	1
		F 12	—	—	—	2	2	1	—	2	—
85	Hæmorrhage; other diseases of the circulatory system. {	M 45	—	—	—	—	—	—	—	—	1
		F 32	—	—	—	—	—	—	—	—	—
86	Diseases of the nasal fossæ. {	M 10	1	2	—	1	4	—	—	—	—
		F 8	2	2	—	1	5	—	1	—	—
87	Diseases of the larynx ... {	M 180	3	3	7	17	30	29	21	26	21
		F 132	1	1	1	8	11	21	26	20	13
88	Diseases of the thyroid body. {	M 14	—	—	—	—	—	—	—	—	—
		F 75	—	—	—	—	—	—	—	1	—
89 & 90	Bronchitis ... {	M 6,191	127	277	250	377	1,031	344	113	62	30
		F 6,220	71	183	180	294	728	350	114	60	33
91	Broncho-pneumonia ... {	M 3,617	44	144	279	658	1,125	830	371	203	111
		F 3,456	31	101	185	500	820	771	370	234	150
92A	Lobar pneumonia ... {	M 1,857	3	6	11	42	62	48	45	27	28
		F 1,525	—	12	14	27	53	48	26	27	25
92B	Pneumonia (type not stated). {	M 3,077	16	36	49	165	266	190	108	89	50
		F 2,690	15	15	25	92	147	151	109	73	59
93	Pleurisy ... {	M 241	—	—	—	1	1	6	3	3	2
		F 190	1	—	—	2	3	1	5	2	3
94	Pulmonary congestion, Pulmonary apoplexy. {	M 163	4	6	5	8	23	5	2	—	—
		F 237	4	4	8	3	19	6	3	2	1
95	Gangrene of the lung ... {	M 20	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M 430	—	—	1	—	1	—	1	—	2
		F 312	—	—	—	—	—	2	—	—	1
97	Pulmonary emphysema {	M 50	—	—	—	—	—	—	—	—	—
		F 17	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung... {	M 64	—	—	—	—	—	—	—	—	—
		F 19	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system. {	M 45	—	1	2	—	3	—	—	1	—
		F 41	—	—	—	3	3	—	—	—	1
99A	Diseases of the teeth and gums. {	M 31	3	2	1	—	6	—	—	—	—
		F 38	2	2	1	1	6	4	—	1	—
99B, C.D.	Other diseases of the mouth and annexa. {	M 25	4	10	—	2	16	4	1	—	—
		F 23	5	3	1	2	11	2	1	—	—
100	Diseases of pharynx, Tonsillitis. {	M 76	1	—	1	1	3	2	8	4	2
		F 102	1	1	—	1	3	4	11	13	8

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1 —	2 —	— 2	1 1	1 5	2 1	1 7	3 11	10 12	9 23	18 29	30 27	34 59	59 57	64 69	44 92	37 62	22 63	} 82A
— 2	— —	1 1	— 1	— 4	— 2	2 3	3 5	1 1	— 5	5 4	4 3	4 6	6 5	6 2	5 3	1 2	2 2	
— —	— —	— —	— —	— —	— —	1 1	1 4	3 5	1 7	1 6	5 7	1 8	4 8	2 9	2 4	2 4	1 —	} 83
15 16	— 3	2 2	1 —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
10 5	— —	— —	1 —	— 1	— —	1 —	— —	1 —	1 —	1 1	— 3	2 —	3 1	4 —	— —	— 1	— —	} 84B
1 —	— —	— —	— 2	2 1	— 1	2 —	1 3	4 5	5 —	4 —	4 2	3 4	6 4	8 3	5 6	— 1	— —	
4 6	3 —	— —	1 —	— 1	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	} 86
127 91	31 24	6 4	1 —	— —	— 2	2 2	— 1	— —	— 1	2 1	2 2	2 —	3 2	3 1	— —	1 1	— —	
— 1	— 1	2 —	3 4	1 2	1 1	— 4	— 1	— 3	1 11	2 5	2 4	1 10	1 10	— 5	— 10	— 3	— —	} 88
1,580 1,285	50 51	20 18	13 31	17 24	32 50	44 60	59 72	103 100	159 119	205 185	354 243	575 448	839 666	821 914	712 877	377 623	231 454	
2,640 2,345	211 219	53 61	36 32	22 43	27 47	30 46	34 35	29 34	58 36	56 55	75 61	91 67	84 90	73 101	55 95	29 45	14 44	} 91
210 179	74 71	60 54	87 87	64 116	123 171	118 149	135 90	153 88	163 78	154 81	130 74	119 79	114 79	95 63	34 42	14 19	10 5	
703 539	154 141	93 113	113 133	83 194	159 254	187 197	182 169	171 133	185 128	211 111	219 78	170 114	174 106	125 114	92 99	40 34	16 33	} 92B
15 14	14 6	7 4	12 1	8 8	11 9	9 11	9 16	9 11	21 11	20 21	22 9	27 15	21 13	19 12	9 16	7 8	1 5	
30 31	2 5	1 2	— 1	1 1	2 2	2 2	4 5	6 5	6 5	7 7	2 10	8 13	9 18	21 29	27 37	17 28	18 36	} 94
— —	1 —	1 —	— —	4 2	— —	1 2	1 2	1 —	— —	3 1	2 1	1 1	3 —	2 —	— 1	— 1	— —	
4 3	7 —	1 2	3 2	1 4	11 11	16 15	17 9	30 23	38 29	60 39	43 30	59 30	61 42	40 35	26 21	12 7	1 10	} 96
— —	— —	— —	— —	— —	— 1	— 1	— —	3 2	4 —	4 —	8 2	9 2	7 3	10 1	2 1	3 3	— 1	
— —	— —	— 1	— —	— 2	1 —	— —	3 1	7 3	11 —	8 3	14 1	7 1	11 4	— 1	2 1	— —	— 1	} 98A
4 4	4 2	— 1	— —	— 3	— 2	3 3	1 1	3 2	2 3	6 3	6 2	8 4	4 3	3 3	— 4	1 —	— 1	
6 11	1 1	3 2	1 5	— 3	— 3	1 2	3 1	2 2	— 2	3 2	2 3	5 1	3 —	1 —	— —	— —	— —	} 99A
21 14	— 2	— —	— —	— —	— —	— 1	1 1	— —	— —	— 1	— —	— 1	— —	— —	2 3	1 —	— —	
19 39	19 23	14 6	1 8	2 2	1 —	1 2	5 2	1 2	2 3	3 3	3 1	1 3	1 3	2 1	1 2	— 1	— 1	} 100
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	11 5	— —	— —	— —	— —	— —	— —	— —	— 1	— —
102	Perforating ulcer of { M F	308 310	1 —	— —	1 —	— —	2 —	— —	— —	— —	1 —
103A	Inflammation of stomach { M F	437 452	37 20	88 43	51 40	31 34	207 137	26 34	7 15	8 12	5 6
103B	Other diseases of the { M F	76 92	5 2	2 4	3 2	3 1	13 9	1 —	1 2	2 1	— 1
104 & 105.	Diarrhœa and enteritis ... { M F	2,060 1,652	98 54	280 191	374 251	304 252	1,056 748	220 179	80 68	42 35	29 20
106	Ankylostomiasis ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	4 2	— —	— —	— —	— —	— —	1 —	— 1	1 —	1 —
108	Appendicitis ... { M F	375 386	— 1	— —	— —	1 —	1 1	— —	1 6	3 3	7 7
109A	Hernia ... { M F	293 407	1 3	7 1	7 —	3 —	18 4	6 —	— 1	2 —	— —
109B	Intestinal obstruction ... { M F	446 485	5 6	3 1	30 10	26 18	64 35	19 5	5 4	7 2	4 5
110	Other diseases of the { M F	61 69	— —	3 1	2 1	2 3	7 5	2 1	1 1	— —	— —
111	Acute yellow atrophy of { M F	7 9	— —	— —	— —	— —	— —	— —	1 —	— —	— —
112	Hydatid of liver ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	364 211	— —	— —	— —	— —	— —	— 1	— —	— —	— —
114	Biliary calculi ... { M F	51 150	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	95 142	— —	— —	2 2	1 1	3 3	1 2	2 2	2 1	— 2
116	Diseases of the spleen ... { M F	6 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- stated). { M F	45 70	1 —	2 2	1 —	— 2	4 4	1 —	1 1	3 2	— —
118	Other diseases of the { M F	21 25	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
119	Acute nephritis ... { M F	300 273	1 2	1 2	2 2	3 3	7 9	19 17	13 18	15 11	8 7
120	Bright's disease ... { M F	1,897 1,667	— —	— —	— —	1 —	1 —	1 1	1 3	2 2	3 4
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	70 70	1 —	— —	— —	— —	1 —	1 1	1 —	— —	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—*continued.*

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— 1	— —	— —	— —	— —	— —	— —	— —	— —	2 1	3 1	— 1	1 —	2 —	2 —	1 1	— —	— —	} 101
3 —	2 —	— —	4 7	4 12	12 16	20 30	23 31	40 35	45 37	41 42	38 34	31 29	24 14	13 14	6 6	— 2	2 1	
253 204	10 16	1 3	3 5	2 3	5 2	2 8	6 3	6 8	16 9	13 11	14 18	24 25	21 23	24 33	19 42	15 23	3 16	} 103A
17 13	2 4	1 5	3 2	— 1	1 3	2 3	2 5	3 3	3 4	9 3	7 2	10 6	5 7	5 8	2 13	1 7	3 3	
1,427 1,050	53 53	25 18	15 20	8 14	14 16	20 25	27 26	27 23	48 40	37 39	59 38	65 40	77 48	61 55	53 67	31 37	13 43	} 104 & 105.
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
3 1	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 107
12 17	59 64	76 56	51 46	16 30	21 22	14 18	19 17	16 23	27 19	12 21	17 15	7 9	12 18	11 5	4 5	— 1	1 —	
26 5	3 1	— 1	1 1	1 —	1 2	4 6	2 6	6 29	13 25	19 27	28 48	38 66	41 51	40 64	46 38	16 25	8 12	} 109A
99 51	14 14	14 6	15 11	9 10	10 17	11 13	12 20	14 32	13 30	29 28	33 31	38 31	39 46	39 46	30 48	16 39	11 12	
10 7	1 —	2 —	— 1	— 2	— 1	1 —	1 3	3 4	5 6	3 7	6 3	7 5	6 6	9 7	4 3	1 8	2 6	} 110
1 —	1 —	— —	— —	— 2	— 1	1 —	— 2	1 1	— —	— 1	2 1	— 1	— —	1 —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 112
— 1	3 1	— —	— —	— 1	2 1	5 2	5 6	17 10	43 25	53 27	62 32	66 35	66 31	29 15	11 18	2 5	— 1	
— —	— —	— —	— —	— 1	— 3	1 —	1 5	4 4	5 6	5 10	11 15	6 30	9 18	5 33	1 16	2 4	1 5	} 114
8 10	3 4	1 1	2 —	1 2	1 2	1 3	1 2	14 9	5 5	13 9	6 14	10 18	10 21	6 13	7 12	3 10	3 7	
— —	— —	— —	— —	— 1	— 2	1 —	— —	2 2	— 2	1 —	— —	1 1	1 2	— —	— —	— —	— —	} 116
9 7	6 10	— 3	2 2	1 4	1 4	1 7	2 5	— 4	5 6	7 2	1 4	4 3	2 2	1 3	2 3	— —	1 1	
1 —	— —	— 1	— 1	— —	2 —	— 1	1 —	2 3	2 4	1 4	5 3	3 2	2 1	1 1	1 3	— —	— 1	} 118
62 62	31 20	22 11	13 24	5 11	12 15	10 15	21 14	17 19	14 15	17 21	22 3	19 10	19 14	8 11	4 4	4 4	— —	
8 10	8 10	20 21	17 24	18 37	34 47	49 54	54 81	94 97	127 136	189 160	214 183	286 183	273 216	240 199	179 133	63 55	24 21	} 120
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 1	1 1	1 1	1 1	2 3	3 —	2 5	3 3	6 5	5 9	3 7	5 7	9 4	10 6	10 10	3 4	2 3	1 —	} 122

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	53 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	320 76	— —	— —	— —	— —	— —	— —	1 —	— —	— —
125	Diseases of the urethra, Urinary abscess, &c. { M F	119 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	618 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M F	8 —	1 —	1 —	— —	— —	2 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M F	— 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M F	— 110	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M F	— 54	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous) { M F	— 93	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M F	— 56	— —	— —	— —	— —	— —	— —	— —	— —	— —
133	Non-puerperal dis. of the breast (non-cancerous). { M F	— 12	— 1	— 3	— —	— —	4 —	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 98	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 101	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 114	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 278	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 194	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 79	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
134-141	All accidents of pregnancy and childbirth. { M F	— 878	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	198 181	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	31 35	1 1	— 1	1 —	— —	2 2	— 1	3 2	2 3	2 1
143	Carbuncle, Boil ... { M F	63 28	1 —	— —	— —	— —	1 —	— 1	— —	— —	— —
144	Phlegmon, Acute abscess { M F	93 83	7 5	4 9	2 1	— —	13 15	3 3	1 1	— —	— —
145	Diseases of the integumentary system. { M F	133 150	19 24	16 8	10 2	7 6	52 40	10 5	— 2	1 —	1 —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	2	—	1	1	2	2	5	6	3	5	4	7	9	6	—	—	} 123
—	—	—	—	2	1	2	3	4	1	4	4	2	1	—	—	1	—	
1	—	2	1	1	—	4	3	4	5	11	20	24	43	61	74	48	18	} 124
—	1	1	—	—	3	1	3	1	2	—	3	4	12	8	18	9	10	
—	—	—	—	—	1	1	5	11	8	20	16	13	19	16	7	1	1	} 125
—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	6	18	59	123	143	149	80	39	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	2	—	2	2	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	1	1	—	1	2	1	4	—	1	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	3	10	16	25	16	9	9	4	7	6	3	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	4	—	5	5	8	9	8	—	5	3	1	3	1	2	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	9	—	2	8	11	10	7	10	11	8	6	3	4	3	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	5	16	6	13	6	2	1	2	—	2	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	—	—	1	1	—	—	1	1	1	—	1	—	—	2	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	10	15	26	24	18	4	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	9	8	38	24	20	2	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	15	25	27	28	14	4	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	7	54	70	69	55	23	—	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	19	41	46	41	23	23	1	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	10	17	23	13	11	3	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	2	5	1	1	2	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	31	142	186	225	168	112	14	—	—	—	—	—	—	—	—	} 134 141
—	—	—	—	—	—	—	—	—	—	—	1	12	26	43	55	42	19	
—	—	—	—	—	—	—	—	—	—	—	—	8	20	37	48	45	23	} 142A
9	8	—	1	1	—	1	—	1	2	1	—	—	1	4	1	1	—	
9	7	2	2	—	—	2	3	1	1	—	3	2	2	—	—	1	—	} 142B, C, D.
1	—	—	2	1	—	1	2	8	9	7	5	7	10	4	5	1	—	
1	—	—	—	2	1	1	1	2	—	2	2	3	1	7	2	3	—	} 143
17	3	—	2	1	1	5	1	4	7	4	5	10	8	13	3	6	3	
19	1	—	—	1	3	1	1	1	5	7	11	10	5	1	5	5	7	} 144
64	1	—	1	1	1	—	—	4	2	5	2	9	7	10	17	7	2	
47	2	3	3	2	1	3	—	2	1	4	7	4	9	12	18	16	16	} 145
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	89 41	1 —	1 1	2 —	1 1	5 2	2 1	3 —	2 1	1 1
147	Diseases of the joints ... { M F	26 25	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —
148	Amputations ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	2 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	570 440	305 219	108 78	32 42	28 22	473 361	23 17	13 3	6 10	3 3
151A	Premature birth ... { M F	2,460 1,889	2,236 1,708	189 156	26 21	9 4	2,460 1,889	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	1,410 954	848 547	349 239	138 98	75 70	1,410 954	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	382 251	362 235	20 16	— —	— —	382 251	— —	— —	— —	— —
153	Lack of care ... { M F	46 40	44 40	2 —	— —	— —	46 40	— —	— —	— —	— —
154	Old age ... { M F	3,976 5,545	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	23 40	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	26 24	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	125 51	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	105 113	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	35 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	126 40	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	16 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	25 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	17 13	— —	— —	— —	1 —	1 —	1 —	— —	1 —	— —
165	Other acute poisonings ... { M F	18 22	— —	— —	— —	1 —	1 —	3 —	2 4	— —	— 1
166	Conflagration ... { M F	5 5	— —	— —	— —	— —	— —	— —	— —	— —	2 —
167	Burns (conflagration ex- cepted). { M F	266 384	— —	— —	— 1	13 9	13 10	47 34	48 35	40 33	15 34
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	110 94	31 27	27 22	7 20	4 8	69 77	1 3	1 1	— —	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
13 5	24 12	10 6	7 1	3 1	1 —	2 1	1 —	4 1	1 1	— 1	5 3	6 2	5 3	4 2	2 1	1 1	— —	} 146	
2 —	3 2	1 2	— —	1 —	— —	1 —	— 1	1 —	4 2	2 3	1 2	4 3	3 1	1 4	— 1	1 3	1 1		
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 147	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— 1	1 1	— —	} 148	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
518 394	18 12	13 15	9 8	2 1	3 1	2 2	1 2	— 1	2 1	— 1	1 —	— 1	1 1	— —	— —	— —	— —	} 149	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
2,460 1,889	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 150	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1,410 954	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
382 251	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151, B-E	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
46 40	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 152	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 2	7 14	47 69	178 214	765 830	1,196 1,389	1,000 1,485	779 1,542	} 153	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	2 —	— 2	1 2	2 5	— 5	2 7	1 8	8 2	4 3	2 3	1 1	— 2	— —	— —	— —	— —	} 154	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	1 1	2 2	1 2	3 2	3 4	4 5	2 2	3 1	2 1	2 2	2 1	1 1	— —	— —	} 155	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	1 —	5 —	1 4	4 2	5 4	9 3	15 6	15 3	15 5	16 7	12 7	10 5	9 3	3 1	3 —	2 1	} 156	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	3 2	3 12	2 11	4 12	2 14	11 10	10 13	12 8	12 8	14 8	7 5	9 6	8 2	6 2	2 —	— —	} 157	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	1 —	1 —	1 —	2 1	6 2	3 —	4 1	4 —	4 —	3 —	1 —	4 —	1 —	— —	— —	— —	} 158	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	1 —	6 6	9 3	12 3	11 7	16 4	15 6	16 5	20 1	11 2	9 1	— 1	— 1	— —	} 159	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	1 1	— —	2 1	3 1	— 2	3 —	1 2	1 1	3 2	2 2	— 1	— —	— 1	— —	} 160	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 161	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 162	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 163	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
3 —	3 3	3 4	3 2	— 1	— —	— —	— 2	1 1	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	} 164	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6 5	1 1	— 2	— —	— 2	1 1	2 2	1 2	— 2	3 1	1 1	2 —	— —	— 1	1 1	— 1	— —	— —	} 165	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
2 —	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 166	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
163 146	20 69	7 30	11 20	— 8	1 6	3 10	4 8	7 8	8 8	8 8	7 9	7 6	6 11	6 14	5 12	3 5	— 6	} 167	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
71 81	2 —	1 2	3 3	— 1	4 —	2 1	1 —	2 1	3 —	6 1	3 —	4 1	2 —	3 1	3 1	— —	— 1	} 168	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	502 128	2 3	— 1	— —	1 —	3 4	9 5	15 9	16 5	18 5
170	Injury by firearms ... { M F	14 3	— —	— —	— 1	— —	— 1	— 1	— —	— —	— 1
171	Injury by cutting or piercing instruments. { M F	4 2	— —	— —	— —	— —	— —	— —	— —	1 1	— —
172	Injury by fall ... { M F	397 324	1 —	— —	1 —	— 1	2 1	2 4	3 1	3 1	3 —
173	Injury in mines and quarries. { M F	637 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	108 11	— —	— —	— —	— —	— —	— —	— —	— —	1 —
175	Injury by other crushing (vehicles, railways, land- slides, &c.). { M F	740 187	— —	— —	— —	— —	— —	7 2	10 7	13 10	21 9
176	Injury by animals ... { M F	19 1	— —	— —	— —	— —	— —	— —	2 —	— —	1 —
177	Starvation ... { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	17 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	16 10	1 —	— —	1 —	— —	2 —	— 1	1 —	— —	1 1
180	Lightning... { M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	19 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	3 7	— 1	— —	— —	1 —	1 1	— —	— —	— —	— 1
184	Homicide by other means { M F	30 28	11 7	1 3	1 1	— 1	13 12	1 1	— 1	1 2	3 1
185	Fractures (cause not specified). { M F	20 3	1 1	— —	— —	— —	1 1	— —	— —	— —	— —
186	Other violence ... { M F	290 60	1 2	— 3	2 1	2 3	5 9	4 2	1 3	2 1	— 1
155- 186	All violence ... { M F	3,722 1,582	48 41	28 29	12 24	23 22	111 116	75 53	83 61	77 53	65 54
187	Dropsy ... { M F	2 4	— —	— —	— —	— —	— —	— 1	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	32 37	— —	— —	— —	— —	— —	1 —	— —	— —	— —
188B	Sudden death (not other- wise defined). { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— 1
189A	Heart failure (aged 1 year and under 70). { M F	238 215	— —	— —	— —	— —	— —	5 1	— —	— —	— —
189 B-E.	Other ill-defined causes. { M F	142 114	9 4	1 1	3 3	8 4	21 12	44 31	11 17	5 4	1 3
189F	Cause not specified ... { M F	36 11	6 3	1 —	— —	— 1	7 4	1 —	1 —	1 1	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
61 28	87 8	52 11	48 8	17 7	18 7	25 6	32 11	34 10	31 5	22 6	21 10	16 5	12 —	18 3	7 1	1 2	—	} 169
— 3	— 1	— 3	— 2	— 1	— 2	— —	— —	— 1	— —	— —	— 1	— 1	— 1	— 1	— —	— —	— —	
1 1	— —	1 —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	} 170
13 7	9 5	27 3	16 3	10 2	9 4	18 3	12 8	28 5	28 6	22 10	27 16	34 18	38 25	31 46	29 59	34 60	12 44	} 171
— —	2 —	21 —	84 —	40 1	53 —	53 —	72 —	76 —	56 —	65 —	65 —	20 —	25 —	4 —	1 —	— —	— —	
1 —	1 1	11 2	16 4	6 —	— —	6 1	7 1	5 —	16 —	4 1	16 —	7 —	10 1	1 —	— —	1 —	— —	} 172
51 28	94 32	75 19	47 10	13 13	17 4	24 4	40 5	41 8	52 12	55 10	46 8	60 13	49 8	34 4	24 4	18 5	— —	
3 —	— 1	1 —	1 —	— —	1 —	1 —	3 —	— —	— —	1 —	3 —	3 —	1 —	— —	— —	1 —	— —	} 173
— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
— —	1 —	— —	— —	1 —	1 —	— —	1 —	1 —	— —	2 —	1 3	1 —	3 —	1 —	3 1	1 —	— —	} 174
4 2	1 3	1 —	— —	— —	— —	1 1	2 —	— 1	1 2	1 —	2 —	1 1	1 —	1 —	— —	— —	— —	
— —	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	} 175
— —	1 —	1 —	7 —	1 —	1 —	— —	1 —	2 —	1 —	2 —	2 —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 176
1 2	— —	— —	1 —	— —	— —	— 2	1 —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	
18 17	1 1	2 1	— —	1 2	— 1	1 1	1 —	— 2	— 1	1 —	2 —	2 1	— —	— —	1 1	— —	— —	} 177
1 1	2 —	— —	— —	— —	— —	4 —	— —	1 —	4 —	1 —	1 —	2 1	3 —	— —	— —	1 —	— —	
12 16	5 4	10 4	8 3	32 6	34 1	32 5	37 5	53 —	26 1	9 3	11 —	12 1	1 3	3 2	5 3	— 3	— —	} 178
411 337	231 129	225 81	256 68	131 63	163 53	200 69	261 70	303 80	301 63	256 68	269 71	218 65	193 68	135 79	90 88	64 78	15 52	
— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —	} 179
1 —	— —	2 —	— —	— 1	1 1	— 2	— 2	2 5	2 7	3 2	6 4	6 4	9 9	— —	— —	— —	— —	
— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	} 180
5 1	4 5	1 6	5 2	1 7	2 5	2 3	9 9	6 11	16 14	20 31	44 28	49 36	74 57	— —	— —	— —	— —	
82 67	10 1	1 6	— 3	— 1	1 1	2 2	3 2	— 4	3 4	4 3	7 4	9 5	9 6	5 4	4 —	2 1	— —	} 181
10 5	— —	— —	— —	— 1	— —	4 —	2 1	7 —	1 1	2 —	3 —	4 —	1 2	1 1	— —	— —	— —	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
3 2	3 —	5 3	7 —	— 1	— 2	1 —	3 2	1 —	2 1	6 2	7 —	1 —	2 2	— 1	— —	— 1	— —	}	
—	—	—	—	—	1 1	2 —	—	1 —	—	—	2 —	—	—	—	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
34 34	29 50	71 175	260 420	376 485	401 483	440 413	377 364	357 277	333 218	214 157	198 116	134 91	102 64	47 37	16 9	3 4	3 2	}	
9 3	6 13	9 19	26 42	26 31	22 30	25 33	21 18	27 29	12 14	14 11	5 4	9 6	2 4	2 1	— —	— —	— —		}
14 11	7 6	2 4	4 3	6 9	1 3	5 3	6 4	1 2	2 3	1 2	2 2	— —	— 2	— —	— —	— —	— —	}	
57 48	42 69	82 198	290 465	408 525	424 516	470 449	404 386	385 308	347 235	229 170	205 122	143 97	104 70	49 38	16 9	3 4	3 2		}
185 118	52 72	43 35	21 35	6 13	3 8	7 3	1 7	5 5	2 6	3 1	2 2	1 —	— —	— —	— —	— —	— —	}	
110 86	24 27	16 27	24 34	11 22	9 17	7 17	8 13	13 8	6 17	5 8	6 7	7 1	1 4	3 1	2 1	— —	— —		}
3 2	5 5	7 5	4 9	6 12	5 4	6 7	5 3	7 8	6 3	7 4	5 3	1 3	1 3	— 3	— 1	— —	— —	}	
4 —	6 1	4 1	15 3	7 2	8 4	4 3	5 1	4 1	4 1	5 2	1 5	2 1	2 2	— 1	3 2	2 1	1 —		}
6 3	2 5	2 3	6 7	5 4	3 9	7 6	7 6	6 7	7 6	7 4	6 4	5 5	3 7	1 5	2 5	— —	— 1	}	
35 28	23 14	18 19	24 17	18 12	21 19	20 18	16 19	9 12	12 11	7 12	7 9	9 11	3 5	4 4	— —	1 —	— —		}
400 285	154 193	172 288	384 570	461 590	473 577	521 503	446 435	429 349	384 279	263 201	232 152	168 118	114 91	57 52	23 18	6 5	4 3	}	
50 56	1 2	— —	1 2	— 1	2 1	3 1	1 —	1 —	1 —	— 1	— 1	1 2	— —	— 1	— —	— —	— —		}
85 58	— 1	2 —	1 2	1 —	1 8	1 2	7 7	7 4	7 2	3 —	5 2	4 —	2 2	1 1	— —	— —	— —	}	
3 —	— —	— —	— 1	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	2 —	1 —	— —	1 2	2 2	12 3	28 5	37 6	55 10	75 6	88 6	60 7	54 7	35 3	12 3	}	
5 —	1 —	— —	— —	— —	1 4	8 13	20 20	27 54	78 82	126 149	219 174	260 225	299 273	274 240	171 176	67 78	16 23		}
— 1	— 1	1 —	2 —	1 1	4 1	3 10	8 24	23 41	46 48	71 82	125 107	149 146	158 178	161 165	109 154	50 54	20 30	}	
— —	— —	— —	— —	— 1	— 4	— 17	— 43	— 49	— 105	— 126	— 136	— 108	— 111	— 68	— 48	— 25	— 13		}
— —	— —	— —	— —	— —	— 2	— 9	— 32	1 61	1 91	— 108	2 104	1 92	1 96	1 85	1 67	— 41	— 31	}	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	161 98	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	797 480	— —	— —	— —	— 1	— 1	1 —	1 3	2 2	— —
39-45	Cancer (all sites) ... { M F	3,931 4,865	— —	— —	— —	1 1	1 1	1 —	2 3	4 3	1 —
46	Other tumours (situation undefined). { M F	17 25	— —	— —	— —	— —	— —	— —	— —	1 —	— —
47	Rheumatic fever... { M F	135 147	— —	— —	1 —	— 1	1 1	— —	3 —	1 1	— —
48 A, B	Chronic rheumatism, Osteo-arthritis. { M F	153 319	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	43 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	2 4	— —	— —	1 1	1 1	2 2	— 1	— —	— —	— —
50	Diabetes ... { M F	392 399	— —	— —	— —	— —	— —	1 1	— —	1 2	— 2
51	Exophthalmic goitre ... { M F	14 110	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	19 29	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	69 58	— —	— —	— —	1 1	1 1	2 1	— —	1 —	1 —
54	Anæmia, Chlorosis ... { M F	222 266	2 —	— —	— —	1 —	3 —	5 —	1 —	1 1	— 1
55	Other general diseases ... { M F	47 43	1 3	1 1	1 —	1 —	4 4	1 2	2 2	1 1	— —
56	Alcoholism (acute or chronic). { M F	7 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	6 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	24 23	1 —	— —	1 —	— —	2 —	1 1	1 1	— —	— —
61A	Cerebro-spinal fever ... { M F	46 45	— —	1 —	3 —	— 1	4 1	1 1	2 2	3 4	3 2
61B	Posterior basal meningitis { M F	5 8	— —	— —	1 1	— 1	1 2	3 2	1 —	— 1	— —
61C	Meningitis, other forms { M F	251 218	5 2	7 6	12 6	29 22	53 36	39 30	21 8	17 12	8 4
62	Locomotor ataxy ... { M F	66 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	350 254	1 —	— —	— —	1 —	2 —	5 3	3 1	2 2	3 2

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)-*continued.*

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	1	—	—	—	2	1	3	5	11	9	20	17	21	26	27	18	} 44
—	—	—	—	—	—	—	1	2	3	4	9	9	11	21	19	13	6	
4	8	1	3	5	8	6	11	25	41	67	108	120	159	102	88	32	9	} 45
6	—	2	6	2	3	18	11	28	32	44	67	64	61	57	46	22	11	
9	9	3	7	7	13	20	42	91	199	312	518	625	722	619	449	211	75	} 39-45
7	1	2	6	4	14	69	133	238	366	519	607	650	736	643	517	236	117	
—	—	—	—	—	—	—	—	1	1	3	3	1	3	1	3	1	—	} 46
1	—	—	—	—	1	—	2	1	1	2	3	2	8	2	2	—	—	
5	12	25	23	10	5	—	12	4	11	11	7	4	2	2	2	—	—	} 47
2	16	24	14	14	6	6	15	9	10	11	5	2	7	4	2	—	—	
—	—	—	1	2	1	1	2	1	4	2	14	12	30	33	27	12	11	} 48
—	—	—	1	—	—	1	3	10	19	11	18	32	58	71	47	33	15	
—	—	—	—	—	—	—	—	—	—	1	3	12	5	12	5	2	3	} 48C
—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	1	1	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 49
3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
2	6	9	12	15	27	20	24	18	16	29	31	47	59	41	25	10	1	} 50
5	6	9	18	12	20	19	28	13	17	18	47	45	65	41	22	8	6	
—	—	—	—	—	1	2	—	1	—	3	4	1	—	1	—	1	—	} 51
—	—	—	9	6	7	8	10	17	12	15	13	8	4	1	—	—	—	
—	—	—	—	—	—	1	4	1	3	—	5	1	2	2	—	—	—	} 52
—	—	—	—	1	—	—	6	4	1	3	4	4	5	—	—	1	—	
5	4	4	3	4	7	3	5	10	2	1	5	4	6	3	3	—	—	} 53
2	4	2	1	—	1	3	2	7	6	5	7	5	5	3	3	2	—	
10	4	3	3	2	3	4	10	17	19	27	32	25	30	22	7	3	1	} 54
2	5	4	6	7	15	15	16	12	23	25	36	34	22	28	10	5	1	
8	6	7	2	1	2	1	2	3	—	1	1	4	4	1	2	2	—	} 55
9	3	5	1	1	—	—	4	3	3	1	1	3	3	—	1	2	3	
—	—	—	—	—	—	1	2	—	1	3	—	—	—	—	—	—	—	} 56
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	2	—	—	2	—	—	1	1	—	—	—	} 57
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	} 58
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	} 59
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	4	—	3	—	1	—	—	1	2	2	1	1	1	2	—	1	1	} 60
2	2	—	1	2	2	—	1	1	2	—	3	3	1	2	—	—	1	
13	7	7	5	1	4	2	1	2	2	1	—	1	—	—	—	—	—	} 61A
10	9	7	5	4	—	3	2	2	1	—	1	—	1	—	—	—	—	
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 61B
5	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
138	38	22	11	4	7	3	4	4	3	3	5	7	1	1	—	—	—	} 61C
90	33	27	17	10	5	5	10	5	4	3	4	1	2	2	—	—	—	
—	—	—	—	—	—	2	1	6	8	11	12	10	8	7	1	—	—	} 62
—	—	—	—	—	—	—	—	—	—	2	5	3	1	1	—	—	—	
15	7	7	7	4	10	11	22	18	17	22	40	41	41	42	32	9	5	} 63
8	7	1	4	8	7	7	14	14	15	25	18	24	25	38	27	9	3	

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
4 6	3 2	— —	1 1	2 3	2 10	8 8	16 12	19 29	37 87	107 144	172 202	239 295	355 387	453 483	415 542	276 327	144 224	} 64
— —	— —	— —	— —	— 1	2 2	— 1	2 2	— 1	1 1	4 3	9 9	5 13	20 12	26 15	21 28	16 15	4 12	} 65
1 2	1 1	— —	— 1	1 —	3 1	4 —	3 —	1 5	5 11	8 19	15 13	27 21	40 54	55 55	45 51	28 44	17 21	} 66
— —	— —	1 —	— —	— —	5 7	7 2	27 8	31 3	30 8	29 6	9 4	6 1	6 2	6 4	3 1	1 1	— —	} 67
— —	— —	— —	— 2	— 2	2 3	2 7	3 9	8 18	12 17	17 25	15 12	12 16	9 17	12 6	6 2	— 2	2 2	} 68
25 16	18 9	19 12	39 19	26 23	36 23	34 22	25 26	22 28	22 21	26 29	18 21	23 18	25 14	20 20	15 6	3 2	1 5	} 69
— —	2 7	1 4	1 —	— —	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— 1	— —	1 —	} 70
629 549	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 71
— —	1 1	— 6	— —	— 1	— —	1 1	— —	2 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	} 72
— —	— 1	— 1	— —	— —	— —	— 2	— —	— 2	3 1	1 2	2 3	1 3	4 1	4 1	3 1	1 1	— —	} 73
15 9	14 8	13 10	12 9	5 15	5 10	4 17	12 10	19 28	23 19	16 21	18 24	25 8	11 18	13 14	10 7	7 8	1 2	} 74
3 1	— —	— 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— 2	— —	1 —	— 1	— —	1 —	— —	} 75
1 3	3 1	2 1	1 2	— —	1 1	1 1	1 2	— —	1 —	— —	— 2	— —	— —	— —	— 1	— —	— —	} 76A
18 18	11 7	6 4	5 5	2 —	3 1	4 2	3 2	— 2	— 1	1 4	1 3	1 —	1 1	2 2	1 1	1 —	— —	} 76B
1 1	— 2	1 4	1 3	— 1	— 1	— 1	2 3	2 —	3 —	3 2	4 3	2 3	3 2	3 —	1 —	— 1	— —	} 77
2 —	5 5	2 6	7 9	6 5	8 8	10 13	7 7	11 2	5 11	11 20	6 5	2 3	5 3	2 2	— 1	— —	— —	} 78
4 2	15 11	32 27	30 36	39 47	34 55	38 56	54 70	65 100	106 140	133 155	206 203	289 275	378 368	391 435	339 380	156 207	73 123	} 79A
— —	— —	— —	— 1	— —	— 3	2 4	3 4	4 7	4 6	10 13	24 22	25 37	30 37	23 32	36 36	8 16	5 13	} 79B
3 3	5 4	8 12	17 18	22 25	18 23	27 31	30 38	35 60	77 71	137 111	202 155	296 283	441 398	492 490	457 478	254 298	130 178	} 79C
— —	— —	1 —	— —	— 1	— 1	— —	3 —	1 1	2 1	11 6	13 3	25 7	27 13	20 11	16 8	6 4	1 2	} 80
— —	— —	— —	— 1	— —	1 —	5 —	3 1	3 1	19 1	17 3	21 4	17 6	7 4	9 3	4 1	2 3	1 —	} 81A
— —	— —	— —	— —	— —	1 —	2 —	3 3	9 —	10 5	31 12	60 30	98 45	155 87	211 109	228 131	147 132	112 118	} 81B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	2 —	4 1	3 2	3 —	1 2	1 —	} 81C

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 205 F 356	— —	— —	— —	— —	— —	— —	— —	— —	— —
82B	Other embolism and thrombosis. {	M 26 F 33	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 26 F 32	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 11 F 15	2 5	3 2	1 1	2 —	8 8	— —	1 1	1 —	— —
84B	Other diseases of the lymphatic system. {	M 13 F 10	— —	— —	— —	1 1	1 1	2 3	— —	— —	1 —
85	Hæmorrhage; other diseases of the circulatory system. {	M 30 F 32	— —	— —	— —	— —	— —	— —	— —	— —	— —
86	Diseases of the nasal fossæ. {	M 6 F 2	— —	1 —	— —	— —	1 —	1 —	— —	— —	— —
87	Diseases of the larynx ... {	M 92 F 84	2 1	— 1	1 1	2 5	5 8	16 10	14 8	16 9	5 10
88	Diseases of the thyroid body. {	M 15 F 58	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90	Bronchitis ... {	M 3,289 F 3,371	50 36	130 82	139 96	181 159	500 373	177 147	64 58	30 34	10 13
91	Broncho-pneumonia ... {	M 1,582 F 1,481	21 16	73 54	110 76	309 217	513 363	320 314	156 149	74 96	43 52
92A	Lobar pneumonia ... {	M 973 F 729	1 —	3 —	7 6	12 12	23 18	19 19	14 8	11 10	7 9
92B	Pneumonia (type not stated). {	M 1,588 F 1,385	6 3	17 8	24 27	72 62	119 100	103 87	51 50	33 26	22 26
93	Pleurisy ... {	M 133 F 99	— 1	— 1	— —	1 —	1 2	— 1	5 1	2 1	— 1
94	Pulmonary congestion, Pulmonary apoplexy. {	M 125 F 149	6 4	7 3	1 1	7 3	21 11	4 2	4 3	1 —	— 2
95	Gangrene of the lung ... {	M 9 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 236 F 161	— —	— —	— —	1 —	1 —	— —	— —	— 1	2 2
97	Pulmonary emphysema {	M 36 F 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
98A	Fibroid disease of lung ... {	M 51 F 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. {	M 18 F 14	— —	1 —	— —	1 —	2 —	— —	— —	— —	— —
99A	Diseases of the teeth and gums. {	M 22 F 21	2 1	1 —	— —	— —	3 1	1 1	1 —	— 1	— —
99B, C D	Other diseases of the mouth and annexa. {	M 13 F 10	1 2	3 1	1 —	1 —	6 3	1 1	— —	1 2	— —
100	Diseases of pharynx, Tonsillitis. {	M 81 F 46	— —	— —	1 1	— 1	1 2	3 1	4 3	5 2	1 3

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— —	1 —	— —	1 —	— —	— —	2 —	3 3	2 12	7 12	8 12	11 17	18 37	27 49	32 78	35 64	34 45	24 27	} 82A
1 —	— 1	— 1	— 2	— 1	— 1	1 2	— 1	2 2	2 4	2 3	3 2	4 1	1 2	3 4	4 3	— 1	3 2	
— —	— —	— 1	1 —	— —	1 2	— 1	— 3	— 2	— 2	2 2	2 5	7 1	4 4	3 8	3 —	3 —	— 1	} 83
10 9	— 1	1 2	— 1	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
4 4	1 —	— —	— —	1 —	— —	— —	— —	— —	— 1	2 —	2 —	1 —	— 2	1 2	— 1	1 —	— —	} 84A
— —	1 —	— —	— —	— —	— 1	3 —	1 —	— 2	2 1	1 3	3 2	— 7	7 4	4 —	5 7	3 3	— 2	
2 —	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 1	— —	} 85
56 45	23 19	2 4	2 2	— 1	— —	— 1	1 2	— 2	1 —	1 1	3 —	— 4	— —	— 1	1 —	1 1	1 1	
— —	— —	1 2	3 3	1 —	2 3	1 4	— 2	1 3	1 5	2 5	1 5	— 5	1 11	— 5	1 2	— 3	— —	} 86
781 625	30 34	10 7	12 17	13 15	13 22	19 17	19 29	25 36	40 51	70 80	135 108	233 179	347 348	449 426	501 565	334 445	258 367	
1106 974	76 97	25 21	9 14	8 18	8 15	15 16	13 25	18 20	24 17	16 19	37 27	42 29	48 34	57 56	49 41	14 29	17 29	} 87
74 64	38 31	25 33	49 42	51 40	43 73	66 81	70 41	64 47	86 46	62 31	89 35	72 34	76 48	56 35	33 29	14 15	5 4	
328 289	57 78	40 54	56 66	40 91	86 121	85 91	74 72	81 65	103 53	108 53	91 57	102 64	122 61	82 58	66 53	41 42	26 17	} 88
8 6	3 1	3 3	2 6	4 3	1 3	2 4	6 7	6 2	9 7	11 9	10 6	21 5	21 14	13 11	7 8	6 3	— 1	
30 18	3 3	— 1	2 1	1 1	— 2	1 2	1 1	5 4	1 3	2 1	8 2	2 6	10 14	17 23	13 27	18 20	11 20	} 89 & 90
— —	— —	— —	— —	— 2	1 —	1 1	— 1	1 —	2 1	1 2	— 1	1 —	— —	2 —	— —	— —	— —	
3 3	— —	— 1	— 3	3 1	9 5	6 5	10 10	8 9	22 11	26 14	28 24	35 13	39 19	21 17	17 11	8 9	1 6	} 91
— —	— —	— —	— —	— —	— —	1 1	— 2	— —	4 —	— 2	5 —	5 1	6 3	8 1	4 1	2 2	1 —	
— —	— —	— —	— —	— 1	1 —	1 —	1 —	4 —	4 1	7 —	7 2	12 2	6 1	6 4	2 —	— —	— —	} 92A
2 —	— —	— —	— —	— —	1 —	— 1	1 1	2 —	1 3	2 1	1 —	4 —	1 3	3 1	— 3	— —	— 1	
5 3	— 1	1 —	1 1	2 1	— —	— 3	— 2	2 2	3 1	3 —	— 2	2 2	1 —	1 1	1 —	— 2	— —	} 92B
8 6	— —	— —	1 —	— —	— —	— 1	1 1	— 1	— —	— —	— —	1 —	1 1	1 —	— —	— —	— —	
14 11	17 12	5 2	9 4	— 2	2 3	1 1	1 —	3 3	2 3	2 —	3 —	5 —	6 2	4 3	7 —	— —	— —	} 93
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 94
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 95
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 96
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 97
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 98A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 98B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 99A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 99B, C, D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 100
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	11 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { stomach, M F	197 188	— —	— —	— —	— —	— —	— —	— —	— —	— —
103A	Inflammation of stomach { M F	233 243	19 8	32 32	21 10	24 14	96 64	14 9	9 4	2 3	3 2
103B	Other diseases of the { stomach, M F	50 53	1 —	2 1	1 2	1 —	5 3	— —	— 1	1 —	— 1
104 & 105	Diarrhœa and enteritis ... { M F	924 786	49 36	124 88	145 82	131 94	449 300	90 92	33 27	13 9	11 9
106	Ankylostomiasis... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	5 9	— —	— —	— —	— —	— —	1 2	1 3	1 —	— —
108	Appendicitis ... { M F	258 227	— —	— —	— —	— —	— —	— 1	1 1	6 2	13 6
109A	Hernia ... { M F	203 238	4 3	1 —	4 —	4 1	13 4	2 —	— —	— —	— —
109B	Intestinal obstruction ... { M F	299 275	3 3	2 2	14 5	21 7	40 17	5 1	3 4	4 1	2 4
110	Other diseases of the { intestines, M F	55 66	1 1	1 1	— 1	3 —	5 3	1 2	— 1	— —	— —
111	Acute yellow atrophy of { liver, M F	6 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
112	Hydatid of liver ... { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	199 106	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi ... { M F	39 96	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	78 80	— —	1 —	— 1	2 1	3 2	3 1	— 1	1 1	— 1
116	Diseases of the spleen ... { M F	4 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- { stated) M F	37 42	1 1	3 —	— —	2 2	6 3	1 —	1 1	1 2	— 1
118	Other diseases of the { digestive system, M F	9 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
119	Acute nephritis ... { M F	175 141	1 —	2 2	1 1	6 1	10 4	7 9	6 6	6 5	4 7
120	Bright's disease ... { M F	1,249 952	— —	— —	— —	— —	— —	— —	— —	1 1	— 1
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { kidney and annexa, M F	46 41	— —	1 —	— —	— —	1 —	— —	— —	— —	— 1

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	1	—	2	—	1	2	2	2	—	1	} 101
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	1	1	3	5	5	6	14	7	21	25	27	29	20	15	12	5	1	} 102
—	1	1	3	8	18	15	20	15	27	14	13	20	14	10	5	4	—	
124	7	3	3	1	—	1	1	1	4	6	7	10	15	16	14	17	3	} 103A
82	7	2	2	1	1	1	4	8	3	6	7	11	22	22	26	23	15	
6	—	—	2	1	—	1	—	1	5	—	6	4	6	5	4	4	5	} 103B
5	1	1	1	—	1	2	—	1	2	3	2	1	8	4	8	8	5	
596	20	7	9	2	8	9	16	18	21	20	25	30	45	28	37	24	9	} 104 & 105
437	25	4	5	7	8	13	16	14	17	19	23	22	36	38	45	31	26	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107
5	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
20	44	40	29	3	14	9	10	13	11	16	19	12	8	4	2	4	—	} 108
10	26	30	32	24	11	13	17	10	12	11	7	9	6	4	2	3	—	
15	1	1	—	2	1	2	2	7	1	9	21	19	29	36	40	8	9	} 109A
4	1	—	—	—	1	3	3	4	9	15	29	24	33	51	37	13	11	
54	10	5	14	4	5	6	7	12	15	14	24	22	36	27	28	11	5	} 109B
27	7	2	6	1	5	17	13	9	19	5	14	23	28	30	38	22	9	
6	—	1	—	—	1	2	2	1	3	6	2	1	7	6	6	5	6	} 110
6	1	—	1	4	—	4	2	5	3	6	2	5	3	3	10	7	4	
—	—	—	—	—	—	—	—	—	—	1	—	2	2	—	—	1	—	} 111
—	1	1	1	1	1	2	1	1	1	—	1	—	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 112
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	1	4	12	14	22	38	41	23	27	11	4	—	} 113
—	—	1	1	—	2	2	2	3	9	8	19	18	15	11	10	5	—	
—	—	—	—	—	—	—	1	—	1	6	6	9	5	6	3	2	—	} 114
—	—	—	—	—	2	—	2	4	6	9	9	12	16	10	16	9	1	
7	6	—	3	2	—	1	2	3	6	5	5	5	6	9	9	6	3	} 115
6	5	2	1	1	1	—	—	—	7	6	7	5	11	9	10	3	6	
—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	1	—	—	} 116
—	1	—	—	—	—	—	—	—	2	3	—	1	—	—	—	—	—	
9	1	4	2	—	—	—	1	1	1	3	5	4	5	1	—	—	—	} 117
7	4	1	1	1	1	4	3	—	3	4	1	4	4	1	1	2	—	
—	—	—	—	—	—	—	—	1	1	—	1	3	1	1	1	—	—	} 118
—	1	—	—	1	—	2	—	2	—	2	—	—	1	—	—	—	—	
33	24	7	7	6	6	9	6	9	7	12	7	13	12	7	3	5	2	} 119
31	15	8	11	7	6	9	9	4	6	5	11	5	5	5	4	—	—	
1	6	13	12	18	23	22	21	44	74	110	119	161	194	186	143	71	31	} 120
2	6	6	7	19	18	23	46	42	65	83	89	103	135	135	95	55	23	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	2	1	3	3	4	7	4	2	2	4	5	5	3	} 122
1	—	—	1	2	3	2	1	4	3	6	4	2	6	3	—	1	2	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. {	M 34	—	—	—	—	—	—	—	—	—
	F 11	—	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder... {	M 298	1	—	—	—	1	—	—	—	—
	F 57	—	—	—	—	—	—	—	—	—	—
125	Diseases of the urethra, {	M 49	—	—	—	—	—	—	—	—	—
	Urinary abscess, &c. {	F 1	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate... {	M 459	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of {	M 2	—	—	—	—	—	—	—	—	—
	male genital organs. {	F —	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage {	M —	—	—	—	—	—	—	—	—	—
	(non-puerperal). {	F 8	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non- {	M —	—	—	—	—	—	—	—	—	—
	cancerous). {	F 64	—	—	—	—	—	—	—	—	—
130	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	uterus. {	F 26	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour {	M —	—	—	—	—	—	—	—	—	—
	(non-cancerous). {	F 56	—	—	—	—	—	—	—	—	—
132	Other diseases of the {	M —	—	—	—	—	—	—	—	—	—
	female genital organs. {	F 39	—	—	—	1	1	1	1	—	—
133	Non-puerperal dis. of the {	M —	—	—	—	—	—	—	—	—	—
	breast (non-cancerous). {	F 3	—	—	—	—	—	—	—	—	—
134	Accidents of pregnancy... {	M —	—	—	—	—	—	—	—	—	—
	{	F 53	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ... {	M —	—	—	—	—	—	—	—	—	—
	{	F 94	—	—	—	—	—	—	—	—	—
136	Other accidents of child- {	M —	—	—	—	—	—	—	—	—	—
	birth. {	F 56	—	—	—	—	—	—	—	—	—
137	Puerperal fever ... {	M —	—	—	—	—	—	—	—	—	—
	{	F 142	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria {	M —	—	—	—	—	—	—	—	—	—
	and convulsions. {	F 118	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia {	M —	—	—	—	—	—	—	—	—	—
	alba dolens, embolism {	F 49	—	—	—	—	—	—	—	—	—
	and sudden death. {										
140	Puerperal insanity ... {	M —	—	—	—	—	—	—	—	—	—
	{	F 2	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the {	M —	—	—	—	—	—	—	—	—	—
	breast. {	F 5	—	—	—	—	—	—	—	—	—
134- 141	All accidents of pregnancy {	M —	—	—	—	—	—	—	—	—	—
	and childbirth. {	F 519	—	—	—	—	—	—	—	—	—
142A	Senile gangrene ... {	M 189	—	—	—	—	—	—	—	—	—
	{	F 132	—	—	—	—	—	—	—	—	—
142B, C,D.	Gangrene, other types ... {	M 12	—	—	—	1	1	1	—	—	1
	{	F 14	—	—	—	1	1	—	—	2	1
143	Carbuncle, Boil ... {	M 37	—	—	—	—	—	—	1	—	—
	{	F 23	—	—	—	—	—	—	—	—	—
144	Phlegmon, Acute abscess {	M 62	2	3	—	1	6	3	—	1	1
	{	F 54	2	8	—	1	11	2	4	—	—
145	Diseases of the integu- {	M 97	18	1	4	4	27	1	2	1	1
	mentary system. {	F 116	18	2	2	1	23	—	2	—	—

AT DIFFERENT AGE-PERIODS, 1918—(Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	1	—	—	—	1	4	—	—	2	1	3	4	10	5	—	3	—	} 123
—	1	—	—	—	2	—	1	1	—	—	2	1	2	—	—	—	1	
1	—	—	—	—	—	2	—	4	5	11	11	22	37	62	73	48	22	} 124
—	—	—	1	1	—	1	5	2	2	2	4	4	6	4	10	10	5	
—	—	—	—	—	—	—	1	3	1	5	7	10	9	8	1	4	—	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	2	12	38	67	99	124	72	44	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	—	2	1	2	—	—	—	—	—	1	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	1	6	11	13	7	7	5	3	2	3	4	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	2	2	3	1	5	4	3	1	—	2	—	—	1	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	1	1	2	7	4	5	—	5	6	4	7	6	7	—	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	1	4	6	6	4	9	3	1	1	—	—	—	—	—	1	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	5	5	16	12	11	2	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	4	14	24	34	14	3	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	6	8	15	12	11	3	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	18	47	27	32	15	2	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	7	20	25	26	24	16	—	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	1	9	14	11	10	1	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	16	54	110	124	126	78	11	—	—	—	—	—	—	—	—	} 134— 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	7	14	37	42	48	39	} 142A
—	—	—	—	—	—	—	—	—	—	—	1	8	10	27	32	28	26	
3	1	1	—	1	—	—	—	—	—	—	2	1	1	1	—	1	—	} 142B
4	1	—	—	1	—	—	1	—	—	4	3	—	—	—	—	—	—	
1	—	1	—	1	1	3	1	1	4	4	4	1	5	5	5	—	—	} C, D.
—	—	—	—	—	1	2	—	1	2	1	2	4	1	5	1	1	2	
11	2	—	1	1	—	3	1	3	4	7	5	5	4	4	4	6	1	} 143
17	3	1	1	1	3	—	—	2	1	3	2	2	4	7	2	3	2	
32	2	—	1	—	—	—	1	—	2	8	5	9	5	3	10	13	6	} 144
25	1	—	—	—	1	2	2	1	2	6	7	2	14	11	14	13	15	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	64 24	1 —	1 —	— —	1 —	3 —	1 2	2 —	2 1	1 —
147	Diseases of the joints ... { M F	14 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	7 2	1 —	— 1	— —	— —	1 1	— —	— —	— —	— —
150	Congenital malformations { M F	347 290	171 131	54 52	28 23	24 27	277 233	22 16	7 9	5 3	5 4
151A	Premature birth ... { M F	1,421 1,075	1,322 991	89 71	9 7	1 6	1,421 1,075	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	732 610	487 395	158 128	50 62	37 25	732 610	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	217 190	206 183	11 7	— —	— —	217 190	— —	— —	— —	— —
153	Lack of care ... { M F	13 14	13 14	— —	— —	— —	13 14	— —	— —	— —	— —
154	Old age ... { M F	3,472 3,889	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	14 21	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	135 33	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	94 106	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	56 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	80 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	7 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	12 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	12 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
165	Other acute poisonings ... { M F	11 12	— —	— —	— —	— —	— —	1 2	3 1	— —	1 —
166	Conflagration ... { M F	6 2	— —	— —	— —	— —	— —	— —	— —	1 —	— 1
167	Burns (conflagration ex- cepted). { M F	134 216	— 1	1 —	— 2	7 6	8 9	16 17	28 25	24 15	15 15
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	49 29	11 16	13 5	4 2	1 3	29 26	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
9 3	10 4	11 6	7 —	1 —	1 1	— 1	— —	— —	1 2	6 2	4 —	4 2	5 2	3 —	2 1	— —	— —	} 146
—	2 1	— 2	— —	1 1	1 —	— 1	1 —	— —	1 —	— 2	— 1	2 4	— 2	2 2	4 3	— —	— —	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 148
1 1	—	1 —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	1 1	— —	— —	2 —	— —	
316 265	8 10	7 8	4 3	6 2	1 —	— 1	2 —	— —	— —	2 —	1 1	— —	— —	— —	— —	— —	— —	} 150
1,421 1,075	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 151A
732 610	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 151 B-E
217 190	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 152
13 14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 153
—	—	—	—	—	—	—	—	—	1 —	— —	1 4	25 27	125 122	528 460	936 902	971 1,081	885 1,293	} 154
—	—	—	—	—	—	1 1	2 1	1 2	1 1	2 4	2 3	4 1	1 —	— 2	— —	— —	— —	} 155
—	—	—	3 —	2 —	1 —	— —	— —	2 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	} 156
—	—	—	3 —	1 3	5 1	5 1	7 4	11 6	18 2	13 4	19 4	18 2	18 3	11 1	2 2	2 —	2 —	} 157
—	—	—	3 9	2 8	1 5	6 9	7 15	7 13	9 12	16 13	11 10	12 5	6 5	6 1	5 —	1 1	2 —	} 158
—	—	—	6 —	2 1	6 —	2 1	1 1	6 —	3 2	6 —	7 1	7 —	5 —	4 —	1 —	— —	— —	} 159
—	—	—	—	1 1	1 1	4 3	5 1	14 1	10 3	12 —	9 2	14 —	9 1	1 —	— 1	1 —	— —	} 160
—	—	—	—	—	—	—	1 2	— —	1 1	— 1	1 —	2 —	1 —	— —	1 —	— —	— —	} 161
—	—	—	1 —	1 3	1 —	1 —	— 2	2 —	1 —	2 3	2 1	— —	— —	1 —	— —	— —	— —	} 162
—	—	—	—	—	—	—	—	—	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 163
—	1 —	— 2	— —	— —	— —	1 —	1 —	1 —	— —	— 2	1 1	4 —	1 —	2 —	— —	— —	— —	} 164
5 3	1 1	— —	1 1	1 —	— 1	— 2	— 1	— —	1 —	1 1	1 1	— —	— —	— —	— —	— 1	— —	} 165
1 1	1 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	} 166
91 81	10 38	2 14	5 11	— 10	2 3	— 5	1 1	2 3	2 5	5 4	— 2	1 2	4 8	5 8	— 7	2 8	2 6	} 167
29 26	1 —	2 1	2 —	— —	— —	3 —	2 —	1 —	3 —	1 —	4 —	1 —	— —	— —	— —	— 1	— 1	} 168

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	415 116	4 3	— —	— —	— —	4 3	12 8	18 5	13 6	5 4
170	Injury by firearms ... { M F	50 7	— —	— —	— —	— —	— —	1 —	— —	1 —	— 1
171	Injury by cutting or { M piercing instruments. { F	11 1	— —	— —	— —	— —	— —	2 —	1 —	— 1	1 —
172	Injury by fall ... { M F	248 169	1 —	— —	— 1	1 —	2 1	3 —	1 1	1 1	— 1
173	Injury in mines and { M quarries. { F	356 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	56 9	— —	— —	— —	— —	— —	— —	— —	— 1	1 —
175	Injury by other crushing { M (vehicles, railways, { F landslides, &c.)	492 120	— —	— —	— 1	1 —	1 1	5 1	3 3	5 4	8 3
176	Injury by animals ... { M F	45 2	— —	— —	— —	— —	— —	2 —	1 1	4 —	1 —
177	Starvation ... { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	22 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	16 4	— —	— —	— —	— —	— —	— —	2 1	1 —	— —
180	Lightning... { M F	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { M cepted). { F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or { M piercing instruments. { F	4 7	— —	— 1	— 1	— —	— 2	— —	1 —	— —	— —
184	Homicide by other means { M F	12 16	3 6	— 1	2 —	1 2	6 9	— —	— —	1 —	— —
185	Fractures (cause not { M specified). { F	8 4	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —
186	Other violence ... { M F	155 29	1 4	1 —	2 —	1 1	5 5	— 3	— 1	1 —	2 1
155- 186	All violence ... { M F	2,514 951	21 30	15 7	8 7	12 12	56 56	43 31	58 38	52 28	34 26
187	Dropsy ... { M F	1 6	— —	— —	— —	— —	— —	— —	— 1	— —	— —
188A	Syncope (aged 1 year and { M under 70). { F	30 27	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- { M wise defined). { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { M and under 70). { F	183 171	— —	— —	— —	— —	— —	2 —	— —	— —	— —
189 B-E.	Other ill-defined causes... { M F	74 74	3 5	2 —	1 1	1 3	7 9	12 17	8 6	— 1	1 —
189F.	Cause not specified ... { M F	68 20	8 8	2 —	— 1	1 1	11 10	2 —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1918 (Civilian Population only)—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
52 26	46 6	34 3	30 9	15 5	21 6	28 12	36 5	35 10	31 5	40 7	20 5	5 5	10 5	6 3	4 3	1 1	1 —	169
2 1	3 —	6 1	5 1	1 2	2 1	3 —	2 —	5 —	7 —	3 —	6 1	2 —	1 —	2 —	— —	— —	— —	170
4 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	3 —	1 —	1 —	— —	— —	— —	1 —	— —	171
7 4	12 3	15 1	7 6	3 2	2 4	6 2	12 1	9 —	15 4	9 2	27 4	16 3	20 11	29 13	27 32	18 35	14 42	172
— —	— —	17 —	46 —	18 —	29 —	37 —	34 —	38 —	37 —	35 —	32 —	22 —	7 —	2 —	2 —	— —	— —	173
1 1	2 —	8 —	8 2	— 1	2 1	5 —	5 2	4 —	7 1	5 1	4 —	1 —	4 —	— —	— —	— —	— —	174
22 12	52 12	43 13	35 10	11 9	12 5	15 6	21 8	36 5	36 4	39 9	47 5	30 9	45 6	19 4	19 1	8 2	2 —	175
8 1	3 —	3 —	5 —	1 —	— —	— 1	3 —	1 —	1 —	5 —	5 —	1 —	2 —	3 —	3 —	1 —	— —	176
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	177
— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	1 1	1 2	4 —	4 —	1 2	4 —	1 —	2 —	1 —	178
3 1	1 —	3 1	— —	1 —	— 1	— —	1 —	— —	2 1	3 —	— —	— —	— —	1 —	1 —	— —	— —	179
— —	— —	1 —	1 —	— —	— —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	180
— —	— —	1 —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	181
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	182
1 2	3 —	— —	— 2	— —	— —	1 —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	183
7 9	1 2	1 —	— —	— 3	— 1	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	184
2 —	— —	1 —	1 —	— —	— —	— —	— —	1 —	— 1	1 —	— 1	— —	— —	— 1	1 —	— —	1 1	185
8 10	7 4	7 1	7 2	15 4	24 2	14 —	22 —	13 —	15 1	9 —	5 2	3 —	4 1	2 —	— —	— —	— 2	186
243 179	144 68	146 35	168 58	74 54	108 33	132 44	164 44	189 44	203 45	213 53	211 43	151 28	140 42	98 33	67 46	37 50	26 52	155- 186
— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— 2	— —	— 1	— —	— —	— —	1 —	— —	187
— —	— —	1 1	2 1	— —	2 —	— —	— 2	— 3	1 2	2 2	6 4	10 6	5 6	— —	— —	— —	— —	188A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	188B
2 —	4 —	— 6	— 5	3 2	5 4	3 8	5 8	9 11	8 11	24 20	38 23	35 28	47 45	— —	— —	— —	— —	189A
28 33	— 5	— 2	— 2	— 1	1 1	1 —	2 1	1 2	— 2	3 3	4 2	10 2	11 7	5 6	6 —	1 4	1 1	189 B-E
13 10	— —	— 1	3 —	1 —	1 1	2 —	8 1	10 1	8 1	8 —	3 —	3 2	1 1	4 2	1 —	2 —	— —	189F

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR.

[illegible]

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
22	Anthrax (Splenic fever) { M F	10 2	3 1	5 1	— —	2 —	1 —	— —	1 —	— —	— —
23	Rabies ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus ... { M F	126 30	20 9	42 10	30 6	34 5	11 2	1 2	1 —	4 —	5 —
25	Mycoses ... { M F	20 10	4 2	5 6	6 2	5 —	— —	— —	— —	— —	— —
26	Pellagra ... { M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —
27	Beri-beri ... { M F	4 —	— —	1 —	1 —	2 —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis (not acute). { M F	22,815 19,432	5,753 4,557	5,393 4,546	4,964 4,376	6,705 5,953	3,763 2,818	969 677	807 629	850 642	1,137 870
29A	Acute phthisis ... { M F	1,556 1,535	402 401	484 397	352 356	318 381	183 156	47 43	51 33	48 36	37 44
29B	Acute miliary tuberculosis { M F	385 354	107 83	119 110	80 73	79 88	60 68	9 15	22 22	17 13	12 18
28 & 29	Pulmonary tuberculosis acute and chronic. { M F	24,756 21,321	6,262 5,041	5,996 5,053	5,396 4,805	7,102 6,422	4,006 3,042	1,025 735	880 684	915 691	1,186 932
30	Tuberculous meningitis { M F	2,283 2,096	636 601	734 651	509 475	404 369	338 343	82 108	120 95	83 84	53 56
31	Tuberculosis of periton- eum and intestines. { M F	1,642 1,598	432 374	462 437	366 408	382 379	121 129	30 35	27 37	28 30	36 27
32	Tuberculosis of spinal column. { M F	451 401	121 86	91 79	109 80	130 156	64 44	21 8	8 6	17 9	18 21
33	Tuberculosis of joints ... { M F	273 178	69 36	73 45	59 46	72 51	36 27	9 6	9 5	7 9	11 7
34	Tuberculosis of other organs. { M F	366 362	93 104	98 82	82 85	93 91	30 39	8 11	9 9	7 10	6 9
35	Disseminated tuberculosis { M F	1,256 1,090	330 304	365 307	270 229	291 250	126 101	30 26	31 25	36 26	29 24
28-35	Tuberculosis (all forms) { M F	31,027 27,046	7,943 6,546	7,819 6,654	6,791 6,128	8,474 7,718	4,721 3,725	1,205 929	1,084 861	1,093 859	1,339 1,076
36	Rickets, Softening of bones. { M F	410 379	133 133	106 91	84 80	87 75	69 44	24 22	24 10	7 9	14 3
37	Syphilis ... { M F	1,171 823	323 207	278 194	272 196	298 226	179 140	52 35	45 32	38 30	44 43
38	Other venereal diseases... { M F	48 24	17 3	17 7	9 6	5 8	3 2	— —	2 2	1 —	— —
39	Cancer of the buccal cavity. { M F	2,357 377	607 94	560 103	594 107	596 73	350 62	96 15	87 16	92 21	75 10
40	Cancer of the stomach, liver, &c. { M F	6,938 6,378	1,656 1,525	1,727 1,585	1,753 1,615	1,802 1,653	881 691	215 172	202 178	244 175	220 166
41	Cancer of the peritoneum, intestines, and rectum. { M F	3,914 4,649	941 1,130	1,004 1,144	983 1,211	986 1,164	494 565	109 143	131 133	128 145	126 144
42	Cancer of the female genital organs. { M F	— 4,997	— 1,221	— 1,222	— 1,249	— 1,305	— 675	— 173	— 156	— 171	— 175
43	Cancer of the breast ... { M F	37 4,082	9 990	11 1,009	11 979	6 1,104	5 543	2 143	2 119	— 139	1 142

IN DIFFERENT CLASSES OF AREA, 1918—*continued*.

AGGREGATE OF COUNTY BOROUGHS. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
4	2	1	—	1	2	1	—	—	1	—	—	—	—	—	22
1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31	4	10	7	10	35	3	13	10	9	41	11	16	7	7	24
1	—	—	1	—	10	2	5	2	1	17	5	5	3	4	
2	1	1	—	—	8	2	2	2	2	6	—	1	2	3	25
3	1	2	—	—	5	1	3	1	—	2	—	1	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
3	—	1	—	2	—	—	—	—	—	1	—	—	1	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8,455	2,176	1,987	1,860	2,432	6,337	1,538	1,554	1,364	1,881	3,395	848	829	701	1,017	28
7,269	1,717	1,706	1,645	2,201	5,946	1,423	1,381	1,299	1,843	3,399	740	830	790	1,039	
541	144	170	118	109	423	108	136	92	87	215	59	63	49	44	29A
660	178	175	157	150	461	118	117	108	118	258	62	72	55	69	
116	37	32	25	22	111	25	40	25	21	51	25	9	5	12	29B
101	24	25	30	22	131	30	45	21	35	54	14	18	9	13	
9,112	2,357	2,189	2,003	2,563	6,871	1,671	1,730	1,481	1,989	3,661	932	901	755	1,073	28 & 29
8,030	1,919	1,906	1,832	2,373	6,538	1,571	1,543	1,428	1,996	3,711	816	920	854	1,121	
854	237	271	179	167	678	188	215	155	120	331	105	106	73	47	30
812	215	249	188	160	636	195	203	139	99	305	83	104	64	54	
704	183	207	164	150	499	127	140	103	129	252	79	70	54	49	31
659	144	174	176	165	520	127	150	135	108	290	68	76	67	79	
145	41	29	35	40	140	34	32	36	38	68	18	15	13	22	32
147	33	30	34	50	135	32	27	20	56	75	13	16	17	29	
77	13	26	17	21	74	22	22	13	17	77	24	14	20	19	33
68	13	21	17	17	52	12	7	14	19	31	5	12	6	8	
125	36	26	25	38	115	23	37	26	29	75	20	21	19	15	34
122	38	29	28	27	114	30	27	31	26	87	25	17	16	29	
474	131	120	103	120	378	98	120	80	80	227	55	85	39	48	35
409	109	110	83	107	370	111	118	67	74	210	58	54	53	45	
11,491	2,998	2,868	2,526	3,099	8,755	2,163	2,296	1,894	2,402	4,691	1,233	1,212	973	1,273	28-35
10,247	2,471	2,519	2,358	2,899	8,365	2,078	2,075	1,834	2,378	4,709	1,068	1,199	1,077	1,365	
165	48	47	40	30	115	37	26	27	25	61	24	9	10	18	36
152	54	35	31	32	115	35	30	24	26	68	22	16	16	14	
524	141	131	116	136	284	82	64	73	65	127	31	27	33	36	37
388	97	76	103	112	206	52	57	44	53	89	23	29	19	18	
16	7	3	5	1	16	8	6	1	1	3	—	—	2	1	38
9	2	2	2	3	9	1	2	3	3	4	—	1	1	2	
833	217	203	204	209	681	172	150	178	181	462	113	115	109	125	39
125	30	37	33	25	130	37	33	33	27	60	12	17	20	11	
2,119	501	539	543	536	2,223	491	578	553	601	1,572	407	370	378	417	40
2,045	457	499	540	549	2,131	546	528	523	534	1,511	350	380	377	404	
1,147	286	303	265	293	1,271	321	313	323	314	931	210	238	248	235	41
1,453	346	376	383	348	1,588	388	390	400	410	1,043	253	245	283	262	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1,823	442	444	427	510	1,645	407	396	419	423	854	199	226	232	197	
13	2	4	4	3	10	2	1	6	1	8	3	3	1	1	43
1,302	329	343	279	351	1,418	339	347	350	382	819	179	200	211	229	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
44	Cancer of the skin ... {	M 647	150	153	170	174	65	17	10	17	21
	F 392	94	102	91	105	42	13	11	9	9	
45	Cancer of other or un- specified organs. {	M 4,185	1,024	1,017	1,051	1,093	556	141	128	127	160
	F 2,274	576	563	563	572	318	82	75	76	85	
39-45	Cancer (all sites)... ... {	M 18,078	4,387	4,472	4,562	4,657	2,351	580	560	608	603
	F 23,149	5,630	5,728	5,815	5,976	2,896	741	688	736	731	
46	Other tumours (situation undefined). {	M 99	24	27	23	25	18	5	5	5	3
	F 87	16	22	25	24	15	1	3	3	8	
47	Rheumatic fever... ... {	M 723	223	189	128	183	74	20	16	11	27
	F 797	238	189	171	199	92	24	19	26	23	
48	Chronic rheumatism, {	M 567	165	147	118	137	57	16	13	15	13
A, B	Osteo-arthritis. {	F 1,395	404	333	292	366	153	43	44	28	38
48C	Gout {	M 199	65	64	30	40	32	5	11	9	7
	F 43	13	9	11	10	6	2	1	2	1	
49	Scurvy {	M 16	5	4	3	4	1	1	—	—	—
	F 29	9	6	6	8	5	2	1	1	1	
50	Diabetes {	M 1,790	511	424	392	463	177	54	44	38	41
	F 1,778	448	429	415	486	181	46	45	44	46	
51	Exophthalmic goitre ... {	M 46	14	11	10	11	4	3	—	—	1
	F 357	90	85	85	97	34	13	5	8	8	
52	Addison's disease ... {	M 95	27	28	21	19	8	4	3	1	—
	F 120	32	24	37	27	14	5	2	4	3	
53	Leucocythæmia, Lympha- denoma. {	M 397	86	114	92	105	46	9	14	6	17
	F 283	72	68	58	85	33	8	6	8	11	
54	Anæmia, Chlorosis ... {	M 978	258	243	208	269	72	17	19	14	22
	F 1,181	341	281	269	290	75	18	13	15	29	
55	Other general diseases ... {	M 221	59	62	45	55	26	4	6	6	10
	F 207	59	52	56	40	16	5	5	5	1	
56	Alcoholism (acute or chronic). {	M 61	17	21	14	9	6	1	3	—	2
	F 20	8	2	5	5	1	—	—	—	1	
57	Chronic lead poisoning... {	M 35	4	12	6	13	3	—	—	1	2
	F 1	—	—	—	1	—	—	—	—	—	
58	Other chronic occupa- tional poisonings. {	M 4	1	1	—	2	—	—	—	—	—
	F 6	3	1	2	—	—	—	—	—	—	
59	Other chronic poisonings {	M 4	1	1	—	2	—	—	—	—	—
	F 5	1	3	1	—	1	—	—	1	—	
60	Encephalitis {	M 207	27	73	52	55	31	5	10	11	5
	F 159	30	55	39	35	31	1	13	10	7	
61A	Cerebro-spinal fever ... {	M 571	200	136	113	122	66	25	18	10	13
	F 241	90	55	45	51	52	17	19	10	6	
61B	Posterior basal meningitis {	M 62	24	20	10	8	10	5	4	1	—
	F 52	15	21	11	5	8	3	4	1	—	
61C	Meningitis, other forms {	M 1,580	438	437	355	350	117	34	33	18	32
	F 1,387	382	396	289	320	113	34	30	24	25	
62	Locomotor ataxy... .. {	M 582	160	137	114	171	99	34	17	22	26
	F 103	28	22	27	26	10	2	4	1	3	
63B	Polio-myelitis, Polioen- cephalitis. {	M 116	21	31	36	28	14	1	3	5	5
	F 121	24	33	30	34	16	—	5	6	5	
63	Other diseases included {	M 1,394	386	355	292	361	150	47	36	31	36
A, C	under 63 {	F 1,090	299	271	211	309	132	33	42	18	39

IN DIFFERENT CLASSES OF AREA, 1918—continued.

AGGREGATE OF COUNTY BOROUGHES. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
211	57	45	56	53	199	40	50	57	52	161	35	44	36	46	44
121	34	30	25	32	131	26	37	33	35	98	21	24	24	29	
1,305	328	328	314	335	1,341	325	324	370	322	797	181	199	194	223	45
683	170	185	167	161	793	201	189	195	208	480	123	114	125	118	
5,628	1,391	1,422	1,386	1,429	5,725	1,351	1,416	1,487	1,471	3,931	949	969	966	1,047	39-45
7,552	1,808	1,914	1,854	1,976	7,836	1,944	1,920	1,953	2,019	4,865	1,137	1,206	1,272	1,250	
28	5	11	5	7	34	8	9	10	7	17	4	2	3	8	46
22	3	8	7	4	25	5	5	8	7	25	7	6	7	5	
238	81	57	40	60	240	71	64	49	56	135	40	44	19	32	47
282	90	64	58	70	276	76	74	62	64	147	48	32	25	42	
178	54	46	31	47	178	52	46	37	43	153	43	42	34	34	48 A, B.
440	135	92	94	119	483	142	117	97	127	319	84	80	73	82	
61	19	18	8	16	63	23	19	8	13	43	18	16	5	4	48C
15	7	3	3	2	15	4	4	3	4	7	—	1	3	3	
8	2	2	1	3	5	1	2	1	1	2	1	—	1	—	49
8	3	2	2	1	12	3	3	1	5	4	1	—	2	1	
554	165	122	130	137	614	149	161	135	169	392	127	86	79	100	50
534	139	129	126	140	664	165	150	159	190	399	98	105	86	110	
13	5	6	1	1	14	4	2	4	4	14	1	3	5	5	51
119	23	35	30	31	94	24	21	21	28	110	30	24	26	30	
26	4	8	8	6	31	10	8	6	7	19	6	4	4	5	52
44	13	10	9	12	33	9	8	10	6	29	5	4	14	6	
116	26	26	28	36	120	31	32	29	28	69	12	24	18	15	53
103	29	28	18	28	89	19	21	20	29	58	16	13	12	17	
319	91	87	62	79	343	86	76	80	101	222	59	55	44	64	54
379	106	96	93	84	461	139	105	113	104	266	78	67	48	73	
62	19	22	8	13	75	20	18	17	20	47	11	14	11	11	55
70	19	18	24	9	78	28	16	15	19	43	7	13	12	11	
22	7	8	5	2	23	7	4	9	3	7	2	5	—	—	56
8	3	1	4	—	10	4	1	1	4	1	1	—	—	—	
15	2	4	4	5	11	1	6	1	3	6	1	2	—	3	57
—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	
2	1	1	—	—	1	—	—	—	1	1	—	—	—	1	58
2	—	1	1	—	3	3	—	—	—	1	—	—	1	—	
3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	59
2	—	2	—	—	1	1	—	—	—	1	—	1	—	—	
50	6	23	7	14	58	9	22	14	13	24	4	7	10	3	60
52	11	19	10	12	53	14	17	13	9	23	4	6	6	7	
72	29	20	12	11	73	27	19	9	18	46	18	14	7	7	61A
80	29	13	14	24	64	26	14	12	12	45	18	9	9	9	
30	10	10	5	5	17	7	4	4	2	5	2	2	—	1	61B
20	6	4	7	3	16	4	7	3	2	8	2	6	—	—	
622	154	184	146	138	521	151	127	128	115	251	77	75	46	53	61C
573	164	162	121	126	483	127	147	103	106	218	57	57	41	63	
229	50	65	42	72	184	51	39	36	58	66	25	15	12	14	62
48	13	9	15	11	33	11	8	6	8	12	2	1	5	4	
34	9	8	12	5	37	6	13	10	8	25	5	5	7	8	63B
47	14	16	8	9	40	6	6	15	13	18	4	6	1	7	
407	120	103	77	107	471	118	130	96	127	325	93	77	76	79	63 A, C.
327	83	86	63	95	395	107	90	81	117	236	76	53	49	58	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
64	Cerebral hæmorrhage, { Apoplexy. F	10,293 12,669	2,936 3,513	2,587 3,045	2,114 2,733	2,656 3,378	962 1,238	242 355	275 292	190 265	255 326
65	Softening of brain ... { F	564 594	179 180	131 137	108 115	146 162	44 65	15 20	9 13	7 17	13 15
66	Paralysis without speci- { fied cause. F	1,084 1,335	299 427	262 300	232 243	291 365	83 124	25 38	15 29	14 22	29 35
67	General paralysis of the { insane. F	1,731 342	513 99	419 83	320 63	479 97	273 56	91 20	75 10	40 8	67 18
68	Other forms of mental { alienation. F	617 723	192 201	187 175	99 149	139 198	83 117	32 32	31 33	9 17	11 35
69	Epilepsy { F	1,937 1,562	604 492	507 388	348 291	478 391	233 194	83 66	66 58	32 30	52 40
70	Convulsions (non-puer- { peral ; 5 yrs. and over). F	54 59	13 9	10 11	19 17	12 22	3 —	1 —	— —	— —	2 —
71	Infantile convulsions { (under 5 years). F	3,351 2,561	993 747	810 637	717 559	831 618	187 134	62 42	44 41	36 28	45 23
72	Chorea { F	26 59	9 18	6 17	3 13	8 11	3 7	3 2	— 3	— 1	— 1
73	Hysteria, Neuralgia, Neu- { ritis. F	99 113	32 33	27 30	16 17	24 33	8 13	1 2	2 4	2 1	3 6
74	Other diseases of the { nervous system. F	1,231 1,148	351 335	317 286	248 241	315 286	138 110	42 29	40 24	27 30	29 27
75	Diseases of the eyes and { annexa. F	27 19	7 7	9 4	4 2	7 6	4 3	2 —	— 1	— —	2 2
76A	Mastoid disease ... { F	133 87	35 17	40 25	33 24	25 21	22 12	7 1	9 4	3 3	3 4
76B	Other diseases of the ears { F	390 333	117 94	91 99	95 69	87 71	37 44	12 14	8 15	9 8	8 7
77	Pericarditis ... { F	204 147	68 50	57 32	38 27	41 38	44 23	16 5	11 3	9 5	8 10
78	Acute endocarditis ... { F	711 749	180 214	186 188	162 188	183 159	88 115	26 28	24 28	17 29	21 30
79A	Valvular disease ... { F	11,314 12,748	2,960 3,186	2,748 2,916	2,564 2,791	3,042 3,855	1,454 1,652	389 434	342 339	327 370	396 509
79B	Fatty degeneration of the { heart. F	918 1,089	276 338	245 254	186 224	211 273	177 197	61 66	45 48	33 41	38 42
79C	Other organic disease of { the heart. F	11,285 11,919	2,986 3,192	2,715 2,663	2,398 2,405	3,186 3,659	1,604 1,668	424 456	356 359	328 302	496 551
80	Angina pectoris ... { F	640 284	140 67	161 65	150 60	189 92	81 35	20 9	20 7	19 6	22 13
81A	Aneurysm ... { F	696 168	157 46	184 44	172 34	183 44	123 41	31 12	29 12	23 12	40 5
81B	Arterial sclerosis ... { F	5,172 3,560	1,378 1,021	1,282 834	1,037 697	1,475 1,008	773 660	208 166	206 171	129 117	230 206
81C	Other diseases of arteries { F	77 44	22 16	13 7	15 7	27 14	6 6	— 3	— —	2 —	4 3

IN DIFFERENT CLASSES OF AREA, 1918—*continued.*

AGGREGATE OF COUNTY BOROUGHS. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
3,522 4,195	958 1,141	894 1,017	747 926	923 1,111	3,432 4,474	1,013 1,227	853 1,060	691 981	875 1,206	2,253 2,762	701 790	534 676	459 561	559 735	64
229 210	68 58	65 57	44 36	52 59	180 204	57 62	32 39	40 47	51 56	110 115	39 40	25 28	16 15	30 32	
442 491	108 150	114 112	106 93	114 136	296 421	93 127	65 100	61 79	77 115	254 299	72 112	66 59	46 49	70 79	66
659 140	188 33	148 41	123 28	200 38	435 99	130 33	111 18	80 17	114 31	161 47	56 13	35 14	32 10	38 10	
213 236	60 77	59 56	42 43	52 60	181 230	53 53	58 52	29 62	41 63	100 140	40 39	29 34	11 27	20 40	68
632 560	184 172	181 145	116 104	151 139	645 494	202 156	162 120	124 105	157 113	397 314	125 98	92 65	71 52	109 99	
26 22	7 2	4 6	9 6	6 8	17 25	3 6	4 4	8 8	2 7	8 12	2 1	2 1	2 3	2 7	70
1,289 970	401 297	297 221	292 241	299 211	1,246 908	337 266	314 243	263 181	332 218	629 549	193 142	155 132	126 109	155 166	
10 20	3 7	3 5	1 5	3 3	8 21	2 6	2 7	1 4	3 4	4 11	1 3	1 2	1 3	1 3	72
38 39	9 11	11 8	7 7	11 13	32 42	12 17	11 10	2 5	7 10	19 19	9 3	3 8	5 4	2 4	
397 421	103 124	103 107	80 85	111 105	426 380	129 109	111 104	73 83	113 84	223 237	62 73	56 51	49 43	56 70	74
5 5	— 3	2 1	2 —	1 1	8 6	1 1	3 1	1 1	3 3	7 5	2 3	3 1	1 1	1 —	
34 35	8 7	6 10	14 10	6 8	39 26	7 6	9 6	12 7	11 7	11 14	5 3	4 5	2 4	— 2	76A
115 127	37 34	24 37	28 28	26 28	114 109	29 32	31 29	28 24	26 24	60 53	23 14	15 18	12 9	10 12	
68 53	19 24	25 12	14 12	10 5	47 44	14 14	13 11	9 6	11 13	26 27	11 7	5 6	3 4	7 10	77
224 275	71 79	58 72	43 75	52 49	167 259	38 77	50 62	40 58	39 62	89 100	23 30	22 26	19 26	25 18	
3,717 4,360	954 1,059	934 989	837 946	992 1,366	3,516 4,046	939 974	809 954	839 890	929 1,228	2,382 2,690	629 719	594 634	504 585	655 752	79A
259 301	84 82	70 64	46 71	59 84	289 360	75 103	75 90	69 70	70 97	174 231	54 87	48 52	33 42	39 50	
3,409 3,636	860 939	862 805	794 793	893 1,099	3,526 3,939	939 1,068	830 896	740 778	1,017 1,197	2,651 2,676	747 729	646 603	513 532	745 812	79C
219 100	47 16	51 25	47 28	74 31	205 91	44 24	52 22	49 13	60 32	126 58	27 18	36 11	35 13	28 16	
229 62	52 23	64 14	57 10	56 15	179 37	40 8	43 8	49 6	47 15	109 28	23 3	30 10	27 6	29 9	81A
1,735 1,211	469 363	447 285	355 238	464 325	1,560 1,017	408 281	362 235	331 198	459 303	1,067 672	281 211	259 143	216 144	311 174	
26 14	8 5	3 2	5 2	10 5	28 19	10 6	5 4	3 3	10 6	16 5	3 2	5 1	5 2	3 —	81C

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR⁴¹

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
82A	Cerebral embolism and thrombosis.	M 1,008 F 1,478	320 416	261 371	186 286	241 405	115 165	33 52	27 37	23 35	32 41
82B	Other embolism and thrombosis.	M 123 F 132	38 41	26 37	19 26	40 28	18 15	6 6	4 3	1 1	7 5
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M 91 F 160	26 52	21 44	27 28	17 36	11 16	2 6	3 2	2 6	4 2
84A	Status lymphaticus ...	M 73 F 59	25 18	17 18	17 10	14 13	21 10	7 4	3 1	8 4	3 1
84B	Other diseases of the lymphatic system.	M 72 F 50	22 11	16 11	15 16	19 12	12 8	4 3	4 1	2 1	2 3
85	Hæmorrhage; other diseases of the circulatory system.	M 133 F 149	26 46	34 32	41 38	32 33	14 25	4 8	3 4	4 8	3 5
86	Diseases of the nasal fossæ.	M 31 F 21	7 7	10 9	11 2	3 3	4 2	1 1	2 1	1 —	— —
87	Diseases of the larynx ...	M 453 F 393	156 123	93 96	73 47	131 127	40 30	21 8	5 7	5 1	9 14
88	Diseases of the thyroid body.	M 50 F 214	15 67	10 39	7 42	18 66	4 22	1 5	— 7	2 5	1 5
89 & 90	Bronchitis ...	M 20,981 F 20,492	6,877 7,246	4,217 3,669	2,776 2,277	7,111 7,300	2,874 2,748	973 1,043	532 411	304 237	1,065 1,057
91	Broncho-pneumonia ...	M 13,416 F 11,944	3,814 3,524	2,281 1,937	1,650 1,340	5,671 5,143	1,860 1,828	619 592	309 304	170 175	762 757
92A	Lobar pneumonia ...	M 8,065 F 5,190	1,896 1,109	1,924 996	1,511 1,049	2,734 2,036	863 847	231 196	188 137	136 157	308 357
92B	Pneumonia (type not stated).	M 11,970 F 9,081	2,480 1,683	2,259 1,459	1,997 1,467	5,234 4,472	1,270 1,241	321 225	201 165	180 169	568 682
93	Pleurisy ...	M 849 F 549	244 153	232 148	179 111	194 137	108 79	35 16	25 30	23 13	25 20
94	Pulmonary congestion, Pulmonary apoplexy.	M 559 F 687	183 235	126 129	98 115	152 208	56 88	17 26	11 20	8 16	20 26
95	Gangrene of the lung ...	M 60 F 37	19 14	21 9	12 5	8 9	11 12	5 3	2 2	3 4	1 3
96	Asthma ...	M 1,228 F 899	341 248	203 138	217 128	467 385	131 110	44 26	18 19	18 8	51 57
97	Pulmonary emphysema	M 165 F 56	56 11	36 14	34 9	39 22	28 14	5 3	6 3	7 1	10 7
98A	Fibroid disease of lung...	M 181 F 59	46 9	39 11	45 7	51 32	11 9	1 2	4 1	5 —	1 6
98B	Other diseases of the respiratory system.	M 170 F 92	38 18	35 17	53 27	44 30	20 6	7 2	3 2	7 2	3 —
99A	Diseases of the teeth and gums.	M 117 F 102	37 31	27 31	27 19	26 21	15 10	6 4	2 2	3 1	4 3
99B, C, D.	Other diseases of the mouth and annexa.	M 69 F 64	16 20	19 13	17 15	17 16	8 11	2 4	2 1	2 3	2 3
100	Diseases of pharynx, Tonsillitis.	M 304 F 258	94 74	71 60	70 57	69 67	27 30	10 13	8 3	4 7	5 7

IN DIFFERENT CLASSES OF AREA, 1918—*continued.*

AGGREGATE OF COUNTY BOROUGHES. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
331 437	98 126	88 117	65 83	80 111	338 520	106 146	90 123	57 95	85 156	205 356	74 92	53 94	37 73	41 97	} 82A
25 35	7 8	8 11	4 8	6 8	42 49	11 21	8 9	8 8	15 11	26 33	12 6	5 14	4 9	5 4	
24 49	7 14	5 17	9 7	3 11	24 63	6 18	5 19	7 12	6 14	26 32	11 14	5 6	8 3	2 9	} 83
21 11	4 3	7 5	6 1	4 2	18 23	10 5	2 8	1 3	5 7	11 15	4 6	4 4	2 2	1 3	
20 20	6 4	5 6	6 4	3 6	24 12	6 2	5 3	5 5	8 2	13 10	5 2	1 1	2 6	5 1	} 84B
43 60	9 14	10 13	18 15	6 18	45 32	8 11	14 6	11 9	12 6	30 32	5 13	7 9	7 6	11 4	
11 9	3 2	3 4	3 1	2 2	10 8	2 3	3 3	5 1	— 1	6 2	1 1	2 1	2 —	1 —	} 86
137 147	39 42	34 47	19 16	45 42	180 132	68 47	36 22	26 21	50 42	92 84	27 26	17 20	22 9	26 29	} 87
16 59	5 18	4 10	— 9	7 22	14 75	2 24	3 11	3 16	6 24	15 58	7 20	2 11	2 12	4 15	
8,372 8,153	2,635 2,700	1,707 1,524	1,217 1,012	2,813 2,917	6,191 6,220	2,095 2,223	1,230 1,094	819 703	2,047 2,200	3,289 3,371	1,118 1,280	705 640	386 325	1,080 1,126	} 89 & 90.
5,317 5,179	1,587 1,509	949 803	740 595	2,041 2,272	3,617 3,456	1,075 1,032	642 553	443 416	1,457 1,450	1,582 1,481	473 391	310 272	163 154	636 664	
2,862 2,089	694 370	778 405	555 484	835 830	1,857 1,525	518 349	510 312	316 292	513 572	973 729	310 194	231 142	122 116	310 277	} 92A
4,277 3,765	916 671	861 633	804 657	1,696 1,804	3,077 2,690	730 525	718 424	482 440	1,147 1,301	1,588 1,385	397 262	348 237	218 201	625 685	
261 181	82 42	84 44	46 43	49 52	241 190	69 61	61 47	57 33	54 49	133 99	40 34	41 27	19 22	33 16	} 93
207 213	68 71	51 32	27 39	61 71	163 237	50 81	32 47	36 39	45 70	125 149	48 57	29 30	26 21	22 41	
16 6	2 2	9 2	3 —	2 2	20 11	7 7	5 1	5 1	3 2	9 8	4 2	3 4	— —	2 2	} 95
409 316	109 89	64 51	76 41	160 135	430 312	116 93	79 43	76 51	159 125	236 161	65 40	38 25	44 28	89 68	
46 12	19 —	11 5	8 3	8 4	50 17	19 6	10 3	14 1	7 7	36 13	13 2	7 3	4 4	12 4	} 97
48 20	10 2	14 6	10 3	14 9	64 19	24 2	4 4	17 2	19 11	51 11	10 3	16 —	10 2	15 6	
71 31	16 6	15 9	19 8	21 8	45 41	10 8	10 5	14 13	11 15	18 14	3 2	4 1	7 4	4 7	} 98B
33 33	7 8	9 13	6 8	11 4	31 38	12 13	4 10	11 5	4 10	22 21	10 6	6 6	4 5	2 4	
22 20	5 5	5 4	5 6	7 5	25 23	6 7	10 6	5 5	4 5	13 10	2 4	2 2	5 1	4 3	} 99B, C, D.
89 80	21 18	19 20	23 22	26 20	76 102	21 31	20 25	18 16	17 30	81 46	29 12	18 12	21 12	13 10	
															} 100

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
101	Diseases of œsophagus ... { F	41 10	18 2	3 1	11 5	9 2	7 1	4 —	1 —	1 —	1 1
102	Perforating ulcer of { F	1,067 923	317 282	292 240	225 197	233 204	155 130	55 44	40 36	31 25	29 25
103A	Inflammation of stomach { F	1,274 1,310	344 362	314 315	315 310	301 323	86 110	23 38	18 27	17 24	28 21
103B	Other diseases of the { F	252 245	72 79	72 45	54 59	54 62	20 12	8 8	6 1	— 2	6 1
104 & 105.	Diarrhœa and enteritis ... { F	6,627 5,446	1,226 940	1,066 854	3,030 2,518	1,305 1,134	829 715	187 137	131 92	315 310	196 176
106	Ankylostomiasis... { F	2 —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —
107	Other intestinal parasites { F	12 11	3 3	4 —	2 2	3 6	2 —	1 —	1 —	— —	— —
108	Appendicitis ... { F	1,298 1,118	323 275	304 272	351 303	320 268	131 137	25 35	27 29	38 35	41 38
109A	Hernia ... { F	944 1,266	261 403	254 328	209 261	220 274	106 210	38 75	30 52	19 43	19 40
109B	Intestinal obstruction ... { F	1,369 1,441	354 381	352 393	364 352	299 315	153 214	42 71	41 49	35 51	35 43
110	Other diseases of the { F	222 240	70 65	59 65	52 50	41 60	26 28	9 7	8 5	5 9	4 7
111	Acute yellow atrophy of { F	35 34	15 10	7 10	9 9	4 5	1 1	— —	— —	— —	1 1
112	Hydatid of liver... { F	10 9	— 4	1 3	4 1	5 1	2 1	— 1	1 —	1 —	— —
113	Cirrhosis of the liver ... { F	1,121 609	306 151	293 140	261 162	261 156	180 98	50 21	36 27	45 23	49 27
114	Biliary calculi ... { F	189 423	44 109	42 110	48 104	55 100	21 43	10 11	3 13	3 14	5 5
115	Other diseases of the liver { F	347 401	95 105	103 99	83 92	66 105	42 46	13 10	9 14	12 15	8 7
116	Diseases of the spleen ... { F	18 27	6 5	5 11	4 4	3 7	1 3	— —	— 1	1 1	— 1
117	Peritonitis (cause un- { F	168 215	56 77	39 44	34 48	39 46	20 24	4 6	6 5	5 6	5 7
118	Other diseases of the { F	63 70	21 13	15 18	17 21	10 18	7 7	1 1	2 3	3 2	1 1
119	Acute nephritis ... { F	1,031 807	331 232	261 212	196 168	243 195	81 70	26 24	16 15	21 14	18 17
120	Bright's disease ... { F	6,225 5,016	1,799 1,371	1,585 1,227	1,277 1,089	1,564 1,329	766 665	225 193	205 158	139 133	197 181
121	Chyluria ... { F	— 1	— —	— —	— —	— 1	— 1	— —	— —	— —	— 1
122	Other diseases of the { F	257 223	65 55	68 57	59 59	65 52	45 41	17 11	7 9	11 11	10 10

IN DIFFERENT CLASSES OF AREA, 1918—*continued.*

AGGREGATE OF COUNTY BOROUGHES. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
11 3	5 1	1 —	2 1	3 1	11 5	6 1	— 1	4 3	1 —	11 1	3 —	1 —	3 1	4 —	} 101
321 295	105 88	87 76	63 62	66 69	308 310	81 97	87 80	60 64	80 69	197 188	49 53	57 48	55 46	36 41	
509 505	139 143	120 116	131 122	119 124	437 452	109 122	117 120	116 105	95 105	233 243	72 59	58 52	47 59	56 73	} 103A
102 88	27 25	32 19	21 19	22 25	76 92	20 29	21 15	18 22	17 26	50 53	16 17	12 10	13 16	9 10	
2,712 2,293	460 352	393 345	1,358 1,161	501 435	2,060 1,652	375 287	334 275	967 749	384 341	924 786	170 164	194 142	356 298	204 182	} 104 & 105
1 —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	4 2	2 1	— —	1 —	1 1	5 9	— 2	2 —	1 2	2 5	} 107
331 368	86 93	80 97	91 102	74 76	375 386	94 92	94 95	90 92	97 107	258 227	63 55	52 51	74 74	69 47	} 108
318 411	80 128	82 96	69 78	87 109	293 407	80 128	77 112	69 87	67 80	203 238	54 72	59 68	46 53	44 45	
411 467	115 127	90 125	118 118	88 97	446 485	105 117	129 141	117 114	95 113	299 275	73 66	77 78	79 69	70 62	} 109B
65 77	18 20	20 23	15 11	12 23	61 69	19 21	15 18	16 14	11 16	55 66	18 17	12 19	16 16	9 14	
5 12	— 4	2 3	2 4	1 1	7 9	2 2	1 3	3 2	1 2	6 12	3 4	2 4	1 3	— 1	} 111
2 7	— 2	— 3	— 1	2 1	— 1	— 1	— —	— —	— —	2 —	— —	— —	1 —	1 —	
348 194	89 48	87 47	91 50	81 49	364 211	91 59	105 45	86 51	82 56	199 106	62 23	58 21	37 38	42 24	} 113
67 134	8 34	16 35	21 31	22 34	51 150	13 38	12 40	13 35	13 37	39 96	12 26	8 22	9 24	10 24	
93 133	21 36	24 32	28 26	20 39	95 142	25 43	35 33	21 35	14 31	78 80	21 16	26 20	17 16	14 28	} 115
5 7	1 1	1 3	2 2	1 1	6 10	3 3	2 3	— 1	1 3	4 7	1 1	2 4	1 —	— 2	
51 79	24 34	11 14	10 15	6 16	45 70	16 19	10 17	11 17	8 17	37 42	7 18	9 8	7 10	14 6	} 117
19 29	6 3	4 6	4 11	5 9	21 25	8 5	5 8	5 6	3 6	9 9	5 4	1 1	3 2	— 2	
342 323	97 90	83 92	78 62	84 79	300 273	100 70	80 76	50 64	70 63	175 141	61 48	42 29	33 28	39 36	} 119
2,100 1,732	595 443	533 444	426 369	546 476	1,897 1,667	542 473	506 401	401 373	448 420	1,249 952	372 262	294 224	265 214	318 252	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 121
64 71	13 18	20 23	19 16	12 14	70 70	13 11	20 19	16 23	21 17	46 41	15 15	15 6	4 9	12 11	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
123	Calculi of the urinary passages.	M 173 F 71	41 18	45 13	43 21	44 19	21 13	2 3	7 4	3 4	9 2
124	Diseases of the bladder ...	M 1,012 F 247	276 74	211 58	250 56	275 59	116 43	34 10	15 12	31 10	36 11
125	Diseases of the urethra, Urinary abscess, &c.	M 429 F 3	113 —	97 1	109 1	110 1	54 —	13 —	13 —	14 —	14 —
126	Diseases of the prostate...	M 1,779 F —	477 —	426 —	436 —	440 —	189 —	52 —	41 —	44 —	52 —
127	Non-venereal diseases of male genital organs.	M 20 F —	5 —	3 —	6 —	6 —	1 —	— —	— —	1 —	— —
128	Uterine hæmorrhage (non-puerperal).	M — F 34	— 9	— 8	— 5	— 12	— 5	— —	— 1	— 1	— 3
129	Uterine tumour (non- cancerous).	M — F 308	— 75	— 77	— 80	— 76	— 38	— 7	— 11	— 6	— 14
130	Other diseases of the uterus.	M — F 140	— 27	— 37	— 38	— 38	— 11	— 2	— 1	— 4	— 4
131	Ovarian cyst, tumour (non-cancerous).	M — F 273	— 73	— 72	— 59	— 69	— 29	— 7	— 6	— 7	— 9
132	Other diseases of the female genital organs.	M — F 218	— 58	— 55	— 60	— 45	— 33	— 11	— 6	— 8	— 8
133	Non-puerperal dis. of the breast (non-cancerous).	M 1 F 24	— 7	— 7	1 6	— 4	— 4	— —	— 1	— 3	— —
134	Accidents of pregnancy...	M — F 258	— 70	— 55	— 64	— 69	— 17	— 8	— 5	— 2	— 2
135	Puerperal hæmorrhage ...	M — F 321	— 79	— 91	— 66	— 85	— 22	— 7	— 5	— 4	— 6
136	Other accidents of child- birth.	M — F 290	— 59	— 65	— 75	— 91	— 28	— 6	— 2	— 10	— 10
137	Puerperal fever ...	M — F 845	— 251	— 193	— 193	— 208	— 99	— 34	— 23	— 20	— 22
138	Puerperal albuminuria and convulsions.	M — F 543	— 122	— 150	— 124	— 147	— 41	— 10	— 13	— 5	— 13
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M — F 218	— 59	— 50	— 42	— 67	— 13	— 3	— 3	— 1	— 6
140	Puerperal insanity ...	M — F 25	— 4	— 8	— 6	— 7	— 1	— —	— —	— 1	— —
141	Puerperal diseases of the breast.	M — F 9	— 1	— 3	— 4	— 1	— —	— —	— —	— —	— —
134- 141	All accidents of preg- nancy and childbirth.	M — F 2,509	— 645	— 615	— 574	— 675	— 221	— 68	— 51	— 43	— 59
142A	Senile gangrene ...	M 620 F 536	203 157	161 141	114 92	142 146	49 63	18 22	13 17	7 8	11 16
142B, C, D.	Gangrene, other types ...	M 87 F 127	25 28	18 30	11 29	33 40	7 15	3 5	2 4	1 4	1 2
143	Carbuncle, Boil ...	M 221 F 99	75 26	58 29	45 21	43 23	36 14	14 4	10 5	5 2	7 3
144	Phlegmon, Acute abscess	M 336 F 249	105 80	78 59	72 60	81 50	47 32	17 10	13 10	4 7	13 5
145	Diseases of the integu- mentary system.	M 401 F 461	128 145	97 100	77 104	99 112	45 45	12 9	11 10	9 11	13 15

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
146	Diseases of the bones ... { M F	304 165	75 41	89 32	63 47	77 45	35 33	8 6	12 7	6 10	9 10
147	Diseases of the joints ... { M F	76 77	27 22	15 20	20 17	14 18	8 14	4 3	1 3	1 2	2 6
148	Amputations ... { M F	2 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	22 12	8 3	11 2	1 3	2 4	3 4	2 —	1 2	— —	— 2
150	Congenital malformations { M F	1,615 1,320	426 349	414 328	375 314	400 329	171 140	42 41	42 32	39 30	48 37
151A	Premature birth ... { M F	7,426 5,709	1,719 1,344	1,735 1,362	1,790 1,319	2,182 1,684	725 586	159 150	143 130	178 147	245 159
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	4,021 2,984	992 756	896 640	1,004 718	1,129 870	443 317	104 75	95 68	104 71	140 103
152	Other diseases peculiar to early infancy. { M F	1,074 797	273 212	268 201	263 198	270 186	135 103	35 28	29 24	35 25	36 26
153	Lack of care ... { M F	129 118	43 38	37 33	25 24	24 23	30 18	5 6	14 6	4 1	7 5
154	Old age ... { M F	12,055 15,956	3,610 4,631	2,718 3,723	2,241 2,997	3,486 4,605	1,091 1,631	348 504	258 386	190 278	295 463
155	Suicide by poison ... { M F	96 122	18 20	20 36	24 32	34 34	20 21	5 4	2 6	3 9	10 2
156	Suicide by asphyxia ... { M F	96 80	20 23	24 16	28 19	24 22	19 26	5 8	3 2	5 8	6 8
157	Suicide by hanging or strangulation. { M F	462 154	107 36	140 44	115 35	100 39	42 14	10 6	12 7	6 —	14 1
158	Suicide by drowning ... { M F	339 349	85 86	90 81	90 79	74 103	15 23	4 3	5 4	2 6	4 10
159	Suicide by firearms ... { M F	205 17	43 4	57 7	59 —	46 6	19 4	4 —	4 —	4 —	7 4
160	Suicide by cutting or piercing instruments. { M F	494 124	131 31	139 26	96 35	128 32	60 14	17 3	13 2	11 5	19 4
161	Suicide by jumping from high place. { M F	66 41	19 11	12 8	13 12	22 10	15 13	4 4	2 3	2 2	7 4
162	Suicide by crushing ... { M F	82 28	16 11	26 2	19 6	21 9	12 6	3 2	6 —	1 2	2 2
163	Other suicides ... { M F	5 5	1 —	2 1	1 —	1 4	— 2	— —	— —	— —	— 2
164	Poisoning by food ... { M F	52 43	10 5	23 24	15 11	4 3	7 7	1 1	5 5	1 1	— —
165	Other acute poisonings ... { M F	86 55	17 13	26 7	25 18	18 17	8 7	1 5	— —	5 1	2 1
166	Conflagration ... { M F	31 29	8 5	7 7	9 —	7 17	4 14	— —	1 2	— —	3 12
167	Burns (conflagration ex- cepted). { M F	958 1,309	352 539	204 225	148 165	254 380	95 142	48 58	22 26	9 17	16 41
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	427 352	151 140	91 67	77 44	108 101	85 72	31 39	22 9	14 9	18 15

IN DIFFERENT CLASSES OF AREA, 1918—*continued.*

AGGREGATE OF COUNTY BOROUGH. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
87 67	23 14	25 14	13 22	26 17	89 41	21 13	27 6	21 11	20 11	64 24	13 8	19 5	15 4	17 7	} 146
21 19	5 3	5 8	7 5	4 3	26 25	11 5	8 6	5 8	2 6	14 19	4 11	1 3	6 2	3 3	
1 —	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 148
9 2	3 2	5 —	1 —	— —	2 4	1 1	1 —	— 2	— 1	7 2	2 —	3 —	— 1	2 1	
524 450	142 115	133 126	132 103	117 106	570 440	153 118	157 106	125 111	135 105	347 290	87 75	82 64	78 70	100 81	} 150
2,820 2,159	664 491	672 537	669 514	815 617	2,460 1,889	555 458	605 434	615 425	685 572	1,421 1,075	341 245	315 261	328 233	437 336	
1,436 1,103	345 259	309 229	380 308	402 307	1,410 954	351 268	323 207	359 206	377 273	732 610	192 154	169 136	161 133	210 187	} 151 B-E
340 253	87 57	89 72	86 62	78 62	382 251	101 68	89 67	92 64	100 52	217 190	50 59	61 38	50 47	56 46	
40 46	20 10	9 16	7 15	4 5	46 40	16 19	12 7	9 6	9 8	13 14	2 3	2 4	5 2	4 5	} 153
3,508 4,891	1,019 1,385	785 1,096	701 957	1,003 1,453	3,976 5,545	1,146 1,632	901 1,300	750 1,035	1,179 1,578	3,472 3,889	1,092 1,110	772 941	599 727	1,009 1,111	
33 40	6 6	9 12	8 8	10 14	23 40	3 6	5 14	8 9	7 11	14 21	3 4	3 4	3 6	5 7	} 155
43 28	12 8	9 7	11 7	11 6	26 24	3 7	11 7	7 4	5 6	2 2	— —	1 —	— —	1 2	
114 56	31 17	35 9	29 14	19 16	125 51	24 8	38 18	38 13	25 12	135 33	32 5	47 10	26 8	30 10	} 157
96 107	22 26	21 26	33 22	20 33	105 113	27 36	35 24	22 25	21 28	94 106	26 21	21 27	25 26	22 32	
28 3	3 —	7 3	9 —	9 —	35 4	7 1	8 3	13 —	7 —	56 6	12 3	21 1	10 —	13 2	} 159
135 55	36 15	31 14	29 14	39 12	126 40	35 8	36 9	22 11	33 12	80 15	11 5	34 1	18 5	17 4	
20 10	6 2	2 —	3 5	9 3	16 14	4 4	5 5	6 3	1 2	7 4	2 1	1 —	2 2	2 1	} 161
16 6	1 2	6 —	4 1	5 3	25 7	5 3	5 2	4 —	11 2	12 9	3 4	2 —	4 3	3 2	
1 1	— —	— —	— —	1 1	2 2	1 —	— 1	1 —	— 1	1 —	— —	1 —	— —	— —	} 163
12 17	2 1	7 10	3 5	— 1	17 13	2 3	6 6	7 3	2 1	12 6	3 —	5 3	3 2	1 1	
32 14	6 1	10 1	10 6	6 6	18 22	4 5	7 6	4 6	5 5	11 12	2 2	2 —	3 5	4 5	} 165
8 8	3 5	2 —	2 —	1 3	5 5	— —	2 3	1 —	2 2	6 2	2 —	2 2	1 —	1 —	
402 567	142 238	84 95	60 60	116 174	266 384	99 159	56 62	40 55	71 108	134 216	49 84	29 42	16 33	40 57	} 167
172 157	61 61	42 30	27 18	42 48	110 94	34 31	18 21	27 13	31 29	49 29	21 9	7 7	5 4	16 9	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death	ENGLAND AND WALES. (Total deaths registered.)					LONDON. (Civilian population only.)				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
169	Accidental drowning ... { M F	1,704 402	364 105	499 101	501 112	340 84	141 35	20 10	45 8	56 12	20 5
170	Injury by firearms ... { M F	125 16	20 3	38 2	38 6	29 5	1 2	— 1	— —	1 1	— —
171	Injury by cutting or { M piercing instruments. { F	30 6	7 3	11 1	7 1	5 1	1 2	— 1	1 —	— —	— 1
172	Injury by fall ... { M F	1,636 1,113	477 351	374 265	377 229	408 268	264 211	76 58	64 54	59 51	65 48
173	Injury in mines and { M quarries. { F	1,118 1	301 —	295 —	256 —	266 1	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	352 38	95 10	82 13	87 8	88 7	28 3	5 —	7 1	9 1	7 1
175	Injury by other crushing { M (vehicles, railways, { F landslides, &c.).	3,836 645	944 197	966 133	1,051 171	875 144	390 137	109 50	74 28	92 30	115 29
176	Injury by animals ... { M F	105 5	25 1	33 2	24 —	23 2	7 —	2 —	1 —	1 —	3 —
177	Starvation ... { M F	12 1	3 —	1 —	2 —	6 1	2 —	— —	— —	1 —	1 —
178	Excessive cold ... { M F	59 13	38 5	3 2	4 2	14 4	1 —	1 —	— —	— —	— —
179	Effects of heat ... { M F	44 17	1 —	26 11	16 6	1 —	— —	— —	— —	— —	— —
180	Lightning ... { M F	13 —	— —	1 —	12 —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { M cepted). { F	40 —	9 —	7 —	12 —	12 —	1 —	— —	— —	— —	1 —
182	Homicide by firearms ... { M F	8 5	1 1	2 1	2 2	3 1	— 1	— 1	— —	— —	— —
183	Homicide by cutting or { M piercing instruments. { F	16 29	4 6	4 5	2 6	6 12	1 5	— —	— 2	1 1	— 2
184	Homicide by other means { M F	76 78	15 23	18 16	27 17	16 22	8 14	2 3	2 1	4 2	— 8
185	Fractures (cause not { M specified). { F	65 16	27 8	12 3	13 1	13 4	10 5	4 3	3 1	1 —	2 1
186	Other violence ... { M F	4,837 272	643 109	1,365 61	1,054 60	1,775 42	140 90	70 56	32 23	16 4	22 7
155- 186	All violence ... { M F	17,475 5,365	3,952 1,746	4,598 1,167	4,204 1,077	4,721 1,375	1,396 870	422 316	326 184	304 162	244 208
187	Dropsy ... { M F	9 17	2 4	3 3	— 4	4 6	2 —	1 —	— —	— —	1 —
188A	Syncope (aged 1 year and { M under 70). { F	122 95	31 24	30 23	29 19	32 29	4 2	1 2	1 —	2 —	— —
188B	Sudden death (not other- { M wise defined). { F	2 2	1 —	— —	1 1	— 1	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { M and under 70). { F	664 579	167 142	134 119	155 115	208 203	6 10	— 3	1 4	4 2	1 1
189 B-E	Other ill-defined causes { M F	405 383	107 99	85 91	103 78	110 115	24 29	8 8	6 8	6 5	4 8
189F	Cause not specified ... { M F	125 44	15 11	19 10	45 8	46 15	— 4	— 1	— 1	— 1	— 1

IN DIFFERENT CLASSES OF AREA, 1918—*continued*.

AGGREGATE OF COUNTY BOROUGHs. (Civilian population only.)					AGGREGATE OF URBAN DISTRICTS. (Civilian population only.)					AGGREGATE OF RURAL DISTRICTS. (Civilian population only.)					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
432	87	118	147	80	502	105	168	140	89	415	100	111	104	100	169
123	25	35	33	30	128	33	33	39	23	116	37	25	28	26	
4	—	2	1	1	14	2	6	3	3	50	8	12	16	14	170
4	1	—	1	2	3	1	1	—	1	7	—	1	4	2	
9	4	3	1	1	4	1	2	—	1	11	2	4	3	2	171
1	1	—	—	—	2	1	—	1	—	1	—	1	—	—	
635	187	155	147	146	397	123	85	80	109	248	68	40	70	70	172
409	138	98	75	98	324	110	72	65	77	169	45	41	38	45	
121	33	34	28	26	637	191	159	136	151	356	76	102	91	87	173
—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
144	43	30	33	38	108	32	23	27	26	56	12	15	14	15	174
15	5	5	3	2	11	3	4	2	2	9	2	3	2	2	
820	230	208	179	203	740	194	173	198	175	492	115	121	139	117	175
201	57	43	48	53	187	58	37	52	40	120	32	25	41	22	
18	4	6	4	4	19	6	4	6	3	45	6	17	11	11	176
2	—	—	—	2	1	—	1	—	—	2	1	1	—	—	
3	1	1	—	1	2	1	—	1	—	2	1	—	—	1	177
—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	
10	5	—	1	4	17	12	—	2	3	22	13	3	—	6	178
4	2	—	—	2	4	1	1	1	1	5	2	1	1	1	
9	—	7	2	—	16	—	10	6	—	16	1	8	6	1	179
3	—	3	—	—	10	—	6	4	—	4	—	2	2	—	
2	—	1	1	—	4	—	—	4	—	5	—	—	5	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15	4	2	5	4	19	4	5	6	4	4	1	—	—	3	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	1	1	—	1	—	—	—	—	—	—	—	182
4	—	1	2	1	—	—	—	—	—	—	—	—	—	—	
6	2	1	—	3	3	—	2	1	—	4	2	—	—	2	183
10	3	2	3	2	7	2	—	2	3	7	1	1	—	5	
19	4	4	4	7	30	5	8	12	5	12	2	2	5	3	184
20	5	9	4	2	28	8	5	8	7	16	7	1	3	5	
19	13	2	2	2	20	6	3	5	6	8	1	3	3	1	185
4	1	1	1	1	3	1	1	—	1	4	3	—	—	1	
318	85	78	111	44	290	74	57	104	55	155	30	39	46	40	186
93	33	18	26	16	60	16	13	19	12	29	4	7	11	7	
3697	1033	917	894	853	3722	1004	938	931	849	2514	604	653	629	628	155- 186
1962	653	422	356	531	1582	505	355	335	387	951	272	206	224	249	
4	1	2	—	1	2	—	1	—	1	1	—	—	—	1	187
7	2	1	2	2	4	—	—	1	3	6	2	2	1	1	
50	15	13	10	12	32	7	9	9	7	30	6	6	7	11	188A
29	9	6	7	7	37	4	11	7	15	27	9	6	5	7	
—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	188B
—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	
203	39	45	51	68	238	67	43	47	81	183	52	41	44	46	189A
183	44	37	37	65	215	50	41	45	79	171	45	37	31	58	
163	46	31	50	36	142	33	35	30	44	74	19	13	16	26	189 B-E
166	46	42	41	37	114	27	29	19	39	74	18	12	13	31	
13	3	2	3	5	36	3	6	14	13	68	9	10	23	26	189F
9	2	4	1	2	11	2	1	1	7	20	6	4	5	5	

ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT AGE-PERIODS, 1918.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and upwards.
ALL CAUSES	24,033	3,227*	6,398	5,594	3,773	2,331	1,502	686	324	198
Enteric fever	65	6	23	14	10	7	4	1	—	—
Malaria	99	—	30	20	24	10	5	5	5	—
Measles	114	21	59	24	7	3	—	—	—	—
Scarlet fever	54	27	16	8	3	—	—	—	—	—
Diphtheria	31	8	11	6	4	2	—	—	—	—
Influenza	7,591	858†	1,929	2,185	1,495	633	310	118	46	17
Dysentery	48	2	14	13	9	5	1	3	1	—
Erysipelas	36	3	7	4	8	6	4	1	2	1
Mumps	11	—	8	3	—	—	—	—	—	—
German measles	14	1	6	4	1	1	1	—	—	—
Other epidemic diseases	13	1	5	4	2	—	1	—	—	—
Pyæmia, Septicæmia... ..	41	11	11	9	—	5	4	—	—	1
Anthrax	3	—	1	1	—	—	—	1	—	—
Tetanus	8	—	4	1	1	—	1	1	—	—
Phthisis	1,106	119	287	228	157	141	101	48	20	5
Tuberculous meningitis	82	31	30	12	4	4	—	1	—	—
Other tuberculous diseases	181	19	64	36	27	17	15	2	1	—
Syphilis	57	—	11	10	10	7	9	7	3	—
Gonococcus infection	10	1	4	2	1	—	1	—	1	—
Cancer... ..	443	15	37	54	54	71	82	59	43	28
Rheumatic fever	36	7	12	2	7	2	4	1	1	—
Diabetes	53	7	18	4	9	8	2	4	—	1
Addison's disease	11	2	4	3	—	2	—	—	—	—
Leucocythæmia	32	4	8	7	5	3	3	2	—	—
Lymphadenoma	14	—	3	5	4	1	1	—	—	—
Anæmia, Chlorosis	22	2	3	4	7	1	2	2	1	—
Purpura	8	3	2	3	—	—	—	—	—	—
Other general diseases	11	—	6	—	1	3	—	—	—	1
Alcoholism	3	—	—	1	—	1	—	1	—	—
Encephalitis	44	10	12	8	3	3	5	2	1	—
Cerebro-spinal fever (61A and B)	314	129	90	40	28	14	10	3	—	—
Meningitis—other forms	69	20	9	12	8	8	5	3	—	4
Poliomyelitis, Polioencephalitis	6	—	1	2	—	1	1	1	—	—
Cerebral hæmorrhage, Apoplexy	124	7	7	10	15	30	11	21	11	12
General paralysis of the insane	203	—	3	12	41	74	55	14	3	1
Epilepsy	30	4	4	7	2	8	2	2	—	1
Other diseases of the nervous system	145	6	30	22	17	20	24	14	7	5
Diseases of the ears... ..	91	24‡	20	18	13	11	4	1	—	—
Infective endocarditis	105	5	25	26	17	22	8	1	1	—
Valvular disease	245	6	27	54	32	40	37	25	17	7
Aneurysm	56	—	2	—	4	16	18	11	4	1
Other diseases of the heart and circulatory system.	261	16	22	28	35	39	37	33	25	26
Bronchitis	255	26	36	25	21	52	36	33	13	13
Broncho-pneumonia... ..	1,040	209	283	234	145	60	63	30	9	7
Lobar pneumonia	1,510	242‡	417	400	215	102	80	33	13	8
Pneumonia (type not stated)	1,758	296	450	453	286	134	75	31	29	4
Empyema	80	16	30	15	8	5	3	2	1	—
Pleurisy	26	3	5	6	3	2	5	1	1	—
Other diseases of the respiratory system	67	8	6	9	8	14	10	5	5	2
Gastric ulcer	86	3	6	11	17	14	18	15	2	—
Duodenal ulcer	54	3	3	9	13	13	10	2	1	—
Appendicitis	203	42	45	33	25	26	23	6	—	3
Other diseases of the digestive system	334	38‡	55	64	47	57	36	21	8	8
Acute nephritis	133	15	21	22	25	21	19	7	3	—
Bright's disease	213	8	23	35	28	43	36	21	10	9
Other diseases of the genito-urinary system	74	3	9	15	7	10	11	12	2	5
Other diseases	114	19	29	13	14	13	11	5	—	10
Suicide	273	14	40	51	60	46	36	13	11	2
Homicide	15	2	2	2	4	3	2	—	—	—
Drowning	214	32	47	49	26	27	20	9	3	1
Injury by crushing (vehicles, railways, &c.)	1,394	341	563	284	88	55	40	12	7	4
Wounds in battle, &c.	3,827	445	1,347	878	610	370	152	20	2	3
Other violence	423	83	111	73	53	36	38	14	10	5
Ill-defined causes	50	4	5	7	5	9	10	6	1	3

* Including 6 aged 14 years.

† Including 3 aged 14 years.

‡ Including 1 aged 14 years.

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918.

(See note at head of page 19.)

In the second column, the letters P.L. denote Poor Law Institutions, L.A. Lunatic Asylums, H. Hospitals and Nursing Homes and E. elsewhere than in Institutions for the sick and infirm.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-Civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
1. Enteric fever ...	P.L. L.A. H. E.	— 2 59 4	4 5 11 7	11 9 55 30	1 7 86 84	2 8 24 49	18 31 235 174	2 25 21 7	11 21 55 44	3 17 89 88	2 22 36 49	18 85 201 188
2. Typhus ...	H. E.	— —	— —	— 1	1 —	— —	1 1	— —	— 1	— —	— —	— 1
3B. Mediterranean fever	H.	—	—	—	1	—	1	—	—	—	—	—
4. Malaria ...	P.L. H. E.	— 88 11	1 2 7	4 4 29	1 5 25	— 3 8	6 102 80	— — 1	— 2 3	— — 2	— — 1	— 2 7
5. Small-pox ...	H.	—	—	—	—	1	1	—	1	—	—	1
6. Measles ...	P.L. L.A. H. E.	— — 112 2	208 2 105 544	97 — 114 1,870	16 4 21 1,524	5 — 8 515	326 6 360 4,455	216 1 89 484	100 — 84 1,712	15 1 28 1,408	6 1 4 491	337 3 205 4,095
7. Scarlet fever ...	P.L. H. E.	— 47 7	— 42 6	3 195 51	— 60 37	— 27 32	3 371 133	— 67 5	1 186 63	1 64 56	— 41 29	2 358 153
8. Whooping cough ...	P.L. H. E.	— 1 —	276 54 437	99 26 1,528	26 14 1,266	3 1 660	404 96 3,891	317 68 535	127 23 1,962	28 10 1,609	4 1 823	476 102 4,929
9A. Diphtheria ...	P.L. L.A. H. E.	— — 29 2	7 1 275 42	2 — 571 238	2 — 400 409	— — 152 191	11 1 1,427 882	8 — 304 31	7 — 626 241	1 2 432 447	— — 154 224	16 2 1,516 943
9B. Membranous laryngitis.	H. E.	— —	— —	— —	— —	— 1	— 1	— —	— —	1 1	— 2	1 3
9C. Croup ...	H. E.	— —	— 1	1 5	— 5	— 6	1 17	— —	1 1	— 7	— 2	1 10
10. Influenza ...	P.L. L.A. H. E.	32 35 6,205 1,319	1,239 189 337 3,791	1,363 277 540 13372	667 305 474 14112	234 187 201 9,004	3,535 993 7,757 41598	1,297 252 389 5,591	1,272 249 585 17935	633 240 556 18074	221 161 236 10755	3,423 902 1,766 52355
13. Cholera nostras ...	P.L. E.	— —	— 1	— 1	— 4	1 1	1 7	— —	— 1	— 2	— —	— 3
14. Dysentery ...	P.L. L.A. H. E.	1 4 38 5	6 139 4 4	15 70 8 19	3 69 4 16	2 67 1 10	27 349 55 54	— 159 — 1	1 63 2 6	3 61 1 3	1 48 — 4	5 331 3 14
15. Plague ...	H. E.	— —	— —	— —	— 1	1 —	1 1	— —	— —	— —	— 2	— 2
17. Leprosy ...	P.L. E.	— —	— —	1 —	— —	— 4	1 4	— —	— —	— —	— —	— —
18. Erysipelas ...	P.L. L.A. H. E.	1 — 31 4	30 1 4 14	25 2 23 53	11 7 7 59	4 3 9 38	71 13 74 168	30 2 2 16	28 1 9 69	9 3 2 67	4 — 4 37	71 6 17 189

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—continued.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts	England and Wales.	London.	County Boroughs	Other Urban Districts.	Rural Districts.	England and Wales.
19A. Mumps	P.L.	—	—	2	—	—	2	—	1	—	—	1
	H.	9	—	1	—	—	10	—	1	—	—	1
	E.	2	—	4	4	3	13	1	4	7	2	14
19B. German measles ...	P.L.	—	1	—	—	—	1	—	—	—	—	—
	H.	13	1	—	—	—	14	—	—	—	—	—
	E.	1	1	4	17	6	29	5	8	8	4	25
19C. Varicella	P.L.	—	1	2	—	—	3	2	1	—	—	3
	H.	—	—	2	1	—	3	—	—	—	—	—
	E.	—	4	8	4	2	18	4	8	11	4	27
19D. Other diseases included under 19.	H.	11	—	1	—	—	12	—	—	—	—	—
	E.	1	1	3	1	1	7	—	1	—	—	1
20A. & B. Pyæmia, Septicæmia.	P.L.	—	6	13	12	5	36	5	9	5	4	23
	L.A.	—	1	—	1	1	3	6	2	2	1	11
	H.	37	20	34	31	19	141	7	16	12	8	43
	E.	3	3	44	45	30	125	6	35	30	24	95
20C. Vaccinia	H.	1	—	1	—	—	2	—	—	—	—	—
	E.	—	—	1	—	—	1	—	—	—	—	—
22. Anthrax (Splenic fever).	H.	3	1	2	2	—	8	—	—	—	—	—
	E.	—	—	2	—	—	2	—	1	1	—	2
24. Tetanus	P.L.	—	6	3	3	3	15	—	—	—	—	—
	L.A.	—	—	—	—	1	1	—	—	—	—	—
	H.	8	4	23	22	21	78	2	1	5	4	12
	E.	—	1	5	10	16	32	—	—	5	13	18
25. Mycoses	P.L.	—	—	—	1	1	2	—	1	—	—	1
	H.	4	—	1	5	2	12	—	1	2	1	4
	E.	—	—	1	2	3	6	—	1	3	1	5
26. Pellagra	L.A.	—	—	—	—	—	—	—	1	—	—	1
27. Beri-beri	H.	—	—	1	—	1	2	—	—	—	—	—
	E.	—	—	2	—	—	2	—	—	—	—	—
28A. Pulmonary tuberculosis.	P.L.	3	1,245	1,212	413	125	2,998	711	803	313	80	1,907
	L.A.	45	479	418	494	398	1,834	340	402	444	316	1,502
	H.	674	357	938	508	172	2,649	291	503	329	116	1,239
	E.	56	1,160	3,612	3,366	1,771	9,965	1,035	3,450	3,302	1,937	9,724
28B. Phthisis (not defined as tuberculous).	P.L.	—	41	429	145	45	660	56	239	85	37	417
	L.A.	16	155	225	154	111	661	72	212	139	76	499
	H.	53	50	117	61	32	313	31	104	38	14	187
	E.	18	276	1,504	1,196	741	3,735	282	1,556	1,296	823	3,957
29A. Acute phthisis ...	P.L.	—	8	24	16	5	53	4	15	9	5	33
	L.A.	14	57	89	75	50	285	35	68	51	30	184
	H.	173	20	44	31	9	277	21	48	16	24	109
	E.	7	98	384	301	151	941	96	529	385	199	1,209
29B. Acute miliary tuberculosis.	P.L.	—	6	4	3	—	13	9	3	6	3	21
	L.A.	1	4	6	4	9	24	2	8	12	4	26
	H.	43	23	33	20	6	135	43	26	26	8	103
	E.	3	17	73	84	36	213	14	64	87	39	204
28 & 29. Pulmonary tuberculosis, acute and chronic ...	P.L.	3	1,300	1,669	577	175	3,724	780	1,060	413	125	2,378
	L.A.	76	695	738	727	568	2,804	449	690	646	426	2,211
	H.	943	460	1,132	620	219	3,374	386	681	409	162	1,638
	E.	84	1,551	5,573	4,947	2,699	14,854	1,427	5,599	5,070	2,998	15,094
30. Tuberculous meningitis.	P.L.	—	63	77	31	10	181	61	51	24	6	142
	L.A.	1	2	1	1	2	7	1	1	4	1	7
	H.	81	140	156	86	29	492	138	149	81	36	404
	E.	—	133	620	560	290	1,603	143	611	527	262	1,543

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilian.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
31A. <i>Tabes mesenterica</i> ...	P.L.	—	2	7	4	1	14	4	6	1	—	11
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	3	3	3	2	11	1	1	5	—	7
	E.	—	14	64	49	21	148	8	54	37	24	123
31B. Other peritoneal and intestinal tubercle.	P.L.	—	17	65	16	7	105	34	52	18	11	115
	L.A.	—	7	24	17	13	61	11	14	15	13	53
	H.	62	35	122	76	33	328	27	97	62	33	219
	E.	4	43	419	334	175	975	44	434	382	209	1,069
32. Tuberculosis of spinal column.	P.L.	—	29	38	21	5	93	18	33	16	5	72
	L.A.	—	2	2	—	—	4	—	—	1	3	4
	H.	33	19	34	18	12	116	8	18	10	8	44
	E.	1	14	71	101	51	238	18	96	108	59	281
33. Tuberculosis of joints	P.L.	—	23	34	17	10	84	14	18	13	5	50
	L.A.	—	1	—	1	1	3	1	3	1	—	5
	H.	9	8	15	15	17	64	8	12	5	9	34
	E.	—	4	28	41	49	122	4	35	33	17	89
34A. <i>Lupus</i> ...	P.L.	—	—	3	3	2	8	1	8	2	3	14
	L.A.	—	—	—	—	1	1	—	1	1	—	2
	H.	—	—	—	—	—	—	—	—	1	—	1
	E.	—	—	5	6	3	14	—	10	12	12	34
34B. <i>Scrofula</i> ...	H.	—	—	—	—	—	—	—	1	—	—	1
	E.	—	—	—	—	1	1	—	1	—	—	1
34C. Other tuberculosis included under 34.	P.L.	—	14	44	5	5	68	6	36	7	6	55
	L.A.	—	1	1	6	5	13	5	2	2	1	10
	H.	20	6	19	23	12	80	13	19	17	16	65
	E.	1	9	53	72	46	181	14	44	72	49	179
35. Disseminated tuberculosis.	P.L.	—	34	97	40	13	184	22	61	30	6	119
	L.A.	4	8	89	69	51	221	12	72	59	55	198
	H.	46	52	78	44	28	248	36	63	51	21	171
	E.	1	32	210	225	135	603	31	213	230	128	602
28-35. Tuberculosis (all forms).	P.L.	3	1,482	2,034	714	228	4,461	940	1,325	524	167	2,956
	L.A.	81	716	855	821	641	3,114	479	784	729	499	2,491
	H.	1,194	723	1,559	885	352	4,713	617	1,041	641	285	2,584
	E.	91	1,800	7,043	6,335	3,470	18,739	1,689	7,097	6,471	3,758	19,015
36. <i>Rickets</i> , Softening of bones.	P.L.	—	30	17	3	3	53	16	21	4	2	43
	H.	—	13	21	8	4	46	11	15	7	3	36
	E.	—	26	127	104	54	311	17	116	104	63	300
37. <i>Syphilis</i> ...	P.L.	—	89	174	60	28	351	79	145	45	20	289
	L.A.	2	13	6	5	2	28	1	1	1	—	3
	H.	52	36	75	23	11	197	25	38	21	11	95
	E.	3	41	269	196	86	595	35	204	139	58	436
38A. Soft chancre ...	H.	—	—	—	1	—	1	—	—	—	—	—
38B. <i>Gonococcus</i> infection.	P.L.	—	—	5	2	—	7	2	2	2	1	7
	H.	10	1	1	2	—	14	—	4	2	3	9
	E.	—	—	2	1	—	3	—	1	2	—	3
38C. <i>Purulentophthalmia</i>	P.L.	—	—	—	1	1	2	—	—	1	—	1
	H.	—	1	5	4	—	10	—	2	1	—	3
	E.	—	1	3	5	2	11	—	—	1	—	1

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—continued.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
39. Cancer of the buccal cavity.	P.L.	—	156	229	128	78	591	20	23	12	6	61
	L.A.	1	1	4	3	3	12	4	—	—	1	5
	H.	28	64	66	66	31	255	11	8	15	2	36
	E.	2	129	534	484	350	1,499	27	94	103	51	275
40. Cancer of the stomach, liver, &c.	P.L.	3	249	272	172	118	814	148	189	98	63	498
	L.A.	1	11	21	10	9	52	7	17	18	14	56
	H.	129	155	241	204	118	847	101	128	125	45	399
	E.	10	466	1,585	1,837	1,327	5,225	435	1,711	1,890	1,389	5,425
41. Cancer of the peritoneum, intestines, and rectum.	P.L.	—	177	183	116	67	543	147	147	106	43	443
	L.A.	—	5	8	4	6	23	8	10	9	5	32
	H.	65	88	190	183	118	644	115	236	212	107	670
	E.	6	224	766	968	740	2,704	295	1,060	1,261	888	3,504
42. Cancer of the female genital organs.	P.L.	—	—	—	—	—	—	192	272	172	61	697
	L.A.	—	—	—	—	—	—	7	13	7	12	39
	H.	—	—	—	—	—	—	131	171	171	84	557
	E.	—	—	—	—	—	—	345	1,367	1,295	697	3,701
43. Cancer of the breast...	P.L.	—	2	3	—	—	5	141	152	94	34	421
	L.A.	—	—	—	—	—	—	14	15	9	8	46
	H.	1	—	3	1	1	6	93	91	93	33	310
	E.	—	3	7	9	7	26	295	1,044	1,222	744	3,305
44. Cancer of the skin ...	P.L.	—	40	59	47	26	172	20	29	21	12	82
	L.A.	—	—	2	—	2	4	—	1	—	—	1
	H.	10	10	20	16	8	64	1	5	7	5	18
	E.	1	15	130	136	125	407	21	86	103	81	291
45. Cancer of the other and unspecified organs.	P.L.	—	161	216	141	59	577	76	80	43	14	213
	L.A.	—	10	6	11	7	34	7	7	7	5	26
	H.	170	117	198	157	74	716	73	68	88	46	275
	E.	16	268	885	1,032	657	2,858	162	528	655	415	1,760
39-45. Cancer (all sites)	P.L.	3	785	962	604	348	2,702	744	892	546	233	2,415
	L.A.	2	27	41	28	27	125	47	63	50	45	205
	H.	403	434	718	627	350	2,532	525	707	711	322	2,265
	E.	35	1,105	3,907	4,466	3,206	12,719	1,580	5,890	6,529	4,265	18,264
46. Other tumours (situation undefined).	P.L.	—	3	2	2	—	7	2	2	3	3	10
	L.A.	—	2	—	—	—	2	—	—	—	—	—
	H.	2	3	5	3	1	14	5	2	1	3	11
	E.	—	10	21	29	16	76	8	18	21	19	66
47. Rheumatic fever - ...	P.L.	—	14	12	11	2	39	6	10	5	3	24
	L.A.	—	—	—	—	1	1	—	1	—	—	1
	H.	30	20	15	14	5	84	25	16	19	10	70
	E.	6	40	211	215	127	599	61	255	252	134	702
48A. Chronic rheumatism	P.L.	—	10	18	12	7	47	11	17	22	9	59
	L.A.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	—	1	—	—	1	2	1	2	1	6
	E.	—	9	45	45	38	137	8	66	70	56	200
48B. Osteo-arthritis ...	P.L.	—	23	41	17	11	92	47	89	58	36	230
	L.A.	—	—	—	—	—	—	—	—	2	—	2
	H.	1	2	7	5	—	15	7	20	15	2	44
	E.	—	13	66	99	97	275	78	247	313	215	853
48C. Gout ...	P.L.	—	12	7	7	5	31	2	2	—	—	4
	L.A.	—	—	1	—	—	1	—	—	—	—	—
	H.	—	—	1	—	—	1	—	—	—	—	—
	E.	—	20	52	56	38	166	4	13	15	7	39
49. Scurvy ...	P.L.	—	—	2	—	—	2	2	2	1	1	6
	H.	—	—	1	—	—	1	2	4	3	2	11
	E.	—	1	5	5	2	13	1	2	8	1	12

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
50. Diabetes ...	P.L.	—	35	44	39	16	134	33	50	28	17	128
	L.A.	—	5	4	9	4	22	4	6	2	2	14
	H.	47	21	54	34	22	178	25	40	47	20	132
	E.	6	116	452	532	350	1,456	119	438	587	360	1,504
51. Exophthalmic goitre	P.L.	—	—	—	—	—	—	3	3	—	3	9
	L.A.	—	—	1	1	—	2	2	4	3	5	14
	H.	1	2	—	2	1	6	7	18	9	11	45
	E.	—	2	12	11	13	38	22	94	82	91	289
52. Addison's disease ...	P.L.	—	2	1	1	—	4	5	1	2	—	8
	L.A.	—	1	1	—	6	8	—	2	—	1	3
	H.	10	1	5	3	2	21	1	8	1	—	10
	E.	1	4	19	27	11	62	8	33	30	28	99
53. Leucocythæmia, Lymphadenoma.	P.L.	—	7	6	2	2	17	5	6	3	3	17
	L.A.	1	—	—	—	—	1	—	—	—	—	—
	H.	43	18	26	21	13	121	13	10	9	6	38
	E.	2	21	84	97	54	258	15	87	77	49	228
54. Anæmia, Chlorosis ...	P.L.	—	10	42	30	14	96	10	33	24	12	79
	L.A.	—	2	3	1	1	7	2	4	4	5	15
	H.	21	13	29	26	14	103	18	24	20	12	74
	E.	1	47	245	286	193	772	45	318	413	237	1,013
55. Other general diseases.	P.L.	—	1	4	4	1	10	2	2	3	—	7
	L.A.	—	—	—	—	—	—	1	—	1	—	2
	H.	10	11	12	14	7	54	6	14	13	6	39
	E.	1	14	46	57	39	157	7	54	61	37	159
56. Alcoholism (acute or chronic).	P.L.	—	3	1	1	1	6	—	—	2	—	2
	H.	2	—	1	1	—	4	—	1	—	—	1
	E.	1	3	20	21	6	51	1	7	8	1	17
57. Chronic lead poisoning.	H.	—	—	1	1	—	2	—	—	—	—	—
	E.	—	3	14	10	6	33	—	—	—	1	1
58 & 59. Other chronic poisonings.	P.L.	—	—	—	—	—	—	—	1	1	—	2
	H.	1	—	—	1	—	2	1	2	2	—	5
	E.	—	—	5	—	1	6	—	1	1	2	4
60. Encephalitis ...	P.L.	—	9	4	4	—	17	3	6	4	2	15
	L.A.	—	3	3	1	2	9	1	1	1	—	3
	H.	42	14	11	16	3	86	19	13	6	6	44
	E.	2	5	32	37	19	95	8	32	42	15	97
61A. Cerebro-spinal fever.	P.L.	—	11	—	—	—	11	4	2	3	—	9
	H.	309	45	47	35	18	454	40	39	22	19	120
	E.	5	10	25	38	28	106	8	39	39	26	112
61B. Posterior basal meningitis.	P.L.	—	2	—	1	—	3	1	—	1	—	2
	H.	—	4	6	1	—	11	3	3	2	—	8
	E.	—	4	24	15	5	48	4	17	13	8	42
61C. Meningitis—other forms.	P.L.	—	19	69	9	4	101	18	50	11	5	84
	L.A.	—	3	6	7	2	18	3	5	2	3	13
	H.	61	30	54	38	17	200	24	51	34	11	120
	E.	8	65	493	467	228	1,261	68	467	436	199	1,170
62. Locomotor ataxy ...	P.L.	—	62	76	47	11	196	8	15	9	3	35
	L.A.	—	2	12	9	5	28	—	1	—	1	2
	H.	4	3	8	7	2	24	—	1	1	—	2
	E.	—	32	133	121	48	334	2	31	23	8	64
63A. Diseases formerly classed to "Other Nervous Affections."	P.L.	—	31	32	35	19	117	19	25	10	10	64
	L.A.	—	—	2	—	—	2	1	—	1	1	3
	H.	3	7	5	6	2	23	6	3	10	1	20
	E.	—	33	97	141	98	369	33	100	101	83	317

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—continued.

Cause of Death	Place of Occurrence.	Males.						Females				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
63B. Poliomyelitis, Polio-encephalitis.	P.L.	—	3	4	5	—	12	6	5	—	—	11
	H.	6	3	7	7	3	26	5	11	8	—	24
	E.	—	8	23	25	22	78	5	31	32	18	86
63C. Other diseases included under 63.	P.L.	2	41	90	68	30	231	22	48	49	24	143
	L.A.	—	1	1	3	3	8	2	1	2	2	7
	H.	33	8	22	27	16	106	8	19	22	7	56
	E.	3	29	158	191	157	538	41	131	200	108	480
64. Cerebral hæmorrhage, Apoplexy.	P.L.	2	307	716	482	271	1,778	326	613	432	176	1,547
	L.A.	—	31	57	43	35	166	24	44	48	30	146
	H.	90	49	163	67	14	383	32	83	53	15	183
	E.	32	575	2,586	2,840	1,933	7,966	856	3,455	3,941	2,541	10,793
65. Softening of brain ...	P.L.	—	5	113	64	29	211	2	86	45	18	151
	L.A.	1	30	35	33	10	109	40	27	28	24	119
	H.	—	3	—	—	2	5	—	—	—	—	—
	E.	—	6	81	83	69	239	23	97	131	73	324
66. Paralysis without specified cause.	P.L.	—	35	131	53	43	262	42	147	87	36	312
	L.A.	—	—	1	—	1	2	1	2	2	2	7
	H.	8	4	10	5	4	31	5	6	6	—	17
	E.	1.	44	300	238	206	789	76	336	326	261	999
67. General paralysis of the insane.	P.L.	—	17	123	37	13	190	2	14	7	4	27
	L.A.	163	246	488	345	126	1,368	50	119	73	29	271
	H.	40	—	6	2	1	49	2	—	—	1	3
	E.	—	10	42	51	21	124	2	7	19	13	41
68. Other forms of mental alienation.	P.L.	—	17	151	48	16	232	23	94	28	8	153
	L.A.	16	63	47	115	68	309	88	108	143	78	417
	H.	23	—	—	—	—	23	1	4	3	—	8
	E.	1	3	15	18	16	53	5	30	56	54	145
69. Epilepsy ...	P.L.	—	43	171	122	54	390	45	146	90	47	328
	L.A.	1	146	243	237	139	766	99	153	124	87	463
	H.	18	5	18	12	3	56	3	21	8	1	33
	E.	11	39	200	274	201	725	47	240	272	179	738
70 & 71. Convulsions (non-puerperal).	P.L.	—	9	24	16	6	55	5	16	4	6	31
	L.A.	—	—	—	2	—	2	—	—	—	—	—
	H.	—	18	37	13	3	71	7	23	5	3	38
	E.	—	163	1,254	1,232	628	3,277	122	953	924	552	2,551
72. Chorea ...	P.L.	—	—	2	1	2	5	6	2	2	—	10
	L.A.	—	1	1	—	—	2	1	—	1	1	3
	H.	—	1	1	1	—	3	—	3	8	—	11
	E.	1	1	6	6	2	16	—	15	10	10	35
73A. Hysteria, Neuralgia, Sciatica.	P.L.	—	—	—	—	—	—	—	1	—	—	1
	L.A.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	—	1	—	1	2	2	—	1	1	4
	E.	—	3	6	8	7	24	1	10	6	5	22
73B. Neuritis ...	P.L.	—	—	4	3	1	8	3	4	4	1	12
	L.A.	—	—	—	1	—	1	—	—	—	—	—
	H.	2	—	—	1	1	4	—	1	2	—	3
	E.	—	5	27	19	9	60	7	23	28	12	70
74A. Idiocy, Imbecility...	P.L.	—	2	54	16	13	85	2	30	20	12	64
	L.A.	—	14	12	19	7	52	5	3	6	3	17
	H.	—	2	1	1	—	4	2	—	1	—	3
	E.	—	7	13	35	17	72	6	21	28	23	78
74B. Cretinism ...	P.L.	—	—	1	2	—	3	1	2	1	1	5
	L.A.	—	1	—	1	—	2	—	1	—	—	1
	H.	—	—	—	1	—	1	—	2	—	—	2
	E.	—	4	5	10	5	24	—	14	10	6	30

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilian.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
74C. Cerebral tumour ...	P.L.	—	14	15	8	4	41	6	20	8	7	41
	L.A.	—	2	2	4	3	11	2	1	3	2	8
	H.	30	21	24	29	14	118	20	22	21	9	72
	E.	4	17	84	98	49	252	16	118	109	67	310
74D. Other diseases included in 74.	P.L.	—	4	27	39	9	79	7	27	25	14	73
	L.A.	5	32	88	83	55	263	20	80	62	40	202
	H.	5	1	7	3	2	18	4	5	2	1	12
	E.	3	17	64	77	45	206	19	75	84	52	230
75. Diseases of the eyes and annexa.	P.L.	—	—	—	1	—	1	2	2	—	—	4
	H.	3	2	2	1	2	10	1	2	1	1	5
	E.	—	2	3	6	5	16	—	1	5	4	10
76. Diseases of the ears...	P.L.	2	17	11	6	5	41	12	14	4	1	31
	L.A.	—	1	1	—	—	2	1	—	—	1	2
	H.	88	31	65	63	25	272	31	80	49	24	184
	E.	1	10	72	84	41	208	12	68	82	41	203
77. Pericarditis ...	P.L.	—	3	11	3	1	18	—	5	1	—	6
	L.A.	1	6	2	2	2	13	4	—	2	—	6
	H.	15	13	17	8	4	57	9	12	1	4	26
	E.	3	22	38	34	19	116	10	36	40	23	109
78A. Acute myocarditis...	P.L.	—	13	10	2	3	28	19	4	3	—	26
	H.	11	4	4	1	—	20	2	—	1	4	7
	E.	2	15	38	39	16	110	12	34	41	18	105
78B. Infective endocarditis.	P.L.	—	6	2	3	—	11	10	5	6	2	23
	L.A.	—	1	—	—	—	1	1	—	1	—	2
	H.	103	21	25	12	10	171	30	39	16	11	96
	E.	2	5	34	30	19	90	9	58	58	28	153
78C. Other acute endocarditis.	P.L.	—	1	14	8	2	25	5	9	4	—	18
	L.A.	—	—	1	—	—	1	1	—	1	1	3
	H.	22	5	20	8	2	57	6	8	10	3	27
	E.	3	17	76	64	37	197	20	118	118	33	289
79A. Valvular disease ...	P.L.	1	385	546	436	220	1,588	366	440	301	129	1,236
	L.A.	2	128	169	135	109	543	130	149	129	101	509
	H.	186	132	193	109	37	657	127	136	108	38	409
	E.	56	809	2,809	2,836	2,016	8,526	1,029	3,635	3,508	2,422	10,594
79B. Fatty degeneration of the heart.	P.L.	—	32	21	8	9	70	33	19	7	2	61
	L.A.	1	20	32	30	21	104	27	31	38	33	129
	H.	4	6	7	4	1	22	5	4	5	5	19
	E.	14	119	199	247	143	722	132	247	310	191	880
79C. Other organic diseases of the heart.	P.L.	1	734	775	545	323	2,378	673	649	425	178	1,925
	L.A.	3	85	66	68	57	279	73	51	60	63	247
	H.	51	47	67	58	33	256	39	57	45	21	162
	E.	40	738	2,501	2,855	2,238	8,372	883	2,879	3,409	2,414	9,585
80. Angina pectoris ...	P.L.	—	5	3	3	—	11	—	—	—	1	1
	L.A.	—	1	1	1	—	3	—	—	—	1	1
	H.	3	—	—	2	—	5	—	3	1	—	4
	E.	6	75	215	199	126	621	35	97	90	56	278
81A. Aneurysm ...	P.L.	—	16	26	8	2	52	6	6	—	1	13
	L.A.	—	3	1	2	3	9	1	2	3	1	7
	H.	34	22	37	13	9	115	7	5	2	1	15
	E.	22	82	165	156	95	520	27	49	32	25	133
81B. Arterial sclerosis ...	P.L.	—	362	589	310	169	1,430	307	391	197	80	975
	L.A.	3	116	138	108	73	438	91	118	63	52	324
	H.	18	27	46	39	13	143	12	21	8	4	45
	E.	16	268	962	1,103	812	3,161	250	681	749	536	2,216

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—continued.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilian.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
81C. Other diseases of the arteries.	P.L. H. E.	— 1 —	2 1 3	3 3 20	5 1 22	3 1 12	13 7 57	1 — 5	— — 14	4 — 15	— — 5	5 — 39
82A. Cerebral embolism and thrombosis.	P.L. L.A. H. E.	— — 17 2	50 1 9 55	87 6 14 224	51 2 12 273	36 1 3 165	224 10 55 719	56 — 14 95	60 6 10 361	65 5 10 440	31 3 2 320	212 14 36 1,216
82B. Other embolism and thrombosis.	P.L. L.A. H. E.	— — 11 1	2 — 4 12	5 — 11 9	2 1 7 32	2 1 3 20	11 2 36 74	6 — 3 6	5 — 7 23	1 1 10 37	— — 4 29	12 1 24 95
83. Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	P.L. L.A. H. E.	— — 6 —	2 2 1 6	4 — 6 14	5 — 3 16	1 — 1 24	12 2 17 60	2 1 5 8	8 — 5 36	2 1 4 56	— 1 3 28	12 3 17 128
84A. Status lymphaticus	P.L. H. E.	— 2 —	1 6 14	— 5 16	— 3 15	— 1 10	1 17 55	— 2 8	— 2 9	1 2 20	1 — 14	2 6 51
84B. Other diseases of the lymphatic system.	P.L. L.A. H. E.	— — 3 —	6 — 5 1	3 2 4 11	4 — 4 16	— 1 2 10	13 3 18 38	— — 2 6	— — 5 15	— — 1 11	3 — — 7	3 — 8 39
85A. Functional disease of the heart.	P.L. H. E.	— — —	3 — 9	4 3 20	2 2 29	1 — 19	10 5 77	5 1 18	3 4 38	— 3 21	— — 25	8 8 102
85B & C. Other diseases included under 85.	P.L. H. E.	— 1 —	— 2 —	— 1 15	1 — 11	1 — 9	2 4 35	1 — —	2 — 13	— 1 7	1 — 6	4 1 26
86. Diseases of the nasal fossæ.	P.L. H. E.	— — —	— 1 3	— 5 6	— 2 8	1 1 4	1 9 21	— — 2	— 3 6	— 1 7	— 1 1	— 5 16
87A. Laryngismus stridulus.	P.L. H. E.	— — —	— 1 8	1 1 18	— — 30	— — 18	1 2 74	— 1 4	1 1 36	— 1 12	— — 8	1 3 60
87B. Laryngitis ...	P.L. H. E.	— 2 1	5 6 17	2 11 99	2 9 132	1 2 68	10 30 317	3 7 14	— 9 96	— 4 107	— 1 72	3 21 289
87C. Other diseases of the larynx.	H. E.	1 —	— 3	1 4	3 4	1 2	6 13	1 —	2 2	2 6	— 3	5 11
88. Diseases of the thyroid body.	P.L. L.A. H. E.	— — 1 —	1 1 1 1	2 1 6 7	2 — 6 6	4 — 5 6	9 2 19 20	7 1 — 14	5 2 6 46	5 2 11 57	1 1 12 44	18 6 29 161
89 & 90. Bronchitis ...	P.L. L.A. H. E.	— 1 225 29	1,102 20 78 1,674	1,418 43 97 6,814	713 34 83 5,361	317 22 25 2,925	3,550 120 508 16,803	771 23 64 1,890	813 51 71 7,218	368 38 46 5,768	159 26 18 3,168	2,111 138 199 18,044
91. Broncho - pneumonia	P.L. L.A. H. E.	7 5 986 42	429 56 332 1,043	388 75 370 4,484	122 65 124 3,306	58 36 34 1,454	1,004 237 1,846 10,329	374 92 253 1,109	315 59 272 4,533	75 55 118 3,208	21 27 32 1,401	785 233 675 10,251
92A. Lobar pneumonia ...	P.L. L.A. H. E.	7 5 1,401 97	228 97 137 401	476 96 367 1,923	110 100 156 1,491	41 73 91 768	862 371 2,152 4,680	193 119 122 413	213 71 249 1,556	87 83 134 1,221	20 51 48 610	513 324 553 3,800

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
92B. Pneumonia (type not stated).	P.L.	7	314	439	199	76	1,035	272	292	133	45	742
	L.A.	3	50	69	58	47	227	21	49	44	26	140
	H.	1,587	112	324	159	64	2,246	91	200	132	52	475
	E.	161	794	3,445	2,661	1,401	8,462	857	3,224	2,381	1,262	7,724
93A. Empyema ...	P.L.	—	13	16	4	2	35	1	3	1	1	6
	L.A.	1	2	1	1	2	7	1	—	1	—	2
	H.	78	20	62	36	16	212	18	31	19	10	78
	E.	1	7	20	31	18	77	—	12	17	15	44
93B. Other pleurisy ...	P.L.	—	23	20	9	4	56	7	13	4	1	25
	L.A.	—	3	1	2	2	8	3	—	5	—	8
	H.	24	7	13	10	10	64	7	11	9	6	33
	E.	2	33	128	148	79	390	42	111	134	66	353
94A. Pulmonary apoplexy and infarction.	L.A.	—	1	—	—	—	1	—	—	—	—	—
	H.	1	—	—	—	—	1	—	—	—	—	—
	E.	—	—	3	1	1	5	—	1	1	2	4
94B. Pulmonary œdema and congestion.	P.L.	—	3	11	25	14	53	8	11	22	8	49
	L.A.	1	6	2	6	9	24	8	11	10	6	35
	H.	5	3	2	2	2	14	2	2	1	—	5
	E.	1	31	168	110	86	396	53	167	169	113	502
94C. Hypostatic pneumonia.	P.L.	—	7	1	8	2	18	8	2	11	—	21
	L.A.	—	3	—	—	—	3	—	—	2	—	2
	H.	—	—	—	—	3	3	1	—	—	—	1
	E.	—	2	19	11	8	40	7	19	20	20	66
94D. Collapse of lung (3 months and over).	E.	—	—	1	—	—	1	1	—	1	—	2
95. Gangrene of the lung	P.L.	—	4	4	5	—	13	1	—	—	—	1
	L.A.	—	7	3	7	3	20	8	3	7	7	25
	H.	4	—	3	2	—	9	3	1	—	—	4
	E.	—	—	6	6	6	18	—	2	4	1	7
96. Asthma ...	P.L.	—	15	32	35	19	101	8	7	7	1	23
	L.A.	1	—	2	—	2	5	1	—	—	—	1
	H.	17	1	6	8	3	35	3	5	4	—	12
	E.	4	115	369	387	212	1,087	98	304	301	160	863
97. Pulmonary emphysema.	P.L.	—	5	18	9	8	40	3	4	1	1	9
	L.A.	—	1	—	2	—	3	—	—	—	1	1
	H.	5	4	—	—	—	9	1	1	1	—	3
	E.	—	18	28	39	28	113	10	7	15	11	43
98A. Fibroid disease of the lung.	P.L.	—	5	7	2	2	16	4	4	1	—	9
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	7	1	—	—	—	8	2	1	—	—	3
	E.	—	5	41	62	49	157	3	14	18	11	46
98B. Other diseases included under 98.	P.L.	—	1	4	1	—	6	—	1	—	1	2
	L.A.	—	1	1	2	1	5	—	—	—	—	—
	H.	13	5	4	4	1	27	1	2	5	—	8
	E.	3	13	62	38	16	132	5	28	36	13	82
99A. Diseases of the teeth and gums.	P.L.	—	4	3	4	—	11	4	5	3	2	14
	L.A.	—	—	—	1	—	1	—	4	—	—	4
	H.	15	5	4	4	2	30	1	6	6	1	14
	E.	1	6	26	22	20	75	5	18	29	18	70
99B. Thrush, Aphthous stomatitis.	P.L.	—	1	—	—	—	1	—	—	—	—	—
	H.	—	—	—	—	—	—	1	—	—	—	1
	E.	—	5	11	19	6	41	2	5	13	3	23
99C. Parotitis ...	P.L.	—	—	1	3	—	4	4	6	2	—	12
	L.A.	—	—	—	—	—	—	2	—	2	1	5
	H.	1	—	1	—	1	3	—	1	—	1	2
	E.	—	—	3	2	1	6	1	1	3	2	7

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1918—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
99D. Other diseases included in 99.	P.L. H. E.	— — —	2 — —	— 2 4	— — 1	1 1 3	3 3 8	1 — —	— — 7	— — 3	— — 3	1 — 13
100A. Tonsillitis...	P.L. L.A. H. E.	— — 20 2	— — 7 7	1 1 6 47	— — 4 48	1 — 5 56	2 1 42 160	— — 4 13	4 — 2 53	2 — 2 68	— — 1 35	6 — 9 169
100B. Ludwig's angina...	P.L. L.A. H. E.	— — 4 —	2 — 1 —	1 1 4 7	— — 1 7	— — 1 4	3 1 11 18	— — 2 —	2 2 3 4	— — 3 8	— — — 1	2 2 8 13
100C. Other diseases of the pharynx.	P.L. L.A. H. E.	— — 5 —	2 — 2 6	— — 4 17	1 — 3 12	2 — 2 10	5 — 16 45	1 1 3 6	1 — 3 6	1 — 1 17	— — 2 7	3 1 9 36
101. Diseases of the œsophagus.	P.L. L.A. H. E.	— — 1 —	1 — 3 3	1 — 1 9	1 — 4 6	3 1 1 6	6 1 10 24	— — — 1	— — — 3	— — 1 4	— — 1 —	— — 2 8
102. Perforating ulcer of stomach.	P.L. L.A. H. E.	— — 82 4	27 2 63 63	18 2 154 147	6 — 140 162	7 — 68 122	58 4 507 498	19 3 47 61	16 4 88 187	5 1 94 210	1 1 51 135	41 9 280 593
103A. Inflammation of the stomach.	P.L. L.A. H. E.	— — 4 5	9 2 5 70	29 — 8 472	12 1 7 417	4 — 5 224	54 3 29 1,188	10 1 5 94	22 — 9 474	11 2 4 435	11 2 1 229	54 5 19 1,232
103B. Other diseases included under 103.	P.L. L.A. H. E.	— — 3 1	2 — 3 15	2 2 11 87	1 2 5 68	3 1 4 42	8 5 26 213	— — 1 11	4 1 6 77	3 — 10 79	2 — 1 50	9 1 18 217
104 & 105A. Infective enteritis.	P.L. L.A. H. E.	— — 3 1	50 — 65 70	29 1 45 670	19 — 22 378	4 — 8 143	102 1 143 1,262	44 — 38 79	35 2 37 577	7 1 8 333	4 — 8 102	90 3 91 1,091
104 & 105B-G. Other diseases included under 104, 105 (except duodenal ulcer).	P.L. L.A. H. E.	— 2 39 3	168 30 151 243	171 31 143 1,479	94 52 66 1,301	30 31 17 615	463 146 416 3,641	154 30 134 211	138 48 129 1,285	63 70 56 1,080	9 48 23 563	364 196 342 3,139
104 & 105H. Duodenal ulcer.	P.L. L.A. H. E.	1 1 46 6	10 — 26 16	5 2 73 63	4 3 56 65	— — 24 52	20 6 225 202	1 — 4 20	2 — 13 27	1 3 7 23	— 1 8 20	4 4 32 90
106 & 107. Intestinal parasites.	P.L. L.A. H. E.	— — 1 —	1 — — 1	— — 1 —	— — — 5	— — — 5	1 — 2 11	— — — —	— — — —	— — — 2	— 1 — 8	— 1 — 10
108. Appendicitis ...	P.L. L.A. H. E.	— — 195 8	20 1 100 10	13 1 262 55	6 — 297 72	1 — 186 71	40 2 1,040 216	20 1 91 25	14 — 296 58	10 — 295 81	1 1 167 58	45 2 849 222
109A. Hernia ...	P.L. L.A. H. E.	1 — 23 —	23 3 48 32	36 1 184 97	21 4 166 102	11 — 104 88	92 8 525 319	63 4 93 50	38 — 212 161	16 4 206 181	5 2 116 115	122 10 627 507

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
109B. Intestinal obstruction.	P.L.	—	23	23	10	5	61	41	21	8	9	79
	L.A.	—	4	9	8	6	27	7	6	11	4	28
	H.	57	85	229	244	143	758	79	189	198	84	550
	E.	3	41	150	184	145	523	87	251	268	178	784
110. Other diseases of the intestines.	P.L.	—	7	8	2	3	20	3	4	4	1	12
	L.A.	—	—	—	1	1	2	3	—	4	1	8
	H.	13	12	20	23	13	81	9	19	13	15	56
	E.	2	7	37	35	38	119	13	54	48	49	164
111. Acute yellow atrophy of the liver.	P.L.	—	—	—	1	—	1	—	—	—	—	—
	H.	16	—	—	—	—	16	1	4	1	3	9
	E.	—	1	5	6	6	18	—	8	8	9	25
112. Hydatid of liver ...	P.L.	—	—	—	—	—	—	—	1	—	—	1
	L.A.	1	—	—	—	—	1	—	—	—	—	—
	H.	3	2	2	—	1	8	1	3	1	—	5
	E.	—	—	—	—	1	1	—	3	—	—	3
113. Cirrhosis of the liver	P.L.	1	51	58	36	22	168	15	27	15	5	62
	L.A.	—	2	6	5	3	16	3	1	3	1	8
	H.	23	29	27	15	5	99	13	16	17	4	50
	E.	6	98	257	308	169	838	67	150	176	96	489
114. Biliary calculi ...	P.L.	—	3	2	1	—	6	3	7	2	—	12
	L.A.	—	—	—	—	—	—	—	1	2	—	3
	H.	9	8	30	22	9	78	12	45	37	26	120
	E.	2	10	35	28	30	105	28	81	109	70	288
115. Other diseases of the liver.	P.L.	—	4	1	6	2	13	7	4	1	—	12
	L.A.	1	2	2	2	1	8	3	—	2	1	6
	H.	35	13	21	14	7	90	12	32	23	12	79
	E.	3	23	69	73	68	236	24	97	116	67	304
116. Diseases of the spleen	P.L.	—	—	1	—	—	1	—	—	1	1	2
	H.	2	—	1	1	—	4	—	1	1	1	3
	E.	—	1	3	5	4	13	3	6	8	5	22
117. Peritonitis (cause unstated).	P.L.	—	4	3	1	—	8	4	5	4	—	13
	L.A.	—	2	1	3	2	8	2	3	1	2	8
	H.	15	8	16	11	11	61	13	32	26	15	86
	E.	—	6	31	30	24	91	5	39	39	25	108
118A. Abdominal abscess, sub-phrenic abscess.	P.L.	—	—	—	—	—	—	1	—	—	1	2
	H.	2	2	1	1	—	6	1	2	1	1	5
	E.	—	1	—	2	1	4	—	5	3	1	9
118B. Other diseases included under 118.	P.L.	—	—	2	1	—	3	1	—	—	—	1
	L.A.	—	—	—	—	1	1	1	—	2	—	3
	H.	4	—	8	4	4	20	2	11	9	—	22
	E.	1	4	8	13	3	29	1	11	10	6	28
119. Acute nephritis ...	P.L.	—	27	41	10	9	87	17	26	12	3	58
	L.A.	—	2	4	3	2	11	2	2	3	2	9
	H.	125	17	51	33	12	238	14	36	23	10	83
	E.	8	35	246	254	152	695	37	259	235	126	657
120. Bright's disease ...	P.L.	—	254	378	214	106	952	201	222	127	55	605
	L.A.	7	85	191	106	81	470	83	171	122	82	458
	H.	183	82	164	99	53	581	62	114	69	24	269
	E.	23	345	1,367	1,478	1,009	4,222	319	1,225	1,349	791	3,684
121. Chyluria ...	E.	—	—	—	—	—	—	1	—	—	—	1
122A. Abscess of kidney	P.L.	—	1	—	—	1	2	—	—	—	—	—
	L.A.	—	—	1	3	—	4	—	1	2	—	3
	H.	6	1	3	2	3	15	2	2	2	3	9
	E.	1	1	3	3	4	12	1	6	7	2	16

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—*continued.*

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
122B. Cystic disease ...	P.L.	—	1	1	—	—	2	1	3	—	—	4
	L.A.	—	1	3	1	—	5	—	—	1	—	1
	H.	1	4	2	2	1	10	2	1	1	—	4
	E.	1	1	1	5	3	11	2	4	3	4	13
122C. Suppression of urine.	L.A.	—	—	1	—	—	1	—	—	—	—	—
	E.	—	1	2	3	6	12	1	1	5	2	9
122D. Other diseases included under 122.	P.L.	—	6	5	6	3	20	7	8	2	1	18
	L.A.	—	1	2	4	3	10	3	2	4	2	11
	H.	22	18	21	9	5	75	12	23	13	4	52
	E.	1	9	19	32	17	78	10	20	30	23	83
123. Calculi of the urinary passages.	P.L.	—	2	6	2	—	10	1	—	2	—	3
	L.A.	—	—	1	1	—	2	—	—	—	—	—
	H.	15	9	19	22	13	78	7	7	11	3	28
	E.	—	10	24	28	21	83	5	15	12	8	40
124. Diseases of the bladder.	P.L.	—	56	61	41	33	191	14	18	5	3	40
	L.A.	1	3	1	3	2	10	2	1	2	1	6
	H.	5	15	39	44	24	127	3	8	6	3	20
	E.	2	42	169	232	239	684	24	44	63	50	181
125. Diseases of the urethra, urinary abscess, &c.	P.L.	—	28	62	17	7	114	—	—	—	1	1
	L.A.	—	—	1	2	—	3	—	—	—	—	—
	H.	14	20	72	56	22	184	—	—	—	—	—
	E.	—	6	58	44	20	128	—	—	2	—	2
126. Diseases of the prostate.	P.L.	—	67	46	49	27	189	—	—	—	—	—
	L.A.	—	1	1	1	—	3	—	—	—	—	—
	H.	3	60	177	172	93	505	—	—	—	—	—
	E.	2	61	284	396	339	1,082	—	—	—	—	—
127. Non-venereal diseases of male genital organs.	P.L.	—	1	2	2	—	5	—	—	—	—	—
	H.	—	—	2	4	1	7	—	—	—	—	—
	E.	—	—	5	2	1	8	—	—	—	—	—
128. Uterine hæmorrhage (non-puerperal).	P.L.	—	—	—	—	—	—	—	—	—	1	1
	H.	—	—	—	—	—	—	3	2	3	—	8
	E.	—	—	—	—	—	—	2	7	9	7	25
129. Uterine tumour (non-cancerous).	P.L.	—	—	—	—	—	—	5	7	3	—	15
	L.A.	—	—	—	—	—	—	—	1	1	—	2
	H.	—	—	—	—	—	—	25	46	63	27	161
	E.	—	—	—	—	—	—	8	42	43	37	130
130. Other diseases of the uterus.	P.L.	—	—	—	—	—	—	3	3	3	1	10
	L.A.	—	—	—	—	—	—	1	—	—	—	1
	H.	—	—	—	—	—	—	3	27	16	13	59
	E.	—	—	—	—	—	—	4	19	35	12	70
131. Ovarian cyst, tumour (non-cancerous).	P.L.	—	—	—	—	—	—	8	11	2	2	23
	L.A.	—	—	—	—	—	—	1	2	2	1	6
	H.	—	—	—	—	—	—	9	39	36	22	106
	E.	—	—	—	—	—	—	11	43	53	31	138
132A. Diseases of ovary (excluding ovarian tumour).	L.A.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	—	—	—	—	—	2	5	—	—	7
	E.	—	—	—	—	—	—	—	2	1	—	3
132B. Other diseases included under 132.	P.L.	—	—	—	—	—	—	6	13	1	—	20
	H.	—	—	—	—	—	—	22	60	41	27	150
	E.	—	—	—	—	—	—	3	10	12	12	37
133. Non-puerperal diseases of the breast (non-cancerous).	P.L.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	—	—	—	—	—	1	—	2	1	4
	E.	—	—	1	—	—	1	3	5	9	2	19

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—*continued*.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
134A. Abortion ...	P.L.	—	—	—	—	—	—	—	3	4	2	9
	H.	—	—	—	—	—	—	1	5	6	1	13
	E.	—	—	—	—	—	—	2	22	40	20	84
134B. Hæmorrhage of pregnancy.	P.L.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	—	—	—	—	—	8	1	—	9
	E.	—	—	—	—	—	—	1	13	15	15	44
134C. Uncontrollable vomiting.	P.L.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	—	—	—	—	1	2	1	—	4
	E.	—	—	—	—	—	—	—	4	3	—	7
134D. Ectopic gestation...	P.L.	—	—	—	—	—	—	1	2	—	—	3
	H.	—	—	—	—	—	—	4	12	15	4	35
	E.	—	—	—	—	—	—	3	7	6	4	20
134E. Other accidents of pregnancy.	P.L.	—	—	—	—	—	—	1	1	1	1	4
	H.	—	—	—	—	—	—	1	5	1	1	8
	E.	—	—	—	—	—	—	2	4	5	5	16
135. Puerperal hæmorrhage.	P.L.	—	—	—	—	—	—	3	—	1	—	4
	L.A.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	—	—	—	—	—	8	23	4	4	39
	E.	—	—	—	—	—	—	11	81	95	90	277
136. Other accidents of childbirth.	P.L.	—	—	—	—	—	—	2	4	5	—	11
	H.	—	—	—	—	—	—	10	24	22	7	63
	E.	—	—	—	—	—	—	16	64	87	49	216
137. Puerperal fever ...	P.L.	—	—	—	—	—	—	37	63	36	7	143
	L.A.	—	—	—	—	—	—	—	4	—	1	5
	H.	—	—	—	—	—	—	38	140	82	31	291
	E.	—	—	—	—	—	—	24	119	160	103	406
138. Puerperal albuminuria and convulsions.	P.L.	—	—	—	—	—	—	14	13	12	3	42
	H.	—	—	—	—	—	—	13	67	29	11	120
	E.	—	—	—	—	—	—	14	110	153	104	381
139A. Puerperal phlegmasia alba dolens and phlebitis.	P.L.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	—	—	—	—	—	—	—	1	1
	E.	—	—	—	—	—	—	4	7	15	14	40
139B. Puerperal embolism and sudden death.	P.L.	—	—	—	—	—	—	1	3	2	1	7
	H.	—	—	—	—	—	—	2	4	4	1	11
	E.	—	—	—	—	—	—	6	62	58	32	158
140. Puerperal insanity...	P.L.	—	—	—	—	—	—	—	5	4	—	9
	L.A.	—	—	—	—	—	—	—	1	1	—	2
	H.	—	—	—	—	—	—	1	—	2	1	4
	E.	—	—	—	—	—	—	—	4	5	1	10
141. Puerperal diseases of the breast.	P.L.	—	—	—	—	—	—	—	1	—	2	3
	H.	—	—	—	—	—	—	—	1	1	—	2
	E.	—	—	—	—	—	—	—	—	1	3	4
134-141. All accidents of pregnancy and childbirth.	P.L.	—	—	—	—	—	—	59	98	65	16	238
	L.A.	—	—	—	—	—	—	—	5	2	1	8
	H.	—	—	—	—	—	—	79	291	168	62	600
	E.	—	—	—	—	—	—	83	497	643	440	1,663
142A. Senile gangrene ...	P.L.	—	29	90	74	55	248	35	58	62	28	183
	L.A.	—	1	4	2	3	10	1	2	4	2	9
	H.	—	2	10	14	11	37	1	7	1	2	11
	E.	—	17	80	108	120	325	26	93	114	100	333
142B-D. Other gangrene	P.L.	—	1	9	5	2	17	2	16	4	3	25
	L.A.	—	1	1	1	1	4	6	3	3	1	13
	H.	2	3	12	9	2	28	4	22	9	1	36
	E.	—	2	13	16	7	38	3	22	19	9	53

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—continued.

Cause of Death.	Place of Occurrence.	Males.						Females.				
		Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
143. Carbuncle, Boil ...	P.L.	1	9	16	11	10	47	5	7	5	1	18
	L.A.	—	8	5	4	4	21	7	2	3	5	17
	H.	21	6	12	10	1	50	—	4	1	5	10
	E.	2	13	28	38	22	103	2	21	19	12	54
144. Phlegmon, Acute abscess.	P.L.	—	25	36	25	5	91	12	17	16	7	52
	L.A.	—	7	4	12	8	31	7	4	9	6	26
	H.	25	7	31	17	18	98	7	19	12	10	48
	E.	1	8	37	39	31	116	6	40	46	31	123
145A. Ulcer, Bedsore ...	P.L.	—	12	17	26	10	65	10	28	25	11	74
	L.A.	—	—	—	—	—	—	—	1	—	—	1
	H.	—	—	1	2	3	6	—	2	1	—	3
	E.	—	6	17	18	23	64	12	45	43	57	157
145B. Eczema ...	P.L.	—	3	1	4	1	9	1	1	5	—	7
	H.	2	—	3	3	2	10	—	1	1	—	2
	E.	—	3	31	28	14	76	4	21	19	11	55
145C & D. Other diseases of the integumentary system.	P.L.	—	8	8	3	3	22	5	16	4	2	27
	L.A.	—	—	—	—	—	—	—	1	2	—	3
	H.	7	4	8	9	1	29	4	5	4	1	14
	E.	1	9	30	40	40	120	9	29	46	34	118
146. Diseases of the bones	P.L.	—	11	10	9	8	38	6	5	3	4	18
	L.A.	—	1	1	—	1	3	—	1	—	—	1
	H.	27	17	55	45	28	172	21	38	16	11	86
	E.	2	6	21	35	27	91	6	23	22	9	60
147. Diseases of the joints	P.L.	—	2	—	5	3	10	5	1	3	2	11
	H.	7	3	15	8	4	37	2	10	6	2	20
	E.	—	3	6	13	7	29	7	8	16	15	46
148. Amputations ...	H.	—	—	—	1	—	1	—	—	—	—	—
	E.	—	—	1	—	—	1	—	—	—	—	—
149. Other diseases of the locomotor system.	P.L.	—	2	3	1	—	6	2	—	3	—	5
	H.	1	—	1	—	2	4	—	1	1	1	3
	E.	—	1	5	1	5	12	2	1	—	1	4
150. Congenital malformations.	P.L.	—	23	18	21	8	70	17	13	15	5	50
	L.A.	—	2	—	1	2	5	1	3	—	1	5
	H.	3	45	82	59	21	210	38	50	35	20	143
	E.	—	101	424	489	316	1,330	84	384	390	264	1,122
151A. Premature birth ...	P.L.	—	55	93	38	16	202	55	77	32	14	178
	L.A.	—	—	—	1	1	2	—	—	1	—	1
	H.	—	108	167	48	22	345	86	151	47	21	305
	E.	—	562	2,560	2,373	1,382	6,877	445	1,931	1,809	1,040	5,225
151B. Infantile atrophy, debility and marasmus.	P.L.	—	174	99	56	14	343	115	93	34	16	258
	L.A.	—	1	1	—	—	2	—	—	—	—	—
	H.	—	77	157	60	12	306	51	121	40	5	217
	E.	—	160	1,048	1,165	606	2,979	129	817	806	546	2,298
151C-E. Other diseases included under 151.	P.L.	—	2	1	4	1	8	1	3	—	—	4
	H.	—	8	10	3	—	21	5	4	2	1	12
	E.	—	21	120	122	99	362	16	65	72	42	195
152. Other diseases peculiar to early infancy.	P.L.	—	15	13	5	1	34	3	9	3	5	20
	L.A.	—	—	—	—	—	—	—	—	1	—	1
	H.	—	26	33	16	2	77	25	20	9	2	56
	E.	—	94	294	361	214	963	75	224	238	183	720
153. Lack of care ...	P.L.	—	—	—	—	—	—	—	1	—	—	1
	E.	—	30	40	46	13	129	18	45	40	14	117

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1918—continued.

Cause of Death.		Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
154A. Senile dementia ...	P.L.	—	—	47	256	94	52	449	50	237	112	41	440
	L.A.	—	—	2	8	24	10	44	8	13	15	10	46
	H.	1	1	1	1	2	1	6	1	7	11	1	20
	E.	—	—	7	31	51	40	129	21	64	91	65	241
154B. Senile decay ...	P.L.	—	—	429	970	815	632	2,846	533	1,043	892	479	2,947
	L.A.	7	—	207	108	200	166	688	290	186	271	173	920
	H.	—	—	9	21	16	6	52	18	64	37	6	125
	E.	—	—	389	2,113	2,774	2,565	7,811	710	3,277	4,116	3,114	11,217
155-163. Suicide ...	P.L.	4	—	15	23	13	6	61	11	12	6	—	29
	L.A.	—	—	—	6	6	3	15	3	2	5	—	10
	H.	56	—	30	63	25	21	195	8	29	25	5	67
	E.	213	—	157	394	439	371	1,574	101	263	259	191	814
164-186. Violence excluding suicide.	P.L.	5	—	208	158	107	45	523	193	189	91	38	511
	L.A.	—	—	11	12	11	5	39	7	4	10	8	29
	H.	4232	—	405	1,330	888	444	7,299	188	662	348	160	1,358
	E.	1,636	—	570	1,711	2,233	1,619	7,769	359	801	838	549	2,547
187-189. Ill-defined causes of death.	P.L.	—	—	18	23	20	7	68	16	29	6	4	55
	L.A.	1	—	1	1	—	—	3	—	2	—	—	2
	H.	5	—	4	23	12	4	48	5	19	6	2	32
	E.	44	—	13	386	420	345	1,208	24	344	371	292	1,031
All causes.	Poor Law Institutions ...	82	—	10,662	14,626	7,869	3,943	37,182	9,296	11,441	6,251	2,610	29,598
	Lunatic Asylums ...	361	—	2,674	3,398	3,255	2,209	11,897	2,408	2,833	2,739	1,856	9,836
	Hospitals ...	19,464	—	4,844	9,837	6,451	3,025	43,621	4,276	7,701	5,323	2,357	19,657
	Nursing Homes ...	53	—	199	376	384	193	1,205	296	492	470	206	1,464
	Total in Institutions ...	19,960	—	18,379	28,237	17,959	9,370	93,905	16,276	22,467	14,783	7,029	60,555
	Elsewhere than Institutions	4,073	—	19,072	76,031	74,802	46,821	220,799	22,201	83,438	81,614	49,349	236,602
	Total ...	24,033	—	37,451	104,268	92,761	56,191	314,704	38,477	105,905	96,397	56,378	297,157

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
ALL AREAS—ENGLAND AND WALES.

NOTE.—The deaths in this Table relate to the Total Deaths registered, while those for the administrative areas or groups of areas relate to deaths of civilians only.

Causes of Death.	Sex.	ENGLAND AND WALES.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	314,704	36,593	13,518	16,406	16,599	25,551	59,272	69,614	77,151
	F	297,157	27,793	12,929	16,914	18,055	23,917	54,914	57,175	85,460
1 Enteric fever ...	M	458	1	—	6	42	119	187	87	16
	F	492	—	—	8	59	160	166	88	11
2 Small-pox ...	M	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—
3 Measles ...	M	5,147	850	1,884	1,798	473	95	41	4	2
	F	4,640	660	1,605	1,760	564	26	22	1	2
4 Scarlet fever ...	M	507	13	45	181	190	58	17	2	1
	F	513	9	30	197	215	40	20	2	—
5 Whooping cough ...	M	4,391	1,721	1,353	1,103	207	—	3	1	3
	F	5,507	1,830	1,763	1,605	296	3	4	2	4
6 Diphtheria and croup ...	M	2,340	92	229	925	1,011	52	20	9	2
	F	2,492	65	181	915	1,208	74	36	10	3
7 Influenza ...	M	53,883	1,435	1,767	3,766	4,948	8,457	20,594	8,989	3,927
	F	58,446	1,043	1,799	4,119	6,042	10,348	22,191	8,262	4,642
8 Erysipelas ...	M	326	46	3	2	8	17	53	97	100
	F	283	33	3	1	11	15	42	77	101
9 Pulmonary tuberculosis	M	24,756	92	177	297	951	4,129	10,975	7,120	1,015
	F	21,321	78	117	282	1,669	5,605	9,333	3,632	605
10 Tuberculous meningitis	M	2,283	319	346	579	680	200	122	36	1
	F	2,096	229	294	502	702	221	120	27	1
11 Other tuberculous diseases.	M	3,988	348	300	548	738	657	775	485	137
	F	3,629	216	266	429	688	624	755	452	199
12 Cancer, malignant disease	M	18,078	12	9	39	67	133	1,298	8,869	7,651
	F	23,149	4	8	26	49	105	2,636	10,933	9,388
13 Rheumatic fever ...	M	723	3	—	28	203	174	143	149	23
	F	797	4	2	13	231	197	172	136	42
14 Meningitis ...	M	2,213	396	265	353	401	363	253	134	48
	F	1,680	291	232	291	416	177	149	75	49
15 Organic heart disease ...	M	23,517	6	11	34	379	770	2,527	8,109	11,681
	F	25,756	7	14	37	445	944	3,224	7,635	13,450
16 Bronchitis ...	M	20,981	3,101	1,084	614	238	179	1,010	4,858	9,897
	F	20,492	2,353	1,032	636	222	172	849	3,667	11,661
17 Pneumonia (all forms)...	M	33,451	4,639	3,662	3,519	2,077	3,354	6,878	5,855	3,467
	F	26,215	3,389	3,446	3,763	2,286	2,030	4,746	3,353	3,202
18 Other respiratory diseases	M	3,746	171	119	245	195	157	554	1,272	1,033
	F	3,007	132	90	208	169	111	456	800	1,041
19 Diarrhoea, &c. ...	M	6,627	3,626	733	405	177	81	337	572	696
	F	5,446	2,693	674	357	163	70	262	450	777
20 Appendicitis and typhlitis	M	1,298	2	1	66	368	260	298	233	70
	F	1,118	1	3	43	311	242	247	195	76
21 Cirrhosis of liver ...	M	1,121	1	1	2	9	7	118	668	315
	F	609	—	1	3	5	5	63	334	198
21A Alcoholism ...	M	61	—	—	—	—	—	26	33	2
	F	20	—	—	—	—	—	6	11	3
22 Nephritis and Bright's disease.	M	7,256	37	39	114	261	294	1,132	2,903	2,476
	F	5,823	32	50	129	211	262	988	2,170	1,981
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—
	F	845	—	—	—	—	170	667	8	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—
	F	1,664	—	—	—	—	294	1,340	30	—
25 Congenital debility, &c.	M	13,062	12,777	78	66	73	40	17	9	2
	F	10,013	9,789	59	52	65	25	15	7	1
26 Violence, apart from suicide.	M	15,630	443	272	742	1,415	3,979	4,863	2,537	1,379
	F	4,445	418	195	535	650	335	528	614	1,170
27 Suicide ...	M	1,845	—	—	—	8	115	633	816	273
	F	920	—	—	—	2	113	384	339	82
28 Other defined diseases ...	M	65,688	6,391	997	909	1,439	1,829	6,228	15,233	32,662
	F	64,618	4,461	932	930	1,325	1,506	5,346	13,462	36,656
29 Causes ill-defined or unknown.	M	1,327	71	143	65	40	32	170	534	272
	F	1,120	56	133	73	50	43	147	403	215

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
LONDON AND COUNTY BOROUGH (Civilian Population only).

Causes of Death.				Sex.	ADMINISTRATIVE COUNTY OF LONDON.*										AGGREGATE OF COUNTY BOROUGH.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	37,451	4308	1961	2155	1881	1908	5856	9598	9784	104,268	14099	5514	6759	6319	5527	16652	25829	23569		
				F	38,477	3351	1964	2182	2034	3158	7316	7593	10879	105,905	10878	5336	7091	6996	8556	19481	20815	26752		
1 Enteric fever				M	27	1	—	—	3	6	12	5	—	105	—	—	1	15	19	42	21	7		
				F	55	—	—	—	3	17	23	10	2	131	—	—	2	17	40	39	29	4		
2 Small-pox				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
3 Measles				M	859	151	380	287	40	—	1	—	—	2,081	350	766	778	181	5	1	—	—		
				F	790	125	317	273	67	6	—	—	2	1,896	263	658	760	201	7	6	1	—		
4 Scarlet fever				M	48	2	5	23	14	3	1	—	—	249	7	29	99	103	8	3	—	—		
				F	72	2	6	34	22	4	4	—	—	250	5	16	98	105	21	5	—	—		
5 Whooping cough				M	767	257	282	202	25	—	1	—	—	1,653	616	498	458	78	—	1	1	1		
				F	920	241	341	289	49	—	—	—	—	2,112	685	705	612	107	1	—	—	2		
6 Diphtheria and croup				M	326	22	46	149	106	—	1	1	1	817	40	95	343	329	6	2	2	—		
				F	343	20	51	127	135	6	4	—	—	876	19	74	342	409	17	12	2	1		
7 Influenza				M	5,556	165	181	415	523	660	1845	1162	605	15,552	458	639	1434	1803	1709	5028	3205	1276		
				F	7,529	94	196	455	664	125	2997	1077	621	20,041	340	674	1654	2182	3381	7270	2976	1564		
8 Erysipelas				M	49	9	—	—	1	1	2	19	17	103	21	—	2	2	3	13	36	26		
				F	50	9	1	1	3	1	4	13	18	107	7	2	—	6	7	17	33	35		
9 Pulmonary tuberculosis				M	4,006	13	37	56	115	523	1605	1425	232	9,112	38	75	141	423	1346	3940	2797	352		
				F	3,042	23	21	41	189	717	1303	630	118	8,030	24	59	119	723	2143	3491	1287	184		
10 Tuberculous meningitis				M	338	58	59	106	88	15	9	2	1	854	122	136	220	263	59	40	14	—		
				F	343	33	64	97	116	23	7	3	—	812	94	111	205	275	78	41	7	1		
11 Other tuberculous diseases.				M	377	32	26	65	73	58	46	58	19	1,525	158	122	243	332	218	238	166	48		
				F	340	29	33	39	62	47	57	45	28	1,405	97	108	202	300	244	251	147	56		
12 Cancer, malignant disease				M	2,351	—	1	4	5	7	160	1177	997	5,628	7	3	13	25	25	378	3084	2093		
				F	2,896	1	2	2	8	15	348	1371	1149	7,552	1	2	3	18	38	964	3776	2750		
13 Rheumatic fever				M	74	—	—	5	24	15	16	13	1	238	1	—	8	79	54	35	56	5		
				F	92	1	1	3	29	20	21	13	4	282	—	1	4	87	78	52	50	10		
14 Meningitis				M	193	51	24	37	41	15	12	12	1	724	160	106	141	162	37	36	46	36		
				F	173	45	23	34	31	15	13	8	4	673	113	100	127	161	53	59	31	29		
15 Organic heart disease				M	3,235	1	—	2	51	110	329	1103	1639	7,385	3	6	17	145	276	924	2874	3140		
				F	3,517	1	1	6	63	154	483	988	1821	8,297	4	8	15	180	384	1228	2689	3789		
16 Bronchitis				M	2,874	281	102	50	20	12	148	801	1460	8,372	1289	461	255	108	50	414	2229	3566		
				F	2,748	217	97	51	19	18	99	536	1711	8,153	1035	438	273	93	67	364	1718	4165		
17 Pneumonia (all forms)...				M	3,993	652	582	481	241	164	560	776	537	12,456	1879	1570	1595	929	676	2100	2454	1253		
				F	3,916	539	574	528	258	313	702	489	513	11,033	1349	1482	1736	1055	841	1964	1437	1169		
18 Other respiratory diseases				M	413	20	11	30	15	11	48	154	124	1,222	58	47	84	64	24	189	443	313		
				F	372	7	14	17	21	17	52	115	129	994	63	33	74	62	38	173	266	285		
19 Diarrhoea, &c.				M	829	544	62	30	9	5	30	70	79	2,712	1577	361	167	63	22	91	192	239		
				F	715	426	88	23	9	9	25	49	86	2,293	1219	315	166	54	15	96	163	265		
20 Appendicitis and typhlitis				M	131	1	—	12	48	20	15	32	3	331	—	1	23	101	54	60	71	21		
				F	137	—	—	5	28	28	35	31	10	368	—	2	13	107	82	81	61	22		
21 Cirrhosis of liver				M	180	—	1	—	4	2	23	101	49	348	1	—	2	2	—	32	218	93		
				F	98	—	—	1	—	—	18	49	30	194	—	—	2	3	3	17	112	57		
21A Alcoholism				M	6	—	—	—	—	—	3	3	—	22	—	—	—	—	—	9	12	1		
				F	1	—	—	—	—	—	—	1	—	8	—	—	—	—	—	4	4	—		
22 Nephritis and Bright's disease.				M	847	2	1	10	29	30	103	360	312	2,442	17	11	45	101	101	369	1103	695		
				F	735	4	3	8	28	17	113	316	246	2,055	15	20	56	86	105	376	776	621		
23 Puerperal fever				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	99	—	—	—	—	23	75	1	—	326	—	—	—	—	67	254	5	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	122	—	—	—	—	31	91	—	—	565	—	—	—	—	100	458	7	—		
25 Congenital debility, &c.				M	1,339	1316	12	4	2	4	1	—	—	4,780	4688	21	23	25	12	7	3	1		
				F	1,043	1016	11	5	3	2	4	2	—	3,712	3651	15	15	17	9	4	1	—		
26 Violence, apart from suicide.				M	1,194	99	35	91	217	90	159	278	225	3,211	177	119	282	459	325	612	781	456		
				F	747	73	24	48	84	50	115	129	224	1,656	173	87	227	255	106	179	218	411		
27 Suicide				M	202	—	—	—	—	10	58	97	37	486	—	—	—	1	13	144	259	69		
				F	123	—	—	—	—	11	45	60	7	306	—	—	—	—	38	136	110	22		
28 Other defined diseases				M	7,201	631	96	92	184	147	668	1944	3439	21,427	2407	390	352	512	478	1897	5585	9806		
				F	7,414	444	76	90	143	188	671	1653	4149	21,383	1701	363	352	475	577	1892	4767	11256		
29 Causes ill-defined or unknown.				M	36	—	18	4	3	—	—	5	6	433	25	58	33	14	7	47	177	72		
				F	45	1	20	5	—	1	7	4	7	394	20	63	34	17	16	48	142	54		

* For Greater London see page 219.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
URBAN AND RURAL DISTRICTS—ENGLAND AND WALES (Civilian Population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	92,761	12041	4184	5177	5511	5164	14897	21296	24491	56,191	6145	1859	2315	2882	3333	8667	11718	19272
			F	96,397	8783	3870	5366	5942	7771	17872	18537	28256	56,378	4781	1759	2275	3083	4432	10245	10230	19573
1	Enteric fever	...	M	178	—	—	4	17	47	73	35	2	83	—	—	1	7	18	25	25	7
			F	197	—	—	4	23	71	62	33	4	109	—	—	2	16	32	42	16	1
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	...	M	1,565	273	558	556	168	6	—	2	2	528	76	180	177	84	4	5	2	—
			F	1,452	210	483	551	193	8	7	—	—	502	62	147	176	103	5	9	—	—
4	Scarlet fever	...	M	97	3	8	36	47	1	1	—	1	59	1	3	23	26	3	1	2	—
			F	121	1	6	41	57	10	6	—	—	70	1	2	24	31	5	5	2	—
5	Whooping cough	...	M	1,306	553	394	295	63	—	—	—	1	664	295	179	148	41	—	—	—	1
			F	1,647	566	502	484	91	1	—	1	2	828	338	215	220	49	1	4	1	—
6	Diphtheria and croup	...	M	816	23	58	317	396	17	3	2	—	350	7	30	116	180	10	2	4	1
			F	891	23	42	336	455	22	7	4	2	382	3	14	110	209	29	13	4	—
7	Influenza	...	M	15,558	509	608	1308	1680	1900	5418	2910	1225	9,626	303	339	609	939	1404	3680	1533	819
			F	19,503	373	580	1381	2064	3445	7386	2767	1507	11,373	236	349	629	1132	2097	4538	1442	950
8	Erysipelas	...	M	84	9	3	—	3	2	7	27	33	54	7	—	—	2	1	9	12	23
			F	81	9	—	—	2	4	16	21	29	45	8	—	—	3	5	10	19	—
9	Pulmonary tuberculosis		M	6,871	23	49	77	289	1156	3120	1901	256	3,661	18	16	23	124	698	1683	924	175
			F	6,538	22	29	91	490	1755	2880	1091	180	3,711	9	8	31	267	990	1659	624	123
10	Tuberculous meningitis		M	678	88	102	168	234	38	37	11	—	331	51	49	85	95	27	16	8	—
			F	636	72	85	146	204	72	49	8	—	305	30	34	54	107	48	23	9	—
11	Other tuberculous diseases.		M	1,206	114	111	167	226	178	226	143	41	699	44	41	73	107	120	170	115	29
			F	1,191	61	99	124	219	211	265	143	69	693	29	26	64	107	122	182	117	46
12	Cancer, malignant disease		M	5,725	4	4	15	25	35	333	2830	2479	3,931	1	1	7	12	14	166	1654	2076
			F	7,836	1	4	15	20	42	870	3644	3240	4,865	1	—	6	3	10	454	2142	2249
13	Rheumatic fever	...	M	240	1	—	11	63	53	56	45	11	135	1	—	4	37	33	21	33	6
			F	276	2	—	5	75	71	63	45	15	147	1	—	1	40	28	36	28	13
14	Meningitis	...	M	611	127	92	120	124	42	53	44	9	302	58	43	55	74	21	27	22	2
			F	563	94	76	97	146	73	45	21	11	271	39	33	33	78	36	32	15	5
15	Organic heart disease	...	M	7,331	1	4	10	123	232	738	2540	3683	5,207	1	1	5	60	108	310	1509	3213
			F	8,345	2	3	13	148	279	1062	2487	4351	5,597	—	2	3	54	127	451	1471	3489
16	Bronchitis	...	M	6,191	1031	344	205	70	30	238	1293	2980	3,289	500	177	104	40	25	76	478	1889
			F	6,220	728	350	207	69	55	282	995	3534	3,371	373	147	105	41	32	104	418	2151
17	Pneumonia (all forms)		M	8,551	1453	1068	1032	645	405	1348	1631	969	4,143	655	442	411	261	213	623	832	706
			F	7,671	1020	970	1073	659	605	1413	962	969	3,595	481	420	426	314	271	667	465	551
18	Other respiratory diseases		M	1,217	62	40	82	80	35	154	419	345	721	31	21	49	36	19	75	240	250
			F	1,042	41	30	79	52	31	153	277	379	599	21	13	38	34	25	78	142	248
19	Diarrhoea, &c.	...	M	2,060	1056	220	151	78	23	88	209	235	924	449	90	57	27	11	51	96	143
			F	1,652	748	179	123	71	34	90	157	250	786	300	92	45	29	12	51	81	176
20	Appendicitis and typhlitis		M	375	1	—	11	135	67	70	63	28	258	—	—	20	84	32	46	58	18
			F	386	1	—	16	120	76	80	64	24	227	—	1	9	56	56	51	39	15
21	Cirrhosis of liver	...	M	364	—	—	—	3	—	29	224	108	199	—	—	—	—	1	18	115	65
			F	211	—	1	—	1	1	19	119	70	106	—	—	—	1	1	9	54	41
21A	Alcoholism	...	M	23	—	—	—	—	—	9	13	1	7	—	—	—	—	—	3	4	—
			F	10	—	—	—	—	—	2	5	3	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.		M	2,197	8	20	42	81	53	291	888	814	1,424	10	7	17	50	43	140	503	654
			F	1,940	9	18	45	62	96	342	711	657	1,093	4	9	20	35	44	157	367	457
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	278	—	—	—	—	61	217	—	—	142	—	—	—	—	19	121	2	—
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	600	—	—	—	—	112	474	14	—	377	—	—	—	—	51	317	9	—
25	Congenital debility, &c.		M	4,440	4343	23	22	31	11	6	3	1	2,500	2430	22	17	15	10	3	3	—
			F	3,283	3204	17	16	27	9	6	3	1	1,975	1918	16	16	18	5	1	1	—
26	Violence, apart from suicide.		M	3,239	111	75	225	449	369	786	814	410	2,113	56	43	144	290	222	496	574	288
			F	1,287	116	53	168	208	97	142	173	330	755	56	31	92	103	82	92	94	205
27	Suicide	...	M	483	—	—	—	7	18	141	230	87	401	—	—	—	—	20	97	204	80
			F	295	—	—	—	2	34	130	94	35	196	—	—	—	—	30	73	75	18
28	Other defined diseases	...	M	20,903	2220	352	304	456	440	1630	4839	10662	14,225	1133	159	161	285	266	874	2605	8742
			F	21,862	1464	310	325	466	481	1756	4553	12507	13,959	852	183	163	241	260	1027	2489	8744
29	Causes ill-defined or unknown.		M	452	28	51	19	18	6	42	180	108	356	18	16	9	5	10	50	163	85
			F	383	16	33	26	18	15	48	145	82	298	19	17	8	15	11	44	112	72

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
ALL AREAS—NORTH AND MIDLAND (Civilian Population only).

Causes of Death		Sex.	AGGREGATE OF NORTHERN COUNTIES.									AGGREGATE OF MIDLAND COUNTIES.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M	107376	15300	5766	7125	6938	5861	16292	25861	24233	86,058	10176	3617	4547	4914	4784	13912	19378	24730
			F	107555	11557	5604	7483	7414	8458	19112	21172	26755	89,694	7809	3395	4801	5448	7579	16998	16527	27137
1 Enteric fever	M	203	—	—	4	15	50	87	41	6	82	—	—	2	12	14	30	17	7
			F	232	—	—	5	31	80	73	40	3	106	—	—	1	17	35	32	19	2
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2,109	376	752	767	204	7	2	—	1	1,163	181	415	424	136	5	—	2	—
			F	1,988	281	674	793	228	6	6	—	—	1,078	144	355	420	148	7	4	—	—
4 Scarlet fever	M	281	8	31	112	116	9	3	1	1	77	1	6	27	38	3	2	—	—
			F	288	3	17	119	119	26	4	—	—	73	4	4	20	33	5	6	1	—
5 Whooping cough	M	1,864	751	549	461	100	—	1	1	1	1,047	392	317	288	50	—	—	—	—
			F	2,365	812	730	707	111	2	1	1	1	1,359	458	423	388	87	—	2	—	1
6 Diphtheria and croup	M	871	32	94	363	372	8	1	1	—	660	28	52	248	309	17	2	3	1
			F	900	18	76	355	419	20	10	2	—	744	21	43	258	385	23	8	4	2
7 Influenza	M	16,303	524	634	1524	1998	1943	5126	3258	1296	15,463	489	662	1245	1668	1922	5467	2762	1248
			F	20,371	362	678	1696	2387	3406	7079	3156	1607	19,838	398	640	1422	2016	3568	7659	2640	1495
8 Erysipelas	M	102	18	1	1	3	4	9	37	29	86	13	1	1	2	1	11	21	36
			F	85	8	1	—	3	5	11	24	33	86	8	1	—	4	4	18	21	30
9 Pulmonary tuberculosis	{	M	7,965	31	71	131	432	1229	3368	2404	299	6,731	32	47	67	240	1093	3119	1884	249	
		F	7,276	30	53	114	693	1956	3123	1127	180	6,354	21	28	72	478	1730	2771	1078	176	
10 Tuberculous meningitis	{	M	846	110	129	230	281	44	42	10	—	597	107	99	139	172	42	27	11	—	
		F	814	86	110	201	280	87	42	8	—	548	70	70	125	177	63	35	7	1	
11 Other tuberculous diseases.	{	M	1,658	152	150	284	360	229	251	185	47	1,028	102	82	126	192	162	204	124	36	
		F	1,564	94	135	219	321	269	291	177	58	1,013	63	61	105	184	186	224	125	65	
12 Cancer, malignant disease	{	M	5,580	7	2	10	18	29	362	3038	2114	5,578	5	3	18	23	23	318	2671	2517	
		F	7,260	1	1	9	14	34	902	3645	2654	7,392	2	3	10	14	36	801	3396	3130	
13 Rheumatic fever	{	M	285	1	—	10	82	60	60	64	8	186	1	—	12	58	45	28	37	5	
		F	308	—	1	7	82	83	68	55	12	241	2	—	3	81	56	44	42	13	
14 Meningitis	{	M	812	175	133	158	183	44	41	43	35	479	108	68	105	97	27	36	31	7	
		F	698	116	107	129	158	66	57	32	33	509	83	65	88	153	50	46	18	6	
15 Organic heart disease	{	M	7,536	1	3	12	155	280	872	2911	3302	6,871	3	6	13	107	196	650	2263	3633	
		F	8,505	3	5	13	174	362	1267	2790	3891	7,682	1	5	8	136	271	879	2149	4233	
16 Bronchitis	{	M	8,600	1493	521	305	118	57	399	2139	3568	5,808	801	290	167	67	24	209	1215	3035	
		F	8,336	1099	517	318	110	78	404	1703	4107	5,780	642	262	168	58	54	196	913	3487	
17 Pneumonia (all forms)...	{	M	12,689	1996	1571	1629	1022	680	2069	2554	1228	7,639	1211	933	953	540	373	1172	1467	990	
		F	11,102	1394	1450	1748	1116	826	1916	1506	1140	6,906	854	931	1036	594	534	1269	810	878	
18 Other respiratory diseases	{	M	1,285	76	60	103	84	29	162	474	297	980	44	26	65	59	20	136	341	289	
		F	1,054	55	40	92	68	34	187	283	295	875	37	22	62	45	39	122	214	334	
19 Diarrhoea, &c.	{	M	2,893	1554	410	231	96	27	107	214	254	1,699	942	168	80	46	18	70	167	208	
		F	2,411	1174	383	194	81	25	92	179	283	1,409	703	120	95	31	15	76	131	238	
20 Appendicitis and typhlitis	{	M	361	1	1	15	120	80	61	58	25	330	—	—	19	117	43	56	72	23	
		F	345	1	—	14	109	77	73	55	16	351	—	3	16	112	77	64	58	21	
21 Cirrhosis of liver	{	M	368	—	—	2	2	—	37	240	87	315	1	—	—	2	—	24	189	99	
		F	179	—	—	2	—	3	17	103	54	191	—	—	—	2	2	13	103	71	
21A Alcoholism	{	M	24	—	—	—	—	—	8	16	—	13	—	—	—	—	—	5	7	1	
		F	7	—	—	—	—	—	2	4	1	3	—	—	—	—	—	1	2	—	
22 Nephritis and Bright's disease.	{	M	2,600	18	22	61	103	90	383	1157	766	1,910	11	9	27	80	70	221	747	745	
		F	2,277	11	30	68	89	127	443	856	653	1,485	8	15	37	58	68	232	531	536	
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	298	—	—	—	—	46	250	2	—	253	—	—	—	—	50	201	2	—	
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	672	—	—	—	—	118	547	7	—	466	—	—	—	—	85	365	16	—	
25 Congenital debility, &c.	{	M	5,247	5127	33	31	27	15	9	5	—	3,930	3848	19	18	26	13	3	2	1	
		F	4,001	3933	17	14	25	6	5	1	—	3,042	2969	15	19	25	8	2	3	1	
26 Violence, apart from suicide.	{	M	3,565	129	107	269	493	406	807	889	465	2,667	130	93	208	424	242	513	666	391	
		F	1,632	138	85	231	267	114	179	224	394	1,235	132	45	152	192	109	140	147	318	
27 Suicide	{	M	537	—	—	—	5	23	152	275	82	468	—	—	—	2	18	132	222	94	
		F	285	—	—	—	—	34	132	101	18	316	—	—	—	1	50	126	101	38	
28 Other defined diseases	{	M	22,215	2688	431	377	525	507	1868	5610	10209	19,867	1703	281	276	439	404	1445	4296	11023	
		F	21,821	1920	430	401	510	547	1865	4916	11232	19,994	1169	251	272	393	440	1618	3866	11985	
29 Causes ill-defined or unknown.	{	M	577	32	61	35	24	11	65	236	113	384	23	40	19	8	9	32	161	92	
		F	480	18	64	34	18	21	66	175	84	365	20	33	24	24	14	44	130	76	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
ALL AREAS—SOUTH AND WALES (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF SOUTHERN COUNTIES (INCLUDING LONDON).									AGGREGATE OF WALES AND MONMOUTH.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	77,054	8066	3177	3686	3781	3942	12127	18752	23522	20,183	3051	958	1048	960	1345	3741	4450	4630
	F	81,482	6112	3037	3626	4136	6407	15285	13647	26832	18,426	2315	893	1004	1057	1473	3519	3429	4736
1 Enteric fever ...	M	73	1	—	—	12	18	19	21	2	35	—	—	—	3	8	16	7	1
	F	122	—	—	1	8	38	44	26	5	32	—	—	1	3	7	17	3	1
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	1,335	216	552	454	103	3	5	1	1	426	77	165	153	30	—	—	1	—
	F	1,194	177	440	408	144	13	9	1	2	380	58	136	139	44	—	3	—	—
4 Scarlet fever ...	M	64	2	6	26	25	3	1	1	—	31	2	2	16	11	—	—	—	—
	F	119	2	8	45	47	8	8	1	—	33	—	1	13	16	1	2	—	—
5 Whooping cough ...	M	1136	417	389	286	42	—	1	—	1	343	161	98	68	15	—	—	—	1
	F	1375	403	479	409	80	1	1	1	1	408	157	131	101	18	—	—	—	1
6 Diphtheria and croup ...	M	627	28	69	253	262	5	5	4	1	151	4	14	61	68	3	—	1	—
	F	697	22	58	244	329	26	15	2	1	151	4	4	58	75	5	3	2	—
7 Influenza ...	M	11,361	344	389	801	1065	1420	4035	2183	1124	3165	78	82	196	214	388	1343	607	257
	F	15,154	220	384	812	1356	2851	6196	2640	1295	3083	63	97	189	283	523	1257	426	245
8 Erysipelas ...	M	88	14	1	—	2	1	6	33	31	14	1	—	—	1	1	5	3	3
	F	99	14	1	1	4	5	10	30	34	13	3	—	—	—	1	3	2	4
9 Pulmonary tuberculosis	M	7,369	20	49	79	224	1063	3165	2375	394	1,585	9	10	20	55	338	696	384	73
	F	6,217	26	32	73	390	1496	2767	1217	216	1,474	1	4	23	108	423	672	210	33
10 Tuberculous meningitis	M	607	79	100	175	175	42	27	8	1	151	23	18	35	52	11	6	6	—
	F	610	62	101	157	194	54	32	10	—	124	11	13	19	51	17	11	2	—
11 Other tuberculous dis- eases.	M	878	76	58	119	161	131	155	134	44	243	18	10	19	25	52	70	39	10
	F	833	48	63	78	145	118	188	127	66	219	11	7	27	38	51	52	23	10
12 Cancer, malignant disease	M	5,419	—	4	8	20	20	291	2491	2585	1,058	—	—	3	6	9	66	545	429
	F	7,149	1	3	6	17	28	771	3247	3076	1,348	—	1	1	4	7	162	645	528
13 Rheumatic fever ...	M	152	1	—	5	43	34	29	33	7	64	—	—	1	20	16	11	13	3
	F	181	2	1	3	47	39	46	29	14	67	—	—	—	21	19	14	10	3
14 Meningitis ...	M	417	91	47	66	97	33	42	37	4	122	22	17	24	24	11	9	13	2
	F	361	71	43	60	78	42	39	19	9	112	21	17	14	27	19	7	6	1
15 Organic heart disease ...	M	7,201	2	—	4	87	192	604	2330	3982	1,550	—	2	5	30	58	175	522	758
	F	7,979	2	1	11	104	256	870	2154	4581	1,590	1	3	5	31	55	208	542	745
16 Bronchitis ...	M	5,044	557	191	105	37	24	209	1163	2758	1,274	250	82	37	16	12	59	284	534
	F	5,194	409	173	114	34	31	183	865	3385	1,182	203	80	36	20	9	66	186	582
17 Pneumonia (all forms)...	M	6,788	1046	878	731	412	288	1072	1319	1042	2,027	386	280	206	102	117	378	353	205
	F	6,658	869	826	776	462	568	1297	860	1000	1,549	272	239	203	114	102	264	177	178
18 Other respiratory diseases	M	1,007	39	24	60	41	29	119	347	348	301	12	9	17	11	11	49	94	98
	F	880	26	22	37	45	36	119	256	333	198	14	6	17	11	2	28	47	73
19 Diarrhoea, &c. ...	M	1,479	874	109	61	26	10	57	152	190	454	256	46	33	9	6	26	34	44
	F	1,247	635	132	50	38	19	67	104	202	379	181	39	18	13	11	27	36	54
20 Appendicitis and typhlitis	M	324	1	—	28	107	36	50	83	19	80	—	—	4	24	14	24	11	3
	F	350	—	—	10	77	68	89	72	34	72	—	—	3	13	20	21	10	5
21 Cirrhosis of liver ...	M	358	—	1	—	5	3	34	204	111	50	—	—	—	—	—	7	25	18
	F	206	—	—	1	2	—	27	108	68	33	—	1	—	1	—	6	20	5
21A Alcoholism ...	M	14	—	—	—	—	—	6	7	1	7	—	—	—	—	—	5	2	—
	F	6	—	—	—	—	—	1	4	1	4	—	—	—	—	—	2	1	1
22 Nephritis and Bright's disease.	M	1,910	7	4	17	60	53	218	756	795	490	1	4	9	18	14	81	194	169
	F	1,677	10	3	15	50	49	252	647	651	384	3	2	9	14	18	61	136	141
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	231	—	—	—	—	53	174	4	—	63	—	—	—	—	21	42	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	329	—	—	—	—	64	262	3	—	197	—	—	—	—	27	166	4	—
25 Congenital debility, &c.	M	2,855	2794	21	13	14	7	3	2	1	1,027	1008	5	4	6	2	2	—	—
	F	2,161	2097	21	15	12	8	6	2	—	809	790	6	4	3	3	2	1	—
26 Violence, apart from suicide.	M	2,468	169	50	190	383	194	437	596	449	1,057	15	22	75	115	164	296	296	74
	F	1,306	136	49	102	138	92	176	209	404	272	12	16	50	53	20	33	34	54
27 Suicide ...	M	476	—	—	—	1	16	128	245	86	91	—	—	—	—	4	28	48	11
	F	280	—	—	—	1	25	110	119	25	39	—	—	—	—	4	16	18	1
28 Other defined diseases ...	M	17,403	1277	202	195	371	316	1384	4158	9500	4,271	723	83	61	102	104	372	909	1917
	F	18,666	871	170	185	329	412	1495	3825	11379	4,137	501	81	72	93	107	368	855	2060
29 Causes ill-defined or un- known.	M	201	11	33	10	6	1	25	69	46	115	5	9	1	2	2	17	59	20
	F	201	9	27	13	5	7	31	65	44	74	9	9	2	3	1	6	33	11

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
COUNTY BOROUGH—NORTH AND MIDLAND (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF COUNTY BOROUGH (NORTH).									AGGREGATE OF COUNTY BOROUGH (MIDLAND).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	59,963	8561	3414	4181	3862	3117	9197	15159	12472	30,723	3969	1510	1962	1806	1606	5030	7437	7403
	F	60,009	6555	3294	4429	4187	4747	10631	12037	14129	31,682	3132	1524	1984	2060	2664	6104	5997	8217
1 Enteric fever ...	M	64	—	—	1	9	13	24	14	3	24	—	—	—	2	3	10	6	3
	F	85	—	—	1	12	28	26	17	1	28	—	—	—	4	5	9	9	1
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	1,248	223	441	472	109	3	—	—	—	569	86	212	221	49	1	—	—	—
	F	1,137	169	377	468	116	5	2	—	—	524	64	192	215	51	1	1	—	—
4 Scarlet fever ...	M	195	6	25	79	76	6	3	—	—	39	—	3	14	20	2	—	—	—
	F	202	3	13	83	82	19	2	—	—	24	2	2	7	11	—	2	—	—
5 Whooping cough ...	M	1,099	413	338	293	52	—	1	1	1	392	129	113	131	19	—	—	—	—
	F	1,403	455	459	423	64	1	—	—	1	497	162	176	127	32	—	—	—	—
6 Diphtheria and croup ...	M	459	19	57	202	177	2	1	1	—	260	13	29	105	110	3	—	—	—
	F	456	8	42	188	204	9	4	1	—	303	10	27	104	149	6	6	—	1
7 Influenza ...	M	8,437	275	338	858	1050	894	2509	1798	715	5,178	139	222	443	592	568	1757	1053	404
	F	10,690	184	354	956	1232	1754	3634	1731	845	6,896	123	251	546	724	1162	2630	950	510
8 Erysipelas ...	M	55	10	—	1	1	3	7	23	10	32	6	—	1	1	—	3	9	12
	F	57	5	1	—	3	4	7	18	19	34	—	1	—	3	2	8	10	10
9 Pulmonary tuberculosis	M	5,048	21	44	91	272	724	2091	1604	201	2,756	13	22	38	105	391	1270	824	93
	F	4,392	13	41	70	419	1186	1866	695	102	2,446	10	16	34	202	649	1078	401	56
10 Tuberculous meningitis	M	500	64	78	137	164	28	21	8	—	250	50	43	59	67	17	11	3	—
	F	491	50	59	120	189	43	24	6	—	213	34	32	53	59	20	13	1	1
11 Other tuberculous diseases.	M	958	92	82	169	218	132	129	103	33	390	41	31	60	82	55	66	44	11
	F	900	60	76	134	208	160	142	89	31	343	27	25	50	60	61	67	37	16
12 Cancer, malignant disease	M	2,987	5	—	4	10	15	213	1730	1010	1,805	2	2	6	11	5	117	936	726
	F	3,931	—	—	2	9	23	533	2006	1358	2,372	1	1	1	6	12	278	1179	894
13 Rheumatic fever ...	M	146	1	—	3	43	36	26	33	4	61	—	—	5	24	13	5	14	—
	F	159	—	1	2	48	44	30	27	7	93	—	—	2	37	22	16	14	2
14 Meningitis ...	M	458	99	68	81	107	21	18	29	35	177	49	26	44	33	7	12	5	1
	F	401	61	65	78	83	32	33	20	29	189	38	30	36	56	11	13	5	—
15 Organic heart disease ...	M	3,987	—	1	9	82	168	531	1622	1574	2,179	2	3	6	46	73	263	821	965
	F	4,512	3	4	8	98	221	732	1552	1894	2,508	—	3	5	64	124	345	774	1193
16 Bronchitis ...	M	5,130	843	298	168	74	33	269	1430	2015	2,411	313	110	73	27	13	108	638	1129
	F	5,005	654	285	170	64	44	242	1130	2416	2,191	275	103	68	19	19	90	435	1182
17 Pneumonia (all forms)...	M	7,890	1180	987	1013	641	437	1327	1594	711	3,276	513	437	454	223	164	491	625	369
	F	6,929	819	899	1123	706	528	1216	953	685	2,989	380	467	481	269	220	513	332	327
18 Other respiratory diseases	M	659	33	34	46	36	10	102	244	154	343	18	7	26	20	6	52	128	86
	F	546	32	22	50	32	17	109	142	142	290	20	8	18	19	17	44	76	88
19 Diarrhoea, &c. ...	M	1,651	936	242	116	38	12	61	113	133	770	468	86	37	18	7	24	59	71
	F	1,400	720	226	114	37	9	45	97	152	645	371	65	40	14	4	30	52	69
20 Appendicitis and typhlitis	M	172	—	1	7	56	38	33	30	7	100	—	—	9	30	9	16	28	8
	F	195	—	—	7	59	43	42	36	8	113	—	2	4	34	28	23	16	6
21 Cirrhosis of liver ...	M	203	—	—	2	—	—	21	130	48	94	1	—	—	—	—	7	58	28
	F	105	—	—	2	—	3	12	59	29	49	—	—	—	2	—	2	29	16
21½ Alcoholism ...	M	14	—	—	—	—	—	5	9	—	2	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	1,492	10	9	32	57	62	228	691	403	605	4	2	10	32	27	79	269	182
	F	1,288	8	15	36	52	73	252	483	369	489	4	5	17	27	24	81	190	141
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	160	—	—	—	—	29	129	2	—	113	—	—	—	—	20	92	1	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	329	—	—	—	—	48	279	2	—	152	—	—	—	—	33	116	3	—
25 Congenital debility, &c.	M	2,773	2720	13	11	16	7	4	2	—	1,479	1453	6	7	7	5	—	1	—
	F	2,193	2163	12	4	8	3	3	—	—	1,126	1103	2	8	8	4	1	—	—
26 Violence, apart from suicide.	M	1,888	92	73	151	266	201	379	473	253	897	63	37	101	138	78	154	203	123
	F	1,006	102	58	151	161	63	110	128	233	439	56	17	55	75	30	41	59	106
27 Suicide ...	M	257	—	—	—	1	7	70	144	35	146	—	—	—	—	6	43	75	22
	F	143	—	—	—	—	16	69	51	7	108	—	—	—	—	18	42	39	9
28 Other defined diseases ...	M	11,876	1500	246	211	294	261	1089	3207	5068	6,397	603	106	104	148	150	531	1596	3159
	F	11,610	1033	239	216	291	330	1055	2690	5756	6,418	447	88	104	128	168	548	1352	3583
29 Causes ill-defined or unknown.	M	317	19	39	24	11	4	35	126	59	91	3	13	8	2	3	11	41	10
	F	279	13	46	23	9	12	31	100	45	90	5	11	9	7	4	15	33	6

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
COUNTY BOROUGH—SOUTH AND WALES (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF COUNTY BOROUGHS (SOUTH).										AGGREGATE OF COUNTY BOROUGHS (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	9,470	1015	371	396	453	520	1612	2222	2881	4112	554	219	220	198	284	813	1011	813		
	F	10,644	734	310	442	540	823	2026	2107	3662	3570	457	208	236	209	322	720	674	744		
1 Enteric fever ...	M	9	—	—	—	4	2	2	1	—	8	—	—	—	—	1	6	—	1		
	F	13	—	—	1	—	5	3	2	2	5	—	—	—	1	2	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	136	17	61	43	13	1	1	—	—	128	24	52	42	10	—	—	—	—		
	F	127	14	40	42	27	1	2	1	—	108	16	49	35	7	—	1	—	—		
4 Scarlet fever ...	M	6	—	1	2	3	—	—	—	—	9	1	—	4	4	—	—	—	—		
	F	19	—	1	4	11	2	1	—	—	5	—	—	4	1	—	—	—	—		
5 Whooping cough ...	M	102	52	28	19	3	—	—	—	—	60	22	19	15	4	—	—	—	—		
	F	132	45	41	40	6	—	—	—	—	80	23	29	22	5	—	—	—	1		
6 Diphtheria and croup ...	M	69	6	7	20	34	—	1	1	—	29	2	2	16	8	1	—	—	—		
	F	81	—	4	29	43	2	2	1	—	36	1	1	21	13	—	—	—	—		
7 Influenza ...	M	1,395	36	62	95	131	186	515	251	119	542	8	17	38	30	61	247	103	38		
	F	1,869	19	52	105	177	355	760	224	177	586	14	17	47	49	110	246	71	32		
8 Erysipelas ...	M	12	5	—	—	—	—	1	4	2	4	—	—	—	—	—	2	—	2		
	F	13	1	—	—	—	—	2	5	5	3	1	—	—	—	1	—	—	1		
9 Pulmonary tuberculosis	M	919	3	6	8	34	145	421	262	40	389	1	3	4	12	86	158	107	18		
	F	844	1	1	10	69	210	391	140	22	348	—	1	5	33	98	156	51	4		
10 Tuberculous meningitis	M	70	3	12	16	20	11	7	1	—	34	5	3	8	12	3	1	2	—		
	F	78	6	14	26	16	12	4	—	—	30	4	6	6	11	3	—	—	—		
11 Other tuberculous dis- eases.	M	128	20	9	12	28	15	27	15	2	49	5	—	2	4	16	16	4	2		
	F	125	7	6	11	21	16	35	20	9	37	3	1	7	11	7	7	1	—		
12 Cancer, malignant disease	M	632	—	1	3	2	4	40	296	286	204	—	—	—	2	1	8	122	71		
	F	1,014	—	1	—	3	3	121	471	415	235	—	—	—	—	—	32	120	83		
13 Rheumatic fever ...	M	17	—	—	—	4	3	3	6	1	14	—	—	—	8	2	1	3	—		
	F	19	—	—	—	1	7	5	5	1	11	—	—	—	1	5	1	4	—		
14 Meningitis ...	M	57	9	8	9	16	5	3	7	—	32	3	4	7	6	4	3	5	—		
	F	60	8	3	10	17	6	12	4	—	23	6	2	3	5	4	1	2	—		
15 Organic heart disease ...	M	874	1	—	1	11	24	82	294	461	345	—	2	1	6	11	48	137	140		
	F	998	1	—	2	8	29	112	257	589	279	—	1	—	10	10	39	106	113		
16 Bronchitis ...	M	546	34	26	9	2	1	21	98	305	285	49	27	5	5	3	16	63	117		
	F	717	63	32	24	2	3	19	114	460	240	43	18	11	8	1	13	39	107		
17 Pneumonia (all forms)...	M	771	104	93	80	41	35	155	134	129	519	82	53	48	24	40	127	101	44		
	F	749	91	61	80	52	65	169	110	121	366	59	55	52	28	28	66	42	36		
18 Other respiratory diseases	M	176	6	6	10	6	6	22	55	65	44	1	—	2	2	2	13	16	8		
	F	123	7	2	5	10	3	15	36	45	35	4	1	1	1	1	5	12	10		
19 Diarrhoea, &c. ...	M	196	108	19	10	5	3	6	17	28	95	65	14	4	2	—	—	3	7		
	F	160	73	15	10	3	1	14	10	34	88	55	9	2	—	1	7	4	10		
20 Appendicitis and typhlitis	M	40	—	—	4	10	4	6	11	5	19	—	—	3	5	3	5	2	1		
	F	48	—	—	1	12	8	12	7	8	12	—	—	1	2	3	4	2	—		
21 Cirrhosis of liver ...	M	42	—	—	—	—	—	2	25	15	9	—	—	—	—	—	2	5	2		
	F	32	—	—	—	1	—	2	19	10	8	—	—	—	—	—	1	5	2		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	2	1	—		
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	M	223	3	—	1	8	9	34	87	81	122	—	—	2	4	3	28	56	29		
	F	214	1	—	1	6	3	28	81	94	64	2	—	2	1	5	15	22	17		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	45	—	—	—	—	14	29	2	—	8	—	—	—	—	4	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	50	—	—	—	—	14	35	1	—	34	—	—	—	—	5	28	1	—		
25 Congenital debility, &c.	M	368	359	1	4	1	—	2	—	1	160	156	1	1	1	—	1	—	—		
	F	269	263	1	3	1	1	—	—	—	124	122	—	—	—	1	—	1	—		
26 Violence, apart from suicide.	M	274	19	2	21	33	22	44	66	67	152	3	7	9	22	24	35	39	13		
	F	151	11	9	13	12	7	20	22	57	60	4	3	8	7	6	8	9	15		
27 Suicide ...	M	58	—	—	—	—	—	23	26	9	25	—	—	—	—	—	8	14	3		
	F	43	—	—	—	—	4	19	14	6	12	—	—	—	—	—	6	6	—		
28 Other defined diseases ...	M	2,326	177	23	28	44	44	191	557	1262	828	127	15	9	26	23	86	225	317		
	F	2,631	121	23	23	42	52	211	555	1604	724	100	13	9	14	27	78	170	313		
29 Causes ill-defined or un- known.	M	21	3	6	1	—	—	1	7	3	4	—	—	—	1	—	—	3	—		
	F	18	2	4	2	—	—	2	5	3	7	—	2	—	1	—	—	4	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
URBAN DISTRICTS—NORTH AND MIDLAND (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS (NORTH).										AGGREGATE OF URBAN DISTRICTS (MIDLAND).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	33,993 34,372	4792 3496	1740 1696	2174 2264	2255 2333	1917 2612	5061 6076	7960 6879	8094 9016	32,412 34,368	3909 2873	1400 1215	1700 1913	1944 2130	1830 3005	5461 6586	7323 6343	8845 10303	
1	Enteric fever	M F	106 110	— —	— —	2 3	5 14	31 37	48 34	18 20	2 2	34 44	— —	— —	2 —	6 4	7 22	14 13	5 5	— —
2	Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Measles	M F	646 651	120 83	232 234	223 256	67 75	3 1	— 2	— —	1 —	443 412	72 62	149 127	160 149	59 69	2 4	— 1	1 —	— —
4	Scarlet fever	M F	60 54	1 —	5 3	22 22	30 24	1 3	— 2	— —	1 —	20 34	1 1	3 2	6 9	9 16	— 4	1 2	— —	— —
5	Whooping cough	M F	559 697	246 243	156 207	126 211	31 35	— —	— —	— 1	— —	423 556	167 180	134 173	105 165	17 37	— —	— —	— —	— 1
6	Diphtheria and croup	M F	334 339	9 10	27 27	133 133	160 163	5 3	— 2	— 1	— —	267 317	13 9	16 11	99 122	129 162	8 9	1 —	1 3	— 1
7	Influenza	M F	5,429 6,751	168 129	212 232	482 541	673 805	700 1089	1728 2331	1064 1067	402 557	6,068 7,777	203 167	271 214	525 571	650 796	724 1459	2126 2968	1080 1032	489 570
8	Erysipelas	M F	33 18	6 2	1 —	— —	1 —	1 1	1 3	10 4	13 8	29 36	3 4	1 —	— 1	— 1	1 8	4 9	8 13	12 13
9	Pulmonary tuberculosis	{	M F	2,194 2,166	6 14	19 9	33 35	126 210	372 582	948 934	612 333	78 49	2,564 2,370	10 7	22 11	23 28	90 164	426 636	1208 1014	693 430	92 80	
10	Tuberculous meningitis		M F	245 236	35 29	35 37	63 61	87 61	9 33	16 14	— 1	— —	— —	235 226	34 24	38 28	54 53	76 81	18 24	10 12	5 4	— —
11	Other tuberculous dis- eases.	{	M F	510 490	44 26	55 49	86 57	108 91	66 80	83 109	56 63	12 15	379 393	45 23	36 27	38 37	77 75	64 71	70 88	37 42	12 30	
12	Cancer, malignant disease		M F	1,829 2,473	1 1	2 1	6 6	4 5	11 11	112 285	965 1238	728 926	2,121 2,872	3 —	1 2	7 5	9 7	13 17	139 338	1026 1277	923 1226	
13	Rheumatic fever	...	M F	101 111	— —	— —	5 4	27 26	15 33	27 25	24 19	3 4	78 86	— 2	— —	5 1	23 26	19 19	14 19	12 16	5 3	
14	Meningitis	...	M F	269 221	56 42	47 29	62 42	56 53	17 25	19 18	12 9	— 3	191 200	37 28	29 23	33 38	41 60	12 23	18 17	16 6	5 5	
15	Organic heart disease	...	M F	2,565 2,925	— —	2 1	2 5	53 60	90 111	271 423	966 919	1181 1406	2,530 2,877	1 1	2 1	3 2	42 55	85 99	259 361	837 795	1301 1563	
16	Bronchitis	...	M F	2,614 2,505	473 303	154 173	99 103	33 37	15 22	108 129	566 465	1166 1273	2,021 2,143	300 238	117 103	53 62	26 17	4 26	70 77	403 312	1048 1308	
17	Pneumonia (all forms)...	{	M F	3,550 3,100	600 410	442 407	470 462	298 295	162 215	516 525	706 431	356 355	2,837 2,579	464 293	340 314	335 397	212 216	135 219	473 502	549 312	329 326	
18	Other respiratory diseases		M F	445 355	29 16	17 16	43 29	35 23	16 11	44 59	166 96	95 105	383 364	18 11	12 6	22 24	27 14	8 14	55 49	135 96	150 106	
19	Diarrhoea, &c.	...	M F	888 730	432 325	120 101	82 62	48 38	11 13	30 34	76 64	89 93	609 484	326 230	52 35	33 40	19 8	7 8	29 29	68 52	75 82	
20	Appendicitis and typhlitis	{	M F	136 101	1 1	— —	2 5	51 37	32 23	18 17	19 13	13 5	124 142	— —	— —	4 7	50 52	21 26	23 25	19 23	7 9	
21	Cirrhosis of liver		M F	120 55	— —	— —	— —	— —	— —	— —	10 4	82 31	28 20	127 92	— —	— —	— —	2 —	— 1	10 7	76 54	39 30
21A	Alcoholism	...	M F	8 2	— —	— —	— —	— —	— —	3 —	5 1	— 1	9 3	— —	— —	— —	— —	— —	3 1	6 2	— —	
22	Nephritis and Bright's disease.	{	M F	813 760	4 3	10 12	22 24	30 23	18 46	115 151	367 287	247 214	732 592	3 2	6 6	10 14	30 19	23 31	94 92	283 210	283 218	
23	Puerperal fever...		M F	— 102	— —	— —	— —	— —	— 13	— 89	— —	— —	— —	— 87	— —	— —	— —	— —	— 23	— 64	— —	— —
24	Parturition, apart from puerperal fever.	{	M F	— 231	— —	— —	— —	— —	— 47	— 180	— 4	— —	— —	— 173	— —	— —	— —	— —	— 37	— 129	— 7	— —
25	Congenital debility, &c.		M F	1,714 1,241	1672 1215	11 2	14 6	7 13	5 2	4 2	1 1	— —	— —	1,485 1,125	1452 1098	8 7	5 4	13 9	4 3	1 1	1 2	1 1
26	Violence, apart from suicide.	{	M F	1,161 441	26 25	28 16	78 57	145 79	148 34	300 52	281 69	155 109	1,003 487	46 56	27 16	60 65	167 74	91 37	218 59	256 56	138 124	
27	Suicide		M F	191 99	— —	— —	— —	4 —	11 11	59 48	86 33	31 7	168 122	— —	— —	— —	2 1	6 16	48 53	74 34	38 18	
28	Other defined diseases	...	M F	7,298 7,265	853 616	144 127	112 131	166 157	174 159	581 580	1808 1653	3460 3842	7,379 7,637	701 432	118 94	112 108	163 161	151 171	566 646	1671 1516	3897 4509	
29	Causes ill-defined or un- known.	{	M F	175 143	10 3	21 13	7 9	10 9	4 7	20 24	70 56	33 22	153 138	10 5	18 15	6 12	5 6	1 5	7 11	61 48	45 36	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
URBAN DISTRICTS—SOUTH AND WALES.—(Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS (SOUTH).										AGGREGATE OF URBAN DISTRICTS (WALES AND MONMOUTH).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	16,858 18,956	1692 1209	532 485	738 636	832 943	831 1477	2655 3552	3952 3710	5626 6944	9,498 8,701	1648 1205	512 474	565 553	480 536	586 677	1720 1658	2061 1605	1926 1993	
1	Enteric fever	M F	18 30	— —	— —	3 4	4 9	2 9	9 7	— 1	20 13	— —	— —	— 1	3 1	5 3	9 6	3 1	— 1	
2	Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Measles	M F	237 174	35 31	85 55	87 58	27 24	1 3	— 3	1 —	239 215	46 34	92 67	86 88	15 25	— —	— 1	— —	— —	
4	Scarlet fever	M F	5 17	— —	— —	6 8	5 2	— 1	— —	— —	12 16	1 —	— 1	8 4	3 9	— 1	— 1	— —	— —	
5	Whooping cough	M F	164 187	66 65	51 55	38 54	9 11	— 1	— —	— 1	160 207	74 78	53 67	26 54	6 8	— —	— —	— —	1 —	
6	Diphtheria and croup	M F	148 168	— 2	9 2	58 57	76 96	2 6	2 4	1 —	67 67	1 2	6 2	27 24	31 34	2 4	— 1	— —	— —	
7	Influenza	M F	2,530 3,478	88 51	86 85	193 163	234 311	311 670	955 1475	448 448	215 275	1,531 1,497	50 26	39 49	108 106	123 152	165 227	609 612	318 220	119 105
8	Erysipelas	M F	17 20	— 2	1 —	— 1	— 2	1 2	7 7	7 6	5 7	— 1	— —	— —	1 —	— —	1 3	2 1	1 2	
9	Pulmonary tuberculosis	{	M F	1,455 1,388	3 —	3 6	12 15	47 77	225 344	667 664	440 243	58 39	658 614	4 1	5 3	9 13	26 39	133 193	297 268	156 85	28 12	
10	Tuberculous meningitis		M F	129 116	10 16	21 14	35 22	45 38	8 9	7 14	3 3	— —	69 58	9 3	8 6	16 10	26 24	3 6	4 9	3 —	— —	
11	Other tuberculous dis- eases.	{	M F	206 196	15 6	14 17	30 14	32 35	32 35	43 46	27 26	13 17	111 112	10 6	6 6	13 16	9 18	16 25	30 22	23 12	4 7	
12	Cancer, malignant disease		M F	1,328 1,903	— —	1 —	— 3	9 4	5 9	53 176	589 841	671 870	447 588	— —	— 1	2 1	3 4	6 5	29 71	250 288	157 218	
13	Rheumatic fever	...	M F	33 42	1 —	— —	— —	6 11	9 9	7 10	8 6	2 6	28 37	— —	— —	1 —	7 12	10 10	8 9	1 4	1 2	
14	Meningitis	...	M F	96 84	23 13	8 14	15 10	16 20	8 16	12 6	11 2	3 3	55 58	11 11	8 10	10 7	11 13	5 9	4 4	5 4	1 —	
15	Organic heart disease	...	M F	1,594 1,875	— —	— —	1 3	18 23	26 37	121 175	521 530	907 1107	642 668	— 1	— 1	4 3	10 10	31 32	87 103	216 243	294 275	
16	Bronchitis	...	M F	912 1,007	125 77	38 32	31 26	4 7	5 3	24 34	161 129	524 699	644 565	133 110	35 42	22 16	7 8	6 4	36 42	163 89	242 254	
17	Pneumonia (all forms)	{	M F	1,203 1,229	180 166	130 124	114 111	83 91	54 126	198 260	238 136	206 215	961 763	209 151	156 125	113 103	52 57	54 45	161 126	138 83	78 73	
18	Other respiratory diseases		M F	231 233	6 9	4 5	11 14	13 10	7 5	26 29	72 64	92 97	158 90	9 5	7 3	6 12	5 5	4 1	29 16	46 21	52 27	
19	Diarrhoea, &c.	...	M F	297 241	152 95	19 19	13 10	6 16	2 5	15 19	41 27	49 50	266 197	146 98	29 24	23 11	5 9	3 8	14 8	24 14	22 25	
20	Appendicitis and typhlitis	{	M F	77 108	— —	— —	5 2	21 23	7 18	17 31	20 22	7 12	38 35	— —	— —	— 2	13 8	7 9	12 7	5 6	1 3	
21	Cirrhosis of liver		M F	90 45	— —	— —	— —	1 —	— —	— —	7 4	51 23	31 18	27 19	— —	— 1	— —	— 1	— —	2 4	15 11	10 2
21A	Alcoholism	...	M F	3 3	— —	— —	— —	— —	— —	— —	2 2	1 1	3 2	— —	— —	— —	— —	— —	3 1	— —	— 1	
22	Nephritis and Bright's disease.	{	M F	450 420	1 4	1 —	4 4	14 10	7 11	48 65	158 148	217 178	202 168	— —	3 —	6 3	7 10	5 8	34 34	80 66	67 47	
23	Puerperal fever		M F	— 54	— —	— —	— —	— —	— 14	— 40	— —	— —	— —	— 35	— —	— —	— —	— 11	— 24	— —	— —	
24	Parturition, apart from puerperal fever.	{	M F	— 91	— —	— —	— —	— —	— 14	— 76	— 1	— —	— 105	— —	— —	— —	— —	— 14	— 89	— 2	— —	
25	Congenital debility, &c.		M F	677 485	665 468	2 4	2 4	6 4	1 3	— 2	— —	1 —	— —	564 432	554 423	2 4	1 2	5 1	1 1	— —	— —	— —
26	Violence, apart from suicide.	{	M F	537 227	33 29	8 11	45 19	81 25	45 16	120 17	128 31	77 79	538 132	6 6	12 10	42 27	56 30	85 10	148 14	149 17	40 18	
27	Suicide		...	M F	94 59	— —	— —	— —	1 1	1 5	21 23	55 21	16 9	30 15	— —	— —	— —	— —	— 2	13 6	15 6	2 1
28	Other defined diseases	...	M F	4,260 5,010	282 170	46 42	39 38	72 92	71 103	301 358	939 966	2510 3241	1,966 1,950	384 246	44 47	41 48	55 56	44 48	182 172	421 418	795 915	
29	Causes ill-defined or un- known.	{	M F	67 66	7 5	5 —	5 3	2 1	— 2	8 9	21 27	19 19	57 36	1 3	7 5	1 2	1 1	1 1	7 4	28 14	11 5	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
RURAL DISTRICTS—NORTH AND MIDLAND (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).									AGGREGATE OF RURAL DISTRICTS (MIDLAND).								
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...		M	13,420	1947	612	770	821	827	2034	2742	3667	22,923	2298	707	885	1164	1348	3421	4618	8482
		F	13,174	1506	614	790	894	1099	2405	2256	3610	23,644	1804	656	904	1258	1910	4308	4187	8617
1	Enteric fever ...	M	33	—	—	1	1	6	15	9	1	24	—	—	—	4	4	6	6	4
		F	37	—	—	1	5	15	13	3	—	34	—	—	1	9	8	10	5	1
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ...	M	215	33	79	72	28	1	2	—	—	151	23	54	43	28	2	—	1	—
		F	200	29	63	69	37	—	2	—	—	142	18	36	56	28	2	2	—	—
4	Scarlet fever ...	M	26	1	1	11	10	2	—	1	—	18	—	—	7	9	1	1	—	—
		F	32	—	1	14	13	4	—	—	—	15	1	—	4	6	1	2	1	—
5	Whooping cough ...	M	206	92	55	42	17	—	—	—	—	232	96	70	52	14	—	—	—	—
		F	265	114	64	73	12	1	1	—	—	306	116	74	96	18	—	2	—	—
6	Diphtheria and croup ...	M	78	4	10	28	35	1	—	—	—	133	2	7	44	70	6	1	2	1
		F	105	—	7	34	52	8	4	—	—	124	2	5	32	74	8	2	1	—
7	Influenza ...	M	2,437	81	84	184	275	349	889	396	179	4,217	147	169	277	426	630	1584	629	355
		F	2,930	49	92	199	350	563	1114	358	205	5,165	108	175	305	496	947	2061	658	415
8	Erysipelas ...	M	14	2	—	—	1	—	1	4	6	25	4	—	—	1	—	4	4	12
		F	10	1	—	—	—	—	1	2	6	16	4	—	—	—	1	2	2	7
9	Pulmonary tuberculosis	M	723	4	8	7	34	133	329	188	20	1,411	9	3	6	45	276	641	367	64
		F	718	3	3	9	64	188	323	99	29	1,538	4	1	10	112	445	679	247	40
10	Tuberculous meningitis	M	101	11	16	30	30	7	5	2	—	112	23	18	26	29	7	6	3	—
		F	87	7	14	20	30	11	4	1	—	109	12	10	19	37	19	10	2	—
11	Other tuberculous dis- eases.	M	190	16	13	29	34	31	39	26	2	259	16	15	28	33	43	68	43	13
		F	174	8	10	28	22	29	40	25	12	277	13	9	18	49	54	69	46	19
12	Cancer, malignant disease	M	764	1	—	—	4	3	37	343	376	1,652	—	—	5	3	5	62	709	868
		F	856	—	—	1	—	—	84	401	370	2,148	1	—	4	1	7	185	940	1010
13	Rheumatic fever ...	M	38	—	—	2	12	9	7	7	1	47	1	—	2	11	13	9	11	—
		F	38	—	—	1	8	6	13	9	1	62	—	—	—	18	15	9	12	8
14	Meningitis ...	M	85	20	18	15	20	6	4	2	—	111	22	13	28	23	8	6	10	1
		F	76	13	13	9	22	9	6	3	1	120	17	12	14	37	16	16	7	1
15	Organic heart disease ...	M	984	1	—	1	20	22	70	323	547	2,162	—	1	4	19	38	128	605	1367
		F	1,068	—	—	—	16	30	112	319	591	2,297	—	1	1	17	48	173	580	1477
16	Bronchitis ...	M	856	177	69	38	11	9	22	143	387	1,376	188	63	41	14	7	31	174	858
		F	826	142	59	45	9	12	33	108	418	1,446	129	56	38	22	9	29	166	997
17	Pneumonia (all forms)...	M	1,249	216	142	146	83	81	166	254	161	1,526	234	156	164	105	74	208	293	292
		F	1,073	165	144	163	115	83	175	122	106	1,338	181	150	158	109	95	254	166	225
18	Other respiratory diseases	M	181	14	9	14	13	3	16	64	48	254	8	7	17	12	6	29	78	97
		F	153	7	2	13	13	6	19	45	48	221	6	8	20	12	8	29	42	96
19	Diarrhoea, &c. ...	M	354	186	48	33	10	4	16	25	32	320	148	30	10	9	4	17	40	62
		F	281	129	56	18	6	3	13	18	38	280	102	20	15	9	3	17	27	87
20	Appendicitis and typhlitis	M	53	—	—	6	13	10	10	9	5	106	—	—	6	37	13	17	25	8
		F	49	—	—	2	13	11	14	6	3	96	—	1	5	26	23	16	19	6
21	Cirrhosis of liver ...	M	45	—	—	—	—	—	6	28	11	94	—	—	—	—	—	7	55	32
		F	19	—	—	—	—	—	1	13	5	50	—	—	—	—	1	4	20	25
21A	Alcoholism ...	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	2	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	295	4	3	7	16	10	40	99	116	573	4	1	7	18	20	48	195	280
		F	229	—	3	8	14	8	40	86	70	404	2	4	6	12	13	59	131	177
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	4	32	—	—	53	—	—	—	—	7	45	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	112	—	—	—	—	23	88	1	—	141	—	—	—	—	15	120	6	—
25	Congenital debility, &c.	M	760	735	9	6	4	3	1	2	—	966	943	5	6	6	4	2	—	—
		F	567	555	3	4	4	1	—	—	—	791	768	6	7	8	1	—	1	—
26	Violence, apart from suicide.	M	516	11	6	40	82	57	128	135	57	767	21	29	47	119	73	141	207	130
		F	185	11	11	23	27	17	17	27	52	309	20	12	32	43	42	40	32	88
27	Suicide ...	M	89	—	—	—	—	5	23	45	16	154	—	—	—	—	6	41	73	34
		F	43	—	—	—	—	7	15	17	4	86	—	—	—	—	16	31	28	11
28	Other defined diseases ...	M	3,041	335	41	54	65	72	198	595	1681	6,091	399	57	60	128	103	348	1029	3967
		F	2,946	271	64	54	62	58	230	573	1634	5,939	290	69	60	104	101	424	998	3393
29	Causes ill-defined or un- known.	M	85	3	1	4	3	3	10	40	21	140	10	9	5	1	5	14	59	37
		F	58	2	5	2	—	2	11	19	17	137	10	7	3	11	5	18	49	34

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1918.
RURAL DISTRICTS—SOUTH AND WALES (Civilian Population only).

Causes of Death.				Sex.	AGGREGATE OF RURAL DISTRICTS (SOUTH).										AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH).									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...				M	13,275	1051	313	397	615	683	2004	2980	5232	6,573	849	227	263	282	475	1208	1378	1891		
				F	13,405	818	278	366	619	949	2391	2637	5347	6,155	653	211	215	312	474	1141	1150	1999		
1 Enteric fever ...				M	19	—	—	—	2	6	3	6	2	7	—	—	—	—	2	1	4	—		
				F	24	—	—	—	1	7	9	7	—	14	—	—	—	1	2	10	1	—		
2 Small-pox ...				M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...				M	103	13	26	37	23	1	3	—	—	59	7	21	25	5	—	—	1	—		
				F	103	7	28	35	26	3	4	—	—	57	8	20	16	12	—	1	—	—		
4 Scarlet fever ...				M	5	—	—	1	3	—	—	1	—	10	—	2	4	4	—	—	—	—		
				F	11	—	1	1	6	—	2	1	—	12	—	—	5	6	—	1	—	—		
5 Whooping cough ...				M	103	42	28	27	5	—	—	—	1	123	65	26	27	5	—	—	—	—		
				F	136	52	42	26	14	—	1	1	—	121	56	35	25	5	—	—	—	—		
6 Diphtheria and croup ...				M	84	—	7	26	46	3	1	1	—	55	1	6	18	29	—	—	1	—		
				F	105	—	1	31	55	12	5	1	—	48	1	1	13	28	1	2	2	—		
7 Influenza ...				M	1,880	55	60	98	177	263	720	322	185	1,092	20	26	50	61	162	487	186	100		
				F	2,278	56	51	89	204	401	964	291	222	1,000	23	31	36	82	186	399	135	108		
8 Erysipelas ...				M	10	—	—	—	—	—	2	3	5	5	1	—	—	—	1	2	1	—		
				F	16	2	—	—	—	2	2	5	5	3	1	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis				M	989	1	3	3	28	170	472	248	64	538	4	2	7	17	119	241	121	27		
				F	943	2	4	7	55	225	409	204	37	512	—	—	5	36	132	248	74	17		
10 Tuberculous meningitis				M	70	8	8	18	22	8	4	2	—	48	9	7	11	14	5	1	1	—		
				F	73	7	9	12	24	10	7	4	—	36	4	1	3	16	8	2	2	—		
11 Other tuberculous dis- eases.				M	167	9	9	12	28	26	39	34	10	83	3	4	4	12	20	24	12	4		
				F	172	6	7	14	27	20	50	36	12	70	2	—	4	9	19	23	10	3		
12 Cancer, malignant disease				M	1,108	—	1	1	4	4	38	429	631	407	—	—	1	1	2	29	173	201		
				F	1,336	—	—	1	2	1	126	564	642	525	—	—	—	—	2	59	237	227		
13 Rheumatic fever ...				M	28	—	—	—	9	7	3	6	3	22	—	—	—	5	4	2	9	2		
				F	28	1	—	—	6	3	10	5	3	19	—	—	—	8	4	4	2	1		
14 Meningitis ...				M	71	8	7	5	24	5	15	7	—	35	8	5	7	7	2	2	3	1		
				F	44	5	3	6	10	5	8	5	2	31	4	5	4	9	6	2	—	1		
15 Organic heart disease ...				M	1,498	—	—	—	7	32	72	412	975	563	—	—	—	14	16	40	169	324		
				F	1,589	—	—	—	10	36	100	379	1064	643	—	1	2	11	13	66	193	357		
16 Bronchitis ...				M	712	67	25	15	11	6	16	103	469	345	68	20	10	4	3	7	58	175		
				F	722	52	12	13	6	7	31	86	515	377	50	20	9	4	4	11	58	221		
17 Pneumonia (all forms)...				M	821	110	73	56	47	35	159	171	170	547	95	71	45	26	23	90	114	83		
				F	764	73	67	57	61	64	166	125	151	420	62	59	48	29	29	72	52	69		
18 Other respiratory diseases				M	187	7	3	9	7	5	23	66	67	99	2	2	9	4	5	7	32	38		
				F	152	3	1	1	4	11	23	41	68	73	5	2	4	5	—	7	14	36		
19 Diarrhoea, &c. ...				M	157	70	9	8	6	—	6	24	34	93	45	3	6	2	3	12	7	15		
				F	131	41	10	7	10	4	9	18	32	94	28	6	5	4	2	12	18	19		
20 Appendicitis and typhlitis				M	76	—	—	7	28	5	12	20	4	23	—	—	1	6	4	7	4	1		
				F	57	—	—	2	14	14	11	12	4	25	—	—	—	3	8	10	2	2		
21 Cirrhosis of liver ...				M	46	—	—	—	—	1	2	27	16	14	—	—	—	—	—	3	5	6		
				F	31	—	—	—	1	—	3	17	10	6	—	—	—	—	—	1	4	1		
21a Alcoholism ...				M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.				M	390	1	2	2	9	7	33	151	185	166	1	1	1	7	6	19	58	73		
				F	308	1	—	2	6	18	46	102	133	152	1	2	4	3	5	12	48	77		
23 Puerperal fever ...				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	33	—	—	—	—	2	30	1	—	20	—	—	—	—	6	14	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	66	—	—	—	—	5	60	1	—	58	—	—	—	—	8	49	1	—		
25 Congenital debility, &c.				M	471	454	6	3	5	2	—	1	—	303	298	2	2	—	1	—	—	—		
				F	364	350	5	3	4	2	—	—	—	253	245	2	2	2	1	1	—	—		
26 Violence, apart from suicide.				M	463	18	5	33	52	37	114	124	80	367	6	3	24	37	55	113	108	21		
				F	181	23	5	22	17	19	24	27	44	80	2	3	15	16	4	11	8	21		
27 Suicide ...				M	122	—	—	—	—	5	26	67	24	36	—	—	—	—	4	7	19	6		
				F	55	—	—	—	—	5	23	24	3	12	—	—	—	—	2	4	6	—		
28 Other defined diseases ...				M	3,616	187	37	36	71	54	224	718	2289	1,477	212	24	11	21	37	104	263	805		
				F	3,611	136	29	34	52	69	255	651	2385	1,463	155	21	15	23	32	118	267	832		
29 Causes ill-defined or un- known.				M	77	1	4	—	1	1	16	36	18	54	4	2	—	—	1	10	28	9		
				F	72	1	3	3	4	4	13	29	15	31	6	2	—	—	—	2	15	6		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN GREATER LONDON* AND THE CITY OF LONDON—1918 (Civilian Population only).

Causes of Death.				Sex.	GREATER LONDON.										CITY OF LONDON.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...				M	56,589	6434	2744	3161	3061	2991	9,341	14,140	14,717	173	9	2	3	3	4	30	56	66		
				F	59,434	4955	2708	3264	3283	5019	11,626	11,574	17,005	126	7	—	1	1	9	27	31	50		
1 Enteric fever ...				M	44	1	—	1	6	10	17	8	1	—	—	—	—	—	—	—	—	—		
				F	83	—	—	—	6	30	30	15	2	—	—	—	—	—	—	—	—	—		
2 Small-pox ...				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...				M	1,142	192	474	403	71	1	1	—	—	2	2	—	—	—	—	—	—	—		
				F	1,059	152	405	385	104	9	2	—	2	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...				M	59	2	6	24	23	3	1	—	—	—	—	—	—	—	—	—	—	—		
				F	98	2	7	42	33	9	5	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...				M	1,021	355	360	265	40	—	1	—	—	1	—	1	—	—	—	—	—	—		
				F	1,267	356	458	387	65	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...				M	530	37	62	223	199	4	3	1	1	1	—	—	1	—	—	—	—	—		
				F	520	22	60	196	225	12	4	—	1	—	—	—	—	—	—	—	—	—		
7 Influenza ...				M	9,019	250	337	689	877	1070	3,133	1,809	854	17	—	—	1	—	2	7	3	4		
				F	12,293	172	340	761	1151	2312	4,906	1,692	959	21	—	—	—	—	4	7	6	4		
8 Erysipelas ...				M	68	11	1	—	1	2	5	25	23	1	—	—	—	—	—	—	1	—		
				F	82	11	1	1	4	3	11	20	31	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis				M	5,795	16	49	71	181	779	2,459	1,950	250	25	—	—	—	—	1	10	11	3		
				F	4,635	26	27	64	294	1129	1,987	945	163	6	—	—	—	—	1	3	1	1		
10 Tuberculous meningitis				M	495	84	82	147	134	26	17	4	1	1	1	1	—	—	—	—	—	—		
				F	497	55	90	136	163	37	12	4	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.				M	589	55	41	92	124	95	76	82	24	—	—	—	—	—	—	—	—	—		
				F	521	39	46	60	99	77	97	62	41	1	—	—	—	—	1	—	—	—		
12 Cancer, malignant disease				M	3,673	2	2	9	12	13	246	1,830	1,559	10	—	—	—	—	—	—	2	8		
				F	4,794	1	2	4	11	27	575	2,257	1,917	9	—	—	—	—	1	5	3			
13 Rheumatic fever ...				M	118	—	—	9	37	23	27	21	1	—	—	—	—	—	—	—	—	—		
				F	155	2	1	5	51	33	31	27	5	—	—	—	—	—	—	—	—	—		
14 Meningitis ...				M	304	74	35	56	67	19	24	24	5	1	—	—	—	—	—	—	1	—		
				F	283	67	35	53	60	24	25	12	7	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...				M	4,769	3	1	3	76	179	524	1,599	2,384	18	—	—	—	—	1	4	13			
				F	5,277	1	2	7	101	243	722	1,458	2,743	17	—	—	—	—	5	4	8			
16 Bronchitis ...				M	4,014	423	156	74	33	18	192	1,023	2,095	14	—	—	—	—	—	1	5	8		
				F	4,003	331	137	83	28	23	144	723	2,534	11	—	—	—	—	—	2	9			
17 Pneumonia (all forms)				M	5,779	931	786	678	368	260	865	1,122	769	11	—	1	1	—	1	4	3	1		
				F	5,616	741	771	754	381	463	1,051	721	734	6	1	—	1	—	3	—	1			
18 Other respiratory diseases				M	655	28	14	41	30	17	82	241	202	2	—	—	—	—	—	—	1	1		
				F	615	17	17	28	35	23	83	172	240	1	—	—	—	—	—	—	1	—		
19 Diarrhoea, &c. ...				M	1,275	809	97	49	21	8	44	119	128	2	1	—	—	—	—	—	1	—		
				F	1,072	620	114	39	16	12	48	81	142	6	3	—	—	—	1	1	—	1		
20 Appendicitis and typhlitis				M	222	1	—	18	84	31	27	51	10	1	—	—	—	1	—	—	—	—		
				F	241	—	1	9	59	46	58	50	18	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...				M	245	—	1	—	4	2	25	133	80	1	—	—	—	—	—	—	1	—		
				F	142	—	—	1	1	—	20	71	49	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...				M	8	—	—	—	—	—	3	4	1	1	—	—	—	—	—	—	1	—		
				F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.				M	1,272	3	3	16	49	41	163	531	466	7	—	—	—	—	—	1	5	1		
				F	1,104	6	3	11	45	30	170	447	392	4	—	—	—	—	1	—	2	1		
23 Puerperal fever...				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	169	—	—	—	—	39	129	1	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	222	—	—	—	—	53	165	4	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.				M	2,097	2057	15	6	10	6	2	1	—	2	2	—	—	—	—	—	—	—		
				F	1,635	1593	15	10	5	5	5	2	—	1	1	—	—	—	—	—	—	—		
26 Violence, apart from suicide.				M	1,771	142	46	131	313	130	263	424	322	7	—	—	—	2	—	3	—	2		
				F	1,046	104	35	76	117	72	162	169	311	3	—	—	—	—	1	1	—	1		
27 Suicide ...				M	303	—	—	—	1	13	93	143	53	—	—	—	—	—	—	—	—	—		
				F	212	—	—	—	—	16	88	92	16	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...				M	11,268	958	153	151	297	241	1,044	2,985	5,439	48	3	—	—	—	—	3	17	25		
				F	11,725	636	116	144	228	291	1,088	2,539	6,683	39	2	—	—	—	1	5	10	21		
29 Causes ill-defined or unknown.				M	54	—	23	5	3	—	4	10	9	—	—	—	—	—	—	—	—	—		
				F	65	1	25	8	1	1	8	7	14	—	—	—	—	—	—	—	—	—		

* The populations, births and infantile mortality for Greater London are shown on page 33.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—*cont.*

Causes of Death.	Sex.	BATTERSEA.										BERMONDSEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,353	158	75	81	80	74	221	333	331	1,263	194	83	106	66	53	187	288	286		
	F	1,456	109	66	89	84	127	289	293	399	1,146	133	94	100	67	94	184	202	272		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	30	3	16	10	1	—	—	—	—	39	5	17	17	—	—	—	—	—		
	F	27	1	8	12	6	—	—	—	—	34	7	16	9	2	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
	F	4	—	—	4	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	M	28	10	9	8	1	—	—	—	—	38	13	15	10	—	—	—	—	—		
	F	31	7	12	10	2	—	—	—	—	48	14	19	12	3	—	—	—	—		
6 Diphtheria and croup	M	11	—	1	6	4	—	—	—	—	13	1	2	9	1	—	—	—	—		
	F	11	2	—	4	5	—	—	—	—	10	1	1	6	2	—	—	—	—		
7 Influenza	M	268	10	12	19	32	30	94	53	18	185	7	8	18	21	16	61	34	20		
	F	337	3	11	27	32	63	135	48	18	241	3	10	26	22	48	73	37	22		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	118	1	2	3	5	15	51	36	5	115	1	1	5	3	15	54	32	4		
	F	110	2	2	1	7	26	45	25	2	70	1	1	2	6	22	26	11	1		
10 Tuberculous meningitis	M	16	2	4	6	4	—	—	—	—	16	3	2	4	5	2	—	—	—		
	F	13	2	1	5	3	1	1	—	—	18	1	6	3	6	—	1	1	—		
11 Other tuberculous diseases.	M	16	1	2	2	4	4	2	1	—	19	3	—	6	5	2	1	2	—		
	F	16	—	—	1	2	3	8	1	1	8	2	—	3	—	2	—	1	—		
12 Cancer, malignant disease	M	79	—	—	—	—	—	4	41	34	62	—	—	—	—	—	3	35	24		
	F	124	1	—	—	—	1	17	58	47	82	—	—	—	—	1	11	40	30		
13 Rheumatic fever	M	4	—	—	—	1	1	1	1	—	2	—	—	—	1	—	1	—	—		
	F	3	—	—	—	—	—	3	—	—	3	—	—	1	1	—	—	1	—		
14 Meningitis	M	9	2	1	1	2	1	1	1	—	1	—	—	1	—	—	—	—	—		
	F	7	1	—	3	1	2	—	—	—	6	2	2	1	—	—	—	1	—		
15 Organic heart disease	M	148	—	—	—	2	7	12	34	93	128	—	—	—	3	6	9	42	68		
	F	177	—	—	—	1	9	21	45	101	118	—	—	1	2	8	21	29	57		
16 Bronchitis	M	66	8	3	3	2	1	3	19	27	122	18	6	2	1	1	4	32	58		
	F	94	7	5	6	3	2	5	13	53	100	12	8	1	1	1	1	23	53		
17 Pneumonia (all forms)	M	107	18	14	15	5	5	15	15	20	142	41	20	21	7	1	12	26	14		
	F	107	14	18	11	9	11	13	14	17	138	27	19	28	5	5	22	14	18		
18 Other respiratory diseases	M	22	3	—	1	1	—	3	7	7	10	—	—	1	—	—	1	7	1		
	F	22	1	1	1	2	—	5	6	6	6	—	1	1	1	—	2	1	—		
19 Diarrhoea, &c.	M	32	20	1	2	—	—	2	2	5	32	16	4	—	—	2	2	5	3		
	F	30	16	3	1	—	—	1	1	8	26	11	6	—	—	—	—	2	7		
20 Appendicitis and typhlitis	M	5	—	—	1	1	2	—	1	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	—	—	2	1	—	3	—	—	—	1	1	1	—	—		
21 Cirrhosis of liver	M	9	—	—	—	—	—	—	5	4	2	—	—	—	—	—	1	1	—		
	F	5	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	35	—	—	—	—	1	3	18	13	17	—	—	2	—	—	3	7	5		
	F	32	—	—	—	2	—	2	12	16	11	1	—	—	2	—	2	4	2		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	53	50	1	1	1	—	—	—	—	66	64	1	—	—	1	—	—	—		
	F	39	37	—	—	2	—	—	—	—	40	39	—	—	—	—	—	1	—		
26 Violence, apart from suicide.	M	50	10	4	2	6	4	7	10	7	58	4	4	5	16	3	7	14	5		
	F	22	2	1	1	2	2	5	3	6	23	1	2	1	5	1	5	2	6		
27 Suicide	M	6	—	—	—	—	—	1	4	1	4	—	—	—	—	—	2	2	—		
	F	5	—	—	—	—	—	1	4	—	1	—	—	—	—	—	—	—	1		
28 Other defined diseases	M	240	20	4	1	8	3	22	85	97	187	17	2	4	3	4	25	48	84		
	F	228	13	2	2	5	7	17	60	122	151	11	3	5	7	3	13	34	75		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—cont.

Causes of Death.	Sex.	BETHNAL GREEN.										CAMBERWELL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,201	144	122	132	70	51	165	293	224	2,098	243	120	125	131	132	320	482	545		
	F	1,272	144	132	152	77	91	220	208	248	2,181	189	98	127	129	176	382	437	643		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	86	15	39	31	1	—	—	—	—	47	7	19	16	5	—	—	—	—		
	F	88	14	31	37	6	—	—	—	—	39	7	14	12	6	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	1	2	—	—	—	—	4	—	—	1	3	—	—	—	—		
	F	6	—	—	4	2	—	—	—	—	1	—	—	—	—	—	1	—	—		
5 Whooping cough ...	M	66	14	25	24	3	—	—	—	—	32	11	11	9	1	—	—	—	—		
	F	84	20	31	32	1	—	—	—	—	52	12	20	16	4	—	—	—	—		
6 Diphtheria and croup ...	M	13	—	2	7	4	—	—	—	—	21	2	—	8	11	—	—	—	—		
	F	11	2	2	5	2	—	—	—	—	18	—	5	8	5	—	—	—	—		
7 Influenza ...	M	165	6	6	19	21	11	43	36	23	375	18	17	35	36	58	105	70	36		
	F	240	2	10	29	26	38	83	31	21	455	7	10	31	53	92	161	50	51		
8 Erysipelas ...	M	3	—	—	—	—	—	—	1	2	3	1	—	—	—	—	—	1	1		
	F	1	—	—	1	—	—	—	—	—	3	1	—	—	—	—	—	2	—		
9 Pulmonary tuberculosis	M	163	1	5	2	5	16	60	68	6	212	2	2	7	4	25	96	70	6		
	F	107	1	1	4	9	23	42	20	7	187	—	1	1	14	38	80	47	6		
10 Tuberculous meningitis	M	7	1	3	2	1	—	—	—	—	27	2	4	8	9	—	4	—	—		
	F	11	1	3	2	5	—	—	—	—	20	—	1	6	9	3	1	—	—		
11 Other tuberculous diseases.	M	11	—	1	2	5	1	1	1	—	22	1	—	1	7	6	2	4	1		
	F	10	—	1	1	4	1	1	1	1	20	1	2	5	4	—	1	5	2		
12 Cancer, malignant disease	M	57	—	—	—	—	—	4	31	22	141	—	—	—	—	—	11	69	61		
	F	69	—	—	—	—	1	14	35	19	196	—	—	—	—	2	17	99	78		
13 Rheumatic fever ...	M	3	—	—	—	1	—	2	—	—	5	—	—	1	2	—	1	1	—		
	F	3	—	—	—	2	—	—	1	—	3	—	—	—	2	1	—	—	—		
14 Meningitis ...	M	6	4	—	—	1	1	—	—	—	13	3	1	4	4	1	—	—	—		
	F	3	—	—	2	1	—	—	—	—	3	1	—	1	1	—	—	—	—		
15 Organic heart disease ...	M	58	—	—	—	1	5	11	15	26	172	—	—	—	2	9	12	65	84		
	F	76	—	—	—	—	10	20	20	26	202	—	—	—	—	8	23	65	106		
16 Bronchitis ...	M	104	12	5	5	—	—	4	39	39	128	20	7	2	—	—	6	29	64		
	F	110	14	6	3	1	—	2	26	58	108	9	6	3	1	2	2	14	71		
17 Pneumonia (all forms)	M	141	26	28	23	8	4	14	22	16	200	34	41	23	15	7	17	28	35		
	F	148	29	36	26	3	8	18	11	17	218	41	27	36	15	17	35	20	27		
18 Other respiratory diseases	M	10	—	—	2	—	1	2	5	—	30	2	1	1	1	—	4	12	9		
	F	12	—	1	1	1	2	2	2	3	19	—	—	—	—	1	3	8	7		
19 Diarrhoea, &c. ...	M	30	14	2	3	—	—	—	3	8	46	30	8	2	1	1	1	1	2		
	F	27	17	6	—	1	—	1	—	2	31	19	3	1	2	—	1	2	3		
20 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	4	—	—	—	1	1	1	1	—		
	F	4	—	—	1	1	1	—	1	—	5	—	—	—	1	2	1	1	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	2	5	3		
	F	2	—	—	—	—	—	1	1	—	9	—	—	—	—	—	—	6	3		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	21	1	—	1	2	1	2	12	2	46	—	—	1	1	2	7	18	17		
	F	14	—	—	1	1	—	4	7	1	35	—	—	—	1	—	4	14	16		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	1	4	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	38	38	—	—	—	—	—	—	—	72	71	1	—	—	—	—	—	—		
	F	24	23	1	—	—	—	—	—	—	63	60	1	1	1	—	—	—	—		
26 Violence, apart from suicide.	M	39	2	1	9	7	4	3	7	6	51	3	2	4	15	7	6	12	2		
	F	21	4	—	—	2	—	2	3	10	29	3	1	—	6	2	6	4	7		
27 Suicide ...	M	7	—	—	—	—	—	2	3	2	3	—	—	—	—	—	1	2	—		
	F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	1	2	—		
28 Other defined diseases ...	M	167	10	4	1	7	6	17	50	72	429	36	6	2	12	14	44	93	222		
	F	190	17	2	3	9	5	25	46	83	448	28	6	6	4	6	36	96	266		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2		
	F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—cont.

Causes of Death.	Sex.	CHELSEA.										DEPTFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	530	43	18	17	23	25	58	149	197	920	106	39	68	56	54	138	240	219		
	F	575	30	13	27	10	45	104	146	200	913	106	52	64	46	87	188	160	210		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	10	3	4	3	—	—	—	—	—	13	2	3	8	—	—	—	—	—		
	F	4	—	2	1	1	—	—	—	—	7	—	2	3	2	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough ...	M	4	1	3	—	—	—	—	—	—	29	9	6	13	1	—	—	—	—		
	F	7	2	1	4	—	—	—	—	—	25	7	9	8	1	—	—	—	—		
6 Diphtheria and croup ...	M	2	1	1	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—		
	F	3	1	—	1	1	—	—	—	—	8	—	1	6	1	—	—	—	—		
7 Influenza ...	M	88	4	2	9	9	11	25	15	13	156	7	4	15	16	14	52	35	13		
	F	131	3	3	10	4	25	48	26	12	198	5	8	13	17	39	83	26	7		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	58	—	1	2	5	6	13	25	6	98	—	—	1	4	16	36	36	5		
	F	27	—	—	1	1	6	13	5	1	89	1	1	5	6	26	33	16	1		
10 Tuberculous meningitis	M	4	—	—	1	2	1	—	—	—	11	1	1	3	5	1	—	—	—		
	F	3	—	1	1	—	1	—	—	—	9	—	3	3	3	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	—	2	—	—	1	—	10	1	1	3	—	2	3	—	—		
	F	7	—	—	—	—	2	2	2	1	13	2	1	—	5	1	2	1	1		
12 Cancer, malignant disease	M	39	—	—	—	—	—	4	18	17	59	—	—	—	1	—	4	35	19		
	F	55	—	—	—	—	—	5	26	24	58	—	—	—	—	—	11	17	30		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	4	1	—	2	1	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	4	1	—	2	—	1	—	—	—		
15 Organic heart disease ...	M	55	—	—	—	—	1	3	20	31	57	—	—	—	—	3	8	22	24		
	F	55	—	—	—	—	1	6	14	34	53	—	1	—	1	2	10	15	24		
16 Bronchitis ...	M	52	2	1	—	—	—	2	11	36	75	6	2	5	—	1	3	19	39		
	F	44	1	1	—	—	—	1	10	31	81	17	4	1	—	—	—	17	42		
17 Pneumonia (all forms)	M	35	5	3	—	—	1	2	12	12	103	12	11	13	9	7	12	27	12		
	F	39	2	3	7	2	6	7	6	6	93	14	15	13	5	4	17	15	10		
18 Other respiratory diseases	M	10	—	—	—	—	1	1	7	1	6	—	—	1	—	1	—	3	1		
	F	8	1	—	—	—	—	1	4	2	10	—	1	1	—	—	1	4	3		
19 Diarrhoea, &c. ...	M	8	6	—	—	—	—	1	—	1	17	8	5	—	—	—	1	2	1		
	F	6	1	1	—	—	—	—	1	3	15	8	3	—	—	—	2	—	2		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	4	—	—	—	2	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	1	2	4	—	—	—	—	1	—	2	1		
	F	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	1	—	2	8	7	21	—	—	—	2	—	1	11	7		
	F	9	—	—	—	—	—	—	4	5	13	—	—	1	1	—	2	6	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	8	—	—	—	—	3	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	11	11	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—		
	F	13	13	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	13	3	1	1	3	—	—	—	5	29	4	—	1	7	3	3	5	6		
	F	13	1	1	1	—	1	3	2	4	18	5	—	4	—	2	1	3	3		
27 Suicide ...	M	1	—	—	—	—	—	—	—	1	5	—	—	—	—	—	—	4	1		
	F	4	—	—	—	—	—	1	3	—	3	—	—	—	—	—	2	1	—		
28 Other defined diseases ...	M	114	7	2	1	1	3	5	30	65	173	17	4	1	5	4	15	37	90		
	F	134	5	—	1	1	2	11	38	76	158	10	2	2	3	6	14	37	84		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—*cont.*

Causes of Death.				Sex.	FINSBURY.										FULHAM.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	832	86	55	57	44	42	110	217	221	1192	168	60	69	60	63	225	280	267		
				F	757	58	53	58	52	64	138	145	189	1309	123	58	65	59	127	277	250	350		
1	Enteric fever	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
				F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	2	—	1		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	21	4	12	5	—	—	—	—	—	29	6	8	12	3	—	—	—	—		
				F	20	4	8	8	—	—	—	—	—	17	2	6	7	2	—	—	—	—		
4	Scarlet fever	...	{	M	1	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
				F	2	—	—	2	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
5	Whooping cough	...	{	M	24	5	11	7	1	—	—	—	—	25	10	7	7	1	—	—	—	—		
				F	30	6	9	10	5	—	—	—	—	33	9	10	14	—	—	—	—	—		
6	Diphtheria and croup	...	{	M	4	—	2	2	—	—	—	—	—	6	1	2	1	2	—	—	—	—		
				F	6	—	1	3	1	1	—	—	—	7	2	—	2	2	1	—	—	—		
7	Influenza	...	{	M	105	1	2	14	10	9	27	23	19	204	1	7	15	21	25	77	39	19		
				F	157	—	3	12	20	30	61	17	14	287	3	10	16	21	51	123	45	18		
8	Erysipelas	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9	Pulmonary tuberculosis		{	M	95	—	1	1	4	17	29	36	7	105	1	—	2	1	18	41	37	5		
				F	64	1	1	2	1	17	25	15	2	110	1	—	2	8	40	38	19	2		
10	Tuberculous meningitis		{	M	13	3	3	2	4	1	—	—	—	11	4	1	4	1	1	—	—	—		
				F	11	3	—	2	6	—	—	—	—	9	1	—	3	3	1	1	—	—		
11	Other tuberculous diseases.		{	M	9	3	—	2	1	1	—	1	1	11	—	—	2	2	1	3	3	—		
				F	6	—	—	1	2	2	1	—	—	12	1	1	1	2	3	2	—	2		
12	Cancer, malignant disease		{	M	48	—	—	—	—	7	21	20	70	—	—	—	—	—	5	41	24	—		
				F	42	—	—	—	—	7	23	12	89	—	—	—	—	1	11	43	34	—		
13	Rheumatic fever	...	{	M	2	—	—	—	—	2	—	—	—	3	—	—	—	1	1	1	—	—		
				F	2	—	—	—	1	—	—	1	—	2	—	—	2	—	—	—	—	—		
14	Meningitis	...	{	M	3	—	—	2	—	1	—	—	—	8	4	1	—	1	1	—	1	—		
				F	2	—	—	2	—	—	—	—	—	7	1	—	2	1	—	2	—	1		
15	Organic heart disease	...	{	M	73	—	—	—	3	3	7	31	29	99	—	—	—	—	1	13	36	49		
				F	61	—	—	—	1	5	6	25	24	116	—	—	—	—	3	22	30	61		
16	Bronchitis	...	{	M	69	6	2	1	—	1	3	35	21	95	10	1	3	1	1	5	25	49		
				F	50	6	2	—	1	—	2	12	27	89	3	3	—	2	—	3	20	58		
17	Pneumonia (all forms)		{	M	80	18	15	10	7	2	7	7	14	139	33	25	14	7	4	21	22	13		
				F	78	13	24	12	6	3	7	8	5	149	24	22	13	10	13	30	19	18		
18	Other respiratory diseases		{	M	18	2	2	3	—	—	2	3	6	15	1	1	—	2	2	3	2	4		
				F	8	—	—	1	1	1	—	3	2	12	—	1	—	—	1	2	5	3		
19	Diarrhoea, &c.	...	{	M	12	7	2	1	—	—	—	—	2	40	34	1	—	—	—	2	2	1		
				F	8	4	2	1	—	—	—	—	1	32	24	2	—	—	—	2	1	3		
20	Appendicitis and typhlitis		{	M	3	—	—	—	3	—	—	—	—	6	—	—	1	1	—	1	2	1		
				F	2	—	—	—	—	—	2	—	—	7	—	—	—	1	—	3	2	1		
21	Cirrhosis of liver	...	{	M	3	—	1	—	—	—	—	2	—	6	—	—	—	—	—	2	1	3		
				F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—		
21A	Alcoholism	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	14	—	—	1	2	—	3	4	4	20	—	—	—	1	1	6	9	3		
				F	10	—	—	—	1	1	4	3	1	19	—	—	1	1	—	5	4	8		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	5	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	2	2	—	—		
25	Congenital debility, &c.		{	M	20	20	—	—	—	—	—	—	—	39	39	—	—	—	—	—	—	—		
				F	16	16	—	—	—	—	—	—	—	31	30	1	—	—	—	—	—	—		
26	Violence, apart from suicide.		{	M	26	1	—	2	4	2	2	9	6	34	4	1	1	8	3	5	5	7		
				F	21	2	1	2	7	1	2	3	3	18	2	1	—	1	1	1	2	10		
27	Suicide	...	{	M	3	—	—	—	—	—	1	2	—	9	—	—	—	—	1	4	3	1		
				F	5	—	—	—	—	—	1	3	1	2	—	—	—	—	—	2	—	—		
28	Other defined diseases	...	{	M	186	16	2	3	5	3	22	43	92	213	20	5	4	7	3	35	52	87		
				F	151	3	2	1	—	3	16	29	97	244	20	—	3	3	9	21	59	129		
29	Causes ill-defined or unknown.		{	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—cont.

Causes of Death.		Sex.	GREENWICH.										HACKNEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	910	128	41	51	52	72	169	202	195	1,765	214	78	102	86	90	236	461	448	
			F	840	84	44	56	61	71	146	168	210	1,944	152	88	92	113	172	405	382	540	
1	Enteric fever	...	M	3	1	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—	—	
			F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	4	2	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	18	4	8	6	—	—	—	—	—	23	2	8	10	3	—	—	—	—	
			F	27	2	6	16	3	—	—	—	—	19	2	9	4	4	—	—	—	—	
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	4	1	1	1	1	—	—	—	—	
5	Whooping cough	...	M	14	7	4	3	—	—	—	—	—	32	15	7	9	1	—	—	—	—	
			F	31	11	8	10	2	—	—	—	—	25	11	9	4	1	—	—	—	—	
6	Diphtheria and croup	...	M	8	—	—	6	2	—	—	—	—	28	—	4	13	11	—	—	—	—	
			F	8	—	—	3	5	—	—	—	—	25	1	1	5	17	1	—	—	—	
7	Influenza	...	M	176	3	3	14	20	33	56	33	14	258	8	11	18	20	30	100	51	20	
			F	170	2	5	14	19	30	60	26	14	452	3	14	30	44	87	187	58	29	
8	Erysipelas	...	M	1	—	—	—	—	—	—	1	—	4	2	—	—	—	—	—	2	—	
			F	1	—	—	—	—	—	—	1	—	4	1	1	—	—	—	1	—	1	
9	Pulmonary tuberculosis		M	86	—	2	3	2	15	39	22	3	188	—	3	2	6	28	76	71	2	
			F	64	—	1	—	4	15	30	12	2	149	—	—	1	8	34	73	28	5	
10	Tuberculous meningitis		M	7	1	2	—	3	1	—	—	—	11	2	1	5	3	—	—	—	—	
			F	5	—	2	1	2	—	—	—	—	17	—	5	4	5	2	1	—	—	
11	Other tuberculous diseases.		M	8	1	1	1	2	1	1	1	—	14	1	1	5	1	3	2	1	—	
			F	4	1	1	1	1	—	—	—	—	15	1	1	3	2	4	3	—	1	
12	Cancer, malignant disease		M	55	—	—	—	—	1	4	25	25	90	—	—	—	—	—	6	54	30	
			F	73	—	—	—	—	1	9	39	24	157	—	—	1	—	2	14	81	59	
13	Rheumatic fever	...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	1	
			F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	1	—	—	
14	Meningitis	...	M	7	3	2	—	2	—	—	—	—	4	1	—	1	1	—	—	1	—	
			F	4	—	1	—	3	—	—	—	—	9	5	1	—	1	1	—	1	—	
15	Organic heart disease	...	M	46	—	—	—	1	3	10	17	15	151	—	—	1	3	5	15	67	60	
			F	57	—	—	—	4	4	10	17	22	172	—	—	—	2	7	24	52	87	
16	Bronchitis	...	M	69	12	3	3	1	1	4	16	29	173	18	7	1	—	—	11	51	85	
			F	56	8	4	—	—	1	—	8	35	132	11	7	5	1	1	8	25	74	
17	Pneumonia (all forms)		M	97	18	10	9	4	4	28	18	6	151	29	21	22	8	9	20	22	20	
			F	67	8	11	6	7	7	10	8	10	181	20	29	28	9	9	40	17	29	
18	Other respiratory diseases		M	3	1	—	—	—	—	1	—	1	16	—	1	1	—	—	3	4	7	
			F	2	—	—	—	—	—	—	—	2	15	—	1	—	3	—	2	3	6	
19	Diarrhoea, &c.	...	M	24	18	—	—	1	—	—	3	2	40	29	3	—	—	—	—	4	4	
			F	22	12	1	—	2	1	1	3	2	36	24	5	2	—	—	1	—	4	
20	Appendicitis and typhlitis		M	1	—	—	—	1	—	—	—	—	5	—	—	1	2	—	—	2	—	
			F	5	—	—	—	1	4	—	—	—	13	—	—	1	1	4	1	4	2	
21	Cirrhosis of liver	...	M	3	—	—	—	—	—	2	1	—	12	—	—	—	—	—	1	6	5	
			F	4	—	—	1	—	—	1	2	—	3	—	—	—	—	—	2	—	1	
21A	Alcoholism	...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.		M	21	1	—	—	1	1	4	8	6	37	—	—	—	2	1	6	15	13	
			F	16	—	—	—	2	—	4	7	3	31	—	—	—	2	1	4	18	6	
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	2	3	—	—	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	1	3	—	—	4	—	—	—	—	1	3	—	—	
25	Congenital debility, &c.		M	36	35	1	—	—	—	—	—	—	77	76	1	—	—	—	—	—	—	
			F	19	18	—	—	—	—	1	—	—	61	60	1	—	—	—	—	—	—	
26	Violence, apart from suicide.		M	35	2	—	4	7	3	5	8	6	46	5	—	3	13	2	4	8	11	
			F	15	4	1	—	2	—	3	4	1	40	5	—	1	3	2	7	8	14	
27	Suicide	...	M	3	—	—	—	—	1	1	—	1	10	—	—	—	—	—	5	3	2	
			F	2	—	—	—	—	—	—	2	—	9	—	—	—	—	—	2	6	1	
28	Other defined diseases	...	M	188	21	5	2	4	7	13	49	87	382	26	7	8	10	12	33	99	187	
			F	179	18	2	3	4	7	11	39	95	355	7	3	2	7	9	27	79	221	
29	Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	5	—	3	1	—	—	—	—	1	
			F	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—*cont.*

Causes of Death.	Sex.	HAMMERSMITH.										HAMPSTEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES. ...	M	967	123	43	48	42	46	151	249	265	435	35	8	9	10	23	74	113	163		
	F	1,036	83	45	48	65	99	200	189	307	592	34	10	13	22	44	117	144	208		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—		
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	22	6	7	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	23	1	10	7	5	—	—	—	—	1	—	—	—	—	—	—	—	1		
4 Scarlet fever ...	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	—	2	—	—	—		
5 Whooping cough ...	M	15	6	6	3	—	—	—	—	—	7	5	1	1	—	—	—	—	—		
	F	13	5	3	1	4	—	—	—	—	8	2	3	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	1	—	2	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	4	—	1	1	1	—	—	—	—		
7 Influenza ...	M	120	2	4	7	12	13	41	28	13	58	—	—	3	3	12	21	11	8		
	F	171	2	8	11	19	34	72	15	10	104	1	2	2	8	19	41	18	13		
8 Erysipelas ...	M	2	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	92	1	1	—	3	13	41	27	6	40	—	1	—	—	3	23	11	2		
	F	99	2	—	1	7	33	36	16	4	35	—	—	—	1	8	19	6	1		
10 Tuberculous meningitis	M	10	—	3	2	4	—	—	1	—	3	—	—	—	2	—	—	—	1		
	F	18	2	2	7	6	1	—	—	—	3	—	—	2	—	—	—	1	—		
11 Other tuberculous diseases.	M	11	—	—	—	2	1	—	5	3	3	1	—	1	—	1	—	—	—		
	F	12	—	1	—	—	4	2	3	2	5	—	—	—	1	1	2	—	1		
12 Cancer, malignant disease	M	65	—	—	—	—	—	4	31	30	33	—	—	—	—	—	2	10	21		
	F	90	—	—	—	—	—	8	40	42	72	—	—	—	—	1	10	36	25		
13 Rheumatic fever ...	M	3	—	—	1	—	—	2	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	—	2	—	—	—	2	—	—	—	2	—	—	—	—		
14 Meningitis ...	M	8	2	1	2	1	—	2	—	—	1	—	—	—	—	—	1	—	—		
	F	9	1	—	3	3	—	1	1	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	98	—	—	—	2	2	9	36	49	44	—	—	—	—	2	4	7	31		
	F	111	—	—	—	2	4	19	28	58	59	—	—	—	—	1	6	21	31		
16 Bronchitis ...	M	67	7	1	—	1	—	5	14	39	20	—	—	—	—	—	1	6	13		
	F	74	6	2	—	—	—	2	15	49	29	1	—	1	—	—	2	5	20		
17 Pneumonia (all forms)	M	105	14	14	17	2	6	14	24	14	37	4	4	1	2	—	5	11	10		
	F	105	14	18	9	9	6	22	9	18	60	3	3	3	4	7	13	11	16		
18 Other respiratory diseases	M	13	1	2	—	—	1	—	4	5	7	—	—	—	—	—	2	3	2		
	F	11	—	—	2	1	—	2	4	2	7	—	—	—	—	—	1	3	3		
19 Diarrhoea, &c. ...	M	24	17	2	—	1	—	1	3	—	8	5	—	—	—	—	—	2	1		
	F	17	13	—	—	—	1	—	1	2	5	3	—	—	—	—	—	1	1		
20 Appendicitis and typhlitis	M	6	—	—	2	—	2	—	2	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	—	2	1	—	—	—	8	—	—	—	2	1	3	2	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	5	—	3	—	—	—	—	—	—	2	1		
	F	3	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	—	1	1	1	10	12	18	—	—	—	—	1	—	6	11		
	F	26	—	—	1	1	—	3	13	8	18	—	—	—	2	—	—	6	10		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	34	34	—	—	—	—	—	—	—	11	10	1	—	—	—	—	—	—		
	F	23	23	—	—	—	—	—	—	—	19	18	—	—	—	—	—	1	—		
26 Violence, apart from suicide.	M	29	1	1	2	8	1	6	6	4	7	—	—	1	—	1	1	2	2		
	F	21	1	—	2	1	3	4	7	3	7	—	—	—	—	—	1	1	5		
27 Suicide ...	M	7	—	—	—	—	—	2	3	2	7	—	—	—	—	1	1	3	2		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	—		
28 Other defined diseases ...	M	197	30	1	—	2	6	21	49	88	119	10	1	1	—	2	12	36	57		
	F	189	13	—	3	3	5	21	35	109	136	6	1	—	1	2	16	30	80		
29 Causes ill-defined or unknown.	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—cont.

Causes of Death.		Sex.	HOLBORN										ISLINGTON									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	443	38	19	7	15	19	63	144	138	2,853	329	159	154	118	144	437	747	765		
		F	391	35	11	12	10	43	87	89	104	3,006	246	162	162	161	210	544	623	898		
1 Enteric fever		M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	1	—	—	1	7	—	—	—	2	1	3	1	—		
2 Small-pox		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles		M	3	2	1	—	—	—	—	—	—	54	10	22	20	2	—	—	—	—		
		F	3	1	2	—	—	—	—	—	—	60	14	30	11	5	—	—	—	—		
4 Scarlet fever		M	—	—	—	—	—	—	—	—	—	4	—	1	—	3	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	5	—	1	1	3	—	—	—	—		
5 Whooping cough		M	4	2	2	—	—	—	—	—	—	77	24	32	18	3	—	—	—	—		
		F	9	3	3	3	—	—	—	—	—	72	14	27	26	5	—	—	—	—		
6 Diphtheria and croup		M	2	2	—	—	—	—	—	—	—	18	1	1	9	7	—	—	—	—		
		F	3	—	1	1	1	—	—	—	—	24	—	3	9	10	1	1	—	—		
7 Influenza		M	53	2	3	—	3	5	14	14	12	368	10	13	28	30	47	125	82	33		
		F	85	1	—	4	—	23	34	10	13	558	9	10	35	53	91	237	81	42		
8 Erysipelas		M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	1	—	1	1		
		F	1	1	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—		
9 Pulmonary tuberculosis		M	62	—	—	—	1	6	19	32	4	293	1	2	3	10	34	124	101	18		
		F	34	—	—	1	2	7	13	10	1	234	1	3	—	12	51	96	56	15		
10 Tuberculous meningitis		M	4	—	2	2	—	—	—	—	—	25	7	4	8	5	—	1	—	—		
		F	3	1	1	—	1	—	—	—	—	30	6	5	9	7	2	1	—	—		
11 Other tuberculous diseases.		M	5	—	1	1	—	—	2	1	—	28	1	3	4	4	2	5	8	1		
		F	4	—	1	1	—	1	—	—	1	24	2	3	1	4	2	5	5	2		
12 Cancer, malignant disease		M	21	—	—	—	—	—	1	12	8	196	—	—	—	—	—	13	83	100		
		F	20	—	—	—	—	—	5	9	6	206	—	—	—	—	—	22	94	90		
13 Rheumatic fever		M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	2	—	—		
		F	—	—	—	—	—	—	—	—	—	6	—	1	—	—	1	2	2	—		
14 Meningitis		M	1	1	—	—	—	—	—	—	—	14	3	3	1	3	3	—	—	1		
		F	—	—	—	—	—	—	—	—	—	13	1	3	1	2	3	—	1	2		
15 Organic heart disease ...		M	32	—	—	—	1	1	2	16	12	268	—	—	1	4	6	31	90	136		
		F	26	—	—	—	—	4	3	6	13	255	—	—	2	7	11	32	86	117		
16 Bronchitis		M	32	3	—	—	—	—	3	12	14	233	18	8	—	2	1	11	70	123		
		F	26	2	1	—	—	—	1	8	14	229	16	6	3	3	—	7	41	153		
17 Pneumonia (all forms)		M	39	3	6	2	4	2	5	11	6	334	49	50	44	18	16	41	70	46		
		F	28	3	1	—	—	1	11	8	4	333	42	50	47	21	26	56	49	42		
18 Other respiratory diseases		M	3	—	—	—	—	—	—	3	—	22	1	1	2	4	2	1	7	4		
		F	2	—	—	—	—	—	—	1	1	29	—	—	—	—	—	4	14	11		
19 Diarrhoea, &c.		M	9	5	1	—	—	—	2	—	1	49	29	6	3	2	1	1	3	4		
		F	7	4	—	—	1	—	1	1	—	49	27	7	1	—	2	3	6	3		
20 Appendicitis and typhlitis		M	3	—	—	—	—	—	2	1	—	7	—	—	—	2	2	1	2	—		
		F	1	—	—	—	—	—	1	—	—	9	—	—	—	5	1	2	1	—		
21 Cirrhosis of liver		M	4	—	—	—	—	—	2	2	—	12	—	—	—	—	—	1	8	3		
		F	2	—	—	—	—	—	1	—	1	8	—	—	—	—	—	1	4	3		
21A Alcoholism		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.		M	7	—	—	—	—	1	1	4	1	51	—	—	1	—	3	11	23	13		
		F	10	—	—	—	—	1	3	5	1	60	—	1	1	1	3	8	31	15		
23 Puerperal fever... ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	8	—	—	—	1	7	—	—	—		
25 Congenital debility, &c.		M	13	13	—	—	—	—	—	—	—	129	126	1	1	—	1	—	—	—		
		F	17	17	—	—	—	—	—	—	—	80	79	—	1	—	—	—	—	—		
26 Violence, apart from suicide.		M	20	1	1	1	6	2	1	7	1	72	3	2	4	6	8	17	17	15		
		F	25	2	1	1	3	1	4	8	5	61	7	2	4	4	—	6	9	29		
27 Suicide		M	3	—	—	—	—	—	1	2	—	17	—	—	—	—	1	4	9	3		
		F	3	—	—	—	—	—	2	1	—	10	—	—	—	—	1	3	5	1		
28 Other defined diseases ...		M	122	4	2	1	—	1	8	27	79	566	45	3	6	12	15	48	173	264		
		F	80	—	—	1	2	4	8	22	43	623	28	5	7	15	13	46	136	373		
29 Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	8	—	7	1	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—*cont.*

Causes of Death.	Sex.	KENSINGTON.										LAMBETH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,190	126	57	62	54	48	182	306	355	2,487	246	118	143	119	121	396	629	715		
	F	1,561	98	50	60	57	119	292	315	570	2,576	215	118	133	126	195	468	522	799		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—			
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—			
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	9	1	6	2	—	—	—	—	—	71	11	26	28	6	—	—	—			
	F	5	—	2	2	—	—	—	—	1	60	14	24	18	3	1	—	—			
4 Scarlet fever ...	M	4	—	2	2	—	—	—	—	—	5	1	—	2	1	1	—	—			
	F	3	—	—	3	—	—	—	—	—	8	—	—	3	3	1	1	—			
5 Whooping cough ...	M	18	6	6	5	1	—	—	—	—	43	10	22	8	3	—	—	—			
	F	18	3	8	6	1	—	—	—	—	44	10	15	14	5	—	—	—			
6 Diphtheria and croup ...	M	4	—	—	2	1	—	—	—	1	23	1	4	8	9	—	1	—			
	F	7	—	1	1	5	—	—	—	—	29	2	5	8	12	1	1	—			
7 Influenza ...	M	111	1	4	8	9	10	42	22	15	345	14	8	22	31	37	118	74			
	F	225	1	3	7	11	40	101	36	26	488	6	8	18	23	83	192	90			
8 Erysipelas ...	M	2	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2			
	F	3	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	2			
9 Pulmonary tuberculosis	M	115	—	—	—	7	17	47	38	6	261	1	1	3	5	40	116	83			
	F	83	—	—	2	4	22	33	23	4	200	2	1	3	14	44	84	35			
10 Tuberculous meningitis	M	8	—	1	5	1	1	—	—	—	33	7	7	12	4	2	1	—			
	F	10	—	2	4	3	1	—	—	—	22	1	4	7	9	1	—	—			
11 Other tuberculous diseases.	M	18	—	1	3	5	5	1	2	1	25	4	1	4	4	5	5	1			
	F	11	1	—	2	5	—	2	1	—	27	1	4	2	6	8	2	3			
12 Cancer, malignant disease	M	77	—	1	—	—	—	7	37	32	202	—	—	—	—	3	18	91			
	F	129	—	—	—	1	—	7	63	58	207	—	—	—	2	—	31	94			
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	1	—	9	—	—	—	4	2	—	3			
	F	4	—	—	—	1	2	1	—	—	7	—	—	—	1	1	1	3			
14 Meningitis ...	M	15	2	2	3	3	1	3	1	—	14	1	3	3	3	1	1	2			
	F	14	5	3	1	1	1	2	1	—	8	2	3	—	2	—	1	—			
15 Organic heart disease ...	M	85	—	—	—	1	—	9	35	40	192	—	—	—	1	4	20	65			
	F	133	—	—	—	2	6	17	26	82	218	—	—	2	6	9	31	59			
16 Bronchitis ...	M	125	13	5	2	1	—	9	31	64	130	9	13	2	1	—	5	35			
	F	153	10	4	—	2	2	9	26	100	138	6	3	5	1	1	4	34			
17 Pneumonia (all forms)	M	182	19	23	23	12	8	30	42	25	252	39	26	30	10	11	28	54			
	F	234	20	21	26	13	28	60	23	43	249	39	32	32	17	13	31	33			
18 Other respiratory diseases	M	13	—	1	1	—	—	—	6	5	31	—	—	4	1	—	5	11			
	F	20	—	—	1	1	2	2	5	9	19	—	3	1	—	1	2	5			
19 Diarrhoea, &c. ...	M	27	20	2	—	—	—	1	3	1	56	35	1	3	1	—	2	6			
	F	30	16	5	1	—	—	—	2	6	50	27	7	5	—	1	3	7			
20 Appendicitis and typhlitis	M	4	—	—	—	2	1	—	1	—	9	1	—	1	4	1	—	2			
	F	6	—	—	—	—	2	1	3	—	14	—	—	1	4	1	5	3			
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	3	5	15	—	—	—	1	—	2	9			
	F	6	—	—	—	—	—	2	1	3	9	—	—	—	—	—	2	4			
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease.	M	29	—	—	—	1	—	3	10	15	75	—	—	2	1	4	4	23			
	F	38	—	—	—	—	2	4	16	16	58	1	—	—	1	1	11	26			
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	11	—	—	—	—	4	7	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	4	—	—	—	—	2	2	—	—	9	—	—	—	—	3	6	—			
25 Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	66	64	—	—	1	—	1	—			
	F	33	31	1	1	—	—	—	—	—	66	64	2	—	—	—	—	—			
26 Violence, apart from suicide.	M	29	2	—	4	3	2	2	8	8	83	7	2	5	10	3	11	26			
	F	37	3	—	2	2	1	9	7	13	39	2	1	4	6	2	7	7			
27 Suicide ...	M	9	—	—	—	—	—	3	5	1	16	—	—	—	—	—	6	8			
	F	12	—	—	—	—	—	8	4	—	12	—	—	—	—	4	5	3			
28 Other defined diseases ...	M	253	19	3	2	7	1	25	61	135	525	41	4	6	18	7	50	136			
	F	337	7	—	1	5	8	32	77	207	574	38	6	10	11	15	40	113			
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2			
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	1			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—*cont.*

Causes of Death.				Sex.	LEWISHAM.										PADDINGTON.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	1020	89	34	45	63	50	166	262	311	981	127	36	66	48	41	133	250	280		
				F	1229	81	28	47	79	108	219	235	432	1271	109	62	56	41	84	234	265	420		
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	4	—	—	—	—	—	3	1	—	1	—	—	—	—	1	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	6	2	2	1	1	—	—	—	—	23	1	7	12	2	—	1	—	—		
				F	5	—	2	3	—	—	—	—	—	19	3	5	7	3	1	—	—	—		
4	Scarlet fever	M	4	—	—	2	1	1	—	—	—	1	—	—	1	—	—	—	—	—		
				F	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M	10	2	6	2	—	—	—	—	—	22	7	9	6	—	—	—	—	—		
				F	22	4	8	7	3	—	—	—	—	32	10	12	10	—	—	—	—	—		
6	Diphtheria and croup	M	19	—	4	6	9	—	—	—	—	13	3	—	6	4	—	—	—	—		
				F	13	1	1	4	7	—	—	—	—	7	1	2	1	3	—	—	—	—		
7	Influenza	M	191	4	6	17	22	16	75	37	14	130	5	2	12	11	12	43	30	15		
				F	227	—	5	10	28	58	84	27	15	228	2	8	16	13	35	97	40	17		
8	Erysipelas	M	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
				F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
9	Pulmonary tuberculosis			M	87	—	—	1	1	12	44	29	—	77	—	2	4	2	14	29	23	3		
				F	83	—	—	1	5	24	38	12	3	69	2	—	1	1	15	34	14	2		
10	Tuberculous meningitis			M	5	—	1	2	2	—	—	—	—	8	1	3	2	2	—	—	—	—		
				F	10	2	1	1	5	—	—	1	—	14	2	2	4	5	—	1	—	—		
11	Other tuberculous diseases.			M	7	—	1	2	—	3	—	—	1	10	5	—	2	1	1	—	—	1		
				F	8	—	—	2	—	1	3	1	1	14	4	3	—	1	—	1	3	2		
12	Cancer, malignant disease			M	83	—	—	1	1	—	4	31	46	48	—	—	—	1	—	4	20	23		
				F	120	—	1	—	—	1	10	52	56	118	—	1	—	—	2	11	52	52		
13	Rheumatic fever	M	2	—	—	—	—	—	—	2	—	3	—	—	—	1	—	1	1	—		
				F	5	—	—	1	2	1	1	—	—	3	1	—	—	—	1	—	—	1		
14	Meningitis	M	7	—	3	—	2	—	1	1	—	5	2	—	1	2	—	—	—	—		
				F	3	—	—	1	1	1	—	—	—	5	4	—	—	—	1	—	—	—		
15	Organic heart disease	M	80	—	—	—	—	2	7	34	37	105	—	—	—	—	1	6	37	61		
				F	100	—	—	—	2	3	12	33	50	137	—	—	—	—	7	14	30	86		
16	Bronchitis	M	64	4	1	—	1	2	—	16	40	57	11	1	—	—	—	5	19	21		
				F	71	4	—	2	1	—	6	6	52	79	4	3	2	1	—	5	16	48		
17	Pneumonia (all forms)			M	69	8	8	6	8	2	10	14	13	103	14	7	9	9	6	15	25	18		
				F	100	14	7	8	12	4	19	19	17	113	14	13	11	4	15	28	15	13		
18	Other respiratory diseases			M	17	—	—	1	—	—	1	7	8	7	2	1	—	—	—	1	—	3		
				F	17	1	—	1	1	1	—	5	8	12	—	—	—	—	—	1	4	7		
19	Diarrhoea, &c.	M	11	9	—	—	—	—	—	—	2	16	9	—	2	—	—	—	4	1		
				F	18	9	2	—	—	—	—	4	3	18	8	6	—	1	—	—	2	1		
20	Appendicitis and typhlitis			M	6	—	—	—	1	—	1	4	—	1	—	—	—	—	—	1	—	—		
				F	3	—	—	—	—	2	—	—	1	6	—	—	—	—	2	2	1	1		
21	Cirrhosis of liver	M	8	—	—	—	—	1	—	6	1	5	—	—	—	—	—	3	2	—		
				F	3	—	—	—	—	—	—	2	1	10	—	—	—	—	—	2	4	4		
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.			M	24	—	—	—	2	—	—	13	9	30	—	—	—	1	1	3	11	14		
				F	26	1	—	—	1	1	7	3	13	23	—	—	—	—	1	4	12	6		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—		
24	Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	5	—	—	—	—	—	5	—	—	1	—	—	—	—	—	1	—	—		
25	Congenital debility, &c.			M	33	33	—	—	—	—	—	—	—	43	43	—	—	—	—	—	—	—		
				F	27	27	—	—	—	—	—	—	—	39	38	1	—	—	—	—	—	—		
26	Violence, apart from suicide.			M	35	6	—	1	5	7	3	8	5	59	5	3	5	8	5	4	18	11		
				F	25	2	—	2	2	5	2	6	6	32	1	—	3	5	2	9	7	5		
27	Suicide	M	3	—	—	—	—	1	—	2	—	10	—	—	—	—	—	2	5	3		
				F	4	—	—	—	—	—	2	2	—	6	—	—	—	—	1	1	4	—		
28	Other defined diseases	M	247	20	2	3	7	3	20	58	134	204	19	1	4	4	1	18	54	103		
				F	324	16	1	3	8	6	24	61	205	282	15	6	1	4	2	19	61	174		
29	Causes ill-defined or unknown.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only).—cont.

Causes of Death.	Sex.	POPLAR.										ST. MARYLEBONE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,670	201	123	135	91	90	253	370	407	886	90	26	25	25	28	133	274	285		
	F	1,502	146	115	120	101	137	248	268	367	953	65	34	26	35	79	204	220	290		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	78	7	35	31	5	—	—	—	—	3	1	—	2	—	—	—	—	—		
	F	74	7	30	31	6	—	—	—	—	9	1	3	4	—	1	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	34	12	11	8	3	—	—	—	—	11	2	6	2	1	—	—	—	—		
	F	31	8	13	8	2	—	—	—	—	15	4	7	4	—	—	—	—	—		
6 Diphtheria and croup ...	M	14	—	5	6	3	—	—	—	—	5	—	2	3	—	—	—	—	—		
	F	18	2	4	5	7	—	—	—	—	6	—	—	5	1	—	—	—	—		
7 Influenza ...	M	229	5	16	19	21	28	68	45	27	106	4	—	3	4	14	44	34	3		
	F	296	4	11	24	33	59	96	52	17	167	3	4	3	12	31	76	24	14		
8 Erysipelas ...	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	2	1		
	F	2	1	—	—	—	—	—	1	—	3	1	—	—	—	1	—	—	1		
9 Pulmonary tuberculosis	M	155	1	2	2	3	22	67	50	8	90	—	1	—	2	3	35	38	11		
	F	133	2	3	1	11	28	61	22	5	82	—	—	—	5	13	36	26	2		
10 Tuberculous meningitis	M	17	4	2	6	4	1	—	—	—	6	—	—	3	3	—	—	—	—		
	F	15	1	2	6	5	1	—	—	—	4	—	1	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	15	2	1	3	2	3	1	3	—	3	—	1	—	—	—	2	—	—		
	F	17	2	4	2	5	—	4	—	—	7	—	1	1	1	2	1	—	1		
12 Cancer, malignant disease	M	71	—	—	—	—	—	3	37	31	64	—	—	—	—	—	3	37	24		
	F	74	—	—	—	—	—	6	42	26	83	—	—	—	—	—	14	32	37		
13 Rheumatic fever ...	M	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	2	1	—	—	3	—	—	—	—	2	1	—	—		
14 Meningitis ...	M	6	—	—	2	3	1	—	—	—	7	—	2	1	1	—	2	1	—		
	F	11	2	3	3	2	1	—	—	—	3	2	—	—	—	1	—	—	—		
15 Organic heart disease ...	M	144	—	—	—	5	5	26	38	70	88	—	—	—	—	2	7	33	46		
	F	120	—	—	—	1	5	20	44	50	93	—	—	—	1	8	11	28	45		
16 Bronchitis ...	M	171	15	11	1	—	—	4	41	99	96	9	—	1	1	—	3	27	55		
	F	166	13	7	2	—	2	3	23	116	67	2	1	1	—	—	3	14	46		
17 Pneumonia (all forms)	M	214	35	27	31	16	10	36	41	18	79	7	11	7	4	3	13	13	21		
	F	167	28	24	28	15	18	21	16	17	74	9	11	4	3	8	14	13	12		
18 Other respiratory diseases	M	13	—	1	2	—	—	2	6	2	13	1	—	—	—	—	1	6	5		
	F	11	—	—	—	2	2	1	2	4	16	1	1	—	1	—	3	7	3		
19 Diarrhoea, &c. ...	M	39	23	4	5	—	—	2	1	4	28	20	1	—	—	—	—	3	4		
	F	31	17	5	3	—	—	—	3	3	23	10	4	1	—	1	—	2	5		
20 Appendicitis and typhlitis	M	6	—	—	—	4	2	—	—	—	2	—	—	—	—	—	1	1	—		
	F	5	—	—	—	1	1	1	2	—	6	—	—	—	—	1	3	2	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	3	—		
	F	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	22	—	—	—	1	1	5	7	8	21	—	—	—	—	2	4	5	10		
	F	12	—	1	—	—	—	1	4	6	21	—	—	—	1	—	5	12	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	4	3	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	56	54	1	1	—	—	—	—	—	29	29	—	—	—	—	—	—	—		
	F	40	39	1	—	—	—	—	—	—	22	21	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	81	8	1	9	11	8	9	22	13	28	2	1	1	5	1	6	3	9		
	F	23	4	1	2	5	1	—	3	7	24	—	—	2	4	5	7	1	5		
27 Suicide ...	M	7	—	—	—	—	—	2	3	2	4	—	—	—	—	—	1	3	—		
	F	4	—	—	—	—	1	1	2	—	3	—	—	—	—	—	1	2	—		
28 Other defined diseases ...	M	283	35	5	8	6	9	26	70	124	197	15	1	2	4	3	13	63	96		
	F	228	16	5	5	5	11	23	51	112	210	10	1	—	4	3	20	56	116		
29 Causes ill-defined or unknown.	M	4	—	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	4	—	1	—	—	—	1	—	2	1	1	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	ST. PANCRAS.										SHOREDITCH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	2,030	193	92	98	112	104	302	594	535	1123	169	100	96	73	45	132	263	245		
	F	1,894	146	81	103	95	152	418	364	535	996	123	98	102	56	81	177	165	194		
1 Enteric fever	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	39	8	22	9	—	—	—	—	—	42	13	19	9	1	—	—	—	—		
	F	31	6	13	7	3	2	—	—	—	36	6	17	13	—	—	—	—	—		
4 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping Cough	M	42	17	14	10	1	—	—	—	—	47	17	16	13	1	—	—	—	—		
	F	46	12	20	13	1	—	—	—	—	48	11	17	19	1	—	—	—	—		
6 Diphtheria and croup	M	14	—	1	10	2	—	—	1	—	4	1	—	3	—	—	—	—	—		
	F	18	1	2	10	4	—	1	—	—	7	—	1	5	1	—	—	—	—		
7 Influenza	M	344	14	8	24	43	46	99	71	39	130	1	6	18	14	15	29	28	19		
	F	356	5	12	19	39	74	150	41	16	163	5	4	16	19	27	62	24	6		
8 Erysipelas	M	6	—	—	—	—	—	—	3	3	1	—	—	—	—	—	—	—	1		
	F	3	1	—	—	—	—	2	—	—	3	1	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	247	—	3	1	11	31	86	98	17	129	—	1	4	12	12	46	50	4		
	F	169	1	1	2	7	38	77	36	7	91	—	—	3	6	15	41	24	2		
10 Tuberculous meningitis	M	19	4	1	8	5	—	1	—	—	9	1	1	4	3	—	—	—	—		
	F	18	2	4	2	8	2	—	—	—	9	—	—	4	5	—	—	—	—		
11 Other tuberculous diseases.	M	29	1	1	6	6	3	5	5	2	14	2	—	7	2	2	1	—	—		
	F	17	3	3	3	1	—	1	3	3	14	2	1	4	1	1	3	1	1		
12 Cancer, malignant disease	M	126	—	—	—	—	1	6	74	45	61	—	—	—	1	1	4	30	25		
	F	144	—	—	—	—	—	20	67	57	28	—	—	—	—	—	8	9	11		
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	4	—	—	1	1	1	1	—	—		
	F	6	—	—	—	2	—	4	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis	M	7	1	—	1	4	1	—	—	—	5	2	1	—	1	—	—	1	—		
	F	7	2	1	2	2	—	—	—	—	6	—	—	1	2	1	1	1	—		
15 Organic heart disease	M	192	—	—	—	2	2	15	63	110	71	—	—	—	2	3	7	29	30		
	F	188	1	—	—	6	3	27	42	109	72	—	—	—	1	9	15	18	29		
16 Bronchitis	M	128	12	5	2	2	1	4	40	62	96	10	3	1	2	—	4	26	50		
	F	132	5	—	—	—	1	9	30	87	85	9	5	2	—	1	3	21	44		
17 Pneumonia (all forms)	M	212	32	25	14	14	5	35	51	36	163	30	43	28	10	6	15	21	10		
	F	184	14	19	23	14	12	52	27	23	139	18	39	26	6	10	16	19	5		
18 Other respiratory diseases	M	15	—	—	1	—	—	2	9	3	13	1	—	1	1	—	1	4	5		
	F	21	—	—	2	3	1	2	4	9	9	—	—	—	—	1	2	3	3		
19 Diarrhoea, &c.	M	40	22	4	2	—	—	1	7	4	46	31	3	—	1	—	3	2	6		
	F	29	21	—	2	—	—	3	—	3	33	22	7	—	—	1	—	—	3		
20 Appendicitis and typhlitis	M	7	—	—	2	2	—	1	1	1	6	—	—	—	3	2	—	1	—		
	F	4	—	—	1	—	1	—	2	—	3	—	—	1	1	—	—	1	—		
21 Cirrhosis of liver	M	8	—	—	—	—	—	1	6	1	11	—	—	—	—	—	3	5	3		
	F	5	—	—	—	—	—	—	2	3	1	—	—	—	—	—	—	1	—		
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	63	—	—	—	1	2	8	33	19	11	—	—	—	1	—	1	7	2		
	F	46	—	—	1	1	2	3	20	19	11	—	—	1	—	—	2	4	3		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	1	8	—	—	4	—	—	—	—	1	3	—	—		
25 Congenital debility, &c.	M	55	54	—	—	—	1	—	—	—	42	42	—	—	—	—	—	—	—		
	F	53	51	—	1	—	1	—	—	—	27	25	1	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	68	3	4	1	11	6	9	22	12	36	3	1	4	6	2	4	6	10		
	F	33	1	1	4	1	4	7	3	12	25	7	3	—	4	—	3	3	6		
27 Suicide	M	11	—	—	—	—	1	2	7	1	6	—	—	—	—	—	1	4	1		
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	2	1	2	—		
28 Other defined diseases	M	351	25	3	7	8	2	23	103	180	176	15	6	3	11	1	12	49	79		
	F	361	20	3	6	2	9	48	86	187	170	17	3	7	7	9	14	34	79		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	SOUTHWARK.										STEPNEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,958	229	140	137	84	91	250	555	472	2,566	314	155	141	130	156	459	661	550		
	F	1,850	204	154	151	119	149	322	326	425	2,267	229	167	154	134	194	413	477	499		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	2	—	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	74	13	39	19	3	—	—	—	—	69	14	39	14	2	—	—	—	—		
	F	68	12	30	24	2	—	—	—	—	78	13	38	25	2	—	—	—	—		
4 Scarlet fever ...	M	6	—	1	3	1	—	1	—	—	2	—	—	2	—	—	—	—	—		
	F	8	—	2	2	4	—	—	—	—	5	1	1	—	3	—	—	—	—		
5 Whooping cough ...	M	55	19	19	16	—	—	1	—	—	43	16	15	10	2	—	—	—	—		
	F	73	22	29	20	2	—	—	—	—	49	14	23	10	2	—	—	—	—		
6 Diphtheria and croup	M	22	2	4	11	5	—	—	—	—	22	4	5	11	2	—	—	—	—		
	F	19	—	6	8	5	—	—	—	—	38	4	11	12	10	—	1	—	—		
7 Influenza ...	M	260	9	9	13	20	32	71	68	38	344	3	12	19	26	50	118	77	39		
	F	336	7	5	25	37	62	127	48	25	384	2	10	20	27	70	148	64	43		
8 Erysipelas ...	M	3	2	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	1		
	F	4	—	—	—	—	—	—	2	2	4	1	—	—	—	—	—	—	3		
9 Pulmonary tuberculosis	M	241	—	1	5	5	27	71	104	28	366	2	1	3	6	46	148	122	38		
	F	160	3	—	2	18	36	62	35	4	233	2	4	2	14	49	106	46	10		
10 Tuberculous meningitis	M	16	4	2	5	4	1	—	—	—	20	4	3	7	5	1	—	—	—		
	F	18	—	4	6	7	1	—	—	—	23	2	6	8	5	2	—	—	—		
11 Other tuberculous diseases.	M	16	2	2	1	3	2	2	2	2	24	2	4	1	9	2	1	5	—		
	F	13	2	4	2	1	2	—	2	—	16	1	1	2	7	2	1	2	—		
12 Cancer, malignant disease	M	116	—	—	—	—	—	5	71	40	122	—	—	2	1	—	11	65	43		
	F	97	—	—	1	—	—	14	45	37	122	—	—	—	5	1	18	62	36		
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	10	—	—	—	5	3	1	1	—		
	F	—	—	—	—	—	—	—	—	—	10	—	—	1	6	2	—	1	—		
14 Meningitis ...	M	6	2	2	2	—	—	—	—	—	19	10	1	3	2	1	1	1	—		
	F	9	3	1	3	—	1	—	—	1	9	4	—	1	3	—	—	1	—		
15 Organic heart disease ...	M	154	—	—	—	3	7	14	58	72	225	—	—	—	5	12	19	78	111		
	F	147	—	—	—	7	3	18	44	75	239	—	—	1	7	14	30	84	103		
16 Bronchitis ...	M	167	17	4	4	1	1	10	50	80	230	11	11	5	1	1	26	61	114		
	F	170	14	7	5	—	1	4	34	105	152	11	4	4	—	1	6	34	92		
17 Pneumonia (all forms)	M	242	36	45	38	14	8	34	46	21	355	61	52	44	29	19	51	72	27		
	F	227	37	49	40	16	20	37	19	9	304	41	50	53	21	28	45	42	24		
18 Other respiratory diseases	M	21	—	—	3	—	—	4	8	6	19	2	—	2	—	1	1	7	6		
	F	17	—	2	2	1	1	3	5	3	26	2	1	2	1	1	5	8	6		
19 Diarrhoea, &c. ...	M	34	18	6	2	—	1	1	1	5	64	50	1	3	—	—	3	2	5		
	F	31	21	3	1	—	—	—	—	6	44	27	6	4	1	1	—	2	3		
20 Appendicitis and typhlitis	M	5	—	—	—	2	1	—	2	—	10	—	—	1	2	—	3	3	1		
	F	2	—	—	—	1	—	1	—	—	6	—	—	—	3	—	1	1	1		
21 Cirrhosis of liver ...	M	9	—	—	—	2	—	—	6	1	10	—	—	—	—	—	1	4	5		
	F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	3	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	55	—	—	—	1	1	1	29	23	52	—	1	2	—	2	5	25	17		
	F	57	—	—	1	2	—	6	23	25	45	—	—	—	—	2	11	19	13		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	3	4	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	5	3	—	—	8	—	—	—	—	2	6	—	—		
25 Congenital debility, &c.	M	65	64	1	—	—	—	—	—	—	82	81	1	—	—	—	—	—	—		
	F	48	46	—	1	—	1	—	—	—	65	65	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	51	6	2	8	11	1	5	9	9	81	5	2	4	17	7	15	17	14		
	F	33	1	3	4	8	2	2	3	10	55	8	3	5	6	1	3	10	19		
27 Suicide ...	M	8	—	—	—	—	1	3	2	2	9	—	—	—	—	1	4	4	—		
	F	3	—	—	—	—	1	1	1	—	4	—	—	—	—	—	2	2	—		
28 Other defined diseases	M	329	35	2	7	8	8	27	97	145	382	49	7	8	15	10	50	114	129		
	F	288	36	6	4	8	10	38	63	123	339	31	8	4	11	15	29	95	146		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHES--1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	STOKE NEWINGTON.										WANDSWORTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	403 399	36 23	15 8	15 18	28 19	23 29	59 83	95 70	132 149	2,075 2,384	240 182	72 68	100 82	98 118	114 186	380 505	487 465	584 778	
1 Enteric fever	M F	1 2	— —	— —	— —	— —	— —	— 1	1 1	— —	2 3	— —	— —	— —	— —	1 —	1 3	— —	— —	
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	5 3	2 —	1 1	2 1	— 1	— —	— —	— —	— —	28 16	6 5	11 4	9 4	2 2	— 1	— —	— —	— —	
4 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —	— —	1 1	— —	— —	— —	— —	— —	
5 Whooping cough	M F	1 3	— 2	— —	1 —	— 1	— —	— —	— —	— —	25 35	11 8	7 10	6 16	1 1	— —	— —	— —	— —	
6 Diphtheria and croup	M F	12 6	— —	— —	4 4	8 2	— —	— —	— —	— —	18 17	2 —	2 —	7 5	7 12	— —	— —	— —	— —	
7 Influenza	M F	47 78	1 1	2 —	4 2	4 10	11 14	8 33	10 8	7 10	351 506	14 6	6 14	30 19	27 43	38 100	156 226	53 63	27 35	
8 Erysipelas	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	2 5	— —	— —	— —	— 1	— —	1 —	1 2	— 2	
9 Pulmonary tuberculosis			M F	43 22	— —	— —	— —	1 —	7 3	22 14	9 5	4 —	195 188	1 1	3 1	— 2	4 7	27 49	79 91	71 32	10 5	
10 Tuberculous meningitis			M F	1 1	1 —	— —	— —	— —	1 —	— —	— —	— —	15 17	1 —	5 5	4 5	5 5	— 2	— —	— —	— —	
11 Other tuberculous diseases.			M F	2 1	— —	— —	— —	— —	1 —	— 1	— —	— —	23 22	— —	2 —	2 1	2 4	5 3	4 5	4 5	4 4	
12 Cancer, malignant disease			M F	24 32	— —	— —	— —	— —	— 1	3 3	14 13	7 15	161 223	— —	— —	1 —	— —	— —	12 24	77 98	71 101	
13 Rheumatic fever	M F	1 1	— —	— —	— —	— 1	1 —	— —	— —	— —	5 8	— —	— —	1 —	1 2	2 2	— —	1 4	— —	
14 Meningitis	M F	1 4	1 1	— 2	— 1	— —	— —	— —	— —	— —	6 14	1 2	— 2	3 3	1 4	1 —	— 3	— —	— —	
15 Organic heart disease	M F	40 44	— —	— —	— —	3 —	2 1	6 6	8 13	21 24	218 285	— —	— —	— —	4 8	8 4	25 30	64 68	117 175	
16 Bronchitis	M F	35 37	2 1	— —	— —	— —	— —	1 —	13 4	19 32	112 120	13 11	1 4	6 4	2 1	— —	5 6	21 19	64 75	
17 Pneumonia (all forms)			M F	46 40	6 5	7 2	2 8	6 2	— 5	9 12	10 3	6 3	181 154	33 19	25 17	23 12	6 12	8 10	26 33	35 27	25 24	
18 Other respiratory diseases			M F	5 3	— —	— —	— —	— —	— —	— —	4 —	1 3	43 23	3 —	— 1	2 1	4 2	2 4	4 4	13 6	15 9	
19 Diarrhoea, &c.	M F	6 3	4 1	1 1	— —	— —	— —	— —	— —	1 1	55 49	42 33	1 1	2 —	1 1	— —	2 5	5 5	2 4	
20 Appendicitis and typhlitis			M F	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	13 8	— —	— —	— —	7 1	3 1	1 —	2 3	— 3	
21 Cirrhosis of liver	M F	2 —	— —	— —	— —	— —	— —	— —	1 —	1 —	10 4	— —	— —	— —	1 —	— —	2 1	4 2	3 1	
21A Alcoholism	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	
22 Nephritis and Bright's disease.			M F	8 6	— —	— —	— —	— 1	— —	1 —	5 3	2 1	41 50	— 1	— 1	— —	2 2	2 1	7 7	15 20	15 18	
23 Puerperal fever...	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 9	— —	— —	— —	— —	— 1	— 8	— —	— —	
24 Parturition, apart from puerperal fever.			M F	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	
25 Congenital debility, &c.			M F	11 10	11 10	— —	— —	— —	— —	— —	— —	— —	85 67	82 65	1 1	1 —	— —	1 —	— 1	— —	— —	
26 Violence, apart from suicide.			M F	16 10	2 —	1 —	1 2	6 —	— 2	2 2	1 1	3 3	42 30	2 1	1 1	1 1	7 2	2 2	7 6	9 5	13 12	
27 Suicide	M F	6 3	— —	— —	— —	— —	1 —	1 1	3 2	1 —	16 9	— —	— —	— —	— —	1 —	4 4	6 3	5 2	
28 Other defined diseases	M F	89 86	6 2	3 1	1 —	— 1	— 2	6 7	15 16	58 57	422 510	29 30	6 6	2 8	12 7	13 9	44 43	103 102	213 305	
29 Causes ill-defined or unknown.			M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	4 8	— —	— 1	— —	— 1	— 1	— 3	2 1	— 3	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.			Sex.	WESTMINSTER, CITY OF.										WOOLWICH.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,062	90	35	21	26	40	174	335	341	1,065	140	36	42	74	65	203	263	242		
			F	1,016	67	12	16	32	93	187	254	355	1,035	130	43	48	65	93	238	180	238		
1	Enteric fever	...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—		
			F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	5	—	3	2	—	—	—	—	—	10	1	6	2	1	—	—	—	—		
			F	5	—	1	2	2	—	—	—	—	11	3	3	5	—	—	—	—	—		
4	Scarlet fever	...	M	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
			F	2	—	—	—	1	1	—	—	—	3	—	—	3	—	—	—	—	—		
5	Whooping cough	...	M	12	5	5	2	—	—	—	—	—	8	1	6	1	—	—	—	—	—		
			F	15	1	8	5	1	—	—	—	—	21	9	7	4	1	—	—	—	—		
6	Diphtheria and croup	...	M	6	—	2	3	1	—	—	—	—	13	—	1	3	9	—	—	—	—		
			F	5	—	1	—	4	—	—	—	—	12	—	1	4	7	—	—	—	—		
7	Influenza	...	M	165	5	4	4	2	11	52	49	38	207	6	6	7	35	24	74	37	18		
			F	214	3	1	4	9	53	85	37	22	254	5	7	12	22	45	115	29	19		
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9	Pulmonary tuberculosis	{	M	123	—	—	—	—	13	54	49	7	127	—	1	2	3	24	49	46	2		
			F	67	—	—	—	3	17	22	21	4	72	—	—	1	8	17	32	12	2		
10	Tuberculous meningitis	{	M	12	2	3	1	2	2	2	—	—	3	2	—	—	—	—	—	1	—		
			F	5	4	—	—	—	1	—	—	—	—	7	2	3	1	1	—	—	—		
11	Other tuberculous diseases.	{	M	8	—	2	—	2	1	1	2	—	13	1	—	4	2	—	3	2	1		
			F	7	2	—	—	3	—	—	1	1	—	9	1	—	1	1	2	1	3		
12	Cancer, malignant disease	{	M	90	—	—	—	—	—	4	47	39	81	—	—	—	—	1	4	38	38		
			F	93	—	—	—	—	—	—	7	51	35	84	—	—	—	—	13	46	25		
13	Rheumatic fever	...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	4	—	—	—	1	—	2	1	—	5	—	—	—	—	3	2	—	—		
14	Meningitis	...	M	7	2	1	2	1	—	—	1	—	8	3	—	2	2	1	—	—	—		
			F	2	1	—	—	—	—	1	—	—	10	4	1	1	1	2	—	1	—		
15	Organic heart disease	...	M	99	—	—	—	1	3	10	21	64	95	1	—	—	2	5	11	38	38		
			F	114	—	—	—	—	3	9	23	79	72	—	—	—	2	2	15	19	34		
16	Bronchitis	...	M	93	5	—	—	—	—	3	27	58	51	10	1	1	—	—	3	11	25		
			F	88	2	—	—	—	1	3	25	57	57	12	4	1	—	1	2	11	26		
17	Pneumonia (all forms)	{	M	79	12	9	2	1	5	17	21	12	95	16	11	9	6	4	24	13	12		
			F	68	6	1	4	5	7	14	13	18	113	20	13	13	13	12	16	11	15		
18	Other respiratory diseases	{	M	13	—	—	1	1	—	2	4	5	3	—	—	—	—	—	1	1	1		
			F	12	—	—	—	—	1	2	2	7	2	1	—	—	—	1	—	—	—		
19	Diarrhoea, &c.	...	M	17	8	3	—	1	—	1	3	1	17	14	—	—	—	—	1	2	—		
			F	16	11	—	—	—	—	—	3	2	23	17	2	—	—	—	—	—	4		
20	Appendicitis and typhlitis	{	M	2	—	—	—	1	—	—	1	—	10	—	—	3	4	—	1	2	—		
			F	4	—	—	—	—	1	2	—	1	—	4	—	—	1	—	3	—	—		
21	Cirrhosis of liver	...	M	4	—	—	—	—	—	1	2	1	4	—	—	—	—	—	1	3	—		
			F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	2	—		
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	{	M	30	—	—	—	3	—	6	9	12	28	—	—	—	2	2	4	10	10		
			F	17	—	—	—	—	—	—	4	9	4	17	—	—	—	1	—	2	9	5	
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	9	—	—	—	—	2	7	—	—		
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	1	5	—	—		
25	Congenital debility, &c.	{	M	31	30	1	—	—	—	—	—	—	60	60	—	—	—	—	—	—	—		
			F	26	26	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—		
26	Violence, apart from suicide.	{	M	40	3	—	2	4	2	6	14	9	29	2	—	5	5	1	6	5	5		
			F	24	3	—	—	—	3	7	8	3	3	20	1	—	3	3	1	3	6	—	
27	Suicide	...	M	9	—	—	—	—	—	3	3	3	3	—	—	—	—	—	1	2	—		
			F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1		
28	Other defined diseases	...	M	214	18	1	2	5	3	12	81	92	198	23	4	2	3	3	19	52	92		
			F	221	8	—	—	2	4	27	58	122	179	17	2	2	4	3	20	30	101		
29	Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only).

Causes of Death.		Sex.	BARNSELEY.									BARROW-IN-FURNESS.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	...	M	689	104	78	100	68	34	64	130	111	612	107	33	27	34	34	134	129	114
	...	F	682	102	77	96	77	44	97	85	104	563	108	36	44	30	54	99	88	104
1 Enteric fever	...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	...	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	M	107	10	31	48	18	—	—	—	—	10	5	—	4	1	—	—	—	—
	...	F	126	13	41	51	21	—	—	—	—	14	4	5	4	1	—	—	—	—
4 Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—
5 Whooping cough	...	M	5	1	2	1	1	—	—	—	—	6	4	1	1	—	—	—	—	—
	...	F	11	2	5	3	1	—	—	—	—	11	6	3	2	—	—	—	—	—
6 Diphtheria and croup	...	M	3	—	—	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	...	F	3	—	1	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—
7 Influenza	...	M	105	6	8	16	22	10	15	21	7	117	4	8	4	9	16	52	22	2
	...	F	125	1	3	14	25	19	43	13	7	111	1	4	11	6	26	39	17	7
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	{	M	39	—	—	2	3	7	20	7	—	40	—	—	—	1	7	19	13	—
		F	41	—	—	1	5	12	16	7	—	34	—	2	—	2	11	15	3	1
10 Tuberculous meningitis	{	M	2	—	—	1	—	1	—	—	—	6	—	—	1	4	—	—	1	—
		F	3	1	—	1	1	—	—	—	—	3	—	—	2	1	—	—	—	—
11 Other tuberculous diseases	{	M	14	2	1	4	3	1	1	2	—	11	1	—	1	3	2	4	—	—
		F	10	2	1	—	3	1	3	—	—	6	—	2	—	2	1	1	—	—
12 Cancer, malignant disease	{	M	25	—	—	—	—	1	1	19	4	22	—	—	—	—	—	1	16	5
		F	28	—	—	—	—	—	5	11	12	35	—	—	—	—	—	5	16	14
13 Rheumatic fever	{	M	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
14 Meningitis	{	M	6	4	—	1	1	—	—	—	—	6	2	3	—	1	—	—	—	—
		F	8	—	1	2	3	2	—	—	—	9	1	1	4	1	1	1	—	—
15 Organic heart disease	{	M	38	—	—	—	1	—	3	14	20	34	—	—	—	—	—	4	12	18
		F	29	—	—	—	—	1	2	12	14	26	—	—	—	1	1	5	6	13
16 Bronchitis	{	M	54	13	9	9	3	1	1	11	7	52	14	3	1	2	—	3	12	17
		F	37	9	5	5	1	—	1	8	8	51	12	6	6	—	1	3	8	15
17 Pneumonia (all forms)	{	M	92	10	19	9	9	5	4	27	9	70	6	13	8	4	3	23	7	6
		F	66	11	12	9	8	2	10	5	9	46	11	7	7	4	4	5	5	3
18 Other respiratory diseases	{	M	3	—	—	—	—	—	—	2	1	3	1	—	1	—	—	—	1	—
		F	4	2	—	1	—	—	1	—	—	5	—	—	2	1	—	1	1	—
19 Diarrhoea, &c.	{	M	22	13	3	3	—	—	—	1	2	10	7	—	2	—	—	—	—	1
		F	20	13	3	—	2	—	—	1	1	11	4	2	—	—	1	1	2	1
20 Appendicitis and typhlitis	{	M	1	—	—	—	1	—	—	—	—	3	—	—	—	2	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	—	2	—
21 Cirrhosis of liver	{	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	{	M	21	—	—	—	—	—	4	7	10	6	—	—	—	—	—	—	4	2
		F	6	—	—	—	—	—	1	2	3	7	—	—	—	—	—	1	4	2
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	7	—	—	—	—	—	7	—	—
25 Congenital debility, &c.	{	M	34	33	1	—	—	—	—	—	—	43	42	—	—	—	1	—	—	—
		F	37	35	1	—	—	—	1	—	—	48	48	—	—	—	—	—	—	—
26 Violence, apart from suicide.	{	M	19	1	—	2	1	4	4	5	2	22	—	—	1	3	1	6	9	2
		F	10	3	—	2	2	—	—	2	1	10	2	—	2	2	1	2	1	—
27 Suicide	{	M	1	—	—	—	—	—	—	—	1	4	—	—	—	—	1	2	1	—
		F	5	—	—	—	—	1	1	2	1	1	—	—	—	—	—	—	1	—
28 Other defined diseases	{	M	93	11	4	1	5	3	10	11	48	141	21	4	3	4	3	18	27	61
		F	102	10	3	6	4	4	6	21	48	112	16	4	1	5	6	12	22	46
29 Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—
		F	1	—	1	—	—	—	—	—	—	6	3	—	—	1	—	—	—	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	BATH.										BIRKENHEAD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	474	36	11	12	25	24	66	113	187	1,392	215	84	93	83	75	266	306	270		
		F	572	26	6	14	13	36	75	129	273	1,293	130	91	116	84	108	242	227	295		
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	1	—	1	—	—	—	—	—	—	23	3	11	8	1	—	—	—	—		
		F	1	1	—	—	—	—	—	—	—	17	1	12	4	—	—	—	—	—		
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	17	2	—	7	8	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	34	—	3	11	17	3	—	—	—		
5	Whooping cough	M	7	3	3	1	—	—	—	—	—	22	7	10	5	—	—	—	—	—		
		F	11	3	2	3	3	—	—	—	—	29	11	10	7	1	—	—	—	—		
6	Diphtheria and croup	M	2	—	—	1	1	—	—	—	—	18	—	—	13	5	—	—	—	—		
		F	1	—	—	—	—	1	—	—	—	19	2	3	9	5	—	—	—	—		
7	Influenza	M	61	3	2	3	7	5	21	13	7	210	4	7	15	14	25	97	35	13		
		F	76	1	1	1	5	16	22	12	18	257	2	6	17	24	52	103	36	17		
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—		
9	Pulmonary tuberculosis	M	43	—	—	—	2	8	13	12	3	111	1	1	2	4	12	45	43	3		
		F	37	—	—	—	1	9	17	7	3	70	—	—	—	3	22	34	9	2		
10	Tuberculous meningitis	M	5	—	2	1	—	1	1	—	—	15	1	5	6	3	—	—	—	—		
		F	3	—	1	—	—	1	1	—	—	9	1	1	1	3	1	1	1	—		
11	Other tuberculous diseases.	M	9	1	—	—	2	—	5	—	1	26	4	3	5	6	2	5	1	—		
		F	7	—	—	1	—	1	3	2	—	19	2	2	5	2	5	2	1	—		
12	Cancer, malignant disease	M	30	—	—	—	1	—	—	14	15	78	—	—	—	—	—	4	39	35		
		F	68	—	—	—	—	—	3	33	32	80	—	—	—	—	—	10	47	23		
13	Rheumatic fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	1	—		
14	Meningitis	M	2	2	—	—	—	—	—	—	—	10	1	4	2	2	1	—	—	—		
		F	2	—	—	1	1	—	—	—	—	8	1	3	1	—	—	2	1	—		
15	Organic heart disease	M	66	—	—	—	1	2	3	15	45	80	—	—	—	5	4	15	29	27		
		F	80	—	—	—	—	3	3	26	48	86	1	—	—	3	3	7	32	40		
16	Bronchitis	M	17	1	—	—	—	—	—	3	13	101	25	7	2	3	1	6	24	33		
		F	29	1	—	1	—	—	1	2	24	85	9	9	4	1	8	18	35	—		
17	Pneumonia (all forms)	M	26	3	3	4	—	2	2	3	9	203	37	23	19	15	17	40	36	16		
		F	30	5	2	3	—	1	4	3	12	176	20	29	39	13	6	34	14	21		
18	Other respiratory diseases	M	6	—	—	1	—	—	1	1	3	16	2	—	1	2	1	—	6	4		
		F	6	—	—	—	1	—	1	4	—	17	1	—	2	—	—	7	2	5		
19	Diarrhoea, &c.	M	3	3	—	—	—	—	—	—	—	42	27	5	2	—	—	2	3	3		
		F	4	—	—	—	—	—	1	1	2	29	20	3	1	2	1	—	1	1		
20	Appendicitis and typhlitis	M	2	—	—	—	—	1	—	1	—	7	—	1	1	3	—	1	—	1		
		F	4	—	—	1	—	—	3	—	—	6	—	—	—	2	—	2	2	—		
21	Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	5	—	—	—	—	—	1	3	1		
		F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	2	1	—		
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	12	—	—	—	1	1	3	5	2	23	1	—	—	1	2	2	12	5		
		F	12	—	—	—	—	—	1	5	6	22	1	1	—	1	2	4	7	6		
23	Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	7	—	—	—	—	2	5	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	7	—	—		
25	Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	60	59	—	1	—	—	—	—	—		
		F	13	13	—	—	—	—	—	—	—	44	43	—	—	1	—	—	—	—		
26	Violence, apart from suicide.	M	16	—	—	1	2	1	1	4	7	47	2	2	1	5	7	13	11	6		
		F	7	1	—	2	1	1	—	—	2	15	—	1	6	1	1	—	1	5		
27	Suicide	M	3	—	—	—	—	—	1	—	2	6	—	—	—	—	—	4	2	—		
		F	7	—	—	—	—	1	2	2	2	1	—	—	—	—	—	—	1	—		
28	Other defined diseases	M	139	2	—	—	8	2	10	39	78	264	39	4	3	6	2	26	61	123		
		F	168	1	—	1	1	1	13	30	121	246	15	7	8	4	8	14	51	139		
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	—	1	4	—	1	1	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	BIRMINGHAM.										BLACKBURN.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	6,717	933	313	384	363	301	1153	1757	1513	997	106	43	55	67	38	141	296	251	
			F	6,495	750	319	383	397	483	1248	1236	1679	1184	87	51	61	58	91	228	299	309	
1	Enteric fever	...	M	3	—	—	—	—	—	1	2	—	1	—	—	—	1	—	—	—	—	
			F	2	—	—	—	2	—	—	—	—	3	—	—	—	1	—	2	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	35	8	11	12	4	—	—	—	—	22	4	7	9	2	—	—	—	—	
			F	37	4	11	18	3	—	1	—	—	19	4	10	4	1	—	—	—	—	
4	Scarlet fever	...	M	6	—	1	2	3	—	—	—	—	2	—	—	1	1	—	—	—	—	
			F	5	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	...	M	120	43	39	35	3	—	—	—	—	9	3	2	4	—	—	—	—	—	
			F	155	51	59	37	8	—	—	—	—	20	4	5	10	1	—	—	—	—	
6	Diphtheria and croup	...	M	72	3	8	25	36	—	—	—	—	5	—	1	1	3	—	—	—	—	
			F	87	2	3	29	51	1	1	—	—	6	—	1	1	4	—	—	—	—	
7	Influenza	...	M	966	30	37	76	92	103	360	203	65	125	1	3	5	14	7	51	32	12	
			F	1,220	16	36	76	129	206	477	168	112	227	2	3	12	13	44	81	49	23	
8	Erysipelas	...	M	12	2	—	1	—	—	1	5	3	—	—	—	—	—	—	—	—	—	
			F	9	—	—	—	1	—	2	3	3	1	—	—	—	—	—	—	—	1	
9	Pulmonary tuberculosis		M	707	3	5	7	28	67	353	221	23	60	—	1	1	6	7	21	22	2	
			F	467	—	5	3	27	110	225	89	8	71	—	1	1	4	16	34	12	3	
10	Tuberculous meningitis		M	38	10	8	7	9	2	1	1	—	11	3	2	3	2	—	1	—	—	
			F	38	6	6	11	10	4	1	—	—	6	2	—	1	2	—	1	—	—	
11	Other tuberculous diseases.		M	84	7	2	13	19	11	19	7	6	12	5	2	2	—	—	2	1	—	
			F	56	6	5	8	12	8	7	7	3	11	1	1	2	2	1	2	2	—	
12	Cancer, malignant disease		M	396	—	1	2	2	1	28	231	131	45	—	—	—	—	1	2	23	19	
			F	494	—	1	1	3	4	70	240	175	89	—	—	1	—	—	9	56	23	
13	Rheumatic fever	...	M	16	—	—	2	9	1	—	4	—	2	—	—	1	—	1	—	—	—	
			F	19	—	—	—	8	6	5	—	—	6	—	—	—	1	1	—	3	1	
14	Meningitis	...	M	46	16	5	12	11	—	1	—	1	9	2	1	2	4	—	—	—	—	
			F	45	10	11	7	13	1	2	1	—	13	2	1	5	3	1	1	—	—	
15	Organic heart disease	...	M	502	—	—	3	8	14	67	188	222	65	—	—	—	1	4	7	24	29	
			F	611	—	2	—	14	20	93	161	321	95	—	—	—	2	2	15	30	46	
16	Bronchitis	...	M	588	61	20	16	6	4	34	172	275	89	12	5	5	1	—	3	34	29	
			F	506	50	23	14	3	5	38	104	269	103	11	5	4	3	1	6	31	42	
17	Pneumonia (all forms)		M	657	104	99	96	44	30	79	135	70	137	11	12	15	15	6	19	42	17	
			F	629	84	96	120	47	40	102	67	73	141	9	13	17	8	7	32	25	30	
18	Other respiratory diseases		M	91	2	2	9	3	2	13	38	22	32	—	1	2	2	—	4	9	14	
			F	56	8	3	2	3	3	5	18	14	6	—	3	—	—	2	—	1	—	
19	Diarrhoea, &c.	...	M	250	150	36	11	3	3	6	13	28	21	15	—	1	1	—	1	1	2	
			F	194	104	24	15	3	1	8	15	24	10	5	—	1	—	—	—	3	1	
20	Appendicitis and typhlitis		M	27	—	—	4	7	4	4	6	2	1	—	—	—	1	—	—	—	—	
			F	35	—	—	1	7	12	8	5	2	6	—	—	—	—	3	1	1	1	
21	Cirrhosis of liver	...	M	25	—	—	—	—	—	—	17	8	5	—	—	—	—	—	5	—	—	
			F	8	—	—	—	—	—	1	4	3	2	—	—	—	—	—	1	1	—	
21A	Alcoholism	...	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.		M	150	2	—	2	4	7	19	72	44	23	—	—	—	3	1	7	4	8	
			F	100	—	1	4	3	4	20	40	28	31	—	—	—	—	2	4	15	10	
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	27	—	—	—	—	4	22	1	—	3	—	—	—	—	2	1	—	—	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	22	—	—	—	—	3	19	—	—	6	—	—	—	—	—	6	—	—	
25	Congenital debility, &c.		M	340	334	2	1	2	1	—	—	—	36	35	—	—	1	—	—	—	—	
			F	272	268	1	1	1	1	—	—	—	33	33	—	—	—	—	—	—	—	
26	Violence, apart from suicide.		M	195	18	7	26	38	12	22	46	26	36	1	—	1	7	3	4	16	4	
			F	118	23	7	14	19	5	9	15	26	21	—	1	1	8	—	3	3	5	
27	Suicide	...	M	31	—	—	—	—	2	9	18	2	8	—	—	—	—	—	1	7	—	
			F	27	—	—	—	—	3	11	10	3	1	—	—	—	—	1	—	—	—	
28	Other defined diseases	...	M	1,326	139	29	19	32	35	131	362	579	233	14	6	2	2	8	18	70	113	
			F	1,230	116	23	17	26	41	116	278	613	245	14	7	1	5	7	30	61	120	
29	Causes ill-defined or unknown.		M	33	1	1	3	—	2	5	16	5	8	—	—	—	—	—	—	6	2	
			F	26	2	2	4	—	1	5	10	2	9	—	—	—	—	1	—	5	3	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	BLACKPOOL.										BOLTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	510	61	12	16	13	23	65	178	142	1,358	149	52	81	79	86	192	363	356		
	F	569	27	14	15	20	45	112	141	195	1,443	143	50	75	83	106	237	344	405		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	1	2	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	12	1	8	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	4	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough	M	5	3	—	1	1	—	—	—	—	34	16	7	11	—	—	—	—	—		
	F	5	1	2	2	—	—	—	—	—	51	19	14	15	3	—	—	—	—		
6 Diphtheria and croup ...	M	3	1	—	1	1	—	—	—	—	9	—	—	4	5	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	18	—	—	9	9	—	—	—	—		
7 Influenza ...	M	55	1	—	1	4	5	19	17	8	172	4	7	14	22	20	51	35	19		
	F	75	—	1	1	5	20	34	8	6	211	3	2	11	26	39	63	42	25		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	42	—	—	1	—	5	18	16	2	103	2	—	1	4	20	43	28	5		
	F	51	1	1	—	—	11	28	8	2	94	—	—	1	9	27	43	11	3		
10 Tuberculous meningitis	M	2	1	—	—	1	—	—	—	—	8	1	1	3	3	—	—	—	—		
	F	7	—	1	2	2	1	—	1	—	9	2	—	2	2	1	2	—	—		
11 Other tuberculous diseases.	M	7	1	—	1	—	2	—	3	—	17	1	2	3	4	2	2	2	1		
	F	8	—	—	—	2	2	1	3	—	22	—	2	5	4	5	4	1	1		
12 Cancer, malignant disease	M	42	—	—	—	—	—	2	25	15	86	—	—	—	—	10	49	27	—		
	F	62	—	—	—	1	1	7	28	25	105	—	—	—	—	13	55	36	—		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	2	1	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	1	1	—		
14 Meningitis ...	M	3	1	—	—	2	—	—	—	—	12	2	2	2	6	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	6	1	2	—	1	—	1	—	1		
15 Organic heart disease ...	M	39	—	—	—	—	2	5	15	17	93	—	—	—	1	8	6	45	33		
	F	50	—	—	—	1	2	5	14	28	117	—	—	—	1	4	28	40	44		
16 Bronchitis ...	M	36	6	1	1	—	1	1	12	14	158	10	7	5	3	1	13	41	78		
	F	48	1	1	1	1	—	4	10	30	166	10	7	1	2	—	5	51	90		
17 Pneumonia (all forms)	M	41	3	2	7	1	3	7	12	6	143	19	14	21	10	9	19	34	17		
	F	34	2	1	2	3	4	6	11	5	135	19	12	17	13	8	21	30	15		
18 Other respiratory diseases	M	8	—	—	—	1	—	—	5	2	15	1	—	—	—	—	1	6	7		
	F	3	—	—	—	—	—	1	—	2	15	—	—	2	1	1	3	7	1		
19 Diarrhoea, &c. ...	M	5	2	—	—	—	—	—	1	2	40	20	3	2	—	1	3	7	4		
	F	4	1	1	—	—	—	—	—	2	25	14	2	3	1	—	2	—	3		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	—	—	1	4	—	—	1	1	1	—	1	—		
	F	2	—	—	—	—	—	1	1	—	5	—	—	—	1	2	1	—	1		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	7	—	—	—	—	—	—	3	4		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	4	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	19	1	—	—	—	2	—	10	6	46	—	—	—	3	3	8	18	14		
	F	22	—	—	—	—	—	3	12	7	27	2	—	—	—	1	5	12	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	10	—	—	—	—	—	10	—	—		
25 Congenital debility, &c.	M	28	—	—	—	—	—	1	—	—	43	41	—	—	2	—	—	—	—		
	F	15	14	—	—	1	—	—	—	—	58	57	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	6	—	—	—	—	—	1	3	2	42	—	—	2	5	8	11	12	4		
	F	8	1	1	—	1	—	1	1	3	22	2	—	2	3	2	2	2	9		
27 Suicide ...	M	3	—	—	—	—	—	—	3	—	8	—	—	—	—	—	2	6	—		
	F	4	—	—	—	—	—	2	2	—	5	—	—	—	—	—	3	2	—		
28 Other defined diseases ...	M	138	13	1	—	2	2	8	48	64	306	31	8	10	9	11	21	73	143		
	F	146	5	3	4	—	2	10	39	83	320	14	8	5	5	13	24	84	167		
29 Causes ill-defined or unknown.	M	10	—	—	—	—	—	2	6	2	3	1	—	1	—	—	—	1	—		
	F	10	—	1	—	1	—	3	3	2	4	—	1	1	—	—	1	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	BOOTLE.										BOURNEMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	746	121	44	51	60	56	141	162	111	469	37	11	11	14	18	84	103	191		
	F	690	91	54	75	51	48	133	107	131	596	22	3	14	17	30	98	136	276		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	1	1	3	—	—	—	—	—	7	2	3	2	—	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	7	1	1	3	2	—	—	—	—		
4 Scarlet fever ...	M	12	—	2	4	5	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	1	7	3	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	12	4	3	5	—	—	—	—	—	4	2	1	1	—	—	—	—	—		
	F	13	3	5	5	—	—	—	—	—	4	—	1	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	11	1	1	5	4	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	12	—	—	7	5	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza ...	M	123	3	3	10	20	18	44	19	6	40	2	—	2	3	4	15	8	6		
	F	119	—	5	17	12	20	49	10	6	67	1	—	2	6	12	34	4	8		
8 Erysipelas ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	74	—	—	2	6	11	38	15	2	66	—	—	—	1	6	41	14	4		
	F	58	—	—	3	8	13	22	11	1	37	—	—	—	2	5	20	10	—		
10 Tuberculous meningitis	M	11	2	2	2	4	1	—	—	—	3	—	—	—	1	—	2	—	—		
	F	7	—	3	2	2	—	—	—	—	1	—	1	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	8	1	1	—	2	1	2	1	—	9	2	1	—	1	2	2	1	—		
	F	7	1	—	—	1	1	2	1	1	5	1	—	—	—	—	3	1	—		
12 Cancer, malignant disease	M	28	—	—	—	—	—	3	20	5	29	—	—	—	1	—	1	11	16		
	F	44	—	—	—	—	—	9	22	13	82	—	—	—	—	—	3	38	41		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1		
14 Meningitis ...	M	6	1	—	1	1	1	2	—	—	1	—	—	—	—	—	—	1	—		
	F	7	2	—	2	1	1	—	1	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	40	—	—	—	3	5	4	13	15	49	1	—	—	—	1	3	17	27		
	F	31	—	—	1	2	1	5	6	16	73	—	—	—	—	1	8	15	49		
16 Bronchitis ...	M	58	14	3	1	1	—	2	13	24	26	3	1	1	—	—	1	2	18		
	F	42	9	—	2	—	—	1	9	21	32	—	—	—	—	—	1	1	30		
17 Pneumonia (all forms)	M	126	21	19	11	8	9	20	24	14	30	1	4	4	3	—	7	2	9		
	F	103	13	25	17	10	5	14	9	10	34	4	—	1	3	4	5	7	10		
18 Other respiratory diseases	M	4	—	—	—	—	—	1	1	2	9	—	—	1	—	2	2	2	2		
	F	7	—	—	1	—	—	3	1	2	14	1	—	—	1	—	4	8	8		
19 Diarrhoea, &c. ...	M	29	20	3	2	—	1	—	—	3	5	2	1	—	—	—	—	—	2		
	F	28	14	8	3	—	—	—	1	2	6	2	—	—	—	—	—	1	3		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	8	—	—	—	—	—	—	5	3		
	F	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	1	3		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	—	1	—	—	—	1	8	4	16	—	—	—	—	1	1	5	9		
	F	15	—	—	—	1	—	7	6	1	14	—	—	—	—	—	2	3	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	7	—	—	—	—	2	4	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	2	3	—	—		
25 Congenital debility, &c.	M	30	30	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
	F	32	31	1	—	—	—	—	—	—	9	8	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	29	1	2	2	3	4	6	8	3	14	—	—	—	2	2	1	2	7		
	F	7	—	1	2	1	—	—	—	3	6	—	—	—	—	—	1	2	3		
27 Suicide ...	M	2	—	—	—	—	—	1	1	—	6	—	—	—	—	—	2	4	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1		
29 Other defined diseases ...	M	108	22	1	2	2	3	13	35	30	129	9	—	—	1	—	5	27	87		
	F	127	18	4	4	3	3	13	28	54	179	4	—	4	2	3	13	44	109		
28 Causes ill-defined or unknown.	M	9	—	2	1	1	—	2	1	2	—3	1	—	—	—	—	—	2	—		
	F	4	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	BRADFORD.									BRIGHTON.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	2,401	286	101	139	112	103	331	724	605	1027	89	34	39	49	61	168	270	317
	F	2,572	200	81	144	135	180	441	599	792	1145	59	35	41	73	99	206	223	409
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	55	6	18	26	5	—	—	—	—	7	—	—	3	4	—	—	—	—
	F	56	12	10	28	6	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—
5 Whooping cough ...	M	44	18	13	9	4	—	—	—	—	9	5	2	2	—	—	—	—	—
	F	41	14	15	12	—	—	—	—	—	8	2	5	1	—	—	—	—	—
6 Diphtheria and croup ...	M	17	1	1	7	7	—	—	1	—	5	—	—	—	4	—	—	1	—
	F	25	—	1	9	14	—	1	—	—	10	—	—	2	8	—	—	—	—
7 Influenza... ..	M	322	15	8	31	26	31	87	94	30	145	2	11	9	16	17	50	29	11
	F	407	1	13	27	35	63	144	77	47	222	—	6	17	24	44	88	22	21
8 Erysipelas ...	M	5	—	—	—	—	—	—	1	4	2	2	—	—	—	—	—	—	—
	F	9	1	—	—	—	—	1	2	5	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	172	3	4	—	6	26	70	57	6	136	—	1	—	8	24	56	41	6
	F	202	3	—	1	13	60	77	41	7	92	1	—	—	12	26	41	9	3
10 Tuberculous meningitis	M	16	1	2	8	4	1	—	—	—	9	—	2	2	2	3	—	—	—
	F	12	2	1	4	3	1	1	—	—	8	1	1	2	1	2	1	—	—
11 Other tuberculous diseases.	M	31	2	3	4	4	4	9	4	1	9	—	3	2	1	1	2	—	—
	F	24	3	—	2	6	6	3	3	1	19	—	1	2	2	2	7	1	4
12 Cancer, malignant disease	M	145	—	—	1	—	—	6	82	56	88	—	—	1	—	1	4	51	31
	F	232	—	—	—	—	1	27	125	79	119	—	—	—	—	—	12	63	44
13 Rheumatic fever ...	M	7	—	—	—	4	—	2	1	—	1	—	—	—	1	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	2	—	—	—	—	2	—	—	—
14 Meningitis ...	M	15	2	1	2	2	1	4	3	—	8	2	1	1	1	—	1	2	—
	F	14	4	—	3	3	2	2	—	—	4	1	—	1	2	—	—	—	—
15 Organic heart disease ...	M	186	—	—	—	2	6	21	81	76	88	—	—	—	—	—	10	26	52
	F	267	—	1	1	2	7	37	95	124	99	—	—	1	1	2	14	28	53
16 Bronchitis ...	M	204	21	5	5	2	1	9	48	113	51	9	—	—	—	1	—	6	35
	F	233	16	8	2	2	2	14	42	147	83	4	6	1	—	1	1	13	57
17 Pneumonia (all forms)	M	232	33	33	25	12	7	30	62	30	99	14	6	8	2	3	16	24	26
	F	196	11	20	31	21	16	34	31	32	93	9	6	11	12	8	19	10	18
18 Other respiratory diseases	M	28	—	1	1	3	1	2	15	5	17	2	—	3	—	—	2	2	8
	F	18	—	2	1	1	—	5	1	8	15	1	—	—	1	1	2	5	5
19 Diarrhoea, &c. ...	M	42	26	3	4	1	1	1	4	2	23	4	5	3	—	1	—	4	6
	F	46	9	4	4	1	—	3	11	14	16	6	1	1	—	—	2	1	5
20 Appendicitis and typhlitis	M	7	—	—	—	2	2	1	2	—	3	—	—	1	2	—	—	—	—
	F	9	—	—	—	3	1	2	3	—	1	—	—	—	—	—	—	—	1
21 Cirrhosis of liver ...	M	17	—	—	—	—	—	—	14	3	5	—	—	—	—	—	1	4	—
	F	7	—	—	—	—	—	—	5	2	4	—	—	—	—	—	—	2	2
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	84	—	—	3	4	2	12	39	24	16	—	—	1	—	1	2	5	7
	F	46	—	—	2	2	2	14	15	11	19	—	—	—	1	1	1	5	11
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	96	91	1	1	2	—	—	1	—	27	27	—	—	—	—	—	—	—
	F	75	75	—	—	—	—	—	—	—	22	21	—	—	—	1	—	—	—
26 Violence, apart from suicide.	M	66	—	2	3	9	6	16	18	12	26	2	—	—	4	—	6	8	6
	F	40	2	—	8	3	2	3	4	18	15	—	1	1	—	2	—	—	11
27 Suicide ...	M	17	—	—	—	—	1	5	6	5	7	—	—	—	—	—	3	3	1
	F	12	—	—	—	—	1	7	3	1	2	—	—	—	—	—	1	—	1
28 Other defined diseases ...	M	567	67	6	9	12	12	54	178	229	240	19	1	3	4	9	14	63	127
	F	560	46	5	8	19	11	50	129	292	281	12	7	1	6	6	13	63	173
29 Causes ill-defined or unknown.	M	25	—	—	—	—	1	2	13	9	6	1	2	—	—	—	1	1	1
	F	19	1	1	1	—	—	2	10	4	2	1	1	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	BRISTOL.									BURNLEY.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	2,747	313	160	173	146	160	455	666	674	795	99	40	54	47	48	90	235	182
	F	3,048	238	116	152	136	273	598	574	961	912	85	42	41	47	62	185	227	223
1 Enteric fever ...	M	4	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	2	3	1	1	—	—	—	—	1	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	118	16	57	36	9	—	—	—	—	18	7	5	6	—	—	—	—	—
	F	89	14	35	35	5	—	—	—	—	19	4	8	5	2	—	—	—	—
4 Scarlet fever ...	M	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—
5 Whooping cough ...	M	33	7	12	11	3	—	—	—	—	11	2	3	6	—	—	—	—	—
	F	39	12	13	11	3	—	—	—	—	14	6	2	5	1	—	—	—	—
6 Diphtheria and croup ...	M	15	1	1	7	6	—	—	—	—	5	—	—	2	3	—	—	—	—
	F	17	1	3	3	9	1	—	—	—	4	—	—	1	2	1	—	—	—
7 Influenza ...	M	455	11	14	34	40	53	151	112	40	119	7	1	13	14	21	23	29	11
	F	572	9	16	37	28	112	252	75	43	150	3	3	7	16	19	57	31	14
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	241	—	3	3	13	48	106	58	10	46	—	—	—	1	10	18	14	3
	F	271	2	2	3	22	76	127	30	9	61	—	—	—	1	23	27	9	1
10 Tuberculous meningitis	M	21	3	3	6	5	2	2	—	—	4	1	—	2	1	—	—	—	—
	F	13	—	1	4	3	4	1	—	—	4	—	1	—	2	1	—	—	—
11 Other tuberculous diseases.	M	33	1	5	5	11	3	4	3	1	18	2	—	3	6	3	—	4	—
	F	30	2	2	5	4	7	7	2	1	24	5	—	2	5	4	4	4	—
12 Cancer, malignant disease	M	185	—	—	1	1	—	9	86	88	45	—	—	—	1	—	2	26	16
	F	253	—	—	—	—	1	22	117	113	65	—	—	—	—	—	6	41	18
13 Rheumatic fever ...	M	5	—	—	—	2	1	1	1	—	2	—	—	—	—	1	1	—	—
	F	4	—	—	—	2	—	1	1	—	2	—	—	—	—	—	1	1	—
14 Meningitis ...	M	22	5	2	7	4	3	—	1	—	9	1	—	2	2	1	1	2	—
	F	18	—	1	2	10	1	3	1	—	4	1	1	1	—	1	—	—	—
15 Organic heart disease ...	M	231	—	1	1	7	5	29	80	108	73	—	—	—	2	1	8	33	29
	F	319	—	1	—	4	8	30	94	182	103	—	1	—	—	2	28	30	42
16 Bronchitis ...	M	132	17	7	4	—	—	7	27	70	106	7	12	2	2	2	6	39	36
	F	171	12	1	6	1	3	4	33	111	89	9	7	2	1	—	6	26	38
17 Pneumonia (all forms)...	M	299	41	38	34	18	14	55	59	40	75	12	11	12	6	3	11	12	8
	F	268	34	34	28	20	24	51	36	41	73	13	8	11	8	3	13	12	5
18 Other respiratory diseases	M	34	3	—	1	2	1	7	9	11	3	—	—	—	—	—	—	2	1
	F	25	—	1	1	2	2	4	6	9	7	—	—	1	—	—	1	3	2
19 Diarrhoea, &c. ...	M	62	38	7	2	2	1	3	4	5	19	6	2	3	2	—	—	4	2
	F	51	29	3	—	—	—	6	6	7	14	6	1	1	1	1	—	1	3
20 Appendicitis and typhlitis	M	5	—	—	1	—	—	2	1	1	1	—	—	—	1	—	—	—	—
	F	6	—	—	—	1	2	2	1	—	5	—	—	—	2	1	1	1	—
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	1	1
	F	5	—	—	—	—	—	—	4	1	2	—	—	—	—	—	1	—	1
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	53	1	—	1	1	2	4	31	13	31	1	—	—	2	1	4	18	5
	F	40	—	—	—	2	4	9	13	12	11	—	—	—	—	1	4	3	3
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	1	9	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	2	17	—	—	9	—	—	—	—	—	9	—	—
25 Congenital debility, &c.	M	113	112	—	—	—	—	—	1	—	27	26	—	1	—	—	—	—	—
	F	84	82	—	—	2	—	—	—	—	24	21	3	—	—	—	—	—	—
26 Violence, apart from suicide.	M	84	3	5	9	11	9	15	19	13	15	—	3	1	1	3	4	3	—
	F	32	—	—	4	7	5	1	8	7	10	—	—	2	3	—	2	—	3
27 Suicide ...	M	12	—	—	—	—	—	3	8	—	6	—	—	—	—	—	1	4	1
	F	10	—	—	—	—	4	4	1	1	5	—	—	—	—	1	3	—	1
28 Other defined diseases ...	M	578	54	5	8	9	16	55	160	271	157	27	3	1	3	2	11	41	69
	F	687	41	2	11	9	16	46	142	420	202	17	6	3	2	2	21	60	91
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—
	F	5	—	—	1	1	—	—	1	2	4	—	—	—	1	—	—	3	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	BURTON-UPON-TRENT.								BURY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...		M	419	50	14	29	41	15	56	106	108	484	55	15	21	19	17	77	152	128
		F	398	28	15	32	27	40	81	72	103	494	27	17	22	30	32	72	130	164
1	Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ...	M	9	1	3	3	2	—	—	—	—	6	2	3	1	—	—	—	—	—
		F	7	1	4	2	—	—	—	—	—	5	2	2	1	—	—	—	—	—
4	Scarlet fever ...	M	5	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	6	1	1	3	1	—	—	—	—	5	2	1	2	—	—	—	—	—
		F	9	4	3	2	—	—	—	—	—	3	—	2	—	1	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	5	—	—	3	2	—	—	—	—
		F	4	1	—	3	—	—	—	—	—	6	—	—	3	2	1	—	—	—
7	Influenza ...	M	93	4	2	12	17	9	23	15	11	69	2	1	2	6	8	19	24	7
		F	119	3	3	13	13	22	37	16	12	76	—	3	2	6	8	29	18	10
8	Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	35	—	1	—	1	2	12	18	1	38	—	—	—	1	5	20	11	1
		F	35	—	—	1	3	11	16	3	1	34	—	—	—	4	12	9	7	2
10	Tuberculous meningitis	M	7	2	1	3	1	—	—	—	—	2	1	—	—	1	—	—	—	—
		F	3	1	—	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—
11	Other tuberculous diseases.	M	3	—	—	—	1	—	1	1	—	2	—	—	—	1	—	—	1	—
		F	7	—	—	—	2	2	2	1	—	10	1	—	2	2	—	3	—	—
12	Cancer, malignant disease	M	27	—	—	—	—	—	—	16	11	27	—	—	—	—	—	1	16	10
		F	22	—	—	—	—	—	3	10	9	40	—	—	—	—	—	3	24	13
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
14	Meningitis ...	M	1	—	—	—	—	—	1	—	—	5	1	1	2	1	—	—	—	—
		F	2	—	1	—	—	1	—	—	—	3	—	—	1	1	—	—	1	—
15	Organic heart disease ...	M	26	—	—	—	1	—	2	12	11	69	—	—	—	—	1	12	32	24
		F	37	—	—	—	1	1	2	15	18	71	—	—	—	—	2	4	29	36
16	Bronchitis ...	M	24	6	3	1	—	1	—	2	11	32	3	—	—	—	—	—	16	13
		F	17	1	1	1	—	—	—	1	13	37	1	2	1	1	—	2	6	24
17	Pneumonia (all forms)	M	27	6	1	2	3	1	4	8	2	60	16	7	9	4	2	8	13	1
		F	16	3	2	3	1	1	2	3	1	43	3	5	5	8	1	6	10	5
18	Other respiratory diseases	M	6	1	—	1	—	—	—	2	2	2	—	—	—	—	—	1	—	1
		F	7	—	—	—	—	—	2	1	4	5	—	1	—	—	—	1	2	1
19	Diarrhoea, &c. ...	M	6	3	—	—	1	—	—	—	2	13	5	—	—	—	—	1	2	5
		F	4	—	—	—	1	—	—	1	2	11	1	—	4	—	—	3	3	3
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	2	2	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
21A	Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	9	—	—	—	—	1	—	4	4	13	—	1	1	—	—	1	8	2
		F	9	—	—	—	—	—	3	4	2	9	—	—	—	—	1	3	3	2
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	4	—	—
25	Congenital debility, &c.	M	17	17	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
		F	13	11	1	—	1	—	—	—	—	13	12	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	7	—	1	1	1	—	1	2	1	9	—	—	—	2	—	1	2	4
		F	5	—	—	1	1	—	1	1	1	10	2	—	—	1	—	1	3	3
27	Suicide ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	104	9	1	3	5	—	10	25	51	99	6	—	1	1	1	10	21	59
		F	72	3	—	3	3	2	6	15	40	99	5	2	—	1	4	7	17	63
29	Causes ill-defined or unknown.	M	2	—	—	—	—	1	1	—	—	4	—	1	—	—	—	1	2	—
		F	3	—	—	1	—	—	1	1	—	2	—	—	—	—	—	—	1	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	CANTERBURY.										CARLISLE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	186	17	5	9	6	13	28	44	64	422	72	19	10	15	25	68	105	108		
	F	222	7	8	11	17	14	36	38	91	439	63	17	17	24	26	65	97	130		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	1	1	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—		
	F	5	—	—	1	4	—	—	—	—	4	2	—	2	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	9	6	2	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	27	16	6	4	1	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	2	—	—	1	1	—	—	—	—	3	—	—	1	2	—	—	—	—		
7 Influenza ...	M	32	—	1	2	2	4	14	5	4	46	1	2	3	2	7	16	10	5		
	F	42	—	1	2	4	9	17	6	3	72	1	3	3	5	17	26	9	8		
8 Erysipelas ...	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	14	—	1	—	—	2	4	6	1	28	—	—	—	2	5	16	5	—		
	F	10	—	—	1	—	2	6	1	—	22	—	—	—	—	1	12	8	1		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	5	1	—	—	3	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	4	1	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	2	—	—	—	—	—	3	2	—	—	—	—	1	—	—		
	F	2	—	1	—	—	—	—	1	—	5	—	—	—	—	1	4	—	—		
12 Cancer, malignant disease	M	13	—	—	—	—	—	2	5	6	33	—	—	—	1	1	3	17	11		
	F	22	—	—	—	1	—	3	8	10	37	—	—	—	—	—	4	18	15		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	1	1	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	1	—		
14 Meningitis ...	M	1	—	—	—	—	1	—	—	—	2	—	1	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	14	—	—	—	—	—	1	5	8	46	—	—	—	—	—	6	17	23		
	F	27	—	—	—	—	—	—	4	23	41	—	—	—	—	2	3	12	24		
16 Bronchitis ...	M	15	2	—	1	—	—	—	4	8	26	9	1	1	—	—	2	4	9		
	F	21	2	—	—	1	—	1	2	15	25	4	2	—	1	—	—	7	11		
17 Pneumonia (all forms)	M	14	—	1	2	—	—	2	5	4	36	9	4	2	3	3	6	4	5		
	F	13	—	3	2	2	—	1	4	1	32	6	3	7	3	1	3	6	3		
18 Other respiratory diseases	M	4	—	—	—	1	—	—	—	3	7	1	—	—	—	1	—	3	2		
	F	3	—	—	1	1	—	—	1	—	3	—	—	—	—	—	1	—	2		
19 Diarrhoea, &c. ...	M	3	—	—	1	1	—	—	—	1	13	6	3	—	—	—	2	—	2		
	F	5	1	1	2	—	—	—	—	1	15	9	1	—	1	—	1	2	1		
20 Appendicitis and typhlitis	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	1	—	—	2	2	15	—	—	1	1	1	4	6	2		
	F	—	—	—	—	—	—	—	—	—	15	—	—	—	2	1	2	3	7		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—		
25 Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	16	15	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	6	—	—	—	—	1	1	4	—	15	1	2	—	—	3	4	4	1		
	F	2	—	—	—	1	—	—	—	1	7	1	1	—	3	—	—	—	2		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	46	4	1	—	1	2	4	7	27	94	13	3	—	—	1	6	27	44		
	F	61	3	2	—	1	1	7	10	37	99	7	—	—	1	1	6	28	56		
29 Causes ill-defined or unknown.	M	2	1	—	—	—	—	—	1	—	7	—	1	—	—	—	1	3	2		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	CHESTER.									COVENTRY.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	334	39	25	13	16	12	65	80	84	989	145	47	50	57	60	207	234	189
	F	331	27	14	13	15	27	77	84	74	962	114	29	52	49	101	218	169	230
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	6	2	3	1	—	—	—	—	—	8	2	4	1	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	1	2	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	4	—	2	2	—	—	—	—	—	5	2	1	2	—	—	—	—	—
	F	7	2	4	1	—	—	—	—	—	7	1	3	2	1	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	11	2	1	4	4	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	8	—	1	5	2	—	—	—	—
7 Influenza ...	M	49	—	4	3	6	2	16	13	5	217	4	12	17	14	30	98	32	10
	F	53	—	1	1	8	13	19	10	1	239	5	3	21	20	46	103	28	13
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	2
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
9 Pulmonary tuberculosis	M	30	—	—	—	1	4	14	10	1	99	—	—	1	2	10	49	34	3
	F	27	—	—	1	1	6	13	4	2	90	—	—	—	4	25	40	16	5
10 Tuberculous meningitis	M	4	2	2	—	—	—	—	—	—	12	1	3	3	4	1	—	—	—
	F	2	—	1	—	—	—	1	—	—	10	3	—	4	1	1	1	—	—
11 Other tuberculous diseases.	M	4	—	—	1	1	—	1	—	1	13	1	2	2	3	3	2	—	—
	F	1	—	—	—	1	—	—	—	—	7	—	1	1	—	2	2	1	—
12 Cancer, malignant disease	M	23	—	—	—	—	—	3	10	10	56	—	—	—	—	—	4	34	18
	F	23	—	—	—	—	—	1	16	6	59	1	—	—	1	—	7	28	22
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	4	—	—	—	1	1	1	1	—
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	2	1	1	—	—
14 Meningitis ...	M	1	—	1	—	—	—	—	—	—	7	2	1	—	2	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	5	3	1	—	—	—	1	—	—
15 Organic heart disease ...	M	31	—	—	—	—	1	6	8	16	63	—	—	—	1	2	6	29	25
	F	25	—	—	—	—	1	6	8	10	75	—	—	—	1	3	10	27	34
16 Bronchitis ...	M	15	2	1	—	1	—	—	4	7	64	12	2	—	1	—	4	19	26
	F	13	1	—	—	—	—	—	4	8	63	8	4	1	—	1	3	15	31
17 Pneumonia (all forms)	M	49	5	9	3	4	4	12	7	5	111	17	18	11	10	8	19	20	8
	F	66	4	4	7	2	4	22	11	12	77	15	12	10	7	8	10	7	8
18 Other respiratory diseases	M	8	—	—	1	—	—	2	4	1	7	—	—	—	1	—	1	2	3
	F	1	—	—	—	—	—	—	1	—	8	—	—	—	—	1	1	3	3
19 Diarrhoea, &c. ...	M	6	6	—	—	—	—	—	—	—	20	16	1	—	—	—	—	1	2
	F	8	4	—	—	1	—	1	1	1	16	11	1	—	—	—	—	1	3
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
	F	2	—	—	—	1	—	1	—	—	6	—	—	1	2	1	1	1	—
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	5	—	—	1	—	1	1	1	1	14	—	—	—	1	2	1	7	3
	F	11	—	—	—	—	—	—	6	5	16	1	—	—	2	1	3	5	4
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	3	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	8	—	—	—	—	1	7	—	—
25 Congenital debility, &c.	M	15	15	—	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—
	F	10	9	—	1	—	—	—	—	—	51	51	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	6	—	—	—	—	—	3	2	1	19	2	—	3	2	—	4	4	4
	F	5	—	—	—	—	—	2	3	—	14	—	—	3	1	—	3	5	2
27 Suicide ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
28 Other defined diseases ...	M	75	7	3	—	2	—	7	21	35	183	23	2	5	7	2	15	46	83
	F	68	7	3	—	1	3	6	19	29	182	15	3	3	4	6	17	29	105
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.			Sex.	CROYDON.										DARLINGTON.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,097	114	40	56	57	47	192	232	359	550	90	31	32	27	21	93	119	137		
			F	1,403	87	47	66	79	106	261	279	478	459	60	23	20	34	42	83	89	108		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	11	1	4	6	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
			F	18	—	8	5	4	1	—	—	—	2	—	1	1	—	—	—	—	—		
4 Scarlet fever	M	3	—	—	—	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
			F	4	—	—	1	2	1	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	M	15	7	4	1	3	—	—	—	—	8	6	1	1	—	—	—	—	—		
			F	21	9	5	7	—	—	—	—	—	8	1	2	3	2	—	—	—	—		
6 Diphtheria and croup	M	12	1	2	3	6	—	—	—	—	9	—	—	5	3	1	—	—	—		
			F	11	—	1	3	7	—	—	—	—	3	—	1	—	2	—	—	—	—		
7 Influenza	M	186	7	7	21	16	18	66	32	19	84	2	6	8	7	10	20	21	10		
			F	291	2	11	19	34	60	109	26	30	94	3	3	5	9	25	30	14	5		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	4	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	113	1	1	2	5	15	55	28	6	38	—	—	—	3	3	18	14	—		
			F	123	—	—	3	10	29	50	25	6	29	—	—	—	5	3	14	6	1		
10 Tuberculous meningitis	M	10	2	2	2	3	—	—	1	—	7	1	1	1	4	—	—	—	—		
			F	14	1	3	5	4	1	—	—	—	7	1	1	1	3	—	1	—	—		
11 Other tuberculous diseases.	M	14	2	1	2	5	2	1	1	—	11	—	1	2	1	—	4	2	1		
			F	12	1	1	2	2	1	2	2	1	8	—	1	1	4	1	1	—	—		
12 Cancer, malignant disease	M	83	—	—	—	—	1	9	33	40	27	—	—	—	—	—	5	11	11		
			F	155	—	—	—	—	—	18	70	67	33	—	—	—	—	—	2	14	17		
13 Rheumatic fever	M	3	—	—	—	—	—	2	1	—	3	—	—	—	1	1	1	—	—		
			F	1	—	—	—	—	—	—	1	—	2	—	1	—	—	1	—	—	—		
14 Meningitis	M	5	—	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—		
			F	6	2	2	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—		
15 Organic heart disease	M	73	—	—	—	—	3	3	22	45	36	—	—	—	—	—	4	12	20		
			F	132	—	—	—	2	1	18	29	82	33	—	—	—	1	1	3	11	17		
16 Bronchitis	M	45	4	3	1	—	—	1	6	30	21	6	3	1	—	—	1	2	8		
			F	73	7	4	4	—	1	—	12	45	16	3	1	—	1	—	1	2	8		
17 Pneumonia (all forms)	M	85	16	10	5	4	2	13	14	21	63	12	10	6	4	3	14	7	7		
			F	68	8	7	9	3	6	12	16	7	38	7	1	3	2	5	7	7	6		
18 Other respiratory diseases	M	18	—	—	1	1	—	2	6	8	10	—	—	—	—	—	3	6	1		
			F	17	1	—	2	1	—	1	2	10	7	—	—	—	—	—	4	1	2		
19 Diarrhoea, &c.	M	20	11	1	1	—	—	1	3	3	20	9	5	4	—	—	2	—	—		
			F	21	8	2	1	—	—	2	1	7	10	6	1	2	1	—	—	—	—		
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	1	2	1	1	—	—	—	—	—	—	—	1		
			F	7	—	—	—	2	2	1	1	1	2	—	—	—	1	1	—	—	—		
21 Cirrhosis of liver	M	7	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
21a Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	19	—	—	—	1	1	3	5	9	8	—	—	—	1	—	1	2	4		
			F	27	—	—	—	2	—	3	8	14	12	—	—	1	—	1	3	6	1		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	45	45	—	—	—	—	—	—	—	37	36	—	—	1	—	—	—	—		
			F	29	29	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	27	1	—	5	2	—	4	5	10	16	1	—	2	—	2	2	3	6		
			F	20	—	2	—	1	1	2	4	10	9	1	2	1	2	1	2	—	—		
27 Suicide	M	9	—	—	—	—	—	4	4	1	3	—	—	—	—	—	2	—	1		
			F	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases	M	288	16	3	5	5	5	27	65	162	140	17	3	1	2	1	14	37	65		
			F	330	19	—	5	3	—	29	77	197	109	12	7	2	—	3	11	24	50		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	6	—	—	—	—	—	2	2	2		
			F	2	—	1	—	—	—	—	1	—	6	1	1	—	—	—	3	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	DERBY.										DEWSBURY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	960	126	33	52	43	38	146	243	279	472	64	22	34	26	16	64	144	102		
	...	F	951	88	43	49	63	69	179	190	270	482	39	9	30	30	25	92	116	141		
1 Enteric fever	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	5	4	—	1	—	—	—	—	—	3	—	2	—	1	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
4 Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	9	3	1	4	1	—	—	—	—	5	2	2	—	1	—	—	—	—		
	...	F	14	2	7	5	—	—	—	—	—	4	1	3	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	7	—	2	3	2	—	—	—	—	4	—	—	2	2	—	—	—	—		
	...	F	7	—	1	1	3	—	1	—	1	4	—	—	2	2	—	—	—	—		
7 Influenza	...	M	170	1	6	14	23	15	56	34	21	80	1	2	13	10	9	27	11	7		
	...	F	208	4	9	17	18	35	75	32	18	108	2	1	13	13	10	40	17	12		
8 Erysipelas	...	M	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—		
	...	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	63	—	—	1	1	13	24	24	—	27	—	—	1	2	1	5	18	—		
		F	62	1	1	—	8	11	25	16	—	16	—	—	—	2	3	9	2	—		
10 Tuberculous meningitis	{	M	5	1	—	3	—	—	1	—	—	3	—	1	1	—	—	—	1	—		
		F	7	2	2	1	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
11 Other tuberculous diseases.	{	M	16	3	2	3	2	2	2	2	—	4	1	—	—	1	—	—	2	—		
		F	17	—	4	4	1	1	5	1	1	6	—	—	—	—	1	2	2	1		
12 Cancer, malignant disease	{	M	61	—	—	—	—	—	2	27	32	21	—	—	—	—	—	—	17	4		
		F	74	—	—	—	—	—	10	35	29	36	—	—	—	—	—	4	21	11		
13 Rheumatic fever	{	M	2	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis	{	M	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
		F	3	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	1	—		
15 Organic heart disease	{	M	66	—	—	—	1	2	6	31	26	37	—	1	—	—	2	5	16	13		
		F	78	—	—	—	4	7	16	22	29	36	—	—	—	—	3	7	9	17		
16 Bronchitis	{	M	85	8	7	5	—	—	3	13	49	56	7	3	2	—	—	4	16	24		
		F	77	9	8	2	—	1	1	18	38	60	10	2	3	2	—	1	10	32		
17 Pneumonia (all forms)	{	M	73	7	10	8	—	—	11	19	18	41	6	7	10	—	—	4	11	3		
		F	62	12	8	5	7	5	8	7	10	35	3	1	6	6	—	4	10	5		
18 Other respiratory diseases	{	M	12	2	—	1	2	—	—	3	4	3	—	—	1	1	—	—	1	—		
		F	10	1	—	2	—	—	2	3	2	1	—	—	—	—	—	—	1	—		
19 Diarrhoea, &c.	{	M	12	6	—	1	1	—	—	2	2	11	4	2	1	—	—	—	2	2		
		F	18	11	1	—	2	—	1	1	2	2	—	1	—	—	—	—	1	—		
20 Appendicitis and typhlitis	{	M	6	—	—	1	—	—	—	4	1	2	—	—	1	1	—	—	—	—		
		F	5	—	—	1	1	—	1	2	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver	{	M	4	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	1	—		
		F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	22	—	—	1	1	1	4	6	9	24	—	—	—	1	2	7	10	4		
		F	13	—	—	2	3	—	—	6	2	24	—	—	—	1	—	5	11	7		
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	6	—	—	—	—	1	5	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	{	M	65	65	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—		
		F	37	36	—	1	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	33	1	—	4	3	1	9	7	8	14	1	—	—	3	1	3	5	1		
		F	12	2	—	4	2	1	1	1	1	5	—	—	3	1	1	—	—	—		
27 Suicide	{	M	9	—	—	—	—	—	4	2	3	4	—	—	—	—	—	2	2	—		
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	—		
28 Other defined diseases	{	M	228	24	4	2	4	4	22	63	105	107	18	2	2	2	1	7	32	43		
		F	226	8	2	4	8	6	23	40	135	110	6	—	1	—	5	12	30	56		
29 Causes ill-defined or unknown.	{	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	DUDLEY.										EASTBOURNE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	544	102	30	41	38	26	85	124	98	293	29	17	8	12	11	40	67	109		
	F	477	68	40	39	26	23	80	85	116	360	21	8	12	12	23	72	71	141		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	2	1	—	—	—	—	—	3	—	1	1	—	1	—	—	—		
	F	6	1	5	—	—	—	—	—	—	4	1	1	—	2	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	4	1	—	3	—	—	—	—	—	5	1	2	2	—	—	—	—	—		
	F	6	1	3	1	1	—	—	—	—	4	1	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	3	—	1	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	72	3	2	7	6	7	16	22	9	40	—	3	—	3	6	10	8	10		
	F	68	1	6	5	5	5	28	12	6	59	1	2	1	3	8	29	11	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	39	—	1	2	2	6	16	12	—	27	1	—	—	—	3	11	11	1		
	F	32	—	—	2	8	6	14	1	1	27	—	—	—	2	9	11	4	1		
10 Tuberculous meningitis	M	3	1	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	1	—	—	1	—	—	3	—	1	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	7	1	2	1	2	—	—	—	1	4	—	2	—	1	—	1	—	—		
	F	7	2	—	1	1	1	1	1	—	4	—	—	1	—	—	2	—	1		
12 Cancer, malignant disease	M	27	—	—	—	—	—	5	15	7	17	—	—	—	—	—	1	8	8		
	F	29	—	—	—	—	—	8	13	8	28	—	—	—	—	—	2	14	12		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	4	—	—	—	1	1	—	1	1	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	3	1	1	—	1	—	—	—	—	2	—	—	1	—	—	—	1	—		
	F	3	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	31	—	—	1	2	3	7	11	7	27	—	—	—	1	—	4	6	16		
	F	25	—	—	—	1	—	4	10	10	38	—	—	1	1	1	1	7	27		
16 Bronchitis ...	M	47	15	3	1	—	—	2	17	9	21	5	4	1	1	—	—	3	7		
	F	44	7	3	1	1	1	—	11	20	24	4	2	2	—	—	—	3	13		
17 Pneumonia (all forms)	M	104	17	12	23	10	4	20	14	4	9	2	—	1	—	—	3	2	1		
	F	86	5	16	20	6	5	13	12	9	17	2	—	3	2	—	5	2	3		
18 Other respiratory diseases	M	8	1	—	1	—	1	1	3	1	3	—	—	—	—	—	—	—	3		
	F	3	—	—	—	—	—	—	1	2	9	—	—	—	—	—	2	3	4		
19 Diarrhoea, &c. ...	M	14	11	1	—	1	—	—	1	—	4	2	1	—	—	—	—	1	—		
	F	13	8	3	1	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	1		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	5	—	—	—	—	—	—	2	3		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	1	—	—	1	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	1	—	—	1	2	1	—	6	—	—	—	—	—	1	2	3		
	F	5	—	—	—	—	1	2	2	—	13	1	—	—	—	—	2	4	6		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	40	39	—	—	1	—	—	—	—	15	15	—	—	—	—	—	—	—		
	F	33	33	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	11	—	—	—	6	1	3	1	—	7	—	—	1	1	—	1	2	2		
	F	6	1	—	1	1	2	1	—	—	4	1	—	1	—	—	1	—	1		
27 Suicide ...	M	4	—	—	—	—	—	1	3	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	—	1		
28 Other defined diseases ...	M	118	12	3	1	5	3	12	23	59	87	3	3	1	—	1	7	19	53		
	F	100	8	3	4	1	1	5	19	59	101	2	—	—	—	3	11	19	66		
29 Causes ill-defined or unknown.	M	3	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	EAST HAM.										EXETER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	976	93	47	61	63	64	179	246	223	424	33	7	15	20	31	71	106	141		
		F	967	61	38	67	73	104	208	186	230	471	22	10	10	22	31	90	100	186		
1	Enteric fever ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	15	1	6	6	2	—	—	—	—	2	—	1	1	—	—	—	—	—		
		F	13	—	4	8	1	—	—	—	—	4	—	2	—	2	—	—	—	—		
4	Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough ...	M	6	4	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
		F	15	2	6	5	2	—	—	—	—	1	—	1	—	—	—	—	—	—		
6	Diphtheria and croup ...	M	11	3	1	2	5	—	—	—	—	1	—	—	1	—	—	—	—	—		
		F	7	—	1	3	3	—	—	—	—	1	—	—	—	1	—	—	—	—		
7	Influenza ...	M	216	3	10	17	22	31	75	47	11	58	—	—	2	6	8	22	10	10		
		F	275	4	13	21	29	45	112	37	14	79	—	2	3	9	9	37	9	10		
8	Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis	M	84	1	—	—	1	13	36	32	1	44	—	—	—	3	15	12	13	1		
		F	81	1	1	2	4	27	29	16	1	28	—	—	—	2	8	15	3	—		
10	Tuberculous meningitis	M	4	1	1	1	1	—	—	—	—	2	—	—	—	1	1	—	—	—		
		F	9	—	1	1	4	2	1	—	—	4	1	1	—	1	1	—	—	—		
11	Other tuberculous diseases.	M	8	1	1	2	1	2	1	—	—	6	—	—	1	2	1	1	—	—		
		F	11	—	—	2	4	2	3	—	—	9	1	—	1	1	1	3	1	1		
12	Cancer, malignant disease	M	69	—	1	1	2	—	5	33	27	34	—	—	—	—	1	1	15	17		
		F	83	—	—	—	—	1	12	48	22	46	—	—	—	—	—	6	23	17		
13	Rheumatic fever ...	M	3	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—	1		
		F	5	—	—	1	2	1	1	—	—	1	—	—	—	—	—	1	—	—		
14	Meningitis ...	M	6	1	1	2	2	—	—	—	—	2	1	1	—	—	—	—	—	—		
		F	5	1	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
15	Organic heart disease ...	M	69	—	—	—	4	5	9	22	29	35	—	—	—	—	1	2	13	19		
		F	53	—	—	—	2	7	9	17	18	39	—	—	—	—	1	5	9	24		
16	Bronchitis ...	M	57	5	3	—	2	1	—	13	33	26	4	—	—	—	—	1	3	18		
		F	62	6	1	1	—	—	1	7	46	44	—	—	1	—	—	—	8	35		
17	Pneumonia (all forms)	M	110	13	13	19	5	2	23	24	11	36	2	3	4	3	1	9	8	6		
		F	82	3	8	14	12	10	18	10	7	41	5	2	2	1	5	3	7	16		
18	Other respiratory diseases	M	7	—	—	—	1	—	1	3	2	8	—	1	1	1	—	1	2	2		
		F	5	—	1	2	—	—	1	—	1	3	1	1	—	—	—	—	1	—		
19	Diarrhoea, &c. ...	M	19	9	3	1	1	1	1	1	2	5	2	1	—	—	—	1	1	—		
		F	14	9	—	—	2	—	1	1	1	5	1	—	—	—	—	2	1	1		
20	Appendicitis and typhlitis	M	5	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—		
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
21A	Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	16	—	—	1	1	—	2	9	3	17	—	—	—	—	—	3	8	6		
		F	14	—	—	—	—	—	—	8	6	15	—	—	—	1	1	3	6	4		
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	2	2	1	—	1	—	—	—	1	—	—	—	—		
25	Congenital debility, &c.	M	35	35	—	—	—	—	—	—	—	14	13	—	1	—	—	—	—	—		
		F	27	27	—	—	—	—	—	—	—	8	7	—	1	—	—	—	—	—		
26	Violence, apart from suicide.	M	40	—	—	5	6	3	10	10	6	14	1	—	1	3	2	1	1	5		
		F	15	1	—	3	2	—	3	2	4	8	3	—	—	—	—	—	4	1		
27	Suicide ...	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	2	2	—		
		F	4	—	—	—	—	1	—	2	1	4	—	—	—	—	—	3	1	—		
28	Other defined diseases ...	M	188	16	4	4	3	5	15	47	94	112	9	—	2	2	1	14	28	56		
		F	171	7	1	2	3	5	10	36	107	125	3	1	1	3	3	13	26	75		
29	Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
		F	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	GATESHEAD.										GLOUCESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1150	215	83	94	98	50	147	256	207	395	41	11	18	26	26	57	96	120	
			F	1142	171	71	100	99	97	195	185	224	408	30	17	22	22	39	84	81	113	
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	1	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	6	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	6	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	31	15	9	7	—	—	—	—	3	—	2	1	—	—	—	—	—	
			F	32	10	11	10	1	—	—	—	—	2	2	—	—	—	—	—	—	—	
6	Diphtheria and croup	M	11	—	1	7	3	—	—	—	2	—	—	—	2	—	—	—	—	
			F	6	—	1	2	3	—	—	—	—	7	—	2	3	2	—	—	—	—	
7	Influenza	M	118	3	6	17	21	11	31	23	66	2	1	5	12	5	25	12	4	
			F	142	6	5	19	23	26	43	19	1	95	4	3	7	10	16	36	9	10	
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	97	—	1	3	5	11	42	31	4	33	1	—	—	1	7	15	8	1	
			F	107	—	—	1	12	29	46	15	4	35	—	—	—	2	13	14	5	1	
10	Tuberculous meningitis	{	M	11	1	—	3	7	—	—	—	—	2	1	—	—	—	1	—	—	—	
			F	16	1	—	6	7	1	1	—	—	1	—	—	—	1	—	—	—	—	
11	Other tuberculous diseases.	{	M	33	3	—	9	8	4	6	2	1	2	—	—	—	2	—	—	—	—	
			F	22	2	3	8	5	3	1	—	—	3	—	—	1	—	—	—	2	—	
12	Cancer, malignant disease	{	M	40	—	—	—	—	1	2	23	14	28	—	—	—	—	1	1	10	16	
			F	58	—	—	—	—	—	—	13	24	21	32	—	—	—	—	3	12	17	
13	Rheumatic fever	M	3	—	—	—	2	—	—	1	1	—	—	—	—	—	—	1	—	
			F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
14	Meningitis	M	24	7	4	2	9	1	1	—	1	—	—	1	—	—	—	—	—	
			F	10	2	—	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	
15	Organic heart disease	M	85	—	—	—	4	4	9	39	27	—	—	—	—	1	2	12	12	
			F	89	—	—	1	3	5	18	33	29	40	—	—	—	1	2	3	14	20	
16	Bronchitis	M	85	21	9	1	1	—	8	22	32	4	1	—	—	—	2	6	19	
			F	82	13	8	6	3	2	3	19	28	14	—	—	—	3	—	1	3	7	
17	Pneumonia (all forms)	{	M	149	25	26	24	14	10	10	27	13	44	6	6	7	6	4	6	7	2	
			F	131	15	17	23	19	13	24	12	8	34	1	7	5	1	2	10	7	1	
18	Other respiratory diseases	{	M	10	—	—	1	1	1	1	4	2	6	—	—	—	—	—	—	3	3	
			F	15	1	2	—	1	2	5	2	2	9	—	—	1	1	—	1	2	4	
19	Diarrhoea, &c.	M	67	32	16	3	3	—	2	6	5	7	4	1	—	—	1	1	—	
			F	57	32	8	8	3	—	1	3	2	2	1	—	1	—	—	—	—	—	
20	Appendicitis and typhlitis	{	M	2	—	—	—	1	—	1	—	—	2	—	—	—	1	1	—	—	—	
			F	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	
21	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	23	—	2	2	—	—	2	10	7	14	—	—	—	—	—	1	7	6	
			F	27	—	—	1	1	1	10	9	5	15	—	—	1	—	—	—	7	7	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	6	—	—	—	—	2	4	—	—	4	—	—	—	—	2	2	—	—	
25	Congenital debility, &c.	{	M	68	67	1	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	
			F	53	51	1	1	—	—	—	—	—	15	15	—	—	—	—	—	—	—	
26	Violence, apart from suicide	{	M	42	1	1	2	4	5	13	13	3	9	1	—	3	1	2	—	1	1	
			F	16	—	1	4	3	—	—	1	2	5	12	2	3	3	1	2	—	—	
27	Suicide	M	3	—	—	—	—	—	3	—	2	—	—	—	—	—	—	1	1	
			F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	
28	Other defined diseases	M	233	39	4	9	12	1	19	51	94	4	—	1	4	3	26	55		
			F	241	37	7	3	8	11	21	40	114	82	5	2	—	2	11	17	45	45	
29	Causes ill-defined or unknown.	{	M	5	—	1	1	1	—	—	—	2	1	—	—	—	—	—	1	—	—	
			F	13	—	3	1	—	1	1	3	4	1	—	—	—	—	—	—	1	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian population only)—*cont.*

Causes of Death.	Sex.	GREAT YARMOUTH.										GRIMSBY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	421	54	29	24	22	22	52	84	134	625	120	30	27	37	32	96	140	143		
	F	532	42	31	25	30	34	82	96	192	671	88	39	39	31	58	133	116	167		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	19	3	8	6	2	—	—	—	—	2	—	2	—	—	—	—	—	—		
	F	21	2	11	5	3	—	—	—	—	5	1	2	2	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	4	2	—	2	—	—	—	—	—	8	—	5	3	—	—	—	—	—		
	F	5	2	2	—	1	—	—	—	—	8	2	3	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	—	2	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	3	—	—	—	2	1	—	—	—		
7 Influenza ...	M	66	2	1	5	8	9	23	14	4	85	2	3	5	12	10	32	14	7		
	F	95	1	3	10	8	14	40	16	3	128	3	10	12	6	22	49	15	11		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	32	—	—	—	1	8	13	9	1	46	—	—	2	1	8	15	17	3		
	F	54	—	—	—	5	13	23	9	4	58	—	—	2	5	19	23	7	2		
10 Tuberculous meningitis	M	4	1	—	1	1	—	1	—	—	4	—	1	3	—	—	—	—	—		
	F	2	—	—	—	1	1	—	—	—	7	—	4	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	4	1	—	1	1	1	—	—	—	9	3	—	1	—	3	1	1	—		
	F	7	1	2	—	1	1	1	—	1	6	—	—	1	1	—	—	3	1		
12 Cancer, malignant disease	M	30	—	—	—	—	—	2	13	15	41	—	—	1	—	—	3	23	14		
	F	35	—	—	—	—	—	—	19	16	53	—	—	—	—	—	8	22	23		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
14 Meningitis ...	M	1	—	1	—	—	—	—	—	—	5	—	3	2	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	8	1	1	1	3	2	—	—	—		
15 Organic heart disease ...	M	25	—	—	1	—	—	2	7	15	54	—	—	—	2	—	9	19	24		
	F	38	—	—	—	3	1	1	11	22	42	—	—	—	—	—	6	13	23		
16 Bronchitis ...	M	25	6	4	—	2	—	—	4	9	43	12	3	2	—	—	2	7	17		
	F	40	6	3	1	—	—	1	9	20	41	10	2	2	—	—	2	12	13		
17 Pneumonia (all forms)	M	24	3	10	2	2	—	5	2	—	47	11	6	4	6	6	7	3	4		
	F	23	3	5	4	2	1	3	2	3	67	8	13	12	5	8	17	2	2		
18 Other respiratory diseases	M	10	1	1	1	1	—	1	2	3	8	1	1	—	—	—	2	3	1		
	F	17	1	—	2	—	1	2	1	10	3	—	—	—	—	1	1	1	—		
19 Diarrhoea, &c. ...	M	8	7	—	—	—	—	—	1	—	26	22	1	2	—	—	—	1	—		
	F	9	2	—	1	—	—	1	2	3	24	20	1	—	—	—	—	2	1		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	8	—	—	—	—	—	—	6	2	17	—	—	—	—	1	3	9	4		
	F	6	—	—	—	—	—	—	2	4	10	—	—	1	—	—	—	3	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c	M	18	18	—	—	—	—	—	—	—	38	37	—	—	1	—	—	—	—		
	F	14	14	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	16	1	1	3	1	1	2	4	3	20	1	1	—	3	1	6	7	1		
	F	9	2	—	—	1	—	—	2	4	3	—	—	—	1	—	1	1	—		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
28 Other defined diseases ...	M	124	9	3	2	1	3	3	21	82	158	31	4	1	6	2	13	34	67		
	F	149	8	5	1	2	1	8	23	101	171	24	2	2	5	1	19	34	84		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	HALIFAX.										HASTINGS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	911	90	41	54	56	37	119	274	240	434	37	15	19	13	14	65	100	171		
	...	F	952	77	30	43	52	60	142	237	311	580	23	8	19	24	38	96	142	230		
1 Enteric fever	...	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—		
	...	F	2	—	—	—	—	—	—	2	—	2	—	—	—	1	—	—	—	1		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	29	2	7	17	3	—	—	—	—	7	—	3	3	1	—	—	—	—		
	...	F	19	3	4	8	4	—	—	—	—	5	—	—	2	1	—	2	—	—		
4 Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	6	2	2	1	1	—	—	—	—	6	3	3	—	—	—	—	—	—		
	...	F	15	8	4	2	1	—	—	—	—	4	1	—	2	1	—	—	—	—		
6 Diphtheria and croup	...	M	8	—	—	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	13	—	—	5	8	—	—	—	—	4	—	1	3	—	—	—	—	—		
7 Influenza	...	M	140	4	3	7	13	9	41	48	15	56	—	4	9	7	4	19	10	3		
	...	F	118	—	1	4	9	21	46	24	13	88	1	2	4	7	21	28	15	10		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	61	—	—	1	2	13	18	21	6	41	—	—	—	—	7	18	13	3		
		F	63	1	—	—	5	12	30	12	3	50	—	—	—	6	6	19	18	1		
10 Tuberculous meningitis	{	M	3	1	—	1	1	—	—	—	—	3	—	—	3	—	—	—	—	—		
		F	5	2	—	1	1	1	—	—	—	6	—	1	1	1	1	2	—	—		
11 Other tuberculous diseases.	{	M	15	2	1	1	1	2	2	6	—	3	1	—	—	—	1	1	—	—		
		F	14	1	1	1	4	1	2	4	—	4	—	1	—	—	—	2	—	1		
12 Cancer, malignant disease	{	M	54	—	—	—	—	—	7	30	17	32	—	—	—	—	—	2	11	19		
		F	67	—	—	—	—	1	7	36	23	66	—	—	—	2	—	8	31	25		
13 Rheumatic fever	{	M	4	—	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	{	M	3	1	1	1	—	—	—	—	—	5	—	—	—	3	—	1	1	—		
		F	6	—	2	1	—	2	—	1	—	3	—	—	—	1	—	—	2	—		
15 Organic heart disease	{	M	62	—	—	—	2	2	3	30	25	50	—	—	—	—	—	5	14	31		
		F	111	—	—	—	—	2	18	45	46	71	—	—	—	1	—	6	16	48		
16 Bronchitis	{	M	68	6	2	1	—	1	5	21	32	13	—	1	—	—	—	—	4	8		
		F	76	4	4	1	1	—	5	14	47	19	—	1	—	—	—	1	4	13		
17 Pneumonia (all forms)	{	M	119	26	14	11	14	4	18	23	9	25	3	3	2	1	—	4	3	9		
		F	79	8	8	14	7	8	12	12	10	49	4	1	4	1	4	10	6	19		
18 Other respiratory diseases	{	M	13	1	1	2	—	—	2	5	2	7	—	—	—	—	—	—	3	4		
		F	6	—	1	2	—	—	—	2	1	5	—	—	—	—	—	1	1	3		
19 Diarrhoea, &c.	{	M	20	6	4	4	—	—	1	3	2	4	1	—	1	—	—	—	2	—		
		F	21	8	2	—	2	—	1	4	4	4	1	—	—	—	—	2	—	1		
20 Appendicitis and typhlitis	{	M	7	—	—	—	3	—	1	3	—	3	—	—	—	—	—	1	2	—		
		F	6	—	—	—	3	1	1	1	—	5	—	—	—	1	—	—	2	2		
21 Cirrhosis of liver	{	M	8	—	—	—	—	—	—	6	2	3	—	—	—	—	—	1	1	1		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	23	—	—	—	2	1	—	13	7	14	—	—	—	—	—	2	7	5		
		F	27	—	—	1	—	1	3	15	7	16	—	—	—	—	—	1	7	8		
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—		
25 Congenital debility, &c.	{	M	25	25	—	—	—	—	—	—	—	20	19	—	—	—	—	—	—	1		
		F	28	28	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	19	—	2	2	3	1	7	2	2	13	2	—	—	1	—	2	2	6		
		F	12	1	1	2	1	—	2	1	4	9	—	—	1	—	1	2	1	4		
27 Suicide	{	M	5	—	—	—	—	—	—	2	3	1	—	—	—	—	—	1	—	—		
		F	7	—	—	—	—	2	2	3	—	4	—	—	—	—	—	3	1	—		
28 Other defined diseases	{	M	214	14	4	3	4	3	13	57	116	126	8	1	1	—	2	7	26	81		
		F	250	13	2	1	5	7	11	59	152	155	7	1	2	2	4	7	38	94		
29 Causes ill-defined or unknown.	{	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	HUDDERSFIELD.										IPSWICH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	892	93	27	35	55	42	131	285	224	538	66	21	27	37	34	81	110	162		
		F	879	67	37	36	48	61	161	206	263	607	49	17	27	40	59	107	109	199		
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	16	2	5	3	6	—	—	—	—	12	3	1	7	1	—	—	—	—		
		F	7	—	2	4	1	—	—	—	—	7	1	2	2	2	—	—	—	—		
4 Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough	...	M	7	2	3	2	—	—	—	—	—	5	1	1	2	1	—	—	—	—		
		F	14	4	5	4	1	—	—	—	—	14	4	6	4	—	—	—	—	—		
6 Diphtheria and croup	...	M	3	—	—	1	2	—	—	—	—	3	—	—	—	3	—	—	—	—		
		F	7	—	—	2	5	—	—	—	—	2	—	—	—	2	—	—	—	—		
7 Influenza	...	M	105	4	1	6	13	13	30	29	9	80	2	2	6	8	10	24	17	11		
		F	104	2	3	5	6	12	44	23	9	114	2	1	6	14	23	43	14	11		
8 Erysipelas	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
9 Pulmonary tuberculosis	{	M	66	—	—	1	5	4	28	26	2	52	—	—	—	2	11	21	14	4		
		F	65	—	—	—	3	21	31	9	1	54	1	—	2	3	12	26	6	4		
10 Tuberculous meningitis	{	M	11	2	—	2	3	1	1	2	—	6	1	1	—	3	—	1	—	—		
		F	10	—	2	2	5	1	—	—	—	4	—	1	—	1	1	1	—	—		
11 Other tuberculous diseases.	{	M	8	1	—	—	—	—	7	—	—	3	1	—	—	—	1	1	—	—		
		F	10	—	—	—	5	1	3	1	—	11	—	1	1	2	2	1	1	3		
12 Cancer, malignant disease	{	M	52	—	—	—	—	—	2	34	16	28	—	—	—	—	—	1	10	17		
		F	75	—	—	—	—	—	11	35	29	53	—	—	—	—	—	4	23	26		
13 Rheumatic fever	...	M	4	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	2	1	—	—	—	3	—	—	—	1	—	1	1	—		
14 Meningitis	...	M	8	—	—	3	2	1	1	1	—	5	1	1	—	2	—	—	1	—		
		F	9	1	3	1	1	—	1	2	—	3	—	2	—	—	1	—	—	—		
15 Organic heart disease	{	M	65	—	—	—	1	1	9	27	27	49	—	—	—	3	1	8	19	18		
		F	81	—	—	—	—	4	13	22	42	53	—	—	—	1	2	5	11	34		
16 Bronchitis	...	M	89	14	—	1	2	—	1	30	41	25	7	3	—	—	—	1	3	11		
		F	104	15	7	—	2	1	11	18	50	40	5	—	1	—	—	2	5	27		
17 Pneumonia (all forms)	{	M	90	2	13	11	3	8	16	29	8	41	7	4	9	2	3	6	5	5		
		F	77	9	11	14	7	3	6	12	15	45	4	3	6	6	7	5	—	14		
18 Other respiratory diseases	{	M	7	1	—	—	—	—	2	4	—	7	—	—	—	1	—	1	2	3		
		F	9	—	—	—	1	—	1	4	3	11	—	—	—	—	1	1	4	5		
19 Diarrhoea, &c.	...	M	10	5	—	1	—	—	1	1	2	11	4	2	—	2	—	—	—	3		
		F	8	3	1	—	—	—	2	—	2	2	1	—	—	—	1	—	—	—		
20 Appendicitis and typhlitis	{	M	2	—	—	1	—	1	—	—	—	3	—	—	—	1	—	1	1	—		
		F	6	—	—	—	2	2	—	2	—	2	—	—	—	1	1	—	—	—		
21 Cirrhosis of liver	{	M	2	—	—	—	—	—	1	—	1	4	—	—	—	—	—	1	2	1		
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism	...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	41	—	—	—	2	1	5	22	11	7	—	—	—	2	—	—	1	4		
		F	28	—	—	—	1	2	3	16	6	4	—	—	—	1	—	1	1	1		
23 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	11	—	—	—	—	1	9	1	—	—	3	—	—	—	1	2	—	—		
25 Congenital debility, &c.	{	M	38	37	—	—	—	1	—	—	—	27	26	1	—	—	—	—	—	—		
		F	23	22	—	—	1	—	—	—	—	—	25	24	—	—	1	—	—	—		
26 Violence, apart from suicide.	{	M	39	2	1	3	4	6	10	9	4	17	3	—	2	2	1	3	2	4		
		F	23	—	1	2	—	5	4	4	4	7	10	3	—	1	—	2	1	2		
27 Suicide	...	M	5	—	—	—	—	—	1	3	1	4	—	—	—	—	1	2	1	—		
		F	3	—	—	—	—	—	1	2	—	5	—	—	—	—	1	1	3	—		
28 Other defined diseases	...	M	215	21	4	—	10	3	15	62	100	145	10	5	—	4	6	10	30	80		
		F	191	11	2	2	4	4	19	50	99	135	4	1	4	4	3	9	37	73		
29 Causes ill-defined or unknown.	{	M	6	—	—	—	1	—	—	3	2	4	—	—	1	—	—	—	2	1		
		F	3	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	KINGSTON-UPON-HULL.									LEEDS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	2,649	377	178	229	197	139	372	589	568	4,181	561	253	358	236	208	522	1091	952
	F	2,687	299	164	227	236	238	481	442	600	4,342	422	221	386	276	373	691	913	1060
1 Enteric fever ...	M	3	—	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—	—
	F	12	—	—	—	2	5	4	—	1	4	—	—	—	—	1	3	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	134	28	44	53	9	—	—	—	—	204	33	72	80	19	—	—	—	—
	F	123	18	42	48	15	—	—	—	—	214	22	66	101	23	1	1	—	—
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	10	—	1	5	4	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	9	—	1	3	3	2	—	—	—
5 Whooping cough ...	M	30	8	10	12	—	—	—	—	—	46	17	11	15	3	—	—	—	—
	F	43	13	10	13	7	—	—	—	—	84	28	22	32	2	—	—	—	—
6 Diphtheria and croup ...	M	13	—	1	6	6	—	—	—	—	22	—	—	12	10	—	—	—	—
	F	18	—	1	10	7	—	—	—	—	24	—	2	9	12	—	1	—	—
7 Influenza ...	M	436	17	20	63	76	44	106	74	36	583	25	26	69	64	55	125	145	74
	F	545	6	19	48	98	94	181	66	33	805	22	27	84	76	132	236	134	94
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	2
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	1
9 Pulmonary tuberculosis	M	203	—	1	1	15	36	83	59	8	368	4	7	14	10	50	145	121	17
	F	206	—	4	3	16	61	95	26	1	342	1	7	8	45	104	124	45	8
10 Tuberculous meningitis	M	21	1	1	4	11	2	2	—	—	34	1	5	14	11	—	2	1	—
	F	25	1	3	5	9	4	3	—	—	47	2	7	10	21	7	—	—	—
11 Other tuberculous diseases.	M	42	4	3	6	15	9	4	1	—	99	10	9	16	22	16	7	13	6
	F	47	1	3	7	12	13	5	2	4	78	3	8	15	14	11	20	4	3
12 Cancer, malignant disease	M	127	—	—	—	—	—	7	73	47	204	—	—	—	1	1	9	118	75
	F	156	—	—	—	—	1	20	86	49	303	—	—	—	2	1	35	158	107
13 Rheumatic fever ...	M	6	—	—	—	1	3	—	2	—	10	—	—	—	2	5	3	—	—
	F	8	—	—	—	2	2	2	2	—	15	—	—	1	4	8	—	2	—
14 Meningitis ...	M	21	3	5	4	6	—	2	1	—	65	7	5	5	3	1	2	9	33
	F	16	2	2	6	2	—	2	1	1	46	4	2	5	1	3	3	5	23
15 Organic heart disease ...	M	196	—	—	—	5	7	26	87	71	287	—	—	1	1	14	35	123	113
	F	170	—	1	—	5	12	28	50	74	359	—	—	1	5	15	53	136	149
16 Bronchitis ...	M	192	36	9	6	1	2	9	57	72	312	37	16	16	4	2	11	89	137
	F	210	31	15	9	1	2	7	45	100	321	36	19	13	6	4	10	80	153
17 Pneumonia (all forms)	M	289	64	60	47	25	7	39	32	15	428	46	53	65	34	25	53	97	55
	F	286	44	46	55	34	17	40	33	17	374	35	26	67	22	42	72	63	47
18 Other respiratory diseases	M	44	1	2	1	4	—	11	15	10	44	—	1	2	1	1	3	17	19
	F	35	—	—	2	3	3	7	11	9	37	4	1	6	2	—	5	7	12
19 Diarrhoea, &c. ...	M	71	36	7	8	3	1	3	8	5	121	72	8	7	3	2	8	12	9
	F	62	38	5	7	—	1	3	3	5	89	55	10	5	—	2	3	3	11
20 Appendicitis and typhlitis	M	12	—	—	1	1	4	1	4	1	7	—	—	—	3	1	1	2	—
	F	16	—	—	—	6	5	2	3	—	6	—	—	1	2	1	1	1	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	3	—	12	—	—	—	—	—	3	6	3
	F	3	—	—	—	—	—	—	2	1	8	—	—	—	—	1	1	2	4
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	53	—	—	1	2	1	4	32	13	118	1	—	—	6	5	10	55	41
	F	42	—	1	1	2	2	8	18	10	113	1	2	1	2	7	19	41	40
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	7	—	—	—	—	—	7	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	1	9	—	—	14	—	—	—	—	4	9	1	—
25 Congenital debility, &c.	M	120	117	2	—	1	—	—	—	—	201	196	1	1	2	—	—	1	—
	F	94	93	—	—	1	—	—	—	—	137	135	1	—	—	1	—	—	—
26 Violence, apart from suicide.	M	89	4	1	7	8	9	22	19	19	137	8	7	19	16	10	19	36	22
	F	46	9	3	6	4	1	7	10	6	66	6	3	9	7	3	8	9	21
27 Suicide ...	M	13	—	—	—	—	—	4	8	1	24	—	—	—	1	1	5	16	1
	F	4	—	—	—	—	—	2	2	—	10	—	—	—	—	1	6	3	—
28 Other defined diseases ...	M	527	58	10	8	7	13	49	112	270	833	101	29	15	16	19	80	228	345
	F	494	42	7	6	9	13	49	80	288	822	67	16	15	26	20	74	217	387
29 Causes ill-defined or unknown.	M	3	—	2	1	—	—	—	—	—	6	1	2	2	—	—	—	1	—
	F	4	1	1	—	—	—	—	1	1	6	1	1	—	—	2	—	2	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	LEICESTER.										LINCOLN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,820	190	71	105	112	108	306	425	503	445	45	15	21	22	22	78	109	133		
	F	2,068	164	96	101	130	191	419	420	547	476	42	21	34	39	35	80	83	142		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	33	5	13	14	1	—	—	—	—	14	4	4	6	—	—	—	—	—		
	F	30	5	16	9	—	—	—	—	—	13	1	6	4	2	—	—	—	—		
4 Scarlet fever ...	M	5	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	14	6	4	4	—	—	—	—	—	5	2	3	—	—	—	—	—	—		
	F	23	11	5	5	2	—	—	—	—	8	3	2	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	1	1	5	3	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	4	—	1	1	2	—	—	—	—	5	—	—	1	2	1	1	—	—		
7 Influenza ...	M	348	7	12	25	53	46	112	54	39	85	—	3	6	7	9	41	14	5		
	F	532	8	22	40	56	87	211	71	37	100	1	3	12	12	20	34	10	8		
8 Erysipelas ...	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	168	—	—	2	4	25	79	51	7	27	1	—	1	2	9	9	5	—		
	F	174	—	1	2	13	54	64	34	6	32	—	1	1	7	9	9	4	1		
10 Tuberculous meningitis	M	21	2	6	3	6	2	2	—	—	3	—	—	1	1	—	1	—	—		
	F	18	3	2	4	6	—	2	—	1	8	2	1	2	2	1	—	—	—		
11 Other tuberculous diseases.	M	21	3	—	2	3	3	5	5	—	5	2	—	1	—	1	—	—	—		
	F	21	1	2	3	4	5	5	—	1	9	—	—	2	2	2	1	—	—		
12 Cancer, malignant disease	M	132	—	—	1	1	—	12	66	52	31	—	—	—	—	—	3	13	15		
	F	188	—	—	—	2	1	19	91	75	36	—	—	—	—	—	2	21	13		
13 Rheumatic fever ...	M	2	—	—	1	1	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	6	—	—	—	2	2	1	1	—	2	—	—	—	1	—	—	1	—		
14 Meningitis ...	M	10	1	1	3	4	—	1	—	—	2	—	—	1	—	—	—	1	—		
	F	9	3	—	1	3	—	2	—	—	1	—	1	—	—	—	—	—	—		
15 Organic heart disease ...	M	126	—	—	—	1	7	15	45	58	45	—	—	—	1	1	5	16	22		
	F	138	—	—	—	3	6	20	52	57	41	—	—	—	1	—	8	10	22		
16 Bronchitis ...	M	134	14	7	1	1	—	5	33	73	46	5	2	2	1	—	1	13	22		
	F	136	12	4	2	3	—	7	32	76	47	6	2	1	1	—	—	3	34		
17 Pneumonia (all forms)	M	174	32	19	28	11	9	20	36	19	29	5	3	2	1	—	4	7	7		
	F	159	17	33	26	13	14	20	16	20	21	4	3	6	1	—	3	3	1		
18 Other respiratory diseases	M	16	—	—	1	1	—	5	4	5	4	—	—	—	1	—	—	2	1		
	F	17	2	1	—	2	2	3	5	2	6	—	—	—	1	—	—	1	4		
19 Diarrhoea, &c. ...	M	27	17	—	2	—	1	1	3	3	2	2	—	—	—	—	—	—	—		
	F	29	19	1	1	1	—	3	1	3	6	5	—	—	—	—	—	1	—		
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	—	3	1	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	2	2	1	3	—	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	1	3	3	2	—	—	—	—	—	1	1	—		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	43	—	—	1	—	2	5	20	15	6	—	—	—	2	—	3	1	—		
	F	40	1	—	—	3	1	6	14	15	9	—	—	—	1	1	3	1	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	—	10	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	2	6	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	67	65	—	1	1	—	—	—	—	14	14	—	—	—	—	—	—	—		
	F	60	57	—	2	1	—	—	—	—	13	13	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	43	5	3	3	9	2	5	12	4	9	—	—	—	2	2	2	2	1		
	F	20	2	1	1	1	1	3	2	9	4	—	—	1	2	—	1	—	—		
27 Suicide ...	M	11	—	—	—	—	1	5	3	2	5	—	—	—	—	—	—	3	2		
	F	10	—	—	—	—	3	2	5	—	4	—	—	—	—	2	1	1	—		
28 Other defined diseases ...	M	401	32	5	5	9	10	32	87	221	107	10	—	1	2	—	6	30	58		
	F	418	22	7	4	10	11	32	91	241	101	6	1	1	3	1	10	24	55		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	1	1	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	LIVERPOOL.										MANCHESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	7,909	1223	562	568	489	433	1366	1883	1385	6,073	789	339	355	353	275	966	1744	1252		
	...	F	7,521	935	544	631	555	615	1325	1416	1500	6,154	592	296	433	373	500	1114	1330	1516		
1 Enteric fever	...	M	10	—	—	—	2	3	3	2	—	3	—	—	—	1	1	—	—	1		
	...	F	6	—	—	—	1	2	1	2	—	6	—	—	—	1	2	1	2	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	222	44	93	74	9	2	—	—	—	97	22	42	25	8	—	—	—	—		
	...	F	185	31	71	71	9	3	—	—	—	70	17	16	34	2	—	1	—	—		
4 Scarlet fever	...	M	73	3	10	33	23	1	3	—	—	14	—	2	5	7	—	—	—	—		
	...	F	61	1	3	25	27	5	—	—	—	7	—	—	2	3	1	—	—	—		
5 Whooping cough	...	M	161	55	52	47	7	—	—	—	—	145	38	55	43	9	—	—	—	—		
	...	F	206	57	75	63	5	—	—	—	—	187	53	62	66	5	—	—	—	1		
6 Diphtheria and croup	...	M	114	5	22	50	36	—	1	—	—	31	3	5	7	16	—	—	—	—		
	...	F	116	1	12	46	52	4	1	—	—	24	—	1	8	13	1	—	1	—		
7 Influenza	...	M	633	24	23	46	73	65	228	122	52	878	35	39	70	100	83	237	220	94		
	...	F	880	13	26	81	87	148	329	150	46	1,164	21	38	103	113	181	386	209	113		
8 Erysipelas	...	M	10	2	—	—	—	—	2	5	1	7	1	—	1	—	1	1	3	—		
	...	F	8	—	—	—	1	—	—	4	3	3	—	—	—	1	—	1	1	—		
9 Pulmonary tuberculosis		M	803	—	8	17	38	116	359	233	32	678	4	3	9	27	75	253	274	33		
		F	667	1	9	12	64	189	269	111	12	518	—	3	8	43	127	220	102	15		
10 Tuberculous meningitis		M	74	12	15	18	17	7	4	1	—	43	7	9	12	11	2	2	—	—		
		F	67	7	5	24	19	6	4	2	—	45	4	10	8	20	1	1	1	—		
11 Other tuberculous diseases.		M	113	8	8	26	26	20	15	8	2	99	6	6	20	19	20	10	14	4		
		F	130	10	13	12	32	24	16	15	8	88	5	7	10	16	21	11	12	6		
12 Cancer, malignant disease		M	365	1	—	—	2	3	36	202	121	361	1	—	—	2	2	26	222	108		
		F	408	—	—	—	1	3	59	209	136	462	—	—	—	—	4	70	218	170		
13 Rheumatic fever	...	M	14	—	—	—	4	3	2	4	1	16	—	—	—	7	1	6	1	1		
	...	F	16	—	—	—	6	2	4	3	1	20	—	—	—	3	7	7	3	—		
14 Meningitis	...	M	49	18	8	12	7	1	—	3	—	43	10	9	10	8	1	—	4	1		
	...	F	41	5	11	7	13	2	2	—	1	32	7	3	12	5	4	—	—	1		
15 Organic heart disease	...	M	464	—	—	—	12	26	72	169	185	347	—	—	3	13	10	59	148	114		
	...	F	519	—	—	—	13	38	95	166	207	426	—	—	1	13	32	52	153	175		
16 Bronchitis	...	M	690	106	41	13	8	8	42	214	258	513	69	19	16	5	—	38	147	219		
	...	F	655	97	38	15	7	6	32	172	288	527	53	21	14	6	2	19	120	292		
17 Pneumonia (all forms)		M	1,435	226	184	151	114	98	312	253	97	771	127	106	86	57	25	128	157	85		
		F	1,206	146	168	197	139	111	228	132	85	729	90	99	117	61	53	114	115	80		
18 Other respiratory diseases		M	86	5	7	7	7	1	13	28	18	49	3	2	3	1	1	11	18	10		
		F	68	10	3	4	2	1	20	16	12	51	1	2	4	6	2	9	12	15		
19 Diarrhoea, &c.	...	M	243	159	45	8	3	1	3	14	10	119	69	15	12	1	—	5	4	13		
	...	F	212	124	47	13	2	1	1	8	16	97	45	10	6	2	—	7	7	20		
20 Appendicitis and typhlitis		M	17	—	—	—	6	3	6	2	—	16	—	—	—	5	3	4	2	2		
		F	18	—	—	—	8	4	3	2	1	17	—	—	1	2	7	5	—	2		
21 Cirrhosis of liver	...	M	23	—	—	—	—	—	1	19	3	19	—	—	—	—	—	2	13	4		
	...	F	10	—	—	—	—	—	3	4	3	15	—	—	1	—	—	—	11	3		
21A Alcoholism	...	M	4	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—	1	—		
	...	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.		M	209	3	1	2	7	8	46	101	41	149	1	1	1	3	8	22	72	41		
		F	145	1	1	3	8	5	33	59	35	122	1	—	1	2	7	25	48	38		
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	22	—	—	—	—	3	17	2	—	15	—	—	—	—	3	12	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	37	—	—	—	—	4	33	—	—	27	—	—	—	—	3	24	—	—		
25 Congenital debility, &c.		M	360	354	1	2	1	1	1	—	—	259	253	3	2	1	—	—	—	—		
		F	256	253	—	1	—	1	1	—	—	211	207	2	—	1	—	1	—	—		
26 Violence, apart from suicide.		M	261	9	18	25	40	25	48	67	29	176	16	6	14	28	15	27	42	28		
		F	172	26	17	29	20	13	13	22	32	119	12	3	14	26	5	17	14	28		
27 Suicide	...	M	20	—	—	—	—	2	6	9	3	27	—	—	—	—	1	9	14	3		
	...	F	13	—	—	—	—	—	7	6	—	10	—	—	—	—	1	6	2	1		
28 Other defined diseases	...	M	1,415	189	21	29	47	39	154	408	528	1,200	123	15	15	21	24	125	386	491		
	...	F	1,357	151	31	26	38	38	151	314	608	1,150	75	16	22	30	35	123	294	555		
29 Causes ill-defined or unknown.		M	41	—	5	8	—	—	7	17	4	12	1	2	1	3	2	1	2	—		
		F	45	1	14	2	1	2	3	16	6	12	1	3	1	—	—	2	5	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.			Sex.	MIDDLESBROUGH.										NEWCASTLE-UPON-TYNE.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	1,442	278	85	131	97	82	224	312	233	2,562	414	143	136	154	154	390	621	550	
			{	F	1,240	213	88	124	109	129	227	171	179	2,278	282	150	137	165	164	419	435	526	
1	Enteric fever	...	{	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—	
			{	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			{	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
3	Measles	...	{	M	7	—	4	3	—	—	—	—	—	14	2	3	6	2	1	—	—	—	
			{	F	5	—	2	2	1	—	—	—	—	19	3	8	7	1	—	—	—	—	
4	Scarlet fever	...	{	M	3	—	2	—	1	—	—	—	—	6	—	—	2	3	1	—	—	—	
			{	F	1	—	—	—	1	—	—	—	—	5	—	—	3	1	1	—	—	—	
5	Whooping cough	...	{	M	28	12	8	6	2	—	—	—	—	56	20	21	12	3	—	—	—	—	
			{	F	30	7	8	10	5	—	—	—	—	65	23	24	14	4	—	—	—	—	
6	Diphtheria and croup	...	{	M	14	2	3	6	3	—	—	—	—	13	—	3	4	6	—	—	—	—	
			{	F	10	2	—	3	4	1	—	—	—	9	1	3	2	3	—	—	—	—	
7	Influenza	...	{	M	172	8	5	31	25	21	50	24	8	311	6	16	25	28	45	107	61	23	
			{	F	204	4	8	23	30	48	64	19	8	375	2	12	29	62	58	132	56	24	
8	Erysipelas	...	{	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	
			{	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	
9	Pulmonary tuberculosis		{	M	92	1	—	1	12	6	37	30	5	227	1	4	4	18	43	91	58	8	
			{	F	78	—	1	2	10	20	34	10	1	178	2	1	3	9	47	91	23	2	
10	Tuberculous meningitis		{	M	10	2	2	3	3	—	—	—	—	26	5	6	5	9	1	—	—	—	
			{	F	10	—	2	2	5	1	—	—	—	22	4	2	7	4	2	3	—	—	
11	Other tuberculous diseases.		{	M	24	—	4	4	9	3	3	—	1	42	3	4	6	12	3	7	5	2	
			{	F	23	—	—	8	8	2	4	1	—	41	3	3	5	17	4	4	5	—	
12	Cancer, malignant disease		{	M	46	—	—	—	—	—	2	28	16	109	—	—	—	—	—	5	64	40	
			{	F	57	—	—	—	—	2	15	27	13	122	—	—	—	1	1	19	58	43	
13	Rheumatic fever	...	{	M	2	—	—	—	—	2	—	—	—	4	—	—	—	1	1	1	1	—	
			{	F	3	—	—	—	—	2	—	1	—	7	—	—	—	1	2	4	—	—	
14	Meningitis	...	{	M	19	2	5	5	5	1	1	—	—	22	6	4	4	6	1	—	1	—	
			{	F	17	6	2	4	1	1	1	2	—	20	4	5	2	4	1	3	—	1	
15	Organic heart disease	...	{	M	66	—	—	—	—	4	6	34	22	184	—	—	1	2	5	30	76	70	
			{	F	55	—	—	—	4	3	11	17	20	168	—	—	—	4	3	30	57	74	
16	Bronchitis	...	{	M	86	26	6	1	3	1	3	13	33	187	33	9	6	7	2	8	52	70	
			{	F	79	19	5	4	1	—	6	16	28	158	22	10	9	1	—	10	38	68	
17	Pneumonia (all forms)		{	M	362	50	30	48	20	27	80	79	28	287	44	32	33	19	19	36	73	31	
			{	F	278	34	39	42	29	29	56	32	17	248	27	45	29	24	20	42	36	25	
18	Other respiratory diseases		{	M	23	1	—	2	—	1	8	8	3	35	4	2	1	1	—	7	13	7	
			{	F	11	—	—	1	1	—	2	2	5	29	4	3	1	1	—	3	10	7	
19	Diarrhoea, &c.	...	{	M	77	48	6	7	2	—	3	4	7	71	30	19	4	3	—	8	2	5	
			{	F	55	37	10	6	—	—	1	—	1	52	22	13	5	2	—	1	3	6	
20	Appendicitis and typhlitis		{	M	4	—	—	—	—	2	2	—	—	4	—	—	1	2	—	—	1	—	
			{	F	2	—	—	—	2	—	—	—	—	4	—	—	1	1	2	—	—	—	
21	Cirrhosis of liver	...	{	M	5	—	—	—	—	—	1	4	—	7	—	—	—	—	—	1	5	1	
			{	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	1	
21A	Alcoholism	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.		{	M	19	—	—	1	1	—	7	6	4	83	—	—	3	5	4	15	26	30	
			{	F	14	—	—	2	—	4	2	4	2	62	—	1	2	4	3	9	23	20	
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			{	F	8	—	—	—	—	1	7	—	—	8	—	—	—	—	3	5	—	—	
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			{	F	4	—	—	—	—	—	4	—	—	15	—	—	—	—	2	13	—	—	
25	Congenital debility, &c.		{	M	82	81	—	—	—	1	—	—	—	156	154	—	1	—	—	1	—	—	
			{	F	59	59	—	—	—	—	—	—	—	108	108	—	—	—	—	—	—	—	
26	Violence, apart from suicide.		{	M	47	1	2	4	3	9	6	15	7	76	3	3	7	12	10	10	23	8	
			{	F	23	2	1	6	2	6	1	1	4	43	2	3	8	8	3	7	4	8	
27	Suicide	...	{	M	2	—	—	—	—	—	—	2	—	9	—	—	—	—	—	2	5	2	
			{	F	1	—	—	—	—	—	1	—	—	8	—	—	—	—	—	5	3	—	
28	Other defined diseases	...	{	M	247	44	7	7	7	4	15	64	99	614	102	10	11	15	16	58	151	251	
			{	F	203	43	8	4	5	8	18	37	80	497	55	12	9	11	12	34	117	247	
29	Causes ill-defined or unknown.		{	M	4	—	1	2	—	—	—	1	—	15	—	7	—	—	—	3	3	2	
			{	F	8	—	2	5	—	—	—	1	—	10	—	5	1	1	—	2	1	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—continued.

Causes of Death.		Sex.	NEWPORT (MON.).										NORTHAMPTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	638	94	29	26	30	35	109	174	141	655	72	25	34	27	40	114	149	194		
		F	540	72	26	27	38	44	107	101	125	720	49	21	41	45	71	160	136	197		
1 Enteric fever	...	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	12	3	5	2	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
		F	14	2	4	6	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	10	4	4	1	1	—	—	—	—	9	5	—	3	1	—	—	—	—		
		F	14	5	4	4	1	—	—	—	—	7	1	—	5	1	—	—	—	—		
6 Diphtheria and croup	...	M	—	—	—	—	—	—	—	—	—	5	—	—	5	—	—	—	—	—		
		F	1	—	—	1	—	—	—	—	—	8	—	1	4	3	—	—	—	—		
7 Influenza	...	M	64	1	5	7	3	4	15	18	11	80	—	3	5	7	11	28	16	10		
		F	82	1	1	5	9	15	35	11	5	129	1	3	9	15	17	62	15	7		
8 Erysipelas	...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
9 Pulmonary tuberculosis	{	M	45	—	—	1	—	9	21	12	2	91	—	1	2	2	12	52	18	4		
		F	56	—	—	1	6	15	23	8	3	93	—	1	—	8	29	43	10	2		
10 Tuberculous meningitis	{	M	4	—	—	1	3	—	—	—	—	8	2	2	2	1	1	—	—	—		
		F	8	—	3	—	5	—	—	—	—	5	—	—	1	2	2	—	—	—		
11 Other tuberculous diseases.	{	M	7	—	—	2	—	2	2	—	1	12	—	2	1	—	3	6	—	—		
		F	3	—	—	1	1	—	1	—	—	9	1	1	1	1	3	1	1	—		
12 Cancer, malignant disease	{	M	31	—	—	—	1	1	—	18	11	35	—	—	—	—	—	2	18	15		
		F	36	—	—	—	—	—	4	20	12	60	—	—	—	—	8	35	17	—		
13 Rheumatic fever	...	M	4	—	—	—	3	1	—	—	—	1	—	—	—	—	1	—	—	—		
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis	...	M	5	1	—	2	1	1	—	—	—	6	1	—	—	2	3	—	—	—		
		F	7	—	2	1	2	—	—	2	—	9	1	1	—	4	3	—	—	—		
15 Organic heart disease	...	M	68	—	—	—	—	1	9	31	27	60	—	—	—	2	3	9	20	26		
		F	39	—	—	—	1	1	2	15	20	65	—	—	—	—	6	16	24	19		
16 Bronchitis	...	M	43	14	4	1	1	1	1	6	15	42	8	5	1	1	—	1	9	17		
		F	33	11	—	1	2	—	2	3	14	55	12	1	3	1	—	—	8	30		
17 Pneumonia (all forms)	{	M	66	10	6	6	—	4	13	20	7	52	12	9	6	1	3	3	8	10		
		F	39	8	7	3	1	4	9	5	2	48	6	10	13	3	3	5	4	4		
18 Other respiratory diseases	{	M	10	—	—	—	1	—	2	5	2	9	—	—	2	—	—	2	4	1		
		F	6	1	1	—	1	—	1	1	1	7	—	1	—	1	1	1	3	—		
19 Diarrhoea, &c.	...	M	8	5	1	—	—	—	—	—	2	10	5	—	1	1	—	—	2	1		
		F	13	5	1	—	—	—	3	1	3	8	2	1	1	—	—	1	2	1		
20 Appendicitis and typhlitis	{	M	2	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—		
		F	3	—	—	1	—	—	2	—	—	3	—	—	—	1	—	2	—	—		
21 Cirrhosis of liver	...	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—	3	1		
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	36	—	—	2	2	1	8	17	6	11	—	—	—	4	—	2	3	2		
		F	14	1	—	—	—	—	3	2	8	10	1	—	—	—	—	4	5	—		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	2	2	—	—		
25 Congenital debility, &c.	{	M	35	34	1	—	—	—	—	—	—	30	29	—	—	1	—	—	—	—		
		F	22	22	—	—	—	—	—	—	—	16	15	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	32	1	2	—	4	6	9	7	3	12	2	1	1	—	1	2	2	3		
		F	13	1	1	2	2	2	1	1	3	3	—	—	—	2	—	—	—	1		
27 Suicide	...	M	4	—	—	—	—	—	1	3	—	5	—	—	—	—	—	1	3	1		
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
28 Other defined diseases	...	M	145	21	1	1	7	3	26	34	52	169	8	2	4	4	1	6	41	103		
		F	131	15	2	1	5	5	19	31	53	170	9	1	3	2	3	15	26	111		
29 Causes ill-defined or unknown.	{	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	NORWICH.										NOTTINGHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	978	115	50	82	68	43	125	192	303	2,336	289	105	177	110	113	338	606	598		
	F	1,084	89	68	93	74	79	170	184	327	2,711	230	128	155	204	219	535	550	690		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	2	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	80	12	22	34	11	1	—	—	—	19	4	6	7	2	—	—	—	—		
	F	81	9	25	37	10	—	—	—	—	12	—	5	5	1	1	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
5 Whooping cough ...	M	10	3	3	4	—	—	—	—	—	33	11	8	12	2	—	—	—	—		
	F	13	5	3	5	—	—	—	—	—	33	8	13	8	4	—	—	—	—		
6 Diphtheria and croup ...	M	8	1	—	3	3	1	—	—	—	18	—	2	10	5	1	—	—	—		
	F	10	1	1	4	3	—	1	—	—	31	—	4	9	18	—	—	—	—		
7 Influenza ...	M	132	1	6	10	23	10	55	17	10	426	13	24	55	43	38	113	108	32		
	F	195	3	6	17	26	31	75	16	21	717	10	28	63	93	109	251	99	64		
8 Erysipelas ...	M	3	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	76	—	—	3	1	17	29	21	5	174	1	3	3	3	20	78	58	8		
	F	92	1	—	2	4	28	39	16	2	172	2	2	3	20	36	76	31	2		
10 Tuberculous meningitis	M	5	2	—	—	3	—	—	—	—	24	5	6	3	7	3	—	—	—		
	F	6	1	1	2	2	—	—	—	—	25	—	4	6	8	2	4	1	—		
11 Other tuberculous diseases.	M	17	—	3	4	3	1	3	3	—	32	6	3	5	1	4	5	7	1		
	F	21	2	3	2	4	—	4	5	1	37	3	3	4	7	4	7	6	3		
12 Cancer, malignant disease	M	64	—	—	—	—	—	4	24	36	148	—	—	—	2	—	10	73	63		
	F	96	—	—	—	—	—	9	52	35	211	—	—	—	—	2	32	107	70		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	4	—	—	—	1	2	1	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	1	3	—	—	—		
14 Meningitis ...	M	4	1	—	1	1	—	1	—	—	10	2	2	2	1	—	3	—	—		
	F	2	—	—	1	1	—	—	—	—	15	2	4	4	3	1	—	1	—		
15 Organic heart disease ...	M	58	—	—	—	1	—	1	19	37	159	—	1	—	1	4	16	64	73		
	F	76	—	—	—	3	1	11	27	34	180	—	—	1	6	8	16	73	76		
16 Bronchitis ...	M	68	9	—	3	2	—	3	12	39	185	14	4	7	1	—	9	61	89		
	F	65	5	7	7	—	—	—	7	39	170	19	5	—	—	1	6	28	111		
17 Pneumonia (all forms)	M	86	10	11	15	6	3	10	19	12	269	41	26	47	14	16	31	56	38		
	F	79	13	17	8	10	4	6	8	13	295	37	44	38	21	26	61	37	31		
18 Other respiratory diseases	M	10	—	—	—	1	1	1	4	3	19	—	1	4	2	—	1	6	5		
	F	10	—	—	1	—	3	1	3	2	17	—	—	—	—	—	7	5	5		
19 Diarrhoea, &c. ...	M	13	7	1	1	1	—	2	1	—	47	30	2	3	—	1	1	2	8		
	F	17	4	1	2	2	—	2	3	3	48	32	4	3	—	—	—	3	6		
20 Appendicitis and typhlitis	M	8	—	—	—	3	—	1	2	2	6	—	—	—	4	—	—	2	—		
	F	5	—	—	—	2	—	—	1	2	8	—	—	1	3	3	1	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	4	1	5	—	—	—	—	—	1	3	1		
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	3	—	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	11	—	—	—	—	1	—	4	6	48	—	—	—	4	3	5	21	15		
	F	15	—	2	1	—	1	1	4	6	36	—	—	—	5	1	6	13	11		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	9	—	—	—	—	1	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	15	—	—	—	—	7	8	—	—		
25 Congenital debility &c.	M	51	50	—	—	—	1	—	—	—	106	102	—	2	—	2	—	—	—		
	F	28	28	—	—	—	—	—	—	—	80	78	—	1	—	1	—	—	—		
26 Violence, apart from suicide.	M	15	1	—	—	7	1	1	2	3	85	5	6	7	9	8	25	19	6		
	F	10	1	—	1	3	1	—	1	3	46	4	1	2	7	7	9	5	11		
27 Suicide ...	M	3	—	—	—	—	1	—	2	—	8	—	—	—	—	—	3	3	2		
	F	8	—	—	—	—	—	6	1	1	3	—	—	—	—	—	2	1	—		
28 Other defined diseases ...	M	247	16	3	4	2	4	13	57	148	500	54	7	9	8	11	36	120	255		
	F	246	16	2	2	4	6	13	38	165	527	33	5	6	7	6	40	133	297		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	—	7	1	4	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	8	1	6	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian population only)—*cont.*

Causes of Death.	Sex.	OLDHAM.										OXFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,372	142	67	78	90	59	201	448	287	408	23	13	22	26	26	63	99	136		
	F	1,437	103	67	85	104	107	244	394	333	468	21	18	28	22	40	96	95	148		
1 Enteric fever ...	M	5	—	—	—	1	—	—	3	1	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	22	6	4	8	4	—	—	—	—	13	1	6	5	1	—	—	—	—		
	F	12	1	5	5	1	—	—	—	—	11	1	4	4	2	—	—	—	—		
4 Scarlet fever ...	M	3	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	37	12	15	8	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	35	10	15	8	2	—	—	—	—	2	1	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	7	—	—	2	5	—	—	—	—	4	—	—	2	2	—	—	—	—		
	F	5	—	—	4	1	—	—	—	—	8	—	—	5	3	—	—	—	—		
7 Influenza ...	M	183	4	5	14	29	16	53	51	11	92	4	3	3	14	18	29	14	7		
	F	290	5	10	24	34	45	86	58	28	135	2	5	10	8	26	57	19	8		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	94	—	—	1	6	12	38	33	4	28	—	—	1	1	4	14	8	—		
	F	69	—	—	2	8	17	29	12	1	16	—	—	—	4	7	5	—	—		
10 Tuberculous meningitis	M	9	—	—	4	3	1	1	—	—	3	—	—	—	3	—	—	—	—		
	F	10	—	—	1	6	2	1	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	21	1	3	—	6	6	3	2	—	6	—	—	—	2	1	3	—	—		
	F	20	2	—	4	3	2	4	3	2	5	—	—	—	1	1	3	—	—		
12 Cancer, malignant disease	M	71	—	—	—	—	2	10	41	18	40	—	—	—	1	—	1	24	14		
	F	94	—	—	—	—	—	11	51	32	51	—	—	—	—	—	2	20	29		
13 Rheumatic fever ...	M	6	—	—	—	2	1	—	3	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	3	1	1	—	—	3	—	—	—	3	—	—	—	—		
14 Meningitis ...	M	9	1	2	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	7	1	—	2	3	—	1	—	—	2	—	—	—	—	—	2	—	—		
15 Organic heart disease ...	M	134	—	—	1	—	5	10	53	65	49	—	—	—	—	—	2	16	31		
	F	184	—	—	—	3	8	25	86	62	46	—	—	—	—	—	3	20	23		
16 Bronchitis ...	M	135	17	8	5	3	—	8	45	49	28	—	2	4	1	1	2	3	15		
	F	144	9	5	3	4	5	9	47	62	33	3	3	—	—	—	1	3	23		
17 Pneumonia (all forms)	M	151	11	16	22	13	8	23	43	15	15	2	1	2	—	—	5	3	2		
	F	146	7	20	22	17	6	27	32	15	29	1	5	5	3	2	3	3	7		
18 Other respiratory diseases	M	11	—	—	—	2	—	2	6	1	4	1	—	—	—	—	—	2	1		
	F	7	1	—	2	1	—	1	—	2	6	—	—	2	—	1	—	1	2		
19 Diarrhoea, &c. ...	M	13	2	2	2	—	—	2	2	3	7	2	1	—	—	—	1	2	1		
	F	15	4	3	—	—	—	2	—	6	5	2	—	—	—	—	—	2	1		
20 Appendicitis and typhlitis	M	3	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	—	—	—	1	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease	M	45	—	—	1	—	—	8	24	12	7	—	—	—	—	—	—	4	3		
	F	37	—	—	—	2	2	10	13	10	5	—	—	—	—	1	2	1	1		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	2	8	—	—	1	—	—	—	—	1	—	—	—		
25 Congenital debility, &c.	M	54	52	—	—	2	—	—	—	—	12	12	—	—	—	—	—	—	—		
	F	37	37	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	31	2	1	2	1	3	13	8	1	8	—	—	2	—	1	1	2	2		
	F	21	2	2	1	4	4	2	4	2	5	1	—	—	—	—	—	1	3		
27 Suicide ...	M	9	—	—	—	—	—	—	6	3	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	276	24	9	5	3	5	26	113	91	90	1	—	2	—	1	5	21	60		
	F	245	22	6	3	9	10	17	75	103	91	2	—	2	1	3	13	19	51		
29 Causes ill-defined or unknown.	M	37	10	1	1	1	—	3	11	10	—	—	—	—	—	—	—	—	—		
	F	29	2	1	2	1	1	7	9	6	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian population only)—cont.

Causes of Death.	Sex.	PLYMOUTH.										PORTSMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,607	215	77	64	87	107	286	370	401	1,776	209	90	87	98	108	321	394	469		
	F	1,795	160	73	70	90	156	366	343	537	1,797	156	58	89	108	147	373	343	523		
1 Enteric fever ...	M	2	—	—	—	—	—	2	—	—	3	—	—	—	2	—	—	1	—		
	F	2	—	—	—	—	1	1	—	—	3	—	—	1	—	—	1	—	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	30	4	14	10	2	—	—	—	—	32	4	19	5	3	—	1	—	—		
	F	30	3	13	11	3	—	—	—	—	21	4	7	7	2	—	—	1	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	6	—	—	1	3	1	1	—	—	3	—	1	1	1	—	—	—	—		
5 Whooping cough ...	M	24	12	9	3	—	—	—	—	—	22	13	2	7	—	—	—	—	—		
	F	34	13	16	5	—	—	—	—	—	24	8	4	11	1	—	—	—	—		
6 Diphtheria and croup ...	M	6	1	—	3	1	—	1	—	—	26	2	4	7	13	—	—	—	—		
	F	9	—	—	5	3	—	1	—	—	24	—	—	7	16	—	—	1	—		
7 Influenza ...	M	211	8	3	8	14	40	93	40	5	322	8	18	24	37	54	107	46	28		
	F	270	1	4	10	22	53	123	33	24	345	8	12	24	41	54	141	45	20		
8 Erysipelas ...	M	6	2	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
	F	5	1	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	126	—	2	4	7	26	53	32	2	150	1	1	2	5	18	81	37	5		
	F	173	—	—	3	13	53	89	14	1	145	—	—	—	13	43	58	27	4		
10 Tuberculous meningitis	M	18	—	3	1	8	4	2	—	—	12	1	1	3	5	1	1	—	—		
	F	18	1	4	4	5	4	—	—	—	9	1	—	6	—	2	—	—	—		
11 Other tuberculous diseases.	M	25	6	—	2	7	2	4	3	1	24	4	—	2	4	5	6	3	—		
	F	31	4	1	2	7	6	6	5	—	19	—	1	2	6	3	4	3	—		
12 Cancer, malignant disease	M	87	—	—	—	—	—	5	45	37	100	—	1	—	—	1	7	49	42		
	F	124	—	—	—	—	—	21	58	45	154	—	1	—	—	2	22	72	57		
13 Rheumatic fever ...	M	4	—	—	—	1	—	—	3	—	3	—	—	—	—	—	1	2	—		
	F	7	—	—	—	1	2	3	1	—	2	—	—	—	—	1	—	1	—		
14 Meningitis ...	M	7	1	1	1	3	—	1	—	—	11	2	3	1	2	3	—	—	—		
	F	6	1	—	1	1	1	2	—	—	24	3	—	5	4	4	8	—	—		
15 Organic heart disease ...	M	138	—	—	1	6	7	13	57	54	162	—	—	—	2	6	23	56	75		
	F	133	—	—	—	2	6	13	40	72	145	1	—	—	—	4	28	46	66		
16 Bronchitis ...	M	114	20	6	3	—	—	7	22	56	105	22	4	1	1	—	6	22	49		
	F	151	20	12	2	—	—	3	35	79	117	14	3	3	1	—	8	18	70		
17 Pneumonia (all forms)	M	168	23	28	13	11	12	36	32	13	165	31	22	23	7	6	32	26	18		
	F	134	23	11	17	7	9	29	21	17	125	18	19	15	6	10	34	16	7		
18 Other respiratory diseases	M	28	—	3	2	1	1	3	9	9	25	—	1	1	1	1	1	14	6		
	F	20	2	—	—	2	—	4	9	3	14	—	—	—	3	—	1	3	7		
19 Diarrhoea, &c. ...	M	45	31	2	2	1	—	2	—	7	30	16	6	1	1	—	1	1	4		
	F	28	11	5	2	—	—	3	1	6	38	20	5	1	2	—	—	3	7		
20 Appendicitis and typhlitis	M	5	—	—	—	2	—	—	3	—	7	—	—	2	1	1	2	1	—		
	F	7	—	—	—	4	1	2	—	—	4	—	—	—	—	1	2	1	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	6	—	—	—	—	—	—	4	2		
	F	8	—	—	—	—	—	—	7	1	5	—	—	—	—	—	1	4	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	47	1	—	—	4	2	9	19	12	44	2	—	—	—	2	8	17	15		
	F	33	—	—	—	1	—	5	16	11	38	—	—	1	1	—	6	18	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	4	5	—	—	11	—	—	—	—	6	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	14	—	—	—	—	5	8	1	—	14	—	—	—	—	3	11	—	—		
25 Congenital debility, &c.	M	66	64	—	2	—	—	—	—	—	73	69	1	—	1	—	2	—	—		
	F	57	57	—	—	—	—	—	—	—	62	62	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	47	3	—	3	8	6	10	12	5	34	2	2	4	4	2	2	10	8		
	F	29	—	2	2	6	—	8	6	5	27	3	2	2	1	1	3	2	13		
27 Suicide ...	M	8	—	—	—	—	—	3	2	3	17	—	—	—	—	—	6	9	2		
	F	5	—	—	—	—	1	2	1	1	5	—	—	—	—	—	2	4	—		
28 Other defined diseases ...	M	532	39	6	6	11	7	41	86	196	400	32	3	3	9	8	34	96	215		
	F	450	22	5	5	10	9	36	93	270	412	14	2	2	10	13	38	76	257		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	2	1	—	—	—	—	1	—	—	5	—	1	1	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian population only)—*continued.*

Causes of Death.	Sex.	PRESTON.										READING.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	897	113	42	56	60	44	118	250	214	612	71	20	25	29	29	93	134	211		
	F	1047	100	43	60	63	76	179	242	284	715	47	17	34	35	56	150	134	242		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	1	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	7	—	2	5	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	19	6	4	8	1	—	—	—	—	6	4	1	1	—	—	—	—	—		
	F	16	7	4	5	—	—	—	—	—	5	2	1	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	8	1	1	4	2	—	—	—	—	5	—	—	2	3	—	—	—	—		
	F	5	—	1	1	3	—	—	—	—	7	—	1	2	3	—	1	—	—		
7 Influenza ...	M	161	4	4	16	23	16	46	33	19	92	4	6	7	9	7	31	22	6		
	F	230	2	5	24	25	35	70	43	26	138	4	7	13	7	19	55	15	18		
8 Erysipelas ...	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	67	—	1	—	2	11	29	23	1	58	—	—	—	3	10	27	15	3		
	F	60	2	2	1	4	12	26	10	3	61	—	1	2	4	11	27	15	1		
10 Tuberculous meningitis	M	18	1	3	7	7	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	6	—	1	1	2	2	—	—	—	4	1	1	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	11	2	1	2	4	—	—	1	1	13	3	1	1	4	1	1	2	—		
	F	14	2	—	1	1	4	3	3	—	3	—	—	—	1	—	2	—	—		
12 Cancer, malignant disease	M	54	—	—	—	—	1	5	28	20	44	—	—	—	—	—	1	20	23		
	F	63	—	—	—	—	1	5	35	22	67	—	—	—	—	—	10	28	29		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	4	1	1	—	1	—	—	1	—	5	1	1	—	2	—	—	1	—		
	F	5	2	1	—	1	—	—	1	—	3	—	—	—	1	1	—	—	—		
15 Organic heart disease ...	M	88	—	—	—	1	4	10	39	34	55	—	—	—	—	2	4	13	36		
	F	95	—	—	—	—	1	18	35	41	82	—	—	—	—	2	9	23	48		
16 Bronchitis ...	M	73	13	3	3	—	1	4	18	31	47	4	3	—	—	—	—	10	30		
	F	78	9	6	1	—	1	2	20	39	53	4	—	3	—	—	1	3	42		
17 Pneumonia (all forms)	M	93	17	11	9	7	4	11	23	11	34	4	2	2	2	3	12	5	4		
	F	117	17	14	16	12	7	19	20	12	60	3	1	2	10	13	19	7	5		
18 Other respiratory diseases	M	7	—	—	1	2	—	—	3	1	16	3	1	—	—	—	2	3	7		
	F	7	—	—	—	—	—	—	4	3	5	1	—	1	1	—	1	—	1		
19 Diarrhoea, &c. ...	M	19	7	4	1	1	—	—	2	4	17	11	1	—	—	—	—	2	3		
	F	23	12	2	2	—	—	1	4	2	12	7	1	2	1	1	—	—	—		
20 Appendicitis and typhlitis	M	4	—	—	—	1	1	1	1	—	2	—	—	—	1	—	—	—	1		
	F	3	—	—	—	—	—	1	2	—	5	—	—	—	2	—	1	1	1		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	1	1		
	F	3	—	—	1	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	16	1	—	—	—	—	—	7	8	15	—	—	—	—	—	1	7	7		
	F	17	—	—	1	2	1	4	5	4	9	—	—	—	—	1	—	2	6		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	37	36	1	—	—	—	—	—	—	17	16	—	1	—	—	—	—	—		
	F	30	30	—	—	—	—	—	—	—	16	14	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	23	2	—	1	5	3	1	7	4	24	4	—	4	3	3	4	3	3		
	F	15	—	—	2	4	2	1	—	6	8	1	—	1	—	—	1	1	4		
27 Suicide ...	M	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	169	20	5	4	3	3	9	50	75	151	16	1	5	2	2	9	30	86		
	F	232	17	3	4	9	5	22	52	120	157	10	1	—	3	7	15	34	87		
29 Causes ill defined or unknown.	M	15	2	2	—	—	—	1	6	4	—	—	—	—	—	—	—	—	—		
	F	12	—	3	—	—	1	1	3	4	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	ROCHDALE.										ROTHERHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	781	89	31	41	45	36	121	227	191	707	119	48	61	60	32	98	147	142		
	F	920	62	34	44	41	58	153	247	281	622	106	47	54	52	49	97	102	115		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
	F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	18	3	7	7	1	—	—	—	—	8	1	4	3	—	—	—	—	—		
	F	17	2	8	6	1	—	—	—	—	10	1	3	5	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough ...	M	4	2	—	2	—	—	—	—	—	14	7	3	4	—	—	—	—	—		
	F	9	—	5	3	1	—	—	—	—	19	10	6	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	1	2	—	—	—	—	—	5	—	—	2	3	—	—	—	—		
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	137	—	3	12	13	9	48	36	16	132	6	7	25	15	12	41	23	3		
	F	179	3	1	10	6	22	57	51	29	164	4	12	21	19	30	49	20	9		
8 Erysipelas ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	66	—	1	1	5	9	24	21	5	48	—	1	1	4	9	24	9	—		
	F	58	—	1	—	5	14	21	12	5	34	—	—	2	9	7	10	6	—		
10 Tuberculous meningitis	M	3	1	1	—	1	—	—	—	—	7	—	—	3	4	—	—	—	—		
	F	9	1	2	—	5	1	—	—	—	4	—	—	1	2	1	—	—	—		
11 Other tuberculous diseases.	M	9	—	1	1	2	2	2	—	1	13	3	—	3	3	1	—	1	2		
	F	6	—	—	—	3	2	1	—	—	10	2	2	2	1	—	1	2	—		
12 Cancer, malignant disease	M	48	—	—	1	—	—	2	29	16	30	—	—	—	1	—	1	18	10		
	F	72	—	—	—	—	—	12	37	23	25	—	—	—	—	—	4	12	9		
13 Rheumatic fever ...	M	4	—	—	—	—	1	1	2	—	1	—	—	—	—	1	—	—	—		
	F	5	—	—	—	3	—	1	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	4	2	1	1	—	—	—	—	—	3	—	1	—	1	—	—	1	—		
	F	2	—	—	1	—	—	1	—	—	3	—	—	1	1	—	1	—	—		
15 Organic heart disease ...	M	49	—	—	—	1	2	5	19	22	35	—	—	—	2	—	3	14	16		
	F	80	—	—	—	1	1	17	30	31	34	—	—	—	1	1	3	16	13		
16 Bronchitis ...	M	61	3	1	3	—	—	—	22	32	57	11	7	3	2	—	—	18	16		
	F	95	9	—	1	1	1	7	21	55	54	15	5	2	—	—	1	10	21		
17 Pneumonia (all forms)	M	80	16	7	7	10	1	13	20	6	80	12	8	9	8	1	13	16	13		
	F	52	4	11	12	4	4	6	6	5	67	12	12	8	11	2	10	4	8		
18 Other respiratory diseases	M	14	—	—	—	—	1	1	7	5	10	—	1	—	1	—	—	4	4		
	F	10	—	—	—	—	—	2	6	2	3	—	—	—	—	1	—	—	2		
19 Diarrhoea, &c. ...	M	18	5	2	1	1	—	—	2	7	38	26	5	2	—	—	—	3	2		
	F	20	9	2	—	1	1	—	5	2	35	24	5	2	—	—	1	1	2		
20 Appendicitis and typhlitis	M	4	—	—	—	1	3	—	—	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	19	—	—	—	—	—	5	11	3	16	—	—	1	1	—	—	7	7		
	F	25	—	—	—	2	—	4	13	6	15	1	—	—	1	2	2	2	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	38	38	—	—	—	—	—	—	—	35	34	1	—	—	—	—	—	—		
	F	24	24	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	21	1	—	1	6	2	4	7	—	34	2	3	—	10	1	5	8	5		
	F	14	—	—	2	3	1	2	3	3	6	1	—	2	—	—	—	1	—		
27 Suicide ...	M	5	—	—	—	—	—	2	2	1	2	—	—	—	—	—	2	—	—		
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	166	18	6	2	4	6	13	42	75	125	17	4	3	5	6	6	21	63		
	F	222	10	4	7	5	6	19	52	119	100	13	1	4	4	1	8	25	44		
29 Causes ill-defined or unknown.	M	7	—	—	—	—	—	1	4	2	6	—	2	2	—	—	1	—	1		
	F	8	—	—	—	—	—	1	7	—	3	—	1	1	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	ST. HELENS.										SALFORD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,006	184	64	90	84	55	141	256	132	1,843	273	83	116	103	132	299	497	340	
			F	916	125	60	100	104	68	161	148	150	1,948	206	75	120	123	152	364	409	499	
1	Enteric fever	...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	2	2	—	—	
			F	—	—	—	—	—	—	—	—	—	6	—	—	—	2	2	2	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	16	2	5	9	—	—	—	—	—	7	1	1	4	1	—	—	—	—	
			F	10	1	7	2	—	—	—	—	—	11	2	3	6	—	—	—	—	—	
4	Scarlet fever	...	M	7	1	—	3	3	—	—	—	—	10	—	3	2	5	—	—	—	—	
			F	17	1	—	9	7	—	—	—	—	8	—	—	4	2	2	—	—	—	
5	Whooping cough	...	M	10	7	—	3	—	—	—	—	—	39	16	7	15	1	—	—	—	—	
			F	14	3	3	6	2	—	—	—	—	38	9	17	11	1	—	—	—	—	
6	Diphtheria and croup	...	M	54	2	6	25	21	—	—	—	—	5	1	2	1	1	—	—	—	—	
			F	46	1	7	21	16	1	—	—	—	6	1	—	3	1	—	1	—	—	
7	Influenza	...	M	155	5	8	15	26	11	43	35	12	234	5	11	20	16	39	70	55	18	
			F	160	1	5	19	24	28	53	23	7	326	5	3	26	38	42	122	68	22	
8	Erysipelas	...	M	3	—	—	—	—	1	—	2	—	3	1	—	—	—	—	1	1	—	
			F	—	—	—	—	—	—	—	—	—	3	1	—	—	—	1	—	—	—	
9	Pulmonary tuberculosis	{	M	61	—	—	1	3	15	20	20	2	198	1	1	3	7	30	91	61	4	
			F	46	—	—	1	5	12	22	6	—	160	—	—	2	10	52	73	20	3	
10	Tuberculous meningitis	{	M	10	2	—	1	6	—	1	—	—	18	1	3	5	7	2	—	—	—	
			F	6	1	—	2	3	—	—	—	—	26	5	4	4	13	—	—	—	—	
11	Other tuberculous diseases.	{	M	9	—	3	—	1	1	2	2	—	42	7	5	7	13	3	4	1	2	
			F	9	—	2	2	1	3	1	—	—	23	2	4	2	7	2	5	1	—	
12	Cancer, malignant disease	{	M	43	—	—	—	—	—	7	29	7	99	—	—	—	—	—	4	67	28	
			F	41	—	—	—	—	—	—	9	21	11	142	—	—	—	1	1	18	76	46
13	Rheumatic fever	...	M	3	—	—	—	1	1	—	1	—	5	—	—	—	2	—	—	3	—	
			F	2	—	—	—	1	—	1	—	—	4	—	—	—	2	—	—	—	2	
14	Meningitis	...	M	6	4	—	1	1	—	—	—	—	10	2	1	2	3	2	—	—	—	
			F	6	—	3	—	3	—	—	—	—	16	1	5	2	5	1	1	1	—	
15	Organic heart disease	...	M	72	—	—	—	—	5	12	33	22	98	—	—	1	4	10	13	37	33	
			F	68	—	1	—	3	4	11	23	26	149	1	—	—	5	9	25	56	53	
16	Bronchitis	...	M	85	19	6	1	—	—	1	32	26	237	34	7	2	1	1	19	87	86	
			F	62	11	3	—	1	—	2	11	34	223	19	4	9	—	—	15	52	124	
17	Pneumonia (all forms)	{	M	120	11	21	20	14	10	16	23	5	214	35	21	32	18	18	35	43	12	
			F	116	16	15	15	18	8	23	14	7	180	34	18	33	13	15	35	20	12	
18	Other respiratory diseases	{	M	12	3	2	3	—	—	1	2	1	17	—	1	—	—	—	6	6	4	
			F	9	2	—	3	1	1	2	—	—	16	1	—	—	—	—	3	6	6	
19	Diarrhœa, &c.	...	M	24	18	3	3	—	—	—	—	—	58	39	9	3	—	1	2	3	1	
			F	24	9	7	2	3	—	1	2	—	45	21	6	3	1	—	3	5	6	
20	Appendicitis and typhlitis	{	M	6	—	—	—	—	6	—	—	—	10	—	—	—	3	4	2	1	—	
			F	4	—	—	—	1	1	—	2	—	8	—	—	1	1	3	1	2	—	
21	Cirrhosis of liver	...	M	5	—	—	—	—	—	—	2	3	14	—	—	1	—	—	3	6	4	
			F	2	—	—	—	—	—	—	1	1	6	—	—	—	—	1	—	3	2	
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	30	—	—	—	—	2	5	17	6	28	—	—	—	—	4	4	15	5	
			F	22	—	—	2	2	2	2	5	3	8	40	—	2	2	3	2	5	13	13
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	5	—	—	—	—	—	5	—	—	10	—	—	—	—	1	9	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	8	—	—	—	—	2	6	—	—	—	10	—	—	—	—	1	9	—	—
25	Congenital debility, &c.	{	M	69	68	—	—	1	—	—	—	—	84	84	—	—	—	—	—	—	—	
			F	60	59	—	—	1	—	—	—	—	—	73	72	—	—	—	1	—	—	—
26	Violence, apart from suicide.	{	M	29	—	2	2	3	—	11	9	2	63	4	1	10	11	6	9	12	10	
			F	17	1	—	5	3	—	—	3	2	3	28	1	4	—	7	2	1	4	6
27	Suicide	...	M	2	—	—	—	—	—	—	2	—	9	—	—	—	—	—	3	5	1	
			F	3	—	—	—	—	—	2	1	—	4	—	—	—	—	—	2	2	—	
28	Other defined diseases	...	M	171	41	7	3	4	3	22	45	46	322	39	9	7	9	9	30	90	129	
			F	155	19	6	9	9	6	14	39	53	370	29	5	7	12	12	32	71	202	
29	Causes ill-defined or unknown.	{	M	4	1	1	—	—	—	—	2	—	14	3	1	1	—	1	1	4	3	
			F	4	—	1	2	—	—	—	1	—	—	17	2	—	2	1	2	2	6	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	SHEFFIELD.										SMETHWICK.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	5,016	749	300	382	353	262	904	1136	930	495	84	17	23	29	34	88	108	112		
	F	4,719	628	309	380	366	407	868	845	916	570	74	26	32	46	44	114	107	127		
1 Enteric fever ...	M	5	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	25	4	6	13	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	28	10	6	6	6	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	14	—	2	6	4	2	—	—	—	—	—	—	—	1	—	—	—	—		
	F	8	1	—	5	1	—	1	—	—	1	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	130	63	41	21	4	—	—	—	1	5	2	2	1	—	—	—	—	—		
	F	159	61	58	32	7	1	—	—	—	5	4	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	24	1	1	10	12	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	20	—	1	8	11	—	—	—	—	6	—	1	—	4	—	1	—	—		
7 Influenza ...	M	1,015	26	49	110	124	108	350	168	80	78	4	1	5	6	10	25	21	6		
	F	1,133	32	67	127	139	183	362	159	64	131	2	3	9	20	15	55	23	4		
8 Erysipelas ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	7	1	—	—	1	—	2	2	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	421	—	5	8	25	52	166	142	23	51	—	—	—	4	9	23	11	4		
	F	262	2	2	3	26	72	101	47	9	45	1	—	—	2	12	23	6	1		
10 Tuberculous meningitis	M	38	3	7	7	12	5	4	—	—	3	—	1	2	—	—	—	—	—		
	F	32	5	4	10	9	3	1	—	—	2	1	—	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	80	11	8	11	17	9	13	11	—	8	1	1	—	1	—	3	1	1		
	F	60	6	7	6	14	9	10	5	3	6	—	—	2	2	2	—	—	—		
12 Cancer, malignant disease	M	213	1	—	1	1	—	23	117	70	28	1	—	—	—	—	3	14	10		
	F	280	—	—	1	1	2	43	138	95	35	—	—	—	—	—	4	18	13		
13 Rheumatic fever ...	M	15	1	—	2	4	2	1	4	1	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	5	2	3	1	2	3	—	—	—	1	1	1	—	—		
14 Meningitis ...	M	20	7	—	4	6	3	—	—	—	2	—	—	—	1	—	1	—	—		
	F	21	3	3	3	8	1	2	1	—	6	3	1	1	1	—	—	—	—		
15 Organic heart disease ...	M	255	—	—	—	12	13	43	102	85	39	—	—	—	1	3	5	12	18		
	F	244	—	—	1	10	23	55	74	81	40	—	—	1	1	3	5	6	24		
16 Bronchitis ...	M	467	77	28	19	4	—	28	128	183	39	5	—	2	—	—	2	8	22		
	F	378	70	21	15	3	4	18	78	169	31	8	1	—	1	1	—	7	13		
17 Pneumonia (all forms)	M	812	150	98	125	60	31	141	147	60	77	15	7	6	7	8	9	15	10		
	F	708	94	88	125	76	62	116	91	56	70	12	16	10	5	3	5	8	11		
18 Other respiratory diseases	M	43	5	6	5	4	1	4	10	8	1	—	—	—	—	—	—	1	—		
	F	47	2	2	3	4	2	9	13	12	2	1	—	—	1	—	—	—	—		
19 Diarrhoea, &c. ...	M	122	71	24	4	4	1	3	6	9	16	8	4	—	—	—	—	2	2		
	F	104	55	21	7	3	1	1	5	11	13	6	4	2	—	—	—	—	1		
20 Appendicitis and typhlitis	M	21	—	—	—	8	2	7	4	—	2	—	—	1	—	—	—	—	—		
	F	21	—	—	—	6	6	4	4	1	1	—	—	—	—	1	—	—	—		
21 Cirrhosis of liver ...	M	8	—	—	—	1	—	2	4	1	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	—	1	2	5	4	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	102	1	1	5	5	5	15	40	30	9	—	—	—	—	—	3	4	2		
	F	94	—	2	2	2	7	16	37	28	10	—	—	1	—	—	2	7	—		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	16	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	28	—	—	—	—	4	24	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	200	198	—	—	—	2	—	—	—	35	35	—	—	—	—	—	—	—		
	F	201	198	2	—	1	—	—	—	—	25	25	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	133	19	5	11	22	13	24	20	19	19	3	1	2	4	1	3	4	1		
	F	60	12	4	6	14	3	7	5	9	13	1	—	2	2	1	2	1	4		
27 Suicide ...	M	14	—	—	—	—	—	4	10	—	4	—	—	—	—	—	2	2	—		
	F	11	—	—	—	—	1	6	3	1	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	834	111	19	18	22	12	72	220	360	75	10	—	2	4	2	9	13	35		
	F	768	76	21	19	17	20	69	177	369	119	10	—	2	4	5	13	29	56		
29 Causes ill-defined or unknown.	M	2	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	SOUTHAMPTON.										SOUTHEND-ON-SEA.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	1,071	128	44	51	43	57	198	289	261	486	36	9	15	23	22	88	115	178		
		F	988	104	37	62	50	87	203	169	276	519	31	6	13	28	46	103	127	165		
1	Enteric fever	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	30	4	12	11	3	—	—	—	—	3	—	—	3	—	—	—	—	—		
		F	25	4	6	8	7	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M	3	1	1	1	—	—	—	—	—	7	4	2	1	—	—	—	—	—		
		F	15	6	4	5	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
6	Diphtheria and croup	M	7	2	—	2	3	—	—	—	—	1	—	—	—	1	—	—	—	—		
		F	11	—	1	6	4	—	—	—	—	2	—	—	1	1	—	—	—	—		
7	Influenza	M	152	2	7	8	11	19	67	28	10	59	3	3	3	7	4	25	11	3		
		F	192	—	4	9	15	50	77	26	11	109	2	—	4	14	23	40	20	6		
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
9	Pulmonary tuberculosis	M	101	—	—	—	—	11	45	40	5	64	—	—	—	—	9	39	13	3		
		F	61	—	—	1	4	9	38	7	2	48	—	—	—	2	11	26	8	1		
10	Tuberculous meningitis	M	5	—	1	3	—	1	—	—	—	10	1	1	2	3	2	—	1	—		
		F	8	—	—	6	2	—	—	—	—	5	1	1	2	—	—	1	—	—		
11	Other tuberculous diseases.	M	10	1	1	—	1	—	3	4	—	4	—	—	1	2	1	—	—	—		
		F	10	—	—	—	3	1	3	2	1	2	—	—	—	—	1	1	—	—		
12	Cancer, malignant disease	M	75	—	—	2	—	—	7	34	32	39	—	—	—	1	1	2	10	25		
		F	83	—	—	—	—	1	13	33	36	61	—	—	—	—	—	4	34	23		
13	Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—		
14	Meningitis	M	8	—	—	4	3	1	—	—	—	1	—	—	—	—	—	1	—	—		
		F	12	1	1	2	5	—	1	2	—	—	—	—	—	—	—	—	—	—		
15	Organic heart disease	M	117	—	—	—	1	2	11	50	53	38	—	—	—	—	1	2	16	19		
		F	79	—	—	—	1	8	7	14	49	54	—	—	—	3	3	5	16	27		
16	Bronchitis	M	66	10	4	1	—	—	5	13	33	20	1	—	—	—	—	2	3	14		
		F	71	7	4	7	—	1	2	13	37	23	2	—	1	—	—	—	2	18		
17	Pneumonia (all forms)	M	80	5	11	12	8	6	19	10	9	26	—	1	3	1	1	6	7	7		
		F	85	10	9	11	5	5	28	11	6	32	2	—	4	3	6	8	6	3		
18	Other respiratory diseases	M	35	1	—	—	1	2	8	13	10	5	—	—	—	—	—	—	2	3		
		F	12	—	1	1	—	1	2	4	3	4	—	—	—	—	—	1	2	1		
19	Diarrhoea, &c.	M	37	25	1	1	2	2	1	3	2	6	3	1	—	—	—	—	1	1		
		F	20	16	—	1	—	—	2	—	1	8	5	—	—	—	1	—	1	1		
20	Appendicitis and typhlitis	M	6	—	—	1	2	—	1	2	—	3	—	—	—	1	—	1	—	1		
		F	6	—	—	—	1	3	1	—	1	2	—	—	—	1	1	—	—	—		
21	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2		
		F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	12	—	—	—	1	1	1	5	4	14	—	—	—	1	—	1	4	8		
		F	18	—	—	—	—	—	4	7	7	5	—	—	—	—	—	—	4	1		
23	Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	2	3	—	—	1	—	—	—	—	—	1	—	—		
25	Congenital debility, &c.	M	53	53	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—		
		F	34	34	—	—	—	—	—	—	—	10	9	—	—	1	—	—	—	—		
26	Violence, apart from suicide	M	46	4	—	2	3	5	11	13	8	9	1	—	1	1	—	2	3	1		
		F	16	2	2	3	2	1	2	2	2	4	1	—	—	—	—	1	—	2		
27	Suicide	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—		
		F	3	—	—	—	—	1	1	1	—	3	—	—	—	—	—	1	1	1		
28	Other defined diseases	M	216	20	4	2	1	5	19	71	94	150	10	1	1	2	3	6	36	91		
		F	212	24	4	2	1	2	16	45	118	133	9	3	1	1	—	12	28	79		
29	Causes ill-defined or unknown.	M	4	—	2	—	—	—	—	1	1	6	—	—	—	2	—	—	4	—		
		F	2	—	1	—	—	—	—	—	1	4	—	—	—	1	—	—	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.			Sex.	SOUTHPORT.										SOUTH SHIELDS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	474	28	16	11	18	24	75	133	169	1,197	216	66	86	107	75	194	250	203		
			F	583	19	12	11	23	38	87	130	263	1,177	146	59	111	129	106	203	186	237		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	3	1	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
			F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
5 Whooping cough	M	2	—	2	—	—	—	—	—	—	28	12	11	4	1	—	—	—	—		
			F	2	1	1	—	—	—	—	—	—	24	7	5	11	1	—	—	—	—		
6 Diphtheria and croup	M	3	—	—	2	1	—	—	—	—	6	—	1	2	3	—	—	—	—		
			F	2	—	—	1	1	—	—	—	—	6	—	—	2	4	—	—	—	—		
7 Influenza	M	74	—	4	3	2	9	29	20	7	214	5	9	23	44	24	58	40	11		
			F	99	—	2	2	10	18	41	13	13	266	5	12	31	52	41	86	27	12		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—		
			F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	26	—	—	1	1	4	9	9	2	89	1	2	1	7	16	43	19	—		
			F	27	—	—	—	3	6	13	5	—	110	—	—	1	32	30	39	8	—		
10 Tuberculous meningitis	M	4	2	—	—	2	—	—	—	—	15	3	2	5	4	1	—	—	—		
			F	4	—	—	1	2	1	—	—	—	6	—	—	2	4	—	—	—	—		
11 Other tuberculous diseases.	M	8	—	1	1	2	1	1	—	2	23	2	4	3	5	3	3	3	—		
			F	5	1	—	—	1	1	2	—	—	22	—	1	5	6	5	3	2	—		
12 Cancer, malignant disease	M	37	—	—	—	—	1	1	14	21	36	—	—	—	—	—	2	20	14		
			F	70	—	—	—	—	1	5	29	35	65	—	—	—	—	—	6	33	26		
13 Rheumatic fever	M	2	—	—	—	1	—	1	—	—	3	—	—	—	1	1	—	1	—		
			F	—	—	—	—	—	—	—	—	—	4	—	—	—	3	1	—	—	—		
14 Meningitis	M	1	—	—	—	—	1	—	—	—	8	2	1	—	4	—	—	1	—		
			F	4	1	—	—	2	1	—	—	—	6	3	1	—	1	1	—	—	—		
15 Organic heart disease	M	50	—	—	—	1	1	4	10	34	78	—	—	1	2	—	15	32	28		
			F	64	—	—	—	1	1	8	15	39	73	—	—	—	2	8	16	23	24		
16 Bronchitis	M	22	1	3	—	—	—	1	2	15	97	23	11	8	4	3	4	16	28		
			F	44	—	3	—	—	—	1	3	37	93	20	12	6	3	1	3	18	30		
17 Pneumonia (all forms)	M	35	1	3	2	3	4	8	8	6	96	12	4	18	9	10	13	22	8		
			F	35	—	4	3	—	2	6	6	14	88	8	11	21	11	7	17	8	5		
18 Other respiratory diseases	M	5	—	—	—	—	—	3	1	1	17	—	3	3	1	—	2	5	3		
			F	7	—	—	—	—	—	—	2	5	8	—	—	2	2	—	—	1	3		
19 Diarrhoea, &c	M	7	4	—	—	—	—	1	2	—	50	27	7	8	2	1	1	1	3		
			F	8	3	1	—	—	—	—	3	1	45	20	7	10	1	—	2	4	1		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	4	—	—	—	1	1	1	1	—		
			F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—		
21 Cirrhosis of liver	M	6	—	—	—	—	—	1	3	2	3	—	—	—	—	—	—	2	1		
			F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	—	—	—	1	1	6	4	26	—	1	4	1	1	5	9	5		
			F	9	—	—	—	—	—	2	3	4	27	—	3	3	1	3	4	9	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	—	1	1	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	79	79	—	—	—	—	—	—	—		
			F	9	9	—	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	7	—	—	1	1	—	1	3	1	52	1	—	—	5	8	22	10	6		
			F	4	—	—	—	—	1	1	1	1	20	2	3	5	1	—	1	4	4		
27 Suicide	M	4	—	—	—	—	—	1	2	1	5	—	—	—	—	—	4	1	—		
			F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—		
28 Other defined diseases	M	142	6	2	—	3	2	11	46	72	254	48	9	5	9	6	21	61	95		
			F	176	4	1	2	2	4	5	47	111	242	25	4	11	4	5	19	46	128		
29 Causes ill-defined or unknown.	M	10	—	—	—	—	—	2	7	1	11	—	1	—	3	—	—	3	1		
			F	1	—	—	—	—	—	—	—	1	3	—	—	—	1	1	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	STOCKPORT.										STOKE UPON TRENT.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	996 1119	110 92	32 35	65 73	63 60	59 67	155 215	271 243	241 334	2,137 2,113	327 265	143 127	187 177	180 178	121 172	287 385	533 409	359 400	
1 Enteric fever	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	3 2	— —	— —	— —	1 —	1 1	1 —	— 1	— —	
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	10 5	3 1	4 —	2 3	1 1	— —	— —	— —	— —	77 76	11 11	27 25	31 31	8 9	— —	— —	— —	— —	
4 Scarlet fever	M F	3 —	— —	— —	1 —	2 —	— —	— —	— —	— —	4 3	— —	— —	2 1	2 2	— —	— —	— —	— —	
5 Whooping cough	M F	13 18	4 6	4 3	4 8	1 1	— —	— —	— —	— —	16 22	2 8	5 5	8 9	1 —	— —	— —	— —	— —	
6 Diphtheria and croup	M F	5 4	— —	— —	3 3	2 1	— —	— —	— —	— —	25 32	— 2	3 1	13 12	9 17	— —	— —	— —	— —	
7 Influenza	M F	146 209	5 3	4 5	12 17	14 19	18 23	42 86	43 34	8 22	346 438	21 12	19 27	32 38	51 58	32 70	96 133	71 77	24 23	
8 Erysipelas	M F	1 1	— —	— —	— —	— —	— —	— —	1 1	— —	2 3	1 —	— 1	— —	— —	— 1	— —	1 1	— —	
9 Pulmonary tuberculosis			M F	86 62	— —	1 —	2 1	4 6	12 13	40 30	25 11	2 1	161 165	6 1	2 1	5 4	13 23	24 38	63 70	46 26	2 2	
10 Tuberculous meningitis			M F	4 10	1 1	— 1	1 5	2 3	— —	— —	— —	— —	— —	22 15	4 3	2 3	7 4	8 4	1 1	— —	— —	— —
11 Other tuberculous diseases.			M F	16 14	1 1	1 —	4 4	3 1	2 2	1 3	2 3	2 —	47 27	4 6	3 1	10 6	13 2	5 8	4 2	7 1	1 1	
12 Cancer, malignant disease			M F	60 103	— —	— —	— —	— —	— —	— —	3 10	37 53	20 40	77 128	— —	— —	— —	— —	— 1	6 14	43 63	28 50
13 Rheumatic fever	M F	2 4	— —	— —	— 1	2 1	— —	— 2	— —	— —	4 5	— —	— —	1 —	1 2	1 1	1 1	— 1	— —	
14 Meningitis	M F	6 5	— —	1 —	— 2	2 3	— —	1 —	1 —	1 —	23 15	10 4	2 —	6 5	2 3	1 1	1 2	1 —	— —	
15 Organic heart disease	M F	102 117	— —	— —	— 1	— 1	4 6	13 16	34 39	51 54	116 147	— —	1 —	— 1	2 2	6 9	9 36	61 52	37 47	
16 Bronchitis	M F	115 98	18 6	6 7	5 2	1 —	1 1	7 5	29 16	48 61	243 163	37 23	12 14	9 6	5 2	1 1	8 10	81 46	90 61	
17 Pneumonia (all forms)			M F	108 125	14 18	6 9	15 15	19 13	9 11	16 19	18 25	11 15	263 223	50 30	38 34	33 38	30 28	11 12	40 54	45 16	16 11	
18 Other respiratory diseases			M F	15 12	— —	— 1	3 1	1 —	— —	— 3	7 5	1 4	1 1	31 15	2 3	— —	1 2	2 1	— —	8 2	15 2	3 5
19 Diarrhoea, &c.	M F	21 17	12 7	3 3	1 1	1 —	— —	— 1	3 1	1 4	34 39	18 23	4 3	3 4	2 3	— —	2 1	5 2	— 3	
20 Appendicitis and typhlitis			M F	4 3	— —	— —	— —	2 1	2 1	— 1	— 1	— —	6 6	— —	— 1	— —	2 1	— 2	2 1	2 1	— —	
21 Cirrhosis of liver			M F	3 —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	4 4	— —	— —	— —	— —	— —	— —	2 2	2 2
21A Alcoholism	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
22 Nephritis and Bright's disease.			M F	29 39	— —	— —	1 3	— 3	— 3	4 6	14 9	10 15	46 37	— —	— 1	1 —	3 2	4 4	8 6	24 17	6 7	
23 Puerperal fever			M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— 5	— —	— —	— —	— 2	— 3	— —	— —
24 Parturition, apart from puerperal fever.			M F	— 5	— —	— —	— —	— —	— —	— 5	— —	— —	— 13	— —	— —	— —	— —	— 2	— 10	— 1	— —	
25 Congenital debility, &c.			M F	32 30	32 30	— —	— —	— —	— —	— —	— —	— —	— —	— —	112 100	111 98	1 —	— —	— 1	— 1	— —	— —
26 Violence, apart from suicide.			M F	19 16	2 2	1 2	— 3	2 1	3 1	2 1	7 3	2 3	79 27	3 3	4 —	11 5	12 7	19 —	10 1	14 4	6 7	
27 Suicide			M F	1 2	— —	— —	— —	— —	— —	— 1	— 1	— —	12 3	— —	— —	— —	— —	— 2	1 1	8 —
28 Other defined diseases	M F	192 216	18 17	1 4	11 3	4 5	8 6	23 22	44 42	83 117	379 395	46 38	18 10	14 11	13 10	15 16	26 37	107 92	140 181	
29 Causes ill-defined or unknown.			M F	1 2	— —	— —	— —	— —	— —	— —	— 1	— 1	5 5	1 —	2 —	— —	— 1	— 1	— —	1 3	— —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	SUNDERLAND.										TYNEMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	{	M	1,716	274	125	180	164	85	220	321	347	593	95	26	29	43	44	96	133	127	
		{	F	1,774	221	121	182	184	118	301	289	358	564	73	25	40	36	47	105	112	126	
1 Enteric fever	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
		{	F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—	
2 Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	...	{	M	43	7	19	12	4	—	—	—	—	2	2	—	—	—	—	—	—	—	
		{	F	47	5	17	20	5	—	—	—	—	3	—	—	1	2	—	—	—	—	
4 Scarlet fever	...	{	M	3	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	5	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	...	{	M	32	9	8	13	2	—	—	—	—	8	1	4	2	1	—	—	—	—	
		{	F	39	14	11	12	2	—	—	—	—	8	2	3	3	—	—	—	—	—	
6 Diphtheria and croup	...	{	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Influenza	...	{	M	292	18	18	61	66	27	53	34	15	79	3	1	8	9	11	27	16	4	
		{	F	373	17	14	45	68	46	114	48	21	84	—	3	10	11	11	30	14	5	
8 Erysipelas	...	{	M	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	1	
		{	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1	
9 Pulmonary tuberculosis		{	M	129	1	1	4	18	20	54	27	4	56	—	1	1	4	13	23	13	1	
		{	F	142	—	3	6	22	30	60	18	3	54	—	1	1	2	14	27	9	—	
10 Tuberculous meningitis		{	M	13	1	1	5	4	—	1	1	—	4	—	1	—	1	—	2	—	—	
		{	F	15	2	1	2	10	—	—	—	—	11	3	—	3	4	1	—	—	—	
11 Other tuberculous diseases.		{	M	31	—	3	11	5	4	2	4	2	12	3	3	2	3	1	—	—	—	
		{	F	32	1	3	10	8	3	5	2	—	15	1	2	3	1	3	3	1	1	
12 Cancer, malignant disease		{	M	62	1	—	1	1	—	4	30	25	33	—	—	—	—	—	2	19	12	
		{	F	79	—	—	—	1	1	12	37	28	41	—	—	—	—	—	3	27	11	
13 Rheumatic fever	...	{	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
		{	F	7	—	—	—	3	2	1	1	—	1	—	—	—	1	—	—	—	—	
14 Meningitis	...	{	M	12	2	2	2	5	1	—	—	—	4	2	—	—	1	1	—	—	—	
		{	F	18	3	5	4	3	—	3	—	—	6	1	1	1	1	1	—	—	—	
15 Organic heart disease	...	{	M	92	—	—	—	—	4	11	44	33	37	—	—	—	—	3	6	16	12	
		{	F	95	—	—	—	5	3	13	39	35	42	—	—	—	1	1	5	17	18	
16 Bronchitis	...	{	M	212	52	19	14	8	—	13	33	73	46	16	7	—	—	—	1	9	13	
		{	F	192	41	16	16	5	3	9	38	64	51	8	3	5	—	2	2	9	22	
17 Pneumonia (all forms)...		{	M	198	27	27	38	20	10	32	29	15	64	6	3	7	13	7	15	6	7	
		{	F	209	20	33	41	28	12	29	25	21	51	6	5	9	2	4	13	7	5	
18 Other respiratory diseases		{	M	12	1	—	3	—	—	2	4	2	5	—	1	1	—	—	1	1	1	
		{	F	13	1	—	4	—	1	2	4	1	8	—	—	1	1	—	1	3	2	
19 Diarrhoea, &c.	...	{	M	52	23	12	4	3	—	2	2	6	18	11	4	3	—	—	—	—	—	
		{	F	46	19	8	8	2	—	3	3	3	16	7	3	1	1	—	1	—	3	
20 Appendicitis and typhlitis		{	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—	
		{	F	5	—	—	—	1	1	3	—	—	1	—	—	—	1	—	—	—	—	
21 Cirrhosis of liver	...	{	M	8	—	—	—	—	—	3	3	2	2	—	—	—	—	—	—	—	2	
		{	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
21A Alcoholism	...	{	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	
		{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.		{	M	29	—	1	1	1	1	2	17	6	14	—	—	—	2	1	3	7	1	
		{	F	38	1	1	3	3	2	8	8	12	11	—	1	—	—	1	—	4	5	
23 Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	1	1	—	—	
24 Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	9	—	—	—	—	3	6	—	—	6	—	—	—	—	2	4	—	—	
25 Congenital debility, &c.		{	M	90	89	—	—	1	—	—	—	—	33	33	—	—	—	—	—	—	—	
		{	F	63	63	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	
26 Violence, apart from suicide.		{	M	73	2	3	3	17	8	14	14	12	26	—	—	2	3	5	4	10	2	
		{	F	33	5	—	5	7	1	4	3	8	8	1	—	2	3	—	1	—	1	
27 Suicide	...	{	M	5	—	—	—	—	1	1	3	—	3	—	—	—	—	—	1	2	—	
		{	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
28 Other defined diseases	...	{	M	317	40	8	5	9	8	23	72	152	136	18	—	3	5	1	9	30	70	
		{	F	301	29	8	4	5	9	25	63	158	111	18	2	—	4	6	11	19	51	
29 Causes ill-defined or unknown.		{	M	4	—	1	—	—	—	1	2	—	4	—	1	—	—	—	—	2	1	
		{	F	2	—	1	—	—	—	—	—	1	4	—	1	—	—	—	—	2	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	WAKEFIELD.										WALLASEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	470	46	23	40	29	29	65	143	95	563	79	16	24	36	24	93	145	146	
			F	408	34	27	32	42	28	70	71	104	612	45	25	28	27	60	110	141	176	
1	Enteric fever	...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	35	6	9	14	6	—	—	—	—	7	1	3	2	1	—	—	—	—	
			F	27	1	10	9	6	1	—	—	—	4	1	—	2	1	—	—	—	—	
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	
			F	2	—	1	—	—	1	—	—	—	4	—	—	1	2	1	—	—	—	
5	Whooping cough	...	M	4	2	1	1	—	—	—	—	—	13	8	3	1	—	—	1	—	—	
			F	2	1	—	1	—	—	—	—	—	19	9	4	4	2	—	—	—	—	
6	Diphtheria and croup	...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	
			F	4	—	—	2	2	—	—	—	—	4	—	1	2	1	—	—	—	—	
7	Influenza	...	M	66	1	3	10	12	8	18	12	2	80	4	1	7	11	7	25	19	6	
			F	55	—	4	4	11	5	20	8	3	132	3	2	11	8	32	46	20	10	
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
9	Pulmonary tuberculosis		M	37	—	—	—	4	6	11	13	3	34	—	—	1	—	5	15	11	2	
			F	38	—	—	2	4	11	9	11	1	41	—	—	—	2	11	18	8	2	
10	Tuberculous meningitis		M	6	1	1	2	1	—	—	1	—	4	1	—	1	2	—	—	—	—	
			F	3	—	—	—	3	—	—	—	—	4	1	2	—	—	—	1	—	—	
11	Other tuberculous diseases.		M	7	—	—	—	3	1	—	2	1	3	1	—	—	—	—	1	1	—	
			F	10	—	—	2	3	2	2	1	—	7	1	—	2	—	3	—	1	—	
12	Cancer, malignant disease		M	32	—	—	—	—	—	3	20	9	47	—	—	—	—	1	2	28	16	
			F	38	—	—	—	—	—	9	14	15	52	—	—	—	—	1	6	22	23	
13	Rheumatic fever	...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	Meningitis	...	M	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	4	—	2	—	—	1	1	—	—	5	—	1	—	2	—	1	1	—	
15	Organic heart disease	...	M	43	—	—	—	—	2	2	25	14	47	—	—	—	—	3	4	16	24	
			F	41	—	—	—	1	2	2	7	29	43	—	—	—	—	—	3	17	23	
16	Bronchitis	...	M	40	3	4	3	1	—	3	8	18	27	5	1	—	—	—	—	6	15	
			F	35	6	5	4	—	1	1	5	13	37	2	3	—	—	—	1	3	28	
17	Pneumonia (all forms)		M	67	6	5	5	1	6	10	19	15	71	10	3	8	6	4	19	12	9	
			F	35	1	1	4	8	2	12	5	2	56	4	10	3	—	5	11	13	10	
18	Other respiratory diseases		M	5	1	—	—	—	—	1	3	—	7	2	—	—	—	—	1	3	1	
			F	4	—	—	—	—	—	—	1	3	7	—	—	—	2	—	—	3	2	
19	Diarrhoea, &c.	...	M	9	5	—	1	—	1	—	1	1	9	2	1	1	1	—	1	3	—	
			F	6	3	1	1	—	—	—	—	1	10	5	2	—	1	—	—	2	—	
20	Appendicitis and typhlitis		M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
			F	2	—	—	—	—	—	1	1	—	6	—	—	2	1	—	1	2	—	
21	Cirrhosis of liver	...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—	
			F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—	
21A	Alcoholism	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
22	Nephritis and Bright's disease.		M	12	—	—	—	—	2	3	3	4	17	—	—	1	1	—	3	7	5	
			F	7	—	—	2	—	—	2	—	3	18	—	—	—	1	1	2	9	5	
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—	
25	Congenital debility, &c.		M	12	11	—	1	—	—	—	—	—	19	19	—	—	—	—	—	—	—	
			F	13	13	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	
26	Violence, apart from suicide.		M	8	1	—	1	—	1	—	4	1	18	1	2	1	2	3	5	3	1	
			F	8	—	1	1	1	—	1	—	4	9	—	—	—	1	1	2	2	3	
27	Suicide	...	M	4	—	—	—	—	—	2	2	—	2	—	—	—	—	—	—	1	1	
			F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	
28	Other defined diseases	...	M	77	8	—	2	—	1	10	29	27	145	25	1	1	6	1	16	29	66	
			F	66	8	2	—	2	1	8	16	29	124	6	—	1	2	4	9	33	69	
29	Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.		Sex.	WALSALL.										WARRINGTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	934 854	116 108	57 58	72 68	56 64	44 73	141 153	224 162	224 168	640 636	90 74	34 40	54 42	51 51	30 58	112 157	156 118	113 96	
1 Enteric fever	M F	1 1	— —	— —	— —	— 1	— —	1 —	— —	— —	1 1	— —	— —	— —	— —	— —	1 —	— 1	— —	
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	13 11	2 1	6 6	5 2	— 2	— —	— —	— —	— —	1 3	— 1	1 2	— —	— —	— —	— —	— —	— —	
4 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 4	— —	— 1	4 1	— 2	1 —	— —	— —	— —	
5 Whooping cough	M F	24 25	6 9	6 10	9 4	3 2	— —	— —	— —	— —	21 31	8 9	7 9	3 11	3 2	— —	— —	— —	— —	
6 Diphtheria and croup			M F	8 5	— —	— 2	4 2	4 1	— —	— —	— —	— —	4 5	1 —	1 1	2 1	— 3	— —	— —	— —	— —	
7 Influenza	M F	176 193	8 6	7 7	26 18	21 19	19 36	49 74	33 26	13 7	109 163	2 2	1 2	13 11	7 20	7 23	40 61	26 29	13 15	
8 Erysipelas	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	1 3	1 1	— 1	— —	— —	— 1	— —	— —	— —	
9 Pulmonary tuberculosis			M F	75 69	— —	1 —	2 3	3 8	11 18	32 31	24 9	2 —	68 48	2 —	— 1	5 —	4 4	8 16	28 24	19 3	2 —	
10 Tuberculous meningitis			M F	4 5	1 2	1 —	— 1	1 2	— —	— —	1 —	— —	6 8	— —	3 4	2 2	1 1	— —	— 1	— —	— —	
11 Other tuberculous diseases			M F	7 9	— —	— —	— 1	5 1	1 2	— 4	1 1	— —	8 7	1 —	— —	3 2	2 3	— 1	1 1	— —	— —	
12 Cancer, malignant disease			M F	51 36	— —	— —	— —	— —	1 —	1 —	30 27	19 9	30 38	— —	— —	— —	— —	— 9	18 19	12 10	— —	
13 Rheumatic fever	...		M F	2 1	— —	— —	— —	— 1	— —	— —	1 —	— —	3 —	— —	— —	— —	1 —	— —	1 —	1 —	— —	
14 Meningitis	M F	3 4	1 1	1 1	1 1	— 1	— —	— —	— —	— —	6 7	1 —	1 3	1 2	2 2	1 —	— —	— —	— —	
15 Organic heart disease	...		M F	52 41	— —	— —	— —	1 2	1 2	8 3	21 18	21 16	36 42	— —	— —	— 1	3 1	5 13	14 11	13 11	— —	
16 Bronchitis	M F	83 46	11 12	3 3	1 2	1 —	— 1	2 1	25 8	40 19	50 33	15 10	4 —	1 —	— —	1 —	— —	11 8	18 15	
17 Pneumonia (all forms)			M F	112 111	9 20	24 20	16 19	7 14	2 3	22 15	22 13	10 7	78 76	9 8	9 11	9 8	9 7	5 2	13 23	17 13	7 4	
18 Other respiratory diseases			M F	10 10	1 —	1 —	— 1	— 2	— —	1 2	5 2	2 3	5 3	— —	— —	1 —	1 —	— —	1 —	1 2	1 1	
19 Diarrhoea, &c.	M F	25 19	18 9	1 4	1 2	1 —	— —	1 1	1 2	2 1	16 10	8 6	3 1	1 —	— 1	— —	1 —	1 —	2 —	
20 Appendicitis and typhlitis			M F	3 2	— —	— —	— —	2 1	1 1	— —	— —	— —	2 —	— —	— —	— —	2 —	— —	— —	— —	— —	
21 Cirrhosis of liver	...		M F	4 2	— —	— —	— —	— —	— —	1 —	3 2	— —	3 1	— —	— —	— —	1 —	— —	— —	2 —	— 1	
21A Alcoholism	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
22 Nephritis and Bright's disease.			M F	14 14	— —	1 1	2 2	— —	— 2	3 1	2 7	6 1	12 11	— —	— —	— 1	1 —	2 2	7 4	2 2	— —	
23 Puerperal fever	M F	— 4	— —	— —	— —	— —	— 2	— 2	— —	— —	— 4	— —	— —	— —	— —	— 1	— 3	— —	— —	
24 Parturition, apart from puerperal fever.			M F	— 6	— —	— —	— —	— —	— 1	— 4	— 1	— —	— 4	— —	— —	— —	— —	— —	— 4	— —	— —	
25 Congenital debility, &c.			M F	45 32	43 31	1 —	1 1	— —	— —	— —	— —	— —	31 27	30 27	— —	— —	— —	1 —	— —	— —	— —	
26 Violence, apart from suicide.			M F	22 13	— —	1 —	1 2	3 3	3 —	3 —	5 2	6 6	30 10	1 —	2 —	9 1	7 1	1 1	5 4	3 2	2 1	
27 Suicide	M F	5 4	— —	— —	— —	— —	— 1	2 2	1 1	2 —	2 4	— —	— —	— —	— —	— 2	— 1	— 1	— —	
28 Other defined diseases			M F	191 187	16 17	2 4	3 7	4 2	4 4	15 13	46 42	101 98	107 90	11 10	2 3	— 1	6 4	4 5	13 10	30 23	41 34	
29 Causes ill-defined or unknown.			M F	4 3	— —	1 —	— —	— 2	— —	— —	3 1	— —	5 3	— —	— 1	— —	1 —	— —	— —	4 2	— —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	WEST BROMWICH.										WEST HAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	695	111	37	41	44	41	125	153	143	2,762	379	180	232	178	162	491	585	555		
	F	628	77	32	43	43	43	125	120	145	2,705	311	179	238	208	250	514	452	553		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	2	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	80	9	31	38	2	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	98	9	30	49	10	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
5 Whooping cough ...	M	10	5	2	3	—	—	—	—	—	46	16	11	17	2	—	—	—	—		
	F	6	2	2	2	—	—	—	—	—	67	25	23	13	6	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	2	—	1	—	—	—	—	43	2	7	19	14	1	—	—	—		
	F	4	1	—	1	2	—	—	—	—	39	2	5	14	16	2	—	—	—		
7 Influenza ...	M	171	4	13	13	25	22	59	28	7	462	9	24	41	57	48	155	92	36		
	F	179	6	11	19	15	23	68	25	12	601	13	26	56	76	98	215	82	35		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	2	—	—	—	1	—	1	—	—	2	—	—	—	—	1	1	—	—		
9 Pulmonary tuberculosis	M	46	—	1	—	2	8	24	11	—	254	—	4	2	12	39	117	74	6		
	F	24	—	—	1	1	6	14	2	—	190	—	—	3	15	58	78	34	2		
10 Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	34	10	5	9	7	1	2	—	—		
	F	2	1	—	1	—	—	—	—	—	19	7	4	5	3	—	—	—	—		
11 Other tuberculous diseases.	M	8	2	1	2	1	—	1	1	—	28	2	2	5	9	5	3	2	—		
	F	5	1	—	1	1	2	—	—	—	23	2	—	3	6	4	5	3	—		
12 Cancer, malignant disease	M	25	—	—	—	—	1	4	8	12	122	1	—	—	1	—	7	76	37		
	F	25	—	—	—	—	—	2	15	8	152	—	—	—	—	2	19	82	49		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	7	—	—	1	2	2	—	2	—		
	F	2	—	—	—	—	1	1	—	—	17	—	—	1	6	2	2	6	—		
14 Meningitis ...	M	4	2	1	1	—	—	—	—	—	9	3	1	4	—	—	1	—	—		
	F	7	2	—	1	4	—	—	—	—	16	4	3	6	2	—	1	—	—		
15 Organic heart disease ...	M	35	—	—	—	—	1	8	16	10	168	2	—	—	3	13	29	54	67		
	F	37	—	—	—	3	2	7	13	12	184	—	—	1	7	26	27	46	77		
16 Bronchitis ...	M	63	9	2	1	—	2	5	17	27	215	29	9	5	1	2	9	56	104		
	F	45	8	2	1	—	—	1	14	19	204	24	8	9	1	2	8	45	107		
17 Pneumonia (all forms)...	M	74	19	8	12	6	2	12	11	4	418	71	60	54	27	32	68	67	39		
	F	50	7	10	5	7	3	8	5	5	365	48	59	65	32	28	69	40	24		
18 Other respiratory diseases	M	12	—	—	—	—	—	3	4	5	21	2	1	3	2	1	4	6	2		
	F	5	—	—	1	—	—	2	—	2	23	2	1	—	3	—	4	8	5		
19 Diarrhoea, &c. ...	M	18	8	3	1	—	—	—	3	3	99	63	14	7	2	—	3	8	2		
	F	18	6	4	2	—	—	3	2	1	72	54	8	3	—	—	2	3	2		
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	—	1	—	9	—	—	2	3	—	2	2	—		
	F	—	—	—	—	—	—	—	—	—	11	—	1	—	5	1	3	1	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	1	—	—	2	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	—	—	1	1	1	7	2	42	—	—	1	7	1	8	14	11		
	F	12	—	—	1	1	1	3	5	1	47	1	—	1	4	2	9	17	13		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	10	—	—	—	—	1	9	—	—		
25 Congenital debility, &c.	M	49	49	—	—	—	—	—	—	—	116	112	1	1	1	1	—	—	—		
	F	32	32	—	—	—	—	—	—	—	93	91	—	1	—	1	—	—	—		
26 Violence, apart from suicide.	M	12	2	1	4	1	1	—	2	1	104	9	3	11	11	6	20	25	19		
	F	9	2	1	3	2	—	—	1	—	35	6	3	3	5	1	3	5	9		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	14	—	—	—	—	—	7	6	1		
	F	4	—	—	—	—	2	1	1	—	8	—	—	—	—	—	3	5	—		
28 Other defined diseases ...	M	137	11	2	1	5	2	7	38	71	456	39	5	11	14	9	53	96	229		
	F	142	8	2	2	4	2	7	33	84	413	23	8	4	9	19	50	71	229		
29 Causes ill-defined or unknown.	M	10	—	1	2	—	—	1	5	1	3	—	1	1	—	—	1	—	—		
	F	13	—	—	2	2	—	5	3	1	3	—	—	1	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—*cont.*

Causes of Death.	Sex.	WEST HARTLEPOOL.										WIGAN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	753	151	52	84	54	43	77	134	158	771	118	52	61	61	36	123	175	145		
	F	730	107	61	83	50	59	122	112	136	791	113	47	60	56	63	148	151	153		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	1	1	—	4	1	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	32	8	4	19	1	—	—	—	—	9	1	6	—	2	—	—	—	—		
	F	22	4	6	11	1	—	—	—	—	8	1	2	5	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—		
	F	3	—	—	—	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	11	6	—	3	2	—	—	—	—	16	3	4	7	2	—	—	—	—		
	F	26	8	8	10	—	—	—	—	—	23	7	5	11	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	2	4	—	—	—	—	—	3	—	2	1	—	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	5	—	2	2	1	—	—	—	—		
7 Influenza ...	M	107	4	3	13	20	12	27	19	9	113	4	4	16	16	9	33	18	13		
	F	147	4	3	21	18	24	46	25	6	126	—	8	8	11	22	42	22	13		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	29	—	—	—	1	9	10	8	1	48	—	—	—	3	7	26	12	—		
	F	46	—	1	—	4	12	22	7	—	52	—	—	—	8	17	22	5	—		
10 Tuberculous meningitis	M	7	—	—	4	2	1	—	—	—	1	—	—	—	1	—	—	—	—		
	F	6	1	—	1	2	1	1	—	—	3	—	—	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	3	—	—	—	—	—	9	1	—	1	1	4	2	—	—		
	F	17	1	6	2	4	3	—	1	—	5	—	1	—	1	1	2	—	—		
12 Cancer, malignant disease	M	25	—	—	—	—	—	2	13	10	31	—	—	—	—	—	3	22	6		
	F	25	—	—	—	—	—	4	16	5	29	—	—	—	—	—	3	18	8		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	2	—	—	—	—	2	—	—	—	2	—	—	—	—	2	—	—	—		
14 Meningitis ...	M	7	—	1	2	3	—	—	1	—	10	1	—	2	5	1	1	—	—		
	F	5	—	1	—	2	2	—	—	—	4	1	—	—	1	1	—	1	—		
15 Organic heart disease ...	M	31	—	—	—	—	2	6	8	15	49	—	—	—	1	2	9	16	21		
	F	46	1	—	—	1	1	8	18	17	44	—	—	—	1	—	12	15	16		
16 Bronchitis ...	M	63	19	5	3	—	—	1	12	23	68	15	7	2	1	3	3	16	21		
	F	52	9	7	2	2	—	—	8	24	84	14	2	2	1	3	10	22	30		
17 Pneumonia (all forms)	M	120	10	21	23	12	4	9	27	14	124	10	16	21	17	2	15	35	8		
	F	80	8	12	24	5	8	13	4	6	120	14	16	17	19	5	22	18	9		
18 Other respiratory diseases	M	10	—	1	—	—	—	1	4	4	6	—	2	—	—	—	—	2	2		
	F	6	—	—	—	—	—	2	3	1	11	2	1	4	—	—	1	2	1		
19 Diarrhoea, &c. ...	M	46	33	6	1	2	1	—	—	3	24	14	6	2	—	—	1	1	—		
	F	37	19	9	3	1	—	—	1	4	34	21	7	3	—	—	—	2	1		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	1	1	—	1	1	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	1	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	10	—	—	1	1	2	1	3	2	11	—	—	—	—	—	3	6	2		
	F	21	—	—	2	1	1	9	3	5	6	—	—	—	2	1	2	1	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	9	—	—	—	—	2	7	—	—		
25 Congenital debility, &c.	M	48	47	—	1	—	—	—	—	—	51	49	1	—	—	—	1	—	—		
	F	34	34	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	32	—	1	3	6	4	9	7	2	35	1	—	1	3	4	8	9	9		
	F	16	3	1	2	3	1	—	1	5	11	—	—	1	2	1	3	3	1		
27 Suicide ...	M	4	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	—		
28 Other defined diseases ...	M	157	24	8	4	3	8	10	27	73	132	19	2	3	6	3	10	31	58		
	F	130	15	5	4	2	3	14	24	63	148	12	3	3	6	4	17	30	73		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	3	—	15	—	2	1	—	—	3	6	3		
	F	2	—	1	—	—	—	1	—	—	9	—	—	1	—	1	1	5	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	WOLVERHAMPTON.										WORCESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	858	115	41	52	41	38	152	224	195	383	24	12	13	17	14	67	109	127		
	F	839	88	32	57	60	82	148	165	207	411	27	8	17	25	36	84	73	141		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	9	—	3	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	7	2	3	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	9	1	5	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	2	—	1	—	1	—	—	—	—	3	—	—	2	1	—	—	—	—		
	F	3	—	—	1	1	—	1	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	171	1	10	16	19	15	56	39	15	66	—	4	5	5	4	31	13	4		
	F	211	4	4	19	20	48	64	36	16	93	1	3	7	12	13	39	9	9		
8 Erysipelas ...	M	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	67	—	—	—	2	6	34	21	4	43	—	—	1	3	5	17	16	1		
	F	49	—	—	—	6	13	22	8	—	38	—	1	—	2	10	14	10	1		
10 Tuberculous meningitis	M	4	1	—	2	—	1	—	—	—	2	—	1	—	1	—	—	—	—		
	F	3	—	1	—	2	—	—	—	—	4	1	—	—	2	1	—	—	—		
11 Other tuberculous diseases.	M	8	1	1	—	—	3	1	2	—	5	1	1	1	—	1	—	1	—		
	F	5	—	—	1	1	—	3	—	—	2	—	—	—	1	1	—	—	—		
12 Cancer, malignant disease	M	48	—	—	—	—	—	1	33	14	17	—	—	—	—	—	1	6	10		
	F	64	—	—	—	—	—	11	28	25	42	—	—	—	—	—	5	19	18		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	4	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	2	1	3	2	—	—	—	—	2	1	—	—	—	—	—	1	—		
15 Organic heart disease ...	M	27	—	—	—	4	—	4	11	8	64	—	—	—	—	—	3	20	41		
	F	42	—	—	1	1	3	4	14	19	46	—	—	—	—	4	5	8	29		
16 Bronchitis ...	M	99	17	8	8	2	1	2	27	34	24	1	—	—	—	—	2	7	14		
	F	78	25	7	6	2	2	3	13	20	20	2	—	—	—	—	—	1	17		
17 Pneumonia (all forms)	M	118	14	11	12	6	4	24	28	19	26	1	2	3	—	1	2	5	12		
	F	88	7	9	14	13	2	10	15	18	30	4	3	3	2	3	7	5	3		
18 Other respiratory diseases	M	3	—	—	1	—	—	—	2	—	2	1	—	—	—	—	—	1	—		
	F	11	2	—	—	2	—	1	4	2	3	—	—	1	—	1	—	—	1		
19 Diarrhoea, &c. ...	M	22	12	1	1	—	—	2	3	3	9	5	2	—	—	—	—	1	1		
	F	14	7	2	1	—	1	—	—	3	2	1	—	1	—	—	—	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	4	—	—	—	2	1	1	—	—	2	—	—	—	1	—	—	—	1		
21 Cirrhosis of liver ...	M	4	1	—	—	—	—	—	3	—	3	—	—	—	—	—	—	3	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	1	—	—	—	—	3	3	11	9	—	—	—	—	—	1	5	3		
	F	8	—	—	2	—	—	1	2	3	9	—	—	1	—	—	3	3	2		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	47	46	—	1	—	—	—	—	—	10	10	—	—	—	—	—	—	—		
	F	31	30	—	—	—	—	1	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	15	1	1	2	1	2	3	4	1	14	1	1	—	4	—	2	4	2		
	F	11	1	—	1	4	2	—	—	3	3	—	1	—	1	—	—	—	1		
27 Suicide ...	M	4	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	2	—		
	F	2	—	—	—	—	2	—	—	—	4	—	—	—	—	—	1	2	1		
28 Other defined diseases ...	M	170	16	—	1	2	5	20	43	83	79	3	1	—	2	3	8	24	38		
	F	173	7	1	5	2	5	15	41	97	98	8	—	3	4	3	8	15	57		
29 Causes ill-defined or unknown.	M	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	2	2	—	1	—	—	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1918
(Civilian Population only)—cont.

Causes of Death.	Sex.	YORK.										CARDIFF.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	637	77	27	37	40	40	77	159	180	1,739	216	69	91	76	149	373	421	344		
	F	698	54	30	38	45	59	129	129	214	1,467	171	83	88	82	158	296	285	304		
1 Enteric fever ...	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	3	—	1		
	F	3	—	—	—	1	1	1	—	—	4	—	—	—	1	1	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	1	3	1	2	—	—	—	—	44	12	16	15	1	—	—	—	—		
	F	8	—	1	5	2	—	—	—	—	27	3	15	5	4	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	9	4	4	—	—	—	—	1	—	12	4	2	5	1	—	—	—	—		
	F	7	2	3	1	1	—	—	—	—	16	2	7	6	—	—	—	—	1		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	13	2	1	6	4	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	15	1	1	8	5	—	—	—	—		
7 Influenza ...	M	88	2	4	8	14	16	14	21	9	237	4	7	20	12	33	117	38	6		
	F	132	3	6	8	12	29	45	18	11	265	10	9	22	19	60	106	26	13		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	48	—	—	—	2	9	19	13	5	186	—	—	2	7	48	81	41	7		
	F	49	—	1	3	1	10	27	6	1	147	—	—	1	14	45	69	18	—		
10 Tuberculous meningitis	M	4	—	2	—	1	1	—	—	—	15	4	1	2	7	—	—	1	—		
	F	3	—	—	1	—	1	1	—	—	12	3	1	4	3	1	—	—	—		
11 Other tuberculous diseases.	M	10	—	1	3	4	—	2	—	—	25	2	—	—	2	9	8	3	1		
	F	10	—	1	2	3	3	1	—	—	13	1	—	1	4	3	3	1	—		
12 Cancer, malignant disease	M	31	1	—	—	—	—	—	16	14	89	—	—	—	1	—	5	50	33		
	F	57	—	—	—	1	—	10	23	23	101	—	—	—	—	—	14	53	34		
13 Rheumatic fever ...	M	2	—	—	—	—	—	—	1	—	4	—	—	—	2	1	—	1	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—		
14 Meningitis ...	M	7	1	—	4	1	—	1	—	—	12	2	2	2	2	—	1	3	—		
	F	2	—	—	—	—	1	—	—	1	8	3	—	1	1	3	—	—	—		
15 Organic heart disease ...	M	68	—	—	1	—	—	5	26	36	170	—	2	1	3	6	20	65	73		
	F	63	—	—	—	1	1	9	18	34	138	—	1	—	7	7	21	47	55		
16 Bronchitis ...	M	45	5	—	—	—	—	—	17	23	121	16	9	2	1	2	10	30	51		
	F	35	1	1	—	—	—	1	7	25	93	14	9	4	3	—	10	16	37		
17 Pneumonia (all forms)	M	81	13	7	10	7	6	16	18	4	218	33	17	20	13	27	54	37	17		
	F	76	8	9	11	11	4	10	9	14	162	20	29	24	12	12	24	20	21		
18 Other respiratory diseases	M	5	—	—	—	—	—	1	2	2	16	—	—	1	—	1	6	6	2		
	F	8	—	—	—	1	1	1	1	4	14	2	—	1	—	—	1	4	6		
19 Diarrhoea, &c. ...	M	15	6	2	—	1	—	1	2	3	50	33	8	3	—	—	—	2	4		
	F	19	6	5	2	1	—	1	1	3	51	34	5	2	—	—	2	3	5		
20 Appendicitis and typhlitis	M	3	—	—	1	—	—	—	1	1	10	—	—	2	2	3	1	2	—		
	F	5	—	—	—	4	—	1	—	—	4	—	—	—	1	2	—	1	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	2	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	M	14	—	—	1	—	—	1	7	5	47	—	—	—	1	1	9	20	16		
	F	13	—	—	—	—	—	1	9	3	28	—	—	1	1	2	7	14	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	2	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	4	7	—	—	13	—	—	—	—	4	8	1	—		
25 Congenital debility, &c.	M	28	27	—	—	1	—	—	—	—	62	61	—	—	1	—	—	—	—		
	F	17	17	—	—	—	—	—	—	—	50	48	—	—	—	1	—	1	—		
26 Violence, apart from suicide.	M	26	1	—	5	5	4	2	5	4	55	—	3	4	6	6	15	15	6		
	F	11	—	1	1	2	—	—	1	6	24	—	1	4	2	1	4	4	8		
27 Suicide ...	M	3	—	—	—	—	—	1	1	1	13	—	—	—	—	—	5	6	2		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	3	2	—		
28 Other defined diseases	M	134	16	2	3	2	3	14	26	68	324	42	1	5	9	12	35	97	123		
	F	164	17	1	3	4	3	12	35	89	268	30	4	4	4	14	20	71	121		
29 Causes ill-defined or unknown.	M	6	—	2	—	—	—	—	1	3	1	—	—	—	—	—	—	1	—		
	F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGHS—1918
(Civilian Population only)—cont.

Causes of Death.		Sex.	MERTHYR TYDFIL.										SWANSEA.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	719	118	64	52	38	42	115	154	136	1016	126	57	51	54	58	216	262	192		
	...	F	626	97	46	66	37	51	111	120	98	937	117	53	55	52	69	206	168	217		
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	...	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	36	6	14	14	2	—	—	—	—	36	3	17	11	5	—	—	—	—		
	...	F	35	4	15	15	1	—	—	—	—	32	7	15	9	1	—	—	—	—		
4 Scarlet fever	...	M	2	—	—	1	1	—	—	—	—	4	—	—	2	2	—	—	—	—		
	...	F	4	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	28	9	11	6	2	—	—	—	—	10	5	2	3	—	—	—	—	—		
	...	F	36	9	15	10	2	—	—	—	—	14	7	3	2	2	—	—	—	—		
6 Diphtheria and croup	...	M	6	—	—	5	1	—	—	—	—	10	—	1	5	3	1	—	—	—		
	...	F	7	—	—	5	2	—	—	—	—	13	—	—	7	6	—	—	—	—		
7 Influenza	...	M	84	—	1	3	7	12	30	22	9	157	3	4	8	8	12	85	25	12		
	...	F	84	—	—	7	11	10	39	13	4	155	3	7	13	10	25	66	21	10		
8 Erysipelas	...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	{	M	55	1	—	1	3	7	22	17	4	103	—	3	—	2	22	34	37	5		
		F	59	—	—	2	5	18	23	10	1	86	—	1	1	8	20	41	15	—		
10 Tuberculous meningitis	{	M	6	—	1	3	—	2	—	—	—	9	1	1	2	2	1	1	1	—		
		F	4	1	1	—	1	1	—	—	—	6	—	1	2	2	1	—	—	—		
11 Other tuberculous diseases.	{	M	14	3	—	—	2	4	4	1	—	3	—	—	—	1	2	—	—	—		
		F	14	1	1	3	4	3	2	—	—	7	1	—	2	2	1	1	—	—		
12 Cancer, malignant disease	{	M	33	—	—	—	—	—	2	17	14	51	—	—	—	—	1	37	13	—		
		F	35	—	—	—	—	—	4	20	11	63	—	—	—	—	10	27	26	—		
13 Rheumatic fever	{	M	3	—	—	—	1	—	1	1	—	3	—	—	—	2	—	1	—	—		
		F	3	—	—	—	1	1	—	1	—	6	—	—	—	—	3	1	2	—		
14 Meningitis	{	M	7	—	1	1	3	—	1	1	—	8	—	1	2	—	3	1	1	—		
		F	—	—	—	—	—	—	—	—	—	8	3	—	1	2	1	1	—	—		
15 Organic heart disease	{	M	34	—	—	—	1	—	6	11	16	73	—	—	—	2	4	13	30	24		
		F	45	—	—	—	—	2	5	21	17	57	—	—	—	2	—	11	23	21		
16 Bronchitis	{	M	51	13	8	2	—	—	2	9	17	70	6	6	—	3	—	3	18	34		
		F	32	8	2	2	1	—	1	8	10	82	10	7	4	2	1	—	12	46		
17 Pneumonia (all forms)	{	M	99	17	18	9	4	5	14	26	6	136	22	12	13	7	4	46	18	14		
		F	70	14	6	15	8	4	11	8	4	95	17	13	10	7	8	22	9	9		
18 Other respiratory diseases	{	M	8	1	—	1	—	1	3	2	—	10	—	—	—	1	—	2	3	4		
		F	4	—	—	—	—	—	1	3	—	11	1	—	—	—	1	2	4	3		
19 Diarrhoea, &c.	{	M	17	14	3	—	—	—	—	—	—	20	13	2	1	2	—	—	1	1		
		F	11	7	1	—	—	1	1	—	1	13	9	2	—	—	—	1	—	1		
20 Appendicitis and typhlitis	{	M	2	—	—	—	—	—	2	—	—	5	—	—	1	2	—	2	—	—		
		F	1	—	—	—	—	1	—	—	—	4	—	—	—	1	—	2	1	—		
21 Cirrhosis of liver	{	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	1		
		F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	4	1		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	17	—	—	—	1	1	6	6	3	22	—	—	—	—	—	5	13	4		
		F	11	1	—	1	—	2	3	3	1	11	—	—	—	—	1	2	3	5		
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	—	5	—	—	15	—	—	—	—	1	14	—	—		
25 Congenital debility, &c.	{	M	26	25	—	—	—	—	1	—	—	37	36	—	1	—	—	—	—	—		
		F	27	27	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	33	—	1	4	5	6	6	9	2	32	2	1	1	7	6	5	8	2		
		F	8	1	1	1	—	1	2	1	1	15	2	—	1	3	2	1	3	3		
27 Suicide	{	M	1	—	—	—	—	—	—	—	1	7	—	—	—	—	—	2	5	—		
		F	3	—	—	—	—	—	1	2	—	4	—	—	—	—	—	2	2	—		
28 Other defined diseases	{	M	154	29	6	2	4	4	14	31	64	205	35	7	1	6	4	11	63	78		
		F	122	24	4	1	1	5	12	27	48	203	31	3	3	4	3	27	41	91		
29 Causes ill-defined or unknown.	{	M	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	—	—	3	—	2	—	1	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF BEDFORD—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	851	108	26	43	62	45	136	175	256	574	40	13	20	22	43	72	108	256		
	F	932	72	26	35	54	66	175	188	316	579	37	18	10	21	34	116	119	224		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	13	3	5	3	2	—	—	—	—	3	—	1	2	—	—	—	—	—		
	F	9	1	1	3	3	1	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	4	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	7	3	1	3	—	—	—	—	—	3	2	—	1	—	—	—	—	—		
	F	7	1	2	3	1	—	—	—	—	3	1	—	1	—	—	1	—	—		
6 Diphtheria and croup	M	12	—	—	3	9	—	—	—	—	7	—	1	5	1	—	—	—	—		
	F	14	—	—	6	7	1	—	—	—	3	—	1	—	2	—	—	—	—		
7 Influenza	M	136	4	4	13	14	16	60	17	8	93	3	3	4	6	22	31	10	14		
	F	178	3	4	7	13	25	74	32	20	128	3	8	2	9	16	61	19	10		
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	75	—	—	—	6	15	25	26	3	40	—	—	—	1	9	17	12	1		
	F	59	—	—	1	5	15	24	10	4	39	—	—	—	4	8	17	9	1		
10 Tuberculous meningitis	M	5	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	3	1	—	2	—	—	1	—	—	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	10	—	—	—	3	2	2	1	2	9	—	—	1	—	3	4	—	1		
	F	18	—	1	—	4	1	4	6	2	16	2	—	1	1	—	5	7	—		
12 Cancer, malignant disease	M	58	—	—	—	—	—	3	32	23	48	—	—	—	—	—	—	19	29		
	F	77	—	—	—	—	—	8	42	27	57	—	—	—	—	—	8	19	30		
13 Rheumatic fever	M	2	—	—	—	—	—	—	2	—	3	—	—	1	1	—	1	—	—		
	F	3	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	5	—	1	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	1	—	3	2	—	—	—	6	—	2	2	1	—	—	1	—		
15 Organic heart disease	M	82	—	1	2	4	3	6	25	41	38	—	—	—	—	2	1	14	21		
	F	105	—	—	—	3	2	10	37	53	47	—	—	—	—	—	1	18	28		
16 Bronchitis	M	45	7	1	1	2	—	—	6	28	33	5	—	—	1	—	—	5	22		
	F	61	8	3	2	1	—	2	8	37	29	2	2	—	—	—	—	3	22		
17 Pneumonia (all forms)	M	59	10	8	5	6	4	9	8	9	35	2	4	3	3	5	4	6	8		
	F	58	6	5	5	6	5	10	13	8	31	8	3	3	3	1	5	1	7		
18 Other respiratory diseases	M	13	1	—	1	1	—	2	1	7	4	—	—	1	1	—	—	1	1		
	F	9	1	—	—	—	—	2	2	4	6	—	1	—	—	—	—	1	4		
19 Diarrhoea, &c.	M	14	7	—	2	—	—	1	1	3	4	3	—	1	—	—	—	—	—		
	F	16	7	3	1	—	—	2	1	2	12	1	—	—	—	—	1	3	7		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	3	—	—	—	—	—	1	1	1		
	F	5	—	—	—	1	2	1	—	1	1	—	—	—	—	—	—	1	—		
21 Cirrhosis of liver	M	5	—	—	—	—	—	3	2	—	3	—	—	—	—	—	—	1	2		
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	1	2		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	20	—	—	—	2	1	3	5	9	15	—	—	—	—	—	1	8	6		
	F	22	—	1	—	—	1	7	6	7	9	—	—	—	—	—	3	5	1		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	49	48	1	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
	F	32	31	—	—	—	—	—	—	1	11	11	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	11	—	—	1	4	—	2	4	—	18	1	2	—	5	1	2	3	4		
	F	9	1	1	—	—	2	—	1	4	9	2	—	1	—	3	—	—	3		
27 Suicide	M	3	—	—	—	—	—	1	—	2	2	—	—	—	—	1	—	—	1		
	F	4	—	—	—	—	—	3	—	1	3	—	—	—	—	1	1	—	1		
28 Other defined diseases	M	223	24	3	6	5	4	16	45	120	192	7	2	1	2	—	10	26	144		
	F	221	13	4	2	5	6	22	27	142	153	6	—	—	1	3	9	28	106		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—		
	F	2	—	—	—	—	—	1	—	1	7	1	1	—	—	—	—	3	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF BERKS—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	417	34	9	9	12	18	59	97	179	906	73	27	29	56	40	143	197	341		
	F	473	34	9	10	19	35	92	101	173	916	56	23	28	36	61	173	186	353		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	—	2	—	—	—	—	—	—	11	2	2	2	4	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	11	1	4	3	2	—	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	4	2	—	2	—	—	—	—	—	13	5	4	3	1	—	—	—	—		
	F	9	5	1	3	—	—	—	—	—	14	6	5	1	1	—	1	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	5	—	—	3	2	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	5	—	—	3	1	—	1	—	—		
7 Influenza ...	M	67	2	3	3	5	13	20	7	14	160	3	13	8	20	15	55	28	18		
	F	113	3	2	3	7	17	44	24	13	174	4	3	9	11	36	75	22	14		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	40	—	—	—	1	1	21	15	2	80	—	—	—	1	7	39	27	6		
	F	28	—	—	—	—	6	11	10	1	70	—	1	—	5	14	31	15	4		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	3	—	—	1	1	—	—	1	—	5	—	1	—	4	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	1	—	—	1	1	—	—	14	—	1	1	2	2	2	6	—		
	F	2	—	—	—	1	—	—	1	—	8	—	1	—	—	—	7	—	—		
12 Cancer, malignant disease	M	40	—	—	—	—	—	1	17	22	87	—	—	—	1	—	6	33	47		
	F	49	—	—	—	—	1	6	19	23	110	—	—	—	—	—	10	48	52		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	4	1	—	—	1	1	—	1	—	4	1	—	—	—	1	2	—	—		
	F	1	—	—	—	1	—	—	—	—	4	—	—	—	1	—	1	—	2		
15 Organic heart disease ...	M	37	—	—	—	—	—	—	10	27	76	—	—	—	1	1	4	16	54		
	F	31	—	—	—	—	—	3	6	22	77	—	—	—	1	1	3	17	55		
16 Bronchitis ...	M	32	1	1	1	—	—	—	4	25	40	3	1	—	1	1	1	5	28		
	F	28	2	4	—	2	—	—	2	18	58	8	1	2	1	—	2	7	37		
17 Pneumonia (all forms)	M	23	3	1	1	—	—	4	6	8	55	10	3	5	3	3	11	9	11		
	F	22	4	2	1	2	3	4	—	6	54	4	3	5	5	2	9	10	16		
18 Other respiratory diseases	M	6	1	1	—	1	—	—	3	—	8	2	—	—	—	—	1	4	1		
	F	4	—	—	—	—	—	1	1	2	10	—	—	—	—	2	5	—	3		
19 Diarrhoea, &c. ...	M	3	2	—	—	—	—	—	1	—	9	3	1	—	1	—	—	1	—		
	F	6	4	—	—	—	1	—	—	1	5	5	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	3	—	—	—	—	1	1	1	—	4	—	—	—	3	—	—	1	—		
	F	4	—	—	1	1	1	1	—	—	4	—	—	1	—	1	1	1	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	1	2		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	12	—	—	—	—	—	2	4	6	25	—	—	—	2	—	1	—	14		
	F	12	—	—	—	1	—	2	3	6	18	—	—	—	—	—	3	8	10		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	—	6	—	—		
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	5	1	—	—	2	1	1	—	—	32	—	—	2	8	4	6	—	6		
	F	8	4	—	—	—	—	2	1	1	11	3	1	1	1	3	2	6	—		
27 Suicide ...	M	2	—	—	—	—	—	—	2	—	8	—	—	—	—	—	2	—	3		
	F	2	—	—	—	—	1	—	1	—	3	—	—	—	—	—	1	3	—		
28 Other defined diseases ...	M	115	7	—	1	1	—	8	24	74	232	17	2	4	2	4	11	45	147		
	F	132	2	—	—	2	4	13	31	80	242	8	3	3	3	1	10	54	160		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	4	1	—	—	—	—	1	1	1		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BUCKINGHAM—1918 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	575	57	13	21	25	30	120	127	182	941	67	13	24	40	61	148	228	360	
			F	687	34	15	30	42	64	138	129	235	1,089	62	19	37	51	80	200	213	427	
1	Enteric fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	3	1	1	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	...	M	4	3	1	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	
			F	5	—	2	3	—	—	—	—	—	11	3	3	4	1	—	—	—	—	
6	Diphtheria and croup	...	M	6	—	—	4	2	—	—	—	—	3	—	1	1	1	—	—	—	—	
			F	6	1	—	—	4	1	—	—	—	4	—	—	—	3	1	—	—	—	
7	Influenza	...	M	118	5	5	4	11	8	41	24	20	181	6	5	10	17	33	66	32	12	
			F	168	3	5	8	14	30	71	23	14	281	8	7	20	20	38	118	46	24	
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
			F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis		M	50	—	—	—	—	9	31	8	2	68	1	—	—	1	11	33	21	1	
			F	65	—	—	1	5	18	28	8	5	61	—	—	—	3	21	20	14	3	
10	Tuberculous meningitis		M	2	—	—	—	1	1	—	—	—	5	1	—	1	2	1	—	—	—	
			F	2	—	—	—	2	—	—	—	—	4	1	—	—	2	—	1	—	—	
11	Other tuberculous diseases.		M	8	1	—	2	2	1	2	—	—	9	—	1	—	1	1	3	3	—	
			F	8	—	—	1	—	3	2	1	1	13	1	—	—	1	3	4	1	3	
12	Cancer, malignant disease		M	51	1	—	—	—	1	8	20	21	71	—	—	—	—	2	3	31	35	
			F	69	—	1	—	—	—	8	30	30	98	—	—	1	—	—	7	31	59	
13	Rheumatic fever	...	M	4	—	—	—	1	2	—	—	1	2	—	—	—	1	—	—	1	—	
			F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	1	
14	Meningitis	...	M	4	—	2	—	1	1	—	—	—	5	3	—	—	2	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	9	—	—	1	5	3	—	—	—	
15	Organic heart disease	...	M	51	—	—	—	—	—	6	17	28	99	—	—	—	—	3	7	30	59	
			F	53	—	—	—	2	2	4	13	32	113	—	—	—	—	4	8	30	71	
16	Bronchitis	...	M	24	5	—	—	—	—	3	5	11	58	5	—	2	—	—	—	10	41	
			F	46	5	1	—	—	—	1	9	30	72	2	3	—	1	—	1	16	49	
17	Pneumonia (all forms)		M	37	4	4	3	3	4	6	7	6	42	9	1	3	1	5	7	9	7	
			F	27	3	3	6	4	—	—	5	6	40	4	6	3	5	2	6	3	11	
18	Other respiratory diseases		M	10	—	—	—	—	—	3	4	3	15	—	—	—	—	—	3	4	8	
			F	6	—	—	—	2	—	1	—	3	6	—	—	1	—	—	—	3	2	
19	Diarrhoea, &c.	...	M	11	5	1	—	—	—	1	2	2	12	4	—	—	2	—	2	3	1	
			F	7	5	—	2	—	—	—	—	—	10	3	—	2	—	—	1	2	2	
20	Appendicitis and typhlitis		M	1	—	—	—	1	—	—	—	—	6	—	—	2	—	—	2	—	2	
			F	2	—	—	—	1	—	—	—	1	4	—	—	—	3	—	1	—	—	
21	Cirrhosis of liver	...	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	1	1	
			F	5	—	—	—	—	—	—	3	2	2	—	—	—	—	—	—	1	1	
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.		M	10	—	—	—	—	—	1	5	4	40	—	—	—	2	—	2	17	19	
			F	5	—	—	—	—	1	1	1	2	26	—	—	—	—	—	5	9	12	
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	1	3	—	—	3	—	—	—	—	—	3	—	—	
25	Congenital debility, &c.		M	20	19	—	—	1	—	—	—	—	26	24	1	—	—	1	—	—	—	
			F	13	13	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	
26	Violence, apart from suicide.		M	16	—	—	2	—	2	2	7	3	25	1	—	—	7	—	7	5	5	
			F	6	—	—	2	—	2	1	1	—	12	—	—	1	1	1	2	2	5	
27	Suicide	...	M	2	—	—	—	—	—	2	—	—	9	—	—	—	—	—	3	4	2	
			F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	1	1	
28	Other defined diseases	...	M	136	14	—	4	2	1	13	24	78	250	11	2	3	3	4	9	54	164	
			F	173	2	2	4	7	5	14	34	105	273	7	—	3	3	6	21	52	181	
29	Causes ill-defined or unknown		M	7	—	—	1	—	—	1	2	3	6	—	—	—	—	—	1	3	2	
			F	6	—	—	1	—	—	—	1	4	7	2	—	—	1	—	—	2	2	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CAMBRIDGE—1918 (Civilian Population only).

Causes of Death.		Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	349	20	9	7	15	25	66	82	125	528	37	6	11	37	36	65	103	233	
			F	421	34	8	15	14	42	80	77	151	507	27	9	18	18	45	84	75	231	
1	Enteric fever	M	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	2	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
4	Scarlet fever	M	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	3	—	1	2	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	7	4	1	2	—	—	—	—	—	6	4	1	1	—	—	—	—	—	
6	Diphtheria and croup			M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	2	2	—	—	—	—	2	—	—	1	1	—	—	—	—	
7	Influenza	M	43	1	—	1	4	12	17	5	3	95	1	1	6	17	17	32	12	9
			F	81	—	1	2	9	21	36	9	3	91	2	1	7	12	20	32	8	9	
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis			M	45	—	2	—	1	6	21	11	4	43	—	—	1	3	7	18	10	4
			F	31	1	1	1	1	7	12	8	—	36	—	—	—	—	16	18	1	1	
10	Tuberculous meningitis			M	1	—	—	—	1	—	—	—	—	5	—	—	1	4	—	—	—	—
			F	3	1	—	—	—	1	1	—	—	—	3	—	—	1	1	1	—	—	—
11	Other tuberculous diseases.			M	2	—	—	—	1	—	1	—	—	6	1	—	—	2	—	1	1	1
			F	3	—	—	—	—	2	1	—	—	—	3	—	—	—	1	—	—	—	2
12	Cancer, malignant disease			M	28	—	—	1	—	—	4	14	9	47	—	—	—	—	—	2	21	24
			F	46	—	—	—	—	—	—	4	18	24	56	—	—	—	—	3	22	31	
13	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
			F	1	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—
14	Meningitis	M	1	—	1	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
			F	4	2	1	1	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—
15	Organic heart disease			M	35	—	—	—	—	1	7	8	19	53	—	—	—	—	2	1	17	33
			F	42	—	—	—	—	—	3	2	4	33	51	—	—	—	—	1	6	11	33
16	Bronchitis	M	28	3	1	—	—	—	1	9	14	37	2	1	2	—	—	1	1	30
			F	20	2	—	—	—	—	—	—	4	14	48	—	3	1	—	1	3	2	38
17	Pneumonia (all forms)			M	25	2	2	3	3	—	5	4	6	16	4	1	—	2	2	2	1	4
			F	29	4	2	5	—	3	9	2	4	19	19	—	3	1	1	2	3	—	9
18	Other respiratory diseases			M	1	—	—	—	—	—	—	1	—	6	—	—	—	1	—	1	2	2
			F	4	—	—	—	—	—	1	1	2	—	2	—	—	2	—	—	—	—	—
19	Diarrhoea, &c.	M	6	2	—	—	—	1	1	2	—	2	—	—	—	—	—	1	1	—
			F	—	—	—	—	—	—	—	—	—	—	10	1	1	—	—	2	2	4	
20	Appendicitis and typhlitis			M	4	—	—	—	1	2	—	1	—	1	—	—	—	1	—	—	—	—
			F	2	—	—	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	6	—	—	—	—	—	4	2	
			F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.			M	12	—	—	—	—	—	1	4	7	13	—	—	—	1	—	1	6	5
			F	8	—	—	—	1	—	—	1	5	1	11	—	—	—	—	2	3	5	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—
24	Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	3	1	—	—
25	Congenital debility, &c.			M	6	6	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—
			F	16	16	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
26	Violence, apart from suicide.			M	10	—	—	—	—	2	1	2	5	16	1	—	—	2	1	1	2	3
			F	6	1	1	—	—	1	—	—	1	2	7	—	—	—	—	1	1	1	5
27	Suicide	M	3	—	—	—	—	—	1	1	1	5	—	—	—	—	—	2	3	—
			F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—
28	Other defined diseases	M	90	5	1	—	3	1	5	20	55	151	6	1	—	2	4	3	21	114
			F	109	3	1	2	—	3	11	21	68	130	6	—	2	1	2	6	19	94	
29	Causes ill-defined or unknown.			M	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—
			F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CHESTER—1918 (Civilian Population only)

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	3,105	378	118	169	139	156	504	786	825	1,217	116	36	39	72	68	216	278	392		
				F	3,320	263	140	178	188	236	625	673	1017	1,261	82	34	41	53	93	270	250	438		
1 Enteric fever				M	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
				F	3	—	—	—	1	—	—	1	1	3	—	—	—	—	1	1	1	—		
2 Small-pox				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles				M	24	3	14	5	1	—	—	—	1	9	4	2	2	1	—	—	—	—		
				F	28	1	14	10	2	1	—	—	—	8	1	3	2	2	—	—	—	—		
4 Scarlet fever				M	3	—	—	2	1	—	—	—	—	4	—	—	2	1	—	—	1	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—		
5 Whooping cough				M	46	21	11	6	8	—	—	—	—	9	4	2	1	2	—	—	—	—		
				F	64	18	19	22	5	—	—	—	—	14	5	3	5	1	—	—	—	—		
6 Diphtheria and croup				M	24	—	6	9	9	—	—	—	—	9	1	—	4	4	—	—	—	—		
				F	37	2	4	14	17	—	—	—	—	13	—	—	5	8	—	—	—	—		
7 Influenza				M	508	10	13	42	47	63	199	101	33	233	8	9	10	25	30	102	38	11		
				F	656	12	22	53	66	93	257	95	58	284	3	7	10	19	55	137	33	20		
8 Erysipelas				M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
				F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis				M	208	2	3	2	7	36	90	64	4	75	—	—	—	1	11	43	18	2		
				F	203	—	2	2	11	50	94	37	7	62	—	—	—	3	8	31	18	2		
10 Tuberculous meningitis				M	25	6	5	7	5	—	2	—	—	10	3	1	3	3	—	—	—	—		
				F	21	2	3	6	7	3	—	—	—	6	1	1	2	1	1	—	—	—		
11 Other tuberculous diseases.				M	45	8	2	9	9	5	3	7	2	18	1	2	—	3	4	5	3	—		
				F	51	5	3	5	9	6	14	7	2	20	—	—	5	3	3	3	4	2		
12 Cancer, malignant disease				M	210	—	—	—	—	1	13	113	83	82	—	—	—	—	—	2	39	41		
				F	278	—	1	—	1	—	31	131	114	108	—	—	—	—	—	8	47	53		
13 Rheumatic fever				M	13	—	—	—	1	3	3	6	—	6	—	—	—	3	—	1	2	—		
				F	11	—	—	1	2	3	1	4	—	2	—	—	1	—	1	—	—	—		
14 Meningitis				M	15	6	2	—	5	—	1	1	—	7	2	—	1	1	1	1	1	—		
				F	26	6	4	6	4	3	2	—	1	5	3	1	—	1	—	—	—	—		
15 Organic heart disease				M	254	—	—	—	8	7	29	98	112	96	—	—	—	—	3	8	29	56		
				F	316	—	—	—	4	8	42	87	175	118	—	—	—	1	2	10	35	70		
16 Bronchitis				M	227	36	11	10	3	1	8	43	115	61	7	2	—	—	2	1	8	41		
				F	243	24	17	7	2	1	14	42	136	66	11	3	—	—	—	3	8	41		
17 Pneumonia (all forms)				M	309	61	25	43	25	14	57	52	32	112	13	10	8	8	4	15	37	17		
				F	271	29	33	30	25	26	46	42	40	96	16	7	7	5	5	25	14	17		
18 Other respiratory diseases				M	44	5	2	7	2	3	2	16	7	11	1	—	—	—	—	2	3	5		
				F	44	2	—	2	4	—	13	10	13	10	—	—	1	1	—	1	1	6		
19 Diarrhoea &c.				M	61	18	10	7	2	—	2	9	13	16	4	2	—	—	2	3	1	4		
				F	59	23	3	2	4	2	3	10	12	11	5	—	—	—	1	1	2	2		
20 Appendicitis and typhlitis				M	8	—	—	—	3	2	2	1	—	2	—	—	—	—	—	1	1	—		
				F	14	—	—	1	5	1	4	2	1	6	—	—	—	1	1	3	1	—		
21 Cirrhosis of liver				M	10	—	—	—	—	—	2	4	4	9	—	—	—	—	—	—	7	2		
				F	9	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—	1	—		
21A Alcoholism				M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
				F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.				M	87	—	1	3	1	2	7	44	29	29	—	—	—	4	1	2	10	12		
				F	67	1	1	1	1	6	13	29	15	19	—	—	—	—	1	3	6	9		
23 Puerperal fever				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	10	—	—	—	—	—	—	10	—	—	3	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	18	—	—	—	—	1	16	1	—	12	—	—	—	—	4	8	—	—		
25 Congenital debility, &c.				M	137	132	—	4	1	—	—	—	—	45	43	—	2	—	—	—	—	—		
				F	98	93	—	3	1	1	—	—	21	21	—	—	—	—	—	—	—	—		
26 Violence, apart from suicide.				M	91	4	3	4	17	7	15	27	14	35	2	—	4	8	1	6	6	8		
				F	49	3	2	—	4	7	6	11	16	16	—	2	1	2	1	2	1	7		
27 Suicide				M	16	—	—	—	—	—	6	7	3	12	—	—	—	—	1	2	6	3		
				F	14	—	—	—	—	2	6	4	2	7	—	—	—	—	2	3	2	—		
28 Other defined diseases				M	730	66	9	7	12	12	63	189	372	324	23	6	1	8	8	22	66	190		
				F	721	42	12	12	12	22	52	151	418	341	16	7	2	4	6	25	74	207		
29 Causes ill-defined or unknown.				M	9	—	1	2	2	—	—	4	—	1	—	—	—	—	—	—	1	—		
				F	5	—	—	1	1	—	1	2	—	4	—	—	—	—	—	2	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CORNWALL—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,051	106	32	35	44	45	197	268	324	1,370	106	37	48	55	73	250	306	495		
	F	1,155	57	25	26	42	85	181	215	524	1,460	78	29	44	59	102	223	273	652		
1 Enteric fever ...	M	5	—	—	—	—	1	—	4	—	5	—	—	—	1	1	—	3	—		
	F	5	—	—	—	—	3	1	1	—	4	—	—	—	2	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	10	—	4	4	2	—	—	—	—	13	2	6	4	—	—	1	—	—		
	F	3	1	1	—	—	1	—	—	—	10	—	4	2	3	1	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
5 Whooping cough ...	M	13	7	3	2	1	—	—	—	—	16	6	5	5	—	—	—	—	—		
	F	11	3	4	3	1	—	—	—	—	18	7	5	3	3	—	—	—	—		
6 Diphtheria and croup ...	M	15	—	—	6	9	—	—	—	—	7	—	1	—	6	—	—	—	—		
	F	18	1	1	5	10	1	—	—	—	12	—	—	6	5	—	1	—	—		
7 Influenza ...	M	102	9	5	1	4	14	41	17	11	159	3	3	10	16	23	67	26	11		
	F	130	4	2	3	8	24	61	11	17	200	4	1	9	12	41	87	24	22		
8 Erysipelas ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1		
9 Pulmonary tuberculosis	M	110	—	1	—	1	10	48	42	8	120	—	—	—	1	18	61	34	6		
	F	95	—	—	2	3	33	42	12	3	94	—	1	1	5	26	46	14	1		
10 Tuberculous meningitis	M	14	—	3	4	4	—	3	—	—	8	—	1	1	2	2	2	—	—		
	F	9	—	—	1	3	2	3	—	—	10	—	1	4	3	1	1	—	—		
11 Other tuberculous dis- eases.	M	9	—	1	2	2	—	2	2	—	16	2	1	2	1	3	4	1	2		
	F	15	1	—	—	3	4	3	3	1	18	—	2	2	3	—	3	8	—		
12 Cancer, malignant disease	M	72	—	—	—	1	—	5	33	33	86	—	—	—	—	—	2	35	49		
	F	112	—	—	—	—	2	10	38	62	140	—	—	—	2	1	14	51	72		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—		
	F	2	—	—	—	1	—	—	—	1	2	—	—	—	2	—	—	—	—		
14 Meningitis ...	M	3	1	1	—	—	—	—	—	1	5	1	2	2	—	—	—	—	—		
	F	4	—	1	—	1	2	—	—	—	3	—	—	1	2	—	—	—	—		
15 Organic heart disease ...	M	94	—	—	—	—	2	9	37	46	125	—	—	—	—	5	4	36	80		
	F	136	—	—	—	1	—	10	39	86	193	—	—	—	—	6	10	49	128		
16 Bronchitis ...	M	60	5	1	4	—	—	—	15	35	73	8	5	4	1	—	3	10	42		
	F	85	11	2	2	—	—	1	13	56	83	4	1	—	—	—	3	8	67		
17 Pneumonia (all forms)	M	58	11	7	5	3	4	6	12	10	191	18	6	7	9	5	18	22	16		
	F	53	7	5	4	3	3	11	7	13	73	8	6	5	1	5	12	18	18		
18 Other respiratory diseases	M	28	1	1	—	1	—	8	9	8	37	—	1	3	1	1	5	15	11		
	F	16	2	—	4	—	—	—	3	7	16	1	—	—	1	—	1	5	8		
19 Diarrhoea, &c. ...	M	11	8	—	—	—	—	1	2	—	12	7	—	—	1	—	—	3	1		
	F	11	6	—	—	2	—	—	1	2	11	4	—	2	—	—	—	3	2		
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	—	3	1	9	—	—	1	2	1	1	4	—		
	F	2	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	1	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1		
	F	3	—	—	—	—	—	—	2	1	3	—	—	—	—	—	—	1	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	38	—	—	1	—	—	9	14	14	36	—	—	—	1	—	2	13	20		
	F	23	—	—	—	—	—	4	9	10	29	—	—	—	—	2	2	10	15		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	1	7	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	48	48	—	—	—	—	—	—	—	43	42	1	—	—	—	—	—	—		
	F	19	19	—	—	—	—	—	—	—	35	32	2	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	82	—	—	3	9	12	39	14	5	88	2	1	3	2	7	44	20	9		
	F	12	—	1	—	1	2	—	3	5	20	—	1	3	4	3	2	1	6		
27 Suicide ...	M	5	—	—	—	—	—	—	5	—	12	—	—	—	—	—	5	5	2		
	F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	1	2	1	1		
28 Other defined diseases ...	M	257	16	5	3	5	2	23	55	148	370	15	4	5	9	6	22	66	243		
	F	372	2	8	2	4	6	24	68	258	453	18	4	5	12	9	29	70	306		
29 Causes ill-defined or un- known.	M	8	—	—	—	—	—	3	2	3	25	—	—	—	1	1	9	12	2		
	F	7	—	—	—	—	—	—	5	2	14	—	1	1	1	2	6	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CUMBERLAND—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	1,019	168	48	59	66	59	151	223	245	733	96	21	37	35	52	109	152	231
	F	1,040	119	69	51	61	86	175	180	299	698	64	30	29	34	54	118	140	229
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	18	5	8	4	1	—	—	—	—	8	3	3	2	—	—	—	—	—
	F	18	4	9	3	2	—	—	—	—	8	2	1	3	2	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
5 Whooping cough ...	M	10	7	1	2	—	—	—	—	—	3	2	—	1	—	—	—	—	—
	F	12	7	3	2	—	—	—	—	—	9	2	4	3	—	—	—	—	—
6 Diphtheria and croup ...	M	12	—	—	5	7	—	—	—	—	5	—	—	2	3	—	—	—	—
	F	12	—	1	6	5	—	—	—	—	4	—	—	1	2	1	—	—	—
7 Influenza ...	M	160	7	8	17	18	27	53	26	4	148	5	3	13	15	30	55	18	9
	F	205	6	12	15	20	40	73	25	14	142	5	9	8	10	30	55	16	9
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—
9 Pulmonary tuberculosis	M	43	—	—	—	5	10	16	10	2	27	1	—	—	1	4	14	6	1
	F	69	1	—	—	4	16	34	13	1	38	—	—	—	2	8	19	8	1
10 Tuberculous meningitis	M	6	1	1	2	2	—	—	—	—	6	2	2	2	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	3	—	—	1	1	1	—	—	—
11 Other tuberculous diseases.	M	19	—	4	2	4	3	5	1	—	9	1	1	2	1	—	3	1	—
	F	15	1	4	—	3	5	2	—	—	10	3	—	2	1	—	1	3	—
12 Cancer, malignant disease	M	60	—	—	1	—	1	6	27	25	62	—	—	—	—	—	2	30	30
	F	70	—	—	—	—	1	6	30	33	54	—	—	—	—	—	2	25	27
13 Rheumatic fever ...	M	3	—	—	—	—	1	—	2	—	3	—	—	1	1	—	—	—	1
	F	6	—	—	—	1	4	1	—	—	3	—	—	—	1	—	—	1	1
14 Meningitis ...	M	9	3	1	1	2	—	1	1	—	7	1	1	2	2	—	1	—	—
	F	2	1	—	1	—	—	—	—	—	2	—	—	—	—	—	1	1	—
15 Organic heart disease ...	M	61	—	—	—	1	2	3	23	32	62	—	—	—	—	—	2	16	44
	F	93	—	1	—	4	—	15	23	50	60	—	—	—	1	2	4	15	38
16 Bronchitis ...	M	86	16	4	4	3	—	1	18	40	22	8	—	—	—	—	1	3	10
	F	92	13	7	5	—	2	3	16	46	48	7	4	2	—	1	1	4	29
17 Pneumonia (all forms)...	M	103	17	11	12	10	5	18	19	11	58	9	5	2	1	6	10	16	9
	F	78	13	14	11	7	2	9	9	13	44	8	5	4	4	5	4	6	8
18 Other respiratory diseases	M	26	2	2	1	2	—	6	7	6	13	3	—	2	—	—	1	4	3
	F	11	2	1	—	1	—	1	—	6	17	—	—	1	1	—	1	9	5
19 Diarrhoea, &c. ...	M	18	12	3	3	—	—	—	—	—	15	5	2	2	1	—	—	—	5
	F	25	10	11	1	—	1	—	1	1	10	5	5	—	—	—	—	—	—
20 Appendicitis and typhlitis	M	3	—	—	1	2	—	—	—	—	5	—	—	—	1	2	—	1	1
	F	2	—	—	—	1	—	1	—	—	5	—	—	—	4	1	—	—	—
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	18	—	—	—	—	1	3	7	7	12	1	—	—	—	—	3	2	6
	F	20	—	—	1	3	4	4	5	3	16	—	—	—	1	—	1	9	5
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	7	—	—	8	—	—	—	—	2	5	1	—
25 Congenital debility, &c.	M	67	66	—	1	—	—	—	—	—	36	33	1	—	1	—	—	1	—
	F	35	35	—	—	—	—	—	—	—	24	23	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	54	2	—	3	2	5	18	12	12	26	—	2	3	5	3	5	8	—
	F	13	1	1	2	3	2	—	2	2	17	—	—	3	2	3	3	3	3
27 Suicide ...	M	8	—	—	—	—	—	4	4	—	10	—	—	—	—	2	2	6	—
	F	4	—	—	—	—	2	1	1	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	221	29	5	—	7	4	14	56	106	179	22	1	3	2	5	7	34	105
	F	237	25	4	3	5	5	15	51	129	164	8	1	—	1	—	16	36	102
29 Causes ill-defined or unknown.	M	8	1	—	—	—	—	3	4	—	12	—	—	—	—	—	2	5	5
	F	2	—	1	—	—	—	1	—	—	3	1	—	—	—	—	—	1	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF DERBY—1918 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	2,265	320	123	144	129	131	390	483	545	2,077	288	109	131	129	118	343	417	542		
		F	2,326	260	107	164	155	219	425	444	552	2,065	252	100	115	144	173	401	359	521		
1	Enteric fever	M	6	—	—	—	1	—	3	2	—	1	—	—	—	—	—	—	1	—		
		F	5	—	—	—	—	3	2	—	—	3	—	—	—	2	—	1	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	28	5	12	8	3	—	—	—	—	22	3	10	5	3	1	—	—	—		
		F	29	5	13	7	4	—	—	—	—	20	6	7	5	2	—	—	—	—		
4	Scarlet fever	M	3	—	1	1	1	—	—	—	—	4	—	—	4	—	—	—	—	—		
		F	2	—	—	1	1	—	—	—	—	3	—	—	1	1	—	—	1	—		
5	Whooping cough	M	41	19	12	9	1	—	—	—	—	38	13	15	10	—	—	—	—	—		
		F	44	17	13	11	3	—	—	—	—	38	17	6	15	—	—	—	—	—		
6	Diphtheria and croup	M	15	—	—	8	7	—	—	—	—	18	—	1	5	11	1	—	—	—		
		F	24	2	2	10	10	—	—	—	—	16	—	2	2	11	—	1	—	—		
7	Influenza	M	437	18	24	44	45	49	149	79	29	386	17	20	31	46	45	144	58	25		
		F	518	13	16	56	62	105	171	69	26	491	14	22	36	55	97	174	67	26		
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—		
		F	4	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis	M	128	—	4	2	5	31	53	30	3	107	—	—	—	4	19	56	27	1		
		F	135	1	1	2	10	39	59	19	4	119	1	1	1	7	35	57	15	2		
10	Tuberculous meningitis	M	14	4	2	1	3	3	—	1	—	10	4	2	2	1	1	—	—	—		
		F	12	1	—	3	4	1	2	1	—	8	1	1	3	2	1	—	—	—		
11	Other tuberculous diseases.	M	33	7	5	3	7	3	6	2	—	32	2	2	5	3	8	4	6	2		
		F	39	3	4	6	5	4	13	3	1	30	2	2	1	6	5	10	4	—		
12	Cancer, malignant disease	M	111	—	—	—	1	—	7	54	49	115	—	—	1	1	—	6	58	49		
		F	162	—	—	1	3	1	25	81	51	144	—	—	—	—	1	13	72	58		
13	Rheumatic fever	M	4	—	—	1	—	2	—	1	—	2	—	—	—	—	1	1	—	—		
		F	8	—	—	1	3	—	2	2	—	3	—	—	—	—	—	2	1	—		
14	Meningitis	M	17	4	5	3	2	2	1	—	—	12	2	—	5	1	2	1	1	—		
		F	16	2	2	4	5	3	—	—	—	11	4	—	1	4	—	1	1	—		
15	Organic heart disease	M	138	—	—	—	3	4	18	50	63	140	—	—	—	2	4	15	48	71		
		F	155	—	—	—	3	9	23	58	62	144	—	—	—	3	3	22	47	69		
16	Bronchitis	M	161	19	6	6	3	1	7	42	77	146	33	11	8	2	1	3	18	70		
		F	176	23	16	3	—	6	9	33	86	129	20	8	2	5	1	7	22	64		
17	Pneumonia (all forms)	M	223	30	31	35	16	10	41	43	17	209	37	21	30	18	7	34	37	25		
		F	203	23	25	29	15	18	42	24	27	184	32	29	32	16	13	33	17	12		
18	Other respiratory diseases	M	30	1	2	1	2	1	3	11	9	19	1	2	3	—	—	4	5	4		
		F	22	—	—	2	2	2	4	7	5	14	—	1	2	1	—	5	1	4		
19	Diarrhoea, &c.	M	31	18	4	3	—	—	1	4	1	45	24	10	3	1	—	—	3	4		
		F	37	23	1	4	1	1	1	4	2	41	22	6	3	—	—	2	1	7		
20	Appendicitis and typhlitis	M	12	—	—	—	6	1	3	1	1	9	—	—	—	6	1	—	2	—		
		F	6	—	—	—	3	2	1	—	—	8	—	—	—	2	2	2	2	—		
21	Cirrhosis of liver	M	8	—	—	—	1	—	1	5	1	4	—	—	—	—	—	2	2	—		
		F	5	—	—	—	—	—	2	1	2	3	—	—	—	—	1	1	—	1		
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	44	—	1	—	—	4	5	18	16	44	—	1	1	1	4	5	16	16		
		F	57	—	1	5	4	2	7	23	15	45	—	—	—	2	1	13	14	15		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	1	3	—	—	6	—	—	—	—	—	5	1	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	14	—	—	—	—	3	11	—	—	13	—	—	—	—	—	12	1	—		
25	Congenital debility, &c.	M	128	124	2	1	1	—	—	—	—	94	—	—	1	2	—	—	—	—		
		F	104	104	—	—	—	—	—	—	—	83	82	1	—	—	—	—	—	—		
26	Violence, apart from suicide.	M	131	3	2	4	11	12	56	32	11	101	—	3	10	11	12	28	26	11		
		F	37	2	1	7	6	3	5	5	8	29	3	1	4	7	3	3	3	5		
27	Suicide	M	14	—	—	—	—	—	4	5	5	10	—	—	—	—	2	3	3	2		
		F	7	—	—	—	—	1	5	—	1	5	—	—	—	—	2	1	—	2		
28	Other defined diseases	M	483	66	7	14	9	8	30	92	257	491	59	9	7	16	8	35	100	257		
		F	482	41	12	10	10	14	36	103	256	466	48	13	5	16	8	35	85	256		
29	Causes ill-defined or unknown.	M	24	2	3	—	1	—	2	10	6	16	1	2	—	—	1	1	6	5		
		F	19	—	—	2	1	—	1	10	5	9	—	—	2	2	—	1	4	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DEVON—1918 (Civilian Population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,466	106	28	52	63	66	208	359	584	1,527	122	29	39	66	73	205	355	638		
			F	1,724	67	27	51	79	132	266	323	779	1,553	82	30	29	53	102	255	334	668		
1	Enteric fever	...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
			F	2	—	—	—	—	2	—	—	—	3	—	—	—	—	2	1	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	15	3	4	5	2	1	—	—	—	11	—	2	6	3	—	—	—	—		
			F	13	4	4	4	1	—	—	—	—	12	1	3	3	4	—	1	—	—		
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	...	M	6	2	2	1	1	—	—	—	—	4	3	—	1	—	—	—	—	—		
			F	8	3	2	3	—	—	—	—	—	14	8	3	2	1	—	—	—	—		
6	Diphtheria and croup	...	M	12	—	—	3	8	1	—	—	—	4	—	—	1	3	—	—	—	—		
			F	12	—	—	5	6	—	1	—	—	3	—	—	1	1	—	—	1	—		
7	Influenza	...	M	173	7	8	15	12	18	60	37	16	186	8	4	13	14	23	66	40	18		
			F	249	3	2	9	26	52	88	31	38	225	7	7	6	23	33	98	24	27		
8	Erysipelas	...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
			F	2	—	—	—	1	—	—	—	1	6	—	—	—	—	1	—	3	2		
9	Pulmonary tuberculosis		M	142	—	1	1	5	24	68	39	4	113	—	—	—	5	27	46	22	13		
			F	138	—	—	1	9	35	65	21	7	124	—	—	1	7	30	45	37	4		
10	Tuberculous meningitis		M	4	—	—	2	1	1	—	—	—	9	—	—	1	7	1	—	—	—		
			F	7	—	—	3	2	—	1	1	—	5	—	—	1	—	3	—	1	—		
11	Other tuberculous diseases.		M	22	1	1	4	4	3	6	2	1	16	—	—	2	2	1	4	6	1		
			F	23	3	—	2	2	6	5	5	—	14	—	—	—	4	2	5	2	1		
12	Cancer, malignant disease		M	101	—	—	—	—	2	2	38	59	102	—	—	—	1	1	3	34	63		
			F	155	—	—	—	—	—	11	63	81	153	—	—	—	—	—	13	64	76		
13	Rheumatic fever	...	M	5	—	—	—	—	1	3	1	—	1	—	—	—	—	—	—	1	—		
			F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	—	1		
14	Meningitis	...	M	4	—	—	—	2	—	1	1	—	8	—	—	1	4	—	3	—	—		
			F	8	—	2	1	3	2	—	—	—	4	—	1	1	—	1	1	—	—		
15	Organic heart disease	...	M	159	—	—	—	2	3	8	42	104	169	—	—	—	1	2	13	50	103		
			F	194	—	—	1	3	1	16	46	127	209	—	—	—	—	4	14	46	145		
16	Bronchitis	...	M	79	13	3	1	—	—	2	12	48	103	8	3	3	2	—	1	19	67		
			F	94	4	4	5	1	1	2	9	68	97	6	2	—	—	—	1	13	75		
17	Pneumonia (all forms)		M	103	14	6	10	9	3	15	25	21	133	18	13	7	4	—	25	34	32		
			F	109	6	5	12	8	14	27	17	20	91	7	9	9	6	6	18	17	19		
18	Other respiratory diseases		M	26	—	—	—	—	—	2	9	15	20	1	1	—	1	2	5	3	7		
			F	24	1	1	—	1	1	4	7	9	21	—	—	—	2	2	2	6	9		
19	Diarrhoea, &c.	...	M	14	6	2	2	—	—	—	1	3	12	5	1	—	—	—	—	2	4		
			F	9	2	—	—	—	—	1	4	2	7	1	—	—	—	1	—	2	3		
20	Appendicitis and typhlitis		M	5	—	—	—	1	—	1	1	2	8	—	—	1	4	—	2	1	—		
			F	15	—	—	—	5	3	3	4	—	11	—	—	—	1	2	3	5	—		
21	Cirrhosis of liver	...	M	12	—	—	—	—	—	2	6	4	3	—	—	—	—	—	—	2	1		
			F	4	—	—	—	—	—	—	3	1	4	—	—	—	—	—	—	2	2		
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		M	49	—	—	—	2	—	3	18	26	52	—	—	—	1	2	2	25	22		
			F	47	—	—	—	—	1	5	20	21	42	—	—	—	1	2	7	18	14		
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	6	—	—	—	—	3	3	—	—	3	—	—	—	—	1	2	—	—		
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	6	—	—	—	—	1	5	—	—	9	—	—	—	—	—	9	—	—		
25	Congenital debility, &c.		M	42	41	—	—	1	—	—	—	—	53	53	—	—	—	—	—	—	—		
			F	26	25	1	—	—	—	—	—	—	35	34	—	—	—	1	—	—	—		
26	Violence, apart from suicide.		M	42	—	—	5	7	5	10	9	6	53	1	2	—	6	5	12	17	10		
			F	14	1	—	2	—	1	—	2	8	9	—	1	1	—	1	1	1	4		
27	Suicide	...	M	7	—	—	—	—	—	1	5	1	23	—	—	—	—	3	1	17	2		
			F	2	—	—	—	—	—	1	1	—	6	—	—	—	—	1	3	2	—		
28	Other defined diseases	...	M	431	18	—	3	6	4	22	107	271	432	25	2	3	8	6	19	76	293		
			F	548	13	6	2	8	9	26	89	395	433	18	3	4	3	9	28	84	284		
29	Causes ill-defined or unknown.		M	11	1	1	—	—	—	2	5	2	10	—	1	—	—	—	3	4	2		
			F	4	2	—	—	—	—	2	—	—	10	—	1	—	—	—	1	6	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DORSET—1918 (Civilian Population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	781 835	85 62	29 11	26 29	29 31	29 60	114 170	186 174	283 298	698 693	45 30	12 6	17 11	23 13	29 47	103 101	161 137	308 348		
1	Enteric fever	...	M F	— 4	— —	— —	— —	— —	— —	— 2	— 2	— —	1 2	— —	— —	— —	— —	— —	— —	— 2	1 —		
2	Small-pox	...	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
3	Measles	...	M F	4 2	1 1	2 —	— 1	— —	— —	— —	— —	1 —	7 1	— —	1 1	2 —	4 —	— —	— —	— —	— —		
4	Scarlet fever	...	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —		
5	Whooping cough	...	M F	13 16	4 5	5 3	4 6	— 1	— —	— —	— —	— 1	6 —	4 —	1 —	1 —	— —	— —	— —	— —	— —		
6	Diphtheria and croup	...	M F	2 8	— —	1 —	— 5	1 2	— —	— 1	— —	— —	1 5	— —	— —	1 —	— 2	— 3	— —	— —	— —		
7	Influenza	...	M F	101 155	4 4	5 3	11 4	8 10	9 32	42 68	16 22	6 12	87 90	1 1	3 —	2 6	4 5	9 14	34 37	18 14	16 13		
8	Erysipelas	...	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Pulmonary tuberculosis	{	M F	55 68	— —	— —	— 1	1 2	8 15	25 38	17 12	4 —	53 38	— —	— —	— —	2 —	11 14	26 15	11 8	3 1		
10	Tuberculous meningitis		M F	7 4	2 —	2 —	1 1	2 2	— —	— —	— —	— 1	— —	4 3	1 —	— —	2 —	— 1	1 —	— 1	— —		
11	Other tuberculous diseases.	{	M F	8 3	1 —	— —	1 1	2 —	— —	3 1	— 1	1 —	11 6	2 —	1 —	— 1	3 —	1 1	3 2	1 —	— 2		
12	Cancer, malignant disease		M F	67 79	— —	— —	— —	1 —	— —	— —	3 9	32 35	31 35	53 65	— —	— —	— —	— —	— 7	18 27	35 31		
13	Rheumatic fever	{	M F	1 4	— —	— —	— —	1 1	— 1	— 1	— —	— 1	— 4	— —	— —	— —	— —	1 —	1 1	1 —	— 1		
14	Meningitis		M F	4 2	1 1	— —	1 —	— 1	— —	— —	1 —	1 —	— —	4 4	— 1	— —	— —	2 —	— 2	1 —	1 —		
15	Organic heart disease	{	M F	72 81	— —	— —	— —	— 1	— 1	4 11	29 19	39 49	80 101	— —	— —	— —	1 —	4 2	5 2	17 21	53 76		
16	Bronchitis		M F	39 32	9 5	4 2	1 2	— 1	— —	— —	1 —	4 6	20 16	38 29	3 2	1 —	1 —	— 1	— —	7 2	26 23		
17	Pneumonia (all forms)	{	M F	39 32	6 5	6 2	1 4	2 3	2 4	8 7	9 4	5 3	30 22	1 2	4 2	4 1	1 —	1 —	5 3	7 6	7 8		
18	Other respiratory diseases		M F	12 15	— —	1 —	1 1	1 —	2 1	— —	1 1	3 3	3 9	8 10	1 —	— —	— —	— 1	— 1	2 1	2 2	3 5	
19	Diarrhoea, &c.	{	M F	16 11	7 4	1 —	1 1	— —	— —	1 —	— 1	6 4	9 6	4 1	— —	1 —	— 1	— 1	1 —	2 2	1 1		
20	Appendicitis and typhlitis		M F	4 3	— —	— —	— —	2 —	— —	— —	1 1	1 2	— —	— 1	— —	— —	— —	— —	— —	— —	— 1		
21	Cirrhosis of liver	{	M F	5 2	— —	— —	— —	— —	— —	— —	4 1	1 —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —		
21A	Alcoholism		M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
22	Nephritis and Bright's disease.	{	M F	25 22	— —	— —	— —	2 1	— —	3 3	9 8	11 10	30 22	— —	— —	— —	1 1	— 1	4 6	10 9	15 5		
23	Puerperal fever		M F	— 5	— —	— —	— —	— —	— 1	— —	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
24	Parturition, apart from puerperal fever.	{	M F	— 4	— —	— —	— —	— —	— —	— 4	— —	— —	— 3	— —	— —	— —	— —	— —	2 —	1 —	— —		
25	Congenital debility, &c.		M F	36 24	36 23	— —	— —	— —	— —	— 1	— —	— —	— —	25 15	22 15	— —	2 —	— —	1 —	— —	— —		
26	Violence, apart from suicide.	{	M F	35 10	2 3	— 1	3 1	3 1	1 2	8 —	11 1	7 1	26 10	— 1	1 1	2 1	3 —	1 2	7 1	10 —	2 4		
27	Suicide		M F	2 2	— —	— —	— —	— —	— —	— —	— 1	— —	1 1	8 3	— —	— —	— —	— —	— 1	2 2	3 —	3 —	
28	Other defined diseases	{	M F	228 245	12 11	2 —	— 1	3 3	7 3	13 17	47 55	144 155	216 242	10 3	— 1	— 1	1 1	— 4	13 18	50 37	142 177		
29	Causes ill-defined or unknown.		M F	6 2	— —	— —	1 —	— —	— —	— —	— —	2 2	3 —	5 5	— —	1 —	— —	— —	— —	— 1	3 4	1 —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF DURHAM—1918 (Civilian Population only)

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	4,763	855	286	383	371	267	702	965	934	3,576	701	204	237	275	230	525	705	699		
				F	4,363	633	296	353	414	386	747	698	836	3,493	587	212	269	291	318	619	533	664		
1 Enteric fever				M	5	—	—	—	—	2	3	—	—	12	—	—	—	1	4	5	2	—		
				F	12	—	—	—	2	4	4	2	—	10	—	—	1	2	5	2	—	—		
2 Small-pox				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles				M	45	14	11	16	4	—	—	—	—	57	7	25	20	4	—	1	—	—		
				F	53	6	21	22	4	—	—	—	—	60	5	19	26	10	—	—	—	—		
4 Scarlet fever				M	23	—	2	7	14	—	—	—	—	7	1	—	2	3	1	—	—	—		
				F	27	1	1	10	16	—	—	—	—	19	—	—	10	8	1	—	—	—		
5 Whooping cough				M	82	41	19	18	4	—	—	—	—	61	26	18	13	4	—	—	—	—		
				F	115	38	39	33	5	—	—	—	—	75	33	25	15	2	—	—	—	—		
6 Diphtheria and croup				M	46	3	2	17	23	1	—	—	—	19	1	3	9	6	—	—	—	—		
				F	55	1	8	20	26	—	—	—	—	24	—	2	7	14	—	1	—	—		
7 Influenza				M	806	19	29	100	126	81	234	156	61	623	14	15	43	89	77	215	125	45		
				F	969	15	41	92	155	179	303	118	66	765	13	20	60	105	145	281	103	38		
8 Erysipelas				M	4	1	—	—	—	—	—	—	3	4	1	—	—	—	—	—	—	3		
				F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
9 Pulmonary tuberculosis				M	328	1	2	8	29	60	150	71	7	192	1	1	3	15	47	82	42	1		
				F	335	2	2	6	50	88	141	41	5	203	3	2	4	26	57	91	19	1		
10 Tuberculous meningitis				M	47	6	5	11	17	3	5	—	—	34	1	4	11	13	2	2	1	—		
				F	29	5	4	3	10	6	1	—	—	25	2	3	3	14	2	1	—	—		
11 Other tuberculous diseases.				M	78	3	10	18	18	11	10	7	1	52	8	5	9	15	8	3	3	1		
				F	56	5	6	9	12	11	6	6	1	43	3	3	11	5	8	9	2	2		
12 Cancer, malignant disease				M	181	—	—	1	1	2	13	98	66	131	1	—	—	1	1	12	69	47		
				F	212	1	—	1	1	1	30	108	70	181	—	—	—	—	—	27	88	66		
13 Rheumatic fever				M	14	—	—	—	5	—	7	2	—	13	—	—	1	3	5	3	1	—		
				F	9	—	—	1	—	3	3	2	—	5	—	—	—	1	1	1	2	—		
14 Meningitis				M	34	10	8	9	3	1	2	1	—	24	5	6	2	7	3	—	1	—		
				F	33	6	5	5	6	9	2	—	—	24	6	4	2	4	6	2	—	—		
15 Organic heart disease				M	320	—	1	1	6	16	36	128	132	207	—	—	—	9	11	23	84	80		
				F	282	—	—	1	10	11	45	108	107	205	—	—	—	5	9	30	76	85		
16 Bronchitis				M	324	80	32	15	6	4	6	53	128	290	65	33	10	9	2	10	52	109		
				F	275	54	30	22	3	1	16	41	108	216	44	19	21	5	4	12	34	77		
17 Pneumonia (all forms)				M	534	110	84	87	43	18	58	97	37	381	79	51	56	32	23	49	63	28		
				F	449	72	73	74	43	32	71	49	35	344	64	54	57	44	34	46	27	18		
18 Other respiratory diseases				M	46	3	4	6	3	1	6	19	4	54	4	2	8	4	1	4	20	11		
				F	41	1	5	4	4	3	6	8	10	46	4	2	7	6	2	4	11	10		
19 Diarrhoea, &c.				M	204	104	31	22	11	5	6	14	11	157	97	21	15	4	1	4	6	9		
				F	141	70	26	14	14	3	2	4	8	133	69	28	13	2	2	3	4	12		
20 Appendicitis and typhlitis				M	11	—	—	—	2	3	3	1	2	15	—	—	2	5	3	1	3	1		
				F	9	—	—	—	5	2	1	1	—	6	—	—	2	1	2	1	—	—		
21 Cirrhosis of liver				M	18	—	—	—	—	—	1	12	5	10	—	—	—	—	—	1	6	3		
				F	10	—	—	—	—	—	2	7	1	7	—	—	—	—	—	4	—	3		
21A Alcoholism				M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.				M	81	1	5	4	4	4	15	31	17	65	—	1	2	7	3	9	20	23		
				F	74	—	1	4	5	4	17	29	14	66	—	—	3	5	5	16	22	15		
23 Puerperal fever... ..				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	9	—	—	—	—	2	7	—	—	7	—	—	—	—	2	5	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	27	—	—	—	—	8	19	—	—	28	—	—	—	—	7	21	—	—		
25 Congenital debility, &c.				M	306	301	1	2	—	—	1	1	—	282	278	4	—	—	—	—	—	—		
				F	232	230	1	1	—	—	—	—	—	221	220	—	—	1	—	—	—	—		
26 Violence, apart from suicide.				M	177	2	6	11	22	27	53	33	23	158	1	2	16	27	21	42	40	15		
				F	47	2	1	10	12	6	1	3	12	48	1	5	6	8	6	3	7	12		
27 Suicide				M	18	—	—	—	1	1	6	9	1	14	—	—	—	—	—	6	6	2		
				F	7	—	—	—	—	1	4	2	—	6	—	—	—	—	3	1	2	—		
28 Other defined diseases				M	1,002	153	30	28	27	26	85	221	432	696	110	13	20	16	16	50	153	318		
				F	840	125	30	20	30	12	61	166	396	711	120	25	21	23	16	60	127	319		
29 Causes ill-defined or unknown.				M	27	3	4	2	2	1	2	9	4	18	1	—	1	1	1	3	8	3		
				F	14	—	2	1	1	—	5	2	3	13	—	1	—	—	1	2	4	5		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF ELY, ISLE OF—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	274	37	10	14	7	15	36	55	100	238	44	12	5	11	18	41	34	73		
	F	281	17	10	8	12	31	42	43	118	264	32	6	7	15	19	52	38	95		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	6	1	3	2	—	—	—	—	—	7	—	2	2	3	—	—	—	—		
	F	3	1	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	4	2	—	2	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	3	—	2	1	—	—	—	—	—	5	2	—	1	2	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza ...	M	38	2	2	2	1	7	14	7	3	45	5	2	—	2	9	22	2	3		
	F	69	1	2	2	5	17	25	7	10	55	2	2	—	3	12	25	6	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	20	1	1	—	—	3	9	6	—	12	—	—	—	—	3	7	2	—		
	F	15	—	—	1	—	3	5	6	—	15	—	—	—	1	4	7	2	1		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	—	1	—	1	2	—	—	3	1	—	—	—	1	—	1	—		
	F	2	—	—	—	—	2	—	—	—	4	—	—	—	2	—	2	—	—		
12 Cancer, malignant disease	M	23	—	—	—	—	—	2	10	11	15	—	—	—	—	—	1	8	6		
	F	26	—	—	—	—	—	3	9	14	33	—	—	—	—	—	7	9	17		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis ...	M	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	25	—	—	—	3	2	—	5	15	22	—	—	—	—	—	2	7	13		
	F	18	—	—	—	—	—	2	2	14	14	—	—	—	—	—	1	5	8		
16 Bronchitis ...	M	14	1	—	1	—	—	—	5	7	10	5	3	—	—	—	—	2	—		
	F	10	2	1	—	—	—	—	—	7	22	3	1	1	2	1	—	1	13		
17 Pneumonia (all forms)	M	15	1	2	1	2	—	2	4	3	9	3	1	1	—	—	—	2	2		
	F	12	1	2	—	—	4	2	—	3	9	2	1	2	2	—	1	—	1		
18 Other respiratory diseases	M	3	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	1	—	—	—	1	5	—	—	—	—	—	1	1	3		
19 Diarrhoea, &c. ...	M	6	4	1	—	—	—	—	1	—	3	1	1	—	—	—	—	1	—		
	F	3	—	—	—	—	—	—	2	1	7	5	1	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	3	—	—	—	—	—	1	1	1	8	—	—	—	—	—	1	3	4		
	F	4	—	—	—	—	1	—	2	1	4	—	—	—	—	—	—	—	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—		
	F	9	9	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	5	1	—	2	—	—	1	1	—	3	—	—	—	—	—	—	2	1		
	F	3	—	—	—	—	1	—	—	2	4	—	—	1	—	1	—	1	1		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	—	2		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	77	6	1	—	—	1	4	11	54	64	4	2	—	2	5	6	3	42		
	F	89	3	2	—	2	1	4	14	63	63	5	—	—	—	—	5	12	41		
29 Causes ill-defined or unknown.	M	6	—	—	—	—	—	—	1	5	1	—	—	—	1	—	—	—	—		
	F	6	—	—	2	—	1	1	1	1	2	—	1	—	—	1	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
ESSEX—1918 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	4,113 4,266	439 291	160 143	205 215	259 249	250 415	738 879	1016 773	1046 1301	1,703 1,695	133 95	44 33	62 44	89 78	103 129	263 285	321 329	688 702	
1	Enteric fever	M F	2 5	— —	— —	— —	1 5	— —	— —	— —	1 2	— —	— —	— —	1 1	— 1	— —	— —	— —	
2	Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Measles	M F	54 39	8 3	18 14	16 16	12 6	— —	— —	— —	3 8	1 —	— 1	2 2	— 4	— —	— 1	— —	— —	
4	Scarlet fever	M F	1 3	— —	— —	— 1	— 2	— —	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	
5	Whooping cough	M F	39 73	15 23	15 28	7 19	2 3	— —	— —	— —	13 15	7 4	2 4	4 3	— 4	— —	— —	— —	— —	
6	Diphtheria and croup	M F	39 38	2 —	— —	18 14	18 22	1 1	— 1	— —	7 4	— —	— —	3 3	4 1	— —	— —	— —	— —	
7	Influenza	M F	797 1,026	21 20	37 29	61 67	91 104	104 205	279 419	152 119	52 63	323 349	7 7	8 13	21 17	34 23	48 69	129 128	53 51	23 41
8	Erysipelas	M F	5 3	— —	— —	— —	— 1	— —	— 1	2 1	3 —	3 1	— —	— —	— —	— —	— —	1 —	2 1	
9	Pulmonary tuberculosis	M F	409 304	1 —	2 —	3 1	14 19	58 89	204 121	116 61	11 13	97 110	1 —	— —	1 —	2 12	20 26	45 41	23 27	5 4
10	Tuberculous meningitis	M F	39 39	5 6	7 4	7 13	14 14	4 1	2 —	— 1	— —	13 11	3 —	3 —	— 2	3 4	2 3	2 1	— 1	— —
11	Other tuberculous diseases.	M F	47 43	4 1	2 4	8 4	10 7	9 9	6 8	8 5	— 5	23 16	1 1	1 —	6 2	5 1	2 2	6 3	1 4	1 3
12	Cancer, malignant disease	M F	260 371	— —	— —	2 2	1 —	— 5	17 48	138 158	102 158	153 185	— 1	— —	— 1	— —	— —	5 11	64 82	84 90
13	Rheumatic fever	M F	6 11	— —	— —	— —	3 4	1 3	2 2	— 1	— 1	7 4	— —	— —	— —	1 2	3 1	1 —	2 1	— —
14	Meningitis	M F	23 20	4 3	2 2	2 1	8 8	3 1	— 4	1 1	3 —	12 9	2 1	2 1	2 —	2 2	1 3	1 1	1 —	1 1
15	Organic heart disease	M F	333 380	— —	1 —	1 —	7 7	17 15	37 52	114 104	156 202	161 184	— —	— —	— 1	2 1	1 3	17 17	31 46	110 116
16	Bronchitis	M F	243 246	33 23	19 12	4 10	2 2	— 3	11 12	54 33	120 151	99 111	12 9	11 2	3 1	2 4	— —	4 4	7 12	60 79
17	Pneumonia (all forms)	M F	312 289	49 26	32 31	43 39	22 17	13 31	61 68	61 41	31 36	85 59	10 7	8 5	12 7	5 4	8 4	9 15	14 8	19 9
18	Other respiratory diseases	M F	42 50	1 2	— —	3 2	1 2	1 —	4 7	21 14	11 23	13 14	— —	— 1	— —	1 2	— 1	3 2	5 3	4 5
19	Diarrhoea, &c.	M F	64 52	34 24	4 3	5 4	— —	— —	3 4	6 5	12 12	23 14	9 3	1 —	— 1	— 2	— —	1 1	5 1	7 6
20	Appendicitis and typhlitis	M F	15 17	— —	— —	1 2	10 7	2 2	1 2	1 3	— 1	6 7	— —	— —	— —	1 4	— 2	1 1	3 —	1 —
21	Cirrhosis of liver	M F	18 14	— —	— —	— —	— —	— —	1 1	11 8	6 5	6 5	— —	— —	— —	— —	1 1	2 1	3 3	— —
21A	Alcoholism	M F	2 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Nephritis and Bright's disease.	M F	114 79	1 1	2 —	3 —	4 3	3 7	11 9	53 26	37 33	38 36	— —	— —	1 —	1 —	— 4	4 6	14 10	18 16
23	Puerperal fever...	M F	— 15	— —	— —	— —	— —	— 3	— 12	— —	— —	— 2	— —	— —	— —	— 1	— 1	— —	— —	— —
24	Parturition, apart from puerperal fever.	M F	— 25	— —	— —	— —	— —	— 5	— 20	— —	— —	— 6	— —	— —	— —	— 1	— 5	— —	— —	— —
25	Congenital debility, &c.	M F	182 123	179 121	1 1	— —	1 —	— —	1 —	— 1	— —	51 43	48 40	1 2	2 1	— —	— —	— —	— —	— —
26	Violence, apart from suicide.	M F	106 61	5 6	3 2	8 5	19 8	6 6	17 10	29 8	19 16	48 13	— 2	3 1	3 —	9 2	5 1	6 2	13 2	9 3
27	Suicide	M F	24 14	— —	— —	— —	— —	2 1	3 6	15 6	4 1	9 7	— —	— —	— —	— —	— 1	2 2	6 4	1 —
28	Other defined diseases	M F	926 916	77 32	14 12	13 14	18 15	25 21	76 73	226 171	477 578	501 474	31 20	3 3	2 3	15 5	13 6	26 40	72 73	339 324
29	Causes ill-defined or unknown.	M F	11 10	— —	1 1	— 1	— —	— —	— —	7 5	2 3	7 6	1 —	1 —	— —	— —	— —	— 2	4 3	1 1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF GLOUCESTER—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	709	46	23	32	43	39	109	161	256	1,532	155	31	38	73	93	225	319	598		
	F	836	37	11	30	47	62	179	152	318	1,622	110	29	44	52	155	291	318	623		
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	3	2	1	1		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	12	2	2	7	1	—	—	—	—	8	2	2	3	1	—	—	—	—		
	F	9	2	1	3	3	—	—	—	—	7	—	4	3	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	M	2	2	—	—	—	—	—	—	—	23	10	8	3	2	—	—	—	—		
	F	4	1	2	—	1	—	—	—	—	16	8	2	6	—	—	—	—	—		
6 Diphtheria and croup	M	7	—	1	2	4	—	—	—	—	4	—	—	1	3	—	—	—	—		
	F	11	—	—	3	8	—	—	—	—	4	1	—	2	1	—	—	—	—		
7 Influenza	M	134	2	5	10	17	19	44	24	13	250	5	7	13	23	31	111	41	19		
	F	182	2	2	5	12	30	85	29	17	283	5	4	12	17	68	120	37	20		
8 Erysipelas	M	2	—	1	—	—	—	—	1	—	5	1	—	—	1	—	1	—	2		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	60	—	—	1	1	12	27	16	3	86	1	—	1	3	20	34	25	2		
	F	62	—	—	1	4	20	27	9	1	121	—	—	—	9	41	51	17	3		
10 Tuberculous meningitis	M	4	—	1	1	2	—	—	—	—	2	1	—	—	1	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	7	2	—	1	2	2	—	—	—		
11 Other tuberculous diseases.	M	12	1	1	1	3	2	1	2	1	10	—	1	—	1	2	3	2	1		
	F	12	—	—	—	2	1	6	2	1	14	—	—	—	2	4	5	1	2		
12 Cancer, malignant disease	M	52	—	—	—	—	—	1	18	33	109	—	—	2	—	1	5	45	56		
	F	82	—	—	—	—	—	7	32	43	156	—	—	—	—	1	13	64	78		
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	1	—	—	—	—	4	—	—	—	1	3	—	—	—		
14 Meningitis	M	1	—	—	1	—	—	—	—	—	13	3	—	5	3	—	1	1	—		
	F	4	—	—	—	2	1	1	—	—	7	1	1	—	1	2	1	1	—		
15 Organic heart disease	M	70	—	—	—	1	1	4	16	48	190	—	—	1	1	2	10	53	123		
	F	99	—	—	1	2	—	9	19	68	216	—	—	—	—	4	11	61	140		
16 Bronchitis	M	32	—	2	1	—	—	1	7	21	85	11	—	1	—	—	1	12	60		
	F	37	2	1	2	—	—	1	9	22	80	5	2	1	—	2	—	5	65		
17 Pneumonia (all forms)...	M	45	2	3	3	7	1	7	14	8	97	9	7	6	7	13	14	15	26		
	F	48	1	5	9	7	—	10	8	8	95	13	6	8	3	8	21	13	23		
18 Other respiratory diseases	M	6	1	—	—	—	—	—	2	3	19	2	—	—	1	1	—	8	7		
	F	7	—	—	1	—	—	1	2	3	18	2	1	1	1	—	2	4	7		
19 Diarrhoea, &c.	M	11	3	—	—	1	—	5	1	1	27	13	3	—	—	1	—	4	6		
	F	5	2	—	—	—	—	—	1	2	18	6	1	2	—	—	—	—	9		
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	7	—	—	—	2	2	1	1	1		
	F	3	—	—	—	1	1	1	—	—	12	—	—	—	2	4	1	4	1		
21 Cirrhosis of liver	M	8	—	—	—	—	—	—	6	2	5	—	—	—	—	—	2	1	2		
	F	4	—	—	—	—	—	—	4	—	2	—	—	—	—	—	1	1	—		
21A Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	20	—	—	—	—	—	1	5	14	50	1	—	—	—	2	4	18	25		
	F	17	—	—	—	—	1	—	8	8	22	1	—	2	—	—	4	9	6		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	14	—	—	—	—	—	14	—	—		
25 Congenital debility, &c.	M	19	17	1	1	—	—	—	—	—	67	67	—	—	—	—	—	—	—		
	F	20	20	—	—	—	—	—	—	—	42	39	1	1	—	—	—	1	—		
26 Violence, apart from suicide.	M	13	1	—	1	2	1	1	5	2	65	—	2	—	14	10	6	18	15		
	F	6	—	—	1	1	1	1	—	2	25	4	—	2	2	4	4	3	6		
27 Suicide	M	4	—	—	—	—	1	2	—	1	11	—	—	—	—	—	4	3	4		
	F	4	—	—	—	—	—	2	1	1	6	—	—	—	—	1	2	3	—		
28 Other defined diseases	M	186	15	6	3	2	1	14	40	105	392	29	1	—	9	7	27	70	249		
	F	205	7	—	4	2	5	20	27	140	433	23	6	3	9	7	36	89	260		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	3	—	—	1	—	—	1	1	—		
	F	3	—	—	—	1	—	—	—	2	8	—	1	—	1	—	2	3	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HEREFORD—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	319	40	8	10	14	10	44	81	112	577	54	9	8	26	29	78	147	226		
	F	321	20	9	9	13	34	50	76	110	535	42	5	13	28	40	75	81	251		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	1	2	2	2	—	—	—	—	3	1	—	1	—	—	—	—	—		
	F	4	—	1	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	7	3	2	2	—	—	—	—	—	9	3	2	2	2	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	7	5	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	39	—	1	2	5	3	16	10	2	80	3	4	—	5	16	23	12	17		
	F	52	1	1	1	6	13	19	8	3	95	1	—	3	11	21	35	14	10		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	24	—	—	—	2	1	12	8	1	66	—	—	1	5	9	29	15	7		
	F	24	—	—	1	1	9	7	6	—	34	—	—	—	4	11	14	2	3		
10 Tuberculous meningitis	M	2	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	4	—	—	—	1	3	—	—	—	3	—	1	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	1	—	—	—	3	1	—	—	—	1	—	1	—		
	F	6	—	2	—	—	1	2	—	1	6	—	—	—	1	1	2	2	—		
12 Cancer, malignant disease	M	25	—	—	—	—	1	2	9	13	49	—	—	—	—	—	—	26	23		
	F	23	—	—	1	—	—	2	14	6	57	—	—	—	—	—	1	23	33		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	1	—	1	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	1	—	1	—	—		
15 Organic heart disease ...	M	33	—	—	—	—	—	—	15	18	76	—	—	—	1	1	3	27	44		
	F	32	—	—	—	—	—	3	8	21	65	—	—	—	1	1	5	8	50		
16 Bronchitis ...	M	11	1	1	—	—	—	—	3	6	33	5	—	—	—	—	—	4	24		
	F	14	—	—	—	—	—	—	3	11	31	3	—	—	1	—	—	3	24		
17 Pneumonia (all forms)...	M	33	4	2	4	1	—	6	10	6	28	5	1	2	1	—	5	8	6		
	F	24	2	2	2	1	2	6	6	3	20	4	2	1	2	1	2	4	4		
18 Other respiratory diseases	M	3	—	—	—	—	—	—	2	1	11	1	—	—	—	—	—	7	3		
	F	5	—	—	—	—	—	—	3	2	3	—	—	1	—	—	—	2	—		
19 Diarrhoea, &c. ...	M	3	2	—	—	—	—	—	—	1	9	2	2	—	—	1	1	2	1		
	F	3	1	—	—	—	1	—	1	—	8	3	—	—	—	—	2	—	3		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	1	1	—	—	—	3	—	—	—	1	—	—	1	1		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	—	—	—	—	8	5	24	—	—	—	1	—	1	8	14		
	F	10	—	—	—	—	2	1	4	3	11	—	—	2	—	—	—	1	8		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—		
25 Congenital debility, &c.	M	16	15	—	—	1	—	—	—	—	21	20	—	1	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	3	—	—	—	—	—	1	—	2	10	2	—	—	3	—	—	3	2		
	F	6	1	—	1	1	—	—	1	2	8	—	—	2	1	2	3	—	—		
27 Suicide ...	M	4	—	—	—	—	—	3	1	—	4	—	—	—	—	—	—	3	1		
	F	3	—	—	—	—	—	1	1	1	2	—	—	—	—	1	—	—	1		
28 Other defined diseases ...	M	91	11	—	—	2	3	4	15	56	133	8	—	1	2	2	14	26	80		
	F	86	5	2	1	—	1	4	18	55	149	5	—	2	1	2	7	21	111		
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	6	1	—	—	—	—	—	2	3		
	F	4	—	—	—	—	—	1	2	1	3	1	—	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HERTFORD—1918 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	{	M	1,336	123	44	44	67	70	231	309	448	659	38	13	17	36	32	96	166	261	
		{	F	1,547	86	30	50	81	141	305	301	553	757	39	19	30	33	65	157	151	263	
1 Enteric fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	...	{	M	13	1	5	4	3	—	—	—	—	3	—	2	—	1	—	—	—	—	
		{	F	10	—	3	5	2	—	—	—	—	2	—	1	1	—	—	—	—	—	
4 Scarlet fever	...	{	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5 Whooping cough	...	{	M	16	5	8	1	2	—	—	—	—	3	1	1	1	—	—	—	—	—	
		{	F	10	3	3	4	—	—	—	—	—	15	4	2	8	1	—	—	—	—	
6 Diphtheria and croup	...	{	M	13	1	1	1	9	—	1	—	—	4	—	—	—	4	—	—	—	—	
		{	F	12	—	—	1	10	1	—	—	—	4	—	2	1	1	—	—	—	—	
7 Influenza	...	{	M	219	7	4	8	18	28	92	41	21	95	3	—	5	10	9	46	17	5	
		{	F	335	3	5	10	23	75	136	59	24	166	4	6	9	11	35	70	20	11	
8 Erysipelas	...	{	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
		{	F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	1	1	—	—	
9 Pulmonary tuberculosis		{	M	109	—	2	2	1	16	53	30	5	41	—	—	—	1	6	18	12	4	
		{	F	102	—	—	2	5	27	48	15	5	59	—	—	1	5	13	28	10	2	
10 Tuberculous meningitis		{	M	13	2	3	4	4	—	—	—	—	1	1	—	—	—	—	—	—	—	
		{	F	8	—	2	1	4	1	—	—	—	5	1	1	2	1	—	—	—	—	
11 Other tuberculous diseases.		{	M	11	1	1	1	2	1	2	2	1	7	—	—	—	—	4	2	1	—	
		{	F	19	2	2	2	1	3	6	2	1	10	—	2	—	1	1	5	—	1	
12 Cancer, malignant disease		{	M	121	1	—	—	—	3	6	56	55	44	—	—	—	—	—	1	22	21	
		{	F	156	—	1	—	—	1	16	70	68	75	—	—	—	—	—	7	32	36	
13 Rheumatic fever	...	{	M	3	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
		{	F	3	1	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	
14 Meningitis	...	{	M	12	3	2	2	3	—	1	1	—	5	—	1	1	1	1	1	—	—	
		{	F	12	—	—	3	6	—	3	—	—	4	1	—	—	1	—	2	—	—	
15 Organic heart disease	...	{	M	134	1	—	—	—	4	12	44	73	93	—	—	—	—	1	7	23	62	
		{	F	157	1	—	—	1	1	17	40	97	74	—	—	—	2	2	—	23	47	
16 Bronchitis	...	{	M	74	7	2	2	3	—	2	15	43	37	2	—	3	—	—	2	7	23	
		{	F	104	5	4	2	2	2	2	9	78	41	1	—	3	—	—	2	9	26	
17 Pneumonia (all forms)		{	M	80	12	10	5	4	3	15	21	10	59	6	6	2	3	4	8	22	8	
		{	F	83	8	6	7	7	9	18	10	18	38	4	2	3	1	2	7	13	6	
18 Other respiratory diseases		{	M	13	1	—	—	1	—	3	3	5	5	—	1	—	—	—	—	1	3	
		{	F	12	—	—	1	—	2	2	4	3	7	—	—	1	—	—	—	1	5	
19 Diarrhoea, &c.	...	{	M	24	15	1	1	—	—	1	2	4	4	—	—	—	—	—	—	—	4	
		{	F	18	2	—	2	1	1	1	4	7	2	—	—	—	—	—	1	—	1	
20 Appendicitis and typhlitis		{	M	6	—	—	—	1	1	2	—	2	2	—	—	—	—	1	—	1	—	
		{	F	12	—	—	3	4	1	2	1	1	2	—	—	—	1	1	—	—	—	
21 Cirrhosis of liver	...	{	M	6	—	—	—	—	—	—	3	3	6	—	—	—	—	—	—	5	1	
		{	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1	
21A Alcoholism	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.		{	M	31	1	—	—	—	—	5	8	17	19	—	—	—	2	—	1	5	11	
		{	F	30	—	—	—	—	—	5	7	18	18	—	—	—	—	2	5	6	5	
23 Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
24 Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		{	F	6	—	—	—	—	2	4	—	—	3	—	—	—	—	3	—	—	—	
25 Congenital debility, &c.		{	M	46	46	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	
		{	F	42	40	—	—	1	—	—	1	—	14	14	—	—	—	—	—	—	—	
26 Violence, apart from suicide.		{	M	35	1	1	4	7	3	4	9	6	27	1	1	3	4	2	2	8	6	
		{	F	20	1	1	3	5	2	2	—	6	14	2	1	—	3	2	2	—	4	
27 Suicide	...	{	M	9	—	—	—	—	—	—	6	3	2	—	—	—	—	—	—	—	2	
		{	F	6	—	—	—	—	2	3	—	1	2	—	—	—	—	1	1	—	—	
28 Other defined diseases	...	{	M	338	17	4	5	9	10	30	66	197	181	6	1	2	10	4	8	41	109	
		{	F	380	20	3	4	8	10	37	74	224	192	8	2	1	4	4	20	36	117	
29 Causes ill-defined or unknown.		{	M	9	1	—	2	—	—	1	2	2	4	1	—	—	—	—	—	1	2	
		{	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	1	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF HUNTINGDON—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	177	25	7	7	9	10	29	38	52	221	23	10	8	5	14	32	44	85		
	F	178	13	3	7	12	18	31	31	63	255	9	5	8	13	17	37	57	109		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	1	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	7	2	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	3	—	3	—	—	—	—	—	—	5	1	4	—	—	—	—	—	—		
	F	3	1	—	1	1	—	—	—	—	6	3	—	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	36	—	—	3	3	4	16	8	2	47	2	2	1	3	10	17	12	—		
	F	37	1	1	2	2	8	18	4	1	40	1	—	2	6	7	12	8	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	11	—	—	—	1	3	4	3	—	10	—	—	—	—	1	6	3	—		
	F	10	—	—	—	1	3	5	—	1	16	—	—	—	1	4	7	3	1		
10 Tuberculous meningitis	M	2	—	1	—	1	—	—	—	—	2	1	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
11 Other tuberculous diseases.	M	5	—	—	—	—	2	2	1	—	5	1	—	—	1	—	3	—	—		
	F	4	—	—	—	—	1	1	—	2	4	—	—	1	—	1	—	1	1		
12 Cancer, malignant disease	M	13	—	—	—	—	—	2	6	5	22	—	—	—	—	—	10	12	—		
	F	18	—	—	—	—	—	—	11	7	33	—	—	—	—	—	15	17	—		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	4	—	1	—	2	—	1	—	—		
15 Organic heart disease ...	M	17	—	—	—	1	—	2	4	10	23	—	—	—	—	—	5	17	—		
	F	10	—	—	—	—	1	—	5	4	19	—	—	—	—	1	6	10	—		
16 Bronchitis ...	M	7	1	1	—	—	—	—	1	4	15	3	1	2	—	—	—	9	—		
	F	13	—	—	—	—	1	—	1	11	12	—	1	1	—	—	3	6	—		
17 Pneumonia (all forms)...	M	5	2	—	—	—	—	1	2	—	8	1	1	1	—	—	3	2	—		
	F	10	—	1	1	3	2	2	—	1	14	—	1	—	1	2	6	3	—		
18 Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	1	1	—		
	F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	1	—	—		
19 Diarrhoea, &c. ...	M	4	2	—	—	2	—	—	—	—	3	1	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	—	—	2	3	—	—	—	—	—	2	1	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	3	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	1	—	—	—	—	—	1	—	—	6	—	—	—	—	—	3	2	—		
	F	4	—	—	—	—	1	—	2	1	5	—	—	—	—	1	1	3	—		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
25 Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
	F	8	7	—	1	—	—	—	—	—	5	4	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	2	1	—	—	—	—	—	—	1	5	1	1	1	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	7	1	1	—	1	—	—	3	—		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
28 Other defined diseases ...	M	48	6	—	1	—	1	—	11	29	49	3	—	—	1	—	1	40	—		
	F	47	2	—	—	2	1	3	7	32	77	—	1	—	—	6	9	60	—		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	1	—	2	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF KENT—1918 (Civilian Population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	4,943	569	169	242	277	279	793	1106	1508	2,226	200	63	73	110	119	348	478	835		
		F	5,379	397	170	208	300	436	1031	1023	1814	2,157	170	45	57	151	165	420	420	729		
1	Enteric fever	M	8	—	—	—	3	3	—	2	—	2	—	—	—	—	1	1	—	—		
		F	12	—	—	—	2	3	5	2	—	4	—	—	—	1	—	2	1	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	84	18	27	31	8	—	—	—	—	12	3	3	5	1	—	—	—	—		
		F	46	8	17	16	4	—	1	—	—	9	1	2	2	3	—	1	—	—		
4	Scarlet fever	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	2	4	2	1	—	—	3	—	—	—	2	—	1	—	—		
5	Whooping cough	M	44	17	16	9	2	—	—	—	—	18	6	6	5	1	—	—	—	—		
		F	57	17	23	15	1	1	—	—	—	16	8	5	—	2	—	—	1	—		
6	Diphtheria and croup	M	51	—	5	21	24	1	—	—	—	26	—	2	5	16	1	1	1	—		
		F	58	—	1	23	30	3	1	—	—	24	—	1	6	12	4	1	—	—		
7	Influenza	M	824	26	24	60	94	110	323	136	51	367	16	17	24	28	60	126	62	34		
		F	1,082	17	28	62	119	211	454	129	62	446	12	11	15	51	64	208	53	32		
8	Erysipelas	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—		
		F	8	1	—	—	—	—	1	3	3	1	—	—	—	—	—	—	—	1		
9	Pulmonary tuberculosis	M	438	3	—	4	18	76	194	119	24	169	1	1	1	4	21	93	40	8		
		F	410	—	1	4	30	101	188	77	9	167	1	1	2	17	41	62	35	8		
10	Tuberculous meningitis	M	46	4	9	13	13	4	1	2	—	15	3	2	3	5	1	1	—	—		
		F	40	8	6	8	12	4	2	—	—	14	2	2	1	6	1	1	1	—		
11	Other tuberculous diseases.	M	71	8	4	10	11	15	9	11	3	34	1	3	1	9	5	8	5	2		
		F	54	—	8	4	9	6	12	6	9	36	—	1	3	8	8	7	4	5		
12	Cancer, malignant disease	M	380	—	1	—	3	—	18	180	178	188	—	—	—	—	1	5	77	105		
		F	543	—	—	1	—	1	50	233	258	197	—	—	—	—	—	12	87	98		
13	Rheumatic fever	M	12	1	—	—	4	2	—	4	1	4	—	—	—	1	1	1	1	—		
		F	3	—	—	—	—	—	2	1	—	5	1	—	—	2	—	—	1	1		
14	Meningitis	M	28	6	2	5	5	1	4	4	1	14	2	2	—	5	2	1	2	—		
		F	22	5	3	1	5	4	2	1	1	10	—	1	2	3	2	—	2	—		
15	Organic heart disease	M	422	—	—	—	5	9	34	148	226	225	—	—	—	1	4	14	56	150		
		F	469	—	—	—	7	12	47	139	264	212	—	—	—	5	4	17	59	127		
16	Bronchitis	M	289	55	20	12	2	—	6	48	146	122	16	2	1	—	1	1	16	85		
		F	286	27	7	7	2	1	10	30	202	113	13	1	1	2	1	6	14	75		
17	Pneumonia (all forms)	M	347	49	37	38	25	18	59	75	46	140	22	12	14	11	5	29	22	25		
		F	371	54	46	42	27	31	73	35	63	142	16	14	11	16	12	27	20	26		
18	Other respiratory diseases	M	52	1	—	5	4	2	6	17	17	29	—	—	1	2	—	2	11	13		
		F	52	2	—	1	3	1	4	20	21	19	—	—	1	—	—	3	8	7		
19	Diarrhoea, &c.	M	82	45	4	2	1	—	3	12	15	39	23	2	3	2	—	1	—	8		
		F	83	36	9	5	4	2	6	4	17	29	10	3	2	2	1	1	4	6		
20	Appendicitis and typhlitis	M	26	—	—	4	5	—	9	7	1	13	—	—	1	4	1	3	3	1		
		F	27	—	—	1	1	5	13	1	6	9	—	—	—	3	3	1	1	1		
21	Cirrhosis of liver	M	23	—	—	—	—	—	1	15	7	11	—	—	—	—	—	1	6	4		
		F	18	—	—	—	—	—	1	11	6	5	—	—	—	1	—	2	2	—		
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	99	—	—	2	1	5	9	33	49	59	1	—	—	—	—	4	24	30		
		F	101	2	—	1	3	4	18	37	36	47	—	—	1	1	5	6	11	23		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	13	—	—	—	—	3	10	—	—	4	—	—	—	—	1	3	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	29	—	—	—	—	5	23	1	—	11	—	—	—	—	1	10	—	—		
25	Congenital debility, &c.	M	227	226	—	—	1	—	—	—	—	79	73	2	—	2	1	—	1	—		
		F	158	152	1	—	1	2	2	—	—	73	71	—	2	—	—	—	—	—		
26	Violence, apart from suicide.	M	140	12	4	15	20	11	22	34	22	54	4	—	5	7	4	12	13	9		
		F	70	12	6	6	6	6	4	10	20	25	5	—	3	3	1	5	4	4		
27	Suicide	M	33	—	—	—	—	1	7	17	8	28	—	—	—	—	—	8	17	3		
		F	12	—	—	—	—	1	4	6	1	5	—	—	—	—	2	1	1	1		
28	Other defined diseases	M	1,189	96	13	11	24	21	86	233	705	569	29	9	4	11	10	36	118	352		
		F	1,321	54	14	9	29	25	93	267	830	519	29	3	4	10	12	40	110	311		
29	Causes ill-defined or unknown.	M	21	2	3	—	2	—	1	6	7	9	—	—	—	—	—	3	3	6		
		F	24	2	—	—	1	2	4	9	6	12	1	—	1	1	2	3	1	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LANCASTER—1918 (Civilian Population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	11,326	1452	533	591	719	617	1683	2987	2744	1,742	207	67	71	110	100	264	401	522		
	F	11,788	983	471	637	726	866	2239	2685	3181	1,707	137	52	77	105	127	352	361	496		
1 Enteric fever ...	M	44	—	—	—	2	12	20	9	1	3	—	—	—	—	—	2	1	—		
	F	38	—	—	1	5	13	15	4	—	6	—	—	—	2	4	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	157	30	67	47	11	2	—	—	—	16	3	7	4	2	—	—	—	—		
	F	137	20	51	48	17	—	1	—	—	9	1	5	3	—	—	—	—	—		
4 Scarlet fever ...	M	22	1	3	8	10	—	—	—	—	6	—	1	4	1	—	—	—	—		
	F	18	—	1	7	7	2	1	—	—	3	—	—	2	1	—	—	—	—		
5 Whooping cough ...	M	186	77	57	43	9	—	—	—	—	23	13	6	3	1	—	—	—	—		
	F	236	77	74	70	14	—	—	1	—	33	17	3	9	4	—	—	—	—		
6 Diphtheria and croup ...	M	113	6	9	42	54	2	—	—	—	13	2	2	1	7	1	—	—	—		
	F	102	3	7	37	51	2	2	—	—	16	—	2	5	8	1	—	—	—		
7 Influenza ...	M	1,670	47	58	108	206	203	498	405	145	281	5	4	17	26	45	113	54	22		
	F	2,182	32	55	135	237	326	790	406	201	359	2	6	19	32	62	147	62	29		
8 Erysipelas ...	M	14	2	1	—	1	1	1	3	5	4	1	—	—	1	—	1	1	—		
	F	6	—	—	—	—	—	2	—	4	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	752	2	6	7	27	116	338	225	31	92	—	1	1	4	20	32	28	6		
	F	715	2	1	4	51	191	328	122	16	93	—	—	—	4	24	45	17	3		
10 Tuberculous meningitis	M	51	9	5	8	24	3	2	—	—	11	2	3	2	3	1	—	—	—		
	F	68	7	11	17	16	10	7	—	—	10	1	4	3	2	—	—	—	—		
11 Other tuberculous diseases.	M	126	10	12	18	30	25	15	14	2	18	1	1	3	2	4	5	2	—		
	F	132	6	11	15	21	22	39	15	3	19	—	—	2	4	3	5	4	1		
12 Cancer, malignant disease	M	662	—	—	2	1	4	35	369	251	100	—	—	—	—	1	4	44	51		
	F	855	—	—	1	2	7	112	450	283	110	—	—	—	—	—	15	54	41		
13 Rheumatic fever ...	M	33	—	—	3	11	4	10	4	1	2	—	—	—	2	—	—	—	—		
	F	42	—	—	—	10	11	13	7	1	6	—	—	—	—	2	2	2	—		
14 Meningitis ...	M	110	22	20	19	30	8	7	4	—	11	3	3	1	3	—	1	—	—		
	F	80	8	9	13	31	7	6	4	2	13	1	2	2	4	2	1	1	—		
15 Organic heart disease ...	M	866	—	—	1	20	35	103	334	372	131	—	—	—	3	1	10	48	72		
	F	1,081	—	—	1	17	47	178	347	491	169	—	—	—	6	6	21	48	88		
16 Bronchitis ...	M	989	148	42	27	6	4	52	273	437	109	17	8	5	—	3	2	24	50		
	F	961	86	48	30	16	12	53	210	506	122	14	3	1	1	2	8	19	74		
17 Pneumonia (all forms)...	M	1,233	177	141	145	111	57	186	265	151	165	28	16	11	12	10	20	42	26		
	F	1,071	119	121	148	103	80	205	170	125	135	20	13	19	15	7	20	21	20		
18 Other respiratory diseases	M	143	8	5	11	14	5	17	49	34	19	1	4	2	2	1	2	4	3		
	F	129	3	4	12	8	8	23	35	36	22	—	—	—	4	2	7	8	1		
19 Diarrhoea, &c. ...	M	267	116	32	25	15	2	13	27	37	43	20	4	4	2	—	4	6	3		
	F	229	85	31	18	10	4	15	29	37	20	8	2	—	2	—	1	4	3		
20 Appendicitis and typhlitis	M	46	—	—	1	16	10	7	7	5	10	—	—	1	4	1	1	2	1		
	F	32	1	—	1	9	7	7	5	2	7	—	—	—	3	2	2	—	—		
21 Cirrhosis of liver ...	M	42	—	—	—	—	—	2	33	7	7	—	—	—	—	—	—	5	2		
	F	12	—	—	—	—	—	—	3	9	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	300	2	2	8	9	7	51	141	80	46	1	—	—	1	1	7	14	22		
	F	307	1	3	9	7	19	56	123	89	43	—	1	1	1	—	9	16	15		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	36	—	—	—	—	5	31	—	—	8	—	—	—	—	—	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	94	—	—	—	—	17	75	2	—	18	—	—	—	—	1	17	—	—		
25 Congenital debility, &c.	M	533	521	2	3	5	1	1	—	—	83	78	1	—	2	2	—	—	—		
	F	360	353	—	—	5	1	1	—	—	50	50	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	365	8	10	31	50	38	90	91	47	63	—	1	5	13	4	14	14	12		
	F	154	7	6	22	33	9	20	31	26	19	1	2	4	1	1	2	1	7		
27 Suicide ...	M	68	—	—	—	1	7	16	31	13	9	—	—	—	—	1	2	5	1		
	F	34	—	—	—	—	1	15	17	1	12	—	—	—	—	—	4	7	1		
28 Other defined diseases ...	M	2,458	262	52	33	52	69	208	674	1108	450	32	4	5	18	9	41	94	247		
	F	2,605	171	34	43	52	60	233	673	1339	389	22	7	7	11	8	35	90	209		
29 Causes ill-defined or unknown.	M	75	4	9	1	4	1	10	29	17	24	—	1	2	1	—	3	13	4		
	F	72	2	4	5	4	5	11	31	10	14	—	2	—	—	—	3	6	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LEICESTER—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	770	91	44	48	48	45	135	168	191	1,123	106	42	68	76	66	188	211	366		
	F	778	62	25	52	72	77	154	148	188	1,101	81	43	51	77	95	218	192	344		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	1	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	2	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	—	3	2	2	—	—	—	—	17	1	4	8	4	—	—	—	—		
	F	8	2	2	2	2	—	—	—	—	19	1	5	8	4	—	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	13	3	6	3	1	—	—	—	—	12	5	2	5	—	—	—	—	—		
	F	9	2	4	3	—	—	—	—	—	19	9	5	3	2	—	—	—	—		
6 Diphtheria and croup ...	M	7	—	1	1	5	—	—	—	—	10	—	—	2	8	—	—	—	—		
	F	13	—	—	3	10	—	—	—	—	9	1	—	2	5	1	—	—	—		
7 Influenza ...	M	141	3	7	11	18	19	48	26	9	251	10	13	27	29	38	82	26	26		
	F	180	—	3	18	30	30	67	24	8	291	7	10	24	33	47	108	44	18		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	76	—	1	—	1	11	40	20	3	84	—	1	—	5	12	38	24	4		
	F	59	—	—	—	5	19	30	3	2	82	—	—	—	5	28	40	8	1		
10 Tuberculous meningitis	M	5	1	1	2	1	—	—	—	—	6	1	1	1	2	—	—	1	—		
	F	9	1	1	2	5	—	—	—	—	9	—	1	—	3	3	1	1	—		
11 Other tuberculous diseases.	M	11	1	2	1	2	—	4	1	—	9	—	2	—	—	—	5	2	—		
	F	8	—	—	—	3	2	1	1	1	13	—	—	1	4	2	4	2	—		
12 Cancer, malignant disease	M	46	—	—	—	—	—	7	23	16	77	—	—	—	—	—	1	44	32		
	F	58	—	—	—	—	1	9	20	28	94	—	—	—	—	1	14	41	38		
13 Rheumatic fever ...	M	3	—	—	—	—	1	—	2	—	3	1	—	—	—	2	—	—	—		
	F	4	—	—	—	1	2	—	1	—	5	—	—	—	—	1	—	1	3		
14 Meningitis ...	M	3	—	—	1	—	1	1	—	—	5	2	—	2	—	—	1	—	—		
	F	5	—	—	1	1	2	1	—	—	3	2	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	51	—	—	—	—	3	6	12	30	95	—	—	1	4	1	4	25	60		
	F	47	—	—	—	—	5	8	16	18	96	—	1	—	2	1	8	30	54		
16 Bronchitis ...	M	46	9	6	2	1	—	1	7	20	61	9	4	2	1	1	1	8	35		
	F	55	7	3	2	—	—	1	11	31	57	2	4	1	2	—	—	7	41		
17 Pneumonia (all forms)	M	78	13	13	14	4	3	14	11	6	74	7	12	8	6	—	17	13	11		
	F	60	6	8	12	6	7	11	5	5	72	12	11	7	3	4	15	10	10		
18 Other respiratory diseases	M	9	—	—	1	1	1	1	2	3	12	—	—	2	—	—	2	3	5		
	F	6	—	—	—	1	—	1	2	2	12	1	—	2	—	1	2	1	5		
19 Diarrhoea, &c. ...	M	11	7	—	—	1	—	—	2	1	17	9	—	1	1	—	1	1	4		
	F	10	3	—	2	—	—	—	2	3	15	6	1	1	—	—	—	2	5		
20 Appendicitis and typhlitis	M	4	—	—	—	—	1	2	1	—	4	—	—	—	2	1	—	1	—		
	F	3	—	—	—	—	1	—	2	—	7	—	—	—	1	2	1	3	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	1	1		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	16	—	—	—	2	—	—	7	7	26	—	—	2	—	1	2	8	13		
	F	10	—	—	—	—	1	1	4	4	12	—	—	—	—	—	2	5	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	5	1	—	4	—	—	—	—	2	2	—	—		
25 Congenital debility, &c.	M	38	37	—	—	—	1	—	—	—	45	41	—	1	—	2	1	—	—		
	F	26	26	—	—	—	—	—	—	—	29	28	—	—	1	—	—	—	—		
26 Violence apart from suicide	M	20	1	—	3	4	1	3	5	3	34	1	1	4	5	2	7	8	6		
	F	9	1	—	3	1	—	1	1	2	13	—	1	—	4	—	1	2	5		
27 Suicide ...	M	4	—	—	—	—	—	—	3	1	7	—	—	—	—	—	3	3	1		
	F	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	174	16	3	7	5	3	8	41	91	263	19	1	2	8	4	22	40	167		
	F	180	14	4	4	5	4	16	51	82	231	11	4	2	5	2	15	33	159		
29 Causes ill-defined or unknown.	M	5	—	1	—	—	—	—	3	1	5	—	1	—	—	1	—	2	1		
	F	4	—	—	—	—	1	1	1	1	2	1	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LINCOLN (PARTS OF HOLLAND)—1918 (Civilian population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	328	38	20	12	12	12	49	59	126	326	33	16	13	20	23	49	54	118	
			F	348	33	17	21	12	30	60	52	123	342	33	14	15	17	24	61	61	117	
1	Enteric fever	M	3	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	10	2	4	2	2	—	—	—	1	—	1	—	—	—	—	—	—	
			F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever	M	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	3	—	2	1	—	—	—	—	4	2	2	—	—	—	—	—	—	
			F	18	4	6	8	—	—	—	—	—	8	5	3	—	—	—	—	—	—	
6	Diphtheria and croup	M	3	—	—	2	—	1	—	—	2	—	—	—	—	1	—	1	—	
			F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
7	Influenza	M	33	—	5	2	1	2	17	2	4	58	2	3	3	5	8	26	7	
			F	52	—	—	2	3	13	25	4	5	78	1	3	7	10	13	31	8	4	
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	M	14	1	—	—	1	—	7	3	2	17	1	—	1	1	5	4	4	
			F	18	—	—	1	1	4	8	4	—	19	—	—	1	1	1	11	5	—	
10	Tuberculous meningitis	M	2	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	
			F	1	—	—	—	—	1	—	—	—	2	—	—	1	—	—	1	—	—	
11	Other tuberculous diseases.	M	5	—	—	—	—	2	3	—	—	3	—	—	—	—	1	1	—	
			F	7	1	—	1	2	2	—	—	1	—	—	—	—	—	—	—	—	1	
12	Cancer, malignant disease	M	26	—	—	—	—	—	1	11	14	29	—	—	—	1	2	10	16	
			F	32	—	—	—	—	—	4	12	16	32	—	—	—	—	1	1	15	15	
13	Rheumatic fever	M	1	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	
14	Meningitis	M	3	2	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	
			F	2	—	—	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	
15	Organic heart disease	M	38	—	—	—	—	1	5	13	19	24	—	—	—	1	2	1	6	
			F	26	—	—	—	—	1	2	9	14	17	—	—	—	2	2	1	3	9	
16	Bronchitis	M	23	5	1	2	—	—	1	1	13	20	4	—	1	—	—	1	4	
			F	26	3	5	—	—	1	2	—	15	21	2	—	—	—	—	1	6	10	
17	Pneumonia (all forms)...	M	22	4	4	1	—	1	3	3	6	21	4	4	4	3	—	3	1	
			F	20	1	2	2	3	1	4	2	5	17	3	2	4	1	2	2	2	2	
18	Other respiratory diseases	M	3	—	1	—	—	—	1	1	—	3	—	—	—	—	—	—	3	
			F	7	—	—	—	—	1	—	3	3	3	5	—	1	—	—	—	1	1	
19	Diarrhoea, &c.	M	1	1	—	—	—	—	—	—	—	5	1	—	1	—	1	—	1	
			F	7	4	1	—	—	—	—	1	1	9	4	1	—	1	—	1	—	2	
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	3	—	—	—	2	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	
21	Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	M	7	—	—	—	—	2	—	5	—	8	—	—	—	1	1	—	4	
			F	4	—	—	—	—	1	—	2	1	9	9	—	—	—	—	1	3	2	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	3	—	—	
25	Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	13	12	1	—	—	—	—	—	
			F	14	14	—	—	—	—	—	—	—	—	12	11	1	—	—	—	—	—	
26	Violence, apart from suicide.	M	9	1	—	—	3	2	2	—	1	11	—	4	2	2	1	1	—	
			F	3	—	—	—	1	—	—	—	2	7	—	—	1	—	2	2	—	2	
27	Suicide	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	2	1	
			F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	
28	Other defined diseases	M	98	4	3	—	2	2	5	22	60	92	6	1	1	3	—	6	12	
			F	93	5	—	4	1	4	9	13	57	92	7	2	—	—	3	4	13	63	
29	Causes ill-defined or unknown.	M	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	
			F	7	—	2	2	—	—	—	—	2	1	4	—	—	—	1	—	1	2	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LINCOLN (PARTS OF KESTEVEN)—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	356	56	13	16	27	15	61	59	109	526	51	20	17	25	37	65	105	206		
	F	382	33	16	11	22	28	72	82	118	532	40	10	13	23	48	103	99	196		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	3	1	1	1	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	6	4	2	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
	F	8	2	5	1	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	4	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza	M	61	2	4	7	8	5	24	7	4	118	3	8	8	12	22	35	20	10		
	F	80	—	5	3	11	10	38	10	3	125	3	4	2	8	24	60	12	12		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	16	—	—	—	1	4	8	3	—	24	—	—	—	—	7	6	8	3		
	F	23	—	—	—	3	8	7	5	—	26	—	—	—	3	9	9	5	—		
10 Tuberculous meningitis	M	5	—	—	2	2	1	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	6	1	—	—	2	—	3	—	—	6	—	—	—	1	—	3	2	—		
	F	9	1	1	—	2	—	2	2	1	6	1	—	—	—	2	2	1	—		
12 Cancer, malignant disease	M	19	—	—	—	—	—	—	8	11	31	—	—	—	1	—	—	17	13		
	F	31	—	—	—	—	—	5	14	12	45	—	—	—	—	—	6	22	17		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	26	—	—	—	—	—	2	5	19	44	—	1	—	1	—	3	11	28		
	F	29	—	—	—	1	—	—	12	16	52	—	—	—	—	—	5	17	30		
16 Bronchitis	M	24	2	1	1	1	—	1	4	14	34	3	5	1	—	1	—	3	21		
	F	27	4	2	—	—	1	2	4	14	39	5	2	1	1	—	—	4	26		
17 Pneumonia (all forms)...	M	24	1	2	1	1	1	8	7	3	24	3	—	2	2	2	3	6	6		
	F	19	3	—	—	—	4	7	2	3	30	4	3	3	—	2	4	8	6		
18 Other respiratory diseases	M	7	—	—	—	1	—	—	4	2	14	—	—	—	—	—	3	3	8		
	F	5	—	—	1	—	—	—	2	2	6	—	—	1	—	—	1	1	3		
19 Diarrhoea, &c.	M	3	2	—	—	—	—	1	—	—	7	4	1	—	—	—	1	1	—		
	F	4	3	—	—	—	—	—	—	1	3	1	—	—	1	—	—	—	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	1	1		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	6	—	—	1	—	1	1	2	1	16	—	—	1	—	1	2	—	12		
	F	8	—	—	—	1	—	3	3	1	9	1	—	—	—	—	—	2	6		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	2	2	—	—		
25 Congenital debility, &c.	M	32	31	—	—	1	—	—	—	—	26	24	1	1	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	—	—	1	3	—	1	3	2	20	2	1	—	4	3	1	6	3		
	F	4	—	—	1	1	—	—	1	1	7	—	—	2	—	3	1	1	—		
27 Suicide	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
28 Other defined diseases ...	M	97	11	3	2	4	2	10	14	51	145	9	2	2	2	1	7	24	98		
	F	109	8	3	1	2	2	5	25	63	144	7	1	3	5	5	8	23	92		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	2	1		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LINCOLN (PARTS OF LINDSEY)—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	855	126	45	42	52	50	133	144	263	1,075	118	31	33	48	53	158	196	438
	F	791	82	30	62	62	66	139	127	223	1,067	91	32	40	70	68	212	189	365
1 Enteric fever ...	M	1	—	—	—	1	—	—	—	—	6	—	—	—	—	1	2	1	2
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	12	1	3	3	5	—	—	—	—	4	—	2	—	2	—	—	—	—
	F	14	1	4	8	1	—	—	—	—	11	2	4	—	4	1	—	—	—
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	4	—	3	1	—	—	—	—	—	6	2	2	1	1	—	—	—	—
	F	13	3	1	9	—	—	—	—	—	8	2	3	3	—	—	—	—	—
6 Diphtheria and croup ...	M	8	—	—	3	4	1	—	—	—	8	—	—	4	3	—	—	—	1
	F	12	—	—	4	8	—	—	—	—	6	—	—	1	3	1	1	—	—
7 Influenza ...	M	167	5	11	15	19	22	51	28	16	216	13	7	7	20	28	83	28	30
	F	195	5	6	17	28	37	64	19	19	263	5	6	12	37	33	120	27	23
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	68	1	1	1	1	12	29	19	4	61	2	—	—	6	13	24	14	2
	F	66	—	—	—	6	19	32	8	1	74	—	—	—	7	17	36	12	2
10 Tuberculous meningitis	M	7	2	1	1	3	—	—	—	—	7	1	1	2	1	—	2	—	—
	F	4	1	—	2	1	—	—	—	—	4	—	1	1	1	—	1	—	—
11 Other tuberculous diseases.	M	15	2	4	—	2	2	4	1	—	19	3	1	5	2	1	6	1	—
	F	7	—	1	2	2	1	1	—	—	16	1	1	3	4	3	3	1	—
12 Cancer, malignant disease	M	39	—	—	—	—	1	—	13	25	65	—	—	1	—	—	4	27	33
	F	59	—	—	—	—	—	9	22	28	97	—	—	1	—	—	7	47	42
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	1	1	—	—	—
14 Meningitis ...	M	5	1	—	1	2	—	—	1	—	1	—	—	—	1	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	4	1	1	1	—	—	1	—	—
15 Organic heart disease ...	M	67	—	—	—	—	1	5	15	46	100	—	—	—	1	—	—	26	73
	F	60	—	—	—	3	—	5	20	32	84	—	—	—	—	1	7	23	53
16 Bronchitis ...	M	41	10	4	1	—	—	—	6	20	54	19	2	1	—	—	—	2	30
	F	48	6	4	2	—	—	3	9	24	50	6	3	—	—	1	—	6	34
17 Pneumonia (all forms)	M	82	17	10	11	3	2	15	14	10	78	13	9	8	4	2	10	19	13
	F	54	11	7	11	3	3	6	5	8	57	9	6	10	4	2	6	12	8
18 Other respiratory diseases	M	11	1	1	2	—	—	1	2	4	10	—	—	1	—	—	1	2	6
	F	10	—	—	—	—	—	2	3	5	9	1	—	—	—	—	—	2	6
19 Diarrhoea, &c. ...	M	16	9	2	1	2	1	1	—	—	16	7	1	1	—	—	2	2	3
	F	19	8	4	—	1	2	1	1	2	15	5	3	—	1	1	—	—	5
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	4	—	—	—	1	1	—	2	—
	F	4	—	—	—	3	1	—	—	—	3	—	—	—	—	—	3	—	—
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	1
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	1	2
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	22	—	1	—	—	—	5	2	14	24	—	—	—	—	—	1	5	18
	F	9	—	1	—	—	—	1	4	3	25	—	1	1	1	2	4	6	10
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	10	—	—	—	—	1	8	1	—
25 Congenital debility, &c.	M	45	45	—	—	—	—	—	—	—	34	33	—	—	1	—	—	—	—
	F	28	27	—	—	1	—	—	—	—	39	37	—	1	1	—	—	—	—
26 Violence, apart from suicide.	M	21	1	1	—	5	3	2	6	3	33	—	2	1	1	3	7	13	6
	F	11	2	—	1	1	—	—	1	6	7	1	—	2	1	—	—	1	2
27 Suicide ...	M	3	—	—	—	—	1	—	1	1	5	—	—	—	—	—	1	2	2
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2
28 Other defined diseases ...	M	209	31	2	1	4	4	20	31	116	316	25	4	1	4	4	14	48	216
	F	165	17	2	4	3	2	8	34	95	271	21	2	4	4	4	17	46	173
29 Causes ill-defined or unknown.	M	6	—	1	—	—	—	—	3	2	4	—	—	—	—	—	1	1	2
	F	1	1	—	—	—	—	—	—	—	5	—	1	—	—	—	—	1	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF MIDDLESEX—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	7,328	798	261	341	448	439	1366	1802	1873	341	37	14	16	16	9	56	72	121		
	F	8,234	611	248	389	459	708	1714	1581	2524	335	24	6	10	20	33	72	72	98		
1 Enteric fever ...	M	6	—	—	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—		
	F	16	—	—	—	3	6	5	2	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	92	16	26	40	9	1	—	—	—	3	—	1	2	—	—	—	—	—		
	F	85	14	27	31	11	2	—	—	—	2	—	—	2	—	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	11	—	1	2	6	2	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	102	39	30	27	6	—	—	—	—	5	1	3	1	—	—	—	—	—		
	F	132	48	41	37	5	—	—	—	1	5	1	2	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	62	7	3	22	29	1	—	—	—	2	—	—	1	1	—	—	—	—		
	F	60	—	2	29	26	3	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza ...	M	1,352	33	63	108	126	159	514	246	103	56	1	3	6	6	2	24	9	5		
	F	1,888	35	49	117	177	351	759	249	151	74	1	1	2	9	18	29	9	5		
8 Erysipelas ...	M	12	2	—	—	—	1	2	4	3	—	—	—	—	—	—	—	—	—		
	F	12	1	—	—	—	—	2	3	6	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	695	—	2	5	22	99	344	204	19	24	—	—	—	1	5	9	9	—		
	F	644	2	2	9	48	155	274	130	24	23	—	—	1	2	3	10	6	1		
10 Tuberculous meningitis	M	46	7	6	14	10	5	4	—	—	3	1	—	—	2	—	—	—	—		
	F	55	4	10	14	18	6	3	—	—	4	—	1	1	1	—	—	—	—		
11 Other tuberculous dis- eases.	M	74	7	6	6	18	15	13	7	2	7	—	—	1	1	1	2	2	—		
	F	65	5	3	8	15	12	11	7	4	2	—	—	—	1	—	1	—	—		
12 Cancer, malignant disease	M	535	1	—	3	2	4	33	262	230	19	—	—	—	—	—	1	8	10		
	F	785	—	—	—	2	4	103	337	339	34	—	—	—	—	—	4	15	15		
13 Rheumatic fever ...	M	21	—	—	3	7	3	6	2	—	—	—	—	—	—	—	—	—	—		
	F	20	—	—	—	8	2	4	5	1	1	—	—	—	—	1	—	—	—		
14 Meningitis ...	M	48	8	3	7	11	2	7	8	2	2	—	—	1	—	—	—	1	—		
	F	43	8	5	6	12	3	4	2	3	2	1	—	—	—	—	1	—	—		
15 Organic heart disease ...	M	614	—	—	—	6	24	81	202	301	34	—	—	—	—	—	3	13	18		
	F	742	—	1	—	18	27	106	195	395	30	—	—	—	1	2	3	7	17		
16 Bronchitis ...	M	419	49	19	8	6	2	16	63	256	26	1	2	1	—	—	1	2	19		
	F	475	39	12	8	5	1	13	66	331	19	2	—	—	—	—	—	3	14		
17 Pneumonia (all forms)	M	593	91	58	59	50	41	93	124	77	24	3	3	2	2	—	5	4	5		
	F	603	72	64	81	34	50	117	87	98	18	4	1	1	2	—	4	4	2		
18 Other respiratory diseases	M	113	4	2	6	8	3	20	36	34	2	1	—	—	—	—	1	—	—		
	F	102	2	—	4	5	4	13	19	55	3	—	—	—	—	1	1	—	1		
19 Diarrhoea, &c ...	M	161	98	12	2	6	1	5	19	18	6	5	1	—	—	—	—	—	—		
	F	136	73	9	6	2	1	8	15	22	6	2	—	—	—	—	1	—	3		
20 Appendicitis and typhlitis	M	43	—	—	3	15	9	4	10	2	—	—	—	—	—	—	—	—	—		
	F	34	—	—	—	11	7	6	7	3	5	—	—	1	1	1	2	—	—		
21 Cirrhosis of liver ...	M	25	—	—	—	—	—	1	11	13	—	—	—	—	—	—	—	—	—		
	F	19	—	—	—	—	—	1	11	7	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	181	—	—	2	9	6	26	78	60	7	—	—	—	—	—	3	3	1		
	F	151	—	—	2	6	4	27	52	60	5	—	—	—	—	—	1	3	1		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	26	—	—	—	—	8	18	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	37	—	—	—	—	9	26	2	—	4	—	—	—	—	1	3	—	—		
25 Congenital debility, &c.	M	294	284	2	1	5	1	—	1	—	14	13	—	—	1	—	—	—	—		
	F	212	205	2	2	2	1	—	—	—	9	9	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	225	22	3	9	46	21	39	53	32	6	—	—	—	—	1	1	3	1		
	F	126	19	5	14	12	8	21	15	32	5	—	—	—	1	2	2	—	—		
27 Suicide ...	M	32	—	—	—	1	1	14	10	6	4	—	—	—	—	—	—	4	—		
	F	43	—	—	—	—	4	18	16	5	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	1,579	130	25	15	52	39	141	462	715	96	11	1	1	1	—	6	14	62		
	F	1,706	84	13	19	33	38	175	360	984	77	4	1	—	—	3	7	25	37		
29 Causes ill-defined or un- known.	M	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	2	—	—	—	—	—	3	1	—	—	—	1	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MONMOUTH—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	2,289	445	170	150	126	161	380	446	411	330	29	9	11	14	20	73	66	108		
	F	2,029	375	153	158	149	159	372	311	352	295	25	7	8	14	20	60	61	100		
1 Enteric fever	M	4	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	1	—	1	2	—	—	—	1	1	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	93	23	35	29	6	—	—	—	—	5	—	1	2	2	—	—	—	—		
	F	74	10	25	31	8	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	42	19	13	8	2	—	—	—	—	6	5	—	1	—	—	—	—	—		
	F	43	13	16	13	1	—	—	—	—	8	2	3	2	1	—	—	—	—		
6 Diphtheria and croup	M	13	1	1	4	6	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	12	—	—	4	8	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza	M	338	9	11	27	35	41	116	68	31	52	2	—	2	2	8	24	10	4		
	F	348	6	16	29	45	52	143	41	16	41	—	—	2	5	4	19	7	4		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {	M	137	2	2	2	5	35	58	28	5	23	—	—	—	1	1	18	3	—		
	F	119	1	2	6	11	40	44	14	1	32	—	—	—	2	6	21	3	—		
10 Tuberculous meningitis {	M	12	3	1	1	6	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	2	3	2	3	3	—	—	—	1	—	—	—	1	—	—	—	—		
11 Other tuberculous dis- {	M	27	1	2	2	1	6	9	6	—	5	—	—	—	2	2	1	—	—		
eases.	F	26	3	3	3	5	5	4	3	—	3	—	—	—	—	—	1	2	—		
12 Cancer, malignant disease {	M	82	—	—	1	—	1	3	47	30	16	—	—	—	1	—	1	6	8		
	F	104	—	—	—	1	—	18	58	27	18	—	—	—	—	—	1	9	8		
13 Rheumatic fever	M	5	—	—	—	2	1	1	—	1	3	—	—	—	—	1	—	2	—		
	F	11	—	—	—	5	4	2	—	—	2	—	—	—	1	—	—	1	—		
14 Meningitis	M	19	5	3	3	3	4	1	—	—	4	2	1	1	—	—	—	—	—		
	F	20	4	6	1	6	1	—	2	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease	M	137	—	—	1	3	9	21	41	62	35	—	—	—	—	2	1	11	21		
	F	139	—	1	—	5	8	26	56	43	32	—	—	—	—	1	2	11	18		
16 Bronchitis	M	154	36	8	6	4	1	4	38	57	17	1	1	—	—	—	1	3	11		
	F	151	36	10	6	2	1	12	26	58	13	—	—	2	—	1	—	—	10		
17 Pneumonia (all forms)... {	M	299	61	62	36	15	16	48	40	21	33	4	3	2	2	1	8	9	4		
	F	212	43	42	32	15	16	34	13	17	22	1	3	1	1	3	5	5	3		
18 Other respiratory diseases {	M	32	3	1	2	3	1	8	10	4	4	—	—	1	—	—	—	2	1		
	F	22	3	1	4	1	—	5	4	4	1	—	—	—	—	—	1	—	—		
19 Diarrhoea, &c.	M	80	39	12	8	1	1	6	9	4	10	2	1	1	—	—	4	1	1		
	F	59	29	7	4	3	3	2	3	8	4	—	—	—	—	—	—	2	2		
20 Appendicitis and typhlitis {	M	8	—	—	—	3	2	3	—	—	1	—	—	—	—	—	1	—	—		
	F	5	—	—	—	1	—	2	—	2	2	—	—	—	—	1	—	1	—		
21 Cirrhosis of liver	M	6	—	—	—	—	—	1	3	2	1	—	—	—	—	—	—	1	—		
	F	4	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's {	M	33	—	—	—	3	1	6	13	10	3	1	—	—	—	—	—	—	2		
disease.	F	25	—	—	3	2	1	8	6	5	7	—	—	—	—	—	—	2	5		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
puerperal fever.	F	26	—	—	—	—	5	20	1	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c. {	M	154	150	2	—	2	—	—	—	—	6	6	—	—	—	—	—	—	—		
	F	162	158	2	1	1	—	—	—	—	13	12	—	1	—	—	—	—	—		
26 Violence, apart from {	M	136	2	2	7	13	24	39	39	10	11	—	—	—	2	3	3	2	1		
suicide.	F	33	1	4	5	7	5	4	2	5	2	—	—	—	—	—	—	—	2		
27 Suicide'	M	5	—	—	—	—	—	3	1	1	5	—	—	—	—	—	2	1	2		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ... {	M	456	91	14	11	12	14	50	93	171	88	5	2	1	2	2	9	14	53		
	F	393	65	12	11	13	13	38	76	165	87	10	—	—	2	3	7	17	48		
29 Causes ill-defined or un- {	M	15	—	1	—	1	1	1	9	2	2	1	—	—	—	—	—	1	—		
known.	F	8	1	2	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORFOLK—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	477	51	17	24	30	21	69	100	165	1,747	180	44	52	79	93	222	318	759		
	F	492	33	20	24	16	40	74	78	207	1,938	132	48	67	83	145	313	316	834		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	1	—	1	1	—	—	—	—	7	1	4	1	1	—	—	—	—		
	F	3	—	1	2	—	—	—	—	—	7	—	1	6	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—		
5 Whooping cough ...	M	11	2	5	4	—	—	—	—	—	18	7	5	3	3	—	—	—	—		
	F	11	1	4	6	—	—	—	—	—	30	9	7	12	2	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	—	2	2	—	—	—	—	6	—	—	2	4	—	—	—	—		
	F	3	—	—	—	2	1	—	—	—	11	—	—	1	9	1	—	—	—		
7 Influenza ...	M	88	5	3	7	10	9	33	11	10	249	11	9	20	25	37	93	33	21		
	F	98	3	3	6	4	21	38	11	12	314	6	10	22	23	58	138	30	27		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	2	—	—	—	1	—	—	1		
9 Pulmonary tuberculosis	M	32	—	—	1	1	4	16	9	1	119	—	—	—	5	27	49	32	6		
	F	39	1	1	—	3	9	15	7	3	147	1	—	2	11	45	63	23	2		
10 Tuberculous meningitis	M	8	—	2	2	2	—	2	—	—	9	—	3	3	1	—	1	1	—		
	F	5	—	2	1	2	—	—	—	—	8	—	—	1	5	—	2	—	—		
11 Other tuberculous diseases.	M	4	—	1	1	1	—	—	1	—	21	1	—	1	3	4	7	4	1		
	F	8	—	2	—	1	2	1	1	1	21	1	—	—	2	7	5	5	1		
12 Cancer, malignant disease	M	36	—	—	—	—	—	2	17	17	145	—	—	—	1	—	8	50	86		
	F	49	—	—	—	—	—	2	18	29	213	—	—	—	1	—	15	87	110		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—		
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	—	1	—	2	2		
14 Meningitis ...	M	1	—	1	—	—	—	—	—	—	9	—	1	1	6	—	—	1	—		
	F	1	—	—	1	—	—	—	—	—	8	—	1	1	3	2	1	—	—		
15 Organic heart disease ...	M	48	—	—	—	—	1	4	17	26	177	—	—	—	1	2	7	39	128		
	F	57	—	—	—	—	—	7	11	39	221	—	—	—	1	—	12	39	169		
16 Bronchitis ...	M	26	3	—	—	—	—	1	6	16	105	12	6	3	2	2	2	13	65		
	F	37	4	1	2	—	—	—	7	23	137	10	6	1	—	2	3	10	105		
17 Pneumonia (all forms)	M	32	8	3	4	6	3	1	3	4	92	13	7	7	6	4	12	16	27		
	F	16	2	3	5	2	1	2	—	1	88	14	11	7	5	10	18	8	15		
18 Other respiratory diseases	M	12	2	—	—	2	—	2	2	4	23	2	2	2	1	—	—	8	8		
	F	4	1	—	1	—	—	1	—	1	23	—	—	1	2	—	2	5	13		
19 Diarrhoea, &c. ...	M	6	2	—	1	—	—	—	1	2	15	6	—	—	—	—	2	2	5		
	F	4	2	1	—	—	—	—	—	1	20	8	—	1	1	—	1	2	7		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	7	—	—	1	3	1	1	1	—		
	F	4	—	—	—	1	2	—	1	—	13	—	1	1	1	3	1	5	1		
21 Cirrhosis of liver ...	M	5	—	—	—	1	—	—	2	2	4	—	—	—	—	—	—	3	1		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	9	—	—	—	1	—	—	4	4	36	—	—	—	2	—	1	11	22		
	F	7	—	—	—	—	1	—	3	3	41	—	—	—	1	2	2	13	23		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	11	—	—	—	—	2	9	—	—		
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	91	89	—	—	1	—	1	—	—		
	F	10	10	—	—	—	—	—	—	—	65	64	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	11	—	—	—	—	1	3	4	3	52	2	—	2	6	6	9	14	13		
	F	9	2	1	—	—	—	2	—	4	22	—	1	4	2	2	3	2	8		
27 Suicide ...	M	3	—	—	—	—	—	—	1	2	10	—	—	—	—	—	3	5	2		
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	—	1	2	2	—		
28 Other defined diseases ...	M	111	8	—	—	2	3	4	20	74	534	34	6	6	8	9	24	76	371		
	F	119	7	—	—	—	1	4	18	89	499	15	10	7	9	7	28	76	347		
29 Causes ill-defined or unknown.	M	4	—	2	1	—	—	—	1	—	12	1	1	—	—	1	2	4	3		
	F	2	—	1	—	—	—	—	—	1	12	1	—	—	1	—	2	6	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
NORTHAMPTON—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	603	53	26	30	39	39	98	147	171	860	61	16	25	44	47	145	185	337
	F	608	42	19	31	45	67	128	104	172	867	54	16	38	40	60	165	151	343
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	9	1	5	1	2	—	—	—	—	5	—	1	2	2	—	—	—	—
	F	17	2	3	8	4	—	—	—	—	4	—	1	3	—	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	4	—	—	4	—	—	—	—	—	7	4	—	2	1	—	—	—	—
	F	20	8	4	5	3	—	—	—	—	12	3	2	6	1	—	—	—	—
6 Diphtheria and croup ...	M	7	—	—	4	3	—	—	—	—	11	—	—	4	7	—	—	—	—
	F	11	—	—	4	6	—	—	1	—	13	—	—	4	7	2	—	—	—
7 Influenza ...	M	96	—	5	3	9	13	33	22	11	147	3	5	5	10	26	61	28	9
	F	110	3	2	6	9	21	49	16	4	175	8	6	9	13	30	78	18	13
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	60	—	—	1	1	13	29	12	4	57	—	—	—	2	8	32	12	3
	F	61	—	—	—	6	22	25	7	1	52	—	—	—	3	14	24	6	5
10 Tuberculous meningitis	M	9	1	1	2	3	2	—	—	—	4	1	1	1	1	—	—	—	—
	F	7	—	—	—	2	3	2	—	—	3	1	—	1	—	1	—	—	—
11 Other tuberculous diseases.	M	7	—	—	1	2	—	3	—	1	7	—	—	1	—	1	2	3	—
	F	14	—	—	—	2	7	3	1	1	8	—	—	—	1	1	1	3	2
12 Cancer, malignant disease	M	56	—	—	—	—	2	4	25	25	60	—	—	—	—	—	4	17	39
	F	53	—	—	—	—	—	7	21	25	86	—	—	—	—	—	4	44	38
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	1	—	—
14 Meningitis ...	M	5	—	—	1	3	1	—	—	—	3	—	1	—	—	2	—	—	—
	F	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
15 Organic heart disease ...	M	44	—	—	—	1	1	2	19	21	75	—	—	—	1	1	5	20	48
	F	51	—	—	—	—	1	6	14	30	80	—	—	—	—	2	7	18	53
16 Bronchitis ...	M	29	3	2	—	—	—	1	4	19	37	3	—	1	2	—	2	8	21
	F	28	2	1	1	1	—	1	—	22	62	4	3	7	1	—	—	11	36
17 Pneumonia (all forms)	M	43	5	7	5	3	2	9	7	5	37	7	5	3	3	—	6	4	9
	F	35	2	5	4	3	3	10	4	4	44	4	1	4	4	4	10	7	10
18 Other respiratory diseases	M	6	—	1	—	2	—	—	2	1	8	—	1	—	—	—	—	4	3
	F	6	1	—	1	—	1	1	—	2	8	—	—	2	—	—	2	1	3
19 Diarrhoea, &c. ...	M	6	2	1	1	—	—	1	—	1	8	2	1	—	1	—	—	1	3
	F	10	2	1	1	1	—	2	1	2	6	1	—	—	—	—	2	—	3
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	5	—	—	—	2	—	2	1	—
	F	4	—	—	—	1	2	1	—	—	3	—	—	—	1	1	1	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—
	F	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	15	—	—	—	—	—	4	6	5	26	—	—	—	—	2	4	10	10
	F	7	—	—	—	—	—	2	4	1	11	—	—	—	—	—	3	5	3
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	11	—	—	—	—	1	10	—	—
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—
	F	17	15	1	1	—	—	—	—	—	23	22	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	24	—	1	4	5	1	3	4	6	30	2	—	1	7	1	4	10	5
	F	9	1	—	—	—	—	2	1	5	9	—	1	2	—	1	1	—	4
27 Suicide ...	M	6	—	—	—	—	—	2	4	—	4	—	—	—	—	—	2	2	—
	F	5	—	—	—	1	—	2	1	1	5	—	—	—	—	—	4	1	—
28 Other defined diseases ...	M	132	11	2	3	3	4	6	34	69	285	8	1	5	3	5	19	58	186
	F	125	6	1	—	6	6	7	30	69	234	11	2	—	5	2	12	35	167
29 Causes ill-defined or unknown.	M	13	1	1	—	1	—	—	7	3	9	1	—	—	—	—	2	5	1
	F	8	—	—	—	—	1	2	2	3	7	—	—	—	—	—	1	2	4

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORTHUMBERLAND—1918 (Civilian population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	2,371	409	128	146	155	164	340	488	541	719	80	11	22	32	48	115	169	242	
			F	2,279	317	120	163	152	202	424	395	506	761	65	15	21	40	73	144	154	249	
1	Enteric fever	M	28	—	—	1	2	8	10	6	1	—	—	—	—	—	—	—	—	
			F	17	—	—	1	2	7	3	3	1	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	14	2	4	5	3	—	—	—	1	—	—	—	—	1	—	—	—	
			F	30	5	12	11	2	—	—	—	—	3	—	1	2	—	—	—	—	—	
4	Scarlet fever	M	1	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	4	—	1	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—	
5	Whooping cough	M	33	12	14	7	—	—	—	—	7	4	1	1	1	—	—	—	—	
			F	48	21	12	13	2	—	—	—	—	9	4	5	—	—	—	—	—	—	
6	Diphtheria and croup	M	35	—	2	17	15	1	—	—	5	—	—	4	1	—	—	—	—	
			F	23	2	4	10	7	—	—	—	—	8	—	—	1	6	—	1	—	—	
7	Influenza	M	369	19	22	43	47	56	109	52	21	128	8	4	5	11	17	49	22	
			F	472	18	19	52	47	80	162	72	22	153	3	3	4	16	37	61	21	8	
8	Erysipelas	M	6	2	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	
			F	4	1	—	—	—	—	1	2	—	1	1	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	153	—	2	2	13	29	70	33	4	57	—	—	—	2	10	25	18	2	
			F	168	—	1	3	17	46	74	23	4	56	—	—	—	1	16	22	8	9	
10	Tuberculous meningitis	{	M	19	2	3	4	4	2	4	—	—	4	—	1	—	2	—	—	1	—	
			F	18	3	5	4	6	—	—	—	—	5	—	—	1	2	—	1	1	—	
11	Other tuberculous diseases.	{	M	46	8	5	3	11	6	8	5	—	12	—	—	2	1	4	2	3	—	
			F	48	5	3	5	13	5	9	6	2	12	—	—	2	2	1	4	1	2	
12	Cancer, malignant disease	{	M	120	—	—	—	—	—	6	67	47	57	—	—	—	1	—	2	22	32	
			F	144	—	—	—	—	2	24	71	47	54	—	—	—	—	—	6	28	20	
13	Rheumatic fever	M	8	—	—	—	2	1	1	4	—	2	—	—	—	2	—	—	—	
		F	4	—	—	—	—	—	2	—	—	1	1	2	—	—	—	—	—	—	—	
14	Meningitis	M	16	3	5	2	3	—	2	1	—	5	3	—	1	—	—	—	—	
		F	18	7	—	4	3	2	2	2	—	—	5	2	—	—	3	—	—	—	—	
15	Organic heart disease	M	176	—	—	—	4	6	18	65	83	64	—	—	1	2	—	1	17	
		F	162	—	—	—	—	3	10	22	50	77	81	—	—	—	1	2	11	27	40	
16	Bronchitis	M	125	39	9	5	2	1	6	20	43	23	5	1	—	—	1	—	3	
		F	122	18	13	3	—	—	1	8	21	58	36	6	1	—	—	1	3	6	19	
17	Pneumonia (all forms)...	{	M	239	37	37	31	17	17	38	43	19	56	6	3	3	1	7	12	11	13	
			F	184	28	24	25	20	16	34	19	18	53	3	4	8	4	7	9	9	9	
18	Other respiratory diseases	{	M	43	3	—	8	4	1	1	14	12	12	2	—	—	1	—	—	5	3	
			F	24	1	1	3	1	—	2	8	8	10	—	—	—	—	—	—	3	7	
19	Diarrhoea, &c.	M	78	50	13	2	2	1	1	6	3	11	2	1	1	—	—	4	3	
		F	78	34	10	8	3	1	4	3	15	12	4	—	—	1	—	—	4	3		
20	Appendicitis and typhlitis	{	M	12	—	—	—	3	6	—	2	1	3	—	—	1	1	—	1	—	—	
			F	7	—	—	1	2	2	1	1	—	2	—	—	—	—	1	—	—	1	
21	Cirrhosis of liver	M	7	—	—	—	—	2	3	2	1	—	—	—	—	—	—	1	—	
		F	5	—	—	—	—	—	—	1	3	1	1	—	—	—	—	—	—	1	—	
21A	Alcoholism	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	52	—	—	1	3	3	4	27	14	19	1	—	—	—	—	3	8	7	
			F	49	—	—	2	1	5	9	17	15	7	7	—	—	1	—	—	1	2	3
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	7	—	—	—	—	—	2	5	—	—	—	—	—	—	—	—	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	13	—	—	—	—	5	7	1	—	7	—	—	—	—	2	5	—	—	
25	Congenital debility, &c.	{	M	163	158	2	—	1	2	—	—	—	32	30	—	1	—	—	—	1	—	
			F	114	111	—	1	2	—	—	—	—	30	30	—	—	—	—	—	—	—	
26	Violence, apart from suicide.	{	M	98	1	1	4	11	14	29	24	14	27	2	—	—	3	3	7	9	3	
			F	33	1	2	2	6	4	8	2	8	14	14	—	—	1	1	—	2	4	6
27	Suicide	M	8	—	—	—	—	1	1	4	2	8	—	—	—	—	—	5	3	
		F	10	—	—	—	—	1	6	3	—	—	—	—	—	—	—	—	—	—	—	
28	Other defined diseases	M	500	73	8	10	8	9	28	98	266	173	16	—	2	3	4	10	33	
		F	455	61	10	13	12	9	9	40	83	227	193	12	1	1	1	4	17	38	105	
29	Causes ill-defined or unknown.	{	M	20	—	1	—	—	—	2	10	7	11	1	—	—	—	—	1	6	3	
			F	18	1	3	1	2	1	2	6	2	6	—	—	—	—	1	1	1	3	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NOTTINGHAM—1918 (Civilian population only).

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ... {				M	1,984	315	110	154	145	116	302	385	457	1043	127	56	61	52	74	168	188	317		
				F	1,963	239	103	156	167	180	359	351	408	1027	98	44	63	62	89	198	159	314		
1	Enteric fever ... {	M	6	—	—	—	—	—	2	4	—	—	2	—	—	—	—	—	1	—	1			
		F	5	—	—	—	—	—	3	2	—	—	2	—	—	—	—	—	1	1	—			
2	Small-pox ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	Measles ... {	M	27	5	8	12	2	—	—	—	—	—	14	4	5	4	1	—	—	—	—			
		F	20	2	9	3	6	—	—	—	—	—	13	3	5	3	2	—	—	—	—			
4	Scarlet fever ... {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—			
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5	Whooping cough ... {	M	33	14	8	10	1	—	—	—	—	—	16	7	2	6	1	—	—	—	—			
		F	52	18	13	15	6	—	—	—	—	—	29	11	8	9	1	—	—	—	—			
6	Diphtheria and croup ... {	M	9	1	—	5	2	—	—	1	—	—	3	—	—	1	1	—	—	1	—			
		F	15	1	—	4	10	—	—	—	—	—	7	—	—	4	3	—	—	—	—			
7	Influenza ... {	M	452	20	25	59	71	57	121	69	30	266	12	20	26	28	44	78	37	21				
		F	523	14	17	64	76	92	169	63	28	281	2	7	19	28	50	110	44	21				
8	Erysipelas ... {	M	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1	—			
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis {	M	92	1	2	3	4	20	35	23	4	65	—	1	—	—	14	33	14	3				
		F	105	1	1	—	7	33	39	23	1	59	—	—	2	2	22	31	2	—				
10	Tuberculous meningitis {	M	17	2	2	3	8	1	—	1	—	6	2	1	2	—	1	—	—	—	—			
		F	11	3	—	2	4	2	—	—	—	5	—	1	1	3	—	—	—	—	—			
11	Other tuberculous diseases. {	M	24	7	4	2	2	5	2	1	1	13	1	4	1	3	2	2	—	—	—			
		F	21	3	3	2	2	1	7	3	—	12	1	1	1	3	3	3	—	—	—			
12	Cancer, malignant disease {	M	91	—	—	1	—	—	8	46	36	74	—	—	—	—	—	2	34	38				
		F	118	—	—	—	—	1	15	67	35	57	—	—	—	—	—	5	31	21				
13	Rheumatic fever ... {	M	6	—	—	—	2	2	2	—	—	1	—	—	—	1	—	—	—	—	—			
		F	7	—	—	—	1	2	3	1	—	4	—	—	—	2	1	—	1	—	—			
14	Meningitis ... {	M	9	2	1	3	3	—	—	—	—	4	1	1	1	1	—	—	—	—	—			
		F	14	3	—	3	4	4	—	—	—	4	1	1	1	1	—	—	—	—	—			
15	Organic heart disease ... {	M	137	—	—	—	4	3	12	47	71	60	—	—	—	—	2	4	21	33				
		F	135	—	—	—	2	7	22	35	69	72	—	—	—	—	—	6	17	49				
16	Bronchitis ... {	M	139	29	9	7	1	—	7	19	67	73	7	4	3	1	—	5	8	45				
		F	152	20	7	16	2	2	6	25	74	72	5	2	6	1	—	2	7	49				
17	Pneumonia (all forms) ... {	M	178	38	27	28	12	9	18	31	15	59	10	8	12	6	1	3	10	9				
		F	188	25	32	30	27	14	32	14	14	59	10	7	8	7	2	10	7	8				
18	Other respiratory diseases {	M	11	—	—	1	1	—	3	4	2	7	—	—	1	—	1	—	2	3	5			
		F	18	2	1	—	—	—	2	4	9	13	1	—	1	—	1	2	3	5				
19	Diarrhoea, &c. ... {	M	48	23	6	5	1	1	—	6	6	23	16	3	—	—	—	—	3	1	—			
		F	24	16	3	1	—	—	1	1	2	13	8	2	—	—	—	—	1	2	—			
20	Appendicitis and typhlitis {	M	5	—	—	—	2	—	2	1	—	7	—	—	—	1	—	2	2	2	—			
		F	7	—	—	1	3	1	—	2	—	2	—	—	—	—	—	1	—	1	—			
21	Cirrhosis of liver ... {	M	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	1	1	—			
		F	5	—	—	—	—	—	—	4	1	2	—	—	—	—	—	—	1	1	—			
21A	Alcoholism ... {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
22	Nephritis and Bright's disease. {	M	32	—	—	1	5	2	8	8	8	17	1	—	—	—	1	—	4	11	—			
		F	23	—	—	1	2	4	1	9	6	21	—	2	—	3	—	2	9	5	—			
23	Puerperal fever ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—	—			
24	Parturition, apart from puerperal fever. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	15	—	—	—	—	3	10	2	—	5	—	—	—	—	1	4	—	—	—			
25	Congenital debility, &c. {	M	111	109	—	—	1	1	—	—	—	48	47	—	—	—	1	—	—	—	—			
		F	90	88	1	—	—	—	1	—	—	38	38	—	—	—	—	—	—	—	—			
26	Violence, apart from suicide. {	M	102	1	2	4	15	10	34	27	9	44	1	2	3	2	2	19	9	6	—			
		F	21	2	1	2	5	3	4	3	1	17	—	2	2	—	3	2	2	6	—			
27	Suicide ... {	M	2	—	—	—	—	—	—	1	1	7	—	—	—	—	—	2	5	—	—			
		F	8	—	—	—	—	1	3	4	—	4	—	—	—	—	3	1	—	—	—			
28	Other defined diseases ... {	M	438	63	14	10	7	2	43	95	204	222	18	4	—	5	5	16	33	141	—			
		F	364	41	13	11	7	7	38	81	166	230	18	6	6	6	2	17	33	142	—			
29	Causes ill-defined or unknown. {	M	9	—	2	—	1	1	1	2	2	8	—	1	1	—	—	1	4	1	—			
		F	16	—	2	1	2	—	1	8	2	5	—	—	—	—	1	—	—	4	—			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF OXFORD—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	271	20	7	11	11	10	38	64	110	721	40	11	25	30	35	120	160	300		
	F	314	17	4	19	6	27	54	62	125	732	39	9	26	32	47	126	139	314		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	1	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	—	—	1	1	—	—	—	—	6	—	1	2	3	—	—	—	—		
	F	6	—	1	5	—	—	—	—	—	6	1	—	4	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
5 Whooping cough ...	M	6	1	1	4	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
	F	4	1	1	2	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	5	—	—	1	4	—	—	—	—		
	F	6	—	—	5	—	—	—	1	—	6	—	—	2	4	—	—	—	—		
7 Influenza ...	M	52	2	—	3	2	6	17	12	10	136	4	1	10	12	19	62	20	8		
	F	48	—	—	1	1	10	18	13	5	180	—	7	13	19	26	66	27	22		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	22	—	—	—	1	—	8	11	2	52	—	—	—	1	10	21	18	2		
	F	31	—	—	—	2	11	10	3	5	37	—	—	—	—	7	19	9	2		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	4	1	1	—	1	—	1	—	—		
	F	2	—	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	2		
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	1	2	1	2	—		
12 Cancer, malignant disease	M	15	—	—	—	—	—	—	7	8	71	—	—	—	—	—	1	28	42		
	F	31	—	—	—	—	—	3	15	13	71	—	—	—	—	—	4	34	33		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	1	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
14 Meningitis ...	M	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	5	—	—	2	1	—	2	—	—		
15 Organic heart disease ...	M	19	—	—	—	—	1	1	4	13	93	—	—	—	—	1	7	22	63		
	F	27	—	—	—	—	—	2	8	17	83	—	—	—	—	2	7	21	53		
16 Bronchitis ...	M	27	4	1	—	—	—	2	3	17	41	5	1	—	—	—	2	3	30		
	F	28	1	1	—	—	—	—	3	23	48	2	—	1	—	—	—	5	40		
17 Pneumonia (all forms)...	M	21	2	3	1	1	1	2	4	7	46	2	1	7	1	1	8	14	12		
	F	15	1	1	1	1	1	5	1	4	30	1	1	1	3	1	8	5	10		
18 Other respiratory diseases	M	3	—	1	—	—	—	—	2	—	5	—	—	—	2	—	—	—	3		
	F	4	—	—	2	—	—	—	1	1	5	—	—	1	—	—	—	3	1		
19 Diarrhoea, &c. ...	M	5	1	—	—	—	—	—	2	2	9	4	—	—	—	—	1	1	3		
	F	6	2	—	2	—	—	—	—	2	8	3	—	—	—	—	—	1	4		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	1	2		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	8	—	—	—	—	—	—	4	4	16	—	—	—	—	1	1	5	9		
	F	7	—	—	—	—	1	2	4	—	11	—	—	—	—	—	1	—	10		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—		
25 Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	14	13	1	—	—	—	—	—	—		
	F	8	7	—	—	1	—	—	—	—	22	22	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	5	—	—	—	1	1	1	1	1	17	—	1	2	2	2	2	5	2		
	F	3	2	—	—	—	—	—	—	1	7	1	—	—	—	2	1	1	3		
27 Suicide ...	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	2	1	1	2		
28 Other defined diseases ...	M	63	—	1	2	2	1	5	8	44	185	9	2	2	3	1	11	39	118		
	F	78	2	—	1	—	1	8	12	54	179	6	—	—	3	3	10	27	130		
29 Causes ill-defined or unknown.	M	6	2	—	—	—	—	—	3	1	6	1	—	—	—	—	1	1	3		
	F	1	1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF PETERBOROUGH, SOKE OF—1918 (Civilian population only).

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	260	31	4	6	14	12	39	72	82	81	4	2	3	4	5	13	19	31		
	F	275	17	3	14	16	18	57	52	98	85	2	3	4	5	5	11	13	42		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	—	2	—	—	—	1	—	1	—	1	—	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	1	4	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	31	—	1	—	—	4	12	8	6	15	—	—	1	1	3	6	4	—		
	F	48	—	1	1	3	7	21	8	7	8	—	1	—	1	2	2	—	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	18	—	—	—	1	4	12	1	—	2	—	—	—	—	—	2	—	—		
	F	26	—	—	1	3	6	8	8	—	6	—	—	—	—	1	3	2	—		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	5	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	1	—	—	1	2	—	—	1	—	—	—	—	1	—	—	—		
	F	6	—	—	1	2	—	2	—	1	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	32	—	—	—	1	—	—	17	14	4	—	—	—	—	—	2	2	—		
	F	32	—	—	—	—	—	5	11	16	7	—	—	—	—	1	3	3	—		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	17	—	—	—	—	—	—	8	9	9	—	—	—	—	—	1	—	8		
	F	31	—	—	—	—	1	6	7	17	5	—	—	—	—	—	—	—	5		
16 Bronchitis ...	M	15	3	—	1	—	—	2	4	5	9	2	1	—	—	—	—	—	6		
	F	20	4	—	2	—	1	1	2	10	6	—	—	—	—	—	—	1	5		
17 Pneumonia (all forms)...	M	17	5	1	2	1	1	1	3	3	4	—	—	1	—	—	—	1	2		
	F	18	1	1	5	1	2	4	1	3	6	1	2	1	—	—	1	—	1		
18 Other respiratory diseases	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1		
19 Diarrhoea, &c. ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	1	2	2	3	—	—	—	—	—	—	1	2		
	F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	1	—	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	F	8	8	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	6	—	—	—	2	—	—	3	1	4	—	—	—	—	1	1	2	—		
	F	2	—	—	—	1	—	—	—	1	4	—	—	—	—	1	—	1	2		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	81	9	—	—	1	2	6	21	42	19	1	—	—	1	—	2	5	10		
	F	64	1	1	1	2	—	6	13	40	32	—	—	—	3	1	2	4	22		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SALOP—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	907	94	34	31	49	45	155	193	306		934	92	17	34	37	53	130	221	350	
	F	915	62	21	42	44	65	165	167	349		946	66	21	24	58	93	160	170	354	
1 Enteric fever	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	1	1	—	—		—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
3 Measles	M	10	3	3	3	1	—	—	—	—		4	1	2	1	—	—	—	—	—	
	F	6	1	2	1	2	—	—	—	—		5	—	2	1	2	—	—	—	—	
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
5 Whooping cough	M	12	5	2	5	—	—	—	—	—		9	3	3	3	—	—	—	—	—	
	F	24	10	10	4	—	—	—	—	—		12	4	4	3	1	—	—	—	—	
6 Diphtheria and croup	M	8	1	4	1	2	—	—	—	—		4	—	—	1	2	1	—	—	—	
	F	6	—	—	5	1	—	—	—	—		5	—	—	—	5	—	—	—	—	
7 Influenza	M	183	9	4	10	16	18	72	37	17		158	5	1	8	14	27	66	27	10	
	F	185	5	2	18	19	30	68	24	19		182	7	3	5	22	38	67	23	17	
8 Erysipelas	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	1		—	—	—	—	—	—	—	—	—	
9 Pulmonary tuberculosis {	M	62	—	1	—	5	8	32	12	4		47	—	1	—	—	13	17	15	1	
	F	52	—	—	1	5	12	25	7	2		61	—	—	—	4	21	28	8	—	
10 Tuberculous meningitis {	M	3	—	—	1	1	—	—	1	—		2	—	—	1	1	—	—	—	—	
	F	7	1	1	2	3	—	—	—	—		5	1	—	—	2	2	—	—	—	
11 Other tuberculous diseases.	M	14	1	—	2	4	1	2	4	—		12	1	—	1	2	1	3	4	—	
	F	9	—	—	—	—	4	1	2	2		8	—	—	1	1	3	1	2	—	
12 Cancer, malignant disease {	M	76	—	1	—	—	—	3	32	40		75	—	—	—	—	—	3	35	37	
	F	88	—	—	—	1	2	9	34	42		96	—	—	—	—	1	7	47	41	
13 Rheumatic fever	M	4	—	—	—	—	2	1	1	—		2	—	—	—	—	1	1	—	—	
	F	2	—	—	—	—	2	—	—	—		2	—	—	—	—	1	1	—	—	
14 Meningitis	M	—	—	—	—	—	—	—	—	—		6	—	2	1	—	—	1	2	—	
	F	1	—	—	—	1	—	—	—	—		3	—	—	1	—	1	1	—	—	
15 Organic heart disease	M	64	—	—	—	1	1	3	20	39		87	—	—	—	—	1	4	25	57	
	F	95	—	—	—	1	1	9	21	63		105	—	—	—	—	2	6	26	71	
16 Bronchitis	M	60	7	4	—	—	—	1	6	42		49	4	—	—	—	—	1	8	36	
	F	43	1	1	—	—	1	—	6	34		44	3	1	3	—	—	1	5	31	
17 Pneumonia (all forms)...	M	76	14	9	4	7	5	9	14	14		67	12	4	7	3	2	8	13	18	
	F	50	6	3	1	2	6	15	7	10		62	5	5	6	5	8	15	4	14	
18 Other respiratory diseases {	M	6	—	—	—	—	1	2	2	1		11	—	—	—	—	1	—	6	4	
	F	15	1	—	2	—	—	2	5	5		10	1	—	1	1	2	1	—	4	
19 Diarrhoea, &c.	M	9	1	1	—	—	—	2	2	3		12	3	—	—	1	1	2	3	2	
	F	7	3	—	—	—	—	1	2	1		12	1	2	1	2	—	—	2	4	
20 Appendicitis and typhlitis {	M	3	—	—	—	1	2	—	—	—		8	—	—	—	4	—	1	3	—	
	F	4	—	—	—	—	1	2	—	1		5	—	—	—	2	1	1	—	1	
21 Cirrhosis of liver	M	3	—	—	—	—	—	1	—	2		10	—	—	—	—	—	—	6	4	
	F	1	—	—	—	—	—	—	1	—		2	—	—	—	—	—	—	1	1	
21A Alcoholism	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	M	28	—	—	—	1	—	5	8	14		20	—	—	—	2	1	1	3	13	
	F	12	—	—	1	—	—	2	3	6		13	—	—	—	1	—	1	6	5	
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—		3	—	—	—	—	—	3	—	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	3	—	—		7	—	—	—	—	—	7	—	—	
25 Congenital debility, &c. {	M	37	35	—	—	1	—	—	—	1		39	39	—	—	—	—	—	—	—	
	F	22	20	—	—	1	1	—	—	—		35	34	—	—	—	1	—	—	—	
26 Violence, apart from suicide.	M	20	—	1	—	4	5	3	4	3		28	3	—	2	2	2	7	8	4	
	F	15	2	—	2	3	—	2	2	4		17	—	1	1	3	3	2	3	4	
27 Suicide	M	8	—	—	—	—	—	2	6	—		12	—	—	—	—	—	2	7	3	
	F	2	—	—	—	—	—	2	—	—		2	—	—	—	—	—	1	1	—	
28 Other defined diseases	M	211	18	4	5	4	2	17	41	120		257	20	4	8	6	2	11	48	158	
	F	258	12	2	4	5	4	22	51	158		235	9	3	1	5	7	15	34	161	
29 Causes ill-defined or unknown.	M	9	—	—	—	—	—	—	3	6		15	1	—	1	—	—	2	8	3	
	F	4	—	—	1	—	—	—	2	1		15	1	—	—	2	2	2	8	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SOMERSET—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	1,075	75	26	47	48	59	175	264	381	1,524	111	30	42	59	80	217	373	612
	F	1,219	59	28	40	59	107	240	235	451	1,517	79	24	39	62	98	263	316	636
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	7	—	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	5	1	—	—	—	—	3	—	1	2	—	—	—	—	—
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5 Whooping cough ...	M	7	6	—	1	—	—	—	—	—	12	5	4	2	1	—	—	—	—
	F	10	2	3	4	1	—	—	—	—	16	4	4	5	3	—	—	—	—
6 Diphtheria and croup ...	M	6	—	—	3	2	—	—	1	—	9	—	1	5	3	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	12	—	—	4	7	1	—	—	—
7 Influenza ...	M	193	3	7	15	13	29	77	30	19	207	5	4	9	21	30	84	35	19
	F	235	2	6	12	23	46	105	27	14	207	7	10	6	17	34	78	26	29
8 Erysipelas ...	M	4	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
9 Pulmonary tuberculosis	M	82	—	—	2	3	13	37	26	1	97	—	2	—	3	18	40	30	4
	F	105	—	1	2	8	28	50	13	3	119	—	—	—	5	28	53	27	6
10 Tuberculous meningitis	M	4	—	—	2	1	—	1	—	—	6	1	1	1	—	2	1	—	—
	F	6	1	—	—	1	—	4	—	—	5	—	—	—	2	—	2	1	—
11 Other tuberculous diseases.	M	6	—	—	1	1	1	2	1	—	12	1	—	—	2	5	3	1	—
	F	19	1	1	—	5	6	2	1	3	19	1	—	—	1	4	6	5	2
12 Cancer, malignant disease	M	78	—	—	—	1	1	3	29	44	131	—	1	—	1	—	1	48	80
	F	127	—	—	—	—	—	14	55	58	150	—	—	—	—	—	20	70	60
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	2	—	—
	F	4	—	—	—	3	—	—	—	1	5	—	—	—	1	1	2	1	—
14 Meningitis ...	M	5	—	—	2	2	—	1	—	—	11	1	1	1	3	1	4	—	—
	F	8	—	1	1	3	1	2	—	—	2	—	—	—	1	—	—	1	—
15 Organic heart disease ...	M	118	—	—	1	3	2	8	34	70	213	—	—	—	1	4	7	73	128
	F	119	—	—	—	2	1	11	29	76	186	—	—	—	3	5	13	48	117
16 Bronchitis ...	M	51	2	—	2	1	2	2	10	32	85	9	4	1	—	—	4	15	52
	F	58	4	1	1	—	—	3	10	39	85	5	—	4	1	—	6	11	58
17 Pneumonia (all forms)...	M	68	12	8	7	3	1	10	14	13	80	6	5	4	5	5	16	19	20
	F	65	11	9	4	3	7	8	9	14	91	3	5	7	7	6	25	15	23
18 Other respiratory diseases	M	24	1	—	3	1	1	3	8	7	27	—	—	1	—	—	5	13	8
	F	19	—	2	2	1	1	3	6	4	19	—	—	—	—	2	3	5	9
19 Diarrhoea, &c. ...	M	10	1	1	1	—	1	1	2	3	11	3	1	1	—	—	—	4	2
	F	6	—	1	1	—	1	1	—	2	24	5	1	1	2	—	1	2	12
20 Appendicitis and typhlitis	M	5	—	—	—	3	1	1	—	—	11	—	—	2	4	1	1	2	1
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	2	—	2	1	—
21 Cirrhosis of liver ...	M	7	—	—	—	1	—	—	3	3	6	—	—	—	—	—	—	5	1
	F	4	—	—	—	—	—	1	1	2	6	—	—	—	—	—	—	4	2
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	26	—	—	—	4	—	1	10	11	49	—	1	1	1	3	3	17	23
	F	27	—	—	1	1	—	3	12	10	35	—	—	1	—	2	3	17	12
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	6	—	—	—	—	—	6	—	—
24 Parturition, apart from puerperal fever. ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	13	—	—	—	—	1	12	—	—
25 Congenital debility, &c. ...	M	28	28	—	—	—	—	—	—	—	55	53	1	1	—	—	—	—	—
	F	26	26	—	—	—	—	—	—	—	41	39	1	1	—	—	—	—	—
26 Violence, apart from suicide.	M	26	1	—	3	3	3	4	8	4	53	2	—	8	2	4	9	17	11
	F	10	2	1	1	2	—	—	1	3	23	5	—	3	4	4	3	3	1
27 Suicide ...	M	4	—	—	—	—	—	—	4	—	11	—	—	—	—	1	2	7	1
	F	3	—	—	—	—	—	—	3	—	6	—	—	—	—	—	2	4	—
28 Other defined diseases ...	M	307	20	6	1	4	4	23	80	169	425	25	4	5	11	5	32	83	260
	F	342	10	2	4	3	14	25	64	220	426	10	1	3	4	9	25	71	303
29 Causes ill-defined or unknown.	M	8	1	—	1	—	—	1	3	2	6	—	—	—	—	—	—	4	2
	F	6	—	—	—	—	—	1	3	2	9	—	1	1	1	—	—	4	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SOUTHAMPTON—1918 (Civilian population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,249	145	47	64	56	61	203	296	377	1,483	125	45	53	83	88	228	298	563	
			F	1,272	113	43	47	61	100	239	227	442	1,441	102	41	50	80	109	261	253	545	
1	Enteric fever	M	1	—	—	—	—	—	1	—	3	—	—	—	1	2	—	—	—	
			F	1	—	—	—	1	—	—	—	—	3	—	—	—	—	1	2	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	28	3	12	11	2	—	—	—	19	2	5	6	6	—	—	—	—	
			F	32	9	9	10	3	1	—	—	—	21	3	2	8	5	2	1	—	—	
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
5	Whooping cough	M	11	6	2	3	—	—	—	—	15	9	2	4	—	—	—	—	—	
			F	13	7	3	3	—	—	—	—	—	17	1	9	5	2	—	—	—	—	
6	Diphtheria and croup	M	6	—	1	1	3	—	1	—	8	—	2	1	5	—	—	—	—	
			F	14	1	—	3	7	2	1	—	—	11	—	—	3	5	1	2	—	—	
7	Influenza	M	183	10	9	18	12	21	70	34	207	7	6	13	15	37	85	25	19	
			F	207	8	7	10	18	47	81	27	9	253	7	4	8	29	46	103	36	20	
8	Erysipelas	M	2	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1	
			F	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	88	—	—	1	2	13	32	38	2	86	—	—	1	5	19	38	18	5	
			F	81	—	1	1	1	19	46	12	1	81	—	—	2	6	24	28	18	3	
10	Tuberculous meningitis	{	M	11	1	2	3	4	1	—	—	—	10	2	1	3	3	1	—	—	—	
			F	7	1	2	—	2	1	1	—	—	8	2	—	1	2	2	1	—	—	
11	Other tuberculous diseases.	{	M	20	—	—	2	2	3	9	3	1	26	2	—	3	4	4	8	4	1	
			F	18	—	3	2	3	2	6	2	—	26	1	1	4	8	—	9	3	—	
12	Cancer, malignant disease	{	M	95	—	—	—	1	1	4	46	43	121	—	—	—	1	—	3	47	70	
			F	122	—	—	—	—	1	12	55	54	134	—	—	—	—	—	10	49	75	
13	Rheumatic fever	M	3	—	—	—	1	1	1	—	2	—	—	—	1	—	—	—	1	
			F	5	—	—	—	1	1	1	1	1	3	—	—	—	1	—	1	1	—	
14	Meningitis	M	12	4	—	1	2	1	2	1	11	1	—	—	5	—	4	1	—	
			F	6	1	2	1	—	1	1	—	—	6	2	1	—	—	—	3	—	—	
15	Organic heart disease	M	137	—	—	—	1	1	16	44	207	—	—	—	2	5	4	61	135	
			F	159	—	—	—	1	6	19	45	88	173	—	—	—	—	3	14	43	113	
16	Bronchitis	M	55	4	2	2	—	—	3	13	70	5	5	4	5	2	2	7	40	
			F	52	3	2	—	—	—	—	11	36	72	7	2	4	—	3	2	12	42	
17	Pneumonia (all forms)...	{	M	108	9	10	11	7	9	28	17	17	91	8	9	5	5	7	22	20	15	
			F	91	11	11	4	4	10	28	8	15	102	9	12	6	6	12	33	14	10	
18	Other respiratory diseases	{	M	16	1	—	—	—	1	1	4	9	25	—	—	2	—	—	3	9	11	
			F	19	1	—	2	1	1	3	2	9	19	1	1	—	—	3	1	5	8	
19	Diarrhoea, &c.	M	31	15	4	2	1	—	1	6	18	5	3	1	—	—	1	4	4	
			F	23	11	1	—	3	1	3	1	3	15	2	2	—	2	1	3	1	4	
20	Appendicitis and typhlitis	{	M	9	—	—	—	3	2	2	2	—	12	—	—	—	6	—	3	2	1	
			F	11	—	—	—	3	2	3	2	1	8	—	—	1	2	3	—	1	1	
21	Cirrhosis of liver	M	7	—	—	—	—	1	4	2	6	—	—	—	—	—	—	4	2	
			F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	3	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	40	1	—	—	2	—	4	14	19	52	—	1	1	2	1	7	14	26	
			F	38	—	—	1	1	—	5	11	20	39	1	—	—	—	—	7	6	25	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	1	2	—	—	3	—	—	—	—	—	3	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	—	—	4	—	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	{	M	60	58	1	—	1	—	—	—	—	64	62	1	—	1	—	—	—	—	
			F	48	46	1	1	—	—	—	—	—	50	48	1	—	1	—	—	—	—	—
26	Violence, apart from suicide.	{	M	46	3	1	3	6	1	12	18	2	43	2	1	3	6	3	9	14	5	
			F	11	—	—	3	2	—	—	2	1	3	14	1	—	4	1	—	1	2	5
27	Suicide	M	5	—	—	—	—	1	4	—	7	—	—	—	—	1	1	3	2	
			F	4	—	—	—	—	—	1	3	—	3	—	—	—	—	—	1	1	1	
28	Other defined diseases	M	268	29	2	3	6	6	15	43	371	20	8	6	10	6	34	63	224	
			F	291	14	1	3	10	4	19	41	199	361	16	6	4	8	7	31	53	236	
29	Causes ill-defined or unknown.	{	M	7	1	1	3	—	—	—	2	—	6	—	1	—	—	—	3	1	1	
			F	9	—	—	2	—	—	—	1	3	3	8	—	—	—	1	—	5	2	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF STAFFORD—1918 (Civilian population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	4,176	657	254	284	267	217	639	924	934	1,524	195	62	79	104	91	218	293	482		
			F	3,997	495	245	345	322	304	665	701	920	1,540	154	72	93	115	137	256	267	446		
1	Enteric fever	...	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1			
			F	4	—	—	—	—	1	1	2	—	4	—	—	—	—	2	2	—			
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	Measles	...	M	75	15	31	24	5	—	—	—	—	17	4	8	3	1	1	—	—			
			F	81	14	23	32	11	—	1	—	—	13	—	3	6	3	1	—	—			
4	Scarlet fever	...	M	6	—	2	2	2	—	—	—	—	1	—	—	—	1	—	—	—			
			F	3	—	1	—	2	—	—	—	—	2	—	—	1	—	1	—	—			
5	Whooping cough	...	M	69	31	22	14	2	—	—	—	—	18	9	4	4	1	—	—	—			
			F	56	18	16	15	7	—	—	—	—	20	7	8	5	—	—	—	—			
6	Diphtheria and croup	...	M	33	1	3	11	17	1	—	—	—	16	1	3	4	7	1	—	—			
			F	39	1	6	16	15	1	—	—	—	10	—	—	3	6	1	—	—			
7	Influenza	...	M	817	35	40	94	100	87	244	160	57	296	9	17	18	42	42	97	41			
			F	952	38	47	105	114	146	301	134	67	353	9	24	33	50	64	114	42			
8	Erysipelas	...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1			
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis		M	238	3	3	3	9	49	104	61	6	72	—	—	1	3	10	38	17			
			F	217	—	4	4	11	54	101	39	4	93	1	—	1	8	29	38	16			
10	Tuberculous meningitis		M	27	6	3	7	8	—	1	2	—	5	1	1	—	1	1	—	1			
			F	17	1	4	5	7	—	—	—	—	7	1	—	1	4	1	—	—			
11	Other tuberculous diseases		M	48	7	7	7	7	7	6	4	3	21	1	1	4	5	3	3	2			
			F	47	4	4	9	16	5	5	3	1	20	1	2	5	4	4	1	3			
12	Cancer, malignant disease		M	188	—	—	—	3	1	15	101	68	88	—	—	1	—	1	3	37			
			F	207	—	—	—	—	—	20	116	71	115	—	—	—	—	1	14	49			
13	Rheumatic fever	...	M	10	—	—	—	5	1	—	3	1	3	—	—	—	1	1	1	—			
			F	10	1	—	—	4	2	2	1	—	6	—	—	—	—	2	—	2			
14	Meningitis	...	M	27	7	6	5	4	1	2	2	—	13	4	—	5	3	—	—	1			
			F	38	7	8	9	9	3	1	1	—	13	—	2	1	7	1	1	1			
15	Organic heart disease	...	M	224	—	—	—	7	12	26	79	100	131	—	—	1	3	5	8	39			
			F	251	—	—	1	7	15	40	80	108	138	—	—	—	2	6	7	41			
16	Bronchitis	...	M	343	71	16	7	4	—	7	93	145	101	11	3	3	2	1	1	20			
			F	258	48	19	5	1	5	8	41	131	86	17	7	2	1	—	—	9			
17	Pneumonia (all forms)...		M	595	107	80	74	40	19	109	113	53	154	26	18	20	11	7	22	26			
			F	488	65	81	107	51	33	70	52	29	134	21	15	22	12	13	22	10			
18	Other respiratory diseases		M	46	4	2	4	5	1	8	15	7	20	—	1	3	—	—	7	4			
			F	34	—	2	7	—	3	4	11	7	14	—	—	—	2	1	5	1			
19	Diarrhoea, &c.	...	M	90	49	10	7	2	2	5	8	7	17	10	1	1	—	—	1	1			
			F	63	36	6	7	2	—	3	3	6	12	7	1	2	—	—	—	1			
20	Appendicitis and typhlitis		M	10	—	—	—	3	2	3	2	—	10	—	—	1	2	1	1	5			
			F	17	—	—	1	9	1	3	2	1	5	—	—	1	3	1	—	—			
21	Cirrhosis of liver	...	M	11	—	—	—	—	—	1	7	3	4	—	—	—	—	—	—	3			
			F	14	—	—	—	—	—	1	7	6	4	—	—	—	—	—	—	4			
21A	Alcoholism	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
22	Nephritis and Bright's disease.		M	55	1	1	2	3	4	6	26	12	29	1	—	1	2	2	3	11			
			F	46	—	2	1	1	2	9	20	11	21	—	1	—	2	—	1	9			
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	11	—	—	—	—	3	8	—	—	5	—	—	—	—	—	5	—			
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	18	—	—	—	—	4	14	—	—	9	—	—	—	—	—	9	—			
25	Congenital debility, &c.		M	208	206	1	—	—	1	—	—	—	84	84	—	—	—	—	—	—			
			F	192	186	2	—	3	1	—	—	—	69	68	—	1	—	—	—	—			
26	Violence, apart from suicide.		M	135	6	9	9	23	12	29	38	9	49	1	—	4	12	6	9	13			
			F	73	8	2	10	24	3	4	11	11	19	—	1	3	6	3	1	3			
27	Suicide	...	M	20	—	—	—	1	1	9	4	5	10	—	—	—	—	1	4	2			
			F	6	—	—	—	—	2	1	1	2	3	—	—	—	—	—	1	1			
28	Other defined diseases	...	M	881	107	12	14	17	16	64	196	455	357	32	5	5	7	8	20	65			
			F	841	67	13	11	26	20	67	176	461	359	22	7	6	5	6	34	77			
29	Causes ill-defined or unknown.		M	16	1	6	—	—	—	—	7	2	4	1	—	—	—	—	—	3			
			F	13	1	5	—	2	—	—	1	4	6	—	1	—	—	—	1	2			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SUFFOLK, EAST—1918 (Civilian population only).

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	538 595	70 72	26 24	27 30	26 27	34 41	64 97	100 97	191 207	786 829	89 63	23 13	19 26	29 42	41 72	119 144	123 131	343 338	
1	Enteric fever	M F	3 —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Measles	M F	19 19	3 4	3 7	11 6	2 2	— —	— —	— —	7 5	2 1	2 1	2 2	1 1	— —	— —	— —	— —	
4	Scarlet fever	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5	Whooping cough	M F	14 19	4 3	6 5	3 7	1 4	— —	— —	— —	8 6	2 2	3 2	2 2	1 —	— —	— —	— —	— —	
6	Diphtheria and croup	M F	4 4	— —	1 —	2 2	1 2	— —	— —	— —	2 4	— —	— —	1 1	1 2	— —	— —	1 1	— —	
7	Influenza	M F	63 74	4 3	— 1	3 3	11 6	13 17	21 33	6 7	5 4	121 142	5 3	5 5	5 8	10 11	20 35	48 59	18 7	10 14
8	Erysipelas	M F	1 1	— —	— —	— —	— —	— —	— —	1 1	2 —	— —	— —	— —	— —	— —	— —	— —	2 —	
9	Pulmonary tuberculosis	M F	50 45	— —	1 —	— —	3 —	9 10	21 27	13 8	3 —	50 76	2 1	— —	— 1	9 6	29 22	7 33	3 13	— —
10	Tuberculous meningitis	M F	10 9	— 2	5 1	1 3	2 1	1 1	1 1	— —	6 4	— 1	4 1	2 —	— 1	— 1	— —	— —	— —	— —
11	Other tuberculous diseases.	M F	5 7	1 1	— —	1 —	— 2	3 3	— 1	— —	6 14	2 —	— —	— —	— 5	1 1	2 4	1 2	— 2	— —
12	Cancer, malignant disease	M F	41 59	— —	— —	— —	— —	— —	2 9	15 20	24 30	54 79	— —	— —	— —	— —	— 2	17 42	37 35	— —
13	Rheumatic fever	M F	2 1	— —	— —	— —	1 1	— —	— —	1 —	3 3	— —	— —	— —	— —	1 —	1 1	1 2	— —	— —
14	Meningitis	M F	1 3	1 —	— 1	— —	— 1	— 1	— 1	— —	5 2	1 —	1 —	1 —	1 1	— —	— 1	1 —	— —	— —
15	Organic heart disease	M F	51 53	— —	— —	— —	— —	— 1	2 2	17 15	32 35	82 93	— —	— —	— —	— 2	4 3	15 12	63 76	— —
16	Bronchitis	M F	23 40	4 6	2 1	1 1	1 —	— —	— —	4 5	11 27	38 54	6 4	— —	1 3	— —	1 —	1 6	23 42	— —
17	Pneumonia (all forms)...	M F	37 32	17 6	5 5	5 3	3 4	1 2	5 4	— 3	1 5	42 36	12 2	3 3	2 5	4 5	1 —	3 9	4 5	13 7
18	Other respiratory diseases	M F	6 7	— —	— —	— —	— —	— —	— 1	4 6	2 —	13 16	— —	— —	1 —	— 1	1 3	3 2	8 9	— —
19	Diarrhoea, &c.	M F	10 9	8 4	— —	— 1	— —	1 —	— 1	1 1	2 —	7 10	3 2	— —	— —	— —	1 —	— 3	3 5	— —
20	Appendicitis and typhlitis	M F	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	3 1	— —	— —	— 1	1 1	1 —	— —	— —	— —
21	Cirrhosis of liver	M F	4 2	— —	— —	— —	— —	— —	— —	2 2	2 2	3 —	— —	— —	— —	— —	— —	2 —	1 —	— —
21A	Alcoholism	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —
22	Nephritis and Bright's disease.	M F	13 11	— —	— —	— —	— —	— —	2 3	4 2	7 6	17 8	— —	— —	— —	1 —	— 2	3 1	6 5	7 —
23	Puerperal fever...	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Parturition, apart from puerperal fever.	M F	— 6	— —	— —	— —	— —	— 4	— —	— 2	— —	— 5	— —	— —	— —	— —	1 3	3 1	— —	— —
25	Congenital debility, &c.	M F	24 31	24 31	— —	— —	— —	— —	— —	— —	— —	43 41	43 40	— —	— 1	— —	— —	— —	— —	— —
26	Violence, apart from suicide.	M F	12 8	— 2	— —	— 3	1 —	2 —	2 —	5 1	2 2	28 7	— 1	3 —	1 —	5 2	— —	2 —	6 —	— 2
27	Suicide	M F	4 2	— —	— —	— —	— —	1 —	2 1	1 —	1 1	9 6	— —	— —	— —	— —	2 1	5 3	2 2	— —
28	Other defined diseases	M F	138 144	4 10	3 2	— —	1 4	2 1	6 12	25 23	97 92	232 207	11 6	2 —	1 4	4 5	4 8	11 18	34 28	165 138
29	Causes ill-defined or unknown.	M F	3 7	— —	— 1	— —	— —	— 1	— 1	1 4	2 —	4 10	— —	— 1	— —	— —	1 —	2 1	1 5	— 3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUFFOLK, WEST—1918 (Civilian population only).

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	293	17	11	13	10	20	44	79	99	498	47	11	25	33	29	56	92	205		
			F	356	17	6	12	20	25	62	57	157	523	25	10	13	30	47	82	83	233		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	2	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—		
			F	4	—	1	2	1	—	—	—	—	2	—	—	—	2	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
			F	2	2	—	—	—	—	—	—	—	6	2	1	2	1	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
			F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza	M	42	2	1	1	4	7	15	7	5	92	5	4	8	15	17	22	10	11		
			F	58	2	—	6	7	11	24	5	3	111	3	6	7	14	22	37	17	5		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
			F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	{		M	33	—	—	—	1	6	17	8	1	21	—	—	—	1	2	14	3	1		
		F	28	—	—	—	3	8	13	4	—	—	31	—	—	—	5	9	13	2	2		
10 Tuberculous meningitis	{		M	1	—	—	1	—	—	—	—	—	4	—	—	3	1	—	—	—	—		
		F	4	1	1	—	2	—	—	—	—	—	4	1	1	—	1	—	—	—	—		
11 Other tuberculous diseases.	{		M	4	—	1	—	1	—	1	1	—	3	—	—	1	1	1	—	—	—		
		F	4	—	—	—	1	2	1	—	—	—	8	—	—	1	2	3	1	1	—		
12 Cancer, malignant disease	{		M	29	—	—	—	—	—	1	15	13	44	—	—	—	—	—	2	16	26		
		F	31	—	—	—	—	—	—	1	17	13	46	—	—	—	—	—	6	18	22		
13 Rheumatic fever	{		M	2	—	—	—	—	1	—	—	1	2	—	—	—	1	—	—	1	—		
		F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	{		M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	2	—	—	—	—	—	3	1	—	—	—	2	—	—	—		
15 Organic heart disease	{		M	30	—	—	—	—	1	3	11	15	42	—	—	—	—	—	—	7	35		
		F	30	—	—	—	—	—	—	3	8	19	47	—	—	—	—	1	5	6	35		
16 Bronchitis	{		M	12	3	1	1	—	—	—	2	5	26	2	3	1	—	—	2	3	15		
		F	25	1	2	—	—	1	—	—	3	18	45	3	1	—	2	—	—	5	34		
17 Pneumonia (all forms)...	{		M	20	1	3	7	—	—	1	3	5	22	3	2	2	1	1	4	4	5		
		F	22	—	2	1	1	1	7	3	7	16	1	—	2	1	3	3	1	1	5		
18 Other respiratory diseases	{		M	3	—	—	1	—	—	1	1	—	8	—	—	—	2	1	2	3	—		
		F	2	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	1	3		
19 Diarrhoea, &c.	{		M	2	—	—	—	—	—	—	1	1	8	4	—	1	2	—	—	—	1		
		F	4	—	—	1	—	1	—	—	—	2	3	—	—	—	1	—	—	2	—		
20 Appendicitis and typhlitis	{		M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	{		M	4	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—	1	3		
		F	2	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1		
21A Alcoholism	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{		M	14	—	—	—	—	1	1	6	6	11	—	—	—	—	—	—	5	6		
		F	5	—	—	—	—	—	—	2	—	3	7	—	—	—	1	—	—	2	4		
23 Puerperal fever	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	2	—	—		
25 Congenital debility, &c.	{		M	11	10	—	—	1	—	—	—	—	28	27	—	—	1	—	—	—	—		
		F	8	8	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{		M	4	—	—	—	1	1	1	1	—	23	1	—	2	5	4	2	5	4		
		F	1	1	—	—	—	—	—	—	—	—	4	1	—	—	1	—	1	—	1		
27 Suicide	{		M	4	—	—	—	—	—	—	4	—	7	—	—	—	—	1	1	5	—		
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	3	1	—	—		
28 Other defined diseases	{		M	66	—	2	1	—	2	3	14	44	137	4	1	4	2	2	6	23	95		
		F	115	1	—	1	—	1	7	16	89	160	3	1	1	—	3	11	24	24	117		
29 Causes ill-defined or unknown.	{		M	7	1	—	1	1	—	—	1	3	9	—	1	—	—	—	—	5	4		
		F	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	1	—	1	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SURREY--1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ... {	M	3,208	315	119	149	179	152	518	756	1020	915	68	19	27	43	41	140	232	345
	F	3,795	241	108	131	183	302	769	777	1284	973	58	27	28	40	64	218	183	355
1 Enteric fever ... {	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ... {	M	55	9	20	17	9	—	—	—	—	7	—	2	4	1	—	—	—	—
	F	45	4	17	14	9	—	1	—	—	17	—	7	6	4	—	—	—	—
4 Scarlet fever ... {	M	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	3	—	—	2	1	—	—	—	—	2	—	—	—	1	—	1	—	—
5 Whooping cough ... {	M	45	15	15	11	4	—	—	—	—	8	1	4	3	—	—	—	—	—
	F	43	17	11	11	4	—	—	—	—	12	5	5	2	—	—	—	—	—
6 Diphtheria and croup ... {	M	34	—	2	13	19	—	—	—	—	6	—	—	3	3	—	—	—	—
	F	28	—	—	7	20	—	—	—	1	9	—	—	3	6	—	—	—	—
7 Influenza ... {	M	471	16	14	36	42	50	182	91	40	136	4	2	4	16	12	51	29	18
	F	751	4	25	39	49	143	329	104	58	183	2	3	8	13	36	73	31	17
8 Erysipelas ... {	M	2	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
	F	6	1	—	—	—	1	—	2	2	3	1	—	—	—	—	—	2	—
9 Pulmonary tuberculosis {	M	278	—	1	1	10	43	130	83	10	74	—	—	—	1	12	42	14	5
	F	257	—	2	2	8	66	126	49	4	65	—	—	1	1	7	39	11	6
10 Tuberculous meningitis {	M	25	1	2	8	9	2	2	1	—	4	1	1	2	—	—	—	—	—
	F	19	4	2	2	7	2	2	—	—	6	2	2	1	1	—	—	—	—
11 Other tuberculous diseases. {	M	35	3	4	4	8	4	5	4	3	9	—	1	1	2	2	1	—	2
	F	32	1	2	5	9	2	7	2	4	8	1	1	—	—	—	6	—	—
12 Cancer, malignant disease {	M	271	—	—	—	1	—	11	111	148	104	—	—	1	—	1	6	42	54
	F	365	—	—	1	3	2	33	184	142	116	—	—	—	—	—	14	52	50
13 Rheumatic fever ... {	M	6	—	—	—	—	3	1	2	—	5	—	—	—	2	—	—	2	1
	F	16	—	—	—	3	4	5	4	—	—	—	—	—	—	—	—	—	—
14 Meningitis ... {	M	20	6	2	3	3	4	2	—	—	4	1	—	—	2	—	—	1	—
	F	17	3	3	3	3	4	1	—	—	1	—	—	—	1	—	—	—	—
15 Organic heart disease ... {	M	281	—	—	—	3	6	27	95	150	95	—	—	—	—	1	4	28	62
	F	333	—	—	—	4	12	30	111	176	101	—	—	—	1	5	10	20	65
16 Bronchitis ... {	M	164	22	3	5	—	—	1	31	96	49	5	—	1	—	1	2	9	31
	F	222	12	4	4	1	—	11	32	157	42	—	—	—	—	1	2	4	35
17 Pneumonia (all forms)... {	M	280	40	37	26	23	9	40	59	46	58	7	5	3	2	5	10	10	16
	F	284	37	25	23	19	28	67	35	50	56	5	2	4	7	5	15	6	12
18 Other respiratory diseases {	M	39	—	—	—	2	1	3	13	20	12	2	—	—	1	1	—	4	4
	F	53	3	1	1	1	1	8	14	24	10	1	—	—	—	—	3	1	5
19 Diarrhoea, &c. ... {	M	80	43	5	2	3	1	4	12	10	13	4	1	—	1	—	1	3	3
	F	58	23	6	1	2	—	6	10	10	10	5	—	—	1	—	2	2	—
20 Appendicitis and typhlitis {	M	14	—	—	1	5	2	2	2	2	5	—	—	—	2	—	1	2	—
	F	32	—	—	—	9	6	6	9	2	5	—	—	—	1	1	3	—	—
21 Cirrhosis of liver ... {	M	15	—	—	—	—	—	1	9	5	3	—	—	—	—	—	—	3	—
	F	9	—	—	—	—	—	—	4	5	—	—	—	—	—	—	—	—	—
21A Alcoholism ... {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease. {	M	74	—	—	1	1	—	12	25	35	21	—	—	—	—	—	3	10	8
	F	68	1	—	1	1	2	11	22	30	18	—	—	—	—	1	3	5	9
23 Puerperal fever... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	2	12	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	3	11	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c. {	M	107	104	1	1	—	1	—	—	—	27	24	1	—	2	—	—	—	—
	F	99	95	1	2	1	—	—	—	—	25	25	—	—	—	—	—	—	—
26 Violence, apart from suicide. {	M	90	8	2	8	21	4	12	21	14	25	3	—	3	3	2	2	6	6
	F	49	1	1	2	7	4	7	6	21	22	2	—	—	—	3	4	7	6
27 Suicide ... {	M	20	—	—	—	—	—	9	7	4	7	—	—	—	—	—	3	1	3
	F	17	—	—	—	1	—	10	3	3	10	—	—	—	—	—	6	4	—
28 Other defined diseases ... {	M	793	47	10	12	14	22	66	188	434	240	16	2	2	5	4	14	65	132
	F	957	35	8	11	20	19	86	184	594	246	9	7	3	3	5	31	38	150
29 Causes ill-defined or unknown. {	M	4	1	—	—	—	—	1	1	1	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, EAST—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	790	83	15	18	45	31	93	192	313	815	56	18	17	32	48	131	167	346		
	F	978	58	11	18	43	79	185	198	386	824	44	13	21	33	75	165	164	309		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	—	2	—	2	—	—	—	—	5	2	1	1	1	—	—	—	—		
	F	2	1	—	—	—	—	1	—	—	7	—	1	3	3	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough ...	M	3	3	—	—	—	—	—	—	—	8	4	1	2	—	—	—	—	1		
	F	6	2	1	1	2	—	—	—	—	3	1	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	—	3	3	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	6	—	—	1	5	—	—	—	—	5	—	—	3	2	—	—	—	—		
7 Influenza ...	M	122	3	2	6	18	11	32	33	17	130	1	5	4	13	18	58	22	9		
	F	190	1	1	1	17	34	88	21	27	184	3	2	9	13	40	78	22	17		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	60	—	—	—	3	10	32	14	1	72	—	—	1	—	17	37	13	4		
	F	59	—	—	—	3	14	30	9	3	57	1	—	—	2	14	26	13	1		
10 Tuberculous meningitis	M	7	1	3	—	3	—	—	—	—	3	—	1	1	1	—	—	—	—		
	F	6	2	1	2	1	—	—	—	—	8	—	1	2	3	2	—	—	—		
11 Other tuberculous diseases.	M	10	1	—	1	—	2	1	2	3	10	1	—	1	1	1	1	5	—		
	F	9	—	2	—	—	3	2	2	—	12	2	—	1	2	2	1	4	—		
12 Cancer, malignant disease	M	69	—	—	—	—	—	—	35	34	78	—	—	—	—	—	6	25	47		
	F	121	—	—	—	1	1	10	51	58	86	—	—	—	—	—	9	36	41		
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	2	—	—	—	1	—	—	—	1		
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	6	1	1	1	1	1	—	1	—	5	—	1	1	1	—	—	2	—		
	F	3	2	—	—	—	—	—	—	1	2	—	—	—	1	—	—	1	—		
15 Organic heart disease ...	M	77	—	—	—	1	—	5	26	45	103	—	—	—	—	4	5	18	76		
	F	96	—	—	2	1	—	7	26	60	104	—	—	—	—	1	7	26	70		
16 Bronchitis ...	M	47	2	1	1	—	—	—	7	36	42	2	—	—	—	1	1	6	32		
	F	43	3	1	3	—	—	—	2	34	41	1	2	—	1	1	3	2	31		
17 Pneumonia (all forms)...	M	39	10	4	2	2	4	5	6	6	31	3	6	2	4	—	6	4	6		
	F	58	12	4	4	4	8	11	5	10	39	8	3	3	3	4	10	5	3		
18 Other respiratory diseases	M	9	1	—	—	—	—	—	2	6	9	1	1	1	1	—	—	1	4		
	F	8	—	—	1	1	—	2	1	3	6	—	—	—	—	—	1	1	4		
19 Diarrhoea, &c. ...	M	18	10	1	2	1	—	—	1	3	13	6	—	—	—	—	—	2	5		
	F	12	4	—	1	1	—	—	1	5	5	1	—	—	1	—	1	—	2		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	3	—	—	—	1	1	—	1	—		
	F	6	—	—	—	1	1	1	1	2	2	—	—	—	2	—	—	—	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	1	3	4	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	28	—	—	—	1	—	1	6	20	19	—	—	—	—	—	—	9	10		
	F	28	—	—	—	1	2	4	9	12	14	—	—	—	—	2	1	8	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	3	4	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	33	32	—	—	1	—	—	—	—	29	29	—	—	—	—	—	—	—		
	F	22	21	—	—	1	—	—	—	—	15	15	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	21	2	—	2	6	1	4	1	5	23	1	—	2	5	2	3	5	5		
	F	13	2	—	1	2	—	1	2	5	14	3	1	—	1	—	4	4	1		
27 Suicide ...	M	5	—	—	—	1	—	1	2	1	6	—	—	—	—	—	1	4	1		
	F	7	—	—	—	—	1	2	3	1	9	—	—	—	—	—	4	5	—		
28 Other defined diseases ...	M	213	16	1	—	2	2	10	50	132	216	6	—	1	3	4	12	47	143		
	F	267	8	1	1	1	11	19	64	162	199	9	—	—	1	6	14	37	132		
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	3	—	1	—	—	—	—	1	1		
	F	3	—	—	—	—	—	—	1	2	4	—	—	—	—	1	—	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, WEST—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	592	47	11	28	30	27	90	144	215	576	44	5	8	24	22	68	151	254		
	F	735	40	21	21	43	35	132	155	288	620	27	7	19	27	33	105	134	268		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	—	3	1	—	—	1	—	1	1	—	—	—	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	5	1	3	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	7	2	2	2	1	—	—	—	—	7	—	1	5	1	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	—	5	1	—	—	—	—	4	—	—	1	3	—	—	—	—		
	F	10	—	—	3	7	—	—	—	—	8	—	—	—	6	2	—	—	—		
7 Influenza ...	M	86	—	1	10	12	14	25	13	11	72	3	1	2	11	10	25	10	10		
	F	137	2	5	5	15	18	60	22	10	92	3	1	2	5	11	44	14	12		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	63	—	—	—	2	6	31	23	1	42	—	—	—	—	6	18	16	2		
	F	53	—	1	1	5	11	21	9	5	44	—	1	—	2	11	22	7	1		
10 Tuberculous meningitis	M	4	1	—	—	3	—	—	—	—	3	—	1	1	1	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	6	—	2	2	—	—	2	—	—	6	—	—	1	—	1	1	2	1		
	F	6	—	—	—	2	—	2	2	—	12	1	—	2	1	—	2	4	2		
12 Cancer, malignant disease	M	55	—	—	—	1	1	2	23	28	46	—	—	—	—	—	2	27	17		
	F	88	—	—	1	—	—	7	39	41	71	—	—	—	—	—	7	32	32		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	6	2	—	1	—	—	1	2	—	2	1	—	—	1	—	—	—	—		
	F	5	1	—	2	—	—	—	1	1	3	1	—	1	—	—	1	—	—		
15 Organic heart disease ...	M	56	—	—	—	—	1	2	15	38	78	—	—	—	—	—	3	18	57		
	F	80	—	—	—	1	—	5	21	53	98	—	—	—	—	—	5	20	73		
16 Bronchitis ...	M	23	2	1	1	1	1	—	6	11	29	—	—	—	—	—	1	4	24		
	F	29	2	2	—	—	—	1	3	21	29	1	1	—	—	1	1	2	23		
17 Pneumonia (all forms)...	M	42	4	2	2	5	1	10	5	13	26	5	3	—	1	2	3	8	4		
	F	40	5	6	1	3	2	9	7	7	18	1	—	2	3	2	2	5	3		
18 Other respiratory diseases	M	9	—	1	2	—	—	1	2	3	4	—	—	—	—	—	—	2	2		
	F	14	—	1	1	—	—	3	3	6	7	—	—	—	—	—	3	4	—		
19 Diarrhoea, &c. ...	M	12	6	—	—	—	—	1	2	3	9	3	—	1	1	—	—	3	1		
	F	9	4	1	1	1	—	1	—	1	10	2	1	2	1	—	1	1	2		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		
	F	2	—	—	—	—	—	1	1	—	4	—	—	—	2	1	—	1	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	—	1	2	9	5	29	—	—	—	—	1	4	13	11		
	F	19	1	—	—	—	—	3	5	10	19	—	—	—	2	1	3	5	8		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	22	21	—	—	1	—	—	—	—	23	23	—	—	—	—	—	—	—		
	F	19	17	—	1	1	—	—	—	—	14	12	—	—	2	—	—	—	—		
26 Violence, apart from suicide.	M	19	2	—	—	1	2	4	5	5	16	2	—	—	1	—	3	4	6		
	F	15	—	1	2	1	1	—	3	7	10	1	—	1	—	2	1	—	5		
27 Suicide ...	M	2	—	—	—	—	—	—	2	—	5	—	—	—	—	—	—	3	2		
	F	6	—	—	—	—	—	2	1	3	3	—	—	—	—	—	1	2	—		
28 Other defined diseases ...	M	150	8	1	2	1	—	8	33	97	173	6	—	1	4	2	8	37	115		
	F	186	6	1	—	4	2	13	37	123	160	5	1	3	2	2	8	36	103		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WARWICK—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,025	132	51	59	68	64	166	212	273	1,234	155	50	53	59	80	206	245	386		
	F	1,150	89	31	66	69	105	227	217	346	1,366	124	42	62	80	117	300	223	418		
1 Enteric fever ...	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	10	—	7	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	15	1	7	3	4	—	—	—	—	3	2	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping-cough ...	M	13	11	1	1	—	—	—	—	—	14	9	3	—	2	—	—	—	—		
	F	19	9	3	6	1	—	—	—	—	14	3	5	5	1	—	—	—	—		
6 Diphtheria and croup ...	M	8	—	1	3	3	1	—	—	—	10	1	1	4	2	2	—	—	—		
	F	12	1	1	3	7	—	—	—	—	6	—	—	3	2	1	—	—	—		
7 Influenza ...	M	223	13	12	29	24	25	82	25	13	237	6	12	20	18	28	104	32	17		
	F	279	6	3	19	21	61	115	36	18	356	—	11	21	31	68	163	27	25		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	1	—		
	F	3	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	65	—	—	—	3	14	28	18	2	79	1	—	—	—	22	31	19	6		
	F	59	—	1	1	6	12	25	12	2	78	—	—	—	7	24	34	12	1		
10 Tuberculous meningitis	M	4	1	1	—	2	—	—	—	—	8	—	—	4	3	1	—	—	—		
	F	8	1	2	1	3	1	—	—	—	6	—	—	—	3	1	2	—	—		
11 Other tuberculous diseases.	M	7	1	1	—	1	3	—	—	1	10	—	2	1	1	2	1	3	—		
	F	11	2	—	1	2	1	2	1	2	17	2	1	—	3	3	3	3	2		
12 Cancer, malignant disease	M	58	—	—	—	1	—	3	29	25	76	—	—	—	—	—	7	39	30		
	F	105	—	—	1	—	1	12	38	53	105	—	—	1	—	—	16	50	38		
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	—	1	3	—	—	—	1	1	1	—	—		
	F	3	—	—	—	1	1	—	1	—	5	—	—	—	3	—	1	1	—		
14 Meningitis ...	M	8	2	—	2	—	1	2	1	—	8	1	3	2	1	1	—	—	—		
	F	6	—	1	2	2	—	1	—	—	8	3	—	1	2	1	—	1	—		
15 Organic heart disease ...	M	96	—	—	—	2	2	6	39	47	89	—	—	—	1	2	8	26	52		
	F	96	—	—	—	3	4	10	26	53	125	—	—	—	2	4	13	37	69		
16 Bronchitis ...	M	62	11	7	2	2	1	3	11	25	86	12	4	1	—	—	1	12	56		
	F	60	10	2	2	3	1	5	6	31	70	10	2	2	1	1	3	2	49		
17 Pneumonia (all forms)...	M	93	11	12	7	9	8	17	15	14	130	25	19	13	10	5	15	24	19		
	F	81	7	7	15	6	9	23	9	5	108	14	18	13	12	4	25	6	16		
18 Other respiratory diseases	M	15	—	1	2	1	—	1	7	3	14	—	—	3	2	2	—	3	4		
	F	17	1	3	—	—	1	—	5	7	6	—	—	1	2	—	—	2	1		
19 Diarrhoea, &c. ...	M	24	10	2	1	4	—	—	3	4	25	12	2	1	—	—	1	3	5		
	F	16	1	1	1	—	1	2	7	3	16	8	—	2	1	1	1	1	2		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	4	—	—	—	2	1	1	—	—		
	F	5	—	—	—	—	1	2	2	—	6	—	—	—	1	3	2	—	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	5	—	—	—	—	—	—	3	2		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	4	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	24	—	—	—	2	—	—	11	11	21	—	—	—	1	—	6	7	7		
	F	30	1	—	2	—	1	6	7	13	13	—	—	—	1	1	—	5	6		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	6	—	—	—	—	—	5	1	—		
25 Congenital debility, &c.	M	49	48	—	1	—	—	—	—	—	68	68	—	—	—	—	—	—	—		
	F	37	37	—	—	—	—	—	—	—	72	69	1	1	1	—	—	—	—		
26 Violence, apart from suicide.	M	31	—	1	5	7	—	4	8	6	40	—	2	1	6	5	6	15	5		
	F	19	1	—	7	2	2	—	1	6	15	—	—	2	2	1	—	3	7		
27 Suicide ...	M	3	—	—	—	—	—	—	3	—	11	—	—	—	—	1	2	4	4		
	F	4	—	—	—	—	1	1	1	1	9	—	—	—	—	1	2	6	—		
28 Other defined diseases ...	M	217	23	5	3	4	9	18	37	118	289	19	1	3	7	7	21	53	178		
	F	251	10	—	1	8	5	17	61	149	311	13	3	7	5	3	27	51	202		
29 Causes ill-defined or unknown.	M	3	1	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	1		
	F	7	1	—	1	—	—	—	3	2	4	—	1	1	—	—	1	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WESTMORLAND—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	211	7	5	10	7	15	29	55	83	283	19	3	8	5	18	44	62	124		
	F	219	15	2	10	6	14	33	46	93	266	13	1	10	10	26	55	47	104		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	4	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	1	—	2	—	—	—	—	—	6	5	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	2	—	—	1	—	—	1	—	—		
7 Influenza ...	M	35	1	1	1	4	4	9	10	5	46	1	1	1	1	12	17	7	6		
	F	41	—	1	4	3	4	16	7	6	52	—	1	1	—	18	26	2	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	16	—	—	—	—	6	4	5	1	18	—	—	—	1	2	9	4	2		
	F	12	—	—	—	—	5	7	—	—	11	—	—	—	1	2	6	—	2		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	6	—	—	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	3	—	1	—	3	—	—	—	—	1	1	1	—		
12 Cancer, malignant disease	M	10	—	—	—	—	—	—	8	2	30	—	—	—	—	—	1	11	18		
	F	23	—	—	—	—	—	—	10	13	31	—	—	—	—	—	4	8	19		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
14 Meningitis ...	M	2	1	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	20	—	—	—	—	1	2	5	12	30	—	—	—	—	—	3	10	17		
	F	26	—	—	—	—	—	1	11	14	34	—	—	—	—	1	2	9	22		
16 Bronchitis ...	M	13	1	—	1	—	—	1	2	8	10	1	1	1	—	—	1	—	6		
	F	9	—	—	—	—	—	—	2	7	10	1	—	—	—	—	—	2	7		
17 Pneumonia (all forms)...	M	21	—	2	2	—	1	6	4	6	17	1	—	2	—	—	4	2	8		
	F	16	2	1	—	1	1	5	3	3	13	—	—	3	1	—	3	3	3		
18 Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	6	—	—	—	—	—	2	2	2		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
19 Diarrhoea, &c. ...	M	1	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	1	—		
	F	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	2		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	—	2	—	4	—	—	—	—	1	2	—	1		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	3	—	—	—	—	—	—	1	2	8	—	—	1	—	—	—	3	4		
	F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	—	4	2		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	3	3	—	—	—	—	—	—	—	13	11	—	—	1	—	1	—	—		
	F	7	7	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	6	—	1	—	1	1	—	—	3	9	—	—	1	1	—	—	7	—		
	F	3	—	—	—	—	—	1	1	1	2	—	—	1	—	—	—	1	—		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	61	1	—	—	—	1	4	14	41	81	3	1	1	—	3	4	9	60		
	F	62	3	—	2	—	—	1	8	48	69	4	—	1	4	1	3	16	40		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WIGHT, ISLE OF—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										RURAL DISTRICT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	371	30	11	18	16	15	46	77	158	207	14	1	4	9	11	42	53	73		
	F	413	16	7	4	17	21	70	102	176	193	18	5	3	7	16	29	44	71		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	2	—	1	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	4	1	—	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	3	1	2	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	2	—	—	—	1	1	—	—	—		
7 Influenza	M	57	1	3	7	5	3	21	9	8	34	—	—	1	2	3	17	9	2		
	F	58	1	1	2	6	6	24	14	4	32	3	3	2	2	5	12	2	3		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	23	—	—	—	—	3	13	6	1	19	—	—	—	—	5	6	6	2		
	F	24	—	—	1	1	4	12	5	1	14	—	—	—	1	5	6	2	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	—	—	—	2	—	1	1	3	—	—	—	1	—	1	1	—		
	F	5	—	—	—	—	2	3	—	—	2	—	—	—	—	—	—	2	—		
12 Cancer, malignant disease	M	29	—	—	—	—	—	1	8	20	17	—	—	—	—	1	—	7	9		
	F	51	—	—	—	—	—	6	22	23	25	—	—	—	—	—	—	17	8		
13 Rheumatic fever	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
14 Meningitis	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	1	2	—	—	—	2	—	—	—	1	—	1	—	—		
15 Organic heart disease	M	50	—	—	—	2	1	1	10	36	29	—	—	—	—	—	4	10	15		
	F	75	—	—	—	—	—	6	19	50	25	—	—	—	—	1	—	8	16		
16 Bronchitis	M	18	2	—	1	—	—	—	2	13	6	—	—	—	—	—	—	—	6		
	F	23	—	1	—	—	—	2	1	19	12	1	—	—	—	—	—	1	10		
17 Pneumonia (all forms)	M	26	7	4	4	—	1	2	1	7	13	3	1	—	—	1	3	2	3		
	F	19	6	2	—	1	1	3	2	4	8	2	2	—	—	1	2	—	1		
18 Other respiratory diseases	M	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	—	2	3	—	—	—	—	1	—	1	1		
19 Diarrhoea, &c.	M	6	2	—	—	—	—	1	2	1	1	1	—	—	—	—	—	—	—		
	F	4	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	1	—	—	1	—	3	—	—	—	1	—	1	1	—		
21 Cirrhosis of liver	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	1	1	—	5	11	5	—	—	—	—	—	1	2	2		
	F	15	—	—	—	—	—	2	6	7	4	—	—	—	—	—	1	1	2		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	14	13	—	—	1	—	—	—	—	7	7	—	—	—	—	—	—	—		
	F	7	7	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	—	—	1	1	3	1	1	3	12	1	—	1	2	—	2	5	1		
	F	2	—	—	—	1	—	1	—	—	2	—	—	—	1	—	—	—	1		
27 Suicide	M	4	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	96	4	2	—	2	—	5	28	55	51	2	—	—	1	—	7	9	32		
	F	107	1	1	—	2	4	8	28	63	41	2	—	1	—	1	2	8	27		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WILTS—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	915	97	36	50	33	49	159	207	284	1,028	87	27	40	55	59	129	209	422		
	F	978	65	25	51	66	85	177	180	329	1,058	74	28	37	58	77	178	193	413		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1		
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	2	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	21	1	7	13	—	—	—	—	—	15	1	4	5	3	1	1	—	—		
	F	22	3	7	7	4	1	—	—	—	12	1	3	6	2	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	9	2	5	2	—	—	—	—	—	6	3	2	1	—	—	—	—	—		
	F	4	1	—	3	—	—	—	—	—	10	5	2	2	1	—	—	—	—		
6 Diphtheria and croup ...	M	7	—	—	2	4	—	1	—	—	13	—	—	6	5	2	—	—	—		
	F	6	—	—	2	4	—	—	—	—	9	—	—	2	7	—	—	—	—		
7 Influenza ...	M	151	7	5	11	9	19	62	25	13	135	4	2	8	17	23	52	18	11		
	F	171	2	3	13	13	40	73	16	11	192	3	6	9	23	41	71	23	16		
8 Erysipelas ...	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	1	2		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	76	—	—	3	1	18	36	18	—	64	—	—	—	6	9	26	17	6		
	F	70	—	—	—	7	12	35	14	2	70	—	—	—	4	11	36	17	2		
10 Tuberculous meningitis	M	6	—	—	2	4	—	—	—	—	5	—	—	2	1	—	—	2	—		
	F	12	—	2	3	6	—	1	—	—	7	1	1	1	2	1	1	—	—		
11 Other tuberculous diseases.	M	12	1	1	3	2	1	3	1	—	10	—	2	—	1	1	3	2	1		
	F	10	—	1	—	1	4	3	1	—	11	—	1	1	—	3	2	4	—		
12 Cancer, malignant disease	M	71	—	—	—	—	—	3	37	31	95	—	—	—	—	—	4	36	55		
	F	91	—	—	—	—	1	8	47	35	89	—	—	1	—	—	10	31	47		
13 Rheumatic fever ...	M	3	—	—	—	—	2	1	—	—	4	—	—	—	1	3	—	—	—		
	F	4	—	—	—	1	2	—	—	1	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	2	1	1	—	—	—	—	—	—	3	—	1	—	1	1	—	—	—		
	F	5	—	2	1	2	—	—	—	—	3	1	—	1	—	—	1	—	—		
15 Organic heart disease ...	M	91	—	—	—	1	1	7	31	51	98	—	—	—	—	2	5	29	62		
	F	102	—	—	—	2	4	10	30	56	110	—	—	—	—	4	5	22	79		
16 Bronchitis ...	M	55	8	2	—	—	2	3	9	31	55	8	4	—	2	—	—	5	36		
	F	55	4	2	2	—	—	4	10	33	61	4	2	2	—	—	3	11	39		
17 Pneumonia (all forms)	M	70	15	8	7	4	2	11	9	14	63	9	6	5	2	1	11	14	15		
	F	85	8	7	12	14	15	12	7	10	68	8	9	4	7	9	10	9	12		
18 Other respiratory diseases	M	8	—	—	—	2	—	1	1	4	8	—	—	1	1	1	—	2	3		
	F	7	—	—	1	1	—	—	4	1	12	—	—	—	—	—	3	4	5		
19 Diarrhoea, &c. ...	M	14	7	1	1	—	—	2	—	3	11	6	—	1	—	—	2	—	2		
	F	9	1	1	—	1	—	1	4	1	9	5	3	—	—	—	—	1	—		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	1	1	8	—	—	2	1	1	1	2	1		
	F	3	—	—	—	1	—	1	—	1	3	—	—	—	2	1	—	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	2	4	6	—	—	—	—	1	—	2	3		
	F	2	—	—	—	—	—	1	—	1	5	—	—	—	—	—	—	4	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	24	—	1	—	—	—	2	11	10	13	—	—	—	1	—	2	6	4		
	F	20	—	—	—	1	2	5	6	6	21	—	—	—	1	2	4	7	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	6	—	—	—	—	—	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	46	44	—	1	—	—	—	1	—	40	40	—	—	—	—	—	—	—		
	F	27	27	—	—	—	—	—	—	—	37	35	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	21	2	1	2	2	1	3	6	4	38	—	—	4	7	5	5	7	10		
	F	13	4	—	1	2	—	—	1	5	21	2	—	5	2	—	—	5	7		
27 Suicide ...	M	5	—	—	—	—	—	2	3	—	5	—	—	—	—	—	1	2	2		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases...	M	213	9	4	3	4	3	22	51	117	321	16	6	5	6	7	16	59	206		
	F	242	14	—	5	6	2	15	38	162	289	9	—	3	5	4	19	53	196		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	5	2		
	F	7	1	—	1	—	—	1	1	3	3	—	—	—	—	—	2	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WORCESTER—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	1,249	145	53	75	65	62	199	285	365	937	76	28	35	39	63	125	228	343
	F	1,338	104	40	73	90	129	245	247	410	913	64	26	26	46	59	161	162	369
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	17	2	4	9	2	—	—	—	—	7	2	1	1	2	—	—	1	—
	F	15	3	3	6	2	1	—	—	—	4	1	1	2	—	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	6	1	2	2	1	—	—	—	—	5	—	3	2	—	—	—	—	—
	F	11	1	6	3	1	—	—	—	—	9	3	3	2	1	—	—	—	—
6 Diphtheria and croup ...	M	8	—	1	3	3	1	—	—	—	3	—	—	1	2	—	—	—	—
	F	16	3	—	5	8	—	—	—	—	3	—	—	1	2	—	—	—	—
7 Influenza ...	M	259	10	8	25	19	25	93	46	33	185	6	9	12	15	28	67	36	12
	F	345	6	8	24	35	70	120	46	36	206	5	8	10	17	28	82	33	23
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	90	2	—	1	4	18	38	22	5	63	—	—	—	—	14	28	20	1
	F	88	1	—	—	4	24	38	19	2	61	—	—	—	2	13	27	16	3
10 Tuberculous meningitis	M	8	1	1	3	3	—	—	—	—	2	1	—	1	—	—	—	—	—
	F	5	—	—	1	4	—	—	—	—	3	1	1	1	—	—	—	—	—
11 Other tuberculous diseases.	M	17	3	—	1	7	3	2	1	—	7	—	—	—	1	3	1	2	—
	F	13	—	—	—	4	2	4	2	1	8	—	—	1	2	2	2	1	—
12 Cancer, malignant disease	M	89	—	—	—	—	—	7	47	35	56	—	—	—	—	—	1	22	33
	F	103	—	—	—	1	1	4	50	47	66	—	—	—	—	1	8	21	36
13 Rheumatic fever ...	M	2	—	—	—	1	1	—	—	—	2	—	—	—	1	1	—	—	—
	F	3	—	—	—	—	3	—	—	—	4	—	—	—	3	—	1	—	—
14 Meningitis ...	M	10	1	2	4	2	—	1	—	—	3	2	1	—	—	—	—	—	—
	F	12	3	1	2	3	1	1	1	—	7	1	1	1	2	1	—	1	—
15 Organic heart disease ...	M	83	—	—	—	2	2	9	31	39	116	—	—	1	—	5	5	52	53
	F	94	—	—	—	2	3	11	28	50	112	—	—	—	—	3	10	24	75
16 Bronchitis ...	M	93	10	11	5	—	—	2	23	42	55	5	1	1	1	—	—	8	39
	F	93	12	4	2	—	—	7	15	53	50	8	3	1	—	—	1	3	34
17 Pneumonia (all forms)...	M	91	14	9	10	8	3	14	23	10	56	7	7	5	3	4	6	15	9
	F	92	11	11	15	12	8	16	8	11	42	1	4	3	6	3	6	12	7
18 Other respiratory diseases	M	8	1	1	—	1	—	—	5	—	9	1	—	—	1	—	1	2	4
	F	6	—	—	—	1	—	3	2	—	11	—	3	2	—	—	—	3	3
19 Diarrhoea, &c. ...	M	41	21	7	4	—	—	1	3	5	12	5	3	—	—	—	—	—	4
	F	21	8	2	5	—	—	2	—	4	5	2	1	—	—	—	1	—	1
20 Appendicitis and typhlitis	M	4	—	—	—	2	—	—	1	1	10	—	—	2	4	1	1	1	1
	F	4	—	—	—	2	—	1	1	—	2	—	—	—	1	—	1	—	—
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	3	2	7	—	—	—	—	—	1	6	—
	F	4	—	—	—	—	1	—	3	—	2	—	—	—	—	—	—	1	1
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	29	—	1	1	1	1	4	8	13	38	1	—	1	1	3	1	14	17
	F	23	—	1	2	1	—	1	8	10	8	—	—	—	—	1	—	3	4
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	5	—	—	—	—	1	4	—	—
25 Congenital debility, &c.	M	53	52	—	1	—	—	—	—	—	39	—	—	—	—	—	—	—	—
	F	34	34	—	—	—	—	—	—	—	33	31	—	1	1	—	—	—	—
26 Violence, apart from suicide.	M	35	2	3	3	4	5	6	5	7	34	1	1	5	5	1	3	10	8
	F	19	1	1	3	2	3	4	2	3	16	1	1	1	4	1	2	1	5
27 Suicide ...	M	9	—	—	—	—	—	3	4	2	2	—	—	—	—	—	—	2	—
	F	5	—	—	—	—	1	2	2	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	285	25	3	3	5	3	18	59	169	219	6	1	3	2	3	9	36	159
	F	310	19	2	4	8	8	21	56	192	247	8	—	—	3	4	14	42	176
29 Causes ill-defined or unknown.	M	6	—	—	—	—	—	—	4	2	4	—	1	—	—	—	—	1	2
	F	9	1	1	1	—	1	1	3	1	5	2	—	—	1	1	—	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF YORK, EAST RIDING—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES.	M	518	50	11	27	46	26	55	115	188	716	85	20	22	24	58	102	137	268		
	F	508	39	9	14	28	43	75	106	194	754	67	18	33	43	69	145	112	267		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	3	3	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	1	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—		
	F	5	1	—	1	2	—	1	—	—	3	—	—	—	2	—	1	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	4	3	1	—	—	—	—	—	—	13	4	5	1	3	—	—	—	—		
	F	3	1	—	1	1	—	—	—	—	12	4	2	5	—	—	1	—	—		
6 Diphtheria and croup ...	M	8	—	—	4	4	—	—	—	—	3	—	1	1	1	—	—	—	—		
	F	5	—	—	3	2	—	—	—	—	5	—	—	1	2	2	—	—	—		
7 Influenza ...	M	79	2	1	8	15	7	23	13	10	137	6	5	11	8	31	45	17	14		
	F	73	3	3	2	7	19	22	10	7	189	5	5	11	21	34	69	21	23		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	34	—	—	—	2	9	11	11	1	25	—	—	—	1	2	15	6	1		
	F	28	—	—	—	2	9	11	4	2	55	—	—	—	3	18	25	8	1		
10 Tuberculous meningitis	M	5	1	—	—	4	—	—	—	—	6	—	—	2	2	1	1	—	—		
	F	1	—	—	—	—	1	—	—	—	5	—	1	1	1	1	—	—	—		
11 Other tuberculous diseases.	M	5	—	—	—	2	1	—	1	1	8	—	—	1	1	1	3	2	—		
	F	4	—	—	—	—	—	1	3	—	9	1	—	—	4	1	1	1	1		
12 Cancer, malignant disease	M	42	—	—	—	—	—	—	18	24	50	—	—	—	—	—	1	22	27		
	F	74	—	—	—	—	—	6	36	32	52	—	—	—	—	—	4	20	28		
13 Rheumatic fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
14 Meningitis ...	M	4	—	—	2	—	2	—	—	—	6	—	—	—	4	1	1	—	—		
	F	2	—	—	—	—	1	—	1	—	3	—	1	—	1	—	1	—	—		
15 Organic heart disease ...	M	46	—	1	—	1	—	3	13	28	60	—	—	—	—	2	2	14	42		
	F	56	—	—	—	1	1	8	11	35	64	—	—	—	—	2	3	13	46		
16 Bronchitis ...	M	42	7	3	1	1	—	2	7	21	48	5	3	—	—	—	1	5	34		
	F	33	4	2	1	1	1	1	5	18	44	4	2	1	1	—	2	5	29		
17 Pneumonia (all forms)...	M	34	5	2	5	3	4	4	7	4	62	12	3	3	1	6	10	11	16		
	F	38	5	3	4	5	5	9	3	4	41	3	4	6	4	6	9	6	3		
18 Other respiratory diseases	M	12	—	—	2	2	—	1	7	—	7	—	—	—	—	—	—	4	3		
	F	4	—	—	—	—	—	—	2	2	7	—	—	—	—	—	1	3	3		
19 Diarrhoea, &c. ...	M	4	2	—	1	1	—	—	—	—	9	4	1	1	—	—	—	1	2		
	F	5	3	—	—	—	—	1	—	1	8	3	—	1	—	—	1	—	3		
20 Appendicitis and typhlitis	M	5	—	—	—	2	1	—	2	—	4	—	—	—	—	2	—	1	1		
	F	2	—	—	1	1	—	—	—	—	5	—	—	—	2	1	1	—	1		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	11	—	—	—	—	—	—	3	8	19	—	—	—	1	—	1	9	8		
	F	14	—	—	1	—	—	2	9	2	8	—	—	1	—	—	—	5	2		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	7	—	—	—	—	1	6	—	—		
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	33	32	1	—	—	—	—	—	—		
	F	13	13	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	8	1	—	1	1	—	2	1	2	32	1	1	2	1	3	9	11	4		
	F	6	—	1	—	1	—	—	1	3	12	2	1	—	2	—	—	2	5		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	10	—	—	—	—	—	3	4	3		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	154	14	3	1	7	1	9	30	89	168	20	—	—	—	5	7	25	111		
	F	135	9	—	—	5	4	9	20	88	190	17	1	6	—	3	15	26	122		
29 Causes ill-defined or unknown.	M	1	—	—	1	—	—	—	—	—	4	1	—	—	—	1	—	—	2		
	F	1	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF YORK, NORTH RIDING—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,532	225	75	107	108	79	263	269	406	1,139	106	21	35	45	75	180	236	441		
	F	1,494	170	61	117	105	108	260	256	417	1,078	88	32	40	50	99	200	168	401		
1 Enteric fever ...	M	6	—	—	—	—	2	3	1	—	2	—	—	—	—	—	—	2	—		
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	15	1	5	8	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	17	1	7	7	2	—	—	—	—	5	2	2	—	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	36	11	12	8	5	—	—	—	—	15	6	4	3	2	—	—	—	—		
	F	29	9	7	12	1	—	—	—	—	21	11	3	6	1	—	—	—	—		
6 Diphtheria and croup ...	M	30	—	1	10	18	1	—	—	—	6	—	—	1	5	—	—	—	—		
	F	22	—	—	9	13	—	—	—	—	9	—	—	3	5	1	—	—	—		
7 Influenza ...	M	244	3	7	20	24	37	107	34	12	213	5	7	7	14	35	84	33	28		
	F	299	6	8	24	32	51	112	39	27	248	3	4	11	21	55	102	20	32		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	87	1	1	1	7	10	39	22	6	55	—	—	—	1	13	28	12	1		
	F	107	1	—	4	16	25	47	12	2	54	—	—	—	4	16	25	5	4		
10 Tuberculous meningitis	M	17	1	5	6	5	—	—	—	—	5	1	—	1	1	—	2	—	—		
	F	15	5	3	5	1	—	—	1	—	13	—	—	2	6	4	1	—	—		
11 Other tuberculous diseases.	M	27	3	2	7	6	2	6	—	1	20	—	1	4	4	3	4	3	1		
	F	31	—	4	4	7	4	6	3	3	21	—	1	—	—	3	9	8	—		
12 Cancer, malignant disease	M	74	—	—	—	—	—	4	30	40	99	—	—	—	—	1	5	39	54		
	F	114	—	—	—	1	—	7	49	57	90	—	—	—	—	—	6	37	47		
13 Rheumatic fever ...	M	3	—	—	—	—	—	1	1	1	1	—	—	—	1	—	—	—	—		
	F	2	—	—	1	—	—	1	—	—	5	—	—	—	2	1	2	—	—		
14 Meningitis ...	M	19	3	3	7	2	2	1	1	—	7	2	1	2	2	—	—	—	—		
	F	7	1	1	1	1	—	1	2	—	3	—	1	—	1	—	—	—	1		
15 Organic heart disease ...	M	139	—	—	—	2	1	11	46	79	126	—	—	—	1	2	9	30	84		
	F	132	—	—	—	3	5	8	35	81	112	—	—	—	—	1	5	26	80		
16 Bronchitis ...	M	96	28	11	3	1	2	4	8	39	59	11	1	6	1	1	4	5	30		
	F	84	13	10	5	1	—	3	9	43	65	7	5	5	1	1	1	6	39		
17 Pneumonia (all forms)...	M	133	26	16	15	8	5	24	28	11	59	10	5	3	2	4	9	14	12		
	F	114	13	9	19	12	8	19	13	21	54	6	5	8	1	4	13	7	10		
18 Other respiratory diseases	M	18	3	—	—	1	1	1	3	9	18	—	—	—	2	—	3	6	7		
	F	16	1	1	2	1	—	1	4	6	16	1	—	—	—	2	2	3	8		
19 Diarrhoea, &c. ...	M	46	23	5	6	3	—	3	3	3	11	5	—	1	1	—	2	2	—		
	F	26	12	3	6	1	1	1	1	1	8	1	2	—	—	—	1	1	3		
20 Appendicitis and typhlitis	M	3	—	—	—	2	—	—	—	1	5	—	—	—	—	1	3	—	1		
	F	4	—	—	—	1	2	1	—	—	4	—	—	—	1	1	1	1	—		
21 Cirrhosis of liver ...	M	10	—	—	—	—	—	2	5	3	6	—	—	—	—	—	1	3	2		
	F	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	35	—	1	3	1	—	2	10	18	23	—	—	1	—	1	3	8	10		
	F	40	1	1	—	1	2	10	15	10	20	—	—	—	1	—	4	8	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	—	2	10	—	—	7	—	—	—	—	1	6	—	—		
25 Congenital debility, &c.	M	80	78	1	—	—	—	1	—	—	43	43	—	—	—	—	—	—	—		
	F	74	72	—	1	1	—	—	—	—	36	35	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	69	2	2	2	9	12	21	13	8	41	1	—	4	4	3	9	13	7		
	F	16	—	—	5	3	—	2	—	6	14	3	—	1	2	1	2	1	4		
27 Suicide ...	M	12	—	—	—	1	1	5	3	2	6	—	—	—	—	—	1	4	1		
	F	2	—	—	—	—	—	—	1	1	6	—	—	—	—	1	3	1	1		
28 Other defined diseases ...	M	327	41	3	10	11	3	27	59	173	308	21	2	2	3	9	12	58	201		
	F	311	35	5	11	7	5	24	69	155	262	19	8	4	3	7	15	42	164		
29 Causes ill-defined or unknown.	M	3	1	—	1	—	—	—	1	—	7	—	—	—	—	1	1	3	2		
	F	7	—	2	1	—	—	1	1	2	3	—	—	—	—	—	2	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
YORK, WEST RIDING—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	9,148	1248	536	682	614	534	1334	2072	2128	3,295	537	229	299	223	178	479	602	748		
	F	9,361	957	528	741	653	671	1498	1840	2473	3,156	403	220	270	268	240	502	491	762		
1 Enteric fever ...	M	23	—	—	1	1	7	12	2	—	6	—	—	—	—	1	4	—	1		
	F	35	—	—	1	4	10	10	10	—	13	—	—	—	1	5	6	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	371	64	123	138	46	—	—	—	—	121	15	42	44	20	—	—	—	—		
	F	363	45	120	154	44	—	—	—	—	101	18	32	32	18	—	1	—	—		
4 Scarlet fever ...	M	8	—	—	3	3	1	—	—	1	5	—	—	3	2	—	—	—	—		
	F	5	—	—	4	—	—	1	—	—	3	—	—	1	2	—	—	—	—		
5 Whooping cough ...	M	158	74	40	39	5	—	—	—	—	75	33	19	19	4	—	—	—	—		
	F	187	71	53	56	7	—	—	—	—	86	33	19	29	4	1	—	—	—		
6 Diphtheria and croup ...	M	65	—	7	28	30	—	—	—	—	17	—	4	6	7	—	—	—	—		
	F	80	2	3	32	41	1	—	1	—	24	—	3	10	7	3	1	—	—		
7 Influenza ...	M	1,558	60	73	143	186	222	496	267	111	628	29	36	77	86	77	209	82	32		
	F	1,854	37	71	164	238	297	596	295	156	738	15	37	75	126	127	236	80	42		
8 Erysipelas ...	M	6	1	—	—	—	—	—	3	2	2	—	—	—	—	—	—	1	1		
	F	3	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	2	2		
9 Pulmonary tuberculosis	M	573	—	5	13	36	96	230	171	22	182	2	6	3	8	24	81	54	4		
	F	529	8	3	16	59	152	198	81	12	146	—	1	5	20	39	59	16	6		
10 Tuberculous meningitis	M	75	9	11	25	26	1	3	—	—	25	2	5	9	6	3	—	—	—		
	F	80	7	11	25	18	13	6	—	—	20	3	5	7	3	2	—	—	—		
11 Other tuberculous diseases.	M	158	12	20	28	27	12	34	20	5	53	5	3	8	7	7	14	9	—		
	F	149	4	18	19	26	24	32	22	4	37	1	6	6	3	9	7	1	4		
12 Cancer, malignant disease	M	470	1	2	2	2	3	35	235	190	153	—	—	—	2	—	8	67	76		
	F	703	—	—	4	—	—	69	353	277	176	—	—	1	—	—	12	94	69		
13 Rheumatic fever ...	M	26	—	—	1	8	6	5	5	1	6	—	—	—	2	—	2	2	—		
	F	37	—	—	1	13	10	6	5	2	11	—	—	—	2	1	5	3	—		
14 Meningitis ...	M	60	8	8	22	10	4	5	3	—	17	4	7	5	—	1	—	—	—		
	F	52	12	10	12	8	3	5	2	—	19	1	4	4	7	1	1	1	—		
15 Organic heart disease ...	M	683	—	—	—	11	21	66	254	331	205	1	—	—	5	3	12	75	109		
	F	777	—	—	3	18	29	104	247	376	225	—	—	—	2	5	26	70	122		
16 Bronchitis ...	M	712	118	42	33	11	3	28	142	335	234	58	20	16	1	—	2	43	94		
	F	686	91	46	30	14	4	31	119	351	219	48	22	15	1	3	3	24	103		
17 Pneumonia (all forms)...	M	944	167	124	130	81	41	125	191	85	339	58	49	58	26	21	37	58	32		
	F	879	129	129	151	79	45	127	123	96	293	45	52	51	37	15	46	29	18		
18 Other respiratory diseases	M	111	5	4	8	7	5	10	50	22	41	3	3	2	4	1	1	16	11		
	F	84	6	4	6	4	—	12	28	24	25	2	—	4	1	—	3	7	8		
19 Diarrhoea, &c. ...	M	209	107	26	16	14	3	5	17	21	89	47	17	9	2	1	3	4	6		
	F	166	87	17	13	6	1	8	16	18	76	34	19	4	1	—	5	3	10		
20 Appendicitis and typhlitis	M	46	1	—	—	21	10	5	5	4	8	—	—	2	2	1	2	1	—		
	F	29	—	—	1	13	9	2	2	2	10	—	—	—	1	1	4	4	—		
21 Cirrhosis of liver ...	M	28	—	—	—	—	—	1	20	7	11	—	—	—	—	—	4	6	1		
	F	11	—	—	—	—	—	1	7	3	7	—	—	—	—	—	5	5	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	226	1	1	3	12	1	33	103	72	74	1	2	3	3	4	12	25	24		
	F	189	—	6	6	5	6	40	60	66	43	—	2	2	6	1	6	14	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	32	—	—	—	—	4	28	—	—	12	—	—	—	—	2	10	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	53	—	—	—	—	10	43	—	—	23	—	—	—	—	5	18	—	—		
25 Congenital debility, &c.	M	411	399	5	4	—	2	1	—	—	193	187	2	3	—	1	—	—	—		
	F	308	301	1	—	4	—	1	1	—	154	145	2	4	2	1	—	—	—		
26 Violence, apart from suicide.	M	293	6	5	22	32	44	72	80	32	125	4	—	11	20	19	36	27	8		
	F	120	11	3	16	17	6	14	18	35	43	4	1	6	9	5	3	7	8		
27 Suicide ...	M	59	—	—	—	1	1	21	26	10	17	—	—	—	—	1	7	6	3		
	F	28	—	—	—	—	4	16	5	3	10	—	—	—	—	1	3	4	2		
28 Other defined diseases ...	M	1,845	214	34	23	42	49	143	467	873	662	88	14	20	15	13	45	123	344		
	F	1,899	145	32	27	34	42	145	432	1042	627	53	14	12	15	13	44	124	352		
29 Causes ill-defined or unknown.	M	29	1	6	—	2	2	3	11	4	7	—	—	1	1	—	—	3	2		
	F	23	—	1	—	1	1	3	13	4	13	1	1	2	—	—	3	4	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
ANGLESEY.—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	173	23	5	8	11	11	27	38	50	293	27	9	12	15	11	31	71	117		
	F	145	7	4	5	6	10	21	35	57	278	23	7	4	17	19	32	49	127		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	1	—		
7 Influenza ...	M	18	—	1	1	2	2	7	1	4	32	1	2	3	4	2	7	7	6		
	F	13	—	—	—	1	—	5	3	4	41	2	1	—	7	7	7	5	12		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	17	—	—	—	—	3	9	5	—	28	1	—	—	1	6	10	9	1		
	F	10	—	—	—	1	3	3	3	—	23	—	—	—	2	3	14	3	1		
10 Tuberculous meningitis	M	5	—	2	—	3	—	—	—	—	—	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—		
11 Other tuberculous diseases.	M	4	—	—	1	—	—	—	2	1	2	—	—	1	—	—	—	1	—		
	F	3	—	—	—	—	1	1	—	1	4	—	—	—	3	1	—	—	—		
12 Cancer, malignant disease	M	10	—	—	—	—	—	1	2	7	29	—	—	—	—	1	12	16	—		
	F	15	—	—	—	—	1	3	8	3	33	—	—	—	—	2	9	22	—		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	17	—	—	—	—	—	1	6	10	34	—	—	—	1	—	2	10	21		
	F	13	—	—	—	—	1	1	6	5	31	—	—	—	—	2	—	7	22		
16 Bronchitis ...	M	11	1	—	—	—	1	2	3	4	7	2	—	—	1	—	—	1	3		
	F	6	—	—	—	1	—	—	1	4	10	—	1	—	—	—	—	1	8		
17 Pneumonia (all forms)...	M	13	2	1	2	1	1	1	2	3	24	3	4	1	1	—	2	5	8		
	F	12	1	2	2	—	—	1	2	4	13	—	3	1	1	1	3	2	2		
18 Other respiratory diseases	M	3	—	1	—	—	—	1	1	—	5	—	—	2	—	—	—	1	2		
	F	1	—	—	—	—	—	—	1	—	8	1	—	1	1	—	—	1	4		
19 Diarrhoea, &c. ...	M	3	2	—	—	1	—	—	—	—	5	—	—	1	1	2	—	—	—		
	F	3	1	—	—	—	1	—	—	1	3	1	—	—	1	1	—	—	—		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	7	—	—	—	—	1	—	2	4	10	—	—	—	—	—	1	3	6		
	F	5	—	—	—	1	1	1	2	—	12	—	—	1	—	1	1	4	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
	F	3	3	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	8	—	—	1	1	1	2	3	—	16	—	1	2	—	1	4	6	2		
	F	3	—	—	—	—	—	2	1	—	4	—	—	—	2	—	1	—	1		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	37	5	—	1	—	1	2	11	17	79	7	1	1	3	1	1	13	52		
	F	49	2	—	1	—	—	4	7	35	73	4	2	1	1	—	2	13	50		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF BRECKNOCK—1918 (Civilian population only).

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	144	18	8	14	2	7	18	38	39	340	56	16	10	15	20	73	64	86		
				F	150	11	5	7	6	7	26	39	49	286	27	13	12	16	29	56	48	85		
1	Enteric fever	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	2	—	1	1	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4	Scarlet fever	...	{	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5	Whooping cough	...	{	M	2	1	—	1	—	—	—	—	—	6	1	3	2	—	—	—	—	—		
				F	4	—	2	2	—	—	—	—	—	10	3	4	2	1	—	—	—	—		
6	Diphtheria and croup	...	{	M	1	—	—	1	—	—	—	—	—	6	1	1	2	2	—	—	—	—		
				F	1	1	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
7	Influenza	...	{	M	21	1	—	2	2	3	7	5	1	73	1	2	2	3	12	40	9	4		
				F	29	—	—	—	1	5	15	6	2	52	3	—	—	6	11	25	3	4		
8	Erysipelas	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis		{	M	5	—	—	—	—	—	2	2	1	19	—	—	1	—	1	10	6	1		
				F	4	—	—	1	—	1	1	—	1	27	—	—	—	2	9	13	2	1		
10	Tuberculous meningitis		{	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
				F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
11	Other tuberculous diseases.		{	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
				F	5	1	—	—	—	—	—	2	2	2	—	—	—	1	—	—	1	—		
12	Cancer, malignant disease		{	M	9	—	—	—	—	1	—	6	2	23	—	—	—	—	—	2	7	14		
				F	10	—	—	—	—	—	1	7	2	19	—	—	—	—	—	—	11	8		
13	Rheumatic fever	...	{	M	1	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—		
				F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—		
14	Meningitis	...	{	M	1	—	1	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	4	1	—	—	1	1	1	—	—		
15	Organic heart disease	...	{	M	12	—	—	1	—	—	2	4	5	21	—	—	—	2	1	—	7	11		
				F	15	—	—	—	—	—	4	6	5	25	—	—	—	1	1	2	6	15		
16	Bronchitis	...	{	M	20	2	—	—	—	—	1	10	7	22	8	2	1	—	—	—	2	9		
				F	11	—	—	—	1	—	—	3	7	23	3	2	—	—	—	—	3	15		
17	Pneumonia (all forms)...		{	M	18	4	4	5	—	1	—	2	2	26	4	5	1	1	—	2	8	5		
				F	13	3	2	1	1	1	—	3	2	17	—	7	3	—	2	3	1	1		
18	Other respiratory diseases		{	M	1	—	—	—	—	—	—	—	1	7	1	—	1	—	1	—	2	2		
				F	3	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
19	Diarrhoea, &c.	...	{	M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	1	—	2		
				F	1	—	—	—	—	—	—	—	1	4	2	—	—	—	—	—	2	—		
20	Appendicitis and typhlitis		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21	Cirrhosis of liver	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A	Alcoholism	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	2	—	—	1	—	—	—	1	—	5	—	—	—	—	—	3	—	2		
				F	4	—	—	—	1	—	—	2	1	7	—	—	1	—	2	—	3	1		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—		
25	Congenital debility, &c.		{	M	7	6	—	—	—	1	—	—	—	22	22	—	—	—	—	—	—	—		
				F	4	4	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—		
26	Violence, apart from suicide.		{	M	2	—	—	—	—	1	1	—	—	18	1	—	—	4	—	6	6	1		
				F	3	—	—	2	—	—	1	—	—	4	—	—	1	—	1	1	1	—		
27	Suicide	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
				F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
28	Other defined diseases	...	{	M	33	4	1	—	—	—	3	5	20	75	13	—	—	1	2	8	16	35		
				F	38	2	1	—	—	—	2	9	24	73	8	—	2	2	2	4	15	40		
29	Causes ill-defined or unknown.		{	M	4	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARDIGAN—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	119	11	—	2	4	17	17	24	44	362	27	2	5	9	28	54	78	159		
	F	196	6	2	5	6	18	35	49	75	396	23	6	5	10	27	61	63	201		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	27	3	—	—	3	9	8	2	2	45	1	1	—	3	6	21	10	3		
	F	35	1	1	2	1	9	12	4	5	48	—	—	—	2	10	23	8	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	12	—	—	—	—	4	4	2	2	47	—	—	—	2	11	15	15	4		
	F	22	—	—	—	1	6	8	4	3	30	—	—	1	3	9	14	2	1		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	1	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	6	—	—	—	2	1	1	—	2		
	F	3	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	4	—	—	—	—	—	—	1	3	26	—	—	—	—	—	1	7	18		
	F	21	—	—	—	—	—	1	7	13	40	—	—	—	—	—	2	15	23		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	12	—	—	—	—	—	—	6	6	57	—	—	—	1	—	1	12	43		
	F	26	—	—	—	1	—	2	11	12	56	—	—	—	—	—	2	8	46		
16 Bronchitis ...	M	8	—	—	1	—	1	—	2	4	17	—	—	—	—	—	—	1	16		
	F	11	1	—	1	—	—	—	3	6	32	1	1	—	—	1	1	4	24		
17 Pneumonia (all forms)	M	3	—	—	—	—	—	—	1	2	15	4	1	2	—	1	3	2	2		
	F	10	—	1	1	1	—	1	3	3	19	2	1	1	1	1	2	4	7		
18 Other respiratory diseases	M	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—		
	F	1	—	—	1	—	—	—	—	—	6	—	—	—	—	—	—	1	5		
19 Diarrhoea, &c. ...	M	2	1	—	—	—	—	—	1	—	7	3	—	1	1	—	—	—	2		
	F	1	—	—	—	—	1	—	—	—	10	1	—	—	—	—	4	3	2		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	1	1	6	—	—	—	—	—	—	3	3		
	F	5	—	—	—	1	—	2	2	—	22	—	—	—	—	—	4	6	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	—	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	11	9	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	1	—	—	—	1	—	—	—	—	7	—	—	1	—	1	1	2	2		
	F	1	—	—	—	—	—	—	1	—	10	—	1	1	—	—	—	1	7		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	37	6	—	—	—	2	4	7	18	98	12	—	—	—	4	6	15	61		
	F	55	3	—	—	—	1	6	13	32	99	10	2	—	—	4	7	8	68		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	1	2	10	—	—	—	—	—	2	7	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARMARTHEN—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	560	96	23	26	26	32	108	130	119	839	132	33	36	41	73	175	152	197		
	F	503	48	12	26	21	42	93	110	151	794	90	29	22	29	72	150	143	259		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	7	4	3	—	—	—	—	—	—	19	11	4	3	1	—	—	—	—		
	F	15	7	2	5	1	—	—	—	—	14	9	2	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	2	1	2	—	—	—	—	12	—	1	8	3	—	—	—	—		
	F	3	—	—	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza ...	M	98	2	4	6	11	6	43	19	7	157	2	3	10	7	32	71	24	8		
	F	91	—	3	7	8	11	39	16	7	125	1	5	4	9	26	50	21	9		
8 Erysipelas ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	42	—	—	—	1	10	22	8	1	78	—	—	1	1	17	42	13	4		
	F	47	—	—	—	4	15	18	9	1	78	—	—	—	4	21	33	13	7		
10 Tuberculous meningitis	M	6	2	1	1	1	—	1	—	—	7	—	1	3	2	1	—	—	—		
	F	5	—	—	1	2	1	1	—	—	5	1	—	—	2	1	1	—	—		
11 Other tuberculous diseases.	M	6	1	—	1	—	2	—	2	—	9	—	—	1	1	5	1	—	—		
	F	3	1	—	1	—	1	—	—	—	9	—	—	—	2	1	4	1	1		
12 Cancer, malignant disease	M	30	—	—	—	—	—	1	21	8	43	—	—	—	—	—	5	16	22		
	F	48	—	—	—	—	1	4	18	25	56	—	—	—	—	—	5	23	28		
13 Rheumatic fever ...	M	2	—	—	—	—	1	1	—	—	3	—	—	—	1	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	4	—	1	1	1	—	—	—	—		
	F	2	1	—	—	—	1	—	—	—	2	—	—	1	—	1	—	—	—		
15 Organic heart disease ...	M	45	—	—	1	—	4	7	17	16	58	—	—	—	2	2	7	21	26		
	F	59	—	—	—	—	3	9	23	24	91	—	—	—	3	1	14	28	45		
16 Bronchitis ...	M	30	10	1	—	—	—	2	9	8	44	12	6	2	—	—	1	4	19		
	F	21	3	1	—	—	—	2	2	13	62	9	7	1	—	—	1	7	37		
17 Pneumonia (all forms)...	M	43	7	5	10	2	—	6	8	5	77	12	13	3	6	4	11	16	12		
	F	36	5	2	7	3	1	4	8	6	71	9	8	7	2	7	18	11	9		
18 Other respiratory diseases	M	8	—	1	—	—	—	1	1	5	12	—	—	—	2	2	—	4	4		
	F	7	—	—	1	—	—	1	3	2	7	—	—	1	1	—	—	2	3		
19 Diarrhoea, &c. ...	M	18	12	2	1	—	—	1	2	—	13	10	—	—	—	—	2	1	—		
	F	15	7	4	—	1	—	1	1	1	12	5	1	—	—	1	3	2	—		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	4	—	—	—	1	1	1	1	—		
	F	3	—	—	—	—	1	—	1	1	5	—	—	—	—	1	3	—	1		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	20	—	—	1	—	—	7	5	7	27	—	—	1	2	—	1	11	12		
	F	14	—	—	—	—	1	2	5	6	18	—	1	—	—	—	6	11	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	32	32	—	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—		
	F	14	14	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	31	—	1	3	6	7	5	8	1	48	—	—	2	7	10	13	13	3		
	F	4	—	—	—	—	—	1	1	2	4	—	—	1	2	—	—	—	1		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	3	1	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	2	—		
28 Other defined diseases ...	M	130	26	3	1	2	2	8	28	60	162	38	3	1	2	2	12	21	83		
	F	111	10	—	1	2	4	8	23	63	179	17	5	3	1	9	11	27	106		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	7	1	1	—	—	—	2	1	2		
	F	—	—	—	—	—	—	—	—	—	5	4	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CARNARVON—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	488	62	9	13	22	35	81	120	146	607	36	15	22	17	60	130	150	177		
	F	513	26	12	12	21	28	91	114	209	608	32	17	12	35	50	114	124	224		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	1	—	1	—	—	—	—	—	5	—	—	4	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	8	2	2	1	3	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
5 Whooping cough ...	M	9	7	1	—	1	—	—	—	—	3	2	1	—	—	—	—	—	—		
	F	7	2	2	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza ...	M	102	5	1	9	7	17	33	21	9	126	2	4	6	7	26	47	21	13		
	F	89	1	3	3	8	8	38	13	15	123	3	5	4	11	24	50	15	11		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	39	1	—	—	2	7	17	11	1	69	—	1	—	1	17	27	17	6		
	F	36	—	—	—	1	7	19	9	—	57	—	—	—	3	17	24	11	2		
10 Tuberculous meningitis	M	5	—	—	1	1	1	1	1	—	4	—	1	1	—	1	1	—	—		
	F	4	—	—	—	3	—	1	—	—	2	—	—	—	2	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	—	—	1	1	1	1	—	16	—	—	1	1	7	4	2	1		
	F	10	—	—	2	2	2	1	1	2	12	—	—	—	3	4	4	1	—		
12 Cancer, malignant disease	M	42	—	—	—	1	—	3	24	14	46	—	—	—	—	—	3	22	21		
	F	49	—	—	—	—	—	6	20	23	70	—	—	—	—	—	9	37	24		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	3	2	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	4	—	—	—	—	4	—	—	—	2	—	1	—	—	1	—	—	—		
15 Organic heart disease ...	M	44	—	—	—	1	1	3	11	28	48	—	—	—	1	1	3	15	28		
	F	56	—	—	—	—	—	5	20	31	52	—	—	—	2	1	3	18	28		
16 Bronchitis ...	M	13	3	1	—	—	—	—	2	7	26	4	2	—	2	1	—	4	13		
	F	34	3	3	1	—	—	1	4	22	37	3	—	—	—	—	8	26			
17 Pneumonia (all forms)...	M	32	7	3	2	3	3	6	1	7	37	2	2	5	1	—	6	14	7		
	F	28	2	1	3	5	2	4	5	6	29	4	6	3	3	1	1	3	8		
18 Other respiratory diseases	M	9	1	—	—	—	—	—	2	6	10	—	—	—	—	—	—	5	5		
	F	8	—	—	—	—	—	1	2	5	7	—	—	—	—	—	2	5			
19 Diarrhoea, &c. ...	M	5	1	—	—	—	—	1	1	2	3	—	—	1	—	1	—	—	1		
	F	5	1	1	—	—	1	—	—	2	5	1	—	1	—	1	—	—	2		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—		
	F	3	—	—	—	1	1	—	1	—	1	—	—	—	—	—	1	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	—	—	3	4	10	26	—	—	—	—	1	4	6	15		
	F	18	—	—	—	—	—	1	9	8	23	1	—	—	—	—	2	7	13		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	16	15	—	—	1	—	—	—	—	15	13	1	—	—	1	—	—	—		
	F	7	7	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	17	2	—	—	2	3	3	4	3	35	—	1	2	1	1	20	9	1		
	F	4	—	1	—	—	—	—	1	2	10	—	—	—	2	1	2	1	4		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	118	17	3	—	1	1	9	30	57	122	12	1	—	1	1	12	30	65		
	F	141	9	1	—	—	2	12	26	91	151	10	1	3	2	—	14	20	101		
29 Causes ill-defined or unknown.	M	5	—	—	—	—	—	1	3	1	7	1	—	—	—	—	2	4	—		
	F	4	1	—	—	—	—	—	1	2	2	—	1	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DENBIGH—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	359	44	8	8	17	15	67	88	112	760	135	34	30	32	41	108	158	222		
	F	371	28	8	11	17	24	65	90	128	679	103	23	31	38	44	118	128	194		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	1	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	5	—	—	1	4	—	—	—	—		
5 Whooping cough ...	M	5	4	—	1	—	—	—	—	—	23	12	7	3	1	—	—	—	—		
	F	8	5	1	2	—	—	—	—	—	17	10	4	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	8	—	1	1	6	—	—	—	—		
	F	4	—	—	1	3	—	—	—	—	9	—	—	4	4	—	1	—	—		
7 Influenza ...	M	54	2	3	1	4	6	21	9	8	106	2	4	2	10	15	36	20	17		
	F	61	—	—	2	5	10	24	12	8	99	1	3	5	6	19	41	14	10		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	31	—	—	—	2	2	21	6	—	40	—	—	2	1	6	20	10	1		
	F	23	—	—	—	1	6	12	4	—	50	—	—	—	4	9	28	9	—		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	5	1	2	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	1	—	—	1	1	—	—	—		
11 Other tuberculous diseases.	M	3	1	—	—	—	—	2	—	—	8	2	2	—	—	1	1	2	—		
	F	4	—	1	—	—	2	—	1	—	6	2	—	—	—	1	2	1	—		
12 Cancer, malignant disease	M	37	—	—	—	1	1	1	21	13	51	—	—	—	—	—	6	23	22		
	F	44	—	—	—	1	—	3	20	20	54	—	—	—	—	—	6	26	22		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	5	3	—	1	1	—	—	—	—		
	F	3	—	—	—	1	1	1	—	—	5	2	—	2	—	1	—	—	—		
15 Organic heart disease ...	M	31	—	—	—	—	1	2	10	18	68	—	—	—	2	1	4	16	45		
	F	39	—	—	—	—	—	3	16	20	63	—	—	1	1	2	7	19	33		
16 Bronchitis ...	M	18	2	1	—	—	—	1	1	13	58	16	4	2	—	1	1	9	25		
	F	23	2	1	—	—	1	2	—	17	54	9	1	—	1	1	5	8	29		
17 Pneumonia (all forms)...	M	34	6	2	3	1	3	7	8	4	70	19	10	10	2	4	8	10	7		
	F	23	—	5	5	—	—	5	4	4	58	16	9	8	9	1	7	3	5		
18 Other respiratory diseases	M	8	1	—	1	—	—	3	1	2	17	—	—	3	—	—	3	2	9		
	F	3	—	—	—	—	—	1	—	2	14	3	—	1	1	—	1	2	6		
19 Diarrhoea, &c. ...	M	7	3	—	1	—	—	2	—	1	18	11	1	—	—	—	—	4	2		
	F	4	1	—	—	—	—	1	2	—	15	7	—	1	1	—	1	2	3		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	3	—	—	—	—	2	—	—	1		
	F	3	—	—	—	1	1	—	1	—	3	—	—	—	1	1	1	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	—	2		
	F	4	—	—	—	—	—	—	4	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	—	2	3	15	—	1	—	—	2	—	7	5		
	F	2	—	—	—	—	—	—	—	2	14	—	—	1	2	—	1	6	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	10	—	—	—	—	3	7	—	—		
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	36	35	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	10	—	—	—	3	—	1	5	1	34	—	—	3	4	5	12	8	2		
	F	3	—	—	—	2	—	—	—	1	6	—	—	1	1	1	2	—	1		
27 Suicide ...	M	2	—	—	—	—	—	1	1	—	7	—	—	—	—	1	3	3	—		
	F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	91	11	1	1	4	1	4	21	48	172	32	1	—	1	4	11	40	83		
	F	100	10	—	1	1	3	8	24	53	145	16	4	2	3	3	36	78	—		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	3	1		
	F	1	—	—	—	—	—	—	1	—	3	—	1	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
FLINT—1918 (Civilian population only).

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	249	33	12	20	12	8	48	48	68	447	57	20	17	14	36	78	91	134					
	F	292	19	11	10	16	26	55	58	97	449	32	22	18	22	27	81	92	155					
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—					
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
3 Measles ...	M	5	1	3	1	—	—	—	—	—	3	—	1	1	—	—	—	1	—					
	F	5	2	1	1	1	—	—	—	—	4	—	2	1	1	—	—	—	—					
4 Scarlet fever ...	M	2	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—					
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
5 Whooping cough ...	M	1	—	—	—	—	—	—	—	1	4	1	—	3	—	—	—	—	—					
	F	2	—	1	1	—	—	—	—	—	12	3	5	3	1	—	—	—	—					
6 Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	3	—	1	—	2	—	—	—	—					
	F	3	—	—	1	2	—	—	—	—	3	—	—	1	2	—	—	—	—					
7 Influenza ...	M	42	—	1	5	—	4	18	10	4	90	4	1	1	5	13	42	14	10					
	F	61	2	1	—	5	11	32	4	6	105	4	5	7	10	13	38	12	16					
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—					
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—					
9 Pulmonary tuberculosis	M	16	—	—	1	1	1	11	2	—	35	1	—	1	—	7	13	8	5					
	F	14	—	—	—	—	6	8	—	—	26	—	—	—	4	7	12	3	—					
10 Tuberculous meningitis	M	1	1	—	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—					
	F	1	—	—	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—					
11 Other tuberculous diseases.	M	3	—	1	—	1	—	—	1	—	6	1	2	—	—	1	2	—	—					
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	1	2	—	—					
12 Cancer, malignant disease	M	17	—	—	—	—	—	—	10	7	27	—	—	—	—	—	3	14	10					
	F	25	—	—	—	—	—	3	15	7	44	—	—	—	—	—	4	22	18					
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—					
	F	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—					
14 Meningitis ...	M	1	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—					
	F	4	1	1	—	2	—	—	—	—	2	—	—	—	1	1	—	—	—					
15 Organic heart disease ...	M	18	—	—	—	—	—	5	5	8	37	—	—	—	1	—	2	6	28					
	F	31	—	—	1	1	1	1	10	17	54	—	—	—	1	2	4	24	23					
16 Bronchitis ...	M	20	6	3	1	1	—	2	2	5	20	4	1	1	—	—	—	4	10					
	F	16	—	2	—	—	1	—	3	10	17	2	3	1	—	—	—	1	10					
17 Pneumonia (all forms)	M	18	3	1	2	1	1	6	2	2	55	8	10	1	3	4	9	11	9					
	F	23	2	4	1	1	3	1	5	6	38	7	5	4	—	2	3	7	10					
18 Other respiratory diseases	M	3	—	—	—	—	—	1	1	1	11	—	—	2	—	1	1	5	2					
	F	4	—	—	1	—	—	1	—	2	3	—	—	—	—	—	—	—	3					
19 Diarrhoea, &c. ...	M	5	3	—	1	—	—	1	—	—	5	3	—	1	—	—	—	1	—					
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	1	—	2	—	1					
20 Appendicitis and typhlitis	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—					
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—					
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1					
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—					
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
22 Nephritis and Bright's disease.	M	1	—	—	—	—	—	—	1	—	9	—	—	—	—	1	1	3	4					
	F	4	—	—	—	—	—	1	—	3	1	—	—	—	—	—	—	1	—					
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—					
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	—	6	—	—					
25 Congenital debility, &c.	M	10	10	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—					
	F	4	4	—	—	—	—	—	—	—	9	8	1	—	—	—	—	—	—					
26 Violence, apart from suicide.	M	12	—	1	3	2	—	1	3	2	14	1	—	1	2	4	2	3	1					
	F	3	—	1	—	—	—	—	2	—	5	1	—	1	—	—	2	—	1					
27 Suicide ...	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—					
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—					
28 Other defined diseases ...	M	59	7	1	2	2	2	2	7	36	90	9	2	2	1	4	3	18	51					
	F	75	8	—	2	1	1	2	16	45	105	7	—	—	1	—	6	20	71					
29 Causes ill-defined or unknown.	M	7	1	1	—	—	—	1	2	2	5	—	—	—	—	—	—	2	3					
	F	3	—	—	—	1	—	1	1	—	3	—	—	—	—	—	—	1	2					

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF GLAMORGAN—1918 (Civilian population only).

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	4,490	843	263	298	230	268	870	998	720	1,560	251	60	94	84	118	314	342	297		
			{	F	3,877	629	256	284	265	326	793	669	655	1,421	207	77	79	90	135	305	230	298		
1	Enteric fever	...	{	M	14	—	—	—	3	4	6	1	—	1	—	—	—	—	—	—	1	—		
			{	F	7	—	—	1	1	—	5	—	—	4	—	—	—	1	—	3	—	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	126	21	49	47	9	—	—	—	—	36	4	15	15	2	—	—	—	—		
			{	F	118	16	40	46	16	—	—	—	—	33	5	12	11	5	—	—	—	—		
4	Scarlet fever	...	{	M	6	1	—	2	3	—	—	—	—	2	—	1	—	1	—	—	—	—		
			{	F	6	—	1	2	1	1	1	—	—	2	—	—	2	—	—	—	—	—		
5	Whooping cough	...	{	M	82	32	33	14	3	—	—	—	—	41	24	5	10	2	—	—	—	—		
			{	F	117	45	41	26	5	—	—	—	—	49	22	16	10	1	—	—	—	—		
6	Diphtheria and croup	...	{	M	36	—	3	16	17	—	—	—	—	18	—	1	6	11	—	—	—	—		
			{	F	36	1	2	13	16	3	1	—	—	17	—	1	4	11	1	—	—	—		
7	Influenza	...	{	M	757	25	16	55	51	66	328	170	46	269	4	6	17	15	25	139	48	15		
			{	F	693	15	24	59	70	110	273	106	36	250	7	10	8	17	53	105	25	25		
8	Erysipelas	...	{	M	4	—	—	—	1	—	—	2	1	2	—	—	—	—	—	1	1	—		
			{	F	5	1	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis		{	M	290	1	3	4	14	60	121	76	11	125	1	—	1	6	36	55	24	2		
			{	F	288	—	—	5	19	93	133	34	4	110	—	—	4	5	33	49	17	2		
10	Tuberculous meningitis		{	M	35	3	4	11	13	1	1	2	—	20	3	1	6	9	1	—	—	—		
			{	F	27	1	2	6	13	1	4	—	—	11	1	—	2	5	3	—	—	—		
11	Other tuberculous diseases.		{	M	50	6	3	8	4	7	12	8	2	16	—	—	1	3	3	5	4	—		
			{	F	49	1	2	10	8	13	11	4	—	19	—	—	3	2	5	6	2	1		
12	Cancer, malignant disease		{	M	170	—	—	—	1	3	16	98	52	83	—	—	1	—	1	6	39	36		
			{	F	211	—	1	1	2	2	30	109	66	86	—	—	—	—	2	18	33	33		
13	Rheumatic fever	...	{	M	18	—	—	1	4	8	5	—	—	6	—	—	—	—	1	1	3	1		
			{	F	22	—	—	—	5	6	5	4	2	10	—	—	—	4	3	2	1	—		
14	Meningitis	...	{	M	27	3	4	6	5	1	3	4	1	10	2	1	2	1	1	—	2	1		
			{	F	20	5	2	4	4	2	2	1	—	14	1	4	1	5	1	1	—	1		
15	Organic heart disease	...	{	M	262	—	—	1	6	14	36	95	110	99	—	—	—	3	6	14	39	37		
			{	F	231	1	—	1	3	19	46	82	79	121	—	1	1	3	2	24	40	50		
16	Bronchitis	...	{	M	344	67	21	13	2	2	22	93	124	85	19	3	4	—	1	2	23	33		
			{	F	258	62	24	8	4	1	21	43	95	78	15	4	3	3	1	2	21	29		
17	Pneumonia (all forms)...		{	M	465	112	76	50	26	27	82	67	25	141	31	17	15	7	6	27	26	12		
			{	F	374	91	64	47	30	20	67	35	20	104	19	15	15	9	10	16	8	12		
18	Other respiratory diseases		{	M	80	4	4	3	2	1	15	28	23	18	1	1	—	1	1	1	8	5		
			{	F	32	1	2	3	3	1	7	8	7	20	—	2	—	2	—	5	5	6		
19	Diarrhoea, &c.	...	{	M	125	75	13	12	2	2	3	9	9	22	12	1	1	—	1	3	—	4		
			{	F	97	54	12	7	5	1	2	6	10	25	10	5	2	1	—	—	1	6		
20	Appendicitis and typhlitis		{	M	19	—	—	—	6	2	6	4	1	4	—	—	—	2	1	1	—	—		
			{	F	14	—	—	—	3	6	3	2	—	9	—	—	—	1	3	3	1	1		
21	Cirrhosis of liver	...	{	M	11	—	—	—	—	—	1	7	3	4	—	—	—	—	—	1	2	1		
			{	F	7	—	—	—	1	—	2	3	1	1	—	—	—	—	—	1	—	—		
21A	Alcoholism	...	{	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
			{	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	93	—	2	4	4	3	18	45	17	24	—	—	—	—	1	4	17	2		
			{	F	75	—	—	—	4	4	17	35	15	18	—	—	1	1	1	4	6	5		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	22	—	—	—	—	8	14	—	—	10	—	—	—	—	5	5	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	60	—	—	—	—	7	52	1	—	24	—	—	—	—	4	19	1	—		
25	Congenital debility, &c.		{	M	288	284	—	1	2	—	1	—	—	93	91	—	2	—	—	—	—	—		
			{	F	211	206	2	1	—	1	1	—	—	70	68	—	1	1	—	—	—	—		
26	Violence, apart from suicide.		{	M	296	2	8	27	21	48	89	79	22	105	2	—	8	14	20	26	31	4		
			{	F	66	4	4	16	18	4	5	8	7	23	1	2	7	8	1	2	2	—		
27	Suicide	...	{	M	17	—	—	—	—	—	8	8	1	7	—	—	—	—	1	—	4	2		
			{	F	5	—	—	—	—	1	3	1	—	2	—	—	—	—	—	1	1	—		
28	Other defined diseases	...	{	M	860	207	20	22	31	19	93	197	271	319	57	7	5	6	11	27	65	141		
			{	F	816	124	30	28	34	22	86	182	310	309	57	5	4	5	7	40	64	127		
29	Causes ill-defined or unknown.		{	M	14	—	4	1	—	—	3	5	1	8	—	1	—	—	1	1	4	1		
			{	F	9	1	3	—	—	—	—	4	1	2	1	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF MERIONETH—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	155	6	5	4	6	7	26	43	58	188	18	3	4	3	13	25	48	74
	F	147	8	3	3	8	8	29	34	54	152	16	—	5	7	5	27	39	53
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
6 Diphtheria and croup	M	2	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	3	—	—	1	1	—	1	—	—
7 Influenza	M	20	—	1	1	3	2	9	2	2	23	—	—	3	1	3	8	2	6
	F	20	—	1	1	3	—	8	5	2	22	—	—	2	1	4	6	7	2
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	21	—	—	1	—	3	10	4	3	12	—	1	—	1	3	4	3	—
	F	20	—	1	—	—	7	8	3	1	12	—	—	—	1	1	8	2	—
10 Tuberculous meningitis	M	1	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—
11 Other tuberculous diseases.	M	5	1	—	—	—	—	1	3	—	2	—	—	—	—	2	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	17	—	—	—	—	—	1	8	8	16	—	—	—	—	1	—	9	0
	F	17	—	—	—	—	—	2	5	10	16	—	—	—	—	—	3	9	4
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	M	14	—	—	—	—	—	1	6	7	21	—	—	—	—	—	2	6	13
	F	19	—	—	—	—	—	2	4	13	13	—	—	—	—	—	1	6	6
16 Bronchitis	M	5	—	—	1	—	—	—	1	3	10	1	—	—	—	—	—	3	6
	F	3	—	—	—	—	—	—	—	3	7	2	—	1	—	—	—	—	4
17 Pneumonia (all forms)...	M	11	—	1	—	—	1	1	5	3	14	4	—	—	—	—	2	4	4
	F	7	—	1	—	—	1	2	—	3	4	2	—	—	—	—	—	—	2
18 Other respiratory diseases	M	4	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	—	3	1	2	1	—	—	—	—	—	—	1
19 Diarrhoea, &c.	M	2	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	2	—
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	6	—	1	—	—	—	—	1	4	12	—	—	—	—	1	3	1	7
	F	3	—	—	—	—	—	—	2	1	10	—	—	—	—	—	—	2	8
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c.	M	4	4	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	6	—	—	1	1	—	1	3	—	13	1	—	1	—	2	2	4	3
	F	5	—	—	—	2	—	1	1	1	—	—	—	—	—	—	—	—	—
27 Suicide	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	32	1	1	—	—	1	—	7	22	47	5	—	—	—	1	2	11	28
	F	34	4	—	—	1	—	1	11	17	43	3	—	—	1	—	4	10	25
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	1	3	—
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF MONTGOMERY—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	143	16	2	5	8	9	22	30	51	302	24	7	7	12	22	43	64	123		
	F	144	6	—	4	8	10	27	33	56	253	27	2	6	11	17	50	46	94		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	2	2	—	—	—	—	—	—	—	9	4	2	2	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	—	—	2	—	—	1	—		
7 Influenza ...	M	24	1	1	1	4	5	6	3	3	41	—	—	1	—	9	17	9	5		
	F	23	—	—	—	1	7	10	3	2	38	—	—	1	1	6	17	8	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	17	—	—	1	—	1	8	4	3	24	—	—	—	—	5	10	6	3		
	F	8	—	—	—	1	1	3	2	1	19	—	—	—	2	6	5	6	—		
10 Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—		
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	—	—	1	5	—	—	—	2	—	1	1	1		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
12 Cancer, malignant disease	M	10	—	—	—	—	—	2	7	1	18	—	—	—	—	—	—	9	9		
	F	19	—	—	—	—	1	—	7	11	25	—	—	—	—	—	5	12	8		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	12	—	—	—	—	1	2	4	5	28	—	—	—	—	2	—	13	13		
	F	13	—	—	1	—	—	2	2	8	25	—	—	—	—	—	4	3	18		
16 Bronchitis ...	M	5	1	—	—	—	—	—	—	4	15	1	1	—	—	—	—	3	10		
	F	10	1	—	—	—	—	—	1	8	15	3	—	1	—	—	2	—	9		
17 Pneumonia (all forms)...	M	9	2	—	1	1	1	1	1	2	20	2	1	1	—	1	6	5	4		
	F	5	—	—	—	—	—	2	2	1	20	—	1	1	3	1	8	1	5		
18 Other respiratory diseases	M	2	—	—	—	—	1	—	1	—	2	—	1	—	—	—	—	—	1		
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	2		
19 Diarrhoea, &c. ...	M	3	1	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—		
	F	3	1	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	3	—	—	1	1	—	1	—	—	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	6	—	—	—	—	—	—	2	4	11	—	—	—	2	—	1	3	5		
	F	7	—	—	—	—	—	1	2	4	10	—	1	—	—	1	—	1	7		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—		
	F	3	3	—	—	—	—	—	—	—	17	16	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	4	—	—	—	2	—	1	1	—	13	1	1	1	2	2	2	3	1		
	F	1	—	—	1	—	—	—	—	—	2	—	—	1	—	—	—	—	1		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	35	1	—	1	—	—	2	3	28	94	3	1	—	3	3	4	10	70		
	F	38	1	—	1	1	—	3	11	21	61	5	—	—	1	1	5	10	39		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	1	1		
	F	2	—	—	—	—	—	1	1	—	3	1	—	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
PEMBROKE—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	289	46	7	17	14	16	50	49	90	392	46	16	13	21	25	85	69	117
	F	299	41	7	27	11	17	47	56	93	428	40	7	13	19	22	71	98	158
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	9	—	2	7	—	—	—	—	—	3	1	1	1	—	—	—	—	—
	F	17	6	1	9	—	—	1	—	—	6	—	2	1	2	—	1	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	6	3	2	1	—	—	—	—	—	8	4	3	1	—	—	—	—	—
	F	5	3	—	2	—	—	—	—	—	4	4	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—
7 Influenza ...	M	26	2	—	—	—	4	11	7	2	54	1	3	3	4	8	28	6	1
	F	30	1	—	3	3	3	12	6	2	48	2	2	3	6	7	17	8	3
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	28	—	—	—	1	7	12	7	1	29	1	—	1	3	7	11	6	—
	F	22	—	—	1	—	8	10	3	—	38	—	—	—	3	9	21	2	3
10 Tuberculous meningitis	M	2	—	—	1	1	—	—	—	—	3	1	—	—	1	—	—	1	—
	F	2	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—
11 Other tuberculous dis- eases.	M	7	—	—	1	2	—	4	—	—	6	—	—	—	1	2	2	1	—
	F	3	—	—	—	2	—	1	—	—	6	—	—	1	1	2	1	—	1
12 Cancer, malignant disease	M	17	—	—	1	—	—	1	5	10	16	—	—	—	—	—	1	2	13
	F	22	—	—	—	—	—	—	13	9	45	—	—	—	—	—	3	20	22
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	3	—	—	1	2	—	—	—	—	2	—	—	—	1	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
15 Organic heart disease ...	M	33	—	—	—	—	1	6	10	16	43	—	—	—	—	—	4	11	28
	F	24	—	—	—	—	—	2	6	16	62	—	—	—	—	1	2	19	40
16 Bronchitis ...	M	13	4	—	—	—	1	2	1	5	14	—	—	—	1	—	1	—	12
	F	16	2	1	—	—	—	4	2	7	18	2	1	—	—	—	—	4	11
17 Pneumonia (all forms)...	M	14	4	1	2	1	—	3	1	2	27	2	4	3	3	1	4	2	8
	F	19	4	1	4	1	1	5	3	—	21	1	—	4	—	—	5	6	5
18 Other respiratory diseases	M	6	—	—	—	—	1	—	—	5	6	—	—	—	1	—	1	1	3
	F	4	1	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—
19 Diarrhoea, &c. ...	M	15	9	2	—	—	—	—	1	3	3	1	—	—	—	—	—	—	2
	F	5	4	—	—	—	—	—	1	—	7	1	—	1	—	—	—	2	3
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease	M	8	—	—	—	—	—	—	3	5	10	—	—	—	2	—	1	2	5
	F	5	—	—	—	1	1	—	1	2	9	—	—	—	—	—	—	4	5
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	21	20	1	—	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—
26 Violence, apart from suicide	M	13	—	—	—	4	1	4	3	1	51	—	—	3	1	5	22	20	—
	F	6	1	—	3	1	1	—	—	—	9	—	—	2	—	—	1	3	3
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	5	—
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
28 Other defined diseases ...	M	66	8	—	2	3	1	5	9	38	83	15	4	1	—	2	7	9	45
	F	89	7	3	2	2	2	2	19	52	109	7	2	—	3	2	12	22	61
29 Causes ill-defined or un- known.	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—
	F	7	—	—	1	1	1	2	1	1	8	—	—	—	—	—	1	6	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF RADNOR—1918 (Civilian population only).

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	40	5	—	—	2	—	6	9	18	153	11	3	2	5	8	19	25	80		
	F	35	1	1	1	2	2	4	7	17	116	8	1	—	4	7	16	29	51		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza... ...	M	4	—	—	—	1	—	2	1	—	24	—	—	—	3	7	6	8	—		
	F	4	—	—	—	1	1	1	1	—	8	—	—	—	1	2	1	2	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	3	—	—	—	—	—	2	1	—	9	—	—	—	2	6	1	—	—		
	F	1	—	—	—	—	—	1	—	—	10	—	—	—	1	2	6	1	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	—	—		
12 Cancer, malignant disease	M	2	—	—	—	—	—	—	—	2	13	—	—	—	—	—	—	7	6		
	F	3	—	—	—	—	—	—	1	2	19	—	—	—	—	—	1	11	7		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	5	—	—	—	—	—	1	1	3	14	—	—	—	1	1	—	2	10		
	F	3	—	—	—	—	—	—	1	2	18	—	—	—	—	—	1	4	13		
16 Bronchitis ...	M	3	1	—	—	—	—	—	1	1	10	—	—	—	—	—	1	1	8		
	F	5	—	—	—	—	—	—	1	4	11	1	—	—	—	—	—	1	9		
17 Pneumonia (all forms)	M	2	1	—	—	1	—	—	—	—	8	—	1	1	—	1	2	2	1		
	F	1	—	—	—	—	—	—	—	1	4	1	1	—	—	1	1	—	—		
18 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	3		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
19 Diarrhoea, &c. ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	—	2	8	—	—	—	1	—	—	2	5		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	3	3	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	12	—	—	—	—	—	—	3	9	48	4	2	—	1	—	2	1	38		
	F	11	1	—	1	1	—	—	1	7	29	1	—	—	1	1	3	5	18		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH IN ADMINISTRATIVE
BEDFORDSHIRE.

Causes of Death.			Amphill U.D.		Bedford M.B.		Biggles- wade U.D.		Dun- stable M.B.		Kemp- ston U.D.		Leighton Buzzard U.D.		Luton M.B.				
			M	F	M	F	M	F	M	F	M	F	M	F	M	F			
ALL CAUSES			30	22	279	313	51	55	52	68	36	36	62	51	341	387			1
1 Enteric fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
2 Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—			3
3 Measles			—	—	7	4	3	5	—	—	—	—	—	—	3	—			4
4 Scarlet fever			—	—	—	2	—	—	—	—	—	1	—	—	—	1			5
5 Whooping cough			—	—	3	4	—	—	—	1	1	2	—	—	3	—			6
6 Diphtheria and croup ...			1	1	4	3	—	1	2	2	—	—	2	—	3	7			7
7 Influenza... ..			5	4	43	69	9	10	7	7	7	12	7	10	58	66			8
8 Erysipelas			—	—	—	—	—	—	—	—	—	1	—	—	1	—			9
9 Pulmonary tuberculosis			2	2	17	14	5	6	2	6	3	2	4	2	42	27			10
10 Tuberculous meningitis			—	—	—	1	—	—	1	—	—	1	—	—	4	4			11
11 Other tuberculous diseases			—	—	4	11	—	—	1	2	—	1	2	1	3	3			12
12 Cancer, malignant disease			—	4	18	27	5	4	5	10	2	2	5	7	23	23			13
13 Rheumatic fever			—	—	—	—	—	—	—	—	—	—	—	—	2	3			14
14 Meningitis			—	—	2	1	1	—	—	1	—	—	—	—	2	4			15
15 Organic heart disease ...			9	1	18	27	3	2	5	8	4	1	7	10	36	56			16
16 Bronchitis			1	1	14	16	2	1	2	4	3	5	6	3	17	31			17
17 Pneumonia (all forms)...			1	2	31	21	4	8	2	3	1	1	1	2	19	21			18
18 Other respiratory diseases			1	—	4	2	1	1	2	—	—	—	1	—	4	6			19
19 Diarrhoea, &c. (under 2 yrs.)			—	1	—	1	1	1	1	—	—	1	—	—	5	6			20
20 Appendicitis and typhlitis			—	—	1	—	—	—	—	—	—	—	1	—	—	5			21
21 Cirrhosis of liver			—	—	3	2	—	—	—	—	1	—	—	—	1	—			21A
21A Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—			22
22 Nephritis and Bright's dis.			1	—	7	11	—	1	4	3	1	—	2	1	5	6			23
23 Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	—	—	1			24
24 Parturition, apart from 23			—	—	—	1	—	—	—	1	—	—	—	—	—	1			25
25 Congenital debility, &c.			1	1	14	11	1	1	1	1	2	1	2	—	28	17			26
26 Violence, apart from 27			—	—	6	4	1	2	—	—	—	—	—	—	4	3			27
27 Suicide			—	—	—	2	1	—	—	—	—	—	1	—	1	2			28
28 Other defined diseases ...			8	5	82	79	14	11	17	18	11	5	21	15	77	94			29
29 Causes ill-defined or un- known.			—	—	1	—	—	1	—	1	—	—	—	—	—	—			

BEDFORDSHIRE—cont.

Causes of Death.			Amphill R.D.		Bedford R.D.		Biggles- wade R.D.		Eaton Bray R.D.		Eaton Socon R.D.		Luton R.D.				
			M	F	M	F	M	F	M	F	M	F	M	F			
ALL CAUSES			150	141	138	139	163	159	26	36	21	30	76	74			1
1 Enteric fever			—	—	—	—	—	—	—	—	—	—	—	—			2
2 Small-pox			—	—	—	—	—	—	—	—	—	—	—	—			3
3 Measles			—	—	1	—	—	—	—	—	—	—	2	—			4
4 Scarlet fever			1	—	—	—	—	—	—	—	—	—	—	—			5
5 Whooping cough			—	—	2	—	1	2	—	—	—	—	—	1			6
6 Diphtheria and croup ...			2	—	1	2	3	1	1	—	—	—	—	—			7
7 Influenza			25	40	21	22	21	39	6	5	6	7	14	15			8
8 Erysipelas			—	—	1	—	—	—	—	—	—	—	—	—			9
9 Pulmonary tuberculosis			13	6	7	9	14	13	—	3	1	—	5	8			10
10 Tuberculous meningitis			—	—	—	—	—	—	—	—	—	—	—	1			11
11 Other tuberculous diseases			1	4	2	2	2	8	1	2	1	—	2	—			12
12 Cancer, malignant disease			8	16	10	13	19	13	2	3	2	4	7	8			13
13 Rheumatic fever			2	—	—	—	—	—	—	—	—	—	1	—			14
14 Meningitis			—	1	—	5	—	—	—	—	—	—	—	—			15
15 Organic heart disease ...			9	11	9	11	11	9	4	5	2	4	3	7			16
16 Bronchitis			12	6	5	9	12	4	1	2	2	1	1	7			17
17 Pneumonia (all forms)...			9	5	7	5	12	13	1	4	1	1	5	3			18
18 Other respiratory diseases			1	—	—	1	2	3	1	1	—	—	—	1			19
19 Diarrhoea, &c. (under 2 yrs.)			1	—	—	—	2	—	—	—	—	—	—	1			20
20 Appendicitis and typhlitis			1	—	1	1	—	—	—	—	—	—	1	—			21
21 Cirrhosis of liver			1	—	—	—	1	3	—	—	—	—	1	—			21A
21A Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—			22
22 Nephritis and Bright's dis.			5	1	2	1	6	3	—	1	—	1	2	2			23
23 Puerperal fever			—	—	—	—	—	1	—	—	—	—	—	—			24
24 Parturition, apart from 23			—	3	—	1	—	—	—	—	—	—	—	—			25
25 Congenital debility, &c.			4	3	7	1	5	3	—	1	—	—	1	3			26
26 Violence, apart from 27			2	1	6	3	6	2	—	1	2	—	2	2			27
27 Suicide			1	1	1	—	—	2	—	—	—	—	—	—			28
28 Other defined diseases ...			50	40	55	50	46	40	9	8	4	12	29	14			29
29 Causes ill-defined or un- known.			2	3	—	3	—	—	—	—	—	—	—	1			

AREAS, 1918 (Civilian population only).

BERKSHIRE.

	Abingdon M.B.		Maiden- head M.B.		Newbury M.B.		New Windsor M.B.		Walling- ford M.B.		Wantage U.D.		Woking- ham M.B.						Abingdon R.D.		Bradfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
1	59	62	103	119	97	111	84	83	20	22	25	38	29	38					86	70	93	98	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	1	—	2	2
3	—	—	1	—	1	—	—	—	—	—	—	—	—	—					3	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	4
5	—	—	1	6	1	—	1	1	1	1	—	1	—	—					—	1	—	1	5
6	1	—	—	—	—	—	—	—	—	—	2	—	—	—					1	3	—	—	6
7	12	25	22	35	16	15	7	12	1	8	7	12	2	6					13	16	21	17	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	8
9	6	3	9	6	6	9	8	7	3	2	3	1	5	—					6	7	7	8	9
10	—	1	—	—	—	—	—	—	1	—	—	1	—	1					—	—	1	1	10
11	2	—	—	1	—	—	1	—	—	—	—	1	—	—					1	1	—	1	11
12	5	5	7	11	12	14	12	11	1	2	—	3	3	3					10	5	12	8	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	13
14	—	1	2	—	1	—	1	—	—	—	—	—	—	—					—	—	—	—	14
15	1	5	8	8	9	8	9	6	5	1	—	—	5	3					5	2	11	10	15
16	7	7	12	5	4	10	6	2	—	—	2	1	1	3					5	4	2	6	16
17	2	2	4	4	2	4	10	7	—	—	2	2	3	3					4	6	7	6	17
18	—	—	—	—	—	1	3	1	—	—	1	2	2	—					—	2	3	1	18
19	—	—	1	1	1	1	—	1	—	—	—	1	—	—					—	1	1	—	19
20	1	—	—	—	—	2	1	1	1	—	—	—	—	1					1	—	—	—	20
21	—	—	1	—	1	—	—	—	—	—	—	—	—	—					—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	—	—	4	5	5	3	2	2	1	—	—	—	—	2					1	—	2	4	22
23	—	—	—	1	—	—	—	1	—	—	—	—	—	—					—	—	—	—	23
24	—	—	—	—	—	1	—	2	—	—	—	1	—	—					—	—	—	2	24
25	2	—	2	4	3	1	6	1	—	1	1	1	—	2					4	3	2	1	25
26	—	—	2	5	1	—	—	2	—	1	1	—	1	—					1	—	—	1	26
27	1	1	1	1	—	—	—	—	—	—	—	—	—	—					—	1	—	—	27
28	18	12	26	26	34	42	17	26	6	6	8	8	7	14					30	17	24	28	28
29	1	—	—	—	—	—	—	—	—	—	—	1	—	—					1	—	—	—	29

BERKSHIRE—cont.

	Cookham R.D.		Easthamp- stead R.D.		Faringdon (pt.) R.D.*		Hunger- ford R.D.		Newbury R.D.		Walling- ford R.D.		Wantage R.D.		Windsor R.D.		Woking- ham R.D.						
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F					
1	61	76	115	109	68	69	67	64	74	88	40	40	91	72	100	113	111	117					1
2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—					2
3	1	2	2	—	2	1	—	4	—	—	—	—	3	1	—	2	—	—					3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—					4
5	—	2	4	1	—	—	2	3	1	—	—	1	4	1	2	3	—	1					5
6	—	1	—	—	2	—	1	—	—	—	—	—	1	—	—	1	—	—					6
7	8	14	25	22	10	12	20	14	20	14	4	9	19	13	12	19	8	24					7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1					8
9	5	3	6	8	5	6	4	4	3	6	7	2	2	3	12	14	23	9					9
10	1	—	—	—	—	—	—	—	—	1	—	—	—	3	1	—	—	—					10
11	—	1	2	—	—	—	2	—	—	—	—	—	2	1	2	3	5	1					11
12	4	8	9	9	6	13	5	7	8	16	3	4	12	8	10	14	8	18					12
13	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—					13
14	—	2	—	1	1	—	1	—	1	—	—	—	—	—	1	1	—	—					14
15	8	9	5	8	12	9	6	2	8	9	2	3	4	7	6	3	9	15					15
16	5	3	4	6	3	2	5	6	2	6	1	2	3	5	3	12	7	6					16
17	5	5	5	6	9	6	3	—	3	7	4	—	5	4	6	9	4	5					17
18	—	1	—	1	—	—	—	1	1	—	1	1	1	1	—	1	2	1					18
19	1	—	1	—	—	3	—	—	—	—	—	—	—	—	—	1	1	—					19
20	—	1	—	—	2	—	—	—	—	—	—	—	1	—	—	1	—	2					20
21	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—					21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					21A
22	2	2	4	2	3	1	1	1	1	3	2	—	1	—	4	2	4	3					22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—					23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2					24
25	4	1	1	2	—	—	2	1	2	1	2	3	3	2	5	2	1	1					25
26	5	2	3	1	2	—	1	—	—	2	4	—	7	—	5	1	4	4					26
27	—	—	1	2	—	—	—	—	1	—	1	—	—	—	4	—	1	—					27
28	11	18	41	38	11	16	14	20	21	21	8	15	21	22	24	24	32	23					28
29	—	—	—	1	—	—	—	1	2	1	—	—	1	—	—	—	—	1					29

* The remainder of Faringdon R.D. is in Gloucestershire ; see page 360.

CAUSES OF DEATH IN ADMINISTRATIVE
BUCKINGHAMSHIRE.

Causes of Death.	Ayles- bury M.B.		Beacons- field U.D.		Bletchley U.D.		Bucking- ham M.B.		Chepping Wycombe M.B.		Chesham U.D.		Eton U.D.		Linslade U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	78	118	8	19	35	35	18	19	142	163	70	67	15	17	18	19	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	1	2	—	—	—	1	1	—	1	—	—	—	—	6
6 Diphtheria and croup	3	2	—	—	—	—	—	—	2	2	—	1	—	—	—	—	7
7 Influenza	18	30	1	4	10	7	1	5	28	36	17	21	3	4	5	6	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	12	2	3	3	4	—	2	15	13	6	3	1	1	1	1	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	3	—	—	—	—	—	—	5	4	1	1	—	—	—	—	12
12 Cancer, malignant disease	9	10	—	2	—	2	2	1	13	14	3	7	2	1	1	4	13
13 Rheumatic fever	1	2	—	—	—	—	—	—	3	—	—	—	—	—	—	—	14
14 Meningitis	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	15
15 Organic heart disease ...	11	10	—	1	2	2	1	4	12	5	7	7	1	2	1	2	16
16 Bronchitis	3	7	—	1	4	3	—	—	5	20	3	3	2	2	—	—	17
17 Pneumonia (all forms) ...	8	6	—	—	—	1	1	1	8	6	7	8	1	—	1	1	18
18 Other respiratory diseases	2	2	2	—	—	—	—	—	3	1	1	1	—	—	—	—	19
19 Diarrhœa, &c. (under 2 yrs.)	—	2	—	—	—	—	—	—	2	2	1	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	1	—	—	—	1	1	—	1	—	—	1	—	1	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	—	1	1	1	3	1	1	—	1	1	—	—	—	—	23
23 Puerperal fever	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	3	4	—	—	1	—	1	1	7	3	3	—	—	—	1	—	26
26 Violence, apart from 27	1	—	—	1	1	2	—	—	4	1	2	—	—	—	—	—	27
27 Suicide	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	28
28 Other defined diseases ...	16	23	3	5	9	9	7	2	29	49	16	11	5	6	7	5	29
29 Causes ill-defined or un- known.	—	1	—	—	1	—	1	—	3	2	—	—	—	—	—	—	

BUCKINGHAMSHIRE—cont.

Causes of Death.				Marlow U.D.		Newport Pagnell U.D.		Slough U.D.				Amer- sham R.D.		Ayles- bury R.D.		Bucking- ham R.D.		Eton R.D.		
				M	F	M	F	M	F			M	F	M	F	M	F	M	F	
ALL CAUSES				27	68	34	39	130	123			114	129	106	138	49	79	150	156	
1	Enteric fever			—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
2	Small-pox			—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
3	Measles			—	—	—	—	—	1			—	—	—	—	—	—	—	—	4
4	Scarlet fever			—	—	—	—	—	—			—	—	—	—	—	—	—	—	5
5	Whooping cough			1	—	—	—	—	1			—	1	3	3	—	—	—	1	6
6	Diphtheria and croup			—	—	—	—	1	1			1	1	—	—	—	—	1	—	7
7	Influenza			5	17	9	7	21	31			27	43	20	34	14	26	19	29	8
8	Erysipelas			—	1	—	—	—	—			1	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis			2	11	3	4	15	11			14	6	7	6	2	4	11	7	10
10	Tuberculous meningitis			1	1	—	—	1	—			—	—	—	—	1	1	1	1	11
11	Other tuberculous diseases			2	—	—	—	—	—			1	2	1	—	—	—	2	1	12
12	Cancer, malignant disease			4	7	5	5	12	16			10	11	5	10	4	8	14	18	13
13	Rheumatic fever			—	—	—	—	—	—			—	—	—	—	—	—	1	1	14
14	Meningitis			—	—	—	—	1	—			—	2	—	2	—	—	1	—	15
15	Organic heart disease ...			2	7	—	1	14	12			11	8	11	25	7	9	22	19	16
16	Bronchitis			2	3	1	1	4	6			2	5	11	13	3	6	14	14	17
17	Pneumonia (all forms) ...			—	—	3	1	8	3			5	4	1	7	3	2	8	10	18
18	Other respiratory diseases			—	—	1	—	1	2			2	—	2	—	—	1	3	1	19
19	Diarrhoea, &c. (under 2 yrs.)			—	—	—	—	3	1			—	—	—	—	—	—	1	1	20
20	Appendicitis and typhlitis			—	—	—	—	1	1			1	2	1	—	1	—	3	1	21
21	Cirrhosis of liver			—	—	—	—	—	1			—	—	—	—	—	—	1	—	21A
21A	Alcoholism			—	—	—	—	—	—			—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			1	—	1	—	2	—			3	2	3	3	1	3	4	7	23
23	Puerperal fever			—	—	—	—	—	—			—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23			—	1	—	—	—	1			—	—	—	—	—	—	—	2	25
25	Congenital debility, &c.			—	2	—	2	4	1			3	6	6	3	1	3	4	3	26
26	Violence, apart from 27			—	1	1	—	7	1			3	2	3	1	2	—	6	3	27
27	Suicide			1	—	—	—	—	—			1	1	1	—	1	—	2	—	28
28	Other defined diseases ...			6	16	9	18	34	31			29	33	30	29	8	16	31	36	29
29	Causes ill-defined or un- known.			—	1	1	—	1	2			—	—	1	2	1	—	1	1	

AREAS, 1918 (Civilian population only)—continued.

BUCKINGHAMSHIRE—cont.

CAMBRIDGESHIRE.

	Hamble- den R.D.		Long Crendon R.D.		Newport Pagnell R.D.		Stratford and Wolverton R.D.		Wing R.D.		Winslow R.D.		Wycombe R.D.				Cam- bridge M.B.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F		
	5	12	36	38	135	146	71	90	52	58	47	47	176	196			349	421		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—		2
3	—	1	—	1	1	—	—	1	—	—	—	—	—	—			2	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—		4
5	—	—	—	—	—	2	—	—	—	1	1	—	1	3			3	7		5
6	1	—	—	—	—	—	—	—	—	1	—	—	—	2			1	4		6
7	1	2	13	12	24	32	12	23	9	11	8	12	34	57			43	81		7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	—		8
9	—	—	2	2	15	14	1	4	3	3	6	2	7	13			45	31		9
10	—	—	—	—	1	—	—	—	1	—	—	—	1	2			1	3		10
11	—	—	—	2	1	3	—	—	1	2	—	3	3	—			2	3		11
12	1	1	4	3	6	17	9	4	1	7	4	3	13	16			28	46		12
13	—	—	—	—	—	—	—	—	—	—	—	—	1	—			—	1		13
14	—	—	—	—	2	3	—	—	1	—	—	—	1	2			1	4		14
15	—	1	4	1	9	17	10	7	9	8	3	8	13	10			35	42		15
16	—	—	1	3	7	6	1	6	4	2	1	1	14	16			28	20		16
17	—	—	2	2	9	3	2	2	2	3	1	—	9	7			25	29		17
18	—	—	—	—	3	—	—	3	—	—	1	—	4	1			1	4		18
19	—	—	—	—	—	1	—	1	1	—	—	—	2	—			2	—		19
20	—	—	—	—	—	—	—	—	—	1	—	—	—	—			4	2		20
21	—	—	—	—	—	1	1	—	—	—	—	—	—	1			1	1		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—		21A
22	—	—	1	2	8	—	8	3	—	—	3	—	9	6			12	8		22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	—		23
24	—	—	—	—	—	—	—	—	—	—	—	1	—	—			—	1		24
25	—	—	1	—	1	5	2	2	—	—	1	1	7	8			6	16		25
26	—	—	—	—	4	—	—	1	3	1	2	2	2	2			10	6		26
27	—	—	—	—	—	—	1	1	—	—	—	—	3	2			3	2		27
28	2	6	8	10	43	41	24	32	17	17	16	13	50	47			94	109		28
29	—	—	—	—	1	1	—	—	—	1	—	1	2	1			—	1		29

CAMBRIDGESHIRE—cont.

CHESHIRE.

	Caxton and Arrington R.D.		Chester- ton R.D.		Linton R.D.		Melbourn R.D.		New- market R.D.		Swavesey R.D.				Alderley Edge U.D.		Alsager U.D.		Altrinc- ham U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F		
	50	51	167	154	67	81	61	51	163	153	20	17			12	20	19	11	152	158		
1	—	—	1	—	—	—	—	—	—	1	—	—			—	—	—	—	—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—		2
3	1	—	—	—	—	—	—	—	—	1	—	—			—	—	—	—	1	—		3
4	—	—	—	—	—	—	—	—	1	—	—	—			—	—	—	—	—	—		4
5	—	—	—	3	—	—	1	1	—	1	—	1			—	—	—	—	2	—		5
6	—	—	—	1	—	—	—	—	—	1	—	—			—	—	—	—	—	—		6
7	5	8	25	24	8	15	8	5	47	38	2	1			1	10	5	3	33	32		7
8	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—		8
9	4	5	20	12	5	6	1	3	12	10	1	—			2	1	1	1	16	11		9
10	1	—	1	1	—	1	—	—	3	1	—	—			—	—	—	—	—	2		10
11	—	2	4	1	—	—	—	—	2	—	—	—			—	—	—	—	1	3		11
12	5	4	13	17	8	11	6	8	13	16	2	—			1	1	5	1	10	17		12
13	1	—	1	—	—	—	—	1	—	—	—	—			—	—	—	—	2	1		13
14	—	—	2	2	—	—	—	—	—	1	—	—			—	—	—	—	2	3		14
15	5	3	18	20	4	6	10	5	14	17	2	—			3	2	3	1	8	14		15
16	2	4	15	10	4	8	6	6	8	19	2	1			—	—	1	—	5	9		16
17	—	2	7	5	2	3	2	2	5	7	—	—			1	—	2	—	10	11		17
18	—	—	2	1	2	1	—	—	1	—	1	—			—	1	—	—	3	4		18
19	—	1	—	—	—	—	—	—	—	1	—	—			—	—	—	—	—	—		19
20	—	—	1	1	—	—	—	—	—	—	—	—			—	—	—	—	—	1		20
21	—	—	3	1	2	—	—	—	—	1	1	—			1	—	—	—	2	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—		21A
22	—	—	2	3	4	5	1	1	5	1	1	1			—	—	—	—	1	2		22
23	—	—	—	2	—	1	—	—	—	—	—	—			—	—	—	—	—	1		23
24	—	1	—	1	—	1	—	—	—	1	—	—			—	—	—	1	—	1		24
25	6	3	4	—	2	3	3	2	6	5	1	1			—	1	—	1	14	6		25
26	1	4	5	—	1	1	1	1	2	—	—	—			1	—	—	—	3	—		26
27	—	—	1	—	—	—	2	—	2	1	—	—			—	—	—	—	1	1		27
28	17	14	42	48	25	19	20	16	42	30	7	11			2	4	2	3	37	39		28
29	2	—	—	1	—	—	—	—	—	—	—	—			—	—	—	—	1	—		29

CAUSES OF DEATH IN ADMINISTRATIVE
CHESHIRE—*cont.*

Causes of Death.				Ashton upon Mersey U.D.		Bollington U.D.		Bowdon U.D.		Bredbury and Romiley U.D.		Bromborough U.D.		Buglawton U.D.		Cheadle and Gatley U.D.		Compstall U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	36	49	32	46	12	18	51	63	19	12	4	16	49	65	8	7	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	1	—	1	—	—	1	—	—	—	—	—	1	2	—	—	6
6	Diphtheria and croup	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	7
7	Influenza	10	12	8	7	1	1	6	17	4	4	1	3	7	7	2	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis			2	—	2	4	—	2	1	1	1	—	—	2	4	1	1	1	10
10	Tuberculous meningitis			1	—	—	1	—	1	—	—	—	—	—	1	2	1	—	—	11
11	Other tuberculous diseases			—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	1	12
12	Cancer, malignant disease			4	5	2	4	1	2	2	4	—	1	—	1	6	6	1	1	13
13	Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14	Meningitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	15
15	Organic heart disease	3	4	5	6	1	4	6	8	1	—	1	1	3	14	1	2	16
16	Bronchitis	1	4	—	7	1	1	2	7	—	—	1	—	3	7	—	—	17
17	Pneumonia (all forms)	2	4	3	—	—	2	18	7	3	1	—	—	4	7	—	—	18
18	Other respiratory diseases			—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)			—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis			—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	21
21	Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			—	1	1	2	—	—	2	1	—	—	—	—	3	2	1	1	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from	23		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.			1	1	—	2	1	—	1	—	1	—	—	—	—	—	—	1	26
26	Violence, apart from	27		—	—	—	—	—	—	2	1	—	—	—	2	1	1	—	—	27
27	Suicide	1	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	28
28	Other defined diseases	...		10	15	11	11	6	5	10	12	8	6	—	3	13	16	2	—	29
29	Causes ill-defined or unknown.			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CHESHIRE—*cont.*

Causes of Death.				Congle- ton M.B.		Crewe M.B.		Dukin- field M.B.		Ellesmere Port and Whitby U.D.		Hale U.D.		Hand- forth U.D.		Hazel Grove and Bramhall U.D.		Higher Bebington U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	ALL CAUSES	92	107	361	333	161	201	93	95	55	50	5	5	58	64	11	13	1
2	Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Measles	2	3	3	2	2	—	1	2	—	—	—	—	1	3	—	—	4
5	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	Whooping cough	1	—	5	8	6	8	3	4	—	—	—	—	1	—	—	—	6
7	Diphtheria and croup	—	—	8	6	2	3	1	2	—	—	—	—	—	—	1	—	7
8	Influenza	17	27	61	73	19	38	19	21	12	9	—	—	8	7	4	4	8
9	Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
10	Pulmonary tuberculosis	5	5	23	19	11	18	5	9	3	5	—	—	1	4	1	—	10
11	Tuberculous meningitis	—	1	4	4	2	—	3	1	—	—	1	—	—	—	—	1	11
12	Other tuberculous diseases	1	—	4	5	2	10	1	1	4	—	—	—	4	—	—	—	12
13	Cancer, malignant disease	3	12	26	25	8	15	7	4	5	4	1	—	4	9	—	4	13
14	Rheumatic fever	—	—	3	3	1	1	—	—	—	—	—	—	—	—	—	—	14
15	Meningitis	—	1	3	2	—	2	—	—	—	—	—	—	—	—	—	—	15
16	Organic heart disease	4	6	23	24	16	12	6	1	6	8	1	2	5	4	—	—	16
17	Bronchitis	15	10	28	22	19	17	2	1	2	1	1	—	7	9	1	—	17
18	Pneumonia (all forms)	11	8	34	29	14	13	13	8	2	6	1	1	8	4	1	1	18
19	Other respiratory diseases	—	1	6	8	1	4	3	2	—	1	—	—	1	—	1	—	19
20	Diarrhoea, &c. (under 2 yrs.)	—	—	6	4	3	—	3	5	—	—	—	—	—	1	—	—	20
21	Appendicitis and typhlitis	—	2	1	2	—	—	—	1	—	—	—	1	—	—	—	—	21
22	Cirrhosis of liver	—	—	1	—	1	1	1	2	1	—	—	—	—	—	—	—	22
23	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Nephritis and Bright's dis.	2	2	8	5	6	10	3	2	1	—	—	—	3	1	—	—	24
25	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	25
26	Parturition, apart from	—	—	—	3	—	1	—	1	—	—	—	—	—	—	—	—	26
27	Congenital debility, &c.	4	2	18	10	5	3	6	4	1	—	—	—	1	3	—	1	27
28	Violence, apart from	1	1	8	6	6	5	3	2	4	1	—	—	1	—	—	—	28
29	Suicide	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—	29
30	Other defined diseases	26	26	87	69	36	38	13	22	14	13	—	1	13	18	3	1	30
31	Causes ill-defined or un- known.	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	31

AREAS, 1918 (Civilian population only)—*continued.*
CHESHIRE—*cont.*

	Hollingworth U.D.		Hoole U.D.		Hoylake and West Kirby U.D.		Hyde M.B.		Knutsford U.D.		Lower Bebington U.D.		Lymm U.D.		Macclesfield M.B.		Marple U.D.		Middlewich U.D.		Mottram in Longden- dale U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	16	27	42	41	76	91	262	354	31	39	92	92	36	31	267	325	29	43	34	36	9	18	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
3	—	—	—	—	1	—	3	2	1	3	—	—	—	—	—	1	—	—	—	—	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	3	—	—	1	—	—	5	—	—	2	1	1	—	2	7	1	2	—	1	1	1	5
6	—	—	1	3	—	2	2	6	—	1	1	2	—	—	1	1	—	—	—	—	—	—	6
7	—	3	5	10	8	18	44	77	3	7	15	23	3	4	38	52	4	5	4	5	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	8
9	1	—	1	2	11	6	20	18	2	3	8	10	3	3	28	17	1	2	1	1	—	2	9
10	—	—	—	—	2	1	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	10
11	—	1	—	1	1	—	2	8	1	2	3	—	—	—	—	4	—	1	1	—	—	—	11
12	1	1	6	2	4	10	12	30	2	1	5	6	1	2	18	38	4	5	2	—	2	2	12
13	—	—	—	1	—	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	13
14	—	—	—	—	—	—	6	10	—	—	—	1	—	—	1	—	—	—	1	—	—	—	14
15	4	4	3	6	5	7	26	35	—	2	9	9	2	3	33	49	3	1	5	4	—	4	15
16	—	1	2	3	1	3	22	47	6	2	1	5	3	3	20	23	3	3	1	4	—	—	16
17	1	—	8	5	5	6	27	42	1	4	9	2	3	2	19	18	2	2	2	4	—	—	17
18	2	1	2	1	1	3	1	2	—	—	—	3	—	1	1	3	—	—	—	—	1	—	18
19	—	—	—	1	1	—	—	1	1	—	2	2	—	—	1	—	2	—	—	—	—	—	19
20	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	20
21	—	—	—	—	—	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	1	—	4	3	11	5	—	—	1	—	2	2	5	5	1	5	2	2	—	1	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	24
25	4	1	—	1	2	1	16	4	—	—	6	5	3	—	14	11	1	2	2	2	—	1	25
26	—	—	1	—	1	1	9	9	2	—	3	1	—	1	3	6	1	—	2	—	—	—	26
27	—	—	—	—	1	1	—	1	1	—	—	1	—	—	2	1	—	1	—	—	—	—	27
28	3	10	11	5	26	25	58	51	10	13	26	17	13	9	75	85	6	12	10	12	5	6	28
29	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	29

CHESHIRE—*cont.*

	Nantwich U.D.		Neston and Parkgate U.D.		Northwich U.D.		Runcorn U.D.		Sale U.D.		Sandbach U.D.		Stalybridge M.B.		Tarpорley U.D.		Wilmslow U.D.		Winsford U.D.		Yeardsley cum Whaley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	66	70	32	26	164	145	154	106	116	99	60	50	253	228	15	9	48	68	61	71	12	18	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	1	—	—	4	3	2	5	—	—	1	1	—	—	—	—	—	—	—	2	—	—	3
4	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	3	—	1	2	2	2	—	1	—	—	2	2	4	5	3	—	—	—	3	8	—	—	5
6	—	—	—	—	1	2	—	1	1	—	—	—	4	3	—	—	1	—	1	—	—	1	6
7	15	13	6	3	43	44	28	20	10	19	14	18	31	37	—	1	8	12	9	8	2	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	4	3	1	1	4	5	9	10	3	7	—	2	26	20	1	—	1	2	3	4	1	1	9
10	—	—	1	—	1	—	1	1	—	2	—	—	1	2	—	—	1	1	1	1	—	—	10
11	1	2	1	—	2	2	2	—	1	1	1	—	9	6	—	—	1	1	—	1	—	—	11
12	6	7	3	4	15	6	7	7	6	8	3	—	22	16	1	2	—	5	2	6	2	4	12
13	—	—	—	—	—	—	—	1	1	1	—	—	2	2	—	—	—	—	—	—	—	—	13
14	1	2	—	1	—	1	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	14
15	5	4	5	2	14	10	9	9	6	16	4	3	18	19	—	—	4	7	2	7	1	2	15
16	2	4	2	2	13	6	5	7	7	4	2	1	26	21	5	1	6	5	10	3	1	—	16
17	5	12	—	5	14	12	24	14	18	4	11	2	20	22	—	—	5	8	7	4	1	1	17
18	—	—	1	—	1	—	6	1	3	4	—	—	8	1	—	—	—	—	1	1	—	—	18
19	—	3	1	—	5	3	1	—	2	2	—	2	—	1	—	—	—	—	—	—	—	—	19
20	—	—	—	—	2	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	20
21	—	—	—	1	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	1	2	1	5	2	6	—	1	—	8	2	—	1	2	4	2	1	1	—	22
23	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	2	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	24
25	1	3	1	—	4	6	6	4	4	5	2	3	13	9	1	1	1	—	1	4	2	—	25
26	4	1	3	1	4	1	12	1	4	2	2	1	4	3	1	—	1	—	5	2	—	—	26
27	2	1	—	—	—	—	1	—	2	—	1	—	2	1	—	—	—	—	—	—	—	—	27
28	14	13	5	3	31	36	35	20	40	22	14	14	52	51	3	3	18	22	14	18	1	5	28
29	1	—	—	—	1	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
CHESHIRE—cont.

Causes of Death.		Bucklow R.D.		Chester R.D.		Congle- ton R.D.		Disley R.D.		Maccles- field R.D.		Malpas R.D.		Nantwich R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	141	152	66	80	103	82	14	23	110	92	37	42	161	182	1
1 Enteric fever	...	—	—	—	2	—	—	—	—	—	—	—	—	—	1	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	1	—	1	—	1	—	—	—	—	—	—	—	2	4	4
4 Scarlet fever	...	1	—	—	1	1	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	1	—	—	1	—	—	—	—	1	2	—	—	2	4	6
6 Diphtheria and croup	...	2	—	1	2	1	2	—	—	—	—	—	—	—	3	7
7 Influenza	...	24	30	9	11	33	25	1	5	20	27	6	5	39	46	8
8 Erysipelas	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	5	7	4	1	5	4	—	1	9	2	1	—	7	6	10
10 Tuberculous meningitis	...	—	—	—	—	2	—	—	—	1	—	—	—	1	—	11
11 Other tuberculous diseases	...	2	1	2	1	—	2	2	—	2	—	—	5	2	3	12
12 Cancer, malignant disease	...	13	16	2	6	6	9	2	1	7	4	1	2	8	17	13
13 Rheumatic fever	...	—	—	1	—	1	1	—	—	—	—	—	—	1	—	14
14 Meningitis	...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	15
15 Organic heart disease	...	19	11	10	14	7	6	1	2	11	9	3	4	13	15	16
16 Bronchitis	...	6	9	5	4	1	—	1	1	8	5	3	1	9	5	17
17 Pneumonia (all forms)	...	10	15	7	3	10	7	—	3	10	6	5	8	15	18	18
18 Other respiratory diseases	...	—	1	1	—	—	—	—	—	1	1	—	1	2	2	19
19 Diarrhoea, &c. (under 2 yrs.)	...	1	—	2	2	1	—	—	—	—	—	—	—	1	1	20
20 Appendicitis and typhlitis	...	—	1	1	1	—	—	—	—	—	1	—	—	1	1	21
21 Cirrhosis of liver	...	1	—	—	—	—	—	—	—	2	—	—	—	1	1	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	4	1	4	1	1	—	—	—	1	1	2	1	2	—	23
23 Puerperal fever	...	—	3	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	3	—	2	—	—	—	—	—	1	—	—	—	2	25
25 Congenital debility, &c.	...	3	7	1	3	4	—	—	—	2	1	1	—	6	2	26
26 Violence, apart from 27	...	4	3	1	—	4	—	—	—	3	3	3	—	5	2	27
27 Suicide	...	3	—	1	—	—	1	—	—	1	1	—	—	2	1	28
28 Other defined diseases	...	40	44	13	24	25	25	7	10	31	28	12	15	41	46	29
29 Causes ill-defined or un- known.	...	—	—	—	—	—	—	—	—	—	—	—	—	1	1	

CHESHIRE—cont. CORNWALL.

Causes of Death.		North- wich R.D.		Runcorn R.D.		Tarvin R.D.		Tint- wistle R.D.		Wirral R.D.		Bodmin M.B.		Callington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	177	176	199	187	80	112	16	14	113	119	32	38	12	9	1
1 Enteric fever	...	1	—	—	—	—	—	—	—	—	—	1	3	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	2	3	1	1	—	—	—	—	1	—	—	—	—	—	4
4 Scarlet fever	...	1	1	—	1	—	—	—	—	1	—	—	—	—	—	5
5 Whooping cough	...	2	3	2	3	—	—	—	—	1	1	—	—	—	—	6
6 Diphtheria and croup	...	2	1	3	2	—	3	—	—	—	—	1	—	—	—	7
7 Influenza	...	42	43	25	43	18	29	5	3	11	17	4	7	1	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	11	9	16	14	3	5	2	1	12	12	6	3	2	1	10
10 Tuberculous meningitis	...	2	1	3	1	—	2	—	—	1	2	—	—	—	—	11
11 Other tuberculous diseases	...	1	2	3	3	3	1	—	2	1	—	—	—	—	—	12
12 Cancer, malignant disease	...	9	14	18	16	6	8	—	1	10	14	3	2	2	1	13
13 Rheumatic fever	...	—	—	1	—	1	—	—	1	1	—	—	—	—	—	14
14 Meningitis	...	1	—	1	1	2	3	—	—	2	—	—	—	—	—	15
15 Organic heart disease	...	5	17	15	13	7	13	—	3	5	11	4	4	3	—	16
16 Bronchitis	...	10	17	11	11	1	4	1	1	5	8	—	3	2	2	17
17 Pneumonia (all forms)	...	18	13	20	13	3	7	2	—	12	3	1	1	—	1	18
18 Other respiratory diseases	...	1	1	4	1	1	—	—	—	1	3	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	1	—	—	—	—	—	—	—	—	2	1	—	—	—	20
20 Appendicitis and typhlitis	...	—	—	—	2	—	—	—	—	—	—	—	1	—	—	21
21 Cirrhosis of liver	...	—	—	1	—	2	—	—	—	2	—	—	—	1	—	21A
21A Alcoholism	...	—	—	1	1	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	7	4	1	5	2	—	—	3	5	1	1	—	1	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	1	—	2	—	—	—	—	—	1	—	1	—	—	25
25 Congenital debility, &c.	...	12	2	8	1	3	4	—	—	5	1	1	—	—	1	26
26 Violence, apart from 27	...	2	4	6	1	2	1	1	—	4	2	1	—	—	—	27
27 Suicide	...	1	2	2	1	1	—	—	—	1	1	—	—	—	—	28
28 Other defined diseases	...	50	34	54	54	22	29	5	2	34	36	7	12	1	1	29
29 Causes ill-defined or un- known.	...	—	1	—	1	—	1	—	—	—	—	1	—	—	—	

AREAS, 1918 (Civilian population only)—continued.
CORNWALL—cont.

	Cam- borne U.D.		Falmouth M.B.		Fowey M.B.		Hayle U.D.		Helston M.B.		Laun- ceston M.B.		Liskeard M.B.		Looe U.D.		Lost- withiel M.B.		Ludgvan U.D.		Madron U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	133	136	124	111	16	19	4	9	22	22	18	29	24	38	16	25	13	15	19	14	20	36	1
2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	1	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	3	3	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
6	6	1	—	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	6
7	10	8	10	11	5	2	—	—	6	4	2	4	2	1	1	6	2	2	3	—	2	4	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	30	15	5	6	—	4	—	1	—	3	3	1	4	2	1	4	—	—	3	3	2	2	9
10	4	2	1	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	10
11	3	1	1	1	—	—	1	—	—	—	—	2	—	3	—	—	—	—	—	—	—	—	11
12	9	17	7	7	5	2	—	—	2	2	2	2	2	2	1	2	3	1	1	1	2	4	12
13	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	13	23	6	11	1	—	—	3	2	2	1	5	2	10	4	3	2	2	2	1	3	2	15
16	7	4	9	13	—	1	—	—	—	—	2	1	3	1	—	—	2	5	1	—	—	2	16
17	7	8	11	6	2	—	—	—	1	—	1	—	1	2	—	3	1	2	1	4	1	1	17
18	2	2	3	1	—	—	—	1	—	—	—	1	1	—	—	—	—	—	2	—	—	—	18
19	—	2	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	2	3	7	—	—	—	—	—	—	2	—	1	1	1	—	—	—	—	—	1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	7	2	6	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	1	25
26	9	1	24	2	—	—	—	1	1	1	—	—	1	—	1	—	1	1	—	—	—	—	26
27	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	—	27
28	15	41	28	38	1	7	3	2	7	9	4	9	5	13	6	7	2	2	5	5	9	20	28
29	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CORNWALL—cont.

	Newquay U.D.		Padstow U.D.		Paul U.D.		Penryn M.B.		Penzance M.B.		Phillack U.D.		Redruth U.D.		St. Austell U.D.		St. Ives M.B.		St. Just U.D.		Saltash M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	28	39	13	18	37	41	32	18	83	88	43	33	86	84	17	34	58	71	50	43	16	19	1
2	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	2
3	—	—	—	—	—	—	—	—	—	—	4	—	2	1	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	2	—	3	1	—	2	1	—	—	—	—	—	1	—	—	—	5
6	—	—	—	1	—	—	1	—	—	2	4	4	—	—	1	2	—	—	—	2	—	2	6
7	1	4	4	7	3	2	1	1	8	10	2	1	6	7	1	4	4	18	8	8	1	2	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	5	2	—	—	1	2	2	—	4	9	1	2	17	8	2	1	5	4	4	13	—	—	9
10	—	—	—	—	1	1	1	—	1	—	—	—	2	1	—	—	3	—	—	—	—	—	10
11	—	2	—	—	1	—	—	—	1	—	2	1	1	—	—	—	—	—	—	—	1	—	11
12	2	9	—	1	3	5	1	2	2	7	2	2	8	11	—	5	6	9	2	1	—	3	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	14
15	2	3	—	2	5	7	2	1	5	8	4	3	4	11	4	7	6	5	5	2	1	2	15
16	—	—	—	3	—	3	3	6	5	10	1	3	4	7	2	1	3	5	6	1	3	—	16
17	1	4	2	—	—	3	1	—	6	5	3	1	5	1	1	1	2	3	1	1	1	2	17
18	—	—	—	1	1	—	—	1	—	—	4	—	8	2	—	—	—	—	6	2	—	—	18
19	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	20
21	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	—	2	3	1	—	4	2	1	—	6	1	1	1	—	2	1	—	1	—	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	1	—	1	1	3	1	2	—	4	—	3	3	3	4	—	—	2	—	3	1	3	—	25
26	7	—	1	—	3	—	2	1	10	1	2	1	3	—	—	—	6	1	1	1	—	—	26
27	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	27
28	6	14	5	2	13	12	12	4	26	30	8	10	15	28	5	12	19	23	11	11	5	4	28
29	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	2	1	—	—	—	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
CORNWALL—cont.

Causes of Death.		Stratton and Bude U.D.		Torpoint U.D.		Truro M.B.		Wade- bridge U.D.				Bodmin R.D.		Calstock R.D.		Camel- ford R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	25	26	29	35	62	94	19	11			64	75	43	43	63	57	
1	Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—			—	—	1	—	—	—	4
5	Whooping cough	—	1	—	1	1	1	—	—			—	—	—	—	—	—	5
6	Diphtheria and croup	—	—	—	—	1	1	—	—			—	2	—	1	1	1	6
7	Influenza	4	1	2	4	6	9	3	2			7	9	4	7	12	7	7
8	Erysipelas	—	—	—	—	—	—	—	—			—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	2	3	1	6	6	2	—			2	5	7	6	2	1	9
10	Tuberculous meningitis	—	—	—	2	—	1	—	—			—	1	—	—	2	—	10
11	Other tuberculous diseases	—	—	—	—	—	3	—	—			1	2	1	2	—	1	11
12	Cancer, malignant disease	3	2	2	4	1	7	1	1			8	10	3	3	1	4	12
13	Rheumatic fever	—	—	—	—	—	1	—	—			—	—	—	—	—	—	13
14	Meningitis	—	—	—	1	1	—	—	—			—	1	—	—	—	—	14
15	Organic heart disease	3	2	2	5	8	11	—	1			9	10	2	4	8	5	15
16	Bronchitis	1	3	1	4	4	6	1	1			3	3	3	1	2	1	16
17	Pneumonia (all forms)	1	—	3	2	2	2	2	—			6	2	1	2	11	5	17
18	Other respiratory diseases	—	1	—	1	1	3	—	—			1	—	1	—	—	1	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	1	—	—	—			3	—	—	1	—	—	19
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	—			—	—	—	—	—	—	20
21	Cirrhosis of liver	—	1	—	—	—	1	—	—			—	—	—	—	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	1	—	4	1	—	1			—	1	1	1	1	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—			—	2	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	—			—	—	—	—	—	—	24
25	Congenital debility, &c.	2	—	2	1	3	1	—	1			2	—	2	—	—	1	25
26	Violence, apart from 27	2	—	1	1	3	—	3	—			1	1	2	—	1	3	26
27	Suicide	1	—	—	1	—	—	—	—			3	1	1	—	1	—	27
28	Other defined diseases	5	12	12	7	19	38	6	4			17	26	13	15	20	24	28
29	Causes ill-defined or un- known.	—	—	—	—	1	1	1	—			1	—	—	—	3	—	29

CORNWALL—cont.

Causes of Death.		East Kerrier R.D.		Helston R.D.		Hols- worthy (pt.) R.D.*		Laun- ceston R.D.		Liskeard R.D.		Redruth R.D.		St. Austell R.D.		St. Columb Major R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	54	55	114	126	—	3	48	62	117	111	158	171	210	237	77	77	
1	Enteric fever	—	—	—	—	—	—	—	—	1	—	1	1	1	2	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	2	—	—	—	—	—	1	1	6	7	1	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	—	1	—	2	—	—	—	—	6	1	3	4	4	5	—	1	5
6	Diphtheria and croup	1	1	—	—	—	—	—	1	—	1	3	—	1	2	—	2	6
7	Influenza	6	10	10	16	—	—	11	12	12	11	7	15	42	43	6	9	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	3	14	4	—	—	2	5	11	6	25	14	17	14	1	4	9
10	Tuberculous meningitis	—	1	1	1	—	—	1	1	1	1	1	—	1	2	—	—	10
11	Other tuberculous diseases	1	—	1	1	—	—	—	—	1	—	3	2	3	3	—	—	11
12	Cancer, malignant disease	6	4	8	14	—	—	3	1	6	8	5	16	15	21	4	12	12
13	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	2	—	1	—	2	—	—	—	14
15	Organic heart disease	7	7	9	14	—	—	—	10	16	22	13	20	19	32	9	11	15
16	Bronchitis	4	2	2	11	—	—	4	5	5	3	9	8	11	16	4	4	16
17	Pneumonia (all forms)	4	1	9	6	—	—	5	3	8	4	7	9	9	7	14	7	17
18	Other respiratory diseases	—	1	8	—	—	—	1	2	2	1	6	—	5	1	1	1	18
19	Diarrhoea, &c. (under 2 yrs.)	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1	19
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	—	2	1	—	—	2	—	—	—	20
21	Cirrhosis of liver	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	3	3	2	—	—	3	1	1	5	5	6	9	2	2	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	2	—	1	—	2	—	—	24
25	Congenital debility, &c.	1	—	3	2	—	—	1	1	4	5	9	6	6	8	2	1	25
26	Violence, apart from 27	2	2	10	3	—	—	1	2	4	2	11	1	7	1	4	—	26
27	Suicide	—	—	—	1	—	—	1	—	2	—	—	—	1	1	—	—	27
28	Other defined diseases	14	17	33	47	—	1	15	18	30	36	36	61	53	66	26	21	28
29	Causes ill-defined or un- known.	1	1	—	2	—	—	—	—	1	1	5	—	1	6	4	—	29

* The remainder of Holsworthy R.D. is in Devonshire ; see page 351.

AREAS, 1918 (Civilian population only)—continued.

CORNWALL—cont.

CUMBERLAND.

	St. Ger- mans R.D.		Scilly, Isles of R.D.		Stratton R.D.		Truro R.D.		West Penwith R.D.						Arlecdon and Frizington U.D.		Aspatria U.D.		Cleator Moor U.D.		Cocker- mouth U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
1	96	92	10	15	50	56	173	185	93	95					41	31	18	25	71	61	42	57	1
2	2	1	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	—	—	1	—	1					—	1	—	—	1	4	—	—	3
4	—	—	—	—	—	—	—	1	—	—					—	—	—	—	—	—	—	—	4
5	3	1	—	—	—	1	—	2	—	—					1	1	2	—	1	—	1	1	5
6	1	—	—	—	—	—	—	—	—	1					1	—	1	—	—	—	1	—	6
7	10	15	1	2	7	13	9	13	15	18					3	6	4	4	13	6	18	14	7
8	—	—	—	—	—	2	—	—	—	—					—	—	—	—	—	—	—	—	8
9	7	7	—	1	—	7	16	12	14	5					4	—	—	3	2	6	—	2	9
10	1	1	—	—	—	—	1	1	—	—					—	—	—	—	—	—	—	—	10
11	2	—	—	—	—	2	2	3	1	2					2	—	—	—	2	1	—	1	11
12	11	9	—	1	—	5	11	20	5	12					1	2	—	—	5	2	2	8	12
13	1	—	—	—	1	—	—	—	—	—					—	—	1	—	1	—	—	—	13
14	—	—	—	—	—	—	—	1	—	1					1	—	1	—	2	—	—	—	14
15	6	12	1	5	5	5	13	27	8	9					2	3	2	4	1	4	—	6	15
16	7	7	—	—	2	5	12	11	5	6					1	2	3	—	2	3	4	6	16
17	3	5	1	—	4	3	13	16	6	3					4	5	—	—	10	4	1	3	17
18	4	2	—	1	—	—	6	4	2	2					3	—	—	—	3	1	2	2	18
19	—	—	—	—	—	—	—	1	—	1					2	1	—	—	1	—	1	—	19
20	1	—	—	—	1	—	1	1	1	—					—	—	—	—	—	—	—	—	20
21	1	1	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	21A
22	1	1	1	1	—	—	4	1	2	2					—	—	—	—	1	3	—	4	22
23	—	1	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—					—	—	—	2	—	1	—	—	24
25	5	3	1	1	—	1	4	3	3	3					1	2	1	1	7	5	2	—	25
26	3	—	2	2	16	—	16	2	8	—					5	—	1	—	8	—	1	—	26
27	2	1	—	—	—	—	1	1	—	—					—	—	—	—	—	—	—	—	27
28	25	23	3	—	13	12	57	63	20	30					10	8	3	10	11	20	9	8	28
29	—	1	—	1	1	—	6	2	2	—					—	—	—	—	—	1	—	—	29

CUMBERLAND—cont.

	Egremont U.D.		Harring- ton U.D.		Holme Cultram U.D.		Keswick U.D.		Maryport U.D.		Millom U.D.		Penrith U.D.		White- haven M.B.		Wigton U.D.		Working- ton M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	78	67	40	25	31	37	34	35	91	100	85	70	61	71	180	218	23	42	224	201	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	—	1	—	—	1	—	—	—	—	—	11	10	—	—	4	2	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—	—	—	—	—	—	—	—	—	1	3	1	—	1	4	1	2	—	1	5
6	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	7	10	6
7	26	27	6	7	1	3	4	5	22	34	12	12	3	10	19	38	2	6	27	33	7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	1	4	—	3	1	2	6	—	6	3	3	7	6	9	16	1	5	6	14	9
10	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	5	1	10
11	1	2	—	—	—	1	—	—	1	2	—	—	—	—	4	4	1	1	8	3	11
12	5	3	—	—	3	5	5	4	6	5	4	8	5	8	9	11	1	3	14	11	12
13	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	3	—	—	1	1	13
14	2	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	—	—	1	—	14
15	1	4	4	—	2	7	2	2	5	10	8	5	12	13	6	16	3	4	13	15	15
16	5	3	4	1	1	3	2	4	2	7	13	10	2	2	31	28	3	7	13	16	16
17	9	7	1	4	2	1	3	2	9	4	5	2	7	5	17	16	1	2	34	23	17
18	2	2	—	—	—	—	—	1	2	1	4	—	1	—	4	2	—	1	5	1	18
19	—	2	—	1	1	—	—	—	—	1	1	1	—	—	3	10	—	—	6	5	19
20	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	1	20
21	—	—	—	—	—	—	1	—	1	1	—	—	1	—	1	1	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	—	1	4	2	1	1	1	1	2	3	—	—	2	1	4	2	—	—	3	2	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	2	24
25	7	2	5	2	2	1	—	—	10	3	4	5	—	—	8	5	—	—	20	9	25
26	2	—	2	—	2	1	2	1	3	—	7	—	2	2	6	6	2	1	11	2	26
27	—	—	1	—	—	1	—	—	1	—	—	1	—	—	1	—	1	—	2	3	27
28	15	11	7	5	11	12	11	9	20	20	21	17	15	22	43	44	7	10	41	45	28
29	—	—	—	—	1	—	—	—	3	—	—	—	—	—	2	1	—	—	2	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
CUMBERLAND—cont.

Causes of Death.		Alston with Garrigill R.D.		Bootle R.D.		Brampton R.D.		Carlisle R.D.		Cocker- mouth R.D.		Longtown R.D.		Penrith R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	23	28	42	44	60	72	80	81	179	168	60	41	84	77	1
1 Enteric fever	...	—	—	—	—	1	—	—	—	1	1	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	1	7	4	—	1	—	—	4
4 Scarlet fever	...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	—	—	—	1	2	—	—	1	1	—	—	—	1	6
6 Diphtheria and croup	...	—	1	—	—	—	1	1	1	4	—	—	—	—	1	7
7 Influenza	...	6	6	12	7	8	10	14	15	35	40	13	6	15	19	8
8 Erysipelas	...	—	—	—	—	—	1	—	—	—	—	—	—	1	—	9
9 Pulmonary tuberculosis	...	—	3	2	1	2	1	3	8	4	11	6	1	4	5	10
10 Tuberculous meningitis	...	1	—	—	—	—	—	1	—	1	1	—	—	2	1	11
11 Other tuberculous diseases	...	—	—	—	1	—	—	1	—	—	—	4	4	1	1	12
12 Cancer, malignant disease	...	2	3	8	3	8	7	13	8	10	10	2	2	5	7	13
13 Rheumatic fever...	...	—	2	—	—	—	—	1	—	—	—	—	—	—	—	14
14 Meningitis	...	—	—	—	1	—	—	1	—	1	—	—	—	1	—	15
15 Organic heart disease	...	1	3	5	3	7	3	5	9	16	13	4	5	12	8	16
16 Bronchitis	...	—	—	1	3	4	7	1	4	6	16	1	1	4	4	17
17 Pneumonia (all forms)	...	—	1	1	3	5	7	4	6	19	11	2	—	6	2	18
18 Other respiratory diseases	...	—	1	—	3	—	2	—	1	4	5	1	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	—	1	2	—	2	3	1	—	—	2	20
20 Appendicitis and typhlitis	...	—	—	1	—	—	2	2	1	—	1	—	—	1	1	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	3	—	1	2	1	1	1	2	6	—	1	1	2	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	1	—	1	—	—	24
24 Parturition, apart from 23	...	—	—	—	1	—	—	—	1	—	—	—	2	—	1	25
25 Congenital debility, &c.	...	—	—	1	1	4	—	2	1	10	8	3	5	3	3	26
26 Violence, apart from 27	...	2	2	3	2	1	1	2	1	8	3	—	1	—	4	27
27 Suicide	...	1	—	—	—	2	—	4	—	2	1	—	—	—	—	28
28 Other defined diseases	...	7	3	8	14	14	26	17	23	42	30	23	11	27	15	29
29 Causes ill-defined or un- known.	...	—	—	—	—	—	—	5	—	4	2	—	—	—	—	29

CUMBERLAND—cont.

DERBYSHIRE.

Causes of Death.		White- haven R.D.		Wigton R.D.		Alfreton U.D.		Alvaston and Boulton U.D.		Ashbourne U.D.		Bakewell U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	107	99	98	88	157	169	11	8	28	27	29	19	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	1	1	—	1	1	2	1	—	—	—	—	—	4
4 Scarlet fever	...	—	2	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	...	1	3	—	2	—	3	—	—	2	2	—	—	6
6 Diphtheria and croup	...	—	—	—	—	3	8	—	—	—	—	—	—	7
7 Influenza	...	24	21	21	18	37	39	1	1	2	5	8	9	8
8 Erysipelas	...	—	1	1	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	3	6	3	2	5	6	1	1	3	—	2	2	10
10 Tuberculous meningitis	...	—	1	1	—	1	—	—	—	—	1	—	—	11
11 Other tuberculous diseases	...	1	1	2	3	2	1	—	—	—	—	—	—	12
12 Cancer, malignant disease	...	7	5	7	9	15	13	—	2	1	5	3	1	13
13 Rheumatic fever...	...	—	—	2	1	—	—	—	—	—	—	—	—	14
14 Meningitis	...	3	1	1	—	1	1	—	—	—	—	—	—	15
15 Organic heart disease	...	3	5	9	11	8	6	2	1	2	—	2	—	16
16 Bronchitis	...	2	7	3	6	7	8	—	—	2	1	2	—	17
17 Pneumonia (all forms)	...	12	11	9	3	14	10	1	—	1	3	1	—	18
18 Other respiratory diseases	...	5	3	2	2	4	—	1	1	—	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	3	2	1	1	2	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	...	1	—	—	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	...	—	—	—	—	—	1	—	—	—	—	1	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	1	—	2	1	1	2	—	—	1	—	—	1	23
23 Puerperal fever	...	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	2	—	1	—	2	—	—	—	—	—	—	25
25 Congenital debility, &c.	...	7	4	6	2	11	9	—	—	2	—	—	—	26
26 Violence, apart from 27	...	8	2	2	1	5	1	—	—	—	2	—	1	27
27 Suicide	...	—	—	1	—	1	—	—	—	—	—	—	—	28
28 Other defined diseases	...	26	19	23	23	37	54	4	2	13	8	8	4	29
29 Causes ill-defined or un- known.	...	2	1	1	—	2	1	—	—	1	—	—	—	29

AREAS, 1918 (Civilian population only)—*continued*.
DERBYSHIRE—*cont.*

	Baslow and Bubnell U.D.		Belper U.D.		Bolsover U.D.		Bonsall U.D.		Brampton and Walton U.D.		Buxton M.B.		Chester- field M.B.		Clay Cross U.D.		Dronfield U.D.		Glossop M.B.		Heage U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	3	2	92	84	82	98	14	7	7	16	86	105	351	368	72	81	39	43	146	163	26	16	1
2	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	1	1	1	2	—	—	—	2
3	—	—	—	—	3	3	—	—	—	—	—	—	7	5	2	2	—	—	—	—	1	—	3
4	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	4	2	4	2	—	—	—	1	1	1	6	3	5	4	2	—	2	1	—	—	5
6	—	—	—	1	1	2	—	—	—	2	2	1	—	3	—	—	—	4	2	—	—	—	6
7	—	—	12	14	16	33	—	1	1	3	16	15	81	113	9	11	6	2	16	17	3	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	1	—	6	6	3	4	2	—	—	1	6	7	22	28	4	5	1	2	16	17	1	1	9
10	—	—	—	1	3	—	—	—	—	—	—	—	2	4	—	—	—	—	1	—	—	—	10
11	—	—	1	1	1	4	—	1	—	—	2	1	8	9	—	1	1	1	2	3	—	—	11
12	—	—	—	8	5	6	2	1	—	1	6	9	12	15	1	4	2	—	5	16	1	1	12
13	—	—	—	—	—	1	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	13
14	—	—	—	1	—	—	—	—	—	—	—	1	2	2	1	—	1	—	3	1	—	1	14
15	—	1	8	7	2	3	2	1	—	3	4	7	25	21	4	7	2	4	10	12	1	—	15
16	—	—	10	6	7	6	—	—	1	2	8	7	31	24	5	5	6	9	14	15	1	1	16
17	—	—	11	11	11	11	3	1	2	—	7	8	38	34	5	6	8	12	7	15	—	3	17
18	—	—	1	1	—	2	—	—	1	—	4	2	4	4	—	—	—	—	—	1	—	—	18
19	—	—	1	—	—	1	—	—	—	—	—	2	2	5	3	1	1	1	1	2	—	—	19
20	—	—	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	2	—	20
21	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	1	—	3	—	—	1	—	—	1	—	4	4	5	4	—	4	1	1	9	10	1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	24
25	—	—	8	7	6	4	—	—	—	1	6	4	21	19	5	7	—	—	2	2	1	1	25
26	—	—	3	1	4	2	—	—	—	—	3	3	13	3	5	—	—	—	3	2	5	1	26
27	1	—	3	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	27
28	—	1	17	14	14	11	5	2	1	4	14	30	59	62	21	19	7	7	49	41	8	4	28
29	—	—	—	—	2	1	—	—	—	—	1	2	5	6	1	2	—	1	—	1	—	—	29

DERBYSHIRE—*cont.*

	Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		Matlock U.D.		Matlock Bath and Scarthin Nick U.D.		New Mills U.D.		North Darley U.D.		Ripley U.D.		South Darley U.D.		Swadlin- cote District U.D.		Whitting- ton and Newbold U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	166	151	226	255	145	122	49	54	13	7	50	67	21	31	80	89	4	5	164	142	168	160	1
2	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
3	5	4	—	4	—	—	—	—	—	—	—	—	—	—	6	6	—	—	—	1	2	2	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5	5	6	1	2	—	4	1	—	—	—	—	—	1	—	—	—	1	6	10	—	—	—	5
6	1	1	—	2	—	—	2	1	—	—	—	—	—	—	—	2	—	—	—	1	1	—	6
7	28	27	62	75	11	20	4	10	2	2	8	12	6	9	7	11	1	—	45	38	48	46	7
8	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	13	5	8	10	6	9	5	7	—	—	1	2	—	1	3	9	1	—	7	1	9	10	9
10	—	—	—	2	2	2	—	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	10
11	1	2	4	3	3	1	—	—	—	—	—	1	—	2	2	2	—	2	3	2	3	1	11
12	11	14	9	22	9	9	4	3	1	—	5	5	2	2	4	8	—	—	6	6	6	8	12
13	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	13
14	2	—	5	4	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	2	14
15	9	12	15	13	6	4	7	11	—	1	2	4	2	2	4	6	—	—	6	17	12	10	15
16	9	12	21	37	4	9	4	4	2	—	4	4	—	4	6	4	—	—	8	6	6	11	16
17	14	10	16	11	17	18	3	2	—	1	8	5	1	2	16	11	—	—	15	13	19	13	17
18	2	1	5	1	—	3	—	—	—	1	—	—	—	—	3	1	—	—	3	2	2	1	18
19	1	1	7	4	—	2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	3	3	19
20	—	1	1	—	—	1	—	—	—	—	1	—	1	—	—	1	—	—	1	—	—	1	20
21	—	1	2	—	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	1	2	5	1	3	3	1	—	1	—	4	—	—	1	1	—	—	3	7	1	4	22
23	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	24
25	10	7	14	9	8	4	—	—	2	—	—	3	—	1	6	3	1	—	15	12	9	11	25
26	5	5	17	4	44	4	1	—	1	—	2	—	—	—	1	—	—	—	12	4	6	3	26
27	1	—	2	2	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	1	1	—	27
28	42	36	35	38	30	29	15	13	4	—	17	24	6	6	18	20	1	1	26	17	34	30	28
29	2	1	—	—	2	—	—	1	—	—	1	—	—	1	1	1	—	—	1	1	4	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
DERBYSHIRE—cont.

Causes of Death.	Wirks- worth U.D.					Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel en le Frith R.D.		
	M	F				M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	36	37				70	74	147	195	158	162	314	307	106	91	
1 Enteric fever	—	—				—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—				—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—				—	—	—	1	—	1	5	5	1	—	3
4 Scarlet fever	—	—				—	—	—	—	—	1	2	—	—	—	4
5 Whooping cough	2	1				1	2	2	2	4	4	4	6	2	2	5
6 Diphtheria and croup	1	—				1	—	—	—	—	2	5	2	1	1	6
7 Influenza	7	2				12	22	39	70	31	27	50	65	16	16	7
8 Erysipelas	—	—				—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	2	1				2	6	10	13	8	11	21	13	5	9	9
*10 Tuberculous meningitis	—	—				—	—	—	—	—	1	4	2	—	—	10
11 Other tuberculous diseases	—	1				2	1	1	1	6	2	7	8	1	—	11
12 Cancer, malignant disease	1	3				1	6	15	9	5	13	14	21	12	7	12
13 Rheumatic fever... ..	—	—				—	1	—	—	—	—	1	—	—	—	13
14 Meningitis	1	1				—	—	1	1	—	1	1	1	—	1	14
15 Organic heart disease	3	2				9	7	9	19	11	12	14	16	4	3	15
16 Bronchitis	3	1				2	4	7	11	10	9	31	17	8	5	16
17 Pneumonia (all forms)	5	3				8	4	7	2	13	16	49	41	6	6	17
18 Other respiratory diseases	—	—				1	—	1	—	2	1	1	1	1	1	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—				—	—	1	1	1	—	13	16	—	—	19
20 Appendicitis and typhlitis	—	—				—	—	1	—	2	2	—	1	2	—	20
21 Cirrhosis of liver	—	—				—	—	1	—	—	1	—	1	1	—	21
21A Alcoholism	—	—				—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	3				2	2	3	4	4	1	3	2	4	6	22
23 Puerperal fever	—	—				—	—	—	1	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	—				—	—	—	—	—	1	—	2	—	—	24
25 Congenital debility, &c.	1	—				5	1	4	5	6	8	18	13	4	1	25
26 Violence, apart from 27	1	1				3	—	2	6	8	7	19	5	3	—	26
27 Suicide	—	—				1	—	—	—	1	—	2	—	1	2	27
28 Other defined diseases	7	18				20	18	42	48	45	40	48	67	33	28	28
29 Causes ill-defined or un- known.	—	—				—	—	1	—	1	—	2	2	1	3	29

DERBYSHIRE—cont.

Causes of Death.	Chester- field R.D.		Clowne R.D.		Glossop Dale R.D.		Hartshorn and Seals R.D.		Hayfield R.D.		Norton R.D.		Repton R.D.		Shardlow R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	633	577	121	124	27	28	58	55	27	39	38	22	113	114	239	252	
1 Enteric fever	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	10	9	1	—	—	—	3	2	—	—	1	1	1	—	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	11	12	4	2	2	1	1	2	—	—	—	—	2	—	4	5	5
6 Diphtheria and croup	3	4	3	—	—	—	—	—	—	—	—	—	—	1	5	6	6
7 Influenza	118	153	27	26	4	1	15	10	2	8	9	4	24	30	34	51	7
8 Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9 Pulmonary tuberculosis	25	30	6	9	2	2	2	2	1	4	2	—	3	6	17	14	9
10 Tuberculous meningitis	2	2	—	1	—	—	1	—	—	—	—	—	1	—	1	2	10
11 Other tuberculous diseases	7	10	1	3	—	—	—	—	1	—	—	—	2	1	3	4	11
12 Cancer, malignant disease	26	33	4	3	7	2	2	7	4	1	—	2	8	12	16	26	12
13 Rheumatic fever... ..	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	13
14 Meningitis	6	4	—	—	—	—	—	—	—	—	—	—	3	1	—	1	14
15 Organic heart disease	50	40	4	9	1	3	4	2	4	3	3	1	8	11	17	16	15
16 Bronchitis	49	36	10	13	1	3	4	1	2	4	1	3	6	4	15	19	16
17 Pneumonia (all forms)	73	70	12	13	1	—	3	6	2	—	5	1	9	7	19	17	17
18 Other respiratory diseases	5	5	1	1	—	—	2	1	—	—	—	—	1	1	3	2	18
19 Diarrhoea, &c. (under 2 yrs.)	13	7	3	—	—	—	—	—	—	—	—	—	1	2	2	2	19
20 Appendicitis and typhlitis	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	4	20
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	12	15	2	—	—	2	1	1	—	1	3	1	6	3	4	6	22
23 Puerperal fever	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	1	23
24 Parturition, apart from 23	—	5	—	—	—	—	—	1	—	—	—	—	—	—	—	4	24
25 Congenital debility, &c.	31	31	11	8	—	—	3	3	1	2	1	1	4	4	6	5	25
26 Violence, apart from 27	33	6	2	1	—	—	3	1	3	—	2	—	3	1	18	2	26
27 Suicide	2	1	—	—	—	1	—	1	—	—	—	—	1	—	—	—	27
28 Other defined diseases	150	99	26	34	8	11	11	13	6	16	11	8	26	29	72	62	28
29 Causes ill-defined or un- known.	2	2	3	1	1	—	2	—	—	—	—	—	3	—	—	1	29

AREAS, 1918 (Civilian population only)—*continued.*

DERBYSHIRE—*cont.*

DEVONSHIRE.

Sudbury R.D.				Codnor Park and Shipley C. P.'s*				Ash-burton U.D.		Axminster U.D.		Bampton U.D.		Barn-staple M.B.		Bideford M.B.		Brixham U.D.		Buck-fastleigh U.D.		
	M	F		M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	14	12		12	13			13	24	10	17	10	11	111	116	78	80	51	71	16	27	1
2	—	—		—	—			—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
3	—	—		—	—			—	—	—	—	—	—	—	—	2	1	—	—	—	—	3
4	—	1		—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—		—	—			—	—	—	—	—	—	—	—	1	—	1	—	—	—	5
6	—	—		—	—			—	1	—	—	—	—	—	—	—	2	1	—	—	—	6
7	1	2		4	6			1	2	3	3	—	—	10	13	17	21	6	10	4	5	7
8	—	—		—	—			—	—	—	—	—	—	1	—	—	—	1	—	—	—	8
9	—	—		3	—			2	2	1	2	—	—	17	10	10	5	6	1	—	2	9
10	1	—		—	—			—	1	—	—	—	—	2	1	—	—	—	—	—	—	10
11	—	—		1	—			—	—	—	—	—	—	2	—	2	1	—	—	—	—	11
12	1	1		—	1			2	2	—	2	1	1	5	8	2	6	3	5	—	2	12
13	—	—		—	—			—	—	—	—	—	—	1	—	—	—	—	—	—	—	13
14	1	—		—	1			—	—	—	—	—	—	—	—	—	1	—	—	—	—	14
15	1	1		1	1			—	1	—	1	1	1	5	8	4	14	4	12	—	3	15
16	—	—		—	—			1	—	—	—	3	2	3	6	7	5	5	3	—	1	16
17	2	1		—	—			3	4	2	1	—	1	10	7	9	5	3	8	2	4	17
18	1	—		—	1			—	—	—	—	—	1	2	1	—	—	1	—	—	—	18
19	—	—		—	—			—	—	—	—	—	—	1	—	1	1	2	—	—	—	19
20	—	—		—	—			—	—	—	—	—	—	—	3	—	—	—	—	—	—	20
21	—	—		—	—			—	—	—	—	—	—	1	—	—	—	—	—	—	—	21
21A	—	—		—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1		—	—			—	2	—	1	—	—	6	2	2	1	2	1	1	—	22
23	—	—		—	—			—	—	—	—	—	—	—	—	—	—	—	1	—	1	23
24	—	—		—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	—		—	1			—	—	1	—	—	—	2	5	1	2	—	2	1	2	25
26	—	—		2	—			—	—	—	—	—	—	2	1	1	1	3	—	2	—	26
27	1	—		1	—			—	—	—	—	—	—	3	—	—	—	—	—	—	—	27
28	4	5		—	1			4	9	3	7	5	4	37	51	19	16	13	25	6	7	28
29	—	—		—	—			—	—	—	—	—	1	—	—	—	—	—	—	—	—	29

DEVONSHIRE—*cont.*

	Budleigh Salterton U.D.		Crediton U.D.		Dart- mouth M.B.		Dawlish U.D.		Ex- mouth U.D.		Great Tor- rington M.B.		Hols- worthy U.D.		Honiton M.B.		Ilfracombe U.D.		Ivybridge U.D.		Kings- bridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	17	18	30	31	43	70	27	29	78	85	17	30	9	8	21	26	44	73	16	15	20	20	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	6
7	2	1	3	7	6	14	3	3	8	2	1	5	—	2	3	2	2	6	—	2	1	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	1	3	1	7	7	3	—	3	6	—	4	—	—	1	3	3	6	1	4	1	—	9
10	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	10
11	1	—	—	2	—	2	—	—	1	1	—	—	1	1	—	—	—	1	1	1	—	—	11
12	1	4	1	4	3	2	—	1	5	6	1	1	1	—	2	2	6	8	1	—	1	7	12
13	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—	14
15	—	3	5	3	2	6	4	4	14	15	2	3	—	2	2	1	6	10	2	—	3	—	15
16	1	1	1	2	3	4	1	—	4	7	2	4	—	1	—	1	5	2	3	3	2	1	16
17	—	1	3	1	—	1	—	1	8	6	3	1	—	—	2	3	1	6	—	—	1	1	17
18	2	—	—	—	2	2	—	—	2	—	—	1	—	1	1	1	2	1	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	1	—	2	—	—	—	—	20
21	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	—	1	1	1	4	2	4	4	—	—	—	1	—	1	2	2	—	—	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	1	3	—	—	1	1	1	2	3	—	—	—	—	1	—	—	1	1	—	2	—	25
26	2	1	—	—	2	1	1	—	1	1	1	—	—	—	—	—	1	—	1	1	—	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	27
28	4	5	9	8	15	23	12	14	20	33	6	8	6	1	8	9	11	28	5	2	6	8	28
29	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	29

* Administered by Basford R.D.C. (Nottinghamshire).

DEVONSHIRE—cont.

Causes of Death.		Lynton U.D.		Newton Abbot U.D.		Northam U.D.		Okeham- ton M.B.		Ottery St. Mary U.D.		Paignton U.D.		Salcombe U.D.		Seaton U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES ...	7	9	90	98	45	66	34	23	26	33	97	110	16	10	5	10
1	Enteric fever ...	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles ...	—	—	1	—	2	3	—	—	1	—	1	1	—	—	—	3
4	Scarlet fever ...	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	5
6	Diphtheria and croup ...	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	6
7	Influenza ...	1	1	15	12	13	22	11	7	3	1	9	20	—	1	—	7
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	7	11	3	4	4	3	2	2	11	8	2	—	1	9
10	Tuberculous meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	—	1	1	1	—	1	1	1	—	1	1	—	—	2	11
12	Cancer, malignant disease	1	—	7	5	4	5	3	4	2	3	10	14	1	1	—	12
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease ...	—	1	9	6	3	6	1	—	6	5	17	17	3	1	2	15
16	Bronchitis ...	—	—	7	4	3	4	—	—	1	6	4	4	1	1	—	16
17	Pneumonia (all forms) ...	1	1	5	10	2	3	—	—	—	3	5	9	—	—	—	17
18	Other respiratory diseases	—	—	2	3	1	—	1	1	1	—	—	—	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	—	1	—	—	2	1	—	—	—	20
21	Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	21
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	1	5	1	1	—	—	—	—	6	—	—	1	—	22
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	24
25	Congenital debility, &c.	—	—	5	1	1	1	1	—	—	—	7	3	—	—	1	25
26	Violence, apart from 27	—	—	3	—	2	—	3	—	—	1	2	1	2	—	—	26
27	Suicide ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	3	4	24	36	6	11	9	6	8	9	20	28	7	5	1	28
29	Causes ill-defined or un- known.	—	1	1	1	1	—	—	—	—	1	—	—	—	—	—	29

DEVONSHIRE—cont.

Causes of Death.		Sidmouth U.D.		South Molton M.B.		Tavistock U.D.		Teign- mouth U.D.		Tiverton M.B.		Torquay M.B.		Totnes M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	39	46	20	27	30	35	64	71	57	60	286	336	39	39	
1	Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles ...	—	—	2	2	—	—	1	1	—	—	3	2	1	—	3
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	1	—	1	1	1	1	1	—	5
6	Diphtheria and croup ...	—	—	1	2	—	—	—	1	1	1	3	1	1	3	6
7	Influenza ...	1	4	2	1	1	8	5	6	2	7	34	50	6	7	7
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	5	2	1	—	3	—	6	11	4	3	31	32	3	7	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	1	1	—	—	10
11	Other tuberculous diseases	—	1	1	—	1	1	—	—	—	3	5	3	2	1	11
12	Cancer, malignant disease	5	6	1	1	5	6	5	5	3	7	17	32	2	3	12
13	Rheumatic fever...	—	—	—	—	—	—	1	—	—	—	1	1	—	—	13
14	Meningitis ...	—	—	—	—	—	1	—	1	1	—	1	1	—	—	14
15	Organic heart disease ...	5	6	3	5	4	2	10	7	8	7	30	42	4	1	15
16	Bronchitis ...	1	3	1	3	—	1	3	4	3	1	12	18	2	2	16
17	Pneumonia (all forms) ...	1	5	3	1	3	4	7	2	3	—	20	18	6	2	17
18	Other respiratory diseases	—	2	—	—	—	2	2	1	1	2	6	5	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	1	—	—	1	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	—	—	3	—	—	20
21	Cirrhosis of liver ...	1	1	—	—	—	—	4	—	—	—	2	—	—	—	21
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	—	2	—	—	2	4	1	4	9	8	2	1	22
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	1	—	2	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	2	—	—	24
25	Congenital debility, &c.	1	—	—	1	—	—	1	—	2	—	7	2	1	—	25
26	Violence, apart from 27	2	1	—	—	1	1	1	1	2	1	6	2	1	—	26
27	Suicide ...	—	—	1	1	—	—	—	1	—	—	1	—	—	—	27
28	Other defined diseases ...	15	12	4	8	12	9	14	24	24	21	94	110	7	12	28
29	Causes ill-defined or un- known.	1	—	—	—	—	—	1	—	—	—	1	—	—	—	29

AREAS, 1918 (Civilian population only)—continued.

DEVONSHIRE—cont.

		Axminster R.D.		Barnstaple R.D.		Bideford R.D.		Broadwood Widger R.D.		Crediton R.D.		Culmstock R.D.		Hols- worthy (pt.) R.D.*		Honiton R.D.		Kings- bridge. R.D.		Newton Abbot R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		75	57	123	120	44	47	16	11	79	77	18	25	59	50	65	51	82	86	135	125	
1		—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3
4		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	2	5
6		—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	6
7		8	9	7	15	10	10	2	3	9	9	—	1	11	6	9	5	3	7	21	7	7
8		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	8
9		5	5	14	8	1	4	—	—	9	6	1	2	—	3	4	1	7	6	11	16	9
10		1	—	2	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	10
11		—	—	2	2	1	1	—	—	1	—	—	—	—	1	—	—	—	1	4	1	11
12		5	7	10	11	1	7	2	2	7	5	1	3	2	5	6	6	6	8	12	16	12
13		—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14		—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	1	—	14
15		8	3	10	16	4	4	2	2	7	14	1	3	11	7	10	7	19	13	19	22	15
16		9	5	6	8	3	2	1	1	10	4	1	1	6	3	1	2	3	6	10	5	16
17		2	1	11	6	3	6	—	—	4	4	5	4	7	—	12	1	1	7	6	4	17
18		1	3	2	3	1	2	1	—	1	2	—	1	—	1	2	2	—	1	2	1	18
19		—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	19
20		—	1	5	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	20
21		—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		—	5	7	4	2	—	—	—	2	2	1	—	1	2	1	—	1	2	5	3	22
23		—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24		—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	24
25		4	—	1	2	3	1	—	—	1	3	1	1	2	1	—	3	4	1	1	6	25
26		1	—	6	1	5	—	2	—	3	1	—	—	2	—	—	—	1	—	1	—	26
27		1	—	1	1	—	—	—	—	2	—	1	—	1	—	3	—	1	1	2	—	27
28		30	17	29	38	8	8	4	3	19	23	5	9	15	15	16	21	33	31	36	37	28
29		—	1	3	2	1	1	1	—	1	2	—	—	—	1	—	1	—	—	—	—	29

DEVONSHIRE—cont.

DORSETSHIRE.

		Oke- hampton R.D.		Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Torrington R.D.		Totnes R.D.		Blandford Forum M.B.		Bridport M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		105	128	128	156	179	165	81	87	93	120	93	91	73	75	79	82	37	27	51	56	
1		—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		—	—	2	2	1	3	—	—	1	2	—	—	2	2	—	1	—	—	—	—	3
4		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5		—	2	—	3	1	—	—	4	1	—	—	—	1	1	—	1	3	1	—	—	5
6		—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	6
7		14	27	22	29	23	31	11	10	16	19	5	12	3	12	12	13	2	5	4	7	7
8		—	—	1	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—	8
9		7	9	11	18	14	14	4	4	5	15	4	6	9	2	7	5	5	1	3	6	9
10		—	2	1	1	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	10
11		2	1	2	2	3	2	—	1	1	—	—	2	—	—	—	—	1	—	—	1	11
12		8	11	4	15	11	9	3	11	7	11	5	6	8	11	4	9	3	2	6	9	12
13		—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	13
14		—	—	1	—	—	—	—	2	1	1	—	—	—	—	1	—	—	—	1	—	14
15		7	8	16	18	22	23	3	14	9	14	11	17	5	9	5	15	3	1	2	6	15
16		7	4	4	12	16	18	6	7	5	2	6	2	3	8	6	7	1	2	—	4	16
17		11	8	11	11	21	11	13	9	3	4	9	5	8	6	6	4	4	4	3	2	17
18		2	2	1	1	3	1	—	1	1	—	1	—	2	—	—	—	—	—	—	—	18
19		—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	19
20		—	4	—	—	1	1	—	1	1	2	—	1	—	—	—	—	—	—	—	—	20
21		—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		—	2	3	4	8	6	6	—	2	4	7	3	5	1	1	4	1	—	2	1	22
23		—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24		—	1	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	24
25		4	4	7	1	5	4	1	1	5	1	6	3	3	1	5	2	1	1	1	—	25
26		3	1	5	1	9	3	1	—	1	1	5	—	2	1	6	1	1	1	4	1	26
27		3	2	2	—	2	—	1	1	2	—	—	—	—	—	1	1	—	—	1	—	27
28		36	38	34	35	36	36	31	20	29	39	31	30	22	19	24	20	11	9	23	19	28
29		1	1	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	1	—	29

* The remainder of Holsworthy R.D. is in Cornwall ; see page 344.

CAUSES OF DEATH IN ADMINISTRATIVE
DORSETSHIRE—cont.

Causes of Death.	Dorchester M.B.		Lyme Regis M.B.		Poole M.B.		Portland U.D.		Shaftes- bury M.B.		Sher- borne U.D.		Swanage U.D.		Ware- ham M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	68	67	15	20	274	308	63	64	13	9	38	39	29	31	20	19	
1 Enteric fever	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	3	—	—	4	5	2	—	—	—	2	3	2	2	—	—	5
6 Diphtheria and croup	—	—	—	—	2	6	—	—	—	—	—	—	—	—	—	2	6
7 Influenza	9	16	2	—	36	55	12	24	3	1	7	7	2	6	4	4	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	3	3	3	3	14	32	7	4	2	—	2	3	2	3	2	—	9
10 Tuberculous meningitis	1	—	—	1	4	1	—	1	—	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	—	—	—	—	4	1	1	—	—	—	—	—	—	—	—	—	11
12 Cancer, malignant disease	10	5	1	2	22	26	2	5	1	2	5	6	2	7	—	2	12
13 Rheumatic fever... ..	1	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	13
14 Meningitis	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	14
15 Organic heart disease	8	10	—	1	25	25	6	4	2	1	3	3	6	4	1	1	15
16 Bronchitis	7	2	1	2	19	12	1	2	—	—	1	2	—	—	2	1	16
17 Pneumonia (all forms)	8	5	—	—	11	12	2	4	—	—	2	—	1	—	—	—	17
18 Other respiratory diseases	1	—	—	—	7	9	—	1	—	—	—	—	—	1	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	—	3	2	2	1	—	—	1	—	—	—	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	3	—	—	2	—	—	—	—	—	—	1	—	20
21 Cirrhosis of liver	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	2	1	1	12	9	4	1	—	—	1	—	—	—	—	3	22
23 Puerperal fever	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	3	4	1	—	17	9	1	2	—	—	1	—	2	2	3	—	25
26 Violence, apart from 27	2	—	1	—	10	4	8	—	1	1	1	—	—	—	—	—	26
27 Suicide	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	27
28 Other defined diseases	13	15	5	10	70	87	14	11	4	4	12	14	12	6	5	5	28
29 Causes ill-defined or un- known.	—	—	—	—	3	—	1	1	—	—	—	—	—	—	—	—	29

DORSETSHIRE—cont.

Causes of Death.	Weymouth and Mel- combe Regis M.B.		Wim- borne Minster U.D.		Bea- minster R.D.		Bland- ford R.D.		Bridport R.D.		Cerne R.D.		Dor- chester R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	148	163	25	32	55	58	82	58	51	48	28	35	52	49	
1 Enteric fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	4	—	—	—	1	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	2	—	—	—	—	2	—	—	—	—	—	—	—	5
6 Diphtheria and croup	—	—	—	—	—	—	1	—	—	—	—	—	—	—	6
7 Influenza	18	27	2	3	9	8	7	7	4	3	1	5	7	3	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	10	12	2	1	5	1	6	2	5	3	2	4	4	3	9
10 Tuberculous meningitis	2	1	—	—	—	—	1	—	—	1	—	—	1	—	10
11 Other tuberculous diseases	—	1	2	—	—	1	2	—	2	—	—	—	1	—	11
12 Cancer, malignant disease	13	11	2	2	3	2	7	7	4	—	2	3	2	5	12
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	—	—	—	—	—	—	13
14 Meningitis	—	1	—	—	—	1	—	—	—	—	—	—	—	1	14
15 Organic heart disease	16	21	—	4	5	9	4	5	8	10	4	5	9	10	15
16 Bronchitis	6	4	1	1	3	2	6	3	2	1	1	—	1	3	16
17 Pneumonia (all forms)	6	5	2	—	3	3	9	3	2	—	1	—	1	2	17
18 Other respiratory diseases	2	3	1	1	1	—	1	2	1	—	—	—	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	—	—	—	—	1	—	—	—	—	—	19
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	2	1	—	—	—	—	—	—	1	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	4	5	—	—	2	1	4	2	—	—	1	—	2	1	22
23 Puerperal fever	—	3	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	—	—	—	24
25 Congenital debility, &c.	5	6	1	—	3	3	1	1	1	3	3	1	1	1	25
26 Violence, apart from 27	7	3	—	—	1	1	1	2	4	2	2	—	—	—	26
27 Suicide	—	—	—	—	1	—	1	—	1	1	—	—	1	—	27
28 Other defined diseases	55	54	12	18	19	25	25	19	15	23	9	17	21	19	28
29 Causes ill-defined or un- known.	1	—	—	1	—	—	2	1	—	1	1	—	—	1	29

AREAS, 1918 (Civilian population only)—continued.

DORSETSHIRE—cont.

DURHAM.

	Poole R.D.		Shaftes- bury R.D.		Sherborne R.D.		Stur- minster R.D.		Wareham and Purbeck R.D.		Weymouth R.D.		Wimborne and Cranborne R.D.						Annfield Plain U.D.		Barnard Castle U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
1	35	50	72	61	36	41	55	71	63	60	65	51	104	111					127	121	44	40	1
2	—	—	—	—	—	—	1	—	—	—	—	—	—	1					—	—	—	—	2
3	—	—	—	—	—	—	—	—	1	—	—	—	—	1					3	3	—	1	3
4	—	—	—	—	—	—	1	—	—	—	—	—	—	—					4	1	—	—	4
5	—	1	—	1	—	—	—	1	—	—	—	1	—	—					2	5	2	1	5
6	—	—	—	—	—	1	—	3	—	1	—	—	—	—					2	3	—	—	6
7	4	11	10	9	8	6	8	12	7	5	7	8	15	13					11	15	10	5	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	8
9	4	9	5	3	4	2	2	2	4	4	3	2	9	3					11	9	3	5	9
10	—	—	—	—	—	—	1	—	—	2	1	—	—	—					2	1	—	—	10
11	1	1	1	—	1	—	—	3	1	—	—	—	2	1					3	1	1	1	11
12	3	6	5	6	3	2	3	6	4	8	5	4	12	16					5	7	2	4	12
13	—	—	—	—	—	—	—	—	—	1	—	—	—	2					—	—	—	—	13
14	—	—	1	1	—	—	—	—	—	1	2	—	1	—					4	1	1	—	14
15	1	7	8	7	3	3	6	10	13	11	9	8	10	16					14	23	5	7	15
16	1	3	6	3	1	1	4	1	4	8	2	1	7	3					9	3	2	1	16
17	2	—	2	1	—	1	2	2	3	4	4	2	1	4					5	11	4	3	17
18	1	—	—	3	—	—	1	1	—	1	2	1	—	2					—	1	2	—	18
19	—	—	1	—	—	—	1	—	—	—	—	—	1	1					2	1	—	—	19
20	—	—	—	1	—	—	—	—	—	—	—	—	—	—					—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	5	2	1	2	1	1	3	2	5	2	4	4	2	5					2	2	—	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	1	—	—					—	2	—	—	24
25	1	1	2	—	2	1	—	1	3	1	3	—	5	2					8	7	—	1	25
26	1	—	2	2	—	2	2	—	8	—	3	—	2	1					8	1	1	—	26
27	1	—	—	—	—	1	—	—	—	—	1	—	2	1					1	—	—	—	27
28	9	9	28	22	13	19	20	27	9	10	19	18	34	39					29	24	10	9	28
29	1	—	—	—	—	—	—	—	1	1	—	1	—	—					1	—	—	—	29

DURHAM—cont.

	Benfield- side U.D.		Bishop Auckland U.D.		Blaydon U.D.		Brandon and Byshottles U.D.		Chester le Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	66	57	141	130	288	244	152	129	141	129	126	84	131	139	171	161	274	221	245	259	287	246	1
2	—	—	—	2	—	1	—	6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	2	1	3	—	—	—	—	—	2	—	—	—	—	13	17	—	1	3
4	—	—	—	—	1	6	—	1	—	2	—	—	1	—	—	—	1	1	5	5	—	—	4
5	—	4	3	5	4	2	3	5	1	3	1	1	1	3	2	2	10	11	2	6	1	9	5
6	1	1	—	—	3	4	1	—	2	1	—	5	1	—	1	—	1	1	—	2	2	2	6
7	8	8	30	27	42	46	15	16	23	43	15	8	42	51	19	34	44	43	34	58	77	71	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	5	4	10	10	16	21	13	3	6	6	6	5	6	7	16	10	19	19	15	27	32	23	9
10	1	—	—	—	6	1	1	1	2	1	1	1	—	1	1	—	2	2	3	—	8	4	10
11	2	—	1	4	1	—	3	1	—	2	1	3	2	1	2	1	4	1	2	—	4	5	11
12	3	5	6	6	11	15	6	8	6	6	6	3	5	5	8	8	14	10	5	9	13	12	12
13	—	—	—	—	—	—	1	—	1	1	1	1	1	—	—	—	—	1	—	—	—	—	13
14	—	—	—	1	2	—	—	2	1	—	—	—	3	2	—	1	1	4	2	—	2	2	14
15	4	4	9	9	13	10	12	9	7	5	11	9	7	12	10	11	23	12	17	6	22	16	15
16	6	2	13	7	13	16	11	4	4	9	3	2	10	10	29	22	15	6	28	19	10	12	16
17	11	7	10	14	44	39	29	21	8	8	20	18	14	14	16	15	30	23	23	23	34	20	17
18	—	—	3	2	2	3	5	3	2	2	3	2	—	2	2	3	—	2	—	1	4	3	18
19	2	1	1	1	19	9	8	3	4	6	4	2	2	1	1	1	10	4	3	3	16	8	19
20	—	—	—	—	—	—	—	—	1	2	—	—	1	1	—	—	—	—	—	—	1	1	20
21	—	—	3	—	—	1	—	—	1	1	2	1	—	—	2	—	—	—	—	1	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	—	3	4	—	6	2	3	5	5	5	1	3	2	—	3	5	5	4	1	2	5	2	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	23
24	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	1	—	2	—	1	24
25	5	5	8	4	22	16	10	5	11	7	9	2	8	7	7	6	17	10	13	13	16	18	25
26	1	—	2	1	8	4	5	1	4	2	4	—	3	—	5	4	6	6	16	2	8	2	26
27	—	—	1	—	—	1	—	—	—	—	1	—	1	1	1	—	3	—	—	1	2	—	27
28	16	13	35	37	73	42	24	31	52	16	35	17	19	19	44	36	67	59	62	61	27	31	28
29	1	—	2	—	2	1	—	—	—	—	1	—	2	1	2	1	2	1	—	2	2	2	29

CAUSES OF DEATH IN ADMINISTRATIVE

DURHAM—cont.

Causes of Death.		Hetton U.D.		Houghton le Spring U.D.		Jarrow M.B.		Leadgate U.D.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		South- wick on Wear U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES ...	143	144	83	82	381	365	41	41	127	107	139	137	127	125	153	141
1	Enteric fever ...	1	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ...	—	—	1	—	—	—	—	—	—	—	—	1	1	1	5	2
4	Scarlet fever ...	2	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—
5	Whooping cough ...	6	3	2	3	5	14	2	—	2	6	—	1	3	2	1	10
6	Diphtheria and croup ...	1	1	—	—	2	4	1	2	12	10	1	1	1	4	1	—
7	Influenza ...	21	26	13	7	71	105	5	8	25	17	19	23	20	35	20	20
8	Erysipelas ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	6	17	5	6	43	35	3	4	6	5	7	15	4	7	11	13
10	Tuberculous meningitis	2	—	—	—	2	3	2	—	1	—	—	2	2	1	4	6
11	Other tuberculous diseases	7	5	2	—	10	7	—	—	2	1	—	—	5	3	4	2
12	Cancer, malignant disease	5	11	7	6	15	16	2	2	4	8	6	5	2	7	3	6
13	Rheumatic fever...	—	—	—	1	1	1	—	—	1	—	—	—	1	—	—	—
14	Meningitis ...	1	1	1	2	3	2	1	1	—	2	—	3	—	1	—	—
15	Organic heart disease ...	9	8	4	7	20	13	4	4	10	7	15	17	5	4	6	9
16	Bronchitis ...	7	10	4	4	20	21	3	2	8	2	6	6	13	10	12	8
17	Pneumonia (all forms)...	12	9	2	8	53	34	5	5	13	15	22	11	7	8	24	20
18	Other respiratory diseases	1	1	1	1	2	4	—	—	1	—	2	—	1	—	2	—
19	Diarrhoea, &c. (under 2 yrs.)	3	1	—	2	8	5	1	2	—	3	2	6	1	3	8	2
20	Appendicitis and typhlitis	1	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—
21	Cirrhosis of liver	—	1	—	—	—	2	—	—	—	—	1	—	—	—	—	—
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.	1	1	4	4	7	7	—	—	2	1	2	1	2	—	3	4
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from 23	—	1	—	—	—	2	—	2	—	2	—	1	—	2	—	—
25	Congenital debility, &c.	19	9	8	4	24	17	2	3	5	4	14	12	7	6	14	7
26	Violence, apart from 27	8	3	9	2	19	3	1	—	4	—	7	1	8	2	6	1
27	Suicide ...	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—
28	Other defined diseases ...	28	35	18	24	73	68	8	6	28	24	32	28	41	29	29	30
29	Causes ill-defined or un- known.	1	1	1	—	3	—	—	—	—	—	1	1	—	—	—	1

DURHAM—cont.

Causes of Death.		Spenny- moor U.D.		Stanhope U.D.		Stanley U.D.		Stockton on Tees M.B.		Tanfield U.D.		Tow Law U.D.		Whickham U.D.		Willington U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES ...	181	192	17	16	202	180	626	588	89	62	32	19	141	139	88	65
1	Enteric fever ...	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ...	1	1	—	—	—	—	19	17	—	1	—	—	1	1	—	—
4	Scarlet fever ...	—	—	—	—	5	6	2	3	1	—	—	—	—	—	—	—
5	Whooping cough ...	1	1	—	—	8	9	16	6	3	1	—	—	—	—	1	2
6	Diphtheria and croup ...	1	4	—	—	7	4	4	4	—	1	—	1	—	2	1	—
7	Influenza ...	54	65	2	—	39	41	89	141	8	13	1	3	25	20	24	19
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	15	13	1	2	12	8	44	42	4	2	1	1	8	10	—	6
10	Tuberculous meningitis	—	—	—	—	2	1	4	3	—	—	1	—	—	2	—	—
11	Other tuberculous diseases	1	2	—	—	3	2	10	10	4	2	—	—	4	2	—	—
12	Cancer, malignant disease	2	4	1	—	4	12	22	23	7	2	1	1	7	7	3	4
13	Rheumatic fever...	—	—	1	—	—	3	3	1	2	—	—	—	1	—	—	—
14	Meningitis ...	6	1	—	—	3	1	3	5	—	—	—	—	—	1	—	—
15	Organic heart disease ...	5	10	3	2	7	7	48	40	10	10	4	1	13	8	3	2
16	Bronchitis ...	13	13	1	3	11	16	50	42	3	4	2	4	6	13	12	4
17	Pneumonia (all forms)...	17	18	1	2	18	9	72	62	12	8	2	1	17	19	9	4
18	Other respiratory diseases	—	2	1	—	2	—	6	7	2	—	—	—	2	—	—	2
19	Diarrhoea, &c. (under 2 yrs.)	7	1	—	—	6	5	22	21	2	—	—	—	2	4	1	1
20	Appendicitis and typhlitis	—	1	—	—	—	—	3	2	—	—	—	—	1	1	1	—
21	Cirrhosis of liver	—	—	—	—	1	1	3	2	—	—	1	—	—	—	1	—
21A	Alcoholism ...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.	4	4	—	1	6	5	10	7	2	1	—	—	—	2	1	1
23	Puerperal fever ...	—	—	—	—	—	1	—	3	—	1	—	—	—	—	—	—
24	Parturition, apart from 23	—	—	—	—	—	—	—	4	—	1	—	1	—	—	—	1
25	Congenital debility, &c.	10	8	1	—	12	20	32	22	7	5	2	1	8	9	7	4
26	Violence, apart from 27	4	1	1	—	4	—	24	9	2	—	1	—	5	2	3	—
27	Suicide ...	—	—	1	—	—	—	3	1	—	—	—	—	1	1	—	1
28	Other defined diseases ...	40	41	3	6	50	28	134	108	20	10	16	5	37	34	21	14
29	Causes ill-defined or un- known.	—	1	—	—	2	—	1	1	—	—	—	—	3	1	—	—

AREAS, 1918 (Civilian population only)—continued.
DURHAM—cont.

						Auckland R.D.	Barnard Castle R.D.	Chester le Street R.D.	Darlington R.D.	Durham R.D.	Easington R.D.	Hartlepool R.D.	Houghton le Spring R.D.	Lanchester R.D.										
						M	F	M	F	M	F	M	F	M	F	M	F	M	F					
1						542	521	85	103	581	598	88	79	248	227	620	600	28	32	210	195	282	272	1
2						—	—	1	—	1	1	—	—	—	1	4	3	—	—	2	2	2	1	2
3						—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4						7	—	—	—	8	10	1	2	5	7	15	14	—	1	—	3	10	5	4
5						—	3	—	—	5	8	—	—	—	—	1	5	—	—	—	—	—	—	5
6						8	11	—	1	15	16	1	1	4	2	7	7	—	2	3	2	6	9	6
7						3	1	—	—	9	7	—	—	1	3	3	6	—	—	1	1	2	2	7
8						123	151	8	14	111	145	23	17	40	44	86	104	2	9	31	32	37	58	8
9						—	—	—	1	—	—	—	—	—	—	3	—	—	—	1	—	—	—	9
10						27	33	3	5	30	37	5	2	10	10	33	34	—	2	12	13	18	23	10
11						4	3	3	—	9	3	1	—	3	2	5	7	—	1	2	2	2	—	11
12						7	5	—	2	13	5	1	—	1	3	16	9	—	—	1	2	5	4	12
13						18	22	5	5	22	36	4	6	11	14	23	28	1	1	5	12	10	7	13
14						3	1	—	—	3	1	—	—	—	—	1	1	—	—	1	2	3	—	14
15						—	3	—	—	5	2	1	—	2	—	9	5	—	—	1	1	—	3	15
16						29	29	5	13	35	32	6	9	16	17	25	23	3	—	12	11	16	17	16
17						53	33	10	2	26	27	7	4	32	27	52	38	1	1	22	23	17	10	17
18						35	30	10	10	61	44	4	—	31	22	67	72	5	4	19	19	37	39	18
19						8	8	1	2	12	7	—	—	4	2	10	6	3	1	2	1	4	5	19
20						12	9	—	—	24	27	—	3	6	6	36	30	1	1	9	2	8	2	20
21						2	—	—	—	1	1	—	—	—	—	2	3	1	—	3	1	2	—	21
21A						1	1	—	—	2	—	—	—	1	—	—	1	—	—	1	2	2	1	21A
22						—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23						4	8	—	3	13	10	1	1	7	5	13	11	3	1	6	3	4	10	23
24						—	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	24
25						—	5	—	3	—	7	—	2	—	1	—	2	—	—	—	—	—	3	25
26						40	28	8	9	50	46	2	4	23	16	48	42	—	1	23	13	31	12	26
27						26	7	2	1	19	7	4	2	7	3	33	8	1	—	15	2	14	4	27
28						2	—	—	—	1	2	—	1	—	—	4	—	—	—	2	2	—	1	28
29						126	127	29	30	104	114	24	25	42	41	123	137	7	7	37	43	50	55	29
						4	2	—	2	2	2	3	—	2	1	1	2	—	—	—	—	2	—	

DURHAM—cont.												ELY, ISLE OF.															
Sedgefield R.D.			South Shields R.D.		Stockton R.D.		Sunderland R.D.		Weardale R.D.					Chatteris U.D.			Ely U.D.		March U.D.		Whittlesey U.D.						
	M	F	M	F	M	F	M	F	M	F				M	F	M	F	M	F	M	F						
1	301	289	162	162	116	104	244	261	69	50				52	40	38	58	53	46	36	43						1
2	—	1	—	—	—	—	2	1	—	—				—	—	—	—	—	—	—	—						2
3	5	9	—	—	2	6	4	3	—	—				—	—	1	—	—	1	—	—						3
4	—	—	—	—	—	—	1	3	—	—				—	—	—	—	—	1	—	—						4
5	6	7	2	3	—	5	9	9	—	—				—	—	—	—	1	—	—	—						5
6	—	1	—	1	—	1	—	—	—	1				1	—	—	1	2	1	—	—						6
7	52	48	31	48	22	22	50	65	7	8				13	19	5	13	7	7	9	15						7
8	—	—	1	—	—	—	—	—	—	—				—	—	—	—	—	1	—	—						8
9	16	18	16	8	7	3	12	15	3	—				2	4	1	7	3	2	2	—						9
10	1	—	1	2	—	1	2	4	1	—				—	—	—	—	—	—	—	—						10
11	2	3	2	3	1	2	3	5	—	—				—	—	1	—	1	—	1	—						11
12	11	15	6	9	6	7	6	12	3	7				4	3	5	4	5	5	3	5						12
13	—	—	1	—	—	—	1	—	—	—				—	—	—	—	—	—	—	—						13
14	3	3	—	2	2	1	—	4	1	—				—	—	1	—	—	—	—	—						14
15	15	19	11	7	13	8	11	15	10	5				4	—	3	5	3	2	4	5						15
16	31	25	7	7	4	3	25	14	3	2				7	—	2	2	2	5	—	—						16
17	38	48	12	9	28	22	28	20	6	5				5	3	1	—	3	1	1	—						17
18	1	4	6	8	1	—	1	1	1	1				—	—	—	1	2	—	1	1						18
19	10	3	5	3	2	3	4	8	1	—				—	—	1	—	—	—	—	—						19
20	3	1	—	—	—	—	1	—	—	—				—	—	—	—	—	—	—	—						20
21	1	1	1	—	—	—	—	1	1	—				—	—	—	—	1	—	—	—						21
21A	—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—						21A
22	3	3	4	2	2	—	4	8	1	1				—	—	—	1	—	2	—	—						22
23	—	1	—	1	—	—	—	—	—	—				—	—	—	1	—	—	—	—						23
24	—	1	—	1	—	2	—	1	—	—				—	—	—	—	—	—	—	—						24
25	21	18	11	12	6	7	16	12	3	1				2	—	5	2	3	2	2	2						25
26	14	3	5	3	3	1	11	6	4	1				1	—	—	—	2	—	1	2						26
27	—	—	2	—	1	—	1	—	1	—				1	—	—	—	—	—	—	—						27
28	66	56	38	33	16	10	51	53	22	16				11	11	12	18	15	14	11	11						28
29	2	1	—	—	—	—	1	1	1	2				1	—	—	3	3	2	1	1						29

AREAS, 1918 (Civilian population only)—continued.
ESSEX—cont.

	Chelmsford M.B.		Chingford U.D.		Clacton U.D.		Colchester M.B.		Epping U.D.		Frinton on Sea U.D.		Grays Thurrock U.D.		Halstead U.D.		Harwich M.B.		Ilford U.D.		Leyton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	120	119	52	61	71	82	270	314	31	39	12	10	131	112	35	63	98	86	438	509	855	874	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	1	1	8	7	—	1	—	—	1	—	—	—	1	3	1	2	13	8	3
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	2	—	—	1	1	3	1	4	—	—	—	—	2	2	2	—	2	6	6	4	11	7	5
6	1	2	—	1	3	3	1	—	—	1	—	—	3	1	1	—	5	2	4	3	10	7	6
7	14	22	10	15	5	15	46	60	9	11	4	5	27	28	10	15	10	23	115	134	149	204	7
8	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	3	8	8
9	13	9	4	2	3	3	23	26	1	5	1	—	16	12	3	3	15	6	38	44	102	62	9
10	1	—	—	1	2	1	1	3	1	—	—	—	2	6	—	—	1	—	4	3	7	7	10
11	1	1	—	—	1	3	4	3	—	1	—	—	—	3	1	—	1	—	2	8	11	8	11
12	1	12	5	7	2	9	13	30	4	4	3	—	14	8	2	6	2	6	36	53	57	60	12
13	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	2	—	2	13
14	2	—	—	1	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	3	3	4	14
15	8	14	5	3	6	9	27	27	—	1	1	1	4	4	3	9	4	5	30	37	64	80	15
16	7	10	4	1	5	3	14	17	1	1	1	1	8	5	1	7	9	6	21	25	70	61	16
17	9	7	9	4	3	4	18	23	—	3	—	—	7	5	1	—	5	2	26	29	69	79	17
18	—	—	1	2	—	1	3	4	—	—	—	—	1	—	1	1	—	1	5	6	8	11	18
19	—	—	—	—	1	—	1	—	—	—	—	—	4	1	—	—	1	2	3	3	11	11	19
20	1	2	—	—	1	—	3	1	—	—	—	—	—	2	—	—	—	—	—	3	1	—	20
21	2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	1	1	1	4	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	1	3	—	2	—	7	5	1	—	—	—	7	3	—	2	5	1	11	9	22	18	22
23	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	7	23
24	—	5	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	5	24
25	10	2	1	2	5	1	10	8	3	1	—	—	3	4	—	2	5	4	20	14	42	26	25
26	6	2	2	1	2	—	5	5	1	—	—	—	2	1	—	2	4	2	10	9	17	14	26
27	1	—	1	1	1	1	—	—	—	1	—	—	1	1	—	—	—	1	3	1	9	2	27
28	33	26	7	17	27	23	78	82	9	9	2	3	30	25	10	14	28	17	97	111	183	179	28
29	3	3	—	—	—	—	1	1	1	—	—	—	—	1	—	—	1	—	3	1	—	—	29

ESSEX—cont.

	Loughton U.D.		Maldon M.B.		Romford U.D.		Saffron Walden M.B.		Shoebury- ness U.D.		Tilbury U.D.		Waltham Holy Cross U.D.		Waltham- stow U.D.		Walton on the Naze U.D.		Wanstead U.D.		Witham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	42	43	54	45	128	115	38	53	16	37	85	47	54	53	886	903	15	11	78	78	33	30	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	1	—	—	—	—	2	3	—	—	11	8	—	—	1	—	—	—	3
4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	4
5	—	—	1	3	—	2	—	—	—	—	—	—	2	—	12	21	—	—	—	—	2	—	5
6	—	—	—	—	1	1	—	—	—	1	—	1	—	—	8	9	—	—	2	—	—	—	6
7	9	8	5	5	17	25	5	9	5	12	22	10	8	10	169	228	3	3	10	12	14	10	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	1	6	—	8	7	3	3	2	2	4	—	3	1	98	80	3	—	7	6	1	1	9
10	—	1	—	—	2	—	1	1	—	—	—	—	—	1	10	10	—	—	—	—	—	—	10
11	—	—	—	—	1	1	2	—	—	—	—	—	2	—	15	5	—	1	—	2	—	—	11
12	3	11	6	3	11	10	5	8	1	5	5	2	8	7	42	65	1	1	9	8	—	1	12
13	1	—	—	—	—	—	—	—	—	1	1	—	—	1	2	1	—	—	—	—	—	—	13
14	—	—	1	1	—	—	—	—	—	—	—	—	—	—	6	5	—	—	—	—	—	—	14
15	2	4	10	13	13	19	7	10	—	2	4	4	5	7	85	72	2	—	8	10	2	3	15
16	2	—	1	2	9	5	1	1	—	—	5	1	—	3	48	66	1	2	2	3	2	—	16
17	3	—	2	1	12	8	1	1	—	2	16	10	7	5	76	76	—	—	5	5	1	—	17
18	—	1	—	—	—	1	—	—	1	—	—	—	2	2	11	11	—	—	2	2	—	—	18
19	—	1	—	—	1	—	—	—	—	1	—	—	—	—	10	4	—	—	—	1	—	1	19
20	—	—	—	1	1	—	—	—	—	1	—	1	—	—	3	5	—	—	—	—	—	—	20
21	—	—	—	1	1	—	—	1	—	1	1	—	—	1	8	1	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	1	—	1	—	2	4	—	1	—	1	3	2	1	2	24	12	—	2	6	4	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	24
25	4	—	1	1	6	1	1	2	—	1	1	4	4	2	40	31	2	—	2	—	4	2	25
26	5	—	1	1	3	4	1	—	—	—	5	—	2	1	26	10	—	—	1	1	—	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	1	—	—	—	—	27
28	8	15	19	13	39	25	12	16	6	7	15	8	10	10	176	166	3	1	25	22	9	9	28
29	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE

ESSEX—*cont.*

Causes of Death.				Wivenhoe U.D.		Woodford U.D.					Belchamp R.D.		Billericay R.D.		Baintree R.D.		Bumpstead R.D.		
				M	F	M	F				M	F	M	F	M	F	M	F	
ALL CAUSES	22	21	100	114				41	33	113	147	116	102	22	11	1
1 Enteric fever	—	—	—	—				—	—	—	—	—	—	—	—	2
2 Small-pox...	—	—	—	—				—	—	—	—	—	—	—	—	3
3 Measles	—	—	2	2				—	—	—	—	—	1	—	—	4
4 Scarlet fever	—	—	—	—				—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1				2	1	2	—	1	1	—	—	6
6 Diphtheria and croup	—	—	—	—				—	—	—	—	—	—	—	—	7
7 Influenza	4	4	19	29				—	3	18	45	18	18	4	4	8
8 Erysipelas	—	—	—	—				—	1	—	—	—	—	1	—	9
9 Pulmonary tuberculosis	1	1	8	2				5	2	9	10	3	2	—	1	10
10 Tuberculous meningitis	—	—	1	1				—	—	1	—	2	—	—	—	11
11 Other tuberculous diseases	—	—	1	2				1	—	—	1	—	1	1	—	12
12 Cancer, malignant disease	—	3	5	18				3	7	15	14	12	12	2	3	13
13 Rheumatic fever...	—	—	—	1				—	—	—	1	1	—	—	—	14
14 Meningitis	1	—	1	—				—	—	—	—	1	2	—	—	15
15 Organic heart disease	7	3	5	9				7	5	3	14	16	11	1	—	16
16 Bronchitis	1	2	5	6				5	3	7	7	11	4	—	1	17
17 Pneumonia (all forms)	1	2	15	6				—	1	5	2	3	2	3	—	18
18 Other respiratory diseases	1	—	1	—				—	—	1	2	—	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	1				—	—	—	—	—	1	—	—	20
20 Appendicitis and typhlitis	—	1	2	1				—	—	—	1	—	1	—	—	21
21 Cirrhosis of liver	1	—	—	1				—	—	—	—	—	—	—	1	21A
21A Alcoholism	—	—	—	—				—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	2	2				—	1	8	6	2	—	—	1	23
23 Puerperal fever	—	—	—	—				—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—				—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.	—	—	2	2				—	—	4	2	2	2	—	—	26
26 Violence, apart from 27	—	—	2	2				—	—	4	—	5	4	—	—	27
27 Suicide	—	—	1	—				—	—	—	—	1	—	—	—	28
28 Other defined diseases	5	5	27	28				18	9	36	41	38	39	9	—	28
29 Causes ill-defined or unknown.	—	—	—	—				—	—	—	—	—	—	1	—	29

ESSEX—*cont.*

Causes of Death.				Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Halstead R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	141	152	107	92	105	90	75	90	114	123	106	111	72	82	126	123	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
2	Small-pox...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	1	—	—	—	—	—	—	1	—	2	1	—	—	—	1	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
5	Whooping cough	2	—	—	3	—	—	—	1	—	1	1	1	—	—	1	3	6
6	Diphtheria and croup	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	7
7	Influenza	32	26	17	10	29	16	17	27	17	18	15	19	20	17	27	36	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
9	Pulmonary tuberculosis	3	11	9	5	2	10	4	7	8	9	7	5	7	9	6	—	10
10	Tuberculous meningitis	1	1	—	1	—	—	—	—	2	1	1	1	—	—	2	3	11
11	Other tuberculous diseases	1	1	1	—	1	1	1	3	1	2	—	4	—	1	2	1	12
12	Cancer, malignant disease	10	21	10	12	10	14	11	5	10	9	12	8	4	12	8	12	13
13	Rheumatic fever...	1	—	—	—	—	—	—	—	3	—	—	1	—	—	1	2	14
14	Meningitis	—	—	1	—	1	—	—	—	1	—	1	1	—	—	1	—	15
15	Organic heart disease	19	17	8	13	6	8	9	15	23	21	13	15	3	4	12	8	16
16	Bronchitis	15	12	4	8	2	4	5	7	4	8	4	3	3	8	6	7	17
17	Pneumonia (all forms)	5	6	2	2	8	4	1	1	4	5	3	2	7	7	4	4	18
18	Other respiratory diseases	2	2	1	—	2	—	—	—	1	—	1	—	—	1	2	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	1	—	—	—	1	—	—	—	—	4	1	20
20	Appendicitis and typhlitis	1	3	—	—	2	—	—	—	1	—	—	—	1	—	—	—	21
21	Cirrhosis of liver	—	1	1	1	1	—	—	—	—	—	—	—	—	—	1	1	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	2	3	2	—	2	2	3	1	1	—	1	5	3	2	—	1	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	3	—	—	—	—	—	—	—	1	—	1	—	—	—	—	25
25	Congenital debility, &c.	5	1	4	4	4	5	2	3	2	2	1	2	3	2	5	8	26
26	Violence, apart from 27	5	1	2	—	4	—	2	—	1	1	3	1	1	1	6	—	27
27	Suicide	1	2	1	—	—	1	—	—	1	1	—	1	1	—	—	—	28
28	Other defined diseases	35	49	43	31	30	24	19	20	32	42	41	39	20	20	33	28	29
29	Causes ill-defined or unknown.	1	—	1	2	1	1	—	—	—	—	—	—	—	—	—	1	29

AREAS, 1918 (Civilian population only)—continued.

ESSEX—cont.

GLOUCESTERSHIRE.

	Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Stansted R.D.		Tendring R.D.						Awre U.D.		Charlton Kings U.D.		Chelten- ham M.B.		Cirencester U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
	136	112	191	176	61	66	43	37	134	148					9	3	32	43	344	436	53	54	
1	—	1	—	—	1	—	—	—	—	—					—	—	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—	—	1	—	2					—	—	—	—	6	6	—	—	3
4	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	4
5	—	2	—	—	1	1	—	—	3	1					—	—	1	—	—	4	—	—	5
6	1	1	1	1	—	—	1	—	2	1					—	—	2	2	2	6	—	—	6
7	21	20	44	38	11	14	4	4	29	34					—	—	8	7	62	97	8	17	7
8	—	—	—	—	—	—	—	—	1	—					—	—	—	—	—	—	—	—	8
9	6	6	13	11	4	3	5	1	5	14					1	1	1	2	26	37	5	—	9
10	1	2	2	1	1	1	—	—	—	—					—	—	—	—	1	1	1	—	10
11	6	—	4	1	—	—	1	—	3	—					—	—	—	—	7	4	1	2	11
12	14	10	12	20	6	7	3	6	11	13					1	—	2	6	27	51	3	2	12
13	1	—	—	—	—	—	—	—	—	—					—	—	—	—	1	—	—	—	13
14	—	2	3	3	1	—	—	—	2	1					—	—	—	—	—	—	—	—	14
15	9	10	18	16	2	11	3	2	9	14					1	—	2	5	42	51	5	3	15
16	6	8	12	19	2	1	2	1	11	10					—	—	2	1	11	14	4	1	16
17	6	4	23	9	2	3	2	2	7	5					1	—	4	4	24	25	4	1	17
18	1	—	—	—	2	3	—	2	—	3					—	—	—	1	4	3	—	2	18
19	3	—	2	—	—	—	—	—	—	—					—	—	—	—	2	1	—	—	19
20	—	—	1	—	—	1	—	—	—	1					—	—	—	—	1	2	1	—	20
21	—	—	2	—	—	—	—	—	1	1					—	—	2	1	2	2	3	1	21
21A	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	21A
22	1	3	8	4	1	1	—	3	4	3					—	—	2	—	8	11	2	—	22
23	—	2	—	—	—	—	—	—	—	—					—	—	—	—	—	2	—	—	23
24	—	—	—	—	—	—	—	—	—	—					—	—	—	1	—	3	—	1	24
25	4	—	6	4	2	1	3	—	4	7					—	—	—	—	8	9	2	2	25
26	3	—	4	—	1	—	—	1	7	4					—	1	—	—	5	2	—	—	26
27	1	—	1	—	—	1	—	—	2	1					1	—	—	—	—	3	—	—	27
28	50	40	35	47	24	18	18	14	33	33					4	1	6	13	104	101	12	21	28
29	2	1	—	1	—	—	1	—	—	—					—	—	—	—	—	1	2	—	29

GLOUCESTERSHIRE—cont.

	Coleford U.D.		Kingswood U.D.		Nailsworth U.D.		Newnham U.D.		Stow on the Wold U.D.		Stroud U.D.		Tetbury U.D.		Tewkes- bury M.B.		Westbury on Severn U.D.				Campden R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	16	20	93	91	14	20	9	12	9	13	61	69	21	21	36	43	12	11			42	41	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	—	—	3	—	—	—	—	—	—	—	2	3	1	—	—	—	—	—			—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	5
6	—	—	—	—	—	—	—	—	—	—	2	3	—	—	1	—	—	—			—	—	6
7	2	5	17	16	—	2	1	4	3	4	18	16	5	2	8	11	2	1			12	11	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—			—	—	8
9	1	4	11	5	1	2	2	—	—	1	6	5	1	2	3	2	2	1			2	2	9
10	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—			—	3	10
11	1	—	2	3	—	—	—	—	—	—	1	2	—	—	—	1	—	—			—	—	11
12	1	1	5	6	1	2	—	2	—	1	6	7	1	1	4	2	1	1			2	4	12
13	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	13
14	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—			—	—	14
15	1	1	8	17	2	6	1	2	1	—	4	7	1	3	1	4	1	—			6	5	15
16	2	3	6	5	—	2	1	1	—	1	2	4	2	2	2	2	—	1			3	1	16
17	1	—	8	12	—	1	—	—	—	—	1	1	—	—	2	3	—	1			2	2	17
18	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—			—	—	18
19	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—			1	—	19
20	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			—	—	20
21	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—			—	—	21A
22	—	1	1	1	—	—	1	—	2	—	3	2	—	1	1	1	—	—			3	—	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	—	24
25	1	1	2	2	1	1	2	1	—	—	—	—	1	—	1	2	1	2			—	—	25
26	1	—	2	2	—	—	—	—	1	—	2	—	—	1	2	—	—	—			2	—	26
27	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	1	—			—	—	27
28	4	4	22	20	8	3	1	1	2	4	11	16	7	8	9	13	4	3			9	12	28
29	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1			—	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
GLOUCESTERSHIRE—cont.

Causes of Death.				Cheltenham R.D.		Chipping Sodbury R.D.		Cirencester R.D.		Dursley R.D.		East Dean and United Parishes R.D.		Faringdon (pt.) R.D.*		Gloucester R.D.		Lydney R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				33	36	142	132	78	57	77	87	146	142	5	6	76	79	57	68	
1	Enteric fever			—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	3
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough			—	2	—	—	—	—	—	—	5	2	—	—	2	2	1	—	5
6	Diphtheria and croup			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	Influenza			10	9	31	34	10	9	14	13	21	17	2	—	10	11	8	13	7
8	Erysipelas			—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis			2	4	6	10	7	5	6	6	14	9	—	—	2	5	2	8	9
10	Tuberculous meningitis			—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	10
11	Other tuberculous diseases			—	—	2	1	1	1	—	1	1	2	—	—	—	—	—	1	11
12	Cancer, malignant disease			1	—	14	9	5	5	6	3	9	10	—	—	4	15	3	6	12
13	Rheumatic fever... ..			—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	13
14	Meningitis			—	—	1	—	1	—	—	—	2	1	—	—	1	—	2	2	14
15	Organic heart disease			3	4	16	14	8	9	13	16	12	19	1	—	10	11	7	6	15
16	Bronchitis			1	1	3	5	4	3	4	4	14	9	—	1	6	4	4	7	16
17	Pneumonia (all forms)			2	—	8	4	7	3	6	3	9	12	—	1	5	6	2	2	17
18	Other respiratory diseases			—	—	—	1	—	2	—	2	4	1	—	—	—	—	2	1	18
19	Diarrhoea, &c. (under 2 yrs.)			—	—	2	2	1	—	1	—	2	1	—	—	—	1	—	—	19
20	Appendicitis and typhlitis			—	—	—	2	—	—	—	1	1	3	—	—	1	—	—	—	20
21	Cirrhosis of liver			—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	1	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			1	—	6	3	—	1	—	2	6	3	—	—	2	—	1	2	22
23	Puerperal fever			—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23			—	1	—	2	—	1	—	1	—	—	—	—	—	1	—	1	24
25	Congenital debility, &c.			—	—	5	3	3	1	4	1	8	6	—	—	3	2	5	1	25
26	Violence, apart from 27			—	2	4	2	3	—	1	2	7	3	—	—	10	1	1	1	26
27	Suicide			—	—	—	—	—	1	—	—	1	1	—	—	1	—	2	1	27
28	Other defined diseases			13	12	35	37	27	15	19	29	28	42	2	4	18	18	16	15	28
29	Causes ill-defined or un- known.			—	—	1	—	1	2	—	—	—	—	—	—	—	1	—	—	29

GLOUCESTERSHIRE—cont.

Causes of Death.				Marston Sicca R.D.		Newent R.D.		Northleach R.D.		Pebworth R.D.		Stow on the Wold (pt.) R.D.†		Stroud R.D.		Tetbury (pt.) R.D.‡		Tewkes- bury (pt.) R.D.‡		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				9	11	59	62	54	48	16	21	41	45	177	249	19	25	38	38	
1	Enteric fever			—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			—	—	—	1	—	—	—	—	—	—	4	3	—	—	—	—	3
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough			—	1	1	2	—	—	—	—	1	—	2	2	1	—	—	1	5
6	Diphtheria and croup			—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	6
7	Influenza			3	2	6	8	10	5	1	4	10	14	18	43	1	1	7	6	7
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis			—	—	2	7	—	1	—	1	2	1	14	21	2	2	1	4	9
10	Tuberculous meningitis			—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	10
11	Other tuberculous diseases			—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	11
12	Cancer, malignant disease			—	2	5	8	6	4	—	2	2	4	18	34	1	—	3	2	12
13	Rheumatic fever... ..			—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis			—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	14
15	Organic heart disease			1	1	20	11	6	5	1	4	3	5	19	23	1	7	1	6	15
16	Bronchitis			—	—	4	1	1	2	—	—	1	2	6	8	2	3	1	3	16
17	Pneumonia (all forms)... ..			—	2	4	5	4	1	1	4	1	2	14	7	—	—	2	2	17
18	Other respiratory diseases			—	—	—	—	1	2	—	—	—	1	1	3	—	—	3	2	18
19	Diarrhoea, &c. (under 2 yrs.)			—	—	1	—	1	—	—	—	1	—	1	1	—	—	—	—	19
20	Appendicitis and typhlitis			—	—	1	—	—	—	—	—	—	1	1	1	—	—	—	—	20
21	Cirrhosis of liver			—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			—	—	2	1	3	1	—	—	2	—	5	4	—	—	—	—	22
23	Puerperal fever			—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23			—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.			—	—	1	—	3	3	—	—	2	1	9	5	1	—	—	1	25
26	Violence, apart from 27			—	—	2	—	1	—	1	1	2	—	3	8	1	—	1	—	26
27	Suicide			—	—	—	—	1	—	—	—	—	1	3	3	—	—	—	—	27
28	Other defined diseases			5	3	10	16	17	22	11	4	14	13	56	71	7	8	18	10	28
29	Causes ill-defined or un- known.			—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	29

* The remainder of Faringdon R.D. is in Berkshire; see page 337.
† The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Worcestershire; see page 413.
‡ The remainder of Tetbury R.D. is in Wiltshire; see page 411.

AREAS, 1918 (Civilian population only)—continued.

GLOUCESTERSHIRE—cont.

HEREFORDSHIRE.

	Thornbury R.D.		Warmley R.D.		West Dean R.D.		Wheaten- hurst R.D.		Winch- comb (pt.) R.D.*			Bromyard U.D.		Hereford M.B.		Kington U.D.		Ledbury U.D.		Leo- minster M.B.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
1	130	122	128	154	94	69	43	60	68	70		26	15	175	175	17	16	28	41	35	40	1
2	—	1	—	1	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	1	—	—	—	1	—	—		—	—	4	1	—	—	3	3	—	—	3
4	—	—	—	—	1	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	4
5	1	—	6	4	1	—	—	—	2	—		3	—	1	—	1	1	—	—	2	1	5
6	1	—	—	1	—	—	—	—	2	1		—	—	—	—	—	—	—	—	—	—	6
7	23	19	17	28	19	14	6	8	11	14		3	2	20	28	5	3	6	14	4	3	7
8	—	—	—	—	1	—	—	—	2	—		—	—	—	1	—	—	—	—	—	—	8
9	8	6	6	13	3	8	4	4	3	4		—	2	19	10	—	2	2	—	1	4	9
10	—	—	—	—	—	—	—	—	—	1		—	1	2	2	—	—	—	—	—	1	10
11	—	2	—	1	3	—	—	—	2	—		—	—	1	4	—	2	—	—	—	—	11
12	7	19	11	7	4	5	4	10	4	7		5	1	12	17	1	—	1	—	3	2	12
13	—	—	—	—	—	—	—	—	—	1		—	—	1	1	—	—	—	—	—	—	13
14	1	—	2	1	1	—	—	—	1	—		—	—	—	1	—	—	—	—	—	—	14
15	20	22	20	21	8	7	5	10	9	10		—	1	19	16	2	1	2	5	7	8	15
16	4	3	9	15	7	4	1	1	5	3		3	1	5	6	—	—	1	2	1	3	16
17	8	11	9	11	8	6	1	4	4	7		3	1	20	18	—	3	3	—	1	—	17
18	1	1	3	2	3	—	—	—	1	—		—	1	1	1	1	—	—	2	—	—	18
19	3	1	—	—	2	—	—	—	—	1		1	—	1	1	—	—	—	—	—	—	19
20	—	1	—	1	1	—	1	1	1	1		1	—	1	1	—	—	—	—	—	—	20
21	1	—	—	—	—	—	1	—	—	—		—	—	—	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	5	1	4	1	3	1	4	2	3	—		—	1	5	5	1	—	2	1	—	1	22
23	—	1	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	—	—	2	—	—	—	1		—	—	—	2	—	—	—	—	—	—	24
25	10	8	7	5	4	2	1	2	1	1		1	—	9	7	1	—	—	—	1	1	25
26	7	2	4	—	5	2	6	—	4	1		—	—	1	3	—	—	—	1	2	1	26
27	—	—	—	—	1	—	1	—	—	—		1	1	2	1	—	—	—	1	—	—	27
28	30	23	28	41	19	18	8	15	13	16		5	3	50	45	5	4	8	13	12	14	28
29	—	—	—	—	—	—	—	—	—	1		—	—	1	2	—	—	—	—	—	1	29

HEREFORDSHIRE—cont.

	Ross U.D.			Bred- wardine R.D.		Bromyard R.D.		Dore R.D.		Hereford R.D.		Kington R.D.		Ledbury R.D.		Leo- minster R.D.		Ross R.D.		Weobley R.D.		
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	38	34		13	17	53	48	61	64	94	93	49	45	83	67	59	63	75	62	52	45	1
2	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
3	—	—		—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—	—	—	3
4	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5	—	—		2	—	—	2	2	4	—	1	—	—	—	—	—	1	—	3	—	—	5
6	—	—		—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	6
7	1	2		1	4	7	3	8	9	5	18	9	12	13	10	7	16	11	12	11	8	7
8	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	6		1	3	3	2	7	5	16	5	3	3	9	4	7	3	11	4	6	2	9
10	—	—		—	—	—	1	1	—	—	—	1	1	—	1	—	—	—	—	—	—	10
11	—	—		—	—	—	—	2	2	—	—	—	—	1	1	—	1	—	—	—	2	11
12	3	3		1	—	7	4	6	5	8	8	9	4	5	6	3	10	4	15	4	2	12
13	—	—		—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	13
14	—	—		—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	14
15	3	1		1	1	4	4	4	6	16	12	8	4	17	12	11	6	10	4	5	9	15
16	1	2		2	—	5	3	2	6	2	6	3	1	4	5	4	2	5	4	3	3	16
17	6	2		1	—	3	3	2	3	3	6	—	1	7	3	4	1	5	2	1	1	17
18	1	1		—	—	1	—	2	1	—	—	—	—	2	—	1	1	2	—	—	—	18
19	—	—		—	—	1	—	—	1	2	1	—	—	1	1	—	—	—	—	—	—	19
20	—	1		—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	20
21	—	—		—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	2	—	21
21A	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	2		2	—	2	2	2	1	3	—	2	—	1	1	4	3	4	2	3	2	22
23	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	24
25	4	2		—	2	—	—	2	4	5	3	5	—	1	2	1	—	2	4	3	4	25
26	—	1		—	—	—	3	1	—	5	4	—	—	—	—	—	—	2	—	1	—	26
27	—	1		—	—	—	1	1	—	1	1	—	—	—	—	1	—	1	—	—	—	27
28	12	9		2	6	18	19	19	16	24	26	8	18	19	20	14	17	16	12	8	9	28
29	—	1		—	—	2	1	—	—	—	—	1	—	1	1	—	1	—	—	—	—	29

* The remainder of Winchcomb R.D. is in Worcestershire, see page 413.

CAUSES OF DEATH IN ADMINISTRATIVE
HEREFORDSHIRE—cont. HERTFORDSHIRE.

Causes of Death.	Whit-church R.D.		Wigmore R.D.		Baldock U.D.		Barnet U.D.		Bishop's Stortford U.D.		Bushey U.D.		Cheshunt U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	12	9	26	22	24	27	74	80	56	62	41	43	81	118
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	—	—	—	1	1	—	—	1	—	2	5
6 Diphtheria and croup ...	1	1	—	—	—	—	1	—	—	—	1	—	1	6
7 Influenza	2	1	6	2	5	4	4	16	6	8	5	9	22	27
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	3	3	—	—	2	2	3	3	2	4	5	2	4	14
10 Tuberculous meningitis	—	—	—	—	—	—	1	1	2	3	1	—	1	1
11 Other tuberculous diseases	—	—	—	—	1	2	—	1	—	1	—	—	1	1
12 Cancer, malignant disease	—	—	2	3	4	2	9	6	6	1	4	4	11	12
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	1	—	—	13
14 Meningitis	—	—	—	—	—	2	1	—	—	1	—	—	2	6
15 Organic heart disease ...	—	1	—	6	1	—	7	4	10	11	4	8	6	10
16 Bronchitis	1	—	2	1	1	2	3	8	3	8	1	1	1	4
17 Pneumonia (all forms) ...	1	—	1	—	—	1	5	6	1	2	3	1	2	2
18 Other respiratory diseases	1	—	1	—	—	—	—	—	1	1	1	—	1	2
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	1	—	—	—	1	—	—	1
20 Appendicitis and typhlitis	—	—	—	1	—	—	1	1	1	1	—	—	1	—
21 Cirrhosis of liver	—	—	—	—	—	—	—	1	1	—	—	—	1	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	1	—	1	—	2	—	4	2	—	—	—	3
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	1	—	—	24
25 Congenital debility, &c.	1	—	1	—	4	3	4	4	4	1	—	2	4	1
26 Violence, apart from 27	—	—	1	1	2	2	1	1	—	—	1	2	2	—
27 Suicide	—	—	—	—	—	—	—	—	—	—	—	1	—	—
28 Other defined diseases ...	1	3	9	8	3	7	29	27	14	18	13	10	20	31
29 Causes ill-defined or un-known.	1	—	1	—	—	—	—	—	1	—	1	—	—	—

HERTFORDSHIRE—cont.

Causes of Death.	Chorley-wood U.D.		East Barnet Valley U.D.		Great Berk- hampstead U.D.		Harpenden U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.		Hoddesdon U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	15	6	80	84	42	48	32	42	99	102	67	85	66	103	52	38
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	—	2	—	1	—	—	—	2	2	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	2	2	1	1	—	—	—	—	1	1	—	—	2	5
6 Diphtheria and croup ...	—	—	3	1	—	—	—	—	—	2	1	—	—	—	—	6
7 Influenza	4	2	16	14	9	11	7	9	12	22	12	20	13	22	8	2
8 Erysipelas	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	4	—	7	6	2	1	5	2	9	12	4	7	5	5	7	2
10 Tuberculous meningitis	—	—	1	—	—	—	—	—	3	1	—	—	—	—	—	10
11 Other tuberculous diseases	—	—	—	1	—	2	—	1	—	—	1	1	1	—	1	11
12 Cancer, malignant disease	1	2	10	10	5	3	1	6	8	9	8	11	3	11	4	4
13 Rheumatic fever... ..	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	1	—	—	—	—	—	1	—	1	—	—	—	1	14
15 Organic heart disease ...	1	—	5	9	3	7	1	5	11	14	7	4	6	7	2	6
16 Bronchitis	—	—	6	3	1	1	—	3	8	6	4	3	7	9	3	4
17 Pneumonia (all forms) ...	—	—	4	7	1	3	—	3	4	3	3	4	6	7	6	3
18 Other respiratory diseases	—	—	1	1	—	—	2	—	2	1	—	1	1	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	1	—	1	—	1	—	1	19
20 Appendicitis and typhlitis	—	—	1	1	—	—	—	1	—	1	—	1	1	—	—	20
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	2	4	—	1	2	2	5	1	—	1	2	1	1	1
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	24
25 Congenital debility, &c.	—	—	—	—	2	2	—	1	3	3	1	8	1	1	2	—
26 Violence, apart from 27	—	—	2	1	2	—	2	—	4	1	—	2	1	2	—	26
27 Suicide	1	—	1	1	—	—	—	—	1	—	1	1	—	—	—	27
28 Other defined diseases ...	3	2	18	23	15	15	9	8	26	27	18	18	18	34	10	11
29 Causes ill-defined or un-known.	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	29

AREAS, 1918. (Civilian population only)--continued.

HERTFORDSHIRE--cont.

	Rickmansworth U.D.		Royston U.D.		St. Albans M.B.		Sawbridge-worth U.D.		Stevenage U.D.		Tring U.D.		Ware U.D.		Watford U.D.				Ashwell R.D.		Barnet R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
1	39	53	28	16	152	208	29	20	25	29	20	34	45	41	269	308			28	23	23	26	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	2
3	—	—	1	—	2	3	2	1	—	1	—	—	1	2	—	—			—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	4
5	—	—	1	—	4	—	—	1	—	—	—	—	—	—	1	—			1	—	—	—	5
6	—	1	—	—	2	5	—	—	—	—	—	—	2	—	3	2			—	—	—	—	6
7	5	10	2	3	22	52	5	3	1	3	3	8	2	6	56	84			5	7	2	5	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—			—	—	—	1	8
9	5	4	3	1	10	11	1	1	3	1	2	1	2	2	24	21			2	1	1	—	9
10	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1	2			—	—	—	1	10
11	—	1	—	1	1	2	—	—	—	—	—	—	2	—	4	4			1	1	—	—	11
12	3	8	4	2	11	24	2	1	1	3	—	1	3	6	23	30			1	6	1	2	12
13	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	1			—	—	—	—	13
14	—	—	—	—	3	1	—	—	—	—	—	—	—	—	2	2			—	—	—	—	14
15	9	6	5	2	21	23	1	1	4	3	4	6	8	5	18	26			8	—	2	2	15
16	3	3	1	1	6	10	6	1	1	—	3	4	1	3	15	30			—	—	2	1	16
17	4	3	—	1	13	13	3	2	2	2	—	1	4	1	19	18			2	—	3	3	17
18	—	—	—	—	1	1	—	—	—	1	—	—	—	—	2	4			1	—	—	—	18
19	—	—	—	—	2	—	—	—	—	—	1	—	—	—	7	1			—	—	—	—	19
20	—	—	—	1	—	4	—	—	—	—	—	—	—	—	1	1			—	—	—	—	20
21	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1			—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			—	—	—	—	21A
22	—	—	1	—	4	5	—	—	1	1	1	1	—	—	5	7			—	—	3	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	24
25	1	1	1	—	7	10	1	—	3	—	—	1	3	1	5	3			1	—	1	1	25
26	3	1	1	1	6	2	—	—	—	—	—	—	1	—	5	5			—	—	—	—	26
27	1	—	—	—	—	1	1	—	—	—	—	—	1	—	3	1			—	—	—	1	27
28	3	13	7	3	35	40	7	9	9	14	5	11	15	13	69	62			7	7	8	8	28
29	1	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—			—	—	—	—	29

HERTFORDSHIRE--cont.

	Berkhamstead R.D.		Buntingford R.D.		Hadham R.D.		Hatfield R.D.		Hemel Hempstead R.D.		Hertford R.D.		Hitchin R.D.		St. Albans R.D.		Ware R.D.		Watford R.D.		Welwyn R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	31	38	27	37	33	41	58	58	42	48	47	60	136	153	79	85	73	83	75	92	7	13	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	1	—	—	—	—	—	—	1	—	2	—	—	1	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	1	1	2	1	2	—	—	—	2	1	1	—	4	—	3	—	—	—	—	5
6	1	—	—	—	—	1	1	1	—	—	—	—	2	1	—	—	—	1	—	—	—	—	6
7	9	8	4	7	4	6	7	9	9	11	6	11	20	32	7	18	8	13	12	34	2	5	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	1	2	1	1	1	1	6	9	5	2	1	3	5	13	4	8	4	10	10	8	—	1	9
10	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	—	—	—	—	—	—	10
11	—	1	—	1	2	1	—	—	1	—	—	1	2	1	—	—	—	2	1	2	—	—	11
12	—	1	4	4	2	4	4	3	4	6	3	8	9	18	5	4	5	7	5	10	1	2	12
13	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	1	1	—	—	—	—	—	—	2	2	1	—	—	—	1	—	—	—	14
15	6	3	1	2	5	5	14	3	7	8	6	14	7	15	17	9	14	9	6	4	—	—	15
16	1	3	—	—	2	6	5	2	—	2	2	3	9	10	4	8	4	3	7	3	1	—	16
17	5	1	1	2	3	1	7	3	1	6	7	1	18	9	4	3	5	4	3	5	—	—	17
18	—	2	1	—	—	—	—	1	1	—	—	1	—	1	—	1	1	—	1	1	—	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	20
21	—	—	—	—	1	—	—	—	—	—	—	—	1	1	2	—	1	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	2	1	2	1	1	—	1	1	—	1	2	3	2	—	3	2	3	5	2	—	—	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
25	—	1	—	—	—	—	1	2	1	1	2	1	4	6	4	2	2	—	1	—	—	—	25
26	1	1	—	1	—	1	2	2	4	1	1	—	9	1	3	1	2	3	5	2	—	1	26
27	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	27
28	5	13	14	14	10	10	10	19	8	10	18	11	40	38	23	19	24	21	15	20	3	4	28
29	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	1	2	—	—	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
HUNTINGDONSHIRE.

Causes of Death.		God- manchester M.B.		Hunting- don M.B.		Old Fletton U.D.		Ramsey U.D.		St. Ives M.B.		St. Neots U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	...	14	20	37	33	37	29	39	46	25	28	25	22		
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—		1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	...	—	2	2	—	2	1	1	4	—	—	—	—		3
4 Scarlet fever	...	—	—	—	—	1	1	—	—	—	—	—	—		4
5 Whooping cough	...	—	—	1	2	2	—	—	—	1	—	—	—		5
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	—	—	—	—		6
7 Influenza	...	3	1	8	9	7	5	12	13	5	6	1	3		7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—		8
9 Pulmonary tuberculosis	...	—	—	3	1	2	2	1	3	1	2	4	2		9
10 Tuberculous meningitis	...	—	—	—	—	2	—	—	—	—	—	—	—		10
11 Other tuberculous diseases	...	—	1	1	2	—	—	2	—	—	1	2	—		11
12 Cancer, malignant disease	...	1	1	1	2	2	3	4	4	1	5	4	3		12
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—		13
14 Meningitis	...	—	—	—	—	—	—	1	—	—	1	—	—		14
15 Organic heart disease	...	3	1	2	2	4	4	3	2	2	1	3	—		15
16 Bronchitis	...	1	1	2	1	—	1	2	5	1	1	1	4		16
17 Pneumonia (all forms)	...	1	1	—	3	2	3	—	3	1	—	1	—		17
18 Other respiratory diseases	...	1	—	—	—	—	—	—	—	—	—	1	2		18
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	1	—	—	—	—	—	—	—	1	—		19
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	—	1	—	—	—		20
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	1	—	—	—		21
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—		21A
22 Nephritis and Bright's dis.	...	—	—	—	2	—	1	—	—	1	—	—	1		22
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—		23
24 Parturition, apart from 23	...	—	—	—	—	—	1	—	—	—	—	—	—		24
25 Congenital debility, &c.	...	—	1	2	2	6	2	3	3	1	—	—	—		25
26 Violence, apart from 27	...	1	—	—	—	—	—	—	—	1	—	—	—		26
27 Suicide	...	—	—	—	—	—	—	—	—	—	—	—	—		27
28 Other defined diseases	...	3	11	14	7	7	5	10	9	9	10	7	7		28
29 Causes ill-defined or un- known.	...	—	—	—	—	—	—	—	—	—	—	—	—		29

HUNTINGDONSHIRE—cont.

Causes of Death.		Hunting- don R.D.		Norman Cross R.D.		Oundle (pt.) R.D.*		St. Ives R.D.		St. Neots R.D. No. 1.		St. Neots R.D. No. 2.		St. Neots R.D. No. 3.		St. Neots R.D. No. 4.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	...	59	59	38	35	5	8	62	84	18	16	1	4	12	24	11	16		
1 Enteric fever	...	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		3
4 Scarlet fever	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		4
5 Whooping cough	...	—	—	2	—	—	—	2	5	1	—	—	—	—	1	—	—		5
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		6
7 Influenza	...	11	9	5	8	1	—	17	14	3	2	—	—	6	5	2	—		7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9 Pulmonary tuberculosis	...	3	6	2	3	—	1	3	1	1	3	—	1	1	1	—	—		9
10 Tuberculous meningitis	...	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		10
11 Other tuberculous diseases	...	1	1	—	1	—	—	—	1	2	1	—	—	1	—	—	—		11
12 Cancer, malignant disease	...	4	7	5	4	—	1	8	7	—	3	—	1	1	4	1	4		12
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		13
14 Meningitis	...	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—		14
15 Organic heart disease	...	8	4	3	2	—	1	6	6	4	—	—	—	1	4	—	2		15
16 Bronchitis	...	5	1	3	1	—	—	3	6	—	—	—	—	1	—	2	3		16
17 Pneumonia (all forms)	...	3	3	2	—	—	—	1	6	1	2	—	1	—	1	—	—		17
18 Other respiratory diseases	...	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—		18
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		19
20 Appendicitis and typhlitis	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		20
21 Cirrhosis of liver	...	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—		21
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22 Nephritis and Bright's dis.	...	1	1	1	—	—	—	3	1	—	1	—	—	—	—	1	1		22
23 Puerperal fever	...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
24 Parturition, apart from 23	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		24
25 Congenital debility, &c.	...	3	3	2	—	—	—	2	1	1	—	—	—	—	1	—	—		25
26 Violence, apart from 27	...	2	2	—	1	1	1	—	1	—	—	1	—	—	1	—	1		26
27 Suicide	...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		27
28 Other defined diseases	...	11	20	8	9	3	4	14	30	5	4	—	1	1	5	5	5		28
29 Causes ill-defined or un- known.	...	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		29

* The remainder of Oundle R.D. is in Northamptonshire ; see page 386.

AREAS, 1918 (Civilian population only)—continued.

HUNTINGDONSHIRE—cont.

KENT.

Thrapston (pt.) R.D.*			Sibson cum Stibbing- ton C.P.†						Ashford U.D.		Becken- ham U.D.		Bexley U.D.		Broad- stairs and St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cheriton U.D.				
M	F		M	F					M	F	M	F	M	F	M	F	M	F	M	F	M	F			
1	12	8	3	1					103	120	194	212	148	124	47	60	190	230	389	373	32	37		1	
2	—	—	—	—					—	3	1	1	—	—	—	1	—	—	1	—	—	—	—	2	
3	—	—	—	—					—	—	—	—	3	—	—	—	2	2	5	8	—	—	—	3	
4	—	—	—	—					—	—	—	1	—	1	—	—	1	1	2	—	—	—	—	4	
5	—	—	—	—					3	2	3	7	3	1	—	1	1	1	3	3	—	—	—	5	
6	—	—	—	—					1	1	2	1	3	1	—	4	4	—	1	—	—	1	—	6	
7	2	2	—	—					14	28	29	37	30	32	8	13	25	37	88	106	2	5	7	7	
8	—	—	—	—					—	—	—	1	—	1	—	—	1	1	—	—	—	—	—	8	
9	—	—	—	—					6	5	14	13	8	10	2	4	17	12	35	30	1	2	9	9	
10	—	—	—	—					1	2	3	2	1	—	1	1	1	1	4	3	—	1	10	10	
11	1	—	—	—					3	2	6	6	—	3	—	1	2	5	2	1	2	—	—	11	
12	3	2	—	—					5	9	21	31	11	10	5	4	20	36	24	22	1	7	12	12	
13	—	—	—	—					2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	
14	—	—	—	—					2	—	1	1	2	—	—	—	2	1	1	2	—	—	—	14	
15	1	—	—	—					10	13	17	13	16	11	9	2	20	23	33	36	4	3	15	15	
16	1	1	—	—					9	8	9	15	14	6	—	2	10	11	29	28	4	2	16	16	
17	1	1	—	—					4	5	16	13	9	4	—	1	7	14	24	21	3	3	17	17	
18	1	—	—	—					1	3	2	2	2	1	2	1	2	5	1	3	—	—	18	18	
19	—	—	—	—					1	1	1	3	3	—	—	—	2	1	5	5	—	—	19	19	
20	—	—	—	—					—	1	—	3	1	—	1	—	—	1	1	—	—	—	20	20	
21	—	—	—	—					—	—	—	—	3	1	—	—	2	—	2	2	1	1	21	21	
21A	—	—	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A	21A	
22	—	1	—	—					2	2	10	5	3	—	1	4	6	1	3	4	1	—	—	22	22
23	—	—	—	—					—	—	—	—	—	2	—	—	—	2	—	1	—	1	23	23	
24	—	—	—	—					—	—	—	1	—	2	—	—	—	4	—	2	—	1	24	24	
25	—	—	—	—					4	2	6	7	7	8	1	—	11	4	14	12	6	2	25	25	
26	1	—	—	—					2	—	4	—	5	1	1	1	8	3	15	5	—	1	26	26	
27	—	—	—	—					—	—	2	—	—	—	—	—	—	2	6	—	—	—	27	27	
28	1	1	3	1					33	33	47	49	24	29	16	23	47	57	89	76	7	7	28	28	
29	—	—	—	—					—	—	—	—	—	—	—	1	—	1	2	—	—	—	29	29	

KENT—cont.

	Chisle- hurst U.D.		Dartford U.D.		Deal M.B.		Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone M.B.†		Foots Cray U.D.		Gilling- ham M.B.		Gravesend M.B.		Herne Bay U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	47	62	179	202	77	88	242	281	218	217	87	81	216	245	45	57	322	347	230	208	41	74	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	3	1	—	—	—	—	5	1	—	—	—	1	—	—	1	2	14	9	3	—	3
4	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	4
5	—	—	—	2	—	—	—	1	3	6	—	—	3	1	—	—	3	5	2	2	—	—	5
6	—	—	11	14	1	—	3	11	1	—	—	—	1	—	—	—	—	3	8	7	—	—	6
7	9	13	54	52	6	10	33	57	31	39	17	10	32	27	11	12	46	61	36	39	8	15	7
8	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	1	1	—	—	—	—	8
9	2	4	20	18	9	5	17	24	23	19	7	9	22	22	1	4	31	33	21	20	5	3	9
10	1	1	—	—	—	—	1	3	2	2	—	1	2	4	—	—	1	1	2	4	—	—	10
11	2	—	2	1	1	1	6	4	4	2	1	—	8	4	—	—	7	1	1	3	—	—	11
12	4	6	11	21	11	7	19	25	14	17	6	14	19	31	9	12	22	27	17	15	2	8	12
13	—	—	—	—	1	1	3	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	13
14	—	—	1	—	1	—	1	3	1	3	1	—	1	1	1	—	1	1	—	2	1	—	14
15	6	8	11	16	8	7	15	18	21	26	6	4	17	34	3	2	29	26	20	11	2	6	15
16	3	3	3	9	6	9	18	16	11	18	5	5	13	8	3	2	13	13	11	7	1	4	16
17	5	6	8	16	7	9	10	13	25	34	6	6	10	16	2	9	33	32	16	11	2	5	17
18	—	2	3	1	2	1	—	2	2	2	—	1	3	3	—	—	3	8	—	3	—	—	18
19	1	1	1	3	1	—	4	1	2	1	1	3	3	1	—	—	3	3	—	4	—	1	19
20	—	—	2	2	—	—	1	1	3	1	—	—	—	1	—	1	3	1	2	1	1	1	20
21	—	—	—	—	1	1	5	1	—	—	—	—	—	1	1	—	—	1	1	1	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	2	5	1	4	6	4	3	4	3	2	—	3	—	—	8	5	4	2	4	2	22
23	—	—	—	1	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	24
25	—	2	8	5	3	2	14	4	7	9	4	4	11	6	1	2	14	14	7	4	3	3	25
26	1	—	7	—	—	1	10	7	10	3	4	2	11	4	2	1	7	3	10	1	2	2	26
27	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	5	1	3	2	1	1	27
28	11	16	32	33	17	29	73	80	47	28	25	18	58	73	11	11	92	97	55	57	5	22	28
29	—	—	—	—	2	—	1	1	—	—	1	—	—	—	—	—	—	3	—	—	—	—	29

* The remainder of Thrapston R.D. is in Northamptonshire; see page 386.

† Administered by Barnack R.D.C. (Soke of Peterborough).

‡ Excluding the civil parish of Folkestone next Sandgate.

CAUSES OF DEATH IN ADMINISTRATIVE

KENT—cont.

Causes of Death.		Hythe M.B.		Lydd M.B.		Maidstone M.B.		Margate M.B.		Milton Regis U.D.		New Romney M.B.		Northfleet U.D.		Penge U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	37	51	11	12	279	298	157	157	46	49	18	12	158	126	154	186
1 Enteric fever	...	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	1	—	1	1	—	—	—	—	—	—	8	2	—	1
4 Scarlet fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5 Whooping cough	...	—	—	—	—	3	2	—	1	—	1	—	—	4	1	5	5
6 Diphtheria and croup	...	—	—	—	—	2	—	4	3	—	—	—	—	7	6	1	—
7 Influenza	...	6	9	2	1	43	72	23	40	14	15	1	3	24	31	23	36
8 Erysipelas	...	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Pulmonary tuberculosis	...	4	2	—	—	36	34	14	8	2	4	—	1	14	13	13	11
10 Tuberculous meningitis	...	2	—	—	—	4	1	4	2	—	—	—	—	1	1	1	3
11 Other tuberculous diseases	...	—	—	—	1	2	1	2	1	—	1	—	—	—	2	5	1
12 Cancer, malignant disease	...	3	9	—	2	23	30	13	18	2	3	1	1	10	7	8	19
13 Rheumatic fever.	...	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
14 Meningitis	...	—	—	—	—	2	3	2	1	—	—	—	—	—	—	—	—
15 Organic heart disease	...	4	6	—	1	32	30	17	10	1	2	—	1	7	3	15	16
16 Bronchitis	...	3	2	—	—	16	17	3	8	4	1	4	1	13	7	9	7
17 Pneumonia (all forms)	...	2	—	—	1	24	23	12	6	5	2	—	1	20	19	15	19
18 Other respiratory diseases	...	—	1	—	—	3	2	—	1	—	—	—	—	5	—	3	—
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	3	3	—	—	2	4	—	—	2	2	2	—
20 Appendicitis and typhlitis	...	1	—	—	—	1	—	—	—	—	—	1	—	2	—	—	1
21 Cirrhosis of liver	...	—	—	—	—	2	2	1	1	—	—	—	—	—	—	—	1
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	1	3	—	—	8	6	3	1	—	—	1	—	7	3	1	5
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
24 Parturition, apart from 23	...	—	1	—	—	—	3	—	1	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	...	3	3	2	2	10	7	10	5	3	3	2	—	3	3	8	5
26 Violence, apart from 27	...	—	—	—	—	7	3	2	4	—	1	—	—	2	3	1	4
27 Suicide	...	2	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—
28 Other defined diseases	...	6	15	5	4	56	54	42	44	12	12	8	1	28	22	44	50
29 Causes ill-defined or un- known.	...	—	—	1	—	—	2	—	—	—	—	—	2	—	—	—	—

KENT—cont.

Causes of Death.		Queen- borough M.B.		Ramsgate M.B.		Rochester M.B.		Sandgate U.D.*		Sandwich M.B.		Sevenoaks U.D.		Sheerness U.D.		Sitting- bourne U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	22	11	200	208	229	242	10	11	32	28	48	78	124	140	70	68
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	10	6	6	4	—	—	—	—	1	—	9	6	—	—
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	...	—	—	—	—	2	2	—	—	—	—	—	1	—	2	—	1
6 Diphtheria and croup	...	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1
7 Influenza	...	8	2	19	34	50	58	—	1	3	2	8	17	13	30	13	14
8 Erysipelas	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	—	—	25	19	25	15	—	—	3	4	5	12	9	7	5	9
10 Tuberculous meningitis	...	1	—	2	1	3	1	—	—	—	—	1	—	1	—	—	1
11 Other tuberculous diseases	...	—	—	2	—	2	1	—	—	—	—	—	—	1	—	1	2
12 Cancer, malignant disease	...	—	—	15	19	8	23	3	2	1	—	7	14	6	6	5	7
13 Rheumatic fever...	...	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
14 Meningitis	...	1	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease	...	2	2	16	19	17	16	1	—	1	3	4	7	8	11	2	8
16 Bronchitis	...	—	—	12	6	20	19	1	1	2	3	1	2	7	2	1	2
17 Pneumonia (all forms)	...	2	—	16	11	12	14	—	—	6	5	3	6	12	13	7	2
18 Other respiratory diseases	...	1	1	4	—	6	3	—	—	—	—	1	—	1	—	1	—
19 Diarrhoea, &c. (under 2 yrs.)	...	—	1	6	—	2	3	—	—	—	—	1	—	1	2	1	1
20 Appendicitis and typhlitis	...	—	—	1	1	2	2	—	1	—	—	—	1	—	—	—	1
21 Cirrhosis of liver	...	—	—	1	—	1	—	—	—	1	—	—	1	—	1	—	1
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
22 Nephritis and Bright's dis.	...	—	1	3	3	5	6	—	—	—	4	1	2	2	2	2	2
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	...	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	...	1	1	10	8	12	10	2	1	3	—	—	—	7	6	5	4
26 Violence, apart from 27	...	—	—	2	—	8	5	—	1	2	—	—	—	3	2	—	—
27 Suicide	...	—	—	3	—	—	—	—	—	—	—	—	—	1	1	—	—
28 Other defined diseases	...	5	3	46	77	45	56	3	3	13	7	16	19	32	42	25	16
29 Causes ill-defined or un- known.	...	—	—	4	3	1	—	—	—	—	1	—	2	4	1	—	—

* Including the civil parish of Folkestone next Sandgate.

CAUSES OF DEATH IN ADMINISTRATIVE

KENT—cont.

Causes of Death.		Malling R.D.		Milton R.D.		Romney Marsh R.D.		Sevenoaks R.D.		Sheppey R.D.		Strood R.D.		Tenterden R.D.		Tonbridge R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	177	177	88	91	23	16	143	140	18	16	123	109	40	46	111	129	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	1	—	—	—	—	—	2	—	—	2	2	—	—	1	1	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	4
5	Whooping cough	4	—	5	4	—	—	2	—	1	—	—	2	—	—	1	1	5
6	Diphtheria and croup	2	2	—	1	—	—	2	—	—	—	1	—	—	1	1	—	6
7	Influenza	17	41	11	19	3	5	17	24	2	2	28	24	5	9	21	31	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	19	22	9	8	1	—	14	7	—	1	7	8	7	2	8	14	9
10	Tuberculous meningitis	4	2	—	—	—	—	4	2	—	1	—	—	—	1	—	—	10
11	Other tuberculous diseases	3	1	—	1	—	—	1	2	1	1	1	5	—	—	—	4	11
12	Cancer, malignant disease	12	15	3	7	—	3	11	12	2	2	12	6	5	2	9	17	12
13	Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	13
14	Meningitis	2	—	—	2	—	—	—	—	—	—	1	1	—	—	—	—	14
15	Organic heart disease	19	9	5	4	—	—	16	15	—	2	8	6	6	8	8	14	15
16	Bronchitis	5	12	2	2	2	5	9	11	3	—	4	5	—	2	7	6	16
17	Pneumonia (all forms)	17	16	2	8	—	—	8	8	3	1	10	7	—	1	6	8	17
18	Other respiratory diseases	3	2	3	1	—	—	4	3	—	—	—	1	—	—	2	—	18
19	Diarrhoea, &c. (under 2 yrs.)	1	—	1	—	—	—	2	2	1	—	2	—	—	1	1	1	19
20	Appendicitis and typhlitis	1	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	20
21	Cirrhosis of liver	—	—	—	1	1	—	2	—	—	—	1	—	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	6	5	9	3	1	—	5	2	1	—	7	5	—	1	2	—	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	6	2	1	—	1	—	5	4	—	2	2	4	3	1	5	3	25
26	Violence, apart from 27	7	2	3	1	4	—	—	2	—	1	4	—	1	1	4	—	26
27	Suicide	2	—	2	—	1	—	—	—	—	—	2	—	1	—	1	—	27
28	Other defined diseases	41	43	31	27	9	3	41	40	3	2	31	26	12	14	33	27	28
29	Causes ill-defined or un- known.	3	1	—	—	—	—	—	3	1	—	1	1	—	—	—	1	29

KENT—cont.

LANCASHIRE.

Causes of Death.		West Ashford R.D.						Abram U.D.		Accring- ton M.B.		Adlington U.D.		Ashton in Makerfield U.D.		Ashton under Lyne M.B.		
		M	F					M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	63	59					50	46	278	323	27	23	183	179	398	398	
1	Enteric fever	—	—					2	1	—	1	—	—	—	2	—	—	1
2	Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—					—	—	2	1	—	—	15	9	4	5	3
4	Scarlet fever	—	—					—	—	—	1	—	—	1	—	—	1	4
5	Whooping cough	2	3					1	3	3	4	—	—	10	9	5	8	5
6	Diphtheria and croup	—	—					—	—	5	3	—	1	3	2	3	2	6
7	Influenza	15	9					7	15	28	29	2	8	39	52	53	62	7
8	Erysipelas	—	—					—	—	2	1	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	4	3					3	3	19	23	3	1	5	5	37	29	9
10	Tuberculous meningitis	—	—					—	—	2	2	—	—	2	3	2	3	10
11	Other tuberculous diseases	1	—					1	—	6	3	—	—	1	1	9	3	11
12	Cancer, malignant disease	8	3					1	2	20	29	2	1	5	10	20	31	12
13	Rheumatic fever... ..	—	—					—	—	—	1	—	—	—	—	3	—	13
14	Meningitis	—	—					1	—	4	7	—	—	—	—	4	2	14
15	Organic heart disease	7	10					1	3	23	31	2	2	8	8	44	33	15
16	Bronchitis	2	1					4	—	18	31	2	—	11	15	35	37	16
17	Pneumonia (all forms)	1	3					6	3	33	34	2	4	19	9	41	44	17
18	Other respiratory diseases	—	—					—	—	1	7	—	—	2	1	4	5	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—					3	—	1	2	1	1	4	3	3	2	19
20	Appendicitis and typhlitis	—	—					—	—	1	1	—	—	2	1	1	—	20
21	Cirrhosis of liver	—	—					—	—	2	1	—	—	2	1	1	—	21
21A	Alcoholism	—	—					—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2					2	1	11	9	1	—	7	3	10	8	22
23	Puerperal fever	—	—					—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—					—	—	—	2	—	—	—	—	—	1	24
25	Congenital debility, &c.	—	5					3	3	11	14	—	1	9	9	11	20	25
26	Violence, apart from 27	3	1					5	3	9	4	2	—	7	2	7	5	26
27	Suicide	1	—					1	—	1	1	—	—	—	—	2	1	27
28	Other defined diseases	18	19					9	9	73	78	10	4	28	33	97	95	28
29	Causes ill-defined or un- known.	—	—					—	—	3	3	—	—	3	1	1	—	29

AREAS, 1918 (Civilian population only)—continued.
LANCASHIRE—cont.

	Aspull U.D.		Atherton U.D.		Audenshaw U.D.		Bacup M.B.		Barrow- ford U.D.		Billinge U.D.		Bispham with Nor- breck U.D.*		Blackrod U.D.		Brierfield U.D.		Carnforth U.D.		Chadder- ton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	85	84	158	160	50	54	190	195	31	43	34	43	2	4	34	36	62	51	30	18	264	253	1
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	2
3	—	1	11	5	—	—	4	4	3	3	—	—	—	—	—	—	1	2	1	—	—	2	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	5	2	4	7	—	—	5	12	1	—	—	1	—	—	1	—	2	—	—	4	7	5	5
6	1	—	4	11	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	4	3	6	6
7	25	22	19	34	11	7	18	22	3	6	5	8	—	—	8	7	15	14	5	1	58	61	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	2	5	7	8	4	—	10	8	2	2	2	4	—	—	1	2	4	3	3	2	22	11	9
10	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	3	2	10	10
11	—	2	2	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	11
12	2	6	7	4	2	3	9	13	4	6	3	3	—	1	1	3	2	4	1	—	13	16	12
13	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	13
14	—	—	4	1	—	2	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	4	14
15	2	3	4	10	2	5	16	21	2	6	3	2	—	1	2	2	2	5	2	—	21	30	15
16	7	2	24	15	2	8	18	23	3	6	3	3	—	—	2	2	8	8	1	3	24	26	16
17	16	18	24	21	8	6	27	22	—	3	4	3	—	—	5	3	3	3	1	1	23	18	17
18	1	—	2	2	—	1	2	1	1	—	—	—	1	—	—	—	1	—	—	1	3	—	18
19	3	5	2	1	1	2	1	1	—	—	1	1	—	—	2	1	—	—	—	—	3	1	19
20	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	3	—	3	2	3	7	1	2	1	2	1	—	—	—	2	2	—	—	9	10	22
23	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	2	—	—	—	3	—	—	—	—	—	—	—	—	—	—	1	—	6	—	24
25	5	3	6	7	2	2	17	6	—	1	1	5	—	—	2	2	1	1	2	1	13	5	25
26	1	2	7	3	2	—	4	1	—	1	2	—	—	—	—	—	3	—	—	1	7	2	26
27	2	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	1	—	1	—	27
28	9	9	25	24	12	16	54	49	10	6	6	9	—	2	7	12	12	8	9	5	54	47	28
29	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	1	—	—	—	1	29

LANCASHIRE—cont.

	Chorley M.B.		Church U.D.		Clayton le Moors U.D.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Croston U.D.		Dalton in Furness U.D.		Darwen M.B.		Denton U.D.		Droylsden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	262	310	53	42	55	70	96	88	160	195	133	147	18	13	153	125	309	383	125	129	95	119	1
2	1	—	—	—	2	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	5	1	—	—	—	—	—	—	4	4	1	—	—	—	—	6	2	—	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	4
5	—	4	—	2	—	1	1	—	2	1	1	2	—	1	2	5	—	3	4	4	3	3	5
6	2	5	—	1	1	—	1	—	7	3	—	—	—	—	1	3	—	1	3	1	1	1	6
7	49	68	2	5	4	10	7	10	36	45	10	22	9	3	26	27	71	102	13	25	18	26	7
8	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	8
9	16	13	7	3	4	5	11	6	8	10	11	8	—	1	9	9	12	20	8	9	5	10	9
10	2	1	—	1	1	1	—	—	1	—	—	—	—	—	2	3	1	3	—	1	1	—	10
11	—	2	—	—	1	2	—	3	1	2	1	1	—	—	2	3	4	3	3	—	1	—	11
12	11	21	4	5	2	9	8	10	8	11	6	10	1	—	11	7	29	27	3	2	12	10	12
13	1	1	1	—	—	—	—	—	—	—	—	—	1	—	1	—	2	1	1	2	1	—	13
14	1	5	1	—	1	—	—	1	2	2	—	—	—	—	1	—	2	1	1	—	—	—	14
15	20	24	1	2	2	5	9	5	24	22	13	21	2	—	10	9	23	41	9	15	4	12	15
16	25	27	2	3	5	4	13	12	8	17	8	12	—	1	14	7	25	29	15	12	8	7	16
17	40	42	8	4	7	10	4	5	9	13	16	20	1	—	17	5	23	30	16	12	8	9	17
18	4	4	1	—	—	—	—	2	1	—	4	6	—	—	2	1	6	6	4	1	1	1	18
19	2	4	—	—	—	1	1	—	—	2	—	—	—	—	2	2	3	—	—	—	1	1	19
20	1	—	—	—	—	—	—	1	1	1	2	—	—	—	2	—	2	—	—	1	—	1	20
21	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	—	4	2	1	1	—	5	9	2	2	5	6	—	2	2	—	13	8	2	2	5	3	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	23
24	—	—	—	—	—	—	—	2	—	—	—	3	—	—	—	1	—	3	—	1	—	—	24
25	8	6	4	—	8	2	4	3	8	5	12	3	—	—	10	12	2	2	4	2	3	2	25
26	7	1	2	1	2	1	3	1	1	1	3	—	—	1	4	—	10	6	4	1	5	2	26
27	—	1	—	—	—	1	—	—	2	1	3	—	—	—	1	1	—	—	—	—	—	—	27
28	65	64	16	14	13	16	26	18	37	52	27	32	3	4	34	26	68	88	34	34	17	29	28
29	4	7	—	—	1	—	1	1	1	1	3	—	—	—	—	2	3	3	—	—	—	1	29

* Abolished on 1st April, 1918,

CAUSES OF DEATH IN ADMINISTRATIVE
LANCASHIRE—*cont.*

Causes of Death.	Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Formby U.D.		Fulwood U.D.		Golborne U.D.		Grange U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	308	293	133	128	219	192	140	125	38	41	60	61	45	45	15	25	1
1 Enteric fever	1	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	2	1	—	—	—	4	3	1	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	1	—	1	1	—	—	—	—	—	—	—	1	—	—	5
5 Whooping cough	2	8	3	3	7	10	2	2	—	—	—	—	2	1	—	—	6
6 Diphtheria and croup	2	1	—	—	1	—	—	1	3	—	—	—	—	—	—	1	7
7 Influenza	46	55	28	36	20	19	25	31	3	4	9	14	8	7	2	3	8
8 Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	36	15	11	5	22	10	9	13	—	4	1	—	3	1	2	2	10
10 Tuberculous meningitis	2	—	3	2	—	2	2	1	1	1	—	—	—	—	—	—	11
11 Other tuberculous diseases	3	3	7	—	3	—	3	2	—	—	1	—	—	—	—	—	12
12 Cancer, malignant disease	18	34	14	9	17	11	12	6	1	4	4	5	—	4	—	5	13
13 Rheumatic fever... ..	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	2	1	2	1	1	1	1	1	—	—	—	—	1	2	—	—	15
15 Organic heart disease	37	32	8	11	17	16	12	10	10	10	4	6	3	5	4	3	16
16 Bronchitis	23	29	11	9	23	23	9	7	—	1	7	8	3	2	1	—	17
17 Pneumonia (all forms)	29	23	12	15	23	13	18	11	5	4	7	5	4	6	—	2	18
18 Other respiratory diseases	6	3	1	—	4	1	—	5	—	2	—	—	1	1	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	4	6	3	1	5	4	2	1	—	—	—	—	3	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	1	—	1	—	—	—	1	—	1	1	—	—	21
21 Cirrhosis of liver	4	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	5	6	1	3	3	3	2	2	1	—	2	2	2	—	—	—	23
23 Puerperal fever	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	4	—	—	—	3	—	1	—	—	1	—	—	1	—	—	25
25 Congenital debility, &c.	15	8	3	4	11	8	6	2	—	1	1	—	3	1	—	1	26
26 Violence, apart from 27	12	5	4	1	8	5	6	3	2	—	—	—	—	—	1	—	27
27 Suicide	—	—	—	—	2	1	—	—	—	—	1	—	1	—	—	—	28
28 Other defined diseases	57	55	20	28	47	56	23	20	10	8	22	20	10	10	4	8	29
29 Causes ill-defined or unknown.	2	—	—	—	—	4	2	2	—	—	—	—	—	—	—	—	

LANCASHIRE—*cont.*

Causes of Death.	Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		Haydock U.D.		Heysham U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	76	87	96	100	96	142	94	75	36	34	225	278	190	214	114	104	1
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	1	1	3	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	—	—	—	1	8	2	—	—	—	—	—	—	1	3	4
4 Scarlet fever	1	1	—	—	—	—	1	1	1	—	1	—	—	1	—	—	5
5 Whooping cough	2	—	—	2	4	8	2	3	—	—	1	2	5	9	4	1	6
6 Diphtheria and croup	—	—	—	1	—	1	—	1	—	—	—	4	2	4	—	—	7
7 Influenza	5	7	16	22	13	30	9	10	3	6	38	59	18	35	20	21	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	8	6	5	6	12	6	4	1	—	11	13	3	12	5	6	10
10 Tuberculous meningitis	—	1	—	—	—	—	—	—	—	—	3	1	—	1	—	3	11
11 Other tuberculous diseases	3	1	2	5	3	2	—	—	—	1	—	3	5	1	2	1	12
12 Cancer, malignant disease	4	8	10	12	10	13	2	8	5	6	14	18	7	7	5	8	13
13 Rheumatic fever... ..	—	—	—	—	—	1	2	—	—	1	1	1	—	5	—	—	14
14 Meningitis	2	—	2	1	2	—	1	1	—	—	2	2	2	1	2	—	15
15 Organic heart disease	5	5	7	6	14	13	4	6	5	4	26	17	7	9	4	8	16
16 Bronchitis	2	2	3	6	1	3	11	4	—	3	29	35	25	21	3	5	17
17 Pneumonia (all forms)	12	15	10	14	11	5	9	10	1	—	24	18	50	38	17	10	18
18 Other respiratory diseases	1	2	1	1	1	—	1	—	—	1	4	2	—	2	2	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	—	—	4	4	—	—	1	2	3	4	—	—	20
20 Appendicitis and typhlitis	1	1	1	2	1	—	1	—	—	—	1	3	—	—	1	—	21
21 Cirrhosis of liver	—	—	1	—	1	—	—	1	—	1	3	—	1	—	—	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	6	3	2	3	9	1	1	1	1	3	12	5	2	5	5	23
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	1	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	—	—	1	—	1	—	4	—	1	25
25 Congenital debility, &c.	4	1	7	1	2	4	13	2	3	1	12	6	11	9	9	5	26
26 Violence, apart from 27	4	1	1	1	2	4	3	1	3	—	5	3	9	4	3	3	27
27 Suicide	—	—	2	1	1	—	1	1	—	—	3	2	—	—	1	—	28
28 Other defined diseases	22	25	23	16	20	33	15	14	13	8	43	71	32	39	30	21	29
29 Causes ill-defined or unknown.	1	1	—	2	1	2	—	—	—	—	1	1	2	1	—	—	

AREAS, 1918 (Civilian population only)—continued.
LANCASHIRE—cont.

	Hurst U.D.		Huyton with Roby U.D.		Ince in Makerfield U.D.		Irlam U.D.		Kearsley U.D.		Kirkham U.D.		Lancaster M.B.		Lathom and Burscough U.D.		Lees U.D.		Leigh M.B.		Leyland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	60	71	56	22	211	211	54	63	88	64	23	34	380	302	79	74	48	61	358	381	56	74	1
2	—	—	—	—	2	2	1	—	—	1	—	—	—	—	—	—	1	3	2	1	—	1	2
3	—	—	—	—	4	2	—	2	—	—	—	—	2	1	3	5	—	—	2	1	1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
5	3	—	—	—	6	7	—	1	2	—	—	—	5	7	—	—	3	2	15	11	1	2	5
6	3	1	2	—	—	—	—	—	—	—	1	3	3	3	—	1	—	—	5	9	3	1	6
7	6	8	15	4	27	32	12	6	12	5	3	6	36	59	14	17	5	12	50	75	16	24	7
8	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	8
9	4	4	2	1	17	16	3	4	2	5	1	3	25	26	4	3	1	1	28	33	2	4	9
10	—	1	—	—	—	—	—	—	—	—	—	—	2	2	1	1	—	—	1	2	—	1	10
11	3	1	—	—	1	4	1	2	1	—	—	—	6	6	2	1	—	—	3	6	—	—	11
12	3	1	2	1	5	7	2	2	3	7	—	3	19	23	4	3	3	2	13	15	6	2	12
13	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	13
14	—	—	—	—	3	—	—	—	—	1	—	—	6	1	2	1	1	—	2	3	1	—	14
15	6	6	4	—	5	16	2	7	6	1	—	—	23	35	5	10	10	18	26	40	7	4	15
16	8	8	5	4	24	25	2	9	10	4	1	1	35	16	4	4	3	2	45	43	3	5	16
17	6	11	7	1	39	39	8	8	6	9	4	4	56	25	5	6	6	3	35	30	4	5	17
18	—	—	1	1	1	1	—	1	1	—	—	—	6	6	1	—	—	1	5	—	—	—	18
19	1	1	2	1	6	6	—	—	2	—	—	—	9	3	3	—	—	1	10	11	1	1	19
20	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	1	1	—	2	20
21	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	1	2	—	6	1	1	1	5	1	—	—	8	1	1	—	1	—	6	4	—	—	22
23	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	3	—	2	—	—	—	3	—	1	24
25	1	2	1	—	15	8	3	3	7	1	1	1	23	8	5	3	3	4	31	17	4	2	25
26	2	3	4	—	8	1	3	1	3	1	—	—	6	1	4	1	1	—	17	8	1	1	26
27	1	—	—	—	1	1	—	1	—	—	—	—	2	—	1	—	—	2	—	—	—	—	27
28	10	21	9	9	37	39	15	13	27	23	10	11	101	74	19	11	9	10	54	66	6	18	28
29	—	—	—	—	3	2	1	—	—	—	—	—	2	—	1	3	—	—	2	2	—	—	29

LANCASHIRE—cont.

	Litherland U.D.		Little- borough U.D.		Little Crosby U.D.		Little Hulton U.D.		Little Lever U.D.		Longridge U.D.		Lytham U.D.		Middleton M.B.		Milnrow U.D.		More- cambe M.B.		Mossley M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	122	144	99	113	6	9	58	60	38	33	27	35	59	59	220	220	73	87	108	112	77	92	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	3	1	—	—	—	1	—	—	—	—	—	—	—	7	6	1	1	—	—	—	—	3
4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	2	2	6	—	—	—	1	4	3	—	—	—	—	2	3	2	7	—	—	—	—	5
6	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	6
7	18	30	17	29	1	2	2	16	3	4	—	8	7	13	25	37	10	10	17	15	13	14	7
8	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	10	14	5	2	1	1	5	2	2	2	2	1	2	1	14	16	5	4	7	6	5	5	9
10	1	—	2	—	—	—	3	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	10
11	2	2	—	4	—	—	—	1	—	2	—	—	2	2	1	3	1	1	1	1	—	1	11
12	4	14	5	6	1	—	8	4	—	3	—	1	1	8	22	14	3	6	4	10	10	8	12
13	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	3	1	2	1	—	—	—	13
14	—	—	1	—	—	—	2	—	2	—	—	—	—	—	1	1	—	1	—	1	2	1	14
15	6	7	3	11	—	—	1	4	1	1	7	8	6	7	13	21	5	6	15	16	3	10	15
16	8	8	15	6	—	1	6	8	7	2	2	3	4	3	19	21	3	10	8	6	10	14	16
17	18	14	7	6	—	—	3	3	1	—	4	2	5	2	25	16	3	5	4	7	3	—	17
18	5	1	—	1	—	—	2	—	1	—	—	—	1	—	—	2	2	—	2	2	2	2	18
19	6	3	—	—	—	—	—	—	1	1	1	—	—	—	2	—	1	1	—	—	—	—	19
20	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	4	3	5	—	—	1	3	—	1	—	1	5	2	7	13	5	1	2	2	8	4	22
23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	23
24	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	24
25	2	5	3	2	—	1	3	2	4	1	1	1	1	—	6	3	1	2	3	3	2	5	25
26	4	3	5	1	—	1	8	—	1	—	1	1	2	1	10	2	1	2	4	—	1	1	26
27	—	—	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	1	1	—	—	—	27
28	25	26	28	32	2	2	8	14	8	11	9	8	19	17	57	51	28	24	36	37	18	26	28
29	1	1	—	—	1	—	—	—	—	—	—	—	2	1	3	1	—	—	—	2	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
LANCASHIRE—cont.

Causes of Death.		Nelson M.B.		Newton in Maker- field U.D.		Norden U.D.		Ormskirk U.D.		Orrell U.D.		Oswald- twistle U.D.		Padiham U.D.		Poulton le Fylde U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	225	287	137	128	32	34	53	65	52	53	119	112	81	98	22	25	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	4	5	1	—	—	1	1	—	2	—	7	1	7	7	—	—	4
4 Scarlet fever	...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	2	2	1	—	—	1	—	—	1	3	3	3	1	—	—	6
6 Diphtheria and croup	...	4	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	7
7 Influenza	...	23	46	28	24	6	6	7	12	17	19	7	14	2	7	5	6	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	18	16	12	8	3	—	8	5	—	—	8	9	4	7	2	3	10
10 Tuberculous meningitis	...	—	1	—	1	—	—	1	1	—	—	—	—	—	1	—	—	11
11 Other tuberculous diseases	...	4	3	1	1	1	1	—	3	—	—	1	—	2	1	—	—	12
12 Cancer, malignant disease	...	15	25	6	11	—	1	5	2	—	4	8	8	4	6	1	2	13
13 Rheumatic fever...	...	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	...	1	2	2	—	1	—	—	—	1	—	—	—	2	5	—	—	15
15 Organic heart disease	...	38	31	4	14	5	4	2	4	7	5	10	11	3	9	2	1	16
16 Bronchitis	...	18	31	1	6	—	3	—	4	4	1	14	14	11	10	3	2	17
17 Pneumonia (all forms)	...	12	17	20	13	1	—	10	4	4	2	10	10	7	6	2	1	18
18 Other respiratory diseases	...	3	5	—	1	1	—	—	1	—	1	5	—	1	2	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	1	2	3	2	—	—	—	1	3	—	—	—	1	—	—	—	20
20 Appendicitis and typhlitis	...	1	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	...	3	—	1	1	—	—	—	—	1	—	1	—	1	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	4	6	3	8	1	—	3	3	1	2	2	3	2	1	1	1	23
23 Puerperal fever	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	4	—	2	—	—	—	—	—	—	—	1	—	1	—	—	25
25 Congenital debility, &c.	...	11	6	7	2	3	1	2	4	3	6	5	7	6	3	—	—	26
26 Violence, apart from 27	...	2	2	7	4	1	—	—	1	2	—	4	1	1	1	—	—	27
27 Suicide	...	4	1	1	—	—	—	1	—	—	—	—	—	1	1	—	—	28
28 Other defined diseases	...	55	75	35	28	8	16	11	20	6	11	27	27	22	24	6	7	29
29 Causes ill-defined or un- known.	...	2	2	2	—	—	1	1	—	1	—	1	1	1	4	—	1	29

LANCASHIRE—cont.

Causes of Death.		Preesall U.D.		Prescot U.D.		Prestwich U.D.		Radcliffe U.D.		Rainford U.D.		Rams- bottom U.D.		Rawten- stall M.B.		Rishton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	14	7	84	66	113	99	181	181	17	27	98	132	203	231	44	52	1
1 Enteric fever	...	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	4	2	—	—	1	1	—	—	1	1	3	2	—	—	4
4 Scarlet fever	...	—	—	—	—	—	—	3	3	—	1	—	—	—	—	—	—	5
5 Whooping cough	...	—	—	1	—	4	—	1	2	1	—	—	—	5	3	—	1	6
6 Diphtheria and croup	...	—	—	13	7	2	1	1	2	—	—	3	—	—	1	—	1	7
7 Influenza	...	5	—	3	15	15	16	16	19	5	9	16	22	15	35	9	10	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	1	—	8	6	14	8	18	9	1	1	5	5	12	16	—	5	10
10 Tuberculous meningitis	...	—	—	2	1	—	1	1	1	—	—	—	—	—	1	—	—	11
11 Other tuberculous diseases	...	—	—	1	—	—	2	2	—	—	—	—	2	1	5	—	1	12
12 Cancer, malignant disease	...	—	—	4	3	7	11	13	18	1	2	7	18	12	21	4	5	13
13 Rheumatic fever...	...	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	1	14
14 Meningitis	...	—	—	1	1	—	1	2	2	—	1	2	1	4	—	—	—	15
15 Organic heart disease	...	2	2	1	2	15	8	6	17	—	3	8	11	18	27	4	2	16
16 Bronchitis	...	2	—	7	—	4	4	30	31	3	1	3	8	17	11	7	4	17
17 Pneumonia (all forms)	...	2	3	5	5	12	8	20	11	—	—	10	10	21	19	7	11	18
18 Other respiratory diseases	...	—	—	1	—	1	1	—	1	—	—	—	1	5	8	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	3	—	2	—	—	—	—	—	3	—	1	2	—	—	20
20 Appendicitis and typhlitis	...	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—	—	21
21 Cirrhosis of liver	...	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	—	—	3	3	2	3	2	7	—	3	3	3	10	6	1	2	23
23 Puerperal fever	...	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—	—	24
24 Parturition, apart from 23	...	—	—	—	2	—	1	—	1	—	1	—	1	—	2	—	—	25
25 Congenital debility, &c.	...	—	—	4	4	2	2	8	8	—	—	4	3	12	5	1	—	26
26 Violence, apart from 27	...	—	—	4	1	2	2	3	4	1	—	1	3	6	4	2	—	27
27 Suicide	...	—	1	—	—	—	—	1	—	—	—	—	—	3	2	—	—	28
28 Other defined diseases	...	2	1	18	11	27	30	49	40	4	4	30	43	55	57	8	9	29
29 Causes ill-defined or un- known.	...	—	—	—	—	2	—	2	2	—	1	1	—	—	1	—	—	29

AREAS, 1918 (Civilian population only)—continued.
LANCASHIRE—cont.

	Royton U.D.		St. Anne's on the Sea U.D.		Skelmers- dale U.D.		Standish with Langtree U.D.		Stretford U.D.		Swinton and Pendle- bury U.D.		Thornton U.D.		Tottington U.D.		Trawden U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	161	187	53	64	63	60	64	43	273	296	220	243	39	43	47	65	18	23	64	84	119	111	1
2	—	—	2	—	—	—	2	—	1	1	1	1	—	—	—	—	1	—	—	—	1	—	2
3	—	—	—	—	—	3	1	—	1	2	—	1	—	—	—	—	—	2	1	—	3	8	3
4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	2	5	1	1	—	3	3	2	4	1	1	5	—	—	—	—	—	—	3	4	2	2	5
6	—	—	—	—	—	—	—	—	4	2	1	4	—	1	3	1	—	—	—	—	3	2	6
7	29	39	6	9	20	14	10	11	44	58	42	53	12	12	7	12	3	3	9	14	14	14	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	9	13	3	3	4	4	2	2	16	25	22	18	1	4	4	9	—	—	2	3	3	4	9
10	1	1	—	—	—	2	—	—	1	1	—	1	—	—	—	—	—	—	—	—	1	—	10
11	2	5	1	2	—	—	1	—	3	2	1	3	—	—	1	1	—	—	1	—	—	3	11
12	12	13	3	9	1	—	1	—	29	31	7	15	1	3	8	4	2	1	7	7	6	3	12
13	1	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	1	2	—	13
14	2	3	—	—	3	1	—	1	3	3	2	—	—	—	—	—	—	—	1	1	—	—	14
15	8	22	12	6	5	4	5	6	25	25	11	27	4	5	4	11	4	5	3	7	11	5	15
16	18	17	—	3	7	3	4	—	21	20	18	13	4	3	1	4	1	1	8	13	14	4	16
17	17	11	2	2	7	8	13	6	22	24	34	32	3	—	1	2	2	1	6	5	24	33	17
18	5	1	—	1	3	1	—	—	3	3	4	4	—	2	—	1	—	1	2	—	3	2	18
19	1	2	—	1	—	2	—	—	5	1	2	1	—	—	—	—	—	—	1	1	2	—	19
20	—	—	—	—	1	—	1	—	2	2	—	1	—	—	—	1	—	—	—	—	—	1	20
21	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	8	2	6	1	1	1	2	6	10	5	8	—	—	1	—	1	1	1	3	1	1	22
23	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	24
25	7	6	—	—	4	3	5	—	5	5	14	2	—	3	2	1	—	—	1	1	3	2	25
26	3	2	2	—	—	1	1	—	8	4	10	7	—	—	2	—	—	—	1	2	4	—	26
27	1	2	1	2	—	—	1	—	—	2	—	—	—	1	—	1	—	—	3	—	1	—	27
28	37	35	17	19	7	5	12	11	67	73	44	43	13	8	13	17	4	8	13	22	22	21	28
29	1	1	—	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	29

LANCASHIRE—cont.

	Ulverston U.D.		Upholland U.D.		Urmston U.D.		Walton le Dale U.D.		Wardle U.D.		Waterloo with Sea- forth U.D.		West- houghton U.D.		Whitefield U.D.		Whit- worth U.D.		Widnes M.B.		Withnell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	109	91	38	46	50	45	85	92	52	40	208	223	97	119	42	54	72	88	340	258	20	27	1
2	1	—	2	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	1	6	4	3	3	—	—	1	1	11	15	—	—	4
5	3	3	1	1	—	—	—	—	1	—	3	2	4	6	—	—	2	2	2	5	—	—	5
6	—	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	1	2	3	—	1	—	6
7	14	23	8	13	4	5	12	21	8	6	26	28	11	15	5	3	8	12	61	48	4	9	7
8	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	2	4	2	1	5	2	7	8	4	3	19	12	4	4	3	2	3	8	23	17	1	—	9
10	—	—	—	1	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—	1	—	2	10
11	1	3	—	—	—	1	1	1	—	1	2	4	—	—	1	1	—	—	5	1	—	—	11
12	7	10	1	3	6	8	1	5	3	3	18	23	2	9	6	5	6	2	16	10	—	4	12
13	—	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	2	1	—	—	13
14	5	3	—	—	—	3	—	—	—	—	2	—	1	1	—	—	1	—	4	2	1	—	14
15	7	7	3	3	6	5	4	10	2	3	13	18	4	7	3	12	8	14	13	10	2	1	15
16	10	6	1	1	5	2	9	9	7	—	12	12	10	11	2	4	9	6	37	22	—	—	16
17	4	3	—	3	2	2	7	7	4	1	23	31	18	14	3	3	9	10	36	18	2	3	17
18	3	1	1	1	1	—	1	2	—	—	2	1	—	—	—	—	1	—	3	7	—	—	18
19	1	1	1	2	2	—	—	—	—	—	1	2	1	3	2	1	—	1	5	9	—	—	19
20	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	1	1	1	—	—	—	20
21	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	—	—	3	—	4	2	2	1	7	4	2	2	1	1	6	9	11	7	—	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	1	—	—	2	—	—	—	—	2	—	1	—	2	—	—	24
25	3	7	2	2	—	2	6	3	—	—	12	1	3	6	—	3	3	—	22	13	3	—	25
26	17	2	3	1	—	—	8	2	—	1	1	2	6	—	1	1	—	1	15	4	—	1	26
27	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	1	—	—	—	27
28	25	17	12	13	15	13	23	17	18	21	53	70	25	29	12	14	10	18	65	66	6	4	28
29	1	—	1	1	—	—	—	1	—	—	2	3	—	1	—	—	—	—	4	—	1	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
LANCASHIRE—cont.

Causes of Death.	Worsley U.D.					Barton upon Irwell R.D.		Blackburn R.D.		Burnley R.D.		Bury R.D.		Chorley R.D.		
	M	F				M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	97	93				70	73	70	58	118	129	83	72	169	178	1
1 Enteric fever	1	4				—	—	—	1	—	1	—	—	—	1	2
2 Small-pox	—	—				—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—				—	—	—	—	3	—	1	—	6	4	4
4 Scarlet fever	—	—				—	—	—	—	—	—	2	—	—	—	5
5 Whooping cough	—	—				—	1	—	—	—	—	1	—	1	2	6
6 Diphtheria and croup	1	—				1	—	1	—	—	1	—	—	1	—	7
7 Influenza	21	24				8	15	6	13	12	27	16	5	44	50	8
8 Erysipelas	—	—				—	—	—	—	—	1	—	—	—	—	9
9 Pulmonary tuberculosis	10	7				11	6	3	3	6	9	4	3	7	7	10
10 Tuberculous meningitis	2	1				—	—	1	—	1	1	2	1	—	—	11
11 Other tuberculous diseases	—	3				2	—	—	1	3	1	—	2	—	1	12
12 Cancer, malignant disease	4	8				5	3	7	7	8	7	5	7	7	10	13
13 Rheumatic fever... ..	—	1				—	—	—	1	—	1	—	—	—	—	14
14 Meningitis	—	1				1	—	1	—	—	1	—	—	—	1	15
15 Organic heart disease	10	5				1	9	8	8	16	16	8	10	9	16	16
16 Bronchitis	9	6				4	9	4	1	6	9	9	7	11	11	17
17 Pneumonia (all forms)	9	5				6	2	8	7	10	11	4	7	16	16	18
18 Other respiratory diseases	—	2				2	2	—	—	1	—	2	2	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—				1	—	1	—	1	—	—	—	3	3	20
20 Appendicitis and typhlitis	1	1				—	—	—	—	—	2	—	1	2	2	21
21 Cirrhosis of liver	—	1				—	—	—	—	1	—	—	—	2	—	21A
21A Alcoholism	—	—				—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	6				1	2	4	1	4	4	—	1	3	1	23
23 Puerperal fever	—	—				—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—				—	—	—	—	—	3	—	1	—	4	25
25 Congenital debility, &c.	4	4				1	4	7	2	5	2	2	3	8	1	26
26 Violence, apart from 27	1	1				2	1	2	—	5	3	3	—	9	2	27
27 Suicide	—	—				1	—	—	1	2	—	1	1	2	—	28
28 Other defined diseases	20	13				23	19	17	12	30	26	23	20	35	41	29
29 Causes ill-defined or un- known.	—	—				—	—	—	—	4	2	—	1	3	4	29

LANCASHIRE—cont.

Causes of Death.	Clitheroe R.D.		Fylde R.D.		Garstang R.D.		Lancaster R.D.		Leigh R.D.		Lime- hurst R.D.		Lunesdale R.D.		Preston R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	35	37	89	79	89	77	84	89	77	89	63	66	44	29	165	141	1
1 Enteric fever	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	2	1	2	3	2	2	2	4	1	1	—	—	1	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	1	4	—	1	—	—	—	2	7
7 Influenza	4	4	18	15	20	22	8	25	16	20	8	11	7	6	29	26	8
8 Erysipelas... ..	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	1	3	3	1	3	1	7	4	1	4	5	2	—	11	6	10
10 Tuberculous meningitis	—	—	1	—	1	—	1	1	—	1	—	1	—	1	—	—	11
11 Other tuberculous diseases	1	1	—	—	2	2	2	1	1	—	—	—	—	—	3	1	12
12 Cancer, malignant disease	2	5	2	4	4	2	4	4	4	2	4	1	2	2	13	16	13
13 Rheumatic fever... ..	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1	—	14
14 Meningitis	1	—	1	—	—	—	—	2	1	3	—	—	—	—	—	1	15
15 Organic heart disease	3	4	5	10	13	11	13	7	6	5	3	11	4	2	8	10	16
16 Bronchitis	1	3	7	8	4	4	4	4	7	5	4	6	2	3	7	13	17
17 Pneumonia (all forms)	3	2	12	6	8	5	6	7	9	10	10	3	1	1	22	8	18
18 Other respiratory diseases	—	—	—	1	—	2	—	1	—	2	—	1	1	—	3	3	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	2	2	2	1	1	—	1	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	4	3	—	1	2	3	1	—	1	2	1	—	—	5	4	23
23 Puerperal fever	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	25
25 Congenital debility, &c.	1	1	5	1	8	2	6	3	2	6	2	3	2	1	3	4	26
26 Violence, apart from 27	1	1	4	2	3	1	4	—	3	1	1	1	4	—	3	2	27
27 Suicide	1	—	—	—	—	1	—	—	—	3	—	—	—	—	2	2	28
28 Other defined diseases	13	9	21	24	21	14	25	21	16	18	22	19	16	12	45	41	29
29 Causes ill-defined or un- known.	1	1	3	1	1	—	—	—	1	—	1	—	—	—	6	—	29

AREAS, 1918 (Civilian population only)—continued.

LANCASHIRE—cont.

LEICESTERSHIRE.

	Sefton R.D.		Ulverston R.D.		Warring- ton R.D.		West Lan- cashire R.D.		Whiston R.D.		Wigan R.D.						Ashby de la Zouch U.D.		Ashby Woulds U.D.		Coalville U.D.		
	M 37	F 29	M 129	F 120	M 81	F 94	M 153	F 163	M 149	F 142	M 37	F 42					M 28	F 35	M 23	F 15	M 159	F 150	
1	—	—	—	—	—	1	—	—	—	—	1	—					—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	1	4	2	—	1					—	—	—	—	2	—	3
4	—	—	1	1	—	—	1	—	1	2	—	—					—	—	—	—	—	1	4
5	2	1	2	7	2	3	2	1	3	6	—	1					1	—	—	—	6	1	5
6	1	—	—	1	2	2	3	1	3	4	—	—					—	—	—	—	3	8	6
7	3	4	25	21	12	28	31	39	9	20	5	8					4	11	4	5	27	31	7
8	—	—	—	—	1	—	—	—	1	—	—	—					—	—	—	—	—	—	8
9	2	4	7	7	4	6	4	10	13	10	5	2					3	1	—	—	8	8	9
10	1	—	1	—	—	2	1	—	1	2	—	—					—	1	—	—	2	2	10
11	—	1	1	5	—	—	2	1	1	—	—	2					1	1	—	—	1	1	11
12	3	1	6	11	9	5	10	11	4	9	1	3					1	—	—	1	8	10	12
13	—	1	1	—	—	—	—	—	—	—	—	—					1	—	—	—	—	—	13
14	—	—	1	2	2	1	1	1	2	1	—	—					1	1	1	—	—	2	14
15	4	2	10	7	5	6	9	20	6	12	3	3					—	1	1	—	11	2	15
16	2	2	5	7	4	5	9	11	18	10	1	4					3	1	3	3	10	11	16
17	4	2	8	10	6	7	16	11	15	14	1	6					2	—	4	—	26	18	17
18	1	—	1	2	—	—	5	4	2	—	1	1					1	1	—	—	—	1	18
19	1	—	—	—	6	3	3	—	1	1	—	—					—	—	—	1	2	1	19
20	—	1	1	—	1	—	2	—	—	1	1	—					—	1	2	—	1	—	20
21	—	—	2	—	—	—	—	—	1	—	—	—					—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	21A
22	2	4	1	1	2	2	5	7	7	7	—	—					1	—	2	—	2	—	22
23	—	—	—	1	—	1	—	—	—	1	—	1					—	1	—	—	—	—	23
24	—	—	—	1	—	—	—	1	—	3	—	1					—	—	—	—	—	2	24
25	2	—	5	4	5	2	6	7	11	3	2	1					1	1	1	—	13	11	25
26	2	—	7	—	2	1	4	1	4	3	—	—					—	—	2	—	5	1	26
27	—	—	—	3	—	—	—	1	—	—	—	—					—	—	—	—	—	—	27
28	7	6	43	28	18	19	39	33	40	29	15	8					9	13	3	5	31	36	28
29	—	—	1	1	—	—	—	2	2	2	1	—					—	—	—	—	1	2	29

LEICESTERSHIRE—cont.

	Hinckley U.D.		Lough- borough M.B.		Market Har- borough U.D.		Melton Mowbray U.D.		Oadby U.D.		Quorndon U.D.		Shepshed U.D.		Thur- maston U.D.		Wigston Magna U.D.				Ashby de la Zouch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
1	81	90	199	184	49	77	73	71	16	24	26	22	34	35	21	16	61	59			117	117	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	1	3	—	1	—	—	2	3	1	—	—	—	—	—	—	—	1	1			5	2	3
4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	—	1	1	1	—	—	2	1	—	—	2	3	1	—	—	—	—	2			5	6	5
6	—	—	—	1	—	—	1	1	—	1	1	—	—	—	1	2	1	—			1	1	6
7	13	11	41	53	15	23	15	24	—	—	7	4	2	9	4	3	9	6			16	25	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	8
9	6	10	29	15	5	6	5	5	3	1	3	3	7	5	2	1	5	4			7	7	9
10	—	1	2	2	—	1	—	1	—	—	—	—	—	—	—	—	1	1			—	2	10
11	2	—	6	3	—	1	1	2	—	—	—	—	—	—	—	—	—	—			1	3	11
12	6	3	7	15	7	10	6	5	1	2	—	2	1	4	1	1	8	5			7	7	12
13	—	—	2	3	—	1	—	—	—	—	—	—	—	—	—	—	1	—			—	2	13
14	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—			2	—	14
15	6	9	17	16	3	3	3	6	—	2	2	1	4	2	2	1	2	4			11	10	15
16	7	12	4	10	2	6	4	1	1	3	5	1	2	1	—	3	5	3			17	6	16
17	2	2	14	10	2	5	11	8	1	4	—	—	4	1	1	1	11	11			3	10	17
18	—	—	4	1	1	1	1	—	—	—	—	1	—	—	2	—	—	1			—	3	18
19	2	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—			1	2	19
20	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—	20
21	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	21A
22	2	1	4	4	—	1	1	2	2	1	—	—	1	—	—	—	1	1			2	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	23
24	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1			—	—	24
25	4	2	10	5	1	1	1	—	1	—	—	3	4	3	1	—	1	—			7	1	25
26	2	2	1	5	1	—	3	—	—	—	—	—	3	—	2	1	1	—			5	2	26
27	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	2	—			—	—	27
28	25	30	53	35	8	16	17	11	5	7	5	4	5	10	5	2	12	18			26	25	28
29	1	1	—	—	1	—	—	—	1	—	1	—	—	—	—	1	—	—			—	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
LEICESTERSHIRE—cont.

Causes of Death.				Barrow upon Soar R.D.		Belvoir R.D.		Billesdon R.D.		Blaby R.D.		Castle Donington R.D.		Hallaton R.D.		Hinckley R.D.		Loughborough R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	198	185	20	24	50	44	119	115	59	50	20	17	80	99	38	36	1
1 Enteric fever	—	—	—	—	—	—	2	2	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	2	—	—	—	—	1	—	1	—	—	—	2	4	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	3	—	—	1	1	—	1	2	—	2	1	—	—	—	—	6
6 Diphtheria and croup	1	5	—	—	1	—	—	—	1	—	1	—	—	—	1	1	7
7 Influenza	51	58	5	5	10	17	23	34	24	13	3	4	12	14	15	9	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	18	18	2	2	3	3	11	10	5	1	—	—	14	13	1	2	10
10 Tuberculous meningitis	2	4	—	—	—	—	1	2	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	1	1	1	—	1	—	—	1	1	—	—	—	2	2	1	—	12
12 Cancer, malignant disease	14	18	—	3	3	3	6	13	4	3	1	2	8	6	1	3	13
13 Rheumatic fever...	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	14
14 Meningitis	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	15
15 Organic heart disease	17	12	4	1	6	2	7	9	1	7	5	3	10	12	2	4	16
16 Bronchitis	10	6	—	2	1	3	3	8	3	3	—	—	4	3	1	2	17
17 Pneumonia (all forms)	16	12	4	—	2	1	7	3	3	2	—	1	7	8	—	3	18
18 Other respiratory diseases	—	—	—	—	—	—	3	3	—	1	—	2	2	2	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	2	—	—	1	—	—	1	—	2	1	—	2	1	1	—	—	20
20 Appendicitis and typhlitis	1	—	—	1	—	—	1	—	—	1	—	—	—	2	—	—	21
21 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	6	1	—	—	1	1	3	—	1	2	4	—	—	—	—	—	23
23 Puerperal fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	25
25 Congenital debility, &c.	11	4	1	2	1	—	4	3	—	—	—	—	—	2	3	1	26
26 Violence, apart from 27	3	2	—	—	—	—	1	1	4	1	1	—	—	1	3	—	27
27 Suicide	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	28
28 Other defined diseases	43	36	3	6	19	13	41	25	6	14	4	1	15	28	10	9	29
29 Causes ill-defined or unknown.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	

LEICESTERSHIRE—cont. LINCOLNSHIRE (PARTS OF HOLLAND).

Causes of Death.				Lutterworth R.D.		Market Bosworth R.D.		Market Harborough R.D.		Melton Mowbray R.D.		Boston M.B.		Holbeach U.D.		Long Sutton U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	59	70	183	175	56	57	124	112	140	156	35	41	42	30	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	7	7	1	2	—	1	—	—	1	—	8	2	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	5
5 Whooping cough	—	—	1	—	2	5	—	1	—	7	1	—	1	4	6
6 Diphtheria and croup	1	1	—	1	1	—	2	—	3	1	—	—	—	—	7
7 Influenza	5	19	45	47	12	10	30	36	14	31	2	3	6	2	8
8 Erysipelas	—	—	—	—	1	—	—	—	—	1	—	—	—	—	9
9 Pulmonary tuberculosis	2	8	13	9	7	3	1	6	9	11	—	3	3	2	10
10 Tuberculous meningitis	—	1	2	—	—	—	1	—	2	—	—	—	—	—	11
11 Other tuberculous diseases	—	2	—	2	1	1	—	1	3	3	—	2	—	—	12
12 Cancer, malignant disease	4	8	10	13	4	4	15	11	7	12	7	4	3	—	13
13 Rheumatic fever...	1	—	—	—	—	—	—	1	1	—	—	—	—	—	14
14 Meningitis	—	—	1	3	—	—	—	—	2	—	—	—	1	1	15
15 Organic heart disease	9	11	13	11	2	4	8	10	16	8	3	4	2	1	16
16 Bronchitis	5	3	11	11	2	4	4	6	7	9	6	2	2	5	17
17 Pneumonia (all forms)	5	4	14	18	3	5	10	5	11	11	4	4	1	—	18
18 Other respiratory diseases	—	—	1	—	1	—	5	1	—	5	1	—	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	2	—	—	—	—	—	1	2	—	—	—	3	20
20 Appendicitis and typhlitis	—	—	2	—	—	—	—	3	—	—	—	—	1	—	21
21 Cirrhosis of liver	—	—	—	—	1	—	—	—	2	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	3	4	4	2	1	—	5	—	—	—	1	1	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	2	—	—	—	—	—	1	—	—	—	1	25
25 Congenital debility, &c.	3	2	10	12	1	—	4	2	8	5	2	2	1	—	26
26 Violence, apart from 27	3	1	9	—	1	1	4	4	5	2	1	—	—	—	27
27 Suicide	—	—	2	—	—	—	1	—	2	1	—	—	—	—	28
28 Other defined diseases	19	9	35	34	12	15	38	24	41	40	7	14	11	7	29
29 Causes ill-defined or unknown.	1	—	2	—	—	1	—	—	1	5	—	1	—	—	

AREAS, 1918 (Civilian population only)—*continued.*

LINCOLNSHIRE (PARTS OF HOLLAND)—*cont.*

LINCOLNSHIRE (PARTS OF KESTEVEN).

		Spalding U.D.		Sutton Bridge U.D.				Boston R.D.		Crowland R.D.		East Elloe R.D.		Spalding R.D.				Bourne U.D.		Brace- bridge U.D.		Grantham M.B.			
		M	F	M	F			M	F	M	F	M	F	M	F			M	F	M	F	M	F		
1	92	106	19	15				161	169	17	26	63	60	85	87			28	32	20	26	164	179		
2	3	—	—	—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	—		
3	1	—	—	—	—			—	—	—	—	1	—	—	—			—	1	1	—	2	—		
4	—	—	—	—	—			—	—	—	—	—	—	1	—			—	—	—	—	—	—		
5	1	6	—	1	—			1	4	—	—	3	1	—	3			—	—	1	1	3	7		
6	—	—	—	—	—			2	—	—	—	—	—	—	—			—	—	—	—	2	2		
7	8	14	3	2	—			26	33	6	11	13	14	13	20			3	1	4	5	37	49		
8	—	—	—	—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	—		
9	1	2	1	—	—			7	9	—	1	4	2	6	7			—	2	1	1	4	12		
10	—	1	—	—	—			—	1	—	—	—	—	1	1			—	—	—	—	5	1		
11	2	1	—	1	—			—	—	—	—	2	—	1	—			—	1	—	—	2	4		
12	8	13	1	3	—			18	18	—	2	3	4	8	8			5	4	—	3	4	12		
13	—	—	—	—	—			2	2	—	—	—	—	—	—			—	—	—	—	—	—		
14	—	1	—	—	—			1	—	—	—	—	—	—	1			—	—	—	—	1	1		
15	16	12	1	1	—			15	10	1	1	2	1	6	5			6	3	1	1	12	18		
16	7	10	1	—	—			8	10	4	2	7	4	1	5			1	2	2	3	12	15		
17	6	5	—	—	—			9	10	1	—	5	2	6	5			—	5	3	2	11	6		
18	1	1	—	—	—			1	2	—	—	—	—	2	1			2	—	—	1	2	2		
19	—	—	—	—	—			1	2	—	—	—	1	—	2			—	—	1	—	—	2		
20	—	—	—	—	—			2	1	—	—	—	—	1	—			—	—	—	—	—	1		
21	—	—	—	—	—			2	—	—	—	—	1	—	—			—	—	—	—	1	1		
21A	—	—	—	—	—			—	—	—	—	1	—	—	—			—	—	—	—	—	—		
22	—	3	1	—	—			2	4	—	—	1	3	5	2			—	1	1	—	3	2		
23	—	—	—	—	—			—	—	—	1	—	—	—	1			—	—	—	—	—	—		
24	—	—	—	—	1			—	2	—	—	—	—	—	1			—	—	—	—	—	—		
25	7	7	—	—	—			6	6	—	2	4	2	3	2			1	1	—	1	16	3		
26	1	1	2	—	—			7	3	—	—	2	2	2	2			—	—	—	1	7	3		
27	—	—	—	—	—			2	2	—	—	1	—	—	—			—	—	—	—	—	—		
28	30	29	9	5	1			49	47	4	5	14	23	29	21			9	11	5	7	39	37		
29	—	—	—	1	—			—	3	1	1	—	—	—	—			1	—	—	—	1	—		

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

	Rusking- ton U.D.		Sleaford U.D.		Stamford M.B.				Bourne R.D.		Branston R.D.		Claypole R.D.		Grantham R.D.		Sleaford R.D.		Uffington R.D.			
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F		
1	8	12	62	39	74	94			112	103	110	123	61	63	104	108	128	129	11	6		
2	—	—	—	—	—	—			—	—	—	2	—	—	—	—	—	—	—	—	—	1
3	—	—	—	—	—	1			1	1	1	—	—	—	—	—	1	—	—	—	—	2
4	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	3
5	—	—	1	—	1	—			—	1	1	—	—	1	—	—	2	1	—	—	—	4
6	—	—	2	1	—	—			—	—	—	—	—	—	—	2	—	1	—	—	—	5
7	—	3	9	5	8	17			28	20	17	30	15	13	29	32	26	29	3	1	—	6
8	—	—	—	—	—	—			1	—	—	—	—	—	—	—	—	—	—	—	—	7
9	1	1	5	4	5	3			8	3	3	12	4	2	1	3	6	6	2	1	—	8
10	—	—	—	1	—	—			—	—	—	—	1	—	—	—	—	—	—	—	—	9
11	—	—	3	4	1	—			2	1	2	2	—	—	1	1	1	2	—	—	—	10
12	2	1	3	2	5	9			12	9	9	7	1	4	5	6	4	17	—	2	—	11
13	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	12
14	—	—	—	—	—	1			1	—	—	—	—	—	—	—	—	—	—	—	—	13
15	1	—	3	4	3	3			12	13	3	9	10	8	5	12	12	10	2	—	—	14
16	1	—	4	—	4	7			3	7	14	13	1	3	5	5	10	11	1	—	—	15
17	—	—	2	2	8	4			4	10	6	5	1	3	3	8	8	4	2	—	—	16
18	1	—	1	1	1	1			2	1	2	2	—	1	4	—	6	2	—	—	—	17
19	—	—	—	—	1	1			—	—	3	—	—	—	—	—	2	1	—	—	—	18
20	—	—	—	—	1	—			—	1	—	—	—	—	—	—	—	—	—	1	—	19
21	—	—	—	—	1	1			—	—	2	—	—	—	—	—	1	1	—	—	—	20
21A	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	21
22	—	1	2	2	—	2			6	1	2	1	1	—	6	4	1	3	—	—	—	21A
23	—	—	—	—	—	—			—	—	—	1	—	—	—	1	—	—	—	—	—	22
24	—	—	—	1	—	1			—	2	—	—	—	1	—	1	—	—	—	—	—	23
25	—	—	6	—	9	5			3	6	9	3	2	2	2	3	10	1	—	—	—	24
26	—	—	2	—	1	—			5	—	2	—	—	2	7	2	5	3	1	—	—	25
27	—	—	1	—	—	—			—	—	—	1	—	1	—	—	1	—	—	—	—	26
28	2	6	18	11	25	38			23	27	33	32	25	22	34	27	32	37	—	1	—	27
29	—	—	—	—	—	—			1	—	1	3	—	—	1	1	—	—	—	—	—	28
																						29

CAUSES OF DEATH IN ADMINISTRATIVE
LINCOLNSHIRE (PARTS OF LINDSEY).

Causes of Death.		Alford U.D.		Barton upon Humber U.D.		Brigg U.D.		Broughton U.D.		Brumby and Frodin- ham U.D.		Cleethorpe with Thrunscoc U.D.		Crowle U.D.		Gains- borough U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	14	21	60	55	34	32	14	17	32	23	144	152	25	23	207	174	1
1	Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...	—	—	1	—	2	2	—	—	3	5	2	4	—	—	—	—	4
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
5	Whooping cough ...	—	—	—	1	—	—	1	3	—	—	1	2	—	—	—	3	6
6	Diphtheria and croup ...	—	1	—	—	—	—	—	—	—	—	2	1	—	—	3	6	7
7	Influenza ...	6	1	14	13	13	10	8	4	2	3	20	40	2	3	61	63	8
8	Erysipelas ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	1	—	4	3	2	3	1	2	1	1	8	18	1	5	21	12	10
10	Tuberculous meningitis	—	—	—	—	—	1	—	—	—	—	2	2	—	—	2	—	11
11	Other tuberculous diseases	—	1	1	—	1	—	—	—	—	1	3	2	1	—	4	1	12
12	Cancer, malignant disease	1	3	3	6	1	2	—	2	1	—	5	9	3	2	9	10	13
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	14
14	Meningitis ...	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	15
15	Organic heart disease ...	—	3	4	8	3	1	1	3	1	—	10	9	3	2	16	12	16
16	Bronchitis ...	3	2	1	6	2	—	—	1	1	3	8	11	—	—	9	10	17
17	Pneumonia (all forms) ...	—	3	5	3	2	1	—	1	3	3	15	8	3	—	22	13	18
18	Other respiratory diseases	—	—	1	—	—	—	—	—	—	—	—	—	1	2	—	2	19
19	Diarrhœa,&c.(under 2 yrs.)	—	—	—	—	—	—	1	—	1	—	2	3	—	1	4	2	20
20	Appendicitis and typhlitis	—	—	—	1	—	1	—	—	—	—	—	1	—	1	2	—	21
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	—	1	1	1	—	—	—	—	1	1	1	—	—	4	2	23
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	25
25	Congenital debility, &c.	—	2	2	4	—	3	—	—	3	—	12	5	3	1	9	5	26
26	Violence, apart from 27	—	—	2	—	1	—	—	—	3	1	4	3	1	—	3	2	27
27	Suicide ...	—	—	—	—	1	—	—	—	—	—	1	1	—	—	1	—	28
28	Other defined diseases ...	3	5	20	9	5	7	2	1	13	5	45	29	6	5	34	29	29
29	Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	

LINCOLNSHIRE (PARTS OF LINDSEY)—cont.

Causes of Death.		Horn- castle U.D.		Louth M.B.		Mable- thorpe U.D.		Market Rasen U.D.		Roxby cum Risby U.D.		Scun- thorpe U.D.		Skegness U.D.		Winterton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	28	18	101	119	4	10	12	21	3	2	120	73	24	19	21	22	1
1	Enteric fever ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...	—	—	—	—	—	—	—	—	2	—	2	3	—	—	—	—	4
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough ...	—	1	—	1	—	—	—	—	—	—	1	2	1	—	—	—	6
6	Diphtheria and croup ...	—	—	2	1	—	—	—	—	—	—	1	3	—	—	—	—	7
7	Influenza ...	1	4	7	23	1	2	—	2	1	1	18	11	1	3	9	12	8
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	2	1	8	7	1	1	1	2	—	—	9	8	3	—	2	2	10
10	Tuberculous meningitis	—	—	1	1	—	—	—	—	—	—	2	—	—	—	—	—	11
11	Other tuberculous diseases	1	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	12
12	Cancer, malignant disease	4	2	8	10	—	2	—	3	—	—	2	3	—	3	1	1	13
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14	Meningitis ...	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	15
15	Organic heart disease ...	3	1	11	11	1	1	2	3	—	—	8	1	3	2	1	3	16
16	Bronchitis ...	—	1	9	8	—	1	—	—	—	—	5	5	3	—	—	—	17
17	Pneumonia (all forms) ...	—	1	10	10	—	—	—	1	—	—	22	9	—	1	—	—	18
18	Other respiratory diseases	3	1	2	3	—	—	—	1	—	—	4	—	—	1	—	—	19
19	Diarrhœa,&c.(under 2 yrs.)	—	—	1	1	—	—	—	1	—	—	—	4	—	—	2	—	20
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21	Cirrhosis of liver ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	—	6	3	—	—	1	—	—	—	4	1	1	—	1	—	23
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	25
25	Congenital debility, &c.	3	1	1	3	—	—	1	—	—	—	8	1	3	1	—	1	26
26	Violence, apart from 27	—	1	—	1	—	—	—	—	1	—	5	1	1	1	1	—	27
27	Suicide ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28
28	Other defined diseases ...	8	4	32	35	1	2	7	8	—	—	24	18	8	6	4	3	29
29	Causes ill-defined or un- known.	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	

AREAS, 1918 (Civilian population only)—*continued.*
LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

Woodhall Spa U.D.						Caistor R.D.		Gains- borough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horn- castle R.D.		Isle of Axholme R.D.		Louth R.D.		Sibsey R.D.			
M	F					M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	12	10				72	75	143	127	229	239	84	70	90	91	64	60	142	152	27	27		1
2	—	—				—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—		2
3	—	—				—	—	—	—	—	6	—	2	—	—	2	2	1	—	—	—		3
4	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		4
5	—	—				2	1	1	—	2	1	—	—	—	2	—	1	—	1	—	—		5
6	—	—				1	1	1	—	3	3	1	1	—	—	1	1	1	—	—	—		6
7	3	—				7	13	50	49	57	71	13	18	16	23	13	15	28	34	6	8		7
8	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	3	1				—	3	15	9	14	16	1	4	3	7	4	5	5	10	2	1		9
10	—	—				1	—	—	—	1	1	1	—	—	—	1	1	1	1	1	—		10
11	1	—				1	—	3	2	9	6	1	—	—	—	—	4	3	—	1	—		11
12	1	1				7	7	4	11	12	18	4	4	8	10	4	3	11	19	—	2		12
13	—	—				—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—		13
14	1	—				—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—		14
15	—	—				12	9	7	10	16	17	7	4	6	6	10	6	9	10	4	2		15
16	—	—				3	3	10	2	15	14	3	—	4	6	—	—	5	8	1	1		16
17	—	—				4	4	4	4	17	10	12	12	11	7	4	5	15	6	3	2		17
18	—	—				1	1	4	—	1	—	1	—	1	1	—	—	1	3	—	1		18
19	—	—				2	1	1	1	—	2	2	2	1	1	—	—	—	—	1	—		19
20	—	—				—	1	—	—	—	1	—	—	—	—	—	1	2	—	—	—		20
21	—	1				—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—		21
21A	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	1	—				1	1	6	3	5	9	1	1	2	1	—	1	6	5	1	—		22
23	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
24	—	—				—	1	—	1	—	5	—	—	—	—	—	—	—	1	—	—		24
25	—	1				5	1	4	3	7	12	2	4	3	2	1	3	4	4	1	—		25
26	—	—				1	1	1	2	9	—	5	—	3	1	2	—	4	1	1	—		26
27	—	—				—	—	—	1	2	1	—	—	—	—	1	—	—	—	—	—		27
28	2	6				23	26	29	28	59	40	28	18	31	24	22	12	43	47	5	10		28
29	—	—				1	—	2	—	—	3	1	—	—	—	—	—	—	—	—	—		29

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.* MIDDLESEX.

Spilsby R.D.		Welton R.D.				Acton U.D.		Brentford U.D.		Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Feltham U.D.			
M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	140	147	84	79		405	465	148	142	287	359	376	504	440	470	384	385	37	49		1
2	1	1	1	—		1	2	—	—	—	—	—	1	1	1	1	2	—	—		2
3	—	1	1	—		3	4	1	—	8	5	9	3	2	5	2	—	1	—		3
4	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—		4
5	1	—	—	2		5	11	1	2	4	4	6	7	6	8	7	6	—	—		5
6	1	—	—	—		1	1	—	—	2	—	2	2	3	2	—	—	—	—		6
7	14	16	12	16		77	107	32	33	43	80	62	99	92	124	65	83	8	14		7
8	—	—	—	—		—	—	—	—	—	—	—	—	2	1	1	1	—	—		8
9	10	10	7	9		45	52	8	15	32	21	25	36	40	35	39	27	2	3		9
10	—	—	1	1		—	2	1	1	2	2	1	4	2	5	2	3	—	—		10
11	—	3	1	1		1	2	2	1	5	3	1	4	8	3	4	2	—	—		11
12	9	16	6	7		27	38	8	13	14	44	24	59	15	38	30	28	2	6		12
13	—	1	1	—		1	—	—	—	—	—	2	—	—	1	4	—	—	—		13
14	—	1	1	—		5	4	2	1	1	—	—	3	3	3	3	1	—	—		14
15	19	13	10	7		43	30	16	15	26	28	29	43	30	48	35	33	3	3		15
16	11	11	2	5		21	33	7	8	19	22	20	31	16	25	30	19	2	2		16
17	4	4	4	3		25	34	14	8	19	25	32	34	58	48	31	41	1	2		17
18	1	3	—	—		7	12	1	—	3	6	9	12	3	6	2	8	—	—		18
19	1	1	—	—		7	4	6	4	1	3	10	6	9	4	—	5	—	1		19
20	1	—	1	—		4	2	1	—	—	2	1	4	3	2	1	1	—	—		20
21	1	1	—	—		—	2	—	—	2	—	1	1	1	1	1	—	—	—		21
21A	—	—	—	—		—	—	—	—	—	—	—	1	—	—	—	—	—	—		21A
22	1	4	1	—		9	6	4	—	9	10	11	8	14	3	14	3	2	1		22
23	—	—	—	—		—	—	—	1	—	2	—	1	—	—	—	—	—	—		23
24	—	—	—	2		—	1	—	—	—	1	—	4	—	—	—	2	—	—		24
25	5	9	2	1		13	9	3	4	11	3	17	8	25	15	18	12	3	—		25
26	4	2	3	—		13	8	12	8	9	1	8	7	12	6	13	2	2	1		26
27	—	—	2	—		5	5	—	—	2	2	4	2	3	1	1	2	—	1		27
28	56	49	28	24		92	96	29	28	75	95	101	127	91	82	81	99	10	15		28
29	—	1	—	1		—	—	—	—	—	1	—	—	—	1	1	1	—	—		29

AREAS, 1918 (Civilian population only)—continued.

MIDDLESEX—cont.

	Sunbury on Thames U.D.		Teddington U.D.		Tottenham U.D.		Twicken- ham U.D.		Uxbridge U.D.		Weald- stone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.		Yiewsley U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	28	43	124	148	102	104	244	273	98	86	79	105	82	75	106	122	279	334	31	27		1
2	—	—	—	2	1	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—		2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		3
4	—	—	—	1	2	12	19	3	6	2	3	4	—	1	12	10	4	1	—	—		4
5	—	—	—	—	—	4	—	1	6	2	3	3	—	—	—	3	—	—	—	—		5
6	—	—	—	1	4	16	7	1	6	2	3	4	—	2	16	25	2	4	—	1		6
7	4	7	12	27	207	247	52	55	4	13	15	35	21	14	211	326	61	90	2	9		7
8	—	—	—	1	1	3	—	—	—	—	—	1	—	—	3	3	1	—	—	—		8
9	1	9	11	12	119	90	16	21	8	4	5	7	11	5	96	83	22	29	2	2		9
10	—	1	4	—	9	7	4	2	—	—	—	1	—	—	5	6	—	1	—	1		10
11	—	—	—	2	13	10	3	6	—	3	1	1	—	—	6	8	4	2	—	—		11
12	3	2	15	16	64	88	11	19	10	9	4	13	3	9	71	99	20	27	2	4		12
13	—	—	—	—	3	3	—	—	1	—	2	—	—	—	1	6	2	1	—	—		13
14	—	1	—	—	6	8	4	2	1	—	—	—	—	1	11	7	2	1	—	—		14
15	4	4	8	10	79	98	19	22	10	6	4	10	7	7	91	105	29	42	2	4		15
16	4	4	3	7	65	68	14	13	9	7	3	6	4	—	65	62	19	26	5	—		16
17	1	1	11	12	90	105	24	14	2	4	6	3	8	5	94	95	21	14	1	1		17
18	—	—	2	—	21	12	4	2	2	—	1	—	2	1	20	12	8	2	—	—		18
19	—	1	2	—	19	12	4	4	3	2	—	—	1	—	17	15	1	3	1	1		19
20	—	—	2	1	6	4	2	1	—	—	1	—	—	1	4	6	2	—	—	—		20
21	—	—	—	—	3	3	1	1	3	1	1	—	—	—	2	3	1	1	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	1	—	1	3	21	21	5	5	3	—	1	—	—	1	13	24	9	9	1	—		22
23	—	—	—	3	—	3	—	1	—	—	—	—	—	1	—	4	—	2	—	—		23
24	—	—	—	—	—	1	—	4	—	—	—	—	—	1	—	5	—	—	—	—		24
25	—	2	4	6	45	25	17	8	4	4	5	2	6	—	48	45	12	7	1	2		25
26	2	1	2	2	22	16	7	7	3	2	4	—	4	2	34	17	3	6	2	—		26
27	—	1	—	1	—	4	2	3	1	—	—	—	—	—	4	2	1	2	1	—		27
28	8	9	43	37	181	178	51	70	25	23	19	18	14	22	238	239	52	61	11	2		28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—		29

MIDDLESEX—cont.

MONMOUTHSHIRE.

	Hendon R.D.		South Mims R.D.		Staines R.D.		Uxbridge R.D.					Abercarn U.D.		Aber- gavenny M.B.		Aber- sychan U.D.		Aber- tillery U.D.		Bedwas and Machen U.D.			
	M	F	M	F	M	F	M	F				M	F	M	F	M	F	M	F	M	F		
1	101	105	18	12	156	152	66	66				142	126	79	69	196	162	293	279	44	48		1
2	—	—	—	—	—	—	—	—				—	—	—	—	—	—	1	2	—	—		2
3	—	—	—	—	3	2	—	—				1	1	5	1	16	16	12	8	1	3		3
4	—	—	—	—	1	—	—	—				—	—	—	—	—	—	1	2	—	—		4
5	2	—	—	—	2	5	1	—				3	7	2	1	—	1	3	—	—	—		5
6	—	1	—	—	2	—	—	—				—	1	1	—	1	—	1	1	—	1		6
7	23	19	1	1	24	42	8	12				35	25	7	10	26	23	68	72	4	6		7
8	—	1	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—		8
9	7	9	2	1	12	7	3	6				4	7	2	7	6	8	11	12	8	3		9
10	1	3	—	—	—	1	2	—				—	2	2	—	—	—	1	2	—	—		10
11	3	—	—	1	3	1	1	—				—	4	2	1	3	3	2	3	—	1		11
12	6	13	—	3	8	11	5	7				2	5	4	6	12	6	5	11	—	3		12
13	—	1	—	—	—	—	—	—				3	2	—	—	—	—	1	2	—	—		13
14	—	1	—	—	2	1	—	—				—	—	—	2	2	2	2	5	1	—		14
15	10	13	1	—	12	11	11	6				7	11	9	4	12	9	13	15	2	3		15
16	2	4	2	—	16	7	6	8				11	5	4	4	21	15	13	19	—	4		16
17	5	4	2	—	15	9	2	5				22	19	8	1	20	18	59	38	10	7		17
18	1	2	—	1	1	—	—	—				3	—	—	1	2	2	6	7	—	—		18
19	1	—	—	—	5	1	—	1				1	2	1	—	1	3	15	11	2	1		19
20	—	2	—	—	—	2	—	1				—	—	—	—	1	—	3	—	1	—		20
21	—	—	—	1	—	—	—	—				1	—	—	—	—	—	—	—	—	—		21
21A	—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—		21A
22	3	1	—	—	4	3	—	1				1	1	—	—	3	—	—	3	1	—		22
23	—	2	—	—	—	—	—	—				—	1	—	—	—	—	—	1	—	—		23
24	—	2	—	—	—	1	—	1				—	—	—	3	—	2	—	4	—	1		24
25	4	2	1	—	5	5	4	2				9	8	1	—	13	23	18	19	4	4		25
26	2	2	1	—	2	2	1	1				10	1	2	—	11	2	14	5	2	3		26
27	2	1	—	—	2	—	—	—				1	—	—	—	—	—	1	—	—	—		27
28	29	22	8	4	37	41	22	14				28	24	29	27	46	27	42	36	8	8		28
29	—	—	—	—	—	—	—	1				—	—	—	1	—	1	1	1	—	—		29

CAUSES OF DEATH IN ADMINISTRATIVE
MONMOUTHSHIRE—cont.

Causes of Death.		Bedwellty U.D.		Blaenavon U.D.		Caerleon U.D.		Chepstow U.D.		Ebbw Vale U.D.		Llanfrech- fa Upper U.D.		Llantar- nam U.D.		Monmouth M.B.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	217	166	121	99	20	16	24	21	266	231	39	46	55	50	37	43
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	1	1	2	—	—	—	2	24	8	2	3	6	1	—	3
4	Scarlet fever	—	1	—	—	—	—	—	—	1	1	—	1	—	—	1	4
5	Whooping cough	7	3	—	—	—	1	—	1	11	16	1	—	1	2	—	5
6	Diphtheria and croup	1	—	—	—	1	—	—	—	2	2	—	—	1	1	—	6
7	Influenza	32	27	2	4	—	4	2	4	25	26	8	9	12	10	11	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	18	10	6	3	2	—	4	—	17	15	5	5	1	4	3	9
10	Tuberculous meningitis	1	2	—	1	—	—	—	—	—	2	—	—	1	1	1	10
11	Other tuberculous diseases	2	—	2	—	1	1	—	—	6	1	—	—	2	—	1	11
12	Cancer, malignant disease	8	9	2	3	—	3	2	2	8	7	2	1	—	2	1	12
13	Rheumatic fever...	—	3	1	2	—	—	—	—	—	2	—	—	—	—	—	13
14	Meningitis	1	3	—	1	—	—	—	—	1	2	—	—	1	—	1	14
15	Organic heart disease	8	6	6	9	1	—	1	2	13	16	1	4	3	2	3	15
16	Bronchitis	11	8	17	12	2	1	1	—	12	23	2	7	4	4	4	16
17	Pneumonia (all forms)	39	31	16	5	2	3	1	1	28	19	1	3	4	1	—	17
18	Other respiratory diseases	1	2	3	3	—	—	—	—	3	2	1	1	4	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	8	1	7	3	—	—	—	—	3	7	—	—	2	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	1	—	1	2	—	—	—	—	2	20
21	Cirrhosis of liver	—	1	1	—	—	1	—	—	2	—	—	—	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	2	4	4	1	—	3	—	2	3	—	—	—	2	4	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	1	—	—	—	—	—	1	—	2	—	1	—	24
25	Congenital debility, &c.	26	22	7	10	2	1	2	1	14	17	5	2	3	3	—	25
26	Violence, apart from 27	12	6	6	2	—	—	—	—	28	3	4	—	—	1	2	26
27	Suicide	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	27
28	Other defined diseases	36	23	40	33	7	1	7	8	59	55	7	8	10	14	6	28
29	Causes ill-defined or un- known.	2	2	—	1	—	—	—	—	5	—	—	—	—	—	—	29

MONMOUTHSHIRE—cont.

Causes of Death.		Mynyddis- lwyn U.D.		Nantyglo and Blaina U.D.		Panteg U.D.		Pontypool U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		Usk U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	99	77	116	108	75	71	56	59	86	69	97	99	210	171	17	19
1	Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	5	8	7	5	2	3	1	1	1	3	3	4	4	4	1	3
4	Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	4
5	Whooping cough	—	—	2	2	—	—	—	—	3	1	3	2	6	6	—	5
6	Diphtheria and croup	1	1	—	1	1	1	—	—	—	1	—	1	2	1	1	6
7	Influenza	8	9	25	22	17	11	5	15	18	13	11	19	17	20	5	7
8	Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	8	3	6	6	7	4	6	2	3	4	9	10	11	14	—	9
10	Tuberculous meningitis	1	1	1	—	2	—	—	1	—	—	2	—	—	1	—	10
11	Other tuberculous diseases	1	—	—	1	—	2	1	1	1	1	1	2	2	1	—	11
12	Cancer, malignant disease	2	6	5	9	2	8	2	5	6	6	9	5	9	5	1	12
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	4	1	1	—	3	2	1	—	—	—	—	—	1	1	—	14
15	Organic heart disease	8	3	3	8	6	4	9	5	6	6	8	8	16	16	2	15
16	Bronchitis	2	3	13	8	3	4	6	5	5	5	6	6	17	14	—	16
17	Pneumonia (all forms)	21	10	15	9	5	8	5	7	6	4	7	11	29	15	1	17
18	Other respiratory diseases	1	—	2	—	1	—	2	—	1	1	2	1	—	2	—	18
19	Diarrhoea, &c. (under 2 yrs.)	1	3	2	1	—	—	1	—	2	1	—	—	4	3	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	20
21	Cirrhosis of liver	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	1	4	1	—	3	1	1	2	1	3	3	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	23
24	Parturition, apart from 23	—	—	—	—	—	2	—	—	—	2	—	2	—	2	—	24
25	Congenital debility, &c.	10	12	6	3	5	6	2	5	7	3	8	6	11	15	1	25
26	Violence, apart from 27	7	1	6	2	4	1	1	1	7	—	3	1	15	3	2	26
27	Suicide	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	27
28	Other defined diseases	19	16	19	25	15	14	9	9	17	14	23	14	56	47	2	28
29	Causes ill-defined or un- known.	—	4	2	—	1	—	1	—	—	—	—	2	3	—	—	29

AREAS, 1918 (Civilian population only)—continued.
MONMOUTHSHIRE—cont.

NORFOLK

		Aber- gavenny R.D.		Chepstow R.D.		Magor R.D.		Monmouth R.D.		Pontypool R.D.		St. Mellons R.D.						Cromer U.D.		Diss U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
1		65	50	66	56	25	36	53	44	54	46	67	63					18	26	30	25	1
2		—	—	—	—	—	—	—	2	—	—	—	—					—	—	—	—	2
3		—	1	—	—	1	—	—	—	—	—	4	—					—	—	—	—	3
4		—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	4
5		—	1	—	2	—	—	—	—	—	—	6	5					—	—	2	—	5
6		—	—	—	—	—	—	—	—	—	1	—	—					—	—	1	—	6
7		12	4	9	7	2	4	11	8	14	10	4	8					2	3	4	6	7
8		—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	8
9		4	7	9	4	—	4	5	5	1	4	4	8					2	5	2	—	9
10		—	—	—	—	—	—	—	—	—	—	—	—					—	—	1	—	10
11		1	1	—	—	1	—	2	—	—	1	1	1					—	1	—	—	11
12		4	3	5	6	—	2	—	2	2	1	5	4					1	6	5	4	12
13		2	—	—	—	1	1	—	—	—	1	—	—					—	—	—	—	13
14		1	—	—	—	1	—	—	—	1	—	1	—					—	—	—	—	14
15		11	4	8	6	3	3	2	6	5	6	6	7					1	6	2	3	15
16		4	2	3	3	2	—	3	1	4	2	1	5					—	2	1	1	16
17		3	2	4	6	4	7	7	3	7	2	8	2					2	—	—	1	17
18		1	1	1	—	—	—	—	—	2	—	—	—					—	—	1	—	18
19		—	—	2	—	1	—	—	—	—	—	—	—					1	—	—	1	19
20		—	—	—	1	—	—	1	1	—	—	—	—					—	—	—	1	20
21		—	—	—	—	—	—	—	—	1	—	—	—					1	—	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21A
22		—	1	2	2	—	2	1	—	—	2	—	—					1	—	—	—	22
23		—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	23
24		—	—	—	1	—	—	—	—	—	—	—	1					—	—	—	—	24
25		—	3	2	2	—	2	1	3	2	—	1	3					1	—	3	1	25
26		3	1	2	1	—	—	3	—	1	—	2	—					—	—	—	1	26
27		2	—	—	—	—	1	—	—	—	—	3	—					—	—	1	—	27
28		17	19	19	15	9	10	15	13	14	15	21	19					6	3	7	6	28
29		—	—	—	—	—	—	2	—	—	—	—	—					—	—	—	—	29

NORFOLK—continued.

		Downham Market U.D.		East Dereham U.D.		King's Lynn M.B.		New Hun- stanton U.D.		North Walsham U.D.		Shering- ham U.D.		Swaffham U.D.		Thetford M.B.		Walsoken U.D.		Wells U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		25	18	39	49	186	171	14	23	36	35	22	23	21	29	43	48	27	29	16	16	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	3
4		—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5		—	—	—	—	4	5	1	—	2	3	—	1	—	—	—	—	2	1	—	1	5
6		—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	1	—	—	—	—	6
7		2	4	2	3	39	39	2	5	10	12	2	2	2	5	17	11	4	5	2	3	7
8		—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9		1	1	2	5	11	15	2	—	2	4	3	3	1	—	2	2	4	2	—	2	9
10		—	1	1	1	3	2	—	—	1	—	1	—	—	—	—	1	—	—	1	—	10
11		1	—	1	3	1	2	—	—	1	—	—	—	—	—	—	2	—	—	—	—	11
12		1	2	6	5	7	18	—	2	1	2	4	4	2	1	4	3	3	2	2	—	12
13		—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	13
14		—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15		3	3	5	7	20	12	—	6	4	2	2	1	3	6	1	5	2	2	5	4	15
16		1	2	1	1	13	18	—	—	—	2	1	1	3	4	4	3	2	3	—	—	16
17		2	—	3	1	17	10	—	—	1	—	1	—	1	—	4	1	1	3	—	—	17
18		1	—	1	—	5	1	2	1	—	—	—	—	1	—	—	2	1	—	—	—	18
19		—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	19
20		—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	20
21		—	—	1	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		1	—	2	1	2	3	1	—	2	—	—	—	—	1	—	1	—	—	—	1	22
23		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25		1	—	2	1	9	5	—	—	2	1	—	1	—	—	2	1	—	—	—	—	25
26		1	—	1	1	6	3	—	1	—	1	—	—	1	—	2	—	—	—	—	2	26
27		—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	27
28		10	4	9	20	43	30	5	7	5	5	5	9	6	11	6	15	7	7	6	3	28
29		—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
NORFOLK—cont.

Causes of Death.		Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		East and West Flegg R.D.		Erping- ham R.D.		Forehoe R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	138	141	76	94	113	128	155	138	109	111	65	75	112	128	64	89	1
1 Enteric fever	...	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	1	2	1	1	—	—	—	1	—	—	1	—	—	—	—	1	4
4 Scarlet fever	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	1	3	—	1	1	1	2	2	—	1	2	4	2	2	—	—	6
6 Diphtheria and croup	...	—	1	—	—	—	—	1	3	1	—	—	—	—	1	—	—	7
7 Influenza	...	21	23	13	21	11	14	34	22	13	17	13	19	21	18	11	13	8
8 Erysipelas	...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	7	10	5	6	6	5	7	13	11	9	5	6	12	9	4	7	10
10 Tuberculous meningitis	...	—	2	—	—	—	—	1	—	—	—	—	—	3	—	—	—	11
11 Other tuberculous diseases	...	1	1	1	1	1	1	2	2	1	2	1	1	2	2	—	—	12
12 Cancer, malignant disease	...	14	16	6	10	12	13	5	15	11	9	5	6	6	20	3	11	13
13 Rheumatic fever...	...	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	1	14
14 Meningitis	...	1	1	1	—	1	1	—	—	—	—	1	—	2	1	—	—	15
15 Organic heart disease	...	14	15	8	3	20	22	14	16	8	11	2	2	12	6	14	17	16
16 Bronchitis	...	7	10	7	9	9	15	9	9	3	4	8	6	7	10	5	4	17
17 Pneumonia (all forms)	...	9	8	7	3	6	5	11	5	10	4	1	1	5	7	3	6	18
18 Other respiratory diseases	...	3	3	1	1	1	1	2	2	1	1	—	—	1	3	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	1	—	—	—	—	1	—	1	2	1	—	—	1	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	1	—	2	1	—	—	1	—	2	—	1	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	2	1	1	—	3	1	3	—	4	3	—	1	—	3	2	1	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	24
24 Parturition, apart from 23	...	—	2	—	1	—	1	—	1	—	1	—	—	—	2	—	—	25
25 Congenital debility, &c.	...	9	7	3	4	7	1	9	4	5	4	4	5	7	7	3	3	26
26 Violence, apart from 27	...	2	—	1	—	7	2	6	—	2	2	—	1	2	1	1	1	27
27 Suicide	...	2	1	1	—	1	2	—	1	—	—	—	—	—	—	—	—	28
28 Other defined diseases	...	42	34	19	29	26	41	47	36	36	39	20	20	29	33	15	19	29
29 Causes ill-defined or un- known.	...	1	1	1	—	1	—	1	1	—	—	1	—	—	1	1	1	29

NORFOLK—cont.

Causes of Death.		Freebridge Lynn R.D.		Henstead R.D.		King's Lynn R.D.		Loddon and Clavering R.D.		Marshland R.D.		Mitford and Launditch R.D.		St. Faith's R.D.		Small- burgh R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	87	87	66	74	3	7	87	90	90	90	115	150	55	66	78	95	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	1	—	—	—	—	2	—	1	—	—	—	—	—	—	1	4
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	4	4	—	3	—	—	—	1	2	—	—	1	1	—	1	4	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	1	1	1	1	—	1	—	—	2	7
7 Influenza	...	7	14	10	16	—	—	6	20	11	15	12	22	4	9	4	13	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	...	8	5	4	2	—	1	5	10	7	2	8	8	2	7	10	12	10
10 Tuberculous meningitis	...	—	—	—	—	1	—	—	1	1	2	—	—	—	1	—	—	11
11 Other tuberculous diseases	...	—	2	2	—	—	—	3	—	—	—	1	2	1	1	—	1	12
12 Cancer, malignant disease	...	6	10	6	9	—	1	7	3	10	13	18	17	5	7	6	11	13
13 Rheumatic fever...	...	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	14
14 Meningitis	...	—	1	1	1	—	—	—	—	—	—	—	1	1	—	—	1	15
15 Organic heart disease	...	5	4	5	8	—	—	11	11	6	10	17	23	3	6	8	9	16
16 Bronchitis	...	6	5	5	4	—	—	7	5	5	9	7	11	6	3	3	2	17
17 Pneumonia (all forms)	...	—	2	4	1	—	—	—	2	5	6	2	10	3	3	3	4	18
18 Other respiratory diseases	...	1	—	1	—	—	—	2	1	2	2	2	4	1	—	2	1	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	20
20 Appendicitis and typhlitis	...	1	1	—	1	—	—	1	—	—	—	—	—	—	2	—	1	21
21 Cirrhosis of liver	...	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	4	4	—	2	—	1	2	1	—	2	1	6	2	1	4	4	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	24
24 Parturition, apart from 23	...	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.	...	5	—	5	3	—	—	2	2	3	4	5	5	1	2	8	4	26
26 Violence, apart from 27	...	6	2	1	—	—	—	3	2	2	1	1	1	2	1	5	3	27
27 Suicide	...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	...	32	30	21	21	2	3	35	29	33	20	37	36	21	21	21	20	29
29 Causes ill-defined or un- known.	...	2	—	—	—	—	1	1	—	1	1	1	—	—	—	—	1	29

AREAS, 1918 (Civilian population only)—continued.

NORFOLK—cont.

NORTHAMPTONSHIRE.

	Swaffham R.D.		Thetford R.D.		Walsing- ham R.D.		Wayland R.D.			Brackley M.B.		Daventry M.B.		Des- borough U.D.		Finedon U.D.		Higham Ferrers M.B.		Irthling- borough U.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	54	56	72	70	98	139	110	110		16	18	36	35	32	28	24	36	20	18	28	33	1
2	1	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	—	5	3
4	—	—	—	—	—	—	—	—		—	—	—	—	—	—	1	—	—	—	—	—	4
5	—	—	1	—	1	3	—	—		—	2	—	—	—	—	—	1	—	1	2	—	5
6	1	—	—	1	—	—	—	1		—	—	1	—	—	—	—	—	—	2	1	—	6
7	6	9	7	7	27	20	18	22		2	5	16	15	13	10	7	9	1	1	2	4	7
8	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	5	4	3	4	18	6	9		2	2	1	1	1	—	1	2	3	3	3	2	9
10	1	—	—	—	—	2	2	—		—	—	—	—	—	—	1	1	—	—	—	—	10
11	2	—	1	—	2	3	—	2		—	—	—	1	1	1	1	1	—	—	1	—	11
12	5	5	6	10	10	18	4	9		1	1	4	4	1	1	—	1	—	—	5	4	12
13	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	1	—	—	1		—	—	—	—	2	—	—	—	—	—	—	—	14
15	4	7	12	17	2	17	12	17		—	1	1	—	4	4	1	8	2	—	1	2	15
16	—	4	3	3	2	13	6	11		1	2	—	1	1	—	2	3	1	1	2	—	16
17	4	5	7	9	8	3	4	4		2	—	1	1	1	2	4	2	2	2	2	4	17
18	—	—	—	2	1	1	1	1		—	—	—	1	—	—	1	—	—	—	—	1	18
19	—	1	—	—	—	—	1	—		—	—	—	—	—	—	—	1	—	—	—	—	19
20	—	—	1	—	2	1	1	—		—	—	—	—	—	—	—	—	—	—	—	1	20
21	—	—	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	5	4	—	—	2	4	3		1	1	1	—	1	—	—	—	—	—	—	1	22
23	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	1	—	—	1	24
25	4	1	3	4	4	3	4	2		4	1	2	—	1	3	1	1	1	—	1	3	25
26	2	1	—	2	—	—	9	2		—	—	—	—	—	—	—	—	2	—	2	—	26
27	1	—	—	—	2	—	2	—		—	—	—	—	—	—	—	—	—	—	—	—	27
28	19	12	21	10	31	33	36	25		3	3	9	10	4	7	5	4	8	6	4	3	28
29	—	1	1	1	—	2	—	1		—	—	1	—	1	—	—	1	1	1	1	1	29

NORTHAMPTONSHIRE—cont.

	Kettering U.D.		Oundle U.D.		Raunds U.D.		Rothwell U.D.		Rushden U.D.		Welling- borough U.D.			Brackley R.D.		Brixworth R.D.		Crick R.D.		Daventry R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	191	173	10	14	21	33	36	30	69	60	120	130		55	73	83	73	26	16	97	103	1
2	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	5	5	—	—	—	—	—	—	—	—	3	6		—	—	3	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	1	—	4
5	1	6	—	—	—	8	—	—	—	—	1	2		1	5	1	—	—	1	1	3	5
6	3	6	—	—	—	—	—	—	1	1	1	2		—	1	—	—	2	—	2	—	6
7	14	17	2	5	2	1	11	13	6	7	20	23		8	12	14	22	3	3	19	24	7
8	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	8
9	26	23	—	1	4	2	1	2	11	12	7	11		5	1	5	2	—	3	5	4	9
10	2	1	—	—	—	—	—	—	3	1	3	4		—	1	—	1	—	—	—	—	10
11	4	1	—	—	4	—	—	—	—	1	—	5		1	1	—	—	—	2	1	—	11
12	18	20	1	2	2	2	2	2	13	3	8	13		2	6	2	4	1	—	9	12	12
13	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	3	13
14	2	—	—	—	—	—	—	—	1	—	—	1		1	—	—	—	—	—	—	—	14
15	20	10	1	1	1	3	1	2	4	7	8	13		5	7	11	10	2	2	4	4	15
16	9	10	1	2	—	1	3	1	1	4	8	3		3	5	2	6	1	2	3	7	16
17	14	17	—	1	2	—	2	1	4	1	9	4		1	2	3	6	1	—	6	5	17
18	2	1	—	1	—	—	—	—	1	—	2	2		1	1	—	—	—	—	1	—	18
19	2	1	—	—	—	—	—	—	1	—	—	1		—	—	—	—	—	—	1	1	19
20	2	2	—	—	—	—	—	1	—	—	—	—		1	1	1	—	—	—	—	—	20
21	1	1	—	—	—	—	—	—	—	1	—	1		1	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	21A
22	5	3	—	—	1	—	2	—	2	—	2	2		2	—	3	—	—	—	5	3	22
23	—	1	—	—	—	—	—	1	—	—	—	—		—	1	—	—	—	—	—	1	23
24	—	1	—	—	—	—	—	—	—	1	—	—		—	4	—	1	—	1	—	—	24
25	9	5	—	—	1	—	2	2	2	1	5	1		1	3	4	1	2	1	2	3	25
26	8	2	1	—	1	—	—	—	4	1	8	4		—	—	5	1	—	1	1	—	26
27	3	1	—	—	—	—	—	—	—	1	3	3		—	1	—	—	—	—	1	—	27
28	37	36	4	1	4	11	12	5	15	18	30	28		22	20	29	19	14	2	35	29	28
29	4	3	—	—	3	1	—	—	—	—	2	1		—	—	—	—	—	—	1	1	29

CAUSES OF DEATH IN ADMINISTRATIVE NORTHAMPTONSHIRE—cont.

Causes of Death.	Easton on the Hill R.D.		Gretton R.D.		Hardingstone R.D.		Kettering R.D.		Middleton Cheney R.D.		Northampton R.D.		Oundle (pt.) R.D.*		Oxendon R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	13	20	7	11	59	59	98	90	18	22	38	27	56	57	25	28	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	6
6 Diphtheria and croup	—	—	—	—	1	—	—	3	2	3	—	—	—	1	—	—	7
7 Influenza	3	4	4	3	11	17	19	19	—	2	—	2	15	9	4	7	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
9 Pulmonary tuberculosis	—	1	1	—	7	5	6	7	2	2	9	2	2	5	—	2	10
10 Tuberculous meningitis	—	—	—	—	—	—	1	—	—	1	1	—	1	—	—	—	11
11 Other tuberculous diseases	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	1	12
12 Cancer, malignant disease	1	3	1	2	1	3	10	9	—	—	1	2	7	3	1	1	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	15
15 Organic heart disease	—	—	1	—	3	5	7	9	1	3	6	3	2	8	1	2	16
16 Bronchitis	—	3	—	3	—	4	5	5	1	2	2	—	2	4	—	1	17
17 Pneumonia (all forms)	1	1	—	—	4	1	7	6	—	2	2	2	—	1	2	2	18
18 Other respiratory diseases	—	1	—	1	1	—	2	—	—	—	1	2	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	2	—	1	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	1	—	5	—	1	—	—	1	1	—	2	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	25
25 Congenital debility, &c.	—	1	—	—	3	3	4	4	2	—	—	—	1	—	1	1	26
26 Violence, apart from 27	1	—	—	—	1	—	5	2	—	—	4	1	2	2	1	—	27
27 Suicide	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	7	4	—	1	22	18	22	23	9	7	10	8	19	23	12	10	29
29 Causes ill-defined or unknown.	—	—	—	—	2	1	2	1	—	—	—	1	1	—	—	—	

NORTHAMPTONSHIRE—cont. NORTHUMBERLAND.

Causes of Death.	Potterspury R.D.		Thrapston (pt.) R.D.†		Towcester R.D.		Wellingborough R.D.						Alnwick U.D.		Amble U.D.		
	M	F	M	F	M	F	M	F					M	F	M	F	
ALL CAUSES	45	46	75	70	81	88	84	84					43	63	39	42	1
1 Enteric fever	—	—	—	—	1	—	—	—					—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	3
3 Measles	—	—	—	—	—	2	—	—					—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—					—	—	—	—	5
5 Whooping cough	1	—	2	3	—	—	—	—					—	—	—	—	6
6 Diphtheria and croup	—	—	1	2	3	1	2	—					1	1	—	—	7
7 Influenza	5	7	12	10	17	20	13	14					8	13	8	15	8
8 Erysipelas	—	—	—	—	—	—	—	—					—	—	—	—	9
9 Pulmonary tuberculosis	1	2	5	5	5	5	4	6					6	3	1	3	10
10 Tuberculous meningitis	1	—	—	—	—	—	—	—					1	1	—	—	11
11 Other tuberculous diseases	—	1	1	1	—	—	—	2					—	2	1	1	12
12 Cancer, malignant disease	5	9	4	10	8	11	7	11					1	5	1	2	13
13 Rheumatic fever... ..	—	—	—	—	—	—	1	—					—	1	—	—	14
14 Meningitis	—	—	—	—	—	—	1	—					—	—	—	—	15
15 Organic heart disease	5	5	9	8	9	5	9	9					4	2	3	5	16
16 Bronchitis	1	—	5	5	6	4	6	11					2	—	1	4	17
17 Pneumonia (all forms)	2	5	—	2	3	5	5	4					5	5	3	2	18
18 Other respiratory diseases	—	1	—	—	2	1	—	1					1	2	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	2	—	—	—					—	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	—					—	—	—	1	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—					—	—	—	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—					—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	1	2	1	3	3	2					—	1	1	—	23
23 Puerperal fever	—	—	—	—	—	1	—	1					—	1	—	—	24
24 Parturition, apart from 23	—	1	—	1	—	—	—	—					—	—	—	—	25
25 Congenital debility, &c.	1	1	6	—	1	2	2	3					3	2	4	1	26
26 Violence, apart from 27	1	1	3	1	3	—	3	—					2	—	1	1	27
27 Suicide	—	—	1	—	—	1	2	1					—	1	1	—	28
28 Other defined diseases	21	13	24	20	20	25	24	17					8	21	13	5	29
29 Causes ill-defined or unknown.	—	—	1	—	—	1	2	2					1	1	1	—	

* The remainder of Oundle R.D. is in Huntingdonshire; see page 364.
† The remainder of Thrapston R.D. is in Huntingdonshire; see page 365.

AREAS, 1918 (Civilian population only)—continued.
NORTHUMBERLAND—cont.

	Ashington U.D.		Bedling- tonshire U.D.		Berwick upon Tweed M.B.		Blyth U.D.		Cramling- ton U.D.		Earsdon U.D.		Gosforth U.D.		Hexham U.D.		Long- benton U.D.		Morpeth M.B.		Newbiggin by the Sea U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	227	211	207	208	98	127	260	274	76	63	90	86	115	103	79	78	114	106	76	70	37	31	1
2	14	5	12	9	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	1	3	6	—	1	1	1	2	2	6	10	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	4
5	5	9	5	7	2	2	6	9	—	—	1	3	—	—	1	—	—	1	1	1	—	2	5
6	2	4	2	2	—	—	2	1	3	1	1	1	—	—	—	—	4	1	1	2	1	—	6
7	18	38	32	34	19	27	37	54	17	10	10	16	8	15	7	13	22	29	10	7	3	6	7
8	1	1	—	—	1	—	—	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	8
9	18	14	13	27	6	11	17	26	3	4	8	2	7	2	9	6	6	4	4	7	3	1	9
10	3	3	—	1	2	—	4	2	—	—	1	—	—	1	1	4	—	—	—	2	—	—	10
11	2	4	3	5	1	1	—	3	—	2	1	4	2	2	2	—	3	3	5	3	2	—	11
12	12	8	11	12	5	11	8	17	3	2	7	5	7	11	6	6	—	3	6	4	2	—	12
13	—	—	1	—	—	—	—	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	13
14	1	3	—	1	1	—	4	2	—	—	—	1	2	3	—	—	—	—	1	—	—	—	14
15	12	18	10	9	15	10	16	11	3	4	5	2	10	12	10	13	3	5	7	7	4	2	15
16	15	13	10	5	4	9	17	10	5	5	3	13	6	5	2	—	7	6	2	4	3	1	16
17	26	23	16	25	10	9	28	25	4	5	13	3	13	7	8	5	7	8	7	4	5	2	17
18	2	2	4	—	3	2	5	3	1	1	1	1	3	1	—	2	5	2	2	1	—	—	18
19	16	8	2	4	—	—	10	7	1	—	1	5	3	3	1	—	5	5	5	1	1	1	19
20	1	—	—	2	1	—	2	1	—	—	2	1	—	—	1	—	—	—	1	—	1	—	20
21	1	1	1	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	3	5	6	3	2	7	6	—	—	—	1	5	1	2	2	5	2	—	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	23
24	—	2	—	1	—	1	—	1	—	1	—	2	—	1	—	—	—	1	—	—	—	—	24
25	19	11	19	9	2	3	14	16	5	4	2	7	7	3	4	—	7	7	8	4	4	2	25
26	10	3	9	1	3	3	11	3	6	—	5	1	4	1	1	—	7	5	—	4	2	1	26
27	—	—	—	1	1	—	1	—	1	—	1	—	—	—	—	—	—	1	—	2	—	—	27
28	41	35	51	43	19	32	64	65	22	20	22	16	31	32	16	17	24	20	16	14	5	13	28
29	4	3	1	3	—	—	3	3	1	2	1	—	3	1	—	—	1	2	—	—	1	—	29

NORTHUMBERLAND—cont.

	Newburn U.D.		Prudhoe U.D.		Rothbury U.D.		Seaton Delaval U.D.		Seghill U.D.		Wallsend M.B.		Weetslade U.D.		Whitley and Monk- seaton U.D.			Alnwick R.D.		Belford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	138	114	74	57	12	7	55	42	19	18	446	409	51	56	115	114		77	99	32	31	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—		—	—	—	—	2
3	1	1	—	—	—	—	—	—	—	—	—	6	1	—	—	—		—	—	—	—	3
4	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—		1	—	—	1	4
5	6	5	2	1	—	—	—	1	—	—	3	4	—	1	1	2		—	1	—	—	5
6	2	—	—	1	1	—	—	—	6	6	6	1	3	2	—	—		1	—	—	—	6
7	24	25	15	10	1	—	5	6	2	1	105	128	10	10	8	15		14	22	4	5	7
8	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1		—	1	—	—	8
9	13	7	4	2	—	1	2	—	1	1	25	40	2	2	5	5		7	4	3	2	9
10	—	1	—	—	—	—	3	1	—	—	4	1	—	1	—	—		—	—	—	1	10
11	4	3	—	1	—	—	—	2	1	—	16	9	2	1	1	2		1	—	—	—	11
12	4	9	3	4	2	2	3	2	1	—	18	16	3	6	10	19		8	5	4	2	12
13	1	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—		—	—	—	—	13
14	2	—	—	—	—	—	—	—	—	—	5	4	—	3	—	1		—	—	—	1	14
15	14	10	7	6	1	—	3	2	—	—	27	25	6	5	16	14		6	11	2	—	15
16	5	6	3	3	1	—	8	5	—	1	20	25	4	3	7	4		1	5	1	—	16
17	11	6	5	5	—	—	2	2	2	2	52	37	3	2	19	7		6	5	3	5	17
18	1	1	5	1	—	—	2	—	—	—	6	3	1	1	1	1		1	3	1	—	18
19	—	2	3	—	—	—	2	—	—	1	10	5	1	1	2	—		—	—	—	—	19
20	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	1		—	—	—	—	20
21	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—		—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		—	—	—	—	21A
22	2	1	1	1	1	2	—	2	1	—	10	11	—	1	5	6		1	1	2	—	22
23	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	—		—	—	—	—	23
24	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	1	—	1	24
25	11	2	7	9	—	—	3	2	1	1	32	21	4	3	7	7		2	4	—	—	25
26	7	3	2	—	1	—	4	2	2	—	14	4	4	—	3	1		1	2	1	1	26
27	2	1	—	1	—	—	1	—	—	—	—	2	—	—	—	1		1	—	—	—	27
28	26	23	15	11	4	2	16	14	2	5	87	61	7	13	26	27		22	33	11	12	28
29	—	2	1	—	—	—	—	—	—	—	1	—	—	1	1	—		4	1	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE NORTHUMBERLAND—cont.

Causes of Death.	Bellingham R.D.		Castle Ward R.D.		Glendale R.D.		Haltwhistle R.D.		Hexham R.D.		Morpeth R.D.		Norham and Island-shires R.D.		Rothbury R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	40	27	81	75	50	62	78	93	179	173	125	136	27	42	30	23	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	2	1	—	1	—	2	4	2	—	1	2	—	—	—	—	6
6 Diphtheria and croup	—	—	1	—	1	—	2	4	—	—	—	3	—	1	—	—	7
7 Influenza	2	2	13	13	11	10	17	22	40	35	20	29	6	11	1	4	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	3	5	5	2	4	4	11	13	15	13	7	3	2	3	3	10
10 Tuberculous meningitis	—	—	2	1	—	—	—	—	1	1	—	2	1	—	—	—	11
11 Other tuberculous diseases	1	—	—	3	1	2	1	1	4	3	3	1	1	1	—	1	12
12 Cancer, malignant disease	5	1	5	7	5	5	13	8	8	12	3	10	2	3	4	1	13
13 Rheumatic fever... ..	—	—	—	1	—	—	—	—	1	1	1	—	—	—	—	—	14
14 Meningitis	—	1	—	—	—	—	—	1	2	1	3	1	—	—	—	—	15
15 Organic heart disease	4	2	6	3	5	11	6	11	24	30	6	10	2	2	3	1	16
16 Bronchitis	1	2	3	4	1	3	1	4	9	7	6	9	—	—	—	2	17
17 Pneumonia (all forms)	5	1	6	4	2	4	2	2	9	9	19	17	—	4	4	2	18
18 Other respiratory diseases	3	1	—	—	—	2	—	1	2	1	2	1	1	1	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	3	1	—	—	—	—	—	1	—	2	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	1	—	—	1	1	—	—	—	1	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	—	—	1	—	—	2	1	7	2	2	1	—	1	2	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	1	—	2	—	1	—	1	—	—	25
25 Congenital debility, &c.	1	3	3	3	2	4	9	3	8	7	5	5	2	1	—	—	26
26 Violence, apart from 27	—	—	3	2	1	2	3	—	10	3	5	3	2	1	1	—	27
27 Suicide	1	—	1	—	1	—	—	—	2	—	2	—	—	—	—	—	28
28 Other defined diseases	9	8	26	25	17	14	14	19	35	40	32	28	7	13	8	9	29
29 Causes ill-defined or unknown.	1	1	1	—	—	—	1	—	1	2	1	2	—	—	2	—	

NORTHUMBERLAND—cont. NOTTINGHAMSHIRE.

Causes of Death.				Moot Hall and Precincts.*		Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		Eastwood U.D.		Hucknall U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	—	—	115	110	128	117	124	145	109	99	51	39	160	171	1
1	Enteric fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	1	1	11	4	1	—	—	1	2	—	—	1	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	1	—	3	3	—	5	2	1	—	—	1	3	6
6	Diphtheria and croup	—	—	—	—	2	—	—	2	1	—	—	—	—	—	7
7	Influenza	—	—	15	17	35	38	31	41	15	29	17	13	63	73	8
8	Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	—	—	8	4	4	4	6	8	7	6	2	3	2	5	10
10	Tuberculous meningitis	—	—	1	1	—	2	—	1	1	1	—	—	—	—	11
11	Other tuberculous diseases	—	—	5	—	1	1	3	2	1	2	—	—	—	3	12
12	Cancer, malignant disease	—	—	7	14	7	7	3	8	5	4	2	2	5	7	13
13	Rheumatic fever...	—	—	—	—	—	1	—	1	1	—	—	—	—	—	14
14	Meningitis	—	—	—	—	—	2	—	—	1	—	—	—	2	2	15
15	Organic heart disease	—	—	8	9	5	7	7	9	11	4	1	4	13	9	16
16	Bronchitis	—	—	15	19	3	8	10	6	10	5	5	3	15	20	17
17	Pneumonia (all forms)	—	—	11	19	6	8	10	12	12	7	3	1	5	11	18
18	Other respiratory diseases	—	—	1	2	—	—	2	—	1	1	—	—	1	1	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	2	2	—	1	4	—	—	2	2	1	1	3	20
20	Appendicitis and typhlitis	—	—	—	—	—	—	2	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	—	—	1	—	—	—	—	—	—	2	1	—	—	1	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	—	8	1	3	1	2	1	1	1	—	1	3	1	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	1	—	1	—	2	—	1	—	—	—	—	25
25	Congenital debility, &c.	—	—	7	4	6	3	11	7	6	5	1	1	9	5	26
26	Violence, apart from 27	—	—	3	1	22	5	8	1	3	—	2	1	6	1	27
27	Suicide	—	—	—	—	—	—	—	1	—	1	—	—	—	—	28
28	Other defined diseases	—	—	20	13	18	21	23	36	31	26	13	9	33	24	29
29	Causes ill-defined or un- known.	—	—	—	—	2	—	1	2	—	—	—	—	1	—	

* Included with the Rural Districts for convenience.

AREAS, 1918 (Civilian population only)—continued.
NOTTINGHAMSHIRE—cont.

	Huthwaite U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood- house U.D.		Newark M.B.		Sutton in Ashfield U.D.		Warsop U.D.		West Bridgford U.D.		Worksop U.D.			Basford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
1	51	36	144	113	331	330	89	128	140	139	226	184	54	50	71	82	191	220		338	354	1
2	—	—	1	—	—	—	1	—	—	—	3	4	—	—	—	—	—	—		—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	3
4	—	—	3	7	3	4	1	—	—	1	3	1	—	—	—	—	2	—		13	8	4
5	—	—	—	—	—	6	17	3	7	1	1	—	—	8	—	—	—	7		7	13	5
6	—	4	—	—	—	2	—	—	1	1	1	2	1	3	—	—	—	—		1	3	6
7	15	7	44	36	58	67	15	35	26	24	58	53	5	9	9	11	46	70		87	93	7
8	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1		—	—	8
9	3	1	5	6	12	17	2	10	14	14	10	8	3	3	3	5	11	11		21	19	9
10	—	—	1	—	2	5	4	—	3	—	4	—	—	1	—	—	1	—		2	2	10
11	—	—	1	—	4	3	1	1	3	4	2	1	2	—	1	1	—	3		3	3	11
12	1	1	6	4	14	23	5	5	8	12	8	7	—	2	8	9	12	13		21	23	12
13	—	1	1	—	1	1	—	—	1	—	—	—	1	—	1	—	—	3		1	3	13
14	—	—	2	2	—	4	—	1	2	—	1	3	1	—	—	—	—	—		1	2	14
15	2	4	6	7	28	22	8	6	13	13	15	15	—	1	6	6	14	19		14	21	15
16	4	1	4	8	19	22	4	10	11	7	10	17	4	—	2	7	23	19		27	16	16
17	1	2	13	6	42	36	13	18	6	5	19	23	3	5	11	12	23	23		23	19	17
18	—	—	—	2	2	1	1	3	—	2	1	3	—	—	—	1	2	2		1	6	18
19	1	2	1	1	10	—	3	3	—	—	2	—	1	—	—	—	2	4		7	4	19
20	—	—	1	1	—	4	—	—	1	1	1	—	—	—	—	—	—	1		4	1	20
21	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—		—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		—	—	21A
22	1	1	—	1	6	1	1	1	1	2	1	2	2	2	1	3	2	4		6	7	22
23	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—		—	1	23
24	—	—	—	—	—	3	—	—	—	2	—	2	—	1	—	1	—	1		—	2	24
25	1	2	9	5	22	22	4	5	10	10	12	9	3	2	1	1	9	9		16	16	25
26	4	1	8	1	12	2	5	1	2	—	8	1	3	1	5	—	11	5		12	8	26
27	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	1	1	2		3	1	27
28	15	8	34	23	88	67	18	19	37	36	62	30	19	12	22	22	24	23		65	79	28
29	1	1	2	2	—	5	—	—	—	3	—	2	—	—	1	1	1	—		3	3	29

NOTTINGHAMSHIRE—cont.

	Bingham R.D.		Blyth and Cuckney R.D.		East Retford R.D.		Leake R.D.		Misterton R.D.		Newark R.D.		Skegby R.D.		Southwell R.D.		Stapleford R.D.		Kingston upon Soar and Rat- cliffe upon Soar C. P's*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	115	104	28	24	113	107	28	40	36	35	66	63	75	61	153	165	91	73	—	1	1
2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	2	—	—	—	—	3
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	1	1	—	1	3	1	1	1	3	1	2	—	1	3	5	—	—	—	—	5
6	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	2	—	—	—	—	6
7	19	32	7	5	27	25	7	10	19	10	13	12	18	20	41	52	28	22	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	7	10	2	5	8	11	1	3	—	—	5	2	4	3	12	5	5	1	—	—	9
10	1	2	—	—	—	—	—	—	—	—	1	1	—	—	1	—	1	—	—	—	10
11	1	4	1	—	—	—	1	1	—	—	2	1	4	2	1	1	—	—	—	—	11
12	11	3	2	3	9	5	3	3	1	3	3	4	7	4	12	7	5	2	—	—	12
13	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	14
15	10	7	2	—	11	11	2	3	2	—	5	4	4	3	6	18	4	5	—	—	15
16	7	11	1	—	5	7	2	3	2	—	5	3	3	4	11	15	10	12	—	1	16
17	4	7	2	1	4	6	4	3	2	1	3	4	5	5	6	9	6	4	—	—	17
18	—	1	2	—	1	1	—	—	—	1	1	—	—	2	2	1	—	1	—	—	18
19	—	—	2	1	—	—	—	—	—	—	—	3	6	1	1	—	3	1	—	—	19
20	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	20
21	—	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	2	—	1	1	4	1	2	1	—	2	—	—	2	—	2	—	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	24
25	6	4	3	2	6	4	1	—	2	1	2	2	3	2	4	5	5	2	—	—	25
26	5	1	—	—	4	1	—	—	—	2	3	1	3	—	7	2	10	2	—	—	26
27	—	—	1	—	—	3	—	—	—	—	1	—	—	—	2	—	—	—	—	—	27
28	32	18	2	5	31	24	5	10	6	11	17	22	15	10	40	34	13	20	—	—	28
29	1	—	—	1	2	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	29

* Administered by Shardlow R.D.C. (Derbyshire).

CAUSES OF DEATH IN ADMINISTRATIVE
OXFORDSHIRE.

Causes of Death.	Banbury M.B.		Bicester U.D.		Chipping Norton M.B.		Henley on Thames M.B.		Thame U.D.		Wheatley U.D.		Witney U.D.		Wood- stock M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	107	112	29	35	21	25	48	69	19	27	7	6	27	24	13	16	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	4	—	—	—	—	—	—	—	1	—	—	—	—	1	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	4	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	3	—	—	1	3	—	—	—	—	—	—	—	—	7
7 Influenza	18	18	8	6	2	—	10	12	4	6	—	—	5	3	5	3	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	9	11	4	3	1	6	5	5	1	3	—	1	1	2	1	—	10
10 Tuberculous meningitis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	12
12 Cancer, malignant disease	5	12	4	7	2	4	—	4	—	2	1	1	2	1	1	—	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	15
15 Organic heart disease	7	5	—	1	4	5	2	8	1	2	—	1	4	4	1	1	16
16 Bronchitis	17	15	2	1	2	—	3	7	2	1	—	—	1	2	—	2	17
17 Pneumonia (all forms)	10	8	2	2	1	1	4	3	2	1	1	—	—	—	1	—	18
18 Other respiratory diseases	—	—	—	—	—	—	1	1	1	1	—	—	1	1	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	3	1	2	2	—	2	1	—	—	—	—	—	1	1	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	3	2	—	—	—	—	3	3	1	—	—	—	1	2	—	1	26
26 Violence, apart from 27	1	1	1	—	—	—	2	1	—	1	—	—	1	—	—	—	27
27 Suicide	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	28
28 Other defined diseases	26	22	4	10	7	8	9	17	7	9	4	2	10	7	—	7	29
29 Causes ill-defined or un- known.	1	1	1	—	—	—	3	—	—	—	—	—	—	—	1	—	

OXFORDSHIRE—cont.

Causes of Death.	Banbury R.D.		Bicester R.D.		Chipping Norton R.D.		Crow- marsh R.D.		Culham R.D.		Goring R.D.		Heading- ton R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	82	95	75	73	88	67	33	41	13	19	22	22	91	105	1
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	—	—	—	—	1	—	—	5	4	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	5
5 Whooping cough	—	—	1	—	—	—	—	—	—	1	—	—	—	—	6
6 Diphtheria and croup	1	1	1	1	1	1	—	1	—	—	—	—	—	—	7
7 Influenza	16	27	19	21	4	10	11	12	3	8	2	7	23	31	8
8 Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	1	9
9 Pulmonary tuberculosis	2	4	3	3	10	2	2	1	—	2	2	1	11	6	10
10 Tuberculous meningitis	—	—	3	—	—	—	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	2	1	—	—	—	1	—	—	—	—	—	—	12
12 Cancer, malignant disease	6	11	11	8	9	3	2	5	—	—	—	3	8	11	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	—	—	1	—	—	—	14
14 Meningitis	—	—	—	—	—	1	—	—	—	—	—	1	—	1	15
15 Organic heart disease	13	8	7	7	13	7	3	7	2	1	—	3	7	11	16
16 Bronchitis	6	9	—	5	7	6	—	4	—	1	—	1	6	6	17
17 Pneumonia (all forms)	—	2	3	5	11	4	3	1	2	—	4	1	9	6	18
18 Other respiratory diseases	1	2	—	—	1	—	—	—	—	—	—	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	2	1	—	—	—	—	—	—	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	1	—	1	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	1	—	—	—	1	—	—	1	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	2	—	1	—	—	—	1	—	—	1	—	2	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	—	—	1	25
25 Congenital debility, &c.	2	—	1	1	—	5	—	1	1	1	—	1	2	3	26
26 Violence, apart from 27	3	1	3	—	1	1	—	1	1	1	1	1	3	—	27
27 Suicide	—	2	—	—	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	28	22	16	19	30	26	10	5	3	2	11	2	12	23	29
29 Causes ill-defined or un- known.	1	1	2	—	—	—	—	—	1	—	—	—	1	—	

AREAS, 1918 (Civilian population only)—continued.

OXFORDSHIRE—cont.										PETERBOROUGH, SOKE OF.										RUTLANDSHIRE.									
Henley R.D.			Thame R.D.		Witney R.D.		Woodstock R.D.			Peterborough M.B.			Barnack R.D.		Peterborough R.D.			Oakham U.D.											
	M	F	M	F	M	F	M	F		M	F		M	F	M	F		M	F										
1	61	63	42	45	120	120	94	82		260	275		10	19	71	66		24	37										
2	—	—	—	—	—	—	—	1		—	—		—	—	—	—		—	—	1									
3	—	1	—	—	—	—	—	—		3	2		—	—	1	3		1	—	2									
4	—	—	—	—	—	1	—	—		2	1		—	—	—	—		—	—	3									
5	—	—	1	—	1	1	—	—		1	—		—	—	—	—		—	—	4									
6	—	1	—	—	—	—	2	1		5	3		1	—	1	—		—	—	5									
7	8	8	5	12	23	22	22	22		31	48		1	—	14	8		11	16	6									
8	—	—	—	—	—	—	—	1		—	—		—	—	—	—		1	—	7									
9	7	2	1	1	11	8	3	7		18	26		—	—	2	6		2	2	8									
10	—	—	—	—	—	—	1	1		1	5		—	—	1	—		—	—	9									
11	1	1	1	—	—	3	—	—		4	6		—	—	1	—		—	—	10									
12	7	9	5	3	15	13	8	5		32	32		1	2	3	5		3	1	11									
13	—	—	—	—	—	—	1	—		1	—		—	—	—	—		—	1	12									
14	—	1	—	—	—	—	—	1		1	—		—	—	—	—		—	—	13									
15	6	5	7	6	21	12	14	16		17	31		3	—	6	5		3	2	14									
16	7	3	3	5	5	7	7	1		15	20		—	1	9	5		—	1	15									
17	3	6	—	2	7	3	4	—		17	18		—	—	4	6		1	3	16									
18	—	1	1	—	1	1	—	1		1	2		—	—	—	1		—	—	17									
19	—	—	—	—	2	—	—	1		—	1		—	—	—	—		—	—	18									
20	—	1	1	—	—	—	—	—		—	2		1	—	—	—		—	—	19									
21	—	1	1	—	—	1	—	—		—	—		—	1	—	—		—	—	20									
21A	—	—	—	—	—	—	—	—		1	—		—	1	1	—		—	—	21									
22	3	2	1	—	2	4	4	—		5	3		—	—	3	1		—	—	21A									
23	—	—	—	—	—	2	—	—		—	—		—	—	—	—		—	—	22									
24	—	—	—	—	—	—	—	—		—	1		—	—	—	1		—	—	23									
25	2	2	2	—	4	3	—	5		14	8		—	—	1	2		—	1	24									
26	—	—	—	1	4	—	1	1		6	2		—	3	4	1		1	1	25									
27	—	3	—	—	—	—	—	1		1	—		1	—	2	1		—	1	26									
28	17	15	13	15	24	39	26	16		83	64		2	12	17	21		1	7	27									
29	—	1	—	—	—	—	1	1		1	—		—	—	1	—		—	—	28									
																				29									

RUTLANDSHIRE—cont.								SHROPSHIRE.															
Ketton R.D.		Oakham R.D.		Uppingham R.D.		Bishop's Castle M.B.		Bridgnorth M.B.		Church Stretton U.D.		Dawley U.D.		Ellesmere U.D.		Ludlow M.B.							
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F
1	22	19	43	60	52	54	—	8	13	36	28	5	9	60	67	15	25	43	49			1	—
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2	—
3	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			3	—
4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			4	—
5	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—			5	—
6	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—			6	—
7	5	6	8	23	8	18	—	1	4	4	5	3	15	13	3	4	5	5	—			7	—
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			8	—
9	—	1	1	2	3	—	—	1	2	3	4	—	2	2	1	3	8	4	—			9	—
10	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—			10	—
11	—	—	—	1	3	1	—	—	—	1	—	—	2	—	—	—	1	—	—			11	—
12	4	1	4	6	3	4	—	1	—	5	6	1	3	7	—	2	3	4	—			12	—
13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			13	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			14	—
15	—	—	6	6	3	4	—	1	1	4	1	—	1	3	6	1	4	1	5			15	—
16	1	3	2	—	5	8	—	1	—	5	—	—	5	5	1	1	2	2	—			16	—
17	1	2	5	5	2	3	—	—	1	2	—	—	7	3	4	2	2	4	—			17	—
18	—	—	—	—	—	1	—	—	—	3	—	—	—	2	—	—	—	—	—			18	—
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			19	—
20	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—			20	—
21	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21	—
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A	—
22	—	—	—	—	1	2	—	—	—	2	—	1	1	2	1	—	2	1	—			22	—
23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			23	—
24	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—			24	—
25	1	2	1	1	1	—	—	2	—	—	—	4	4	—	2	2	—	—	—			25	—
26	1	—	1	5	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—			26	—
27	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—			27	—
28	9	3	11	7	20	12	—	3	5	6	6	3	2	16	17	3	6	16	22			28	—
29	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—			29	—

CAUSES OF DEATH IN ADMINISTRATIVE
SHROPSHIRE—cont.

Causes of Death.				Market Drayton U.D.		Newport U.D.		Oaken- gates U.D.		Oswestry M.B.		Shrews- bury M.B.		Welling- ton U.D.		Wem U.D.		Wenlock M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	43	34	19	21	91	106	88	97	255	231	60	49	18	14	118	119	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	1	7	1	—	—	3	1	—	1	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	4	7	—	—	4	9	—	4	—	—	—	—	6
6 Diphtheria and croup	1	—	—	—	2	2	1	1	2	1	—	1	—	—	—	—	7
7 Influenza	9	6	1	—	22	30	8	17	51	52	18	11	4	3	36	24	8
8 Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	1	2	1	4	3	7	5	15	12	7	1	—	1	6	11	10
10 Tuberculous meningitis	1	—	—	—	—	1	—	1	2	2	—	—	—	—	—	1	11
11 Other tuberculous diseases	—	—	—	—	1	1	2	—	3	4	1	—	—	—	3	2	12
12 Cancer, malignant disease	5	3	1	4	4	8	6	8	31	20	1	5	2	—	7	13	13
13 Rheumatic fever...	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	1	14
14 Meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	15
15 Organic heart disease	5	4	3	2	5	7	9	11	12	25	2	2	1	4	11	16	16
16 Bronchitis	2	3	2	3	4	5	2	4	20	9	2	3	2	—	11	8	17
17 Pneumonia (all forms)	5	4	—	—	12	6	11	9	17	11	7	2	1	—	6	3	18
18 Other respiratory diseases	—	—	1	—	—	3	1	1	3	4	1	—	—	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	2	—	—	—	—	—	1	—	—	2	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	2	—	7	5	4	3	2	—	—	—	5	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	5	—	—	2	2	—	3	2	12	5	—	3	—	—	4	2	26
26 Violence, apart from 27	—	2	3	1	4	4	1	3	8	2	—	1	—	—	—	1	27
27 Suicide	—	—	—	1	2	—	1	—	1	1	—	—	—	—	2	—	28
28 Other defined diseases	9	10	5	6	15	24	27	28	59	66	17	14	6	6	25	35	29
29 Causes ill-defined or un- known.	—	1	1	—	1	—	2	1	2	1	—	—	—	—	—	—	

SHROPSHIRE—cont.

Causes of Death.				Whit- church U.D.		Atcham R.D.		Bridg- north R.D.		Burford R.D.		Chirbury R.D.		Church Stretton R.D.		Cleobury Mortimer R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	48	53	150	161	53	60	8	6	22	21	45	29	56	48	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	—	1	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	2	3	1	4	—	1	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	1	—	1	1	—	—	—	—	—	1	—	—	1	—	7
7 Influenza	6	8	27	38	10	11	—	1	5	5	2	10	7	5	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	2	10	7	1	2	—	—	1	1	3	4	3	3	10
10 Tuberculous meningitis	—	—	—	1	—	1	—	—	—	—	—	—	—	1	11
11 Other tuberculous diseases	2	—	1	—	1	1	—	—	—	—	—	—	—	—	12
12 Cancer, malignant disease	6	8	12	12	2	12	1	1	2	2	7	3	3	5	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	14
14 Meningitis	—	—	2	2	—	—	—	—	—	—	1	—	—	—	15
15 Organic heart disease	6	6	9	14	5	8	—	—	3	—	7	3	7	4	16
16 Bronchitis	1	—	8	9	4	3	—	—	2	1	1	—	3	3	17
17 Pneumonia (all forms)	2	5	14	11	3	6	1	2	1	2	1	—	8	6	18
18 Other respiratory diseases	—	1	7	1	—	1	—	—	2	—	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	3	1	—	—	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	1	3	—	1	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	1	—	1	—	1	1	—	—	—	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	2	1	—	1	—	—	—	—	1	—	—	1	23
23 Puerperal fever	—	—	—	2	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	25
25 Congenital debility, &c.	3	2	3	6	2	1	1	—	—	1	1	1	3	5	26
26 Violence, apart from 27	2	—	3	1	2	1	—	—	—	1	3	—	2	1	27
27 Suicide	—	—	2	—	—	—	—	—	—	—	2	—	2	—	28
28 Other defined diseases	8	15	41	43	19	9	5	1	6	7	14	7	16	12	29
29 Causes ill-defined or un- known.	2	—	3	5	1	—	—	1	—	—	1	—	—	2	

CAUSES OF DEATH IN ADMINISTRATIVE
SOMERSETSHIRE—cont.

Causes of Death.			Minehead U.D.		Portishead U.D.		Radstock U.D.		Shepton Mallet U.D.		Street U.D.		Taunton M.B.		Watchet U.D.		Welling- ton U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	33	35	25	26	25	27	26	19	24	20	132	182	11	15	43	52	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	1	—	—	—	1	2	1	2	—	—	—	—	6
6 Diphtheria and croup	—	—	1	—	1	—	—	—	—	—	1	1	—	—	—	—	7
7 Influenza	7	4	6	6	4	6	—	2	1	3	16	20	3	4	8	8	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
9 Pulmonary tuberculosis	2	3	3	—	2	—	2	2	—	1	13	24	—	1	6	6	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	11
11 Other tuberculous diseases	1	—	—	—	—	—	—	—	—	2	—	4	—	—	1	—	12
12 Cancer, malignant disease	4	5	—	3	—	2	3	3	3	2	13	14	—	—	5	4	13
13 Rheumatic fever...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	15
15 Organic heart disease	4	9	5	2	3	4	5	3	4	3	9	16	—	1	6	11	16
16 Bronchitis	—	1	—	2	3	1	3	1	1	2	8	12	—	—	—	1	17
17 Pneumonia (all forms)	1	—	2	4	1	2	2	1	3	1	12	9	1	1	—	—	18
18 Other respiratory diseases	1	2	1	—	—	2	—	—	—	—	3	3	1	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	—	—	—	1	1	—	—	—	—	4	—	—	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	—	1	—	—	—	2	—	1	—	2	3	—	3	1	—	26
26 Violence, apart from 27	1	—	1	—	—	1	—	—	—	—	5	2	—	1	—	—	27
27 Suicide	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	28
28 Other defined diseases	9	9	5	7	10	7	6	7	9	4	46	62	5	3	14	21	29
29 Causes ill-defined or unknown.	—	1	—	—	—	—	2	—	—	—	—	2	—	—	—	—	

SOMERSETSHIRE—cont.

Causes of Death.			Wells M.B.		Weston super Mare U.D.		Wivelis- combe U.D.		Yeovil M.B.				Axbridge R.D.		Bath R.D.		Bridg- water R.D.		
			M	F	M	F	M	F	M	F			M	F	M	F	M	F	
ALL CAUSES	28	24	165	190	8	12	96	120			138	138	89	98	113	129	1
1 Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3 Measles	—	—	—	1	—	—	2	2			—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	5
5 Whooping cough	—	—	1	1	—	—	—	—			—	1	1	2	—	3	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—			2	—	2	—	—	—	7
7 Influenza	8	8	24	43	2	1	33	40			15	21	13	15	21	19	8
8 Erysipelas	—	—	—	—	—	—	2	—			—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	1	9	19	1	—	7	4			12	6	7	9	6	12	10
10 Tuberculous meningitis	—	—	1	1	—	—	1	—			—	1	1	—	1	—	11
11 Other tuberculous diseases	—	—	2	2	—	—	—	1			1	2	—	2	2	1	12
12 Cancer, malignant disease	1	2	11	28	1	1	6	11			8	20	7	9	6	5	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—			—	1	—	—	—	1	14
14 Meningitis	1	—	—	1	—	—	—	1			1	—	1	—	2	—	15
15 Organic heart disease	5	2	21	17	—	—	10	10			20	19	13	10	17	11	16
16 Bronchitis	3	1	9	7	—	—	1	2			11	7	6	4	4	13	17
17 Pneumonia (all forms)	1	1	11	7	—	—	4	9			5	9	6	3	6	8	18
18 Other respiratory diseases	—	1	3	2	—	—	5	2			1	2	1	3	2	4	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—			—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—			—	—	—	—	1	1	21
21 Cirrhosis of liver	—	—	1	2	—	—	—	—			—	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—			1	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	7	5	—	—	1	1			9	4	4	1	4	2	23
23 Puerperal fever	—	—	—	—	—	—	—	—			—	1	—	1	—	1	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	1			—	—	—	—	—	—	25
25 Congenital debility, &c.	—	2	5	3	—	—	3	5			2	6	3	4	5	6	26
26 Violence, apart from 27	1	1	1	—	—	1	—	1			6	1	4	3	2	3	27
27 Suicide	1	—	1	1	—	—	—	—			1	1	—	1	1	1	28
28 Other defined diseases	6	4	56	48	4	9	20	30			42	35	20	30	31	36	29
29 Causes ill-defined or unknown.	—	—	2	1	—	—	1	—			1	1	—	1	—	—	

AREAS, 1918 (Civilian population only)—*continued*.
SOMERSETSHIRE—*cont.*

	Chard R.D.		Clutton R.D.		Dulverton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Shepton Mallet R.D.		Taunton R.D.		Welling- ton R.D.		Wells R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	84	86	110	100	30	28	82	65	56	77	98	94	114	111	62	57	115	126	31	34	62	68	1
2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	4
5	—	—	3	1	—	—	—	—	1	1	1	1	—	1	1	2	—	—	—	—	3	1	5
6	—	—	—	2	—	—	—	1	1	1	—	3	1	2	1	—	—	—	—	—	—	—	6
7	9	11	17	15	6	3	19	5	9	12	14	14	14	16	5	7	11	16	4	4	6	8	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	11	7	2	5	—	3	3	3	6	6	6	10	5	6	4	1	5	11	2	—	—	10	9
10	1	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—	1	—	1	—	—	10
11	—	1	2	—	1	—	—	1	—	1	—	2	1	2	—	1	2	—	1	—	1	—	11
12	5	9	11	13	1	5	6	3	7	7	6	7	11	10	7	4	10	15	4	3	6	8	12
13	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	1	13
14	—	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	14
15	9	15	13	15	7	4	10	15	4	10	17	9	16	10	10	9	18	12	3	6	14	11	15
16	3	5	12	4	2	3	6	5	2	9	3	6	6	3	2	1	5	3	3	2	8	2	16
17	4	5	4	5	1	1	1	2	4	3	11	10	4	9	4	8	6	7	—	2	3	1	17
18	1	—	2	—	1	1	2	—	1	—	2	—	4	2	—	—	3	4	—	—	2	1	18
19	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	1	1	—	—	—	—	19
20	—	—	1	1	1	—	—	—	—	—	—	—	1	1	—	—	1	—	1	—	2	1	20
21	1	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—	2	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	3	1	2	1	—	2	2	2	1	2	7	4	2	3	1	3	2	1	1	1	3	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	1	—	1	—	2	—	—	—	1	—	—	—	3	24
25	6	—	7	4	1	—	4	2	3	3	4	2	5	3	3	1	3	3	2	2	—	—	25
26	2	—	6	3	—	—	3	3	3	—	2	—	2	3	1	—	5	3	2	—	2	1	26
27	2	—	1	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	1	—	27
28	28	28	27	28	6	7	26	20	11	20	28	20	35	34	19	21	39	40	7	11	13	16	28
29	—	2	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	2	1	—	—	—	29

SOMERSETSHIRE—*cont.* SOUTHAMPTON.

	Williton R.D.		Wincan- ton R.D.		Yeovil R.D.			Aldershot U.D.		Alton U.D.		Andover M.B.		Basing- stoke M.B.		Christ- church M.B.		Eastleigh and Bishop- stoke U.D.		Fareham U.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	103	76	99	105	138	125		149	140	50	39	59	65	58	85	36	38	105	97	69	57	1
2	1	1	—	—	—	—		—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—		—	2	—	—	5	8	—	1	1	—	3	3	3	2	3
4	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	3	1	—		4	2	—	—	—	—	—	1	—	2	—	1	1	2	5
6	—	1	1	1	1	1		—	2	1	—	1	—	—	—	2	1	—	—	—	—	6
7	10	5	10	13	24	23		20	29	6	5	9	12	4	12	4	3	27	28	3	9	7
8	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1	1	—	—	8
9	13	7	6	10	9	13		21	14	3	4	5	4	2	3	3	1	6	3	4	2	9
10	—	—	—	—	—	—		1	—	1	1	—	—	2	—	—	—	—	1	2	—	10
11	1	1	—	1	1	2		2	2	1	—	1	—	—	1	4	1	1	—	1	—	11
12	8	12	13	8	15	12		14	12	3	4	4	6	4	7	2	3	6	6	8	3	12
13	1	—	1	—	—	—		—	—	—	—	—	1	1	1	—	—	—	1	—	—	13
14	2	—	2	—	—	—		2	2	—	—	—	—	—	—	—	—	3	1	—	—	14
15	17	14	7	7	18	9		17	10	7	5	5	7	11	16	2	5	10	11	7	5	15
16	3	4	4	2	5	12		12	4	2	3	1	1	—	1	—	3	6	6	2	5	16
17	6	2	9	14	6	2		14	10	2	2	4	4	5	3	1	2	7	1	2	3	17
18	1	—	1	1	3	1		—	1	2	2	—	1	—	2	—	—	2	1	5	2	18
19	1	—	—	2	1	—		4	1	—	—	1	1	—	—	1	—	1	—	1	—	19
20	—	1	2	—	1	—		1	—	—	—	—	2	—	2	—	—	2	—	1	1	20
21	—	—	—	—	1	2		—	—	—	—	—	—	1	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	2	2	1	2	1		4	5	2	3	5	5	3	5	1	—	3	2	1	2	22
23	—	—	—	—	—	2		—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	1	—	1	—	1		—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	1	—	2	3	4	2		10	8	3	—	5	1	6	5	2	2	3	2	3	2	25
26	4	2	2	—	7	1		3	2	2	—	2	—	6	—	3	1	4	1	2	—	26
27	1	—	1	1	—	1		—	1	—	—	1	—	—	—	—	—	1	2	—	—	27
28	26	23	35	36	39	39		20	32	15	10	9	12	12	25	12	12	16	23	21	18	28
29	1	—	—	—	—	1		—	1	—	—	1	—	—	—	—	—	2	3	1	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
SOUTHAMPTON—cont.

Causes of Death.	Farnborough U.D.		Fleet U.D.		Gosport and Alverstoke U.D.		Havant U.D.		Itchen U.D.		Lymington M.B.		Petersfield U.D.		Romsey M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	52	56	17	24	205	207	19	27	144	135	21	44	25	27	40	36	1
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	1	—	1	8	6	1	—	—	—	1	3	4
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	2	—	—	3	2	—	—	1	—	—	1	—	—	—	—	6
6 Diphtheria and croup	1	1	—	—	2	5	—	—	—	2	—	1	—	—	—	1	7
7 Influenza	7	13	1	5	26	23	3	2	34	36	4	8	1	1	9	6	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	4	1	3	14	21	—	1	9	3	1	5	—	2	2	1	10
10 Tuberculous meningitis	—	—	1	—	1	2	—	—	3	2	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	1	—	—	4	2	1	1	2	6	—	—	—	—	1	—	12
12 Cancer, malignant disease	2	6	—	2	22	23	1	4	7	10	2	3	3	2	4	6	13
13 Rheumatic fever... ..	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	1	1	—	—	3	—	—	—	—	1	—	—	2	—	—	1	15
15 Organic heart disease	4	8	2	3	28	31	2	5	6	14	2	4	4	5	4	2	16
16 Bronchitis	3	3	1	1	9	7	—	—	5	4	1	1	2	—	4	3	17
17 Pneumonia (all forms)	4	5	1	1	15	17	2	1	14	8	3	6	4	1	2	2	18
18 Other respiratory diseases	1	1	1	1	3	2	—	—	—	2	1	1	—	1	—	—	19
19 Diarrhœa, &c. (under 2 yrs.)	1	—	—	—	4	4	—	—	3	3	—	1	—	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	2	1	—	1	1	1	—	1	—	—	—	1	21
21 Cirrhosis of liver	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	4	3	2	—	7	2	—	2	—	1	1	2	2	2	2	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	3	2	—	—	10	10	—	—	8	9	—	—	—	—	1	—	26
26 Violence, apart from 27	2	—	2	—	4	—	2	1	3	2	—	—	—	1	2	—	27
27 Suicide	1	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	28
28 Other defined diseases	12	5	4	6	45	49	7	7	39	24	4	9	7	10	8	10	29
29 Causes ill-defined or un- known.	2	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	

SOUTHAMPTON—cont.

Causes of Death.	Warbling- ton U.D.		Win- chester M.B.				Alresford R.D.		Alton R.D.		Andover R.D.		Basing- stoke R.D.		Cathering- ton R.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	20	23	180	172			54	49	98	61	68	81	90	84	22	19	1
1 Enteric fever	—	—	—	—			—	—	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	6	5			—	—	—	1	2	3	1	—	—	1	4
4 Scarlet fever	—	—	—	—			—	—	—	1	—	—	—	—	—	—	5
5 Whooping cough	—	—	1	—			1	—	—	—	1	2	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—			—	—	2	1	1	—	—	—	—	—	7
7 Influenza	6	1	19	14			6	13	10	7	11	19	16	15	3	5	8
8 Erysipelas	—	—	1	—			—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	1	10	9			1	6	6	5	3	3	5	7	1	1	10
10 Tuberculous meningitis	—	—	—	1			—	—	—	—	1	1	—	—	—	—	11
11 Other tuberculous diseases	—	2	2	2			1	—	7	5	1	3	1	3	—	—	12
12 Cancer, malignant disease	3	4	10	21			4	7	8	7	5	9	10	11	3	2	13
13 Rheumatic fever... ..	—	—	—	1			1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	1	—			1	—	1	—	2	—	—	—	1	—	15
15 Organic heart disease	2	2	24	26			11	4	13	7	6	7	15	9	7	4	16
16 Bronchitis	1	5	6	5			4	2	6	4	2	—	3	2	—	—	17
17 Pneumonia (all forms)	1	3	27	22			3	2	4	4	3	6	4	4	1	1	18
18 Other respiratory diseases	—	1	1	1			—	1	—	—	—	—	4	1	—	—	19
19 Diarrhœa, &c. (under 2 yrs.)	—	—	3	1			—	1	—	—	—	—	1	1	—	—	20
20 Appendicitis and typhlitis	—	—	2	1			—	—	1	—	2	—	1	—	—	—	21
21 Cirrhosis of liver	—	—	3	—			—	—	1	—	1	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	3	4			—	—	1	1	3	2	3	1	—	3	23
23 Puerperal fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1			—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	—	—	6	7			3	—	6	—	4	3	6	6	1	—	26
26 Violence, apart from 27	—	—	9	3			2	—	3	—	6	—	—	1	—	—	27
27 Suicide	—	—	—	—			—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	3	3	46	47			16	13	28	15	13	23	20	23	5	2	29
29 Causes ill-defined or un- known.	—	1	—	1			—	—	1	3	—	—	—	—	—	—	

AREAS, 1918 (Civilian population only)—*continued.*
SOUTHAMPTON—*cont.*

	Christ-church R.D.		Droxford R.D.		Fareham R.D.		Fording- bridge R.D.		Hartley Wintney R.D.		Havant R.D.		Hursley R.D.		Kingsclere R.D.		Lyming- ton R.D.		New Forest R.D.		Petersfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	34	31	99	90	93	94	45	42	108	140	36	29	26	28	69	53	85	68	114	124	56	70	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	7	4	1	2	—	1	—	—	—	—	—	—	—	—	—	—	2	3	—	—	6
7	2	5	13	14	20	20	5	7	17	28	3	6	4	8	14	17	11	13	13	5	7	9	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	2	8	6	4	6	4	1	7	3	—	1	1	1	3	2	7	4	7	9	5	3	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
12	2	1	7	7	9	9	6	2	6	17	2	5	4	3	3	4	9	3	11	8	2	9	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	6	6	19	7	7	12	6	7	12	20	2	3	2	—	16	6	13	5	10	9	13	14	15
16	1	—	3	8	4	7	1	3	8	8	1	—	1	2	7	1	1	3	8	10	2	3	16
17	—	—	2	5	6	7	—	—	7	10	1	1	1	1	1	4	5	5	13	12	3	6	17
18	—	—	1	2	5	3	2	1	—	—	—	—	—	—	—	—	1	1	2	3	3	1	18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	1	—	1	1	1	—	—	—	—	—	—	—	2	—	1	1	1	1	1	1	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	6	1	1	1	1	3	2	6	2	—	2	1	—	—	4	2	2	3	2	5	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	1	1	1	2	2	5	2	1	10	6	2	—	2	2	3	1	3	2	2	6	2	—	25
26	—	2	3	—	1	1	1	1	4	—	2	1	1	—	2	2	5	—	2	—	1	1	26
27	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	1	1	1	27
28	15	13	24	31	23	17	13	14	25	32	17	10	5	5	16	11	20	26	35	44	12	11	28
29	1	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	1	—	29

SOUTHAMPTON—*cont.* STAFFORDSHIRE.

	Ringwood R.D.		Romsey R.D.		South Stoneham R.D.		Stock- bridge R.D.		Whit- church R.D.		Winches- ter R.D.				Amble- cote U.D.		Audley U.D.		Biddulph U.D.		Bilston U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
1	44	39	47	45	121	134	42	42	50	40	82	78			27	21	125	118	60	72	280	243	1
2	1	—	—	—	—	—	—	—	—	1	—	—			—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
4	—	—	2	2	—	4	—	1	—	1	4	1			—	—	2	4	5	8	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—			—	—	1	1	—	—	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—			1	1	2	1	—	—	11	3	6
7	5	7	8	11	11	18	2	5	7	7	19	14			3	5	32	29	13	19	62	71	7
8	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	8
9	2	4	—	1	8	10	3	2	5	1	1	3			1	1	3	4	5	3	15	14	9
10	—	—	—	—	—	—	—	—	—	—	—	—			1	1	1	1	1	1	1	3	10
11	1	—	—	—	—	—	—	—	—	—	—	—			1	—	8	4	1	1	2	1	11
12	5	2	6	3	8	11	3	4	2	1	6	9			3	3	13	5	1	2	15	9	12
13	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	14
15	1	6	4	4	16	19	6	8	12	8	10	8			—	—	3	2	—	1	2	2	15
16	4	2	3	5	3	4	2	2	3	2	3	4			6	4	7	8	3	4	21	17	16
17	4	2	2	1	18	14	4	4	4	3	5	10			2	2	13	6	7	6	48	35	17
18	—	2	—	—	3	2	—	1	1	—	2	—			1	1	1	1	2	1	3	—	18
19	—	—	1	—	1	1	2	—	—	—	—	—			1	—	—	1	—	3	2	—	19
20	—	—	—	—	—	2	—	—	—	—	—	—			—	—	2	—	—	—	—	—	20
21	—	—	1	—	2	1	—	1	—	—	—	—			—	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	21A
22	2	—	2	1	13	5	2	—	1	1	2	2			1	—	1	2	—	2	1	2	22
23	—	—	—	1	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	24
25	4	2	2	2	3	4	—	1	2	3	3	3			—	1	6	4	1	2	12	16	25
26	2	—	3	1	—	3	1	1	1	—	3	—			—	—	3	—	—	—	10	5	26
27	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2	1	27
28	13	10	13	11	30	27	13	9	7	10	18	15			6	3	25	31	15	18	52	47	28
29	—	—	—	—	—	1	1	—	—	—	—	—			—	—	—	—	—	3	—	2	29

CAUSES OF DEATH IN ADMINISTRATIVE
STAFFORDSHIRE—cont.

Causes of Death.				Brierley Hill U.D.		Brown-hills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heath-town or Wednes-field Heath U.D.		Kids-grove U.D.		Leek U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	ALL CAUSES	112	100	192	181	298	317	202	198	189	146	112	124	77	73	121	118	1
2	Enteric fever	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	2
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Measles	1	1	5	3	14	21	—	—	8	2	1	7	6	4	2	3	4
5	Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	5
6	Whooping cough	—	1	6	6	3	5	5	1	3	—	5	2	1	—	4	5	6
7	Diphtheria and croup	—	1	4	2	7	7	—	—	—	—	—	3	—	3	2	3	7
8	Influenza	15	14	35	43	55	67	38	49	50	36	26	31	16	12	15	17	8
9	Erysipelas	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	9
10	Pulmonary tuberculosis	6	7	8	10	13	7	6	8	8	7	5	8	4	5	4	3	10
11	Tuberculous meningitis	—	—	—	2	1	1	4	1	1	3	2	—	1	—	—	—	11
12	Other tuberculous diseases	1	2	3	1	3	5	2	3	2	1	3	1	1	—	2	2	12
13	Cancer, malignant disease	4	5	6	12	13	11	11	9	5	3	9	10	4	6	6	6	13
14	Rheumatic fever...	—	—	—	—	1	2	—	—	—	—	—	—	—	1	—	—	14
15	Meningitis	2	1	—	2	2	2	—	1	—	—	—	—	—	—	—	1	15
16	Organic heart disease	16	5	17	16	11	16	4	8	10	10	2	5	3	3	15	12	16
17	Bronchitis	9	7	21	7	20	16	15	13	13	8	3	6	8	10	6	3	17
18	Pneumonia (all forms)	21	18	24	12	59	60	34	31	37	29	17	20	7	4	15	10	18
19	Other respiratory diseases	1	3	3	1	1	2	1	—	3	—	1	—	—	1	3	3	19
20	Diarrhoea, &c. (under 2 yrs.)	1	—	3	1	6	4	3	3	1	3	2	—	2	—	1	2	20
21	Appendicitis and typhlitis	—	—	—	2	—	3	—	1	—	—	—	—	—	1	—	1	21
22	Cirrhosis of liver	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	21A
23	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
24	Nephritis and Bright's dis.	1	3	1	3	—	—	2	3	2	2	2	—	1	1	3	3	23
25	Puerperal fever	—	—	—	1	—	—	—	2	—	1	—	2	—	1	—	—	24
26	Parturition, apart from 23	—	1	—	—	—	3	—	—	—	1	—	1	—	—	—	—	25
27	Congenital debility, &c.	4	4	15	16	17	22	20	11	12	7	6	3	2	4	2	3	26
28	Violence, apart from 27	6	2	5	4	14	6	10	5	4	1	4	4	3	2	4	2	27
29	Suicide	—	1	—	1	—	—	1	—	—	—	2	—	—	—	3	—	28
30	Other defined diseases	24	21	35	35	52	57	44	45	29	32	22	20	17	11	34	39	29
31	Causes ill-defined or un-known.	—	3	—	—	6	—	2	1	—	—	—	1	—	1	—	—	29

STAFFORDSHIRE—cont.

Causes of Death.				Lichfield M.B.		Newcastle under Lyme M.B.		Perry Barr U.D.		Quarry Bank U.D.		Rowley Regis U.D.		Rugeley U.D.		Sedgley U.D.		Short Heath U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	ALL CAUSES	69	81	183	159	21	20	67	44	293	270	29	31	173	133	29	32	1
2	Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Measles	1	1	2	4	—	—	—	—	2	1	—	—	—	1	—	—	4
5	Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	5
6	Whooping cough	—	—	6	2	—	—	1	2	9	6	—	—	2	4	—	—	6
7	Diphtheria and croup	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	7
8	Influenza	12	23	23	35	9	11	7	9	58	69	4	6	47	31	6	7	8
9	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10	Pulmonary tuberculosis	5	8	19	13	2	2	7	5	17	13	—	3	9	8	4	—	10
11	Tuberculous meningitis	—	—	2	2	—	—	—	—	1	1	—	—	2	—	—	—	11
12	Other tuberculous diseases	—	1	—	2	—	1	1	1	4	7	—	—	3	1	1	—	12
13	Cancer, malignant disease	5	7	11	5	—	—	6	2	15	19	—	2	4	7	—	1	13
14	Rheumatic fever...	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1	14
15	Meningitis	1	1	1	1	—	—	—	—	2	1	—	—	2	2	—	—	15
16	Organic heart disease	10	6	11	15	1	—	5	3	12	11	3	1	6	11	2	1	16
17	Bronchitis	5	5	19	12	1	—	9	7	22	20	5	2	14	9	—	—	17
18	Pneumonia (all forms)	1	4	23	15	1	1	8	2	36	30	3	4	30	14	3	7	18
19	Other respiratory diseases	1	—	1	2	—	1	1	—	2	1	3	—	1	—	—	—	19
20	Diarrhoea, &c. (under 2 yrs.)	—	—	2	6	—	—	—	1	7	2	—	1	1	3	2	—	20
21	Appendicitis and typhlitis	—	1	1	1	—	—	—	1	—	—	—	—	—	1	—	—	21
22	Cirrhosis of liver	1	—	—	1	—	1	—	—	3	—	1	—	—	1	—	—	21A
23	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
24	Nephritis and Bright's dis.	1	—	3	3	—	—	1	—	5	5	—	1	1	—	—	—	23
25	Puerperal fever	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	24
26	Parturition, apart from 23	—	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	25
27	Congenital debility, &c.	2	—	4	6	1	1	2	4	16	15	2	1	3	8	3	2	26
28	Violence, apart from 27	1	—	8	3	1	—	2	1	6	5	2	—	6	6	1	1	27
29	Suicide	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	28
30	Other defined diseases	21	21	44	29	5	2	16	5	72	60	5	10	40	26	7	12	29
31	Causes ill-defined or un-known.	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	29

AREAS, 1918 (Civilian population only)—continued.
STAFFORDSHIRE—cont.

	Small-thorne U.D.		Stafford M.B.		Stone U.D.		Tamworth M.B.		Tettenhall U.D.		Tipton U.D.		Uttoxeter U.D.		Wednes- bury M.B.		Wednes- field U.D.		Willenhall U.D.		Wolstanton United U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	106	124	170	213	30	34	61	56	44	33	329	303	36	45	307	274	43	52	179	179	212	203	1
2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
3	6	7	8	7	—	—	—	—	—	—	3	2	1	4	2	—	—	—	1	—	5	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5	—	3	—	—	—	—	—	4	—	2	4	3	—	1	4	2	—	1	—	1	1	—	5
6	2	3	3	10	1	—	1	—	—	—	2	—	—	—	1	—	—	—	—	2	4	3	6
7	11	20	21	37	3	9	13	13	7	3	71	87	8	5	71	89	7	5	40	50	39	50	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	4	15	19	3	2	5	—	7	1	10	13	3	4	24	9	1	4	22	18	5	14	9
10	1	1	—	1	—	1	1	—	—	—	1	—	1	—	1	—	—	—	1	—	3	1	10
11	2	3	1	—	—	1	1	—	1	1	2	1	—	—	—	4	—	—	—	2	3	1	11
12	4	10	8	12	5	—	3	4	4	3	9	12	2	5	12	18	1	6	5	4	4	9	12
13	—	—	—	—	—	—	1	—	—	—	1	3	—	—	—	1	—	—	1	—	1	1	13
14	2	1	2	2	—	2	—	—	—	—	1	3	1	—	3	7	—	1	—	1	3	4	14
15	8	15	10	17	1	3	5	5	3	6	19	11	3	2	13	9	2	2	6	12	9	19	15
16	15	11	5	15	1	—	5	4	3	1	22	15	4	4	36	24	3	1	12	9	30	16	16
17	14	18	8	11	2	3	6	5	1	1	64	41	4	3	40	39	9	13	33	29	25	15	17
18	3	3	7	5	—	—	1	—	—	—	1	2	—	—	3	2	—	1	3	1	—	2	18
19	1	1	3	—	1	—	—	—	—	—	7	5	—	—	7	1	—	—	3	5	3	—	19
20	—	—	—	2	—	—	2	—	1	—	2	—	—	—	—	1	—	1	1	1	1	—	20
21	—	—	—	1	—	—	—	—	—	—	2	1	1	—	2	3	—	1	—	1	—	1	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	4	1	3	1	1	—	3	—	5	1	2	2	5	1	1	1	2	4	3	3	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	1	24
25	10	2	10	9	2	2	1	3	2	3	18	15	—	1	12	12	5	1	6	5	12	9	25
26	2	1	5	2	2	—	2	2	2	1	7	13	—	1	14	2	—	—	1	3	10	1	26
27	—	—	2	—	—	—	2	—	—	—	1	2	—	—	2	—	—	—	2	—	—	—	27
28	23	19	55	61	6	9	13	14	10	10	75	69	6	11	54	50	14	14	40	29	51	52	28
29	—	—	—	—	—	1	—	—	—	—	2	2	—	1	—	—	—	—	—	1	—	—	29

STAFFORDSHIRE—cont.

	Blore Heath R.D.		Cannock R.D.		Cheadle R.D.		Dudley R.D.		Gnosall R.D.		Kings- winford R.D.		Leek R.D.		Lichfield R.D.		Mayfield R.D.		Newcastle under Lyme R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	10	16	133	141	169	186	—	—	52	41	177	175	125	120	203	199	22	21	40	42	1
2	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	2	2	3	2	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	3	2	5	9	—	—	—	—	3	3	1	—	—	2	—	—	1	—	5
6	—	—	2	3	4	2	—	—	2	1	1	—	3	1	—	—	2	—	—	1	6
7	1	3	27	26	16	28	—	—	13	8	31	39	29	27	56	52	—	2	5	10	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	8	7	10	16	—	—	4	3	5	10	5	5	8	14	4	1	—	6	9
10	—	—	—	2	—	—	—	—	—	—	2	2	—	1	—	1	—	—	—	1	10
11	1	—	—	6	2	3	—	—	2	—	1	—	3	2	3	4	—	—	—	—	11
12	1	1	6	10	14	16	—	—	3	3	6	12	7	16	14	14	3	5	—	1	12
13	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1	—	—	—	1	13
14	—	—	1	—	—	1	—	—	—	—	1	1	2	1	2	4	—	—	—	1	14
15	1	1	5	7	15	13	—	—	2	9	11	8	16	13	16	10	—	5	2	1	15
16	—	1	11	11	8	10	—	—	3	1	12	9	10	6	7	12	3	1	5	3	16
17	—	4	14	16	15	12	—	—	1	3	37	30	18	6	17	18	—	2	7	1	17
18	1	—	—	1	2	3	—	—	—	—	2	—	2	1	1	—	1	—	2	—	18
19	—	—	—	1	1	2	—	—	—	—	2	1	—	—	2	2	—	—	—	—	19
20	—	—	—	1	2	—	—	—	—	—	1	—	1	—	2	1	—	—	—	—	20
21	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	2	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	5	—	4	3	—	—	3	1	3	1	—	1	1	1	1	—	3	1	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	1	—	2	—	—	—	1	—	1	—	—	24
25	—	—	10	8	9	11	—	—	3	—	10	6	4	8	18	12	2	—	2	5	25
26	1	1	11	5	4	—	—	—	—	1	3	2	1	—	5	2	—	—	4	1	26
27	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	27
28	3	3	27	39	53	49	—	—	13	8	42	43	19	30	47	44	6	2	9	7	28
29	—	—	1	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
STAFFORDSHIRE—*cont.*

Causes of Death.				Seisdon R.D.		Stafford R.D.		Stoke upon Trent R.D.		Stone R.D.		Tamworth (pt.) R.D.*		Tutbury R.D.		Uttoxeter R.D.		Walsall R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				117	122	61	55	40	24	99	112	40	42	80	80	44	56	105	98	1
1	Enteric fever			—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles			—	—	1	—	1	1	—	1	1	1	2	1	—	—	1	2	4
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	5
5	Whooping cough			—	1	—	—	—	—	1	—	—	—	2	1	—	—	2	—	6
6	Diphtheria and croup			—	—	—	2	2	—	—	—	1	—	—	—	—	1	—	—	7
7	Influenza			22	33	6	8	8	7	18	28	7	11	15	29	9	10	30	30	8
8	Erysipelas			—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis			5	5	4	—	3	—	4	7	1	5	5	6	1	4	4	4	10
10	Tuberculous meningitis			—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	11
11	Other tuberculous diseases			3	2	—	—	—	—	3	2	1	—	1	—	—	—	1	1	12
12	Cancer, malignant disease			7	9	1	2	2	2	11	9	3	2	3	1	2	3	4	8	13
13	Rheumatic fever... ..			—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	14
14	Meningitis			4	—	3	—	—	—	—	1	—	—	—	1	—	—	—	3	15
15	Organic heart disease			12	19	8	7	4	4	9	18	3	4	11	7	4	7	12	4	16
16	Bronchitis			13	2	2	4	4	—	5	9	2	2	5	3	3	4	8	8	17
17	Pneumonia (all forms)			9	11	3	5	7	3	7	2	4	3	3	5	4	4	8	9	18
18	Other respiratory diseases			—	1	1	4	1	—	2	1	1	—	3	2	—	—	1	—	19
19	Diarrhoea, &c. (under 2 yrs.)			—	—	—	1	—	—	—	—	—	—	1	1	—	—	5	—	20
20	Appendicitis and typhlitis			1	—	1	—	1	—	—	2	—	—	1	—	1	—	—	—	21
21	Cirrhosis of liver			—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	21A
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			4	3	1	1	—	—	2	1	—	1	1	2	—	1	—	2	23
23	Puerperal fever			—	1	—	—	—	—	—	1	—	—	—	—	1	—	1	—	24
24	Parturition, apart from 23			—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	25
25	Congenital debility, &c.			2	6	4	1	4	2	6	2	2	1	4	3	—	—	4	4	26
26	Violence, apart from 27			2	2	3	—	1	—	1	1	1	1	3	1	2	1	3	2	27
27	Suicide			2	—	—	—	—	—	1	1	—	—	1	—	1	—	1	2	28
28	Other defined diseases			31	25	22	19	2	5	25	23	13	10	16	16	16	18	18	18	29
29	Causes ill-defined or un-known.			—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	

STAFFORDSHIRE—*cont.*

SUFFOLK, EAST.

Causes of Death.				Blymhill and Weston under Lizard C.P.'s†		Aldeburgh M.B.		Beccles M.B.		Bungay U.D.		Eye M.B.		Felixstowe U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	7	10	12	16	52	45	34	24	10	14	30	39	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	—	—	—	—	—	—	—	—	1	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	—	—	1	1	1	—	—	—	—	—	6
6	Diphtheria and croup	—	—	—	1	—	—	—	—	—	—	—	—	5
7	Influenza	3	2	2	2	10	5	1	3	2	3	5	7	7
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	1	—	4	3	—	1	2	—	2	3	9
10	Tuberculous meningitis	—	—	—	—	1	1	—	—	—	—	1	—	10
11	Other tuberculous diseases	—	—	—	—	—	—	—	1	—	—	—	—	11
12	Cancer, malignant disease	1	1	—	—	2	2	3	3	1	2	4	6	12
13	Rheumatic fever...	—	—	—	—	—	—	1	—	—	—	—	1	13
14	Meningitis	—	—	—	—	—	—	—	1	—	—	—	1	14
15	Organic heart disease	—	1	1	2	9	6	6	2	1	2	2	2	15
16	Bronchitis	—	—	1	—	—	6	1	—	—	3	1	3	16
17	Pneumonia (all forms)	—	—	—	1	4	2	3	2	1	—	—	—	17
18	Other respiratory diseases	—	1	—	1	—	—	—	—	—	1	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	2	—	—	1	4	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	1	2	1	1	1	—	—	—	1	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	—	—	1	1	—	4	—	3	—	1	1	1	25
26	Violence, apart from 27	1	—	—	2	1	—	2	—	—	—	—	—	26
27	Suicide	—	—	—	—	—	1	—	—	—	—	1	1	27
28	Other defined diseases	1	4	4	4	20	13	13	7	2	1	8	9	28
29	Causes ill-defined or unknown.	—	4	—	—	—	—	—	—	—	—	—	—	29

* The remainder of Tamworth R.D. is in Warwickshire; see page 408.

† Administered by Shifnal R.D.C. (Shropshire).

AREAS, 1918 (Civilian population only)—continued.

SUFFOLK, EAST—cont.

	Halesworth U.D.		Leiston cum Sizewell U.D.		Lowestoft M.B.		Oulton Broad U.D.		Saxmundham U.D.		Southwold M.B.		Stowmarket U.D.		Woodbridge U.D.				Blything R.D.		Bosmere and Claydon R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	23	16	29	31	230	275	27	27	9	17	15	15	30	36	37	40			120	126	93	90	
1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	4	1	—	—	13	17	2	—	—	—	—	—	—	—	—	—			—	—	1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	4
5	—	1	—	—	12	14	—	—	—	—	1	2	—	—	—	—			1	—	1	3	5
6	—	—	—	—	4	1	—	2	—	—	—	—	—	—	—	—			—	—	1	—	6
7	1	2	2	1	26	41	4	2	—	1	4	1	5	1	1	5			18	21	11	15	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	8
9	4	3	1	2	23	20	1	3	2	3	3	1	4	3	3	3			13	18	5	3	9
10	—	—	—	1	4	3	3	—	—	—	—	1	1	2	—	1			3	—	1	—	10
11	2	1	1	1	1	3	—	—	—	—	—	—	—	1	1	—			—	2	—	2	11
12	1	—	3	2	18	24	2	1	1	1	1	4	1	7	4	7			3	14	7	10	12
13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	—	—	—	13
14	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—			1	—	1	—	14
15	2	2	3	4	15	17	1	5	2	1	—	—	4	4	5	6			9	13	17	10	15
16	2	2	2	1	7	18	2	5	1	—	1	2	2	—	3	—			11	10	3	8	16
17	2	2	1	2	17	18	3	1	—	1	2	—	1	1	3	2			6	5	6	5	17
18	1	—	2	2	1	2	—	—	—	—	—	—	1	—	1	1			3	1	1	2	18
19	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—			—	—	—	—	19
20	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	20
21	—	—	—	1	2	1	—	—	—	—	—	—	—	—	1	—			—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A
22	—	—	—	—	6	3	—	—	—	2	—	—	—	1	3	—			1	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2	3	1	—	23
24	—	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—			—	—	—	—	24
25	—	—	2	1	14	14	2	1	—	1	1	1	2	3	1	—			4	4	5	5	25
26	—	—	1	—	4	3	1	1	1	—	—	—	1	1	1	1			5	1	5	1	26
27	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			1	—	—	—	27
28	3	1	10	11	55	64	5	6	1	7	2	3	7	12	10	11			38	32	25	25	28
29	—	—	—	1	3	4	—	—	—	—	—	—	—	—	—	2			—	1	—	—	29

SUFFOLK, EAST—cont.

SUFFOLK, WEST.

	East Stow R.D.		Hartismere R.D.		Hoxne R.D.		Mutford and Lothingland R.D.		Plomesgate R.D.		Samford R.D.		Wangford R.D.		Woodbridge R.D.				Bury St. Edmunds M.B.		Glemsford U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	45	48	83	83	74	89	79	64	106	109	71	85	24	23	91	112			128	169	15	8	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	—	1	—	—	—	—	4	2	1	—	1	1	—	—	—	1			2	4	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	4
5	—	—	1	—	—	—	2	—	2	3	—	—	—	—	1	—			—	—	—	—	5
6	1	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—			—	—	—	—	6
7	11	8	14	18	23	15	5	10	18	21	8	13	2	4	11	17			19	31	2	2	7
8	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—			—	1	—	—	8
9	1	4	5	7	2	6	4	6	7	10	4	8	1	1	8	13			13	13	3	1	9
10	1	2	—	—	—	1	1	—	—	—	—	—	—	1	—	—			—	3	—	—	10
11	—	2	1	1	2	2	2	—	—	2	—	1	—	—	1	2			2	1	—	—	11
12	1	5	5	9	3	5	2	4	12	9	7	10	4	2	10	11			14	15	3	—	12
13	—	—	—	—	—	—	1	—	1	1	—	2	—	—	—	—			1	2	1	—	13
14	—	1	1	—	—	—	—	—	—	1	2	—	—	—	—	—			—	2	1	—	14
15	6	5	9	8	4	8	8	6	10	15	6	10	4	4	9	14			10	14	—	—	15
16	1	—	3	6	4	9	5	5	5	5	3	5	8	—	1	5			4	5	—	1	16
17	—	1	5	6	1	2	8	5	5	4	4	3	2	1	5	4			13	10	—	—	17
18	—	3	2	1	3	1	1	—	—	2	3	3	—	—	—	3			1	1	—	—	18
19	1	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—			—	—	—	—	19
20	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—			—	—	—	—	20
21	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—			1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A
22	1	—	1	1	2	1	2	—	1	—	2	—	2	2	3	1			6	3	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	1	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1			—	—	—	—	24
25	5	2	4	2	3	10	5	5	7	7	3	2	1	2	6	2			4	4	—	—	25
26	2	1	4	—	2	1	2	—	3	3	2	—	—	—	3	—			1	1	1	—	26
27	1	1	—	—	1	1	1	—	3	—	—	1	—	—	1	2			3	—	—	—	27
28	12	11	26	20	22	24	26	20	28	23	23	21	7	5	29	34			30	58	4	4	28
29	—	—	1	3	—	1	—	—	1	3	—	—	—	—	2	2			4	—	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
SUFFOLK, WEST—cont.

Causes of Death.		Hadleigh U.D.		Haverhill U.D.		New- market U.D.		Sudbury M.B.				Brandon R.D.		Clare R.D.		Cosford R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES ...	21	25	32	38	59	56	38	60			44	50	49	64	84	72	1
1	Enteric fever ...	—	—	—	—	—	—	—	—			—	—	—	—	1	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3	Measles ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	4
4	Scarlet fever ...	—	—	—	—	—	—	—	1			—	—	—	—	—	—	5
5	Whooping cough ...	—	2	—	—	—	—	—	—			—	—	—	—	1	2	6
6	Diphtheria and croup ...	—	—	—	1	—	—	—	1			—	—	—	—	—	—	7
7	Influenza ...	2	4	8	7	8	7	3	7			9	14	11	17	16	12	8
8	Erysipelas ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	9
9	Pulmonary tuberculosis ...	—	2	3	3	8	4	6	5			3	4	1	7	5	3	10
10	Tuberculous meningitis ...	—	—	—	—	1	—	—	1			—	1	1	—	—	—	11
11	Other tuberculous diseases ...	—	—	1	—	1	2	—	1			—	1	—	—	—	1	12
12	Cancer, malignant disease ...	1	1	3	4	5	6	3	5			6	2	4	2	8	7	13
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—			—	—	—	—	1	—	14
14	Meningitis ...	—	—	1	—	—	—	—	—			—	—	—	—	—	—	15
15	Organic heart disease ...	7	4	3	6	7	1	3	5			1	6	3	4	8	9	16
16	Bronchitis ...	1	2	3	3	1	4	3	10			2	4	4	9	5	6	17
17	Pneumonia (all forms) ...	—	—	1	1	5	4	1	7			1	—	—	1	1	2	18
18	Other respiratory diseases ...	—	—	—	—	1	1	1	—			1	2	1	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.) ...	—	—	—	—	—	—	—	—			1	—	—	—	—	—	20
20	Appendicitis and typhlitis ...	—	—	—	—	—	—	1	—			1	—	—	—	—	—	21
21	Cirrhosis of liver ...	1	2	—	—	2	—	—	—			1	—	1	—	1	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	22
22	Nephritis and Bright's dis. ...	2	1	2	—	3	—	1	1			—	1	4	2	4	2	23
23	Puerperal fever ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	24
24	Parturition, apart from 23 ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	25
25	Congenital debility, &c. ...	—	1	1	1	2	1	4	1			2	—	2	2	2	2	26
26	Violence, apart from 27 ...	1	—	—	—	1	—	—	—			—	—	2	—	4	1	27
27	Suicide ...	—	—	—	—	—	—	1	—			—	—	—	3	1	1	28
28	Other defined diseases ...	6	6	4	11	13	25	11	15			15	15	14	17	25	22	29
29	Causes ill-defined or un- known.	—	—	2	1	1	1	—	—			1	—	1	—	1	1	

SUFFOLK, WEST—cont.

SURREY.

Causes of Death.		Melford R.D.		Mildenhall R.D.		Moulton R.D.		Thed- wastre R.D.		Thingoe R.P.				Barnes U.D.		Bedding- ton and Wallington U.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES ...	89	93	62	63	12	11	68	52	90	118			216	221	79	96	1
1	Enteric fever ...	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—			—	—	—	—	3
3	Measles ...	—	—	—	—	—	—	1	1	—	1			10	5	1	1	4
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—			—	1	—	—	5
5	Whooping cough ...	—	—	—	—	—	—	—	1	—	3			1	2	—	—	6
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	2	—			2	1	1	1	7
7	Influenza ...	15	23	10	6	3	1	11	10	17	28			36	50	9	8	8
8	Erysipelas ...	—	1	—	—	—	—	1	—	—	—			—	—	—	—	9
9	Pulmonary tuberculosis ...	6	3	—	3	—	—	2	3	4	8			16	14	9	11	10
10	Tuberculous meningitis ...	1	—	—	1	1	—	—	—	1	2			1	2	—	—	11
11	Other tuberculous diseases ...	1	3	—	1	—	—	2	—	—	2			2	—	1	—	12
12	Cancer, malignant disease ...	10	11	7	3	1	2	4	4	4	15			15	20	10	14	13
13	Rheumatic fever... ...	—	—	—	—	—	—	1	—	—	—			—	2	1	1	14
14	Meningitis ...	—	2	—	—	—	—	—	—	—	1			1	1	2	—	15
15	Organic heart disease ...	7	10	7	4	1	1	10	5	5	8			16	22	10	13	16
16	Bronchitis ...	2	6	4	11	1	1	1	—	7	8			13	13	2	2	17
17	Pneumonia (all forms) ...	2	3	5	2	1	2	2	4	10	2			16	13	8	6	18
18	Other respiratory diseases ...	3	—	2	1	—	—	1	1	—	—			4	2	2	2	19
19	Diarrhoea, &c. (under 2 yrs.) ...	2	—	1	—	—	—	—	—	—	—			6	3	—	—	20
20	Appendicitis and typhlitis ...	—	—	—	—	—	—	—	—	—	—			—	2	1	—	21
21	Cirrhosis of liver ...	1	1	—	—	—	—	—	—	—	—			1	—	—	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—			—	—	—	—	22
22	Nephritis and Bright's dis. ...	—	—	1	1	—	—	—	—	2	1			3	3	2	1	23
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	—			—	2	—	—	24
24	Parturition, apart from 23 ...	—	2	—	—	—	—	—	—	—	1			—	1	—	—	25
25	Congenital debility, &c. ...	3	1	3	1	—	—	9	2	7	2			9	11	1	3	26
26	Violence, apart from 27 ...	3	—	4	1	—	—	4	—	6	2			9	2	1	2	27
27	Suicide ...	1	—	1	—	—	—	1	—	3	—			2	1	—	—	28
28	Other defined diseases ...	31	27	15	26	4	4	17	19	20	33			53	48	18	31	29
29	Causes ill-defined or un- known.	1	—	2	2	—	—	1	2	2	1			—	—	—	—	

AREAS, 1918 (Civilian population only)—continued.

SURREY—cont.

	Carshalton U.D.		Caterham U.D.		Chertsey U.D.		Coulston and Purley U.D.		Dorking U.D.		East and West Molesey U.D.		Egham U.D.		Epsom U.D.		Esher and the Dittons U.D.		Farnham U.D.		Frimley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	79	82	56	65	103	105	77	110	75	79	50	81	92	85	83	90	69	93	60	84	53	58	1
2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
3	1	—	—	—	4	6	—	—	3	2	1	2	1	1	—	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	3	—	—	2	2	3	1	1	—	—	—	—	3	1	2	—	1	2	—	1	2	—	5
6	2	1	—	1	2	1	—	—	1	6	—	—	—	—	—	1	1	—	—	—	—	—	6
7	8	21	11	12	16	19	9	15	2	11	7	16	9	20	8	15	12	18	4	13	2	12	7
8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	8
9	10	8	5	5	9	2	11	11	4	3	3	4	15	9	9	4	5	5	9	4	1	4	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	10
11	—	—	1	1	2	—	1	1	2	—	2	—	1	2	1	2	2	—	1	2	1	—	11
12	7	8	5	10	11	17	12	15	10	8	3	12	8	7	5	6	8	7	7	11	7	4	12
13	—	—	—	2	—	1	—	—	—	1	2	—	—	—	—	3	—	—	—	1	—	—	13
14	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	14
15	8	9	5	3	7	12	9	10	3	6	6	7	5	9	9	3	7	7	9	8	6	4	15
16	5	2	3	6	4	2	—	6	4	11	3	2	7	5	3	5	6	6	5	4	5	5	16
17	4	9	5	5	11	3	13	6	9	12	4	4	10	5	10	13	1	6	2	4	2	4	17
18	—	—	—	—	2	3	—	—	3	2	1	1	1	1	1	1	1	—	1	—	1	—	18
19	—	—	—	—	1	1	—	—	—	—	1	—	1	1	2	—	1	2	—	—	1	2	19
20	2	2	—	—	—	1	—	3	—	—	—	1	1	—	—	1	1	—	1	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	2	1	1	3	3	2	3	1	2	2	3	1	3	3	—	1	2	4	3	3	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	24
25	3	2	3	2	2	2	3	6	1	1	3	2	—	3	7	3	4	2	1	3	2	1	25
26	—	—	—	—	2	1	1	1	1	—	2	2	2	—	4	—	4	3	1	—	1	—	26
27	—	—	—	—	1	—	—	—	2	1	—	1	—	1	—	—	—	1	—	—	2	—	27
28	24	18	16	15	26	27	14	31	26	13	10	25	25	18	18	26	14	29	15	29	17	16	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

SURREY—cont.

	Godalming M.B.		Guildford M.B.		Ham U.D.		Haslemere U.D.		Kingston on Thames M.B.		Leather- head U.D.		Merton and Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		Surbiton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	64	75	154	181	7	13	23	30	262	321	32	31	95	111	209	247	177	200	234	287	100	134	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	4	7	—	1	1	—	6	6	—	—	2	1	4	2	5	3	1	—	—	2	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	—	—	2	1	1	—	—	—	—	1	1	—	1	2	3	9	1	3	2	7	2	—	5
6	—	—	—	1	—	—	—	—	7	7	1	—	4	—	1	1	3	3	—	—	2	1	6
7	12	14	23	47	—	—	3	3	39	60	4	4	17	23	59	63	30	33	31	57	13	30	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	8
9	4	4	12	8	1	1	2	3	33	23	1	2	12	9	16	19	15	11	15	18	5	8	9
10	2	3	—	2	1	—	—	—	1	4	1	—	—	1	3	2	2	—	3	—	1	—	10
11	1	2	—	3	—	—	—	—	—	3	—	1	3	1	—	4	3	4	2	2	2	1	11
12	4	7	15	16	—	1	1	5	12	29	2	—	9	12	12	13	10	15	18	33	6	10	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	1	—	13
14	—	—	2	—	—	—	—	1	1	1	—	—	—	—	1	3	1	1	2	3	—	1	14
15	4	6	15	19	1	1	1	2	29	27	1	4	7	9	10	21	19	20	17	23	14	11	15
16	2	2	9	9	—	1	2	3	12	16	1	3	2	9	12	20	4	9	16	15	2	5	16
17	6	6	12	6	—	—	—	1	23	19	1	5	4	6	21	23	8	8	20	22	10	12	17
18	—	4	—	5	—	—	—	—	5	5	—	1	—	1	1	4	1	1	1	6	1	—	18
19	1	—	4	1	—	—	—	—	7	5	—	—	2	—	4	6	—	—	5	4	—	—	19
20	2	—	—	1	—	1	—	—	2	1	1	—	—	2	2	2	—	1	—	5	—	2	20
21	—	—	—	—	—	—	—	—	1	—	—	1	—	—	3	—	—	1	2	1	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	21A
22	2	1	1	2	1	2	2	—	3	8	3	—	5	1	3	3	4	2	10	4	1	1	22
23	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	4	—	1	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	1	24
25	3	1	4	1	—	—	2	1	3	6	—	1	6	5	8	5	4	4	8	3	2	7	25
26	1	—	9	1	1	1	—	1	3	8	1	—	2	1	4	4	3	5	9	2	1	—	26
27	—	—	3	1	—	—	—	1	1	1	—	—	1	1	—	—	1	—	1	3	—	2	27
28	20	24	38	50	1	4	9	8	73	91	14	9	18	25	40	37	56	73	68	74	36	36	28
29	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	29

AREAS, 1918 (Civilian population only)—continued.

SURREY—cont.

SUSSEX, EAST.

	Reigate R.D.					Battle U.D.		Bexhill M.B.		Burgess Hill U.D.		Cuckfield U.D.		East Grinstead U.D.		Hayward's Heath U.D.		Hove M.B.		Lewes M.B.		
	M	F				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	141	149				16	19	84	120	39	52	11	16	43	67	32	30	296	390	89	86	1
2	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	2				—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	3
4	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	3				1	—	—	—	—	1	—	—	—	—	—	2	4	—	—	—	5
6	—	2				—	—	—	2	—	—	—	—	—	—	—	1	1	—	—	—	6
7	26	33				2	2	16	27	3	5	1	5	6	11	9	4	38	63	14	13	7
8	—	—				—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	9	10				2	1	5	9	3	—	—	1	3	6	1	2	19	20	11	7	9
10	—	1				1	—	—	2	1	2	—	—	1	—	—	—	1	1	2	1	10
11	1	1				—	—	3	—	1	—	—	—	—	2	—	—	4	5	1	2	11
12	17	21				1	2	8	15	4	8	2	2	8	9	3	5	25	60	5	9	12
13	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	13
14	—	—				—	—	3	—	—	—	—	—	—	2	—	—	2	1	—	—	14
15	14	18				4	7	8	5	5	10	1	1	8	8	5	5	22	39	12	8	15
16	4	3				—	—	1	3	2	1	1	—	4	3	2	1	22	19	2	6	16
17	7	2				—	—	2	6	4	6	1	—	—	2	—	1	14	17	7	3	17
18	—	2				1	—	—	2	—	—	1	—	—	—	—	—	7	4	—	—	18
19	1	1				—	1	2	—	—	—	—	—	—	—	—	—	4	—	1	—	19
20	1	1				—	—	—	2	—	1	—	—	—	—	—	—	—	2	1	—	20
21	—	—				—	—	1	—	—	—	—	—	—	—	1	—	4	—	—	—	21
21A	—	—				—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	3				1	—	2	3	—	2	—	—	—	2	—	—	18	14	2	1	22
23	—	1				—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—				—	—	—	1	—	—	—	—	—	—	—	—	—	4	—	—	24
25	6	2				—	—	2	3	3	2	2	—	—	—	—	—	11	8	4	4	25
26	3	6				2	—	3	1	—	1	—	—	—	—	—	—	10	6	—	3	26
27	1	1				—	—	1	2	1	—	—	—	—	1	—	—	3	3	—	1	27
28	45	36				1	5	26	36	11	11	2	7	12	21	8	12	88	116	26	28	28
29	1	—				—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	29

SUSSEX, EAST—cont.

	Newhaven U.D.		Portslade by Sea U.D.		Rye M.B.		Seaford U.D.		Uckfield U.D.			Battle R.D.		Chailey R.D.		Cuckfield R.D.		East- bourne R.D.		East Grinstead R.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
1	39	42	61	56	24	40	28	36	28	24		46	35	82	82	86	87	40	37	83	87	1
2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	1	—	—	2	—	—	—		—	—	1	—	—	—	1	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	5
6	2	2	—	1	—	—	—	—	—	—		—	1	—	—	1	—	—	—	—	2	6
7	9	12	12	21	3	10	1	10	8	7		9	9	17	22	14	18	5	7	13	30	7
8	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	1	—	—	—	—	8
9	6	6	3	1	2	2	1	2	4	2		4	6	9	2	4	7	6	3	9	3	9
10	—	—	—	—	—	—	1	—	—	—		—	—	1	—	—	2	—	1	—	—	10
11	—	—	—	—	—	—	1	—	—	—		—	—	3	—	—	—	1	1	2	1	11
12	3	3	5	2	3	1	1	1	1	4		3	3	8	5	9	10	2	3	10	9	12
13	—	1	—	1	—	—	1	—	—	—		—	—	—	—	2	—	—	—	—	—	13
14	—	—	1	—	—	—	—	—	—	—		1	—	1	—	—	—	1	—	—	—	14
15	5	5	3	—	1	4	2	2	1	2		15	5	8	13	6	11	3	1	13	10	15
16	—	—	7	6	2	2	2	1	2	1		1	1	4	5	8	3	2	3	4	2	16
17	2	1	3	6	2	7	1	7	3	2		2	3	2	6	3	2	1	2	2	7	17
18	—	1	—	—	—	1	—	—	—	—		—	—	3	1	1	—	—	1	1	—	18
19	—	1	2	2	—	—	1	—	1	—		2	—	—	—	—	—	—	—	1	—	19
20	—	—	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	—	1	20
21	—	—	1	—	—	—	1	—	—	—		—	—	—	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	—	2	2	3	—	—	2	—	1	1		—	—	—	3	1	2	—	2	—	1	22
23	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	—	1	24
25	2	—	6	1	2	—	1	4	—	—		1	—	2	2	—	1	2	1	4	2	25
26	3	—	2	1	—	—	—	—	—	1		—	—	3	1	1	—	6	—	3	—	26
27	—	—	—	—	—	—	—	—	—	—		—	—	—	2	—	1	1	—	1	3	27
28	7	7	13	10	9	11	10	7	7	4		8	7	20	17	35	29	8	12	19	15	28
29	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	1	—	—	—	—	29

AREAS, 1918 (Civilian population only)—*continued.*
SUSSEX, WEST—*cont.*

		East Preston R.D.		Horsham R.D.		Midhurst R.D.		Petworth R.D.		Steyning West R.D.		Thakeham R.D.		West- bourne R.D.		West- hampnett R.D.					
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
1		36	38	127	144	81	81	54	59	60	65	50	70	59	62	109	101				1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—				2
3		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				3
4		1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—				4
5		—	—	1	2	—	2	—	1	—	—	—	—	—	—	—	2				5
6		—	—	1	4	—	1	1	—	—	—	—	1	1	—	1	2				6
7		6	7	9	27	11	10	5	4	5	8	13	14	10	9	13	13				7
8		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				8
9		5	6	9	8	8	5	5	6	3	4	1	3	2	3	9	9				9
10		—	—	—	—	1	—	—	—	—	1	2	—	—	—	—	1				10
11		—	1	—	3	3	2	—	1	1	1	—	1	1	2	1	1				11
12		—	6	13	20	8	7	3	6	7	7	4	8	3	9	8	8				12
13		—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—				13
14		1	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—				14
15		1	2	24	23	5	18	10	9	10	13	7	8	7	13	14	12				15
16		2	3	4	4	6	4	4	—	5	3	1	4	4	5	3	6				16
17		2	2	5	7	4	1	—	1	1	2	1	—	6	1	7	4				17
18		—	—	1	1	1	2	1	1	—	—	—	3	1	—	—	—				18
19		—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—				19
20		—	—	1	2	—	2	—	—	—	—	—	—	1	—	—	—				20
21		—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	1				21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				21A
22		4	—	7	3	4	3	3	2	2	2	1	1	2	3	6	5				22
23		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2				23
24		—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1				24
25		—	1	8	4	3	2	1	—	2	1	1	2	1	1	7	3				25
26		1	1	7	1	1	1	1	2	3	1	—	1	—	—	3	3				26
27		—	—	—	—	1	—	—	1	2	—	1	—	1	—	—	2				27
28		13	9	36	34	22	18	18	24	19	18	18	24	18	14	35	26				28
29		—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—				29

WARWICKSHIRE.

		Bulking- ton U.D.		Kenil- worth U.D.		Nuneaton M.B.		Royal Leaming- ton Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.				Alcester R.D.		Ather- stone R.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F
1		16	27	42	57	306	295	205	284	145	158	75	85	136	134	100	110			88	105	124	139
2		—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			—	—	—	—
3		—	—	1	1	8	11	—	—	—	—	1	1	—	—	—	2			—	—	—	2
4		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			—	—	—	—
5		—	—	1	3	3	5	1	1	1	3	1	1	3	3	3	3			—	—	1	2
6		—	1	—	—	5	8	1	1	2	1	—	—	—	—	—	1			2	—	2	3
7		4	6	6	14	75	76	36	63	46	46	13	23	27	27	16	24			22	25	20	30
8		—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	1			—	—	—	—
9		—	2	3	4	14	16	11	9	8	12	4	4	11	6	14	6			5	4	6	11
10		—	—	—	2	1	3	2	1	1	1	—	—	—	1	—	—			—	1	—	—
11		—	—	1	—	2	4	2	2	2	2	—	1	—	1	—	1			1	1	—	1
12		2	3	4	5	10	16	12	36	4	12	5	8	13	18	8	7			5	7	13	10
13		—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1			—	—	1	1
14		1	—	2	—	2	4	2	1	1	—	—	—	—	1	—	—			—	—	1	1
15		—	1	1	4	30	25	27	33	9	9	7	6	10	14	12	4			9	18	8	14
16		—	2	1	4	31	20	11	13	1	6	3	1	9	3	6	11			3	1	11	6
17		1	5	6	3	33	30	19	17	12	7	8	6	8	3	6	5			6	2	14	17
18		—	—	1	1	1	1	6	6	3	2	1	1	1	3	2	3			—	1	2	—
19		—	—	1	—	4	—	2	—	3	—	—	—	2	1	—	1			—	1	3	3
20		—	—	—	—	1	2	—	—	—	—	—	2	—	1	—	—			1	—	1	—
21		—	—	—	1	3	—	1	—	—	—	—	—	—	—	1	—			—	1	—	1
21A		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—
22		—	—	—	—	3	5	7	11	2	4	6	2	5	3	1	5			1	2	2	1
23		—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—			—	—	—	—
24		—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	2
25		2	—	2	—	22	18	5	7	7	7	1	—	3	2	5	5			4	7	5	5
26		1	—	3	—	11	5	2	9	7	1	1	3	4	—	2	1			2	2	7	1
27		—	1	—	—	—	1	1	—	—	1	—	—	2	—	—	1			—	—	1	1
28		4	6	9	14	46	38	54	72	33	43	24	23	36	42	23	27			27	32	25	27
29		1	—	—	—	1	3	—	1	1	1	—	1	—	—	—	1			—	—	1	—

CAUSES OF DEATH IN ADMINISTRATIVE
WARWICKSHIRE—cont.

Causes of Death.	Brailes R.D.		Coventry R.D.		Farn- borough R.D.		Foleshill R.D.		Meriden R.D.		Monks Kirby R.D.		Nuneaton R.D.		Rugby R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	41	51	18	24	6	24	251	250	106	95	9	8	18	18	137	160	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	2	—	1	—	—	4	3	1	1	—	1	1	2	3	1	6
6 Diphtheria and croup	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	1	7
7 Influenza	9	7	2	11	1	7	50	84	18	20	—	—	6	3	37	43	8
8 Erysipelas	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	3	—	1	1	2	22	16	6	8	1	—	1	—	7	4	10
10 Tuberculous meningitis	—	—	—	—	—	—	1	2	—	1	—	—	—	1	3	1	11
11 Other tuberculous diseases	—	—	—	—	—	—	2	5	—	1	—	—	—	1	—	2	12
12 Cancer, malignant disease	3	3	1	1	—	1	9	10	8	8	1	1	1	1	7	14	13
13 Rheumatic fever... ..	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	14
14 Meningitis	—	1	—	—	—	—	2	2	—	—	—	—	—	—	—	1	15
15 Organic heart disease	5	7	3	1	1	2	15	13	7	9	2	—	1	1	6	18	16
16 Bronchitis	1	2	3	—	—	—	18	11	7	5	1	1	1	2	7	11	17
17 Pneumonia (all forms)	1	4	1	1	—	—	36	30	13	8	—	—	1	1	16	13	18
18 Other respiratory diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	1	—	—	—	5	2	—	—	—	—	—	—	—	1	20
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	3	1	—	—	—	—	—	1	—	21
21 Cirrhosis of liver	1	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	1	—	1	1	4	2	2	1	1	—	—	—	2	2	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	25
25 Congenital debility, &c.	—	1	1	3	—	1	20	25	4	1	—	1	—	2	10	4	26
26 Violence, apart from 27	—	2	1	1	—	—	8	—	4	2	—	—	—	—	4	1	27
27 Suicide	1	—	—	—	—	—	1	1	—	2	—	—	—	—	2	1	28
28 Other defined diseases	13	18	4	3	2	9	49	38	34	26	3	4	6	4	28	38	29
29 Causes ill-defined or un- known.	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	29

WARWICKSHIRE—cont.

WESTMORLAND.

Causes of Death.	Solihull R.D.		Southam R.D.		Stratford on Avon R.D.		Tamworth (pt.)* R.D.		Warwick R.D.			Ambleside U.D.		Appleby M.B.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
ALL CAUSES	99	106	75	106	67	82	109	113	86	85		11	17	17	29	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—		—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—	—	—		—	—	—	—	3
4 Scarlet fever	—	—	2	—	—	—	—	—	1	—		—	—	—	—	4
5 Whooping cough	1	1	1	—	—	—	—	—	1	—		—	—	—	—	5
6 Diphtheria and croup	2	—	1	—	—	—	—	—	—	1		—	—	—	—	6
7 Influenza	11	18	16	26	16	26	17	36	12	20		2	2	2	8	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—		—	—	—	—	8
9 Pulmonary tuberculosis	8	9	5	8	1	2	6	5	7	5		2	—	1	2	9
10 Tuberculous meningitis	2	—	—	—	1	—	1	—	—	—		—	—	—	—	10
11 Other tuberculous diseases	1	2	1	2	2	1	2	—	1	1		1	1	—	—	11
12 Cancer, malignant disease	10	13	4	10	7	6	2	12	5	8		—	3	—	6	12
13 Rheumatic fever... ..	—	—	—	—	—	1	—	1	2	—		—	—	—	—	13
14 Meningitis	—	1	—	—	—	1	5	1	—	—		—	—	1	—	14
15 Organic heart disease	8	12	4	9	1	5	9	6	10	10		2	2	2	5	15
16 Bronchitis	4	5	8	7	4	4	13	9	5	6		—	—	—	—	16
17 Pneumonia (all forms)	10	7	5	6	2	2	13	14	12	3		—	—	1	1	17
18 Other respiratory diseases	1	1	3	—	—	1	1	2	3	—		—	—	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	1	—	1	—	—	—	1	—	1	1		—	—	—	—	19
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	—		—	—	—	—	20
21 Cirrhosis of liver	1	1	—	—	—	—	1	—	—	—		—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—		—	—	—	—	21A
22 Nephritis and Bright's dis.	1	1	2	2	1	1	3	—	—	—		—	—	1	—	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1		—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	1	—	1		—	—	—	—	24
25 Congenital debility, &c.	7	2	3	3	4	5	8	9	2	3		1	2	—	1	25
26 Violence, apart from 27	—	2	1	3	3	1	6	—	4	—		—	—	—	1	26
27 Suicide	2	4	1	—	—	—	—	—	3	—		—	—	—	—	27
28 Other defined diseases	28	25	17	29	25	26	21	16	18	24		3	7	8	5	28
29 Causes ill-defined or un- known.	—	1	—	1	—	—	—	—	—	—		—	—	1	—	29

* The remainder of Tamworth R.D. is in Staffordshire ; see page 400.

AREAS, 1918 (Civilian population only)—*continued.*
WESTMORLAND—*cont.*

	Grasmere U.D.		Kendal M.B.		Kirkby Lonsdale U.D.		Shap U.D.		Winder- mere. U.D.		East West- morland R.D.		South West- morland R.D.		West Ward R.D.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	9	7	124	117	7	6	9	4	34	39									
1	—	—	—	—	—	—	—	—	—	—	98	88	131	129	54	49			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1			2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—			4
5	—	—	3	2	—	—	1	1	—	—	—	—	—	6	—	—			5
6	—	—	1	2	—	—	—	—	—	1	—	—	—	—	1	2			6
7	3	2	15	20	4	—	4	1	5	8	23	19	18	25	5	8			7
8	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—			8
9	1	—	9	8	—	—	—	—	3	2	4	4	7	6	7	1			9
10	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			10
11	—	—	5	1	—	1	—	—	—	1	—	1	—	2	—	—			11
12	—	1	7	8	—	1	—	—	3	4	6	10	14	16	10	5			12
13	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	—			13
14	—	—	—	—	—	—	1	—	—	1	1	—	—	2	1	—			14
15	2	—	11	15	1	—	—	1	2	3	9	12	16	11	5	11			15
16	—	—	11	8	—	—	—	—	2	1	5	3	5	4	—	3			16
17	—	—	15	14	—	1	—	—	5	—	7	4	5	4	5	5			17
18	—	—	—	2	—	—	—	—	2	—	2	—	—	—	—	—			18
19	—	—	—	1	—	—	—	—	—	—	—	—	4	—	1	—			19
20	—	—	2	1	—	—	—	—	—	1	1	—	—	4	—	—			20
21	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	—	—	1	—	—	—	—	—	1	—	5	3	2	3	1	1			22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1			24
25	—	—	2	2	—	1	—	—	—	1	6	1	2	2	5	—			25
26	—	—	3	—	—	—	—	—	3	2	2	—	5	1	2	1			26
27	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—			27
28	3	4	38	30	2	1	2	1	6	14	25	28	46	34	11	10			28
29	—	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—			29

WIGHT, ISLE OF.

	Cowes U.D.		East Cowes U.D.		Newport M.B.		Ryde M.B.		St. Helens U.D.		Sandown U.D.		Shanklin U.D.		Ventnor U.D.		Isle of Wight R.D.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	69	49	38	26	81	91	54	97	33	25	37	44	27	41	32	40			207	193	
1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	—			3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			4
5	—	—	—	1	2	1	1	—	—	—	—	1	—	—	1	—	2	3			5
6	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2			6
7	12	7	6	6	15	11	4	9	8	5	2	9	6	4	4	7	34	32			7
8	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—			8
9	2	1	1	2	5	5	4	6	1	—	3	4	1	2	6	4	19	14			9
10	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			10
11	1	—	—	—	—	2	1	2	—	—	2	1	—	—	—	—	3	2			11
12	7	7	5	3	6	14	3	13	3	1	—	3	3	3	2	7	17	25			12
13	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2			13
14	—	1	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	2			14
15	6	12	5	2	12	16	6	17	4	5	7	8	2	8	8	7	29	25			15
16	1	4	1	1	2	5	7	2	1	2	1	2	3	3	2	4	6	12			16
17	6	3	5	2	5	7	3	3	2	1	2	2	2	—	1	1	13	8			17
18	—	—	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	3			18
19	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—			19
20	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	3			20
21	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	6	1	2	—	6	6	2	4	2	1	—	—	—	1	—	2	5	4			22
23	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1			23
24	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1			24
25	5	—	2	1	3	1	3	3	—	1	1	—	—	1	—	—	7	7			25
26	1	—	—	—	3	—	1	—	—	—	1	1	1	—	3	—	12	2			26
27	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	1			27
28	16	8	8	7	19	19	18	34	11	8	15	9	8	18	5	8	51	41			28
29	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	2			29

CAUSES OF DEATH IN ADMINISTRATIVE
WILTSHIRE.

Causes of Death.				Bradford on Avon U.D.		Calne M.B.		Chippen- ham M.B.		Devizes M.B.		Malmes- bury M.B.		Marl- borough M.B.		Melksham U.D.		Salisbury M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	34	35	20	28	45	53	58	45	22	25	18	29	19	27	157	145	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5	3	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	—	—	—	—	—	—	3	—	—	—	2	—	—	—	3	—	5
6	Diphtheria and croup	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	6
7	Influenza	10	7	3	4	1	5	12	11	4	5	3	4	6	8	20	22	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	1	1	—	3	6	4	1	1	1	6	—	1	—	3	16	10	9
10	Tuberculous meningitis	—	—	—	—	2	—	—	1	—	—	1	1	—	—	—	1	10
11	Other tuberculous diseases	—	—	1	—	1	1	1	1	—	—	—	—	1	—	2	1	11
12	Cancer, malignant disease	1	4	1	2	5	4	3	3	4	3	3	2	2	3	8	13	12
13	Rheumatic fever...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	13
14	Meningitis	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	14
15	Organic heart disease	2	3	2	1	5	7	6	9	1	—	3	1	2	3	22	16	15
16	Bronchitis	3	6	2	5	1	3	4	2	—	—	—	2	—	—	13	6	16
17	Pneumonia (all forms)	3	2	1	1	3	8	6	2	5	2	—	—	—	2	13	11	17
18	Other respiratory diseases	—	—	—	—	1	2	—	—	—	—	—	—	1	—	1	1	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	1	—	—	1	1	—	—	3	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	20
21	Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	2	—	—	—	2	—	—	—	—	1	—	—	3	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	24
25	Congenital debility, &c.	3	1	1	—	1	—	3	—	—	—	1	—	—	1	5	5	25
26	Violence, apart from 27	1	—	—	—	1	—	1	1	—	—	—	1	1	—	3	—	26
27	Suicide	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	1	27
28	Other defined diseases	9	8	7	12	14	18	16	11	7	8	4	12	6	7	35	45	28
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4	29

WILTSHIRE—cont.

Causes of Death.				Swindon M.B.		Trow- bridge U.D.		War- minster U.D.		Westbury U.D.		Wilton M.B.				Amesbury R.D.		Bradford on Avon R.D.		
				M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	359	404	91	102	41	40	27	29	24	16			62	68	34	28	
1	Enteric fever	—	—	—	—	—	1	—	1	—	—			—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	15	17	—	—	—	—	—	—	—	2			—	2	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—	4
5	Whooping cough	1	3	—	—	—	—	—	1	—	—			1	—	—	—	5
6	Diphtheria and croup	3	3	3	—	—	—	—	1	—	—			—	—	1	—	6
7	Influenza	66	70	19	22	2	8	4	3	1	2			6	20	6	3	7
8	Erysipelas	1	1	—	—	—	—	—	—	—	—			—	—	—	—	8
9	Pulmonary tuberculosis	37	29	5	8	2	1	4	1	3	2			4	3	—	2	9
10	Tuberculous meningitis	2	9	—	—	—	—	1	—	—	—			—	—	1	—	10
11	Other tuberculous diseases	5	6	1	—	—	—	—	1	—	—			3	—	—	—	11
12	Cancer, malignant disease	27	36	7	11	5	6	2	3	3	1			4	7	1	1	12
13	Rheumatic fever...	2	3	—	—	—	—	—	—	—	—			—	—	—	—	13
14	Meningitis	1	2	—	—	—	—	—	—	—	—			—	1	—	—	14
15	Organic heart disease	31	42	6	7	5	6	1	3	5	4			8	8	2	1	15
16	Bronchitis	17	19	11	8	—	2	4	2	—	—			1	2	4	2	16
17	Pneumonia (all forms)	27	44	2	6	7	2	1	3	2	2			10	5	1	3	17
18	Other respiratory diseases	1	3	4	—	—	1	—	—	—	—			1	—	—	1	18
19	Diarrhoea, &c. (under 2 yrs.)	2	—	2	—	—	—	—	—	—	—			—	2	—	—	19
20	Appendicitis and typhlitis	—	1	1	1	—	—	—	—	—	—			—	—	—	—	20
21	Cirrhosis of liver	3	1	—	—	1	—	—	1	1	—			—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A
22	Nephritis and Bright's dis.	10	8	—	3	3	1	3	2	1	—			—	—	—	1	22
23	Puerperal fever	—	2	—	—	—	—	—	1	—	—			—	1	—	1	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—			—	—	—	—	24
25	Congenital debility, &c.	21	15	5	2	3	2	2	—	1	1			3	4	1	—	25
26	Violence, apart from 27	9	9	2	1	1	—	1	1	1	—			1	1	2	1	26
27	Suicide	1	—	—	—	—	—	—	—	1	—			—	—	2	1	27
28	Other defined diseases	77	79	23	33	12	9	4	5	5	2			20	11	13	10	28
29	Causes ill-defined or un- known.	—	1	—	—	—	1	—	—	—	—			—	—	—	—	29

AREAS, 1918 (Civilian population only)—continued.
WILTSHIRE—cont.

	Calne R.D.		Chippen- ham R.D.		Cricklade and Wootton Basset R.D.		Devizes R.D.		High- worth R.D.		Malmes- bury R.D.		Marl- borough R.D.		Melksham R.D.		Mere R.D.		Pewsey R.D.		Ramsbury R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	29	1	104	99	85	76	79	82	112	119	62	59	42	39	27	31	25	39	78	92	46	56	1
2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	2	3	—	1	3	6	1	—	—	—	—	—	—	—	1	—	—	—	3
4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	—	—	—	1	6	—	—	1	1	1	—	—	—	—	—	1	1	—	2	5
6	—	1	6	3	—	—	2	1	—	3	—	—	1	—	—	—	—	—	—	—	—	—	6
7	1	4	17	17	15	15	8	12	18	28	6	12	9	8	6	6	2	7	12	17	3	11	7
8	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	1	8	4	6	6	4	4	9	6	2	3	2	3	—	1	—	1	6	9	2	7	9
10	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	10
11	—	—	—	1	1	—	1	2	2	1	—	—	—	1	—	1	—	1	—	—	—	1	11
12	2	4	9	5	4	5	9	5	5	8	6	3	4	4	1	1	6	3	5	14	8	3	12
13	—	—	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	14
15	5	2	15	11	7	6	9	5	10	10	8	7	1	—	1	4	—	4	4	7	3	6	15
16	3	2	4	14	4	8	4	1	5	5	4	2	4	3	2	1	—	1	2	8	2	5	16
17	—	—	7	5	5	3	8	9	11	10	1	7	—	1	2	1	2	3	3	8	5	4	17
18	—	1	1	—	1	1	—	1	1	2	—	—	—	—	—	—	1	—	—	2	—	—	18
19	—	—	1	—	—	—	1	3	1	—	—	—	—	—	—	—	—	1	—	—	1	1	19
20	—	1	1	—	1	1	—	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	20
21	—	—	—	2	—	—	—	1	—	—	3	—	—	—	—	—	—	1	1	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	2	—	1	—	1	1	2	2	—	2	1	1	—	1	2	1	—	3	1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
25	1	2	4	1	2	1	3	1	5	7	3	2	2	4	2	1	1	—	4	8	2	1	25
26	2	—	—	1	—	3	4	1	5	2	1	1	3	1	1	—	—	2	2	3	—	1	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	27
28	11	7	27	34	33	21	20	26	32	28	24	19	13	11	11	14	10	14	36	8	19	13	28
29	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

WILTSHIRE—cont. WORCESTERSHIRE.

	Salisbury R.D.		Tetbury (pt.) R.D.*		Tisbury R.D.		War- minster R.D.		Westbury and Whor- wellsdown R.D.		Wilton R.D.						Bewdley M.B.		Broms- grove U.D.		Droitwich M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	
1	68	59	1	2	46	56	47	35	41	43	40	50					22	27	63	81	39	40	1
2	—	1	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3	—	—	—	—	3	—	—	—	4	—	—	—					—	—	7	5	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	5
6	1	—	—	—	—	—	1	1	1	—	—	—					1	—	—	6	—	—	6
7	11	9	—	1	7	11	3	2	1	6	4	3					—	1	15	11	10	12	7
8	1	—	—	—	—	—	1	—	—	—	—	—					—	—	—	—	—	—	8
9	4	2	1	—	3	5	5	4	4	4	3	5					1	2	3	7	2	—	9
10	—	2	—	—	—	—	1	1	—	1	—	1					—	—	1	—	—	—	10
11	—	1	—	—	—	—	2	2	1	—	—	—					1	—	1	—	—	—	11
12	6	5	—	—	5	4	9	6	8	5	3	6					—	2	—	2	5	7	12
13	—	—	—	—	1	—	—	—	—	—	—	—					—	—	1	—	—	—	13
14	—	—	—	—	—	—	1	1	—	—	—	—					—	—	—	1	—	—	14
15	8	9	—	—	4	10	3	3	4	7	6	10					1	5	1	3	5	2	15
16	6	4	—	—	3	1	3	—	3	2	1	—					2	2	3	3	—	2	16
17	2	3	—	—	1	1	1	3	3	1	1	1					—	3	7	7	1	1	17
18	—	1	—	—	—	3	—	—	1	—	2	—					—	—	1	—	—	—	18
19	—	1	—	—	2	—	—	—	—	—	—	—					—	—	3	3	1	—	19
20	2	—	—	—	—	—	—	—	—	—	1	—					—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	1	—	1	—					1	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	21
22	—	2	—	—	1	2	1	1	—	2	—	2					1	1	2	3	1	3	22
23	—	—	—	—	—	1	—	—	—	—	—	1					—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	1	—	—	24
25	2	—	—	—	1	1	2	1	1	1	1	2					1	—	3	—	4	1	25
26	5	1	—	—	3	—	3	1	1	1	5	1					1	1	—	2	1	—	26
27	1	—	—	—	1	—	—	—	—	—	—	—					—	—	1	—	—	—	27
28	17	17	—	1	10	17	10	9	8	12	12	18					12	9	14	25	9	12	28
29	2	1	—	—	1	—	1	—	—	1	—	—					—	1	—	1	—	—	29

* The remainder of Tetbury R.D. is in Gloucestershire; see page 360.

CAUSES OF DEATH IN ADMINISTRATIVE
WORCESTERSHIRE—cont.

Causes of Death.		Evesham M.B.		Kidder- minster M.B.		Lye and Wollescote U.D.		Malvern U.D.		North Broms- grove U.D.		Oldbury U.D.		Redditch U.D.		Stour- bridge M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	58	52	227	243	106	97	82	139	55	45	284	293	121	143	163	141	
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	...	2	—	2	3	—	—	1	1	2	—	2	6	1	—	—	—	3
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	...	—	—	—	—	—	3	1	2	1	—	2	4	—	1	2	1	5
6 Diphtheria and croup	...	—	—	2	3	—	1	—	—	—	—	—	2	5	3	—	1	6
7 Influenza	...	5	13	56	83	31	35	14	22	8	13	52	69	27	44	37	35	7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	...	10	5	15	17	3	7	6	14	5	2	22	13	12	6	10	10	9
10 Tuberculous meningitis	...	1	—	1	—	1	—	1	2	—	—	1	2	—	—	—	1	10
11 Other tuberculous diseases	...	1	—	3	2	1	1	—	3	1	2	5	3	—	1	4	—	11
12 Cancer, malignant disease	...	2	3	17	16	7	10	12	12	4	5	13	16	12	11	13	15	12
13 Rheumatic fever...	...	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	1	13
14 Meningitis	...	—	2	2	1	—	2	1	—	—	—	4	5	2	1	1	—	14
15 Organic heart disease	...	7	8	18	25	8	2	7	18	4	3	11	12	8	13	11	1	15
16 Bronchitis	...	3	3	16	17	9	3	3	6	4	3	29	24	12	16	9	11	16
17 Pneumonia (all forms)	...	3	2	12	12	11	2	4	3	8	2	31	36	8	6	5	15	17
18 Other respiratory diseases	...	—	—	1	3	1	1	1	1	—	—	1	1	—	—	3	—	18
19 Diarrhoea, &c. (under 2 yrs.)	...	1	—	1	2	2	1	—	—	1	—	18	3	1	1	—	—	19
20 Appendicitis and typhlitis	...	1	—	1	2	—	1	1	—	—	—	—	1	1	—	—	—	20
21 Cirrhosis of liver	...	—	—	1	—	—	—	—	2	—	—	2	1	—	—	1	—	21
21A Alcoholism	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	...	—	1	8	5	2	2	4	2	1	—	4	2	—	1	6	3	22
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	23
24 Parturition, apart from 23	...	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	...	2	2	7	1	4	4	2	—	1	2	15	14	4	4	9	4	25
26 Violence, apart from 27	...	1	1	8	4	2	3	1	—	3	—	10	5	1	—	6	2	26
27 Suicide	...	1	—	2	—	3	—	1	2	1	—	—	3	—	—	—	—	27
28 Other defined diseases	...	16	11	52	41	21	19	22	47	11	13	61	66	26	33	46	37	28
29 Causes ill-defined or un- known.	...	2	1	1	3	—	—	—	—	—	—	1	—	1	2	—	1	29

WORCESTERSHIRE—cont.

Causes of Death.		Stourport U.D.		Broms- grove R.D.		Droitwich R.D.		Evesham R.D.		Fecken- ham R.D.		Halesowen R.D.		Kidder- minster R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	29	37	99	108	95	86	69	63	48	41	197	162	39	51	
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	...	—	—	1	—	1	—	1	1	—	—	3	1	—	—	3
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	...	—	—	—	—	—	—	—	—	1	—	3	8	—	—	5
6 Diphtheria and croup	...	—	—	—	—	2	2	—	1	—	—	—	—	—	—	6
7 Influenza	...	4	7	17	14	21	21	14	19	9	12	46	42	11	13	7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9 Pulmonary tuberculosis	...	1	5	7	5	6	6	4	2	6	4	14	11	3	4	9
10 Tuberculous meningitis	...	2	—	—	1	—	—	—	—	—	—	1	2	—	—	10
11 Other tuberculous diseases	...	—	1	1	—	4	2	—	1	—	—	—	1	—	—	11
12 Cancer, malignant disease	...	4	4	9	12	5	8	7	2	1	5	5	12	3	5	12
13 Rheumatic fever...	...	—	—	1	1	—	—	—	—	—	—	—	1	1	—	13
14 Meningitis	...	—	—	—	1	—	1	—	—	—	1	3	2	—	1	14
15 Organic heart disease	...	2	2	10	10	10	11	6	14	4	5	14	8	2	3	15
16 Bronchitis	...	3	3	6	5	2	2	5	1	1	—	18	10	3	2	16
17 Pneumonia (all forms)	...	1	3	5	6	6	2	2	5	3	2	21	9	1	—	17
18 Other respiratory diseases	...	—	—	2	—	1	—	—	—	1	1	1	2	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	1	1	—	—	—	—	—	—	5	1	—	—	19
20 Appendicitis and typhlitis	...	—	—	1	—	1	—	2	—	—	—	2	1	1	—	20
21 Cirrhosis of liver	...	1	—	—	—	1	—	1	—	2	1	—	—	1	—	21
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	...	—	—	2	1	4	4	3	—	1	—	5	1	1	—	22
23 Puerperal fever	...	—	1	—	—	—	1	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	...	—	—	—	1	—	—	—	—	—	—	—	3	—	—	24
25 Congenital debility, &c.	...	1	2	5	3	5	1	2	3	1	3	14	11	1	—	25
26 Violence, apart from 27	...	1	1	2	4	4	2	4	1	—	1	10	2	2	1	26
27 Suicide	...	—	—	—	1	—	—	—	—	1	—	—	—	—	—	27
28 Other defined diseases	...	8	8	27	42	22	23	18	13	17	6	32	32	7	22	28
29 Causes ill-defined or un- known.	...	1	—	2	—	—	—	—	—	—	—	—	2	—	—	29

AREAS, 1918 (Civilian population only)—*continued.*

WORCESTERSHIRE—*cont.*

	Martley R.D.		Pershore R.D.		Rock R.D.		Shipston on Stour R.D.		Stow on the Wold (pt.) R.D.*		Tenbury R.D.		Tewkes- bury (pt.) R.D.*		Upton on Severn R.D.		Winch- comb (pt.) R.D.†		Redmarley D'Abitôt and Staunton C.P.'s‡		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	83	84	116	90	21	13	28	33	4	6	37	37	10	24	82	106	1	1	8	8	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	3
4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	6
7	20	12	23	18	6	3	2	3	—	4	6	12	2	8	6	23	—	—	2	2	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	7	7	5	2	—	2	2	—	—	—	2	1	—	8	12	—	—	—	1	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	10
11	—	2	1	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	11
12	4	5	11	10	1	1	2	1	1	—	1	1	—	2	5	2	—	—	1	—	12
13	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	14
15	17	18	17	9	2	5	7	5	—	—	9	7	2	3	16	13	—	—	—	1	15
16	7	13	3	4	1	—	—	1	—	—	3	3	—	1	5	7	—	—	1	1	16
17	3	2	3	4	1	1	2	—	1	—	2	2	1	—	5	8	—	—	—	1	17
18	—	1	2	3	—	—	—	1	—	—	—	—	—	—	1	3	—	—	—	—	18
19	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	19
20	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	1	8	—	1	—	—	—	—	—	1	—	2	—	4	1	—	—	—	—	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	3	5	2	1	1	1	—	—	—	—	1	2	—	—	3	3	—	—	1	—	25
26	1	2	4	2	1	—	—	—	—	—	1	—	2	—	3	1	—	—	—	—	26
27	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	18	15	30	30	4	1	12	18	2	1	12	6	—	9	19	28	—	1	3	2	28
29	—	—	1	1	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	29

YORKSHIRE, EAST RIDING.

	Beverley M.B.		Bridling- ton M.B.		Cotting- ham U.D.		Filey U.D.		Great Driffield U.D.		Hedon M.B.		Hessle U.D.		Hornsea U.D.		Norton U.D.		Pockling- ton U.D.		Withernsea U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	123	110	105	125	35	37	36	26	66	51	11	15	32	42	19	23	40	27	35	24	16	28	1
2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	1	2	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	—	1	2	—	—	—	1	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	5
6	—	2	3	—	—	2	—	—	—	—	1	1	2	—	—	—	1	—	—	—	1	—	6
7	14	9	6	19	5	4	5	7	17	6	3	2	6	7	3	2	14	11	4	2	2	4	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	10	7	6	8	3	—	1	1	4	1	1	—	1	2	1	2	2	—	4	—	1	7	9
10	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	10
11	2	—	1	—	—	1	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	11
12	11	16	11	18	3	6	1	3	6	6	2	4	3	6	2	5	—	1	3	8	—	1	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	14
15	13	20	6	11	2	1	5	3	10	4	1	2	—	4	2	2	3	3	2	1	2	5	15
16	12	6	11	11	3	2	4	4	4	3	—	—	1	3	1	1	1	1	4	2	1	—	16
17	9	11	4	7	7	7	—	1	4	6	—	—	3	5	2	—	2	—	3	—	—	1	17
18	1	1	6	—	—	1	1	—	—	—	1	—	1	—	—	1	1	—	1	1	—	—	18
19	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	19
20	1	—	1	—	—	—	2	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	6	6	1	—	1	—	1	3	—	1	—	—	—	1	—	1	—	1	—	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	3	2	4	3	1	1	1	—	1	2	—	—	—	1	—	1	—	1	2	1	2	1	25
26	2	1	2	2	—	1	—	—	—	2	1	—	—	—	2	—	1	—	—	—	—	—	26
27	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	41	26	33	36	9	9	12	5	16	17	1	3	11	11	6	7	14	7	8	7	5	9	28
29	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	29

* The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Gloucestershire; see page 360.

† The remainder of Winchcombe R.D. is in Gloucestershire; see page 361.

‡ Administered by Newent R.D.C. (Gloucestershire).

CAUSES OF DEATH IN ADMINISTRATIVE
YORKSHIRE, EAST RIDING—cont.

Causes of Death.			Beverley R.D.		Bridling- ton R.D.		Driffeld R.D.		Escrick R.D.		Howden R.D.		Norton R.D.		Pating- ton R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	82	95	73	75	96	91	35	44	96	101	30	39	50	55	1
1 Enteric fever	—	1	1	—	1	—	2	—	1	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	2	1	5	4	2	2	—	1	2	1	—	—	—	—	6
6 Diphtheria and croup	—	1	—	—	—	—	—	—	—	1	—	—	—	—	7
7 Influenza	9	15	11	17	22	28	7	8	17	26	10	13	11	12	8
8 Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	12	2	4	1	3	1	2	3	12	—	—	4	3	10
10 Tuberculous meningitis	1	—	—	—	—	—	2	—	2	4	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	—	1	1	1	—	1	3	—	—	2	—	12
12 Cancer, malignant disease	8	3	5	5	12	16	4	3	7	4	2	1	—	5	13
13 Rheumatic fever...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	17	12	1	7	7	3	5	3	6	6	2	—	4	12	16
16 Bronchitis	2	9	12	2	3	5	1	4	8	5	1	1	4	3	17
17 Pneumonia (all forms)	4	9	3	4	7	5	1	3	12	3	4	4	3	2	18
18 Other respiratory diseases	—	—	1	—	3	—	—	1	1	2	—	1	—	—	19
19 Diarrhoea, &c.(under 2 yrs.)	—	1	—	1	3	—	—	—	—	1	—	—	—	—	20
20 Appendicitis and typhlitis	—	2	—	—	2	1	1	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	4	2	1	—	4	—	1	1	1	1	2	—	—	1	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	2	—	3	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	3	3	2	1	5	1	1	2	8	7	1	3	2	6	26
26 Violence, apart from 27	4	3	12	3	4	—	—	1	2	1	—	—	4	—	27
27 Suicide	2	—	1	—	3	—	1	1	—	—	—	—	—	—	28
28 Other defined diseases	19	18	16	24	15	26	7	12	24	24	7	16	13	10	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	1	1	—	—	—	2	—	

YORKSHIRE, EAST RIDING—cont.

YORKSHIRE, NORTH RIDING

Causes of Death.			Pockling- ton R.D.		Riccall R.D.		Sculcoates R.D.		Sherburn R.D.		Skirlaugh R.D.		Eston U.D.		Guis- borough U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	68	85	38	37	67	62	22	22	59	48	323	265	80	65	1
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	1	3	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	—	—	—	—	1	1	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	1	1	1	—	1	—	—	—	2	2	—	2	6
6 Diphtheria and croup	1	1	—	—	1	1	1	1	—	—	10	4	—	1	7
7 Influenza	12	24	9	10	13	19	6	9	10	8	51	50	25	15	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
9 Pulmonary tuberculosis	—	5	—	2	3	8	1	—	5	4	22	26	1	3	10
10 Tuberculous meningitis	—	1	—	—	1	—	—	—	—	—	9	9	—	—	11
11 Other tuberculous diseases	1	2	—	1	1	1	—	—	1	1	7	4	1	—	12
12 Cancer, malignant disease	4	6	2	2	4	3	1	2	1	2	14	13	7	3	13
13 Rheumatic fever...	—	—	—	1	—	—	1	—	—	1	2	—	—	—	14
14 Meningitis	1	1	—	1	1	—	1	—	2	1	8	—	—	1	15
15 Organic heart disease	6	5	—	—	7	4	—	2	5	10	15	8	7	4	16
16 Bronchitis	6	4	3	2	5	3	2	4	1	2	10	12	—	1	17
17 Pneumonia (all forms)	8	7	3	—	7	1	5	1	5	2	39	32	10	6	18
18 Other respiratory diseases	—	1	—	—	1	—	—	—	2	1	4	1	—	—	19
19 Diarrhoea, &c.(under 2 yrs.)	1	—	1	—	—	—	—	—	—	—	14	9	2	1	20
20 Appendicitis and typhlitis	—	—	—	1	—	—	—	—	1	—	2	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	1	—	—	—	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	1	—	—	1	—	1	1	1	1	5	8	2	3	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	—	—	—	—	4	—	1	25
25 Congenital debility, &c.	2	3	5	1	1	—	—	—	3	1	23	26	7	6	26
26 Violence, apart from 27	1	2	3	—	1	—	—	1	1	1	22	4	1	1	27
27 Suicide	1	—	—	—	—	—	—	—	2	—	3	—	1	—	28
28 Other defined diseases	21	19	11	15	18	20	4	—	17	11	57	48	16	15	29
29 Causes ill-defined or un- known.	—	—	—	1	—	—	—	—	—	—	1	1	—	1	

CAUSES OF DEATH IN ADMINISTRATIVE
YORKSHIRE, NORTH RIDING—cont.

Causes of Death.		Helmsley R.D.		Kirkby Moorside R.D.		Leyburn R.D.		Malton R.D.		Middles- brough R.D.		North- allerton R.D.		Pickering R.D.		Reeth R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		37	27	34	35	54	50	58	39	17	12	73	57	47	50	18	19	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	—	1	1	—	—	2	—	—	—	—	1	2	—	—	—	—	5
6	Diphtheria and croup	1	—	—	—	—	—	—	—	—	—	1	—	1	3	—	—	6
7	Influenza	8	4	9	12	11	12	10	11	—	3	16	6	7	20	3	2	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	2	1	—	1	7	—	1	2	1	3	3	1	2	—	2	9
10	Tuberculous meningitis	—	—	—	1	—	2	—	1	—	1	—	1	—	—	—	—	10
11	Other tuberculous diseases	—	2	—	—	1	—	—	2	—	—	1	—	4	—	1	1	11
12	Cancer, malignant disease	1	2	1	3	12	6	6	2	—	—	6	9	7	3	1	4	12
13	Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	1	—	—	2	—	—	—	—	—	—	—	—	—	1	—	14
15	Organic heart disease	7	4	2	2	4	2	6	4	2	2	4	8	8	5	5	5	15
16	Bronchitis	—	—	2	4	—	2	2	2	—	—	4	7	2	1	1	1	16
17	Pneumonia (all forms)	—	1	2	1	3	—	1	3	3	1	3	3	1	—	—	—	17
18	Other respiratory diseases	1	1	1	1	—	—	—	1	—	—	2	—	—	—	3	—	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	1	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	20
21	Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	3	1	1	—	—	1	1	—	1	2	1	1	—	—	—	22
23	Puerperal fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	—	3	—	5	2	2	1	1	—	3	3	2	1	1	—	25
26	Violence, apart from 27	—	—	—	—	1	1	3	—	2	1	2	1	2	1	—	—	26
27	Suicide	1	—	—	1	—	1	—	1	—	—	1	—	1	—	—	—	27
28	Other defined diseases	13	5	10	8	14	13	25	9	7	2	23	12	9	12	2	4	28
29	Causes ill-defined or un- known.	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—	29

YORKSHIRE, NORTH RIDING—cont.

Causes of Death.		Richmond R.D.		Scar- borough R.D.		Startforth R.D.		Stokesley R.D.		Thirsk R.D.		Wath R.D.		Whitby R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES		53	63	62	49	41	40	123	109	113	114	16	12	79	69	1
1	Enteric fever	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	—	—	—	1	—	1	—	1	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	1	—	1	—	—	—	—	—	4
5	Whooping cough	—	—	—	2	3	1	3	5	4	1	—	—	—	—	5
6	Diphtheria and croup	—	1	2	1	—	—	—	—	—	—	—	—	—	—	6
7	Influenza	5	7	14	8	10	5	21	18	26	34	4	6	7	16	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	1	5	3	—	1	4	6	6	4	1	1	5	2	9
10	Tuberculous meningitis	—	1	—	—	1	1	1	2	—	1	—	—	1	1	10
11	Other tuberculous diseases	4	—	—	4	—	1	2	1	2	3	—	—	1	—	11
12	Cancer, malignant disease	8	4	1	5	2	3	9	7	6	9	2	1	5	6	12
13	Rheumatic fever... ..	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	2	—	—	—	—	—	14
15	Organic heart disease	3	8	7	7	3	9	13	9	9	11	—	1	16	6	15
16	Bronchitis	3	4	3	1	3	—	3	2	8	10	2	—	5	3	16
17	Pneumonia (all forms)	3	7	1	2	4	4	13	11	8	7	1	—	3	5	17
18	Other respiratory diseases	2	—	1	2	—	—	2	3	—	2	—	—	1	2	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	—	—	3	—	—	—	—	—	—	1	19
20	Appendicitis and typhlitis	—	—	1	—	—	1	—	—	1	—	—	—	1	—	20
21	Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	1	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	1	1	1	4	—	2	2	—	2	—	—	1	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	3	—	—	—	—	—	1	24
25	Congenital debility, &c.	2	3	3	3	3	1	3	9	2	3	3	1	—	—	25
26	Violence, apart from 27... ..	3	1	4	1	—	—	6	1	2	1	—	—	6	—	26
27	Suicide	—	1	2	—	—	—	—	—	—	—	—	—	1	—	27
28	Other defined diseases	16	23	17	9	8	12	34	28	34	25	2	2	24	23	28
29	Causes ill-defined or un- known.	1	—	—	—	—	—	—	1	1	—	—	—	1	1	29

AREAS, 1918 (Civilian population only)—continued.

YORKSHIRE, WEST RIDING.

		Adwick le Street U.D.		Altofts U.D.		Ardley U.D.		Ardley East and West U.D.		Baildon U.D.		Barkisland U.D.		Barnolds- wick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		66	82	26	37	72	80	71	79	53	52	9	9	67	94	321	320	88	97	160	166	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2
3		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4		1	3	1	3	10	23	4	4	2	—	—	—	—	—	9	4	—	1	1	—	4
5		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
6		3	11	2	1	3	4	3	2	—	—	—	—	—	—	3	2	9	2	—	1	6
7		—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	2	2	2	3	7
8		18	21	9	7	9	13	13	18	14	11	3	1	7	14	42	62	21	27	36	52	8
9		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10		4	11	1	1	3	3	2	3	—	3	1	1	5	2	17	19	2	5	9	11	10
11		1	—	—	2	2	—	—	—	—	—	—	—	—	—	2	—	1	3	2	6	11
12		1	—	1	—	—	4	2	2	—	—	—	—	—	—	3	1	1	2	4	2	12
13		2	2	—	5	1	3	3	8	2	9	—	—	5	6	21	30	5	5	15	13	13
14		—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	14
15		—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—	—	1	1	15
16		—	2	1	2	1	—	1	3	6	5	1	1	9	15	17	30	4	7	12	15	16
17		1	2	3	3	4	4	4	3	4	2	—	2	4	10	39	27	5	4	8	9	17
18		9	5	3	2	9	5	9	11	4	4	—	2	10	12	35	21	9	13	9	7	18
19		—	—	1	—	—	1	1	2	1	1	—	—	1	1	—	2	—	—	2	1	19
20		2	—	—	1	1	—	1	—	—	—	—	—	—	—	6	2	5	—	—	—	20
21		1	2	—	—	—	—	—	1	—	—	—	—	1	—	2	1	1	—	—	—	21
21A		—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	21A
22		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23		2	—	1	—	3	3	—	—	2	—	—	1	1	1	16	7	1	1	4	3	23
24		—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	1	24
25		—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	1	—	—	25
26		12	5	—	1	7	3	8	7	—	1	—	—	3	3	20	13	6	4	8	1	26
27		5	3	1	—	4	2	1	—	—	1	—	—	2	1	11	3	2	1	4	4	27
28		—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—	2	—	28
29		4	13	2	8	15	9	17	11	17	14	3	1	15	23	71	83	12	18	39	35	29
		—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	2	—	—	—	

YORKSHIRE, WEST RIDING—cont.

		Birken- shaw U.D.		Birstal U.D.		Bolton upon Dearne U.D.		Brighouse M.B.		Burley in Wharfe- dale U.D.		Calverley U.D.		Castleford U.D.		Clayton U.D.		Clayton West U.D.		Cudworth U.D.		Harfield U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		20	22	63	57	88	100	184	186	15	26	19	20	201	180	38	49	14	19	82	75	33	48	1
2		—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	2
3		—	1	—	1	1	—	2	1	—	—	—	—	—	1	1	1	—	—	7	5	—	2	3
4		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5		—	—	1	1	8	2	6	9	—	—	1	—	1	—	1	—	—	—	1	—	—	3	5
6		—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—	—	1	—	—	—	6
7		2	1	8	13	25	31	34	23	1	4	2	4	35	34	3	4	3	6	28	31	10	14	7
8		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9		—	—	3	3	2	4	17	14	—	2	3	2	14	12	3	3	—	2	4	1	1	2	9
10		—	—	2	—	—	—	2	1	—	—	—	—	1	4	—	—	—	—	—	—	—	—	10
11		—	—	—	1	1	3	3	2	2	—	1	—	4	4	2	—	1	1	—	1	2	—	11
12		—	4	2	4	1	1	8	12	1	2	—	1	8	12	3	6	—	1	2	4	—	2	12
13		—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14		—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15		6	3	2	4	2	1	19	18	2	3	1	3	10	12	2	9	2	2	5	3	1	1	15
16		2	3	5	4	4	12	17	13	1	5	1	—	20	12	4	4	1	—	4	6	2	3	16
17		2	1	9	3	11	14	6	20	2	—	1	2	22	27	2	8	3	3	6	3	5	6	17
18		1	—	—	—	1	1	4	2	—	1	—	—	2	3	1	—	—	—	—	—	1	—	18
19		—	—	—	—	6	2	—	—	—	—	—	—	7	7	—	—	—	—	1	3	—	—	19
20		—	—	—	—	1	2	1	3	—	—	—	—	2	—	—	—	—	—	—	1	—	—	20
21		—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		1	1	5	2	—	1	5	2	—	2	—	—	5	8	3	—	2	1	2	1	—	1	22
23		—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24		—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
25		—	—	1	2	5	4	4	3	—	1	—	2	18	7	1	—	—	—	4	1	3	2	25
26		—	—	1	—	5	2	6	3	—	—	—	—	14	2	1	2	—	—	2	—	2	—	26
27		1	—	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	27
28		5	8	23	18	14	17	42	54	4	6	9	5	34	30	11	11	3	3	12	13	5	8	28
29		—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	29

AREAS, 1918 (Civilian population only)—continued.

YORKSHIRE, WEST RIDING—cont.

	Goole U.D.		Greas- brough U.D.		Greetland U.D.		Guiseley U.D.		Gunth- waite and Ingbirch- worth U.D.		Hands- worth U.D.		Harrogate M.B.		Haworth U.D.		Hebden Bridge U.D.		Heck- mondwike U.D.		Hipper- holme U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	222	187	44	33	38	32	39	52	5	3	132	129	190	271	47	49	52	64	92	87	38	37	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
3	20	17	—	—	1	—	5	2	—	—	—	1	4	3	1	—	1	—	3	—	1	1	3
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	3	7	1	2	—	—	—	—	—	—	4	7	1	3	1	1	—	—	—	—	—	1	5
6	6	7	—	1	—	—	—	2	—	—	—	1	2	2	—	—	—	—	—	1	1	—	6
7	34	33	18	11	4	10	3	12	2	2	27	34	28	57	5	10	5	5	15	15	9	4	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	11	11	—	—	3	3	8	2	—	—	7	6	13	23	3	4	7	3	6	1	3	—	9
10	1	3	—	—	—	—	1	—	—	—	—	1	2	2	—	—	—	—	—	—	1	1	10
11	4	—	2	—	1	—	1	—	—	—	5	6	3	7	1	2	—	2	3	—	1	—	11
12	10	10	1	1	2	3	3	6	1	—	10	16	16	43	7	2	3	8	8	6	1	5	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	13
14	1	1	—	—	—	—	—	—	1	—	1	—	1	2	—	1	—	1	—	1	—	—	14
15	17	13	2	2	9	5	2	2	—	—	6	5	19	18	4	4	9	12	12	9	2	7	15
16	13	13	2	4	—	1	2	1	—	—	8	6	14	15	2	5	1	4	4	6	1	3	16
17	27	15	6	4	4	3	3	4	1	—	15	7	13	19	3	5	6	5	10	5	2	—	17
18	3	3	—	1	1	—	—	—	—	—	1	1	2	5	—	—	1	1	—	1	1	1	18
19	1	2	—	1	—	—	—	—	—	—	1	5	1	1	1	—	—	—	—	—	—	—	19
20	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	20
21	—	1	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	7	4	—	—	2	—	2	1	—	—	5	1	5	5	—	—	8	5	3	4	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	23
24	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
25	7	4	3	1	1	—	—	2	—	—	5	5	10	2	1	1	1	—	2	2	1	—	25
26	7	2	2	—	1	—	1	—	—	—	11	3	3	2	1	—	2	—	1	1	2	—	26
27	2	—	—	1	—	—	—	1	—	—	1	—	1	—	—	—	—	1	—	—	—	—	27
28	46	38	7	4	9	7	8	17	—	1	23	24	50	59	16	11	8	16	25	29	10	11	28
29	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	29

YORKSHIRE, WEST RIDING—cont.

	Holme U.D.		Holmfirth U.D.		Honley U.D.		Horbury U.D.		Horsforth U.D.		Hoyland Nether U.D.		Hoyland Swaine U.D.		Huns- worth U.D.		Ilkley U.D.		Keighley M.B.		Kirkburton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	2	—	68	77	32	34	50	63	54	55	173	158	4	10	11	9	54	54	344	372	28	27	1
2	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	1	3	1	2	—	29	22	—	—	—	—	1	—	—	—	—	—	3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	4
5	—	—	—	2	—	—	—	—	—	—	5	3	2	—	—	—	—	—	8	13	—	2	5
6	—	—	2	2	1	—	—	2	—	—	—	2	—	—	—	—	—	—	1	—	—	—	6
7	—	—	12	10	2	2	8	10	10	9	32	35	2	3	2	1	11	9	59	84	5	7	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	—	—	5	7	4	1	3	4	3	7	9	7	—	—	—	1	6	3	30	25	1	1	9
10	—	—	—	3	—	—	—	—	1	2	2	5	—	—	—	—	1	—	—	2	—	—	10
11	—	—	—	3	—	1	1	5	2	1	5	—	—	—	—	—	—	1	5	3	—	—	11
12	—	—	6	3	3	1	9	5	4	1	4	7	—	2	1	—	5	5	16	32	3	4	12
13	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	1	3	—	—	13
14	—	—	—	—	—	—	—	2	—	—	3	1	—	—	—	1	—	—	2	1	—	—	14
15	—	—	10	9	4	4	4	7	2	5	6	10	—	1	5	2	3	5	31	46	2	2	15
16	—	—	6	3	3	3	1	2	6	8	13	17	—	—	1	—	1	1	28	27	2	2	16
17	2	—	5	5	—	3	5	5	4	2	17	15	—	2	—	1	4	7	42	29	6	2	17
18	—	—	2	1	2	—	—	1	2	1	—	—	—	—	1	—	2	1	5	4	—	—	18
19	—	—	—	1	—	—	—	—	1	—	2	4	—	—	—	—	—	—	1	1	—	—	19
20	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	20
21	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	2	3	—	1	1	6	2	—	3	3	—	—	1	—	3	1	13	10	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	1	24
25	—	—	1	3	4	1	2	2	—	1	10	6	—	—	2	2	2	1	11	7	1	—	25
26	—	—	—	1	—	1	1	1	4	2	2	1	—	—	—	—	—	—	6	7	1	1	26
27	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	27
28	—	—	17	20	7	13	10	9	10	13	29	18	—	2	—	1	13	18	80	75	3	4	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	29

CAUSES OF DEATH IN ADMINISTRATIVE
YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Kirkheaton U.D.		Knares- borough U.D.		Knotting- ley U.D.		Lepton U.D.		Linthwaite U.D.		Luddenden Foot U.D.		Marsden U.D.		Meltham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	29	23	57	71	68	69	15	12	61	72	34	32	40	49	34	40	
1 Enteric fever ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	1	—	3	1	—	2	1	1	1	—	1	2	1	1	1	—	3
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	2	—	2	4	2	1	—	—	1	—	—	—	3	—	—	—	5
6 Diphtheria and croup ...	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	6
7 Influenza ...	8	4	10	10	11	9	3	2	6	12	3	2	6	6	4	2	7
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	1	1	5	7	6	2	1	6	3	3	2	5	5	—	1	9
10 Tuberculous meningitis	2	—	1	2	2	2	—	—	—	3	—	—	2	1	—	—	10
11 Other tuberculous diseases	—	2	1	—	—	—	1	—	2	2	1	—	1	1	—	1	11
12 Cancer, malignant disease	1	—	3	7	3	3	—	—	5	6	3	7	2	6	5	7	12
13 Rheumatic fever...	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1	—	13
14 Meningitis ...	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	14
15 Organic heart disease ...	3	3	8	12	6	3	—	—	9	7	2	6	3	7	1	1	15
16 Bronchitis ...	1	2	3	3	6	9	1	1	4	3	1	5	3	6	6	4	16
17 Pneumonia (all forms) ...	3	1	4	4	7	14	2	—	7	4	3	2	6	1	4	2	17
18 Other respiratory diseases	—	—	—	—	2	—	—	—	2	2	—	—	—	—	—	—	18
19 Diarrhoea, &c.(under 2 yrs.)	—	—	1	—	2	2	1	—	—	—	—	—	—	—	1	—	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	20
21 Cirrhosis of liver ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	21
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	—	1	2	1	—	—	1	3	3	1	—	—	1	2	22
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	24
25 Congenital debility, &c.	—	1	1	1	3	2	—	1	3	6	2	—	—	1	1	1	25
26 Violence, apart from 27	1	—	1	1	2	—	—	1	—	3	2	1	1	—	—	—	26
27 Suicide ...	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	27
28 Other defined diseases ...	6	9	16	19	9	12	4	3	11	16	9	3	7	12	9	17	28
29 Causes ill-defined or un- known.	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Methley U.D.		Mex- borough U.D.		Midgley U.D.		Mirfield U.D.		Monk Bretton U.D.		Morley M.B.		Mytholm- royd U.D.		New Mill U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	35	31	172	153	20	23	97	100	73	61	213	217	32	33	47	36	
1 Enteric fever ...	—	—	2	—	1	—	—	—	—	—	—	2	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	2	1	3	5	2	—	2	1	9	13	28	33	—	—	1	—	3
4 Scarlet fever ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	1	—	5	4	—	—	—	1	2	—	2	6	—	—	1	1	5
6 Diphtheria and croup ...	1	—	2	—	—	—	—	—	—	—	6	7	—	—	—	—	6
7 Influenza ...	3	6	44	45	4	5	22	11	4	9	18	34	6	4	11	8	7
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	1	10	5	—	—	5	8	2	5	7	7	2	1	5	1	9
10 Tuberculous meningitis	—	—	2	1	—	—	1	—	—	—	1	2	—	—	1	—	10
11 Other tuberculous diseases	1	1	3	2	—	1	1	2	1	1	3	3	1	3	—	—	11
12 Cancer, malignant disease	2	1	8	8	4	2	3	9	2	2	6	12	—	2	3	4	12
13 Rheumatic fever...	—	—	—	1	—	—	—	—	—	—	—	2	—	—	1	—	13
14 Meningitis ...	—	—	2	1	—	—	—	—	—	—	2	—	—	—	—	—	14
15 Organic heart disease ...	2	2	4	8	—	2	8	11	3	—	14	17	5	7	2	2	15
16 Bronchitis ...	2	2	16	15	3	—	10	11	6	4	11	7	2	3	2	1	16
17 Pneumonia (all forms) ...	7	9	25	24	2	2	8	8	16	11	26	17	4	6	5	5	17
18 Other respiratory diseases	—	—	1	—	—	—	1	—	2	1	2	2	—	—	1	1	18
19 Diarrhoea, &c.(under 2 yrs.)	—	—	5	3	—	—	—	—	1	1	3	1	—	—	1	—	19
20 Appendicitis and typhlitis	—	—	1	—	—	—	1	1	—	—	2	—	—	—	—	—	20
21 Cirrhosis of liver ...	—	—	—	1	—	—	1	—	—	—	2	—	—	—	—	—	21
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	2	1	2	—	1	5	2	1	8	6	3	1	4	2	22
23 Puerperal fever ...	—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	24
25 Congenital debility, &c.	1	1	7	3	—	1	5	3	5	2	10	—	1	—	1	2	25
26 Violence, apart from 27	1	—	6	1	1	—	1	—	5	1	3	3	—	—	—	—	26
27 Suicide ...	1	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	27
28 Other defined diseases ...	10	7	24	21	1	9	26	28	11	8	58	53	8	6	7	9	28
29 Causes ill-defined or un- known.	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	29

AREAS, 1918 (Civilian population only)—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Normanton U.D.		Oakworth U.D.		Ossett M.B.		Otley U.D.		Oxenhope U.D.		Penistone U.D.		Pontefract M.B.		Pudsey M.B.		Queens- bury U.D.		Rawdon U.D.		Rawmarsh U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	154	129	28	32	129	130	80	77	17	20	54	31	188	144	107	136	45	48	26	27	190	189	1
2	2	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2
3	5	9	—	—	1	3	—	1	—	—	3	—	20	18	4	6	—	—	1	—	16	13	3
4	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	6	6	—	—	—	3	1	2	—	—	1	1	3	4	1	—	—	1	—	2	9	7	5
6	—	—	—	—	—	1	—	1	—	—	—	1	—	1	1	1	—	—	—	—	—	—	6
7	26	26	3	3	21	14	11	19	1	6	15	11	28	25	13	25	5	7	4	8	40	33	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	13	9	—	3	7	12	7	4	2	—	2	—	11	8	5	3	1	5	3	1	11	9	9
10	5	3	—	—	—	2	—	—	—	—	—	1	—	2	—	—	—	—	—	—	3	1	10
11	2	1	—	—	5	4	2	3	—	1	1	—	2	2	2	—	3	1	1	1	4	4	11
12	7	7	—	4	10	18	5	5	2	3	3	3	5	7	7	17	3	5	1	4	7	8	12
13	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1	13
14	2	—	1	—	1	—	1	1	—	—	—	—	1	—	—	2	—	1	—	—	1	2	14
15	11	6	6	5	8	12	10	7	2	—	—	1	9	8	18	15	7	3	—	1	7	8	15
16	6	4	4	9	14	6	9	7	1	1	—	—	29	16	6	15	5	1	—	—	11	11	16
17	19	15	1	1	22	9	9	4	—	1	10	1	14	16	7	6	1	3	1	1	23	28	17
18	1	—	—	—	2	3	—	1	—	—	2	1	3	—	1	—	2	—	—	—	2	1	18
19	5	8	—	—	3	1	—	—	—	—	—	1	11	8	—	—	—	—	—	—	13	6	19
20	—	—	1	—	2	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	3	2	—	—	4	2	1	1	—	—	—	1	1	1	3	—	—	1	3	—	—	4	22
23	—	2	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	23
24	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	4	24
25	9	8	1	1	7	4	1	2	—	—	1	2	12	7	5	4	1	1	2	1	6	5	25
26	3	1	1	—	3	4	1	2	—	—	3	—	7	2	4	2	—	3	2	—	8	—	26
27	1	—	—	1	—	—	3	1	—	—	1	—	—	—	1	—	1	—	1	—	—	—	27
28	27	20	10	4	19	27	18	15	9	7	12	5	28	15	28	37	16	15	6	7	26	43	28
29	1	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Ripon M.B.		Rishworth U.D.		Rothwell U.D.		Royston U.D.		Saddle- worth U.D.		Scam- monden U.D.		Selby U.D.		Shelf U.D.		Shelley U.D.		Shepley U.D.		Shipley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	92	79	7	5	100	119	75	61	85	98	1	3	65	90	21	17	16	13	11	12	252	282	1
2	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	2
3	10	6	—	—	6	9	—	—	1	1	—	—	—	—	—	—	1	—	—	—	4	5	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	4	4	—	—	—	2	—	—	1	3	—	—	1	1	—	—	—	—	—	—	5	5	5
6	1	—	—	—	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—	—	2	3	6
7	15	16	—	—	17	23	12	13	11	20	—	—	11	24	1	5	5	—	4	3	39	52	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	4	1	1	6	4	4	4	3	5	—	—	6	9	—	—	—	—	1	1	20	22	9
10	2	—	—	—	2	1	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	1	10
11	—	1	1	—	1	4	—	—	1	1	—	—	2	1	—	—	1	—	—	—	4	4	11
12	9	3	2	—	3	6	1	5	4	11	—	1	7	4	2	—	3	4	1	1	13	20	12
13	—	—	—	—	—	—	1	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—	13
14	—	3	—	—	—	1	2	3	2	—	—	—	1	—	—	—	—	—	—	—	4	3	14
15	5	8	—	1	7	9	4	—	13	14	—	—	3	8	3	2	2	2	—	—	15	24	15
16	8	7	1	—	8	4	5	4	2	4	—	—	4	5	1	1	1	1	1	—	38	30	16
17	6	7	—	—	13	14	26	22	9	8	—	—	5	6	—	3	2	—	1	2	9	23	17
18	2	1	—	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	1	18
19	—	—	—	—	2	5	3	—	—	—	—	—	—	2	—	1	—	—	—	—	1	2	19
20	—	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	—	—	2	2	1	1	3	4	—	1	—	1	2	2	—	1	—	—	6	8	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	3	3	—	—	5	3	3	4	1	1	—	—	3	2	3	—	2	—	—	—	19	8	25
26	2	1	—	—	5	1	2	—	3	1	—	—	—	—	—	—	—	—	—	—	9	2	26
27	—	—	—	1	3	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	3	3	27
28	19	12	2	2	15	26	11	5	22	20	—	1	17	24	7	2	1	3	3	5	60	62	28
29	—	—	—	—	1	—	—	—	2	2	—	—	—	—	—	1	—	—	—	—	—	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.				Silsden U.D.		Skelman- thorpe U.D.		Skipton U.D.		Slaith- waite U.D.		South Crosland U.D.		South- owram U.D.		Sowerby U.D.		Sowerby Bridge U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				32	42	34	33	107	94	49	39	11	19	31	13	27	31	90	81	1
1	Enteric fever			—	—	1	—	—	1	—	—	—	—	—	—	1	—	1	—	2
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles			—	—	—	1	4	—	—	1	1	—	4	—	—	6	1	—	4
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
5	Whooping cough			—	1	—	1	5	4	—	—	—	—	1	—	1	—	1	1	6
6	Diphtheria and croup			—	—	—	—	—	2	—	—	—	—	—	—	1	1	1	—	7
7	Influenza			3	9	12	10	19	11	3	7	2	—	8	4	5	6	9	4	8
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	9
9	Pulmonary tuberculosis			—	1	1	1	3	6	8	2	—	1	5	—	—	2	5	7	10
10	Tuberculous meningitis			—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	11
11	Other tuberculous diseases			—	—	—	—	2	2	1	—	2	—	—	1	—	2	3	3	12
12	Cancer, malignant disease			3	4	1	4	8	12	3	2	2	1	—	1	2	—	5	7	13
13	Rheumatic fever... ..			—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	14
14	Meningitis			—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	15
15	Organic heart disease			5	8	2	5	16	10	3	5	—	3	2	1	3	4	10	11	16
16	Bronchitis			1	2	2	2	14	6	1	—	—	—	1	—	3	8	9	14	17
17	Pneumonia (all forms)			5	5	4	4	3	7	3	5	1	4	2	2	3	2	3	4	18
18	Other respiratory diseases			—	1	—	—	1	1	1	1	1	—	—	—	—	—	—	3	19
19	Diarrhoea, &c.(under 2 yrs.)			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	20
20	Appendicitis and typhlitis			—	—	—	—	2	1	1	1	—	—	—	—	—	—	1	—	21
21	Cirrhosis of liver			—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	21A
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			3	—	—	—	1	1	6	1	1	1	1	1	—	6	4	—	23
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	24
24	Parturition, apart from 23			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.			2	1	1	—	4	1	—	2	—	1	—	—	1	—	4	6	26
26	Violence, apart from 27			1	—	1	—	3	2	3	—	—	—	—	1	1	—	2	1	27
27	Suicide			—	—	—	—	2	—	1	—	—	—	1	—	—	—	1	—	28
28	Other defined diseases			9	9	8	5	19	24	14	12	1	7	5	2	8	4	21	13	29
29	Causes ill-defined or un- known.			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.				Soyland U.D.		Spen- borough U.D.		Springhead U.D.		Stainland with Old Lindley U.D.		Stanley U.D.		Stocks- bridge U.D.		Swinton U.D.		Thurlstone U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	16	14	237	276	25	37	28	33	137	126	65	60	147	158	36	21	1
1	Enteric fever	—	—	—	1	1	—	—	—	1	1	—	—	1	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	1	—	9	8	—	—	1	1	13	12	—	—	8	6	—	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
5	Whooping cough	1	—	1	1	—	—	—	—	1	4	—	1	2	3	—	—	6
6	Diphtheria and croup	—	1	2	4	—	2	—	—	—	1	—	—	1	—	1	—	7
7	Influenza	—	1	43	49	6	10	3	4	15	24	7	9	30	53	10	7	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	1	—	9	19	1	4	4	2	10	5	6	2	13	6	2	2	10
10	Tuberculous meningitis	—	—	1	1	—	—	—	—	2	—	2	1	—	2	1	—	11
11	Other tuberculous diseases	1	1	5	5	—	—	—	—	1	3	—	1	1	3	—	—	12
12	Cancer, malignant disease	1	1	8	20	6	3	4	6	6	5	3	1	3	6	1	1	13
13	Rheumatic fever...	—	—	1	2	—	1	—	—	—	—	—	—	—	1	—	1	14
14	Meningitis	—	—	2	1	—	—	—	—	—	—	—	1	1	—	—	—	15
15	Organic heart disease	3	4	21	21	1	4	2	3	19	8	4	4	7	6	1	—	16
16	Bronchitis	—	2	20	22	1	1	5	8	9	6	11	17	9	4	2	—	17
17	Pneumonia (all forms)	3	1	20	20	2	2	2	—	17	20	5	8	20	17	4	3	18
18	Other respiratory diseases	—	—	1	3	—	1	—	—	3	—	6	3	3	1	—	1	19
19	Diarrhoea, &c.(under 2 yrs.)	—	—	2	—	—	1	—	—	1	2	2	1	4	4	—	—	20
20	Appendicitis and typhlitis	—	—	2	—	—	—	1	—	—	—	—	1	1	1	—	—	21
21	Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	—	5	4	—	2	1	2	2	—	—	1	—	1	—	—	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	4	—	—	—	—	—	—	—	3	—	1	—	1	25
25	Congenital debility &c.	—	—	5	10	1	1	1	1	8	6	2	3	5	8	3	—	26
26	Violence, apart from 27	—	1	4	2	1	—	—	—	4	6	5	—	6	3	3	—	27
27	Suicide	—	—	5	3	1	—	—	—	1	—	—	—	—	3	—	—	28
28	Other defined diseases	5	2	70	76	4	5	9	8	24	18	16	8	24	24	5	3	29
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AREAS, 1918 (Civilian population only)—continued.

YORKSHIRE, WEST RIDING—cont..

	Thurnscoe U.D.		Thurston- land U.D.		Tickhill U.D.		Todmorden M.B.		Wath upon Dearne U.D.		Whitley Upper U.D.		Whitwood U.D.		Wombwell U.D.		Wors- borough U.D.		Yeadon U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	42	36	14	8	15	15	207	200	143	141	1	5	57	45	202	156	137	156	62	62		1
2	—	—	—	—	—	—	—	2	1	1	—	—	—	1	4	2	1	—	—	—	—	2
3	1	—	—	—	—	—	4	9	4	5	—	—	—	—	15	10	30	36	6	4	3	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4
5	2	—	—	—	—	—	1	1	4	1	—	—	—	1	7	11	1	1	1	1	5	5
6	—	—	—	—	—	—	—	2	—	1	—	—	—	1	1	1	1	—	1	1	6	6
7	6	13	3	1	2	1	24	28	54	60	—	1	12	12	43	40	9	17	5	8	7	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	8
9	4	—	1	—	—	—	19	8	5	8	—	—	5	2	9	3	5	9	3	2	9	9
10	—	—	—	—	—	—	2	2	1	—	—	—	—	—	5	1	—	2	1	—	10	10
11	1	1	—	—	—	—	2	2	—	1	—	—	3	—	9	1	—	3	—	—	11	11
12	1	2	—	1	—	1	11	9	4	6	—	2	1	1	6	6	7	7	—	4	12	12
13	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	2	1	—	—	13	13
14	—	—	—	—	—	—	2	—	2	—	—	—	1	—	2	1	1	—	2	—	14	14
15	1	4	2	1	1	3	24	24	6	6	—	—	—	2	11	5	8	13	4	6	15	15
16	3	2	—	—	1	1	23	17	8	10	—	—	5	4	14	12	17	15	3	3	16	16
17	6	3	1	1	2	2	23	18	20	21	—	—	7	7	17	17	20	17	10	11	17	17
18	1	2	1	—	—	—	2	—	3	—	—	—	1	1	2	2	1	—	1	—	18	18
19	2	—	—	—	—	—	3	—	2	—	—	—	—	—	3	1	4	4	—	1	19	19
20	—	—	—	—	—	—	2	1	—	—	—	—	5	1	3	1	—	—	2	—	20	20
21	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	21	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A	21A
22	—	—	—	—	—	—	6	2	1	—	—	—	2	2	5	3	3	2	—	1	22	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	23	23
24	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	24	24
25	3	3	1	—	—	—	1	4	9	10	1	1	2	—	5	13	7	9	4	4	25	25
26	2	—	—	—	2	1	12	4	7	2	—	—	1	1	9	4	5	4	1	—	26	26
27	—	—	1	1	—	—	3	1	—	—	—	—	1	—	—	—	—	—	—	—	27	27
28	8	4	4	3	7	5	39	65	9	9	—	—	10	9	34	20	17	14	16	15	28	28
29	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—	1	1	—	29	29

YORKSHIRE, WEST RIDING—cont.

	Barnsley R.D.		Bishop- thorpe R.D.		Bowland R.D.		Doncaster R.D.		Goole R.D.		Great Ouseburn R.D.		Halifax R.D.		Hems- worth R.D.		Hunslet R.D.		Keighley R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	29	41	9	18	42	40	380	353	73	80	69	89	69	53	486	396	46	52	33	57	1	1
2	—	—	1	1	—	—	1	2	—	1	—	—	—	—	—	2	—	—	—	—	2	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3
4	2	3	—	—	—	—	21	12	5	9	1	4	1	1	38	22	1	4	—	—	4	4
5	—	—	—	—	—	—	1	1	1	1	—	—	—	—	1	—	—	—	—	—	5	5
6	—	—	—	—	—	—	11	21	1	—	2	2	3	1	17	14	—	—	—	—	6	6
7	—	1	—	1	—	—	4	—	—	1	—	—	1	—	3	3	—	—	—	1	7	7
8	7	7	1	4	4	3	76	79	16	19	10	22	9	7	98	113	5	5	6	12	8	8
9	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	9	9
10	1	1	—	—	2	3	22	15	7	3	4	5	4	3	31	15	3	6	4	2	10	10
11	—	—	—	—	1	—	5	1	—	—	—	—	1	1	5	4	—	—	—	—	11	11
12	—	1	—	—	—	—	3	9	1	—	2	—	2	—	7	2	2	—	—	1	12	12
13	—	—	1	3	4	3	12	19	3	4	9	3	2	7	17	9	2	1	4	4	13	13
14	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	2	—	—	—	—	14	14
15	1	—	—	—	—	—	4	5	1	1	—	—	1	—	3	2	—	—	—	—	15	15
16	1	7	—	1	7	2	16	14	3	4	5	9	9	7	16	21	3	3	4	4	16	16
17	2	6	—	—	4	6	28	27	1	3	5	7	6	4	43	28	1	4	—	5	17	17
18	7	4	1	—	2	1	43	34	5	6	5	6	5	3	53	40	8	13	2	4	18	18
19	—	—	—	—	—	—	4	3	1	—	2	—	2	—	2	1	—	2	—	1	19	19
20	—	—	—	—	—	—	20	14	—	1	—	—	1	—	12	9	—	1	—	—	20	20
21	—	—	—	—	—	—	2	1	—	—	1	1	—	—	1	1	1	—	—	1	21	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	21A	21A
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	22
23	—	1	—	—	—	—	4	3	2	3	2	—	2	1	8	6	4	—	—	1	23	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	24	24
25	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25	25
26	1	—	1	—	—	—	27	22	3	1	2	5	1	6	36	27	1	—	1	3	26	26
27	—	—	—	—	1	—	18	3	3	1	1	2	5	1	18	5	3	—	—	—	27	27
28	5	6	4	6	12	18	57	65	19	21	17	20	14	11	70	61	12	11	12	14	28	28
29	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	29	29

CAUSES OF DEATH IN ADMINISTRATIVE
YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Kiveton Park R.D.		Knares- borough R.D.		Pateley Bridge R.D.		Penistone R.D.		Pontefract R.D.		Ripon R.D.		Rother- ham. R.D.		Sedburgh R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	109	122	49	49	59	48	36	52	162	182	39	42	333	303	20	27	1
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	2	—	—	—	—	—	2	—	2	1	—	9	8	—	—	4
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	6	—	1	—	—	—	2	1	2	1	12	12	1	—	—	6
6 Diphtheria and croup	—	2	—	1	—	1	—	—	—	—	—	1	4	—	—	—	7
7 Influenza	24	34	11	12	7	6	8	6	26	51	5	7	72	91	3	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	8	2	3	4	3	2	2	9	6	4	2	14	13	2	—	10
10 Tuberculous meningitis	1	—	—	—	—	—	—	—	1	—	—	—	4	5	—	—	11
11 Other tuberculous diseases	3	1	1	—	—	—	2	—	3	1	1	1	3	4	—	—	12
12 Cancer, malignant disease	6	10	4	4	2	2	2	2	9	15	3	2	7	13	1	3	13
13 Rheumatic fever... ..	—	—	—	—	—	1	—	—	1	—	—	1	1	2	—	—	14
14 Meningitis	—	—	1	—	1	1	—	—	—	2	—	—	2	1	—	—	15
15 Organic heart disease	4	2	5	5	12	7	—	6	7	5	—	5	9	13	4	7	16
16 Bronchitis	8	4	3	5	4	3	—	4	11	12	1	6	27	19	—	1	17
17 Pneumonia (all forms)	19	21	4	1	4	1	2	3	24	37	3	2	51	33	—	—	18
18 Other respiratory diseases	3	2	1	2	3	—	—	2	3	—	—	—	7	4	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	2	—	—	—	1	—	1	9	6	1	—	10	8	—	—	20
20 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21
21 Cirrhosis of liver	1	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	2	2	—	4	1	1	—	5	3	1	—	2	3	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	25
25 Congenital debility, &c.	5	3	4	1	—	1	3	2	12	10	3	3	25	19	—	1	26
26 Violence, apart from 27	3	2	—	1	2	2	3	2	12	5	—	1	12	3	1	—	27
27 Suicide	1	1	—	1	—	—	—	—	—	—	—	—	3	—	—	—	28
28 Other defined diseases	24	18	11	11	15	16	13	18	29	22	12	11	61	42	7	12	29
29 Causes ill-defined or un- known.	1	—	—	—	—	2	—	—	—	—	—	—	—	2	1	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Selby R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		Tod- morden R.D.		Wakefield R.D.		Wetherby R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	50	46	85	103	147	131	243	208	102	93	32	29	160	143	93	100	1
1 Enteric fever	—	—	—	—	—	—	2	2	—	—	—	—	2	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	1	—	—	1	15	8	5	3	—	—	14	10	—	—	4
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	1	3	1	—	2	2	10	8	—	—	4	—	1	—	6
6 Diphtheria and croup	—	—	2	1	—	2	1	1	—	—	—	—	4	2	—	—	7
7 Influenza	8	14	10	18	34	25	40	53	14	15	6	2	26	23	20	31	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	9
9 Pulmonary tuberculosis	1	1	1	2	6	8	18	10	7	9	3	2	9	7	3	6	10
10 Tuberculous meningitis	1	—	—	1	—	1	2	3	—	—	—	—	1	1	—	2	11
11 Other tuberculous diseases	1	—	2	1	2	3	5	4	3	1	—	—	4	2	2	2	12
12 Cancer, malignant disease	4	5	5	7	11	10	11	14	4	3	2	3	5	8	9	10	13
13 Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	14
14 Meningitis	—	—	1	1	—	—	1	—	1	1	—	—	—	2	—	—	15
15 Organic heart disease	7	4	8	9	11	15	11	14	12	3	6	5	11	10	9	12	16
16 Bronchitis	4	4	7	7	13	5	19	16	5	6	—	3	16	11	2	3	17
17 Pneumonia (all forms)	5	3	3	3	6	9	28	19	11	5	3	1	4	11	2	3	18
18 Other respiratory diseases	—	—	2	2	1	1	3	2	—	—	2	—	—	—	2	2	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	—	—	—	4	1	—	1	—	—	3	4	1	1	20
20 Appendicitis and typhlitis	—	—	—	2	1	—	—	1	—	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	2	—	—	3	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	2	3	—	6	2	5	1	2	2	3	3	2	4	2	3	23
23 Puerperal fever	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	1	—	5	—	—	—	—	—	2	—	1	25
25 Congenital debility, &c.	3	4	10	2	8	5	7	8	4	4	2	1	13	6	5	3	26
26 Violence, apart from 27	1	—	4	2	2	1	5	1	4	3	1	—	10	2	5	1	27
27 Suicide	—	—	—	1	1	—	1	—	—	—	—	—	—	2	—	3	28
28 Other defined diseases	11	9	24	37	41	41	60	41	20	28	4	9	29	31	30	16	29
29 Causes ill-defined or un- known.	—	—	—	—	2	1	—	1	—	—	—	—	2	3	—	—	29

AREAS, 1918 (Civilian population only)—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

ANGLESEY.

	Wharfedale North R.D.		Wharfedale South R.D.		Wortley R.D.			Amlwch U.D.		Beaumaris M.B.		Holyhead U.D.		Llangefni U.D.		Menai Bridge U.D.			Aethwy R.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F		M	F	
1	26	22	41	22	273	255		20	36	13	5	102	78	18	14	20	12		74	79	1
2	—	—	—	—	—	1		—	1	—	—	—	1	—	—	—	—		—	—	2
3	—	—	—	—	6	10		—	—	—	—	—	—	—	—	—	—		—	—	3
4	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	4
5	—	—	1	—	5	11		—	—	—	—	1	2	—	—	—	—		1	—	5
6	—	—	—	1	1	2		—	2	—	—	—	—	—	—	5	1		—	1	6
7	9	6	11	7	62	65		3	1	1	—	12	8	1	2	1	2		9	10	7
8	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	1	8
9	—	—	2	2	16	9		1	3	2	—	8	7	3*	—	3	—		8	7	9
10	—	—	1	—	2	1		—	—	—	—	5	—	—	—	—	—		—	—	10
11	—	—	—	1	4	3		—	1	—	—	2	2	1	—	1	—		2	2	11
12	1	—	2	—	11	12		1	4	2	1	4	9	—	1	3	—		4	8	12
13	—	—	—	—	1	1		—	—	—	—	—	—	—	—	—	—		—	1	13
14	—	—	—	—	—	2		—	—	1	—	—	1	—	—	—	—		—	—	14
15	1	4	4	4	18	23		1	4	1	—	9	4	4	4	2	1		9	10	15
16	4	2	1	1	19	17		1	—	1	—	6	3	2	2	1	1		2	3	16
17	2	1	1	1	36	28		1	3	—	—	10	9	—	—	2	—		6	1	17
18	—	—	—	—	3	1		2	1	—	—	1	—	—	—	—	—		1	5	18
19	—	—	—	—	1	3		—	1	—	—	2	—	—	—	—	—		—	—	19
20	—	—	—	—	1	1		—	—	—	—	1	—	—	—	—	—		—	—	20
21	—	—	—	—	1	1		—	—	—	—	—	—	—	—	—	—		—	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	21A
22	—	—	1	—	6	2		3	—	1	1	1	2	1	2	1	—		4	3	22
23	—	1	—	—	—	1		—	—	—	—	—	—	—	—	—	—		—	—	23
24	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	24
25	2	—	4	—	10	14		2	—	—	—	8	3	1	—	1	—		1	2	25
26	2	—	1	—	7	5		—	1	1	—	7	1	—	—	—	1		5	1	26
27	—	—	—	—	4	—		—	—	—	—	—	—	—	—	—	—		1	—	27
28	5	8	11	5	58	42		5	14	4	2	24	26	5	3	—	6		21	24	28
29	—	—	—	—	1	—		—	—	—	—	1	—	—	—	—	—		—	—	29

ANGLESEY—*cont.*

BRECKNOCKSHIRE.

	Dwyran R.D.		Twrceelyn R.D.		Valley R.D.			Brecknock U.D.*		Bryn-mawr U.D.		Builth Wells U.D.		Hay U.D.		Llanwrttyd U.D.			Brecknock R.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F		M	F	
1	33	22	87	83	99	94		37	48	71	73	12	13	18	12	6	4		67	70	1
2	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—		—	—	2
3	—	—	—	—	—	—		—	—	2	—	—	—	—	—	—	—		—	—	3
4	—	—	1	—	—	—		—	—	1	—	1	—	—	—	—	—		—	—	4
5	1	1	—	—	—	—		—	—	2	4	—	—	—	—	—	—		—	—	5
6	—	—	—	—	—	—		1	1	—	—	—	—	—	—	—	—		1	—	6
7	2	7	7	12	14	12		7	14	11	11	1	1	2	3	—	—		19	15	7
8	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	8
9	8	1	9	7	3	8		3	1	2	1	—	1	—	1	—	—		1	3	9
10	—	—	—	1	—	2		—	—	—	—	—	—	—	1	—	—		—	—	10
11	—	—	—	1	—	1		—	3	—	—	—	2	1	—	—	—		—	—	11
12	3	2	12	8	10	15		1	3	3	4	2	1	2	2	1	—		5	9	12
13	—	—	2	—	—	—		—	—	1	—	—	—	—	1	—	—		—	1	13
14	—	—	1	—	—	—		1	—	—	—	—	—	—	—	—	—		—	1	14
15	2	4	10	8	13	9		6	4	3	8	2	2	—	—	1	1		4	6	15
16	1	—	2	7	2	—		1	2	16	8	1	—	2	—	—	1		4	8	16
17	2	1	8	7	8	4		3	4	12	8	2	1	—	—	1	—		4	3	17
18	2	—	1	—	1	3		—	1	1	2	—	—	—	—	—	—		—	—	18
19	—	1	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	1	19
20	1	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—		—	—	20
21	—	—	—	—	—	2		—	—	—	—	—	—	—	—	—	—		—	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	21A
22	1	—	3	2	2	7		—	1	1	2	—	—	1	1	—	—		1	1	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—		—	—	23
24	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—		—	—	24
25	2	—	5	4	4	7		4	1	1	1	1	—	1	1	—	1		2	1	25
26	—	1	3	1	8	1		—	1	2	2	—	—	—	—	—	—		5	1	26
27	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—		—	—	27
28	8	4	23	24	32	23		8	12	12	19	2	5	8	2	3	1		21	20	28
29	—	—	—	—	1	—		2	—	1	1	—	—	1	—	—	—		—	—	29

* Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

CAUSES OF DEATH IN ADMINISTRATIVE
BRECKNOCKSHIRE—cont.

Causes of Death.			Builth R.D.		Crick- howell R.D.		Hay R.D.		Vaynor and Penderyn R.D.		Ystrad- gynlais R.D.		Llan- wrthwl C.P.*		Ystrad- fellte C.P.†			
			M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	32	20	68	50	28	19	53	47	86	76	2	1	4	3		
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3 Measles	—	—	1	—	—	—	2	1	—	—	—	—	—	—	3	
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4	
5 Whooping cough	1	3	2	4	—	—	1	—	2	3	—	—	—	—	5	
6 Diphtheria and croup	1	—	1	1	—	—	—	—	3	1	—	—	—	—	6	
7 Influenza	2	1	7	3	3	1	7	9	33	23	1	—	1	—	7	
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	
9 Pulmonary tuberculosis			3	1	3	1	3	4	2	7	7	10	—	—	—	1	9	
10 Tuberculous meningitis			—	—	1	—	—	—	—	1	—	—	—	—	—	—	10	
11 Other tuberculous diseases			—	—	1	—	—	—	—	2	—	—	—	—	—	—	11	
12 Cancer, malignant disease			4	—	6	1	1	2	6	1	1	4	—	1	—	1	12	
13 Rheumatic fever...	—	—	—	—	—	—	1	—	1	—	—	—	—	—	13	
14 Meningitis	—	1	—	—	1	1	—	1	2	—	—	—	—	—	14	
15 Organic heart disease	1	4	6	7	4	2	3	6	2	—	1	—	—	—	15	
16 Bronchitis	3	4	3	2	1	—	9	7	1	2	—	—	1	—	16	
17 Pneumonia (all forms)	5	—	1	7	3	2	5	1	7	4	—	—	1	—	17	
18 Other respiratory diseases			—	—	3	—	1	—	1	—	2	—	—	—	—	—	18	
19 Diarrhoea, &c. (under 2 yrs.)			—	—	1	—	—	—	—	—	—	1	—	—	—	—	19	
20 Appendicitis and typhlitis			—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21	
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A	
22 Nephritis and Bright's dis.			1	—	1	1	1	—	2	1	2	—	—	—	—	—	22	
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23	
24 Parturition, apart from 23			—	—	—	2	—	—	—	—	—	2	—	—	—	—	24	
25 Congenital debility, &c.			3	1	1	1	3	—	4	3	9	1	—	—	—	—	25	
26 Violence, apart from 27			—	—	5	1	—	—	4	2	4	—	—	—	—	—	26	
27 Suicide	—	—	1	1	—	—	—	—	—	—	—	—	—	—	27	
28 Other defined diseases	7	5	24	18	6	5	8	4	11	22	—	—	1	1	28	
29 Causes ill-defined or un- known.			—	—	—	—	—	—	—	—	—	—	—	—	—	—	29	

CARDIGANSHIRE.

Causes of Death.			Aberayron U.D.		Aberys- twyth M.B.		Cardigan M.B.		Lampeter M.B.		New Quay U.D.		Aberayron R.D.		Aberys- twyth North R.D.			
			M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	10	15	60	92	26	53	13	19	10	17	58	64	66	63		
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	
5 Whooping cough	—	—	2	1	—	—	—	—	—	—	—	—	—	—	5	
6 Diphtheria and croup	—	—	—	—	—	1	—	—	—	—	—	1	—	—	6	
7 Influenza	2	1	11	20	7	10	6	4	1	—	5	6	5	10	7	
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	
9 Pulmonary tuberculosis			1	—	9	13	1	6	1	—	—	3	5	4	17	3	9	
10 Tuberculous meningitis			—	—	—	—	—	—	—	—	—	—	1	—	—	1	10	
11 Other tuberculous diseases			—	1	—	1	—	1	—	—	—	—	—	—	2	—	11	
12 Cancer, malignant disease			—	2	3	7	—	9	1	2	—	1	4	7	6	4	12	
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13	
14 Meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	14	
15 Organic heart disease	1	1	2	9	5	8	1	5	3	3	12	6	8	13	15	
16 Bronchitis	—	1	3	3	4	3	1	1	—	3	6	10	4	5	16	
17 Pneumonia (all forms)	—	1	2	5	—	3	1	1	—	—	1	1	2	2	17	
18 Other respiratory diseases			—	—	1	1	—	—	1	—	—	—	1	—	—	1	18	
19 Diarrhoea, &c. (under 2 yrs.)			—	—	—	—	—	—	1	—	—	—	1	—	—	—	19	
20 Appendicitis and typhlitis			—	—	1	—	—	—	—	—	—	—	—	—	1	—	20	
21 Cirrhosis of liver	—	—	2	—	—	—	—	—	—	—	—	—	—	—	21	
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A	
22 Nephritis and Bright's dis.			—	2	2	3	—	—	—	—	—	—	—	6	—	2	22	
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23	
24 Parturition, apart from 23			—	—	—	1	—	—	—	—	—	—	—	—	—	—	24	
25 Congenital debility, &c.			—	—	—	—	—	—	—	—	—	—	2	1	1	3	25	
26 Violence, apart from 27			—	—	—	—	1	1	—	—	—	—	2	3	1	1	26	
27 Suicide	—	—	—	—	—	—	—	—	—	—	—	1	—	—	27	
28 Other defined diseases	6	6	20	27	7	11	—	6	5	6	14	18	19	17	28	
29 Causes ill-defined or un- known.			—	—	2	—	—	—	—	—	1	—	2	—	—	1	29	

* Administered by Rhayader R.D.C. (Radnorshire). † Administered by Neath R.D.C. (Glamorganshire).

AREAS, 1918 (Civilian population only)—*continued.*
CARDIGANSHIRE—*cont.*

CARMARTHENSHIRE.

	Aberystwyth South R.D.		Cardigan R.D.		Lampeter R.D.		Llandyssil R.D.		Tregaron R.D.		Ysgubor y coed C.P.*				Ammanford U.D.		Burry Port U.D.		Carmarthen M.B.		Cwmaman U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
1	48	51	31	31	35	37	60	70	59	75	5	5			56	43	66	32	67	74	34	26	1
2	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
4	—	—	—	—	1	1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—			4	3	—	1	—	—	1	5	5
6	—	—	—	—	—	—	—	—	—	—	—	—			—	1	—	4	2	—	—	—	6
7	2	5	3	3	7	5	8	7	13	11	2	1			11	10	8	6	11	12	7	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1	—	—	—	8
9	7	6	6	—	5	8	4	6	3	3	—	—			4	5	5	—	7	6	6	3	9
10	—	—	—	—	—	—	—	1	—	1	—	—			—	—	—	—	1	—	—	—	10
11	1	—	1	—	—	—	—	—	2	—	—	—			2	—	1	—	—	2	—	—	11
12	3	6	—	5	2	2	7	4	4	12	—	—			1	4	4	3	4	10	2	4	12
13	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	13
14	1	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	1	—	—	14
15	7	9	6	6	6	6	9	7	8	9	1	—			5	7	6	2	8	14	1	3	15
16	3	1	—	1	4	2	—	12	—	1	—	—			5	1	1	—	4	3	1	—	16
17	3	—	3	2	—	5	3	4	2	5	1	—			3	1	5	3	2	—	—	1	17
18	—	—	—	1	1	—	—	2	—	2	—	—			1	—	—	—	—	—	1	—	18
19	—	—	—	—	—	—	—	—	2	1	—	—			4	1	—	1	1	1	1	—	19
20	—	—	1	—	—	—	—	—	1	—	—	—			—	1	1	—	1	1	—	—	20
21	—	—	1	—	—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	—	21A
22	—	5	1	1	2	2	2	6	1	—	—	—			—	—	3	1	3	3	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	2	—	—	—	—			—	—	—	—	—	—	—	1	24
25	1	—	—	2	—	1	1	1	2	3	—	—			5	2	2	—	1	1	2	—	25
26	2	—	1	—	—	—	1	2	—	3	—	1			3	—	12	1	1	—	3	—	26
27	—	—	—	—	—	—	2	—	—	—	—	—			—	—	—	—	—	—	—	—	27
28	12	17	7	9	7	5	22	16	20	23	1	3			7	7	17	14	18	18	9	6	28
29	6	—	1	1	—	—	1	—	—	1	—	—			—	—	1	—	—	—	—	—	29

CARMARTHENSHIRE—*cont.*

	Kidwelly M.B.		Llandilo U.D.		Llan-doverly M.B.		Llanelly M.B.		Newcastle Emlyn U.D.				Carmarthen R.D.		Llandilo Fawr R.D.		Llan-doverly R.D.		Llanelly R.D.		Llan-ybyther R.D.		
	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	
1	26	23	15	16	21	17	268	264	7	8			238	241	175	158	70	64	252	201	32	32	1
2	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1	1	—	—	4
5	—	—	—	—	1	—	1	6	—	—			4	4	7	6	1	—	4	—	—	—	5
6	—	—	—	—	—	—	1	—	—	—			4	2	3	1	1	—	3	—	—	—	6
7	1	2	4	1	1	1	55	54	—	2			43	39	30	22	16	5	47	37	6	4	7
8	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	8
9	1	1	2	2	—	—	17	30	—	—			23	21	12	17	8	5	22	18	8	2	9
10	—	—	—	—	1	1	4	4	—	—			1	—	1	2	—	—	5	3	—	—	10
11	2	—	—	—	1	—	—	1	—	—			5	3	1	—	1	—	1	5	—	—	11
12	3	1	2	2	3	1	11	21	—	2			11	20	8	6	4	5	13	13	3	4	12
13	—	—	—	—	—	—	2	—	—	—			1	—	—	1	—	—	2	1	—	—	13
14	—	—	—	—	—	—	—	1	—	—			1	2	1	—	—	—	2	—	—	—	14
15	3	4	—	—	2	3	18	25	2	1			18	27	12	13	2	15	17	23	4	3	15
16	1	1	—	1	—	—	18	15	—	—			20	22	8	6	1	8	11	18	2	2	16
17	—	1	2	1	—	—	31	29	—	—			18	24	28	19	3	6	23	16	1	3	17
18	—	—	—	3	1	1	4	3	1	—			3	2	4	3	1	1	3	1	1	—	18
19	—	—	—	—	—	—	8	8	—	—			1	2	4	—	—	—	4	4	—	—	19
20	—	—	—	—	1	—	—	—	—	—			—	4	—	1	1	—	2	—	—	—	20
21	1	—	—	—	—	—	—	—	—	—			—	—	1	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	1	—	1	12	7	—	—			12	8	2	—	1	1	7	2	3	3	22
23	—	—	—	—	—	—	—	1	—	—			—	—	—	—	—	—	—	1	—	1	23
24	—	1	—	—	—	—	—	2	—	—			—	—	—	2	—	—	—	1	—	—	24
25	3	1	—	—	—	—	19	10	—	—			15	10	13	12	1	2	14	7	—	1	25
26	2	—	—	—	1	—	9	3	—	—			14	1	12	2	2	—	18	1	—	—	26
27	—	—	—	—	—	—	1	—	—	—			1	2	—	—	2	1	—	1	—	—	27
28	8	10	4	5	10	8	57	44	4	3			42	48	27	44	25	15	47	44	4	9	28
29	—	—	—	—	—	—	—	—	—	—			1	—	1	1	—	—	5	3	—	—	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

CAUSES OF DEATH IN ADMINISTRATIVE
CARNARVONSHIRE.

CARMARTHENSHIRE—*cont.*

Causes of Death.				Newcastle in Emlyn R.D.		Whitland R.D.				Bangor M.B.		Bethesda U.D.		Bettws y Coed U.D.		Car- narvon M.B.		Conway M.B.		
				M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	42	47	30	51			93	100	39	44	3	6	100	108	39	46	1
1	Enteric fever	1	—	—	—			—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	—			—	—	—	—	—	—	1	—	—	—	4
4	Scarlet fever	—	—	1	—			—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	3	4			2	5	1	—	—	—	5	—	—	1	6
6	Diphtheria and croup	1	—	—	—			—	1	—	—	—	—	—	—	—	—	7
7	Influenza	12	7	3	11			19	15	7	8	1	1	25	24	13	13	8
8	Erysipelas	—	—	—	—			—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis			2	8	3	7			6	6	5	1	—	1	4	7	2	4	10
10	Tuberculous meningitis			—	—	—	—			—	—	1	—	—	—	3	3	—	1	11
11	Other tuberculous diseases			1	1	—	—			1	—	1	—	—	—	1	—	—	1	12
12	Cancer, malignant disease			3	2	1	6			8	12	3	4	1	—	6	11	3	1	13
13	Rheumatic fever...			—	—	—	—			—	—	—	—	—	—	—	—	—	—	14
14	Meningitis			—	—	—	—			2	3	—	—	—	—	—	—	—	—	15
15	Organic heart disease			4	5	1	5			11	10	2	8	—	1	5	6	9	4	16
16	Bronchitis			—	5	2	1			1	1	—	4	—	—	3	11	2	4	17
17	Pneumonia (all forms)			3	2	1	1			5	6	3	—	—	—	7	10	—	—	18
18	Other respiratory diseases			—	—	—	—			7	3	—	2	—	—	2	1	—	1	19
19	Diarrhoea, &c. (under 2 yrs.)			1	—	—	—			—	1	—	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis			—	—	1	—			1	1	—	—	—	—	—	—	—	1	21
21	Cirrhosis of liver			—	—	—	—			—	—	—	—	—	—	2	—	—	—	21A
21A	Alcoholism			—	—	—	—			—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			1	4	1	—			1	4	1	1	—	—	2	3	—	2	23
23	Puerperal fever			—	—	—	—			—	—	—	—	—	—	—	—	—	1	24
24	Parturition, apart from 23			—	—	—	—			—	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.			2	2	1	1			3	3	2	—	—	—	4	1	1	1	26
26	Violence, apart from 27			2	—	—	—			2	—	1	—	—	—	4	1	1	1	27
27	Suicide			1	—	—	—			—	1	—	—	—	—	—	—	—	—	28
28	Other defined diseases			8	11	12	14			23	26	12	15	1	3	25	28	8	10	29
29	Causes ill-defined or un- known.			—	—	—	1			1	2	—	—	—	—	1	2	—	—	

CARNARVONSHIRE—*cont.*

Causes of Death.				Criccieth U.D.		Llan- dudno U.D.		Llan- fairfechan U.D.		Penmaen- mawr U.D.		Port- madoc U.D.		Pwllheli M.B.				Conway R.D.	
				M	F	M	F	M	F	M	F	M	F	M	F			M	F
ALL CAUSES ...				6	14	84	85	22	19	23	22	47	42	32	27			63	68
1	Enteric fever ...			—	—	—	—	—	—	—	—	—	—	—	—			—	1
2	Small-pox ...			—	—	—	—	—	—	—	—	—	—	—	—			—	2
3	Measles ...			—	—	1	—	—	—	—	—	—	—	—	—			—	3
4	Scarlet fever ...			—	—	—	—	—	—	—	—	—	—	—	—			—	4
5	Whooping cough ...			—	—	—	—	1	—	—	—	1	—	—	—			2	5
6	Diphtheria and croup ...			—	—	—	—	—	—	—	—	—	—	—	—			—	6
7	Influenza ...			1	1	17	15	2	3	5	2	12	5	—	2			25	7
8	Erysipelas ...			—	—	—	—	—	—	—	—	—	—	—	—			—	8
9	Pulmonary tuberculosis			2	—	5	5	1	—	3	3	6	3	5	6			4	9
10	Tuberculous meningitis			—	—	1	—	—	—	—	—	—	—	—	—			1	10
11	Other tuberculous diseases			—	—	—	3	—	1	1	2	—	2	—	—			3	11
12	Cancer, malignant disease			—	2	9	10	2	1	2	2	6	3	2	3			1	12
13	Rheumatic fever...			—	—	—	—	—	—	1	—	—	—	—	—			—	13
14	Meningitis ...			—	—	1	—	—	—	—	—	—	—	—	1			—	14
15	Organic heart disease ...			1	2	9	9	—	4	2	4	3	6	2	2			1	15
16	Bronchitis ...			—	—	1	5	5	3	—	—	—	3	1	3			5	16
17	Pneumonia (all forms) ...			—	—	6	3	—	2	1	1	3	3	7	3			6	17
18	Other respiratory diseases			—	—	—	1	—	—	—	—	—	—	—	—			1	18
19	Diarrhoea, &c. (under 2 yrs.)			—	—	1	1	—	—	—	—	—	—	—	—			—	19
20	Appendicitis and typhlitis			—	—	—	—	—	—	1	1	—	—	—	—			—	20
21	Cirrhosis of liver ...			—	—	—	1	—	—	—	—	—	—	—	—			—	21
21A	Alcoholism ...			—	—	—	—	—	—	—	—	—	—	—	—			—	21A
22	Nephritis and Bright's dis.			—	—	3	3	2	—	—	—	6	4	2	1			2	22
23	Puerperal fever ...			—	—	—	—	—	—	—	—	—	—	—	—			—	23
24	Parturition, apart from 23			—	—	—	2	—	—	—	—	—	—	—	—			—	24
25	Congenital debility, &c.			—	—	2	2	2	—	1	—	—	—	1	—			2	25
26	Violence, apart from 27			—	—	3	—	1	—	1	1	—	1	4	—			2	26
27	Suicide ...			—	—	—	—	—	—	—	—	1	—	—	—			—	27
28	Other defined diseases ...			2	9	25	25	7	4	4	6	8	12	7	6			6	28
29	Causes ill-defined or un- known.			—	—	—	—	—	—	1	—	1	—	1	—			2	29

AREAS, 1918 (Civilian population only)—continued.

CARNARVONSHIRE—cont.

DENBIGHSHIRE.

	Geirio- nydd R.D.		Glaslyn R.D.		Gwyrfai R.D.		Lleyn R.D.		Ogwen R.D.			Abergele and Pensarn U.D.		Colwyn Bay and Colwyn U.D.		Denbigh M.B.		Llangollen U.D.		Llanrwst U.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
1	41	24	28	32	262	266	164	160	49	58		14	20	80	113	61	42	25	22	26	24	1
2	—	—	—	—	1	1	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	4	5	1	3	—	—		—	—	—	—	1	—	—	—	—	—	3
4	—	—	—	—	1	2	—	—	—	—		—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	—	—	—	—	—		—	2	—	3	—	1	1	—	2	—	5
6	—	—	—	—	1	2	—	1	1	—		1	1	—	1	—	1	—	—	—	—	6
7	11	4	7	5	56	53	19	15	8	20		4	6	8	16	8	4	—	2	2	4	7
8	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	8
9	3	1	3	2	32	27	21	18	6	4		1	1	10	7	5	7	3	2	1	1	9
10	—	—	—	1	3	—	—	1	—	—		—	—	—	—	—	—	1	—	—	1	10
11	—	—	1	2	6	9	2	—	4	—		—	—	—	3	—	—	—	—	—	—	11
12	3	1	—	5	21	35	16	17	5	8		—	2	14	16	6	7	2	2	1	1	12
13	—	—	—	—	—	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	1	2	—	—		—	—	—	2	—	—	—	—	—	—	14
15	4	6	5	2	24	22	12	14	2	4		2	2	4	13	6	3	4	1	3	2	15
16	1	—	1	1	8	14	9	13	2	5		1	1	7	12	2	1	1	—	1	—	16
17	2	3	—	—	19	15	6	5	4	2		—	—	7	5	8	2	1	—	2	7	17
18	2	2	1	—	2	1	3	4	1	—		—	—	2	1	1	—	—	—	1	—	18
19	—	—	—	—	—	1	—	—	—	—		—	1	1	—	1	—	—	—	1	—	19
20	—	—	—	—	—	1	1	—	—	—		—	—	1	2	1	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	1	—		—	1	—	—	—	—	—	1	—	1	21
21 ^A	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21 ^A
22	—	—	1	1	14	14	6	4	3	2		—	1	2	1	2	—	—	—	—	—	22
23	—	1	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—	24
25	1	—	2	2	5	4	5	2	—	—		2	—	—	2	5	2	—	2	—	—	25
26	2	1	1	—	7	4	22	4	1	—		1	—	3	1	—	—	—	—	2	—	26
27	—	—	—	—	—	—	1	—	—	—		—	—	—	1	1	2	—	—	—	—	27
28	12	5	6	11	53	54	38	57	10	13		2	2	21	24	14	11	12	12	10	7	28
29	—	—	—	—	4	2	1	—	—	—		—	—	—	1	—	—	—	—	—	—	29

DENBIGHSHIRE—cont.

	Ruthin M.B.		Wrexham M.B.			Chirk R.D.		Llan- gollen R.D.		Llanrwst R.D.		Llan- silin R.D.		Ruthin R.D.		St. Asaph (Denbigh) R.D.		Uwchale R.D.		Wrexham R.D.		
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	15	20	138	130		29	28	29	19	46	38	32	20	71	75	53	51	10	12	477	422	1
2	—	—	1	—		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	2
3	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	3
4	—	1	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	5	4
5	1	1	1	1		—	—	1	—	—	—	2	1	1	3	1	—	—	—	18	11	5
6	—	—	—	1		—	2	1	—	—	—	1	—	1	2	1	1	—	—	4	4	6
7	2	4	30	25		4	3	—	1	8	5	4	5	9	7	11	11	4	3	64	61	7
8	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	1	—	10	5		1	—	2	2	2	1	2	1	6	11	2	3	—	2	25	30	9
10	—	—	—	—		—	—	1	—	—	—	—	—	—	2	—	—	—	—	4	1	10
11	—	—	3	1		1	1	—	—	1	1	—	—	—	1	—	—	—	—	6	3	11
12	3	2	11	14		5	5	5	2	6	3	5	1	4	6	3	3	1	1	21	32	12
13	—	—	—	—		—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	13
14	—	—	—	1		—	—	1	1	—	—	—	—	—	—	—	—	—	—	4	4	14
15	—	2	12	16		4	5	2	3	3	6	4	2	10	6	6	5	—	2	38	34	15
16	1	2	5	7		1	—	—	—	6	3	2	2	1	3	3	—	—	—	45	42	16
17	2	—	14	9		4	1	5	2	2	3	2	1	2	3	3	6	1	—	49	41	17
18	—	—	4	2		2	—	—	—	1	2	1	1	2	1	2	3	—	—	9	7	18
19	—	—	—	—		—	—	—	—	2	—	—	—	—	1	—	—	—	—	10	6	19
20	—	—	—	1		—	—	—	—	1	—	—	—	—	—	—	1	—	—	2	1	20
21	—	—	1	1		—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	21
21 ^A	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21 ^A
22	1	—	—	—		—	1	—	1	—	2	—	—	2	2	—	—	—	—	13	8	22
23	—	—	—	1		—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	23
24	—	—	—	—		—	—	—	—	—	—	1	—	—	—	—	3	—	—	—	6	24
25	—	1	7	3		2	1	1	—	2	1	1	—	2	3	1	4	1	—	26	26	25
26	—	—	4	2		1	1	3	1	—	1	—	—	3	—	2	—	—	—	25	3	26
27	—	—	1	—		—	—	—	—	—	—	—	—	2	1	3	—	—	—	2	—	27
28	3	7	33	40		3	8	8	5	12	10	6	5	25	21	15	10	3	4	100	88	28
29	1	—	1	—		1	—	—	—	—	—	1	—	—	2	—	—	—	—	2	1	29

CAUSES OF DEATH IN ADMINISTRATIVE
FLINTSHIRE.

DENBIGHSHIRE—cont.

Causes of Death.				Llanellian and Llan- santffraid C.P's.*		Buckley U.D.		Connah's Quay U.D.		Flint M.B.		Holywell U.D.		Mold U.D.		Prestatyn U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	15	14	56	45	33	33	44	42	23	28	25	32	10	22
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	1	4	2	—	—	1	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	1	—	—	—
5 Whooping cough	1	1	—	—	—	—	—	—	1	1	—	1	—	—
6 Diphtheria and croup	—	—	—	1	—	—	1	—	1	1	1	—	—	—
7 Influenza	2	3	12	8	8	6	6	6	2	10	7	11	—	—
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	—	—	2	2	3	2	2	2	—	1	1	1	1	—
10 Tuberculous meningitis	—	—	—	—	—	—	1	1	—	—	—	—	—	—
11 Other tuberculous diseases	—	—	2	1	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	1	1	1	1	1	2	5	2	3	3	2	5	—	3
13 Rheumatic fever...	—	—	1	—	—	—	—	2	—	1	—	—	—	—
14 Meningitis	—	—	—	—	—	2	1	1	—	—	—	—	—	—
15 Organic heart disease	1	—	4	9	4	6	4	2	3	3	1	1	1	4
16 Bronchitis	—	4	7	3	1	1	4	6	2	—	1	1	1	—
17 Pneumonia (all forms)	2	1	6	6	1	4	—	1	2	1	3	2	1	4
18 Other respiratory diseases	—	—	—	—	1	2	1	1	—	1	1	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	1	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	—	1	1	1	1	1	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	1	—	—	—	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	—	—	—	—	1	—	—	1	—	—	1	—	1
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	—
25 Congenital debility, &c.	—	1	1	1	—	—	2	—	—	—	—	—	—	—
26 Violence, apart from 27	—	—	3	1	1	—	3	—	1	—	2	—	1	1
27 Suicide	—	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Other defined diseases	6	2	15	11	9	4	7	14	5	5	3	8	3	8
29 Causes ill-defined or un- known.	—	—	1	—	—	1	2	—	1	—	—	1	2	1

FLINTSHIRE—cont.

GLAMORGANSHIRE.

Causes of Death.				Rhyl U.D.		Hawarden R.D.		Holywell R.D.		Overton R.D.		St. Asaph (Flint) R.D.		Aberavon M.B.	
				M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	58	90	173	133	180	208	30	39	64	69	114	109
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	2	1	—	1	4	—	—	1	—	—	1
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—
5 Whooping cough	—	—	1	3	3	5	—	3	—	1	6	2
6 Diphtheria and croup	—	1	—	—	2	3	—	—	1	—	1	—
7 Influenza	7	20	28	35	39	45	9	9	14	16	19	17
8 Erysipelas	—	—	—	—	1	—	—	—	—	1	—	—
9 Pulmonary tuberculosis	7	6	16	7	15	12	—	1	4	6	7	6
10 Tuberculous meningitis	—	—	2	—	2	1	—	—	—	1	2	3
11 Other tuberculous diseases	1	—	4	2	1	—	—	1	1	—	1	1
12 Cancer, malignant disease	5	9	12	10	11	27	—	1	4	6	5	5
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1	2
14 Meningitis	—	1	1	—	—	1	—	—	1	1	—	1
15 Organic heart disease	1	6	9	19	17	27	4	7	7	1	5	9
16 Bronchitis	4	5	9	7	9	7	—	1	2	2	9	12
17 Pneumonia (all forms)	5	5	26	10	20	14	2	3	7	11	11	7
18 Other respiratory diseases	—	—	2	—	5	2	1	1	3	—	2	1
19 Diarrhoea, &c. (under 2 yrs.)	2	—	2	—	1	—	—	—	—	—	1	2
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	1	1
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	1	4	—	3	1	2	—	—	—	4	2
23 Puerperal fever	—	1	—	1	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	1	—	3	—	3	—	—	—	—	—	1
25 Congenital debility, &c.	5	3	10	4	9	1	—	2	4	2	8	4
26 Violence, apart from 27	1	1	6	2	6	1	2	1	—	1	11	3
27 Suicide	—	2	—	—	—	—	1	—	—	—	—	—
28 Other defined diseases	19	26	37	29	34	52	8	8	13	20	20	28
29 Causes ill-defined or un- known.	1	—	3	1	1	1	—	1	1	—	—	—

* Llanellian yn Rhôs and Llanisantffraid Glan Conway C.P's.—Administered by Conway R.D.C. (Carnarvonshire).

AREAS, 1918 (Civilian population only)—*continued*.
GLAMORGANSHIRE—*cont.*

	Aberdare U.D.		Barry U.D.		Bridgend U.D.		Briton Ferry U.D.		Caerphilly U.D.		Cow- bridge M.B.		Gelligaer U.D.		Glyn- corwg U.D.		Maesteg U.D.		Margam U.D.		Mountain Ash U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	487	441	283	202	72	60	56	56	249	200	6	15	330	265	85	63	182	175	109	86	340	305	1
2	1	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	4	1	2
3	21	22	1	1	—	—	—	1	10	5	—	—	9	10	—	—	17	5	—	4	10	12	3
4	—	1	1	—	—	2	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—	4
5	12	14	2	6	—	1	—	—	2	14	—	—	12	23	2	4	2	7	4	2	5	6	5
6	5	4	1	—	—	—	—	—	3	2	—	1	2	1	1	—	4	10	—	1	4	3	6
7	70	58	33	27	9	16	6	6	36	38	1	4	58	43	11	3	14	20	15	10	64	56	7
8	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	1	1	1	8
9	31	31	21	17	6	2	9	7	13	18	—	2	23	20	8	3	9	6	9	7	20	25	9
10	3	2	4	4	—	1	1	1	1	2	—	—	2	1	2	1	2	1	—	2	5	2	10
11	3	6	5	2	—	—	1	1	5	—	—	—	8	3	3	3	1	4	1	1	2	6	11
12	21	19	17	20	5	3	6	5	7	10	1	1	11	13	3	9	6	5	5	6	9	18	12
13	2	3	—	1	—	—	1	—	2	2	—	1	—	1	—	1	—	1	—	1	7	3	13
14	7	2	5	—	—	—	—	1	3	1	—	—	—	—	—	—	1	3	—	—	—	—	14
15	16	18	28	13	12	5	3	—	17	12	2	2	6	12	—	2	9	13	10	7	14	16	15
16	48	54	15	14	3	1	4	3	15	6	—	—	26	18	4	1	13	12	7	6	23	11	16
17	53	48	36	26	12	5	4	—	29	12	—	—	33	27	11	8	27	29	6	9	41	27	17
18	13	6	6	3	1	—	—	—	4	1	—	—	7	6	1	—	2	—	—	1	4	2	18
19	2	5	5	3	—	1	—	1	3	3	1	—	15	8	4	2	7	6	—	1	11	—	19
20	—	—	1	1	—	1	—	—	1	—	—	—	1	1	—	—	3	—	1	—	—	2	20
21	—	1	2	—	—	—	—	—	2	1	—	—	1	—	—	—	—	1	—	—	1	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	12	10	6	2	2	4	1	—	3	3	—	—	5	5	2	2	4	3	4	2	8	7	22
23	—	5	—	1	—	—	—	2	—	5	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	5	—	2	—	1	—	1	—	3	—	—	—	3	—	—	—	4	—	1	—	9	24
25	28	29	14	12	1	3	—	3	12	14	—	—	22	10	6	4	12	7	4	1	28	17	25
26	38	9	13	6	8	1	3	—	15	2	—	1	19	8	7	4	10	6	12	—	24	3	26
27	4	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	27
28	95	87	63	41	12	12	17	23	62	43	1	3	66	52	18	15	37	30	30	22	55	72	28
29	1	2	1	—	1	—	—	—	1	2	—	—	1	—	1	1	—	—	—	—	—	2	29

GLAMORGANSHIRE—*cont.*

	Neath M.B.		Ogmore and Garw U.D.		Oyster- mouth U.D.*		Penarth U.D.		Ponty- pridd U.D.		Porthcawl U.D.		Rhondda U.D.			Cowbridge R.D.		Gower R.D.		Llandaff and Dinas Powis R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	124	136	249	219	38	44	102	106	358	302	27	26	1279	1067		74	54	57	47	235	235	1
2	—	—	1	1	—	—	1	—	—	—	—	—	3	3		—	—	—	—	1	1	2
3	2	1	5	9	1	—	1	1	3	2	—	—	46	44		3	1	—	—	4	8	3
4	—	—	—	—	—	—	—	—	—	—	—	—	2	2		—	—	—	—	—	—	4
5	3	2	11	5	1	1	—	—	4	8	—	—	16	22		2	1	1	3	2	4	5
6	1	2	—	—	2	—	4	7	1	1	—	—	7	4		—	—	—	—	4	3	6
7	11	20	80	67	5	6	16	13	76	69	4	3	226	217		21	15	5	4	33	43	7
8	—	1	—	—	—	—	—	—	1	—	—	—	—	1		—	—	—	—	—	—	8
9	19	22	7	11	3	2	2	12	27	21	1	2	75	74		4	3	2	7	29	24	9
10	1	1	1	—	—	2	2	—	2	—	—	—	7	4		—	1	—	2	2	1	10
11	2	2	—	2	1	—	1	2	2	4	—	1	14	11		—	—	3	—	4	2	11
12	5	9	6	6	2	4	7	12	18	13	3	3	33	50		4	4	7	6	8	12	12
13	—	1	1	1	—	—	1	—	—	1	—	1	3	2		—	1	1	1	1	2	13
14	2	—	1	2	1	1	1	—	—	3	—	—	5	5		—	1	—	—	1	2	14
15	11	9	15	6	4	6	12	10	19	19	5	3	74	69		6	4	2	7	23	29	15
16	8	5	17	14	4	3	9	8	25	25	3	3	111	62		1	1	5	1	11	13	16
17	10	10	18	17	3	5	7	7	27	23	2	1	135	113		4	1	2	1	23	10	17
18	1	2	7	2	—	1	1	—	3	—	—	—	28	7		—	—	—	1	4	3	18
19	2	2	7	3	—	—	3	1	4	2	—	—	23	26		—	—	—	—	1	4	19
20	—	2	—	—	—	1	1	1	4	—	—	—	7	5		—	1	—	1	—	—	20
21	—	—	—	—	—	—	—	—	1	—	—	—	3	3		—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	1		—	—	—	—	1	—	21A
22	2	6	4	2	1	—	6	2	7	7	—	1	22	17		1	—	—	—	5	4	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	5		—	—	—	—	—	3	23
24	—	3	—	5	—	—	—	—	—	6	—	—	—	16		—	2	—	2	—	1	24
25	9	6	17	12	1	—	2	3	35	17	—	2	89	67		4	4	6	2	13	9	25
26	4	—	12	3	1	—	2	1	23	4	2	2	92	13		12	2	6	1	9	5	26
27	1	—	—	—	—	—	1	—	2	—	—	—	6	2		2	1	—	—	2	—	27
28	27	29	38	50	8	12	21	26	74	77	7	4	246	221		9	11	14	8	53	52	28
29	—	—	1	1	—	—	1	—	—	—	—	—	6	1		1	—	4	—	1	—	29

* Abolished on 9th November, 1918.

CAUSES OF DEATH IN ADMINISTRATIVE
GLAMORGANSHIRE—cont. MERIONETHSHIRE.

Causes of Death.	Llantri-sant and Llan-i-wit-fardre R.D.		Neath R.D.		Penybont R.D.		Pontardawe R.D.		Swansea R.D.		Bala U.D.		Barmouth U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	154	136	330	268	165	155	247	258	298	268	13	9	19	21
1 Enteric fever ...	—	1	—	1	—	—	—	—	—	1	—	—	—	—
2 Small-pox ...	—	—	1	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	7	6	5	3	7	7	8	4	2	4	—	—	—	3
4 Scarlet fever ...	—	—	1	—	1	1	—	—	—	1	—	—	—	4
5 Whooping cough ...	2	9	1	3	6	9	12	9	15	11	—	—	—	5
6 Diphtheria and croup ...	2	1	1	1	2	5	5	6	4	1	—	—	—	6
7 Influenza ...	32	23	61	59	25	28	42	36	50	42	—	—	6	3
8 Erysipelas ...	—	—	1	—	—	—	—	—	1	—	—	—	—	8
9 Pulmonary tuberculosis	10	3	20	18	14	12	19	23	27	20	2	2	1	2
10 Tuberculous meningitis ...	—	3	3	—	3	—	4	2	8	2	—	—	—	10
11 Other tuberculous diseases	—	1	1	4	1	2	3	5	4	5	—	—	1	1
12 Cancer, malignant disease	10	9	17	15	10	9	12	17	15	14	—	2	2	2
13 Rheumatic fever ...	—	—	2	1	—	—	—	3	3	2	—	—	—	13
14 Meningitis ...	3	2	—	2	1	3	4	—	1	4	—	—	—	14
15 Organic heart disease ...	8	12	21	25	9	12	11	9	19	23	1	—	—	4
16 Bronchitis ...	7	12	21	20	9	7	15	11	16	13	2	—	1	1
17 Pneumonia (all forms) ..	20	10	34	17	10	5	19	23	29	37	2	2	—	—
18 Other respiratory diseases	3	3	2	4	—	1	5	6	4	2	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	—	—	2	2	1	1	3	5	6	3	—	—	—	—
20 Appendicitis and typhlitis	1	—	—	1	1	2	1	—	1	4	—	—	—	—
21 Cirrhosis of liver ...	2	—	1	—	1	—	—	—	—	1	—	—	1	—
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	—	8	4	2	2	4	1	4	7	1	—	2	1
23 Puerperal fever ...	—	1	—	3	—	—	—	2	—	1	—	—	—	—
24 Parturition, apart from 23	—	5	—	1	—	2	—	6	—	5	—	—	—	—
25 Congenital debility, &c.	10	4	26	17	5	9	15	15	14	10	—	—	—	—
26 Violence, apart from 27	11	4	24	4	13	3	14	1	16	3	1	1	—	—
27 Suicide ...	—	—	1	—	—	—	1	—	1	1	—	—	—	—
28 Other defined diseases ...	26	27	76	63	44	35	50	72	56	51	4	2	4	5
29 Causes ill-defined or un-known.	—	—	—	—	—	—	—	2	2	—	—	—	1	1

MERIONETHSHIRE—cont.

Causes of Death.	Dolgellay U.D.		Ffestiniog U.D.		Mallwyd U.D.		Towyn U.D.		Deudraeth R.D.		Dolgellay R.D.		Edeirnion R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	12	19	79	57	5	12	27	29	66	53	65	40	33	31
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	—	—	1	2	—	—	—	—	1	1	—	—	—	—
6 Diphtheria and croup ...	—	—	2	1	—	—	—	—	1	1	—	2	—	—
7 Influenza ...	1	2	8	5	1	2	4	8	11	12	9	4	3	2
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	4	4	11	6	—	2	3	4	3	2	4	6	2	1
10 Tuberculous meningitis	—	—	1	—	—	—	—	—	—	3	1	—	—	—
11 Other tuberculous diseases	—	—	4	1	—	—	—	1	1	—	—	—	1	—
12 Cancer, malignant disease	2	2	7	7	2	3	4	1	5	5	7	3	3	4
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	—	—	—
14 Meningitis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	1	4	7	7	2	1	3	3	4	2	10	4	5	3
16 Bronchitis ...	—	1	2	1	—	—	—	—	2	1	2	3	5	3
17 Pneumonia (all forms) ...	1	1	7	1	—	—	1	3	4	1	3	—	1	2
18 Other respiratory diseases	—	—	3	4	—	—	1	—	1	1	1	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	—	1	—
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	—	2	2	—	—	1	—	4	2	3	2	2	3
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	2	—	—	—	—
25 Congenital debility, &c.	—	1	4	1	—	—	—	—	4	3	1	1	—	2
26 Violence, apart from 27	1	1	1	1	—	1	3	1	5	—	5	—	1	—
27 Suicide ...	—	—	1	—	—	—	—	—	—	—	1	—	—	—
28 Other defined diseases ...	2	3	18	16	—	2	6	8	19	16	14	14	9	10
29 Causes ill-defined or un-known	—	—	—	—	—	—	1	—	1	—	3	1	—	—

AREAS, 1918 (Civilian population only) --continued.

MERIONETHSHIRE--cont.

MONTGOMERYSHIRE.

Penllyn R.D.		Pennal C.P.*		Llanfyllin M.B.		Llanidloes M.B.		Machyn- lleth U.D.		Mont- gomery M.B.		Newtown and Llanllwch- aiarn U.D.		Welshpool M.B.		Forden R.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
22	25	2	3	14	16	22	26	19	20	8	8	37	43	43	31	47	35
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	5
6	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	6
7	—	4	—	—	5	2	3	2	4	3	—	9	11	3	5	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	3	1	—	1	3	1	1	3	1	1	3	1	8	2	3	2
10	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	9
11	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	10
12	1	4	—	—	—	1	4	1	2	—	3	3	5	5	4	2	11
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
15	2	3	—	1	2	1	2	2	4	1	1	2	2	3	3	5	14
16	1	—	—	—	1	3	2	3	—	—	—	1	2	1	2	2	15
17	5	1	1	—	3	1	—	—	1	—	—	3	2	2	1	4	16
18	—	1	—	—	—	—	—	—	—	—	—	—	1	2	—	4	17
19	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	18
20	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1	19
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
22	3	3	—	—	—	—	2	3	1	2	1	2	2	—	—	2	21A
23	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	22
24	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	23
25	—	1	—	—	—	1	3	—	1	—	1	1	1	2	—	4	24
26	2	—	—	—	—	—	—	1	—	—	—	—	—	3	1	3	25
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
28	5	3	—	2	1	4	6	5	6	3	3	11	12	10	11	15	27
29	—	—	—	—	1	—	2	—	—	—	—	1	—	—	—	8	28
																1	29

MONTGOMERYSHIRE--cont.

PEMBROKESHIRE.

Llanfyllin R.D.		Machyn- lleth R.D.		Newtown and Llanidloes R.D.		Fishguard U.D.		Haverford- west M.B.		Milford Haven U.D.		Narberth U.D.		Neyland U.D.		Pembroke M.B.		Tenby M.B.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
113	101	33	36	109	81	23	23	44	41	56	67	4	15	25	21	112	95	25	37
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	1	1	—	—	6	10	—	—	—	3	2	3	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	3	2	1	—	2	—	—	1	—	—	1	—	—	4	2	1	1	—	5
6	1	3	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	6
7	20	19	7	6	11	5	3	3	5	4	7	1	1	3	1	9	8	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	10	8	4	5	7	—	2	7	4	2	6	1	1	3	—	12	6	3	9
10	2	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	10
11	5	—	—	—	1	—	—	2	1	3	2	—	—	—	—	2	—	—	11
12	11	8	1	1	4	2	1	2	4	1	2	—	5	1	2	8	3	3	12
13	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	1	—	—	14
15	10	8	2	7	11	4	3	6	3	3	1	—	—	—	—	14	11	6	15
16	1	8	1	1	11	3	—	3	5	4	4	—	—	—	—	3	6	—	16
17	5	5	2	2	9	—	4	1	1	2	4	—	—	1	10	9	1	—	17
18	2	1	—	—	—	—	—	1	—	1	1	1	1	—	3	1	—	—	18
19	—	—	—	—	—	1	—	1	—	6	2	1	—	1	2	1	—	—	19
20	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	20
21	—	1	—	—	—	—	—	1	—	1	1	—	—	1	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	21A
22	4	2	1	1	4	—	—	—	1	4	3	—	—	1	—	3	1	—	22
23	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	1	24
25	3	7	—	2	4	—	—	1	—	4	6	—	—	2	3	9	3	—	25
26	3	—	3	1	4	—	—	4	2	4	2	—	—	—	1	2	4	—	26
27	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	27
28	32	26	9	9	38	5	6	10	14	8	14	—	7	11	3	30	33	6	28
29	—	2	2	—	1	—	1	—	—	—	—	—	—	—	3	—	3	1	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

1918.

VIOLENT DEATHS.

VIOLENT DEATHS, 1918.

(The deaths in these tables include those of non-civilians.)

ENGLAND AND WALES.—DEATHS FROM ACCIDENT, NEGLIGENCE, BATTLE, and EXECUTION at DIFFERENT PERIODS of LIFE in the YEAR 1918.—MALES.
(Note.—Deaths in cases where "Open Verdicts" are recorded at inquests, are included under "Accidents" as follows:—International List No. 165 9 Males, 14 Females, No. 167 13 M, 13 F, No. 168 32 M, 32 F, No. 169 674 M, 223 F, No. 170 13 M, No. 171 4 M, No. 172 20 M, 8 F, No. 173 4 M, No. 174 1 M, No. 175 39 M, 8 F, No. 178 1 F, No. 185 32 M, 6 F, and No. 186 72 M, 27 F).

International List No.	Cause or Character of Accident.	All Ages.	Ages at Death.															85 and upwards.									
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—		40—	45—	50—	55—	60—	65—	70—	75—	80—
				1—	3—	6—																					
	TOTAL	15,530	158	105	61	86	269	287	244	202	771	633	1586	2386	1667	1214	1068	893	745	660	617	503	499	368	257	163	88
164	POISONING BY FOOD :—																										
	Botulism	14	—	—	—	—	—	—	—	1	2	1	1	—	—	1	—	2	3	3	—	2	—	1	—	—	—
	Ptomaine	27	—	—	—	1	1	1	2	—	2	1	4	—	—	1	2	1	3	3	2	3	1	2	—	—	—
	Food poisoning	11	—	—	—	—	—	—	1	—	2	2	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—
165	OTHER ACUTE POISONINGS :—																										
	Ammonia	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
	Alcohol	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	2	—	—	—	—	—	—
	Carbolic acid	8	—	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—
	Veronal	4	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	Opium, morphia, laudanum	15	—	—	—	—	—	1	—	2	—	—	1	—	—	1	1	—	4	3	1	—	—	—	1	—	—
	Strychnine... ..	6	—	—	—	1	1	2	—	1	—	—	3	3	2	3	3	2	6	2	3	1	—	—	—	—	—
	Other poisons (or kind not stated)*	44	—	—	—	1	4	4	1	—	4	1	3	3	2	3	3	2	6	2	3	1	—	—	—	—	1
166	CONFLAGRATION	31	—	—	—	—	1	—	3	2	2	2	4	2	3	1	2	—	2	—	1	2	2	—	—	—	2
167	BURNS (CONFLAGRATION EXCEPTED) :—																										
	By lamp accident... ..	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—
	By aeroplane	48	—	—	—	—	—	—	—	—	—	—	14	22	11	—	1	—	—	—	—	—	—	—	—	—	—
	By petrol—In ships, docks, &c.	4	—	—	—	—	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—
	Others	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By molten metal	16	—	—	—	—	—	—	—	—	—	—	4	1	1	1	1	1	2	4	—	1	—	—	—	—	—
	By flannellette clothes†	25	—	—	—	—	5	5	3	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By clothes (other or not described)†	125	—	—	—	4	19	25	18	10	21	2	3	—	—	1	1	1	3	3	2	2	4	—	1	1	1
	Playing with fire, matches, &c.†	10	—	—	—	1	2	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By fall into fire	12	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	1	2	—	—	—	—	1
	Otherwise (or not stated how)—																										
	In ships, docks, &c.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Others††	261	—	3	1	7	29	37	33	14	35	6	8	4	6	4	2	6	9	7	7	11	8	—	4	7	3
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

SCALDS :—	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
By steam—																										
<i>In ships, docks, etc.</i>	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Others	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
By drinking hot liquids ..	15	—	—	—	—	1	7	2	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Otherwise (<i>or not stated how</i>)—																										
<i>In ships, docks, etc.</i> ..	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Others	401	—	—	1	29	112	95	61	33	28	8	5	3	1	2	5	1	3	5	1	2	1	2	—	2	1
EXPLOSIONS :—																										
In munition works	12	—	—	—	—	—	—	—	—	—	—	1	2	1	2	—	3	1	1	—	1	—	—	—	—	—
<i>In ships, docks, etc.</i> ..	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (<i>or undefined</i>)§	15	—	—	—	—	—	—	1	—	—	—	4	—	2	1	1	1	4	1	—	—	—	—	—	—	—
168 ABSORPTION OF DELETERIOUS GASES :—																										
By suffocation in bed ..	246	109	80	38	15	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
By suffocation in cot, cradle, etc.	10	1	5	2	2	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—
By coal gas	39	—	—	—	—	—	—	—	—	—	1	1	1	2	—	—	1	3	4	4	2	3	7	5	—	1
By carbon dioxide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By carbon monoxide ..	17	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	3	1	—	2	3	—	2	—	—	—
By sewer gas	4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
By other fumes—																										
<i>In ships, docks, etc.</i> ..	2	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Others 	36	—	—	—	—	—	—	—	—	—	—	3	—	4	4	3	3	4	9	4	—	—	—	—	—	—
Smothered by heavy substance—																										
<i>In ships, docks, etc.</i> ..	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Others	14	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation otherwise (<i>or not stated how</i>)—																										
<i>In ships, docks, etc.</i> ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Others¶	52	25	5	1	3	1	1	—	—	3	—	—	—	1	1	1	1	1	1	2	2	—	—	—	—	—
169 ACCIDENTAL DROWNING :—																										
Bathing	153	—	—	—	—	—	—	—	—	14	39	56	18	10	6	5	2	—	2	—	—	1	—	—	—	—
Shipwreck	28	—	—	—	—	—	—	—	—	—	1	6	—	3	4	3	2	2	3	—	2	1	1	—	—	—
Boat upset, fall overboard	130	—	—	—	—	—	—	1	—	7	7	33	15	20	13	8	12	4	4	2	1	2	1	—	—	—
Collision	50	—	—	—	—	—	—	—	—	—	1	3	4	3	3	16	12	4	2	1	—	—	—	—	—	—
Sliding, skating	12	—	—	—	—	—	—	—	—	8	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aeroplane, seaplane ..	13	—	—	—	—	—	—	—	—	—	—	5	3	5	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (<i>or not stated how</i>)	644	1	—	—	2	22	44	37	31	190	82	32	26	23	15	23	19	24	13	22	11	10	7	8	1	1
"Yound" (open verdict)	674	8	—	1	—	2	3	5	5	24	14	14	35	46	68	70	86	76	65	48	29	32	28	13	1	1
170 INJURY BY FIREARMS	125	—	—	—	—	1	—	1	—	4	10	25	24	13	9	4	9	7	3	7	3	2	3	—	—	—

* Including corrosive sublimate 1, chlorate of potash 1, chlorate of soda 1, chloral hydrate 2, chloral and potassium bromide 1, sulphate of quinine 2, phosphorus 1, hydrochloric acid 3, cocaine 1, cocaine and morphia 1, aspirin 1, lysol 3, nepoche 1, cresoline 1, aniline 1, paraffin 1, delphinium 1, laburnum seeds 1, camphorated oil 1, paraffin 1, soap liniment 1, liniment (*kind not stated*) 1, weed killer 1, narcotic (*kind not stated*) 2, opiate (*kind not stated*) 1, corrosive (*kind not stated*) 1, sting of insect 3.

+ Including burns at unguarded grate—flannellette clothes 5, other clothes 10, playing with fire, matches, &c., 1, otherwise 5; burns, playing with fire, matches, &c.—flannellette clothes 3, other (*or not stated*) clothes 7.

† acetone 1, acids and chemicals 11, tar 2, poker 1, blow lamp 1, hot water bottle 1, fall into lime kiln 1; ignition—ether 1, naphthalene 1, coal gas 1.

‡ varnish 1, waste acid plant 2, blast furnace 1, blow lamp 2, blow pipe 1, cinema films 1, gas buoy 1, kitchen boiler 1, petroleum vapour 1, acid pump 1, pump 2, inflammable vapour 1.

§ hydrogen 1, arsenuretted hydrogen 2, sulphuretted hydrogen 2, benzene 2, military gas 2, nitric acid 3, nitrous acid 2, fermentation of whey 3, fumes from heating apparatus 1.

¶ in panic in crowd 5, tight collar 1.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Conflagration ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Electric shock ...	4	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Scalds ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Strain ...	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (or not stated how)	42	—	—	—	—	—	—	—	—	—	—	5	1	1	3	2	9	8	3	4	3	2	1	—	—	—
(b) Other mines:—	16	—	—	—	—	—	—	—	—	—	—	—	2	1	4	3	2	—	—	1	2	3	—	—	—	—
Fall of stone, wood, &c.	4	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Tram, wagon ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Blasting ...	6	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Otherwise (or not stated how)†	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Quarries:—	26	—	—	—	—	—	—	—	—	—	2	—	2	1	1	3	3	4	4	3	3	1	—	—	—	—
Fall of stone, slate, &c.	11	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	1	—	—	2	1	—	—	—	—
Fall ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machinery ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wagon, tram ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Blasting ...	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (or not stated how)†	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
INJURY BY MACHINES:—	57	—	—	—	—	—	—	—	—	—	6	9	1	4	6	3	4	9	2	5	3	5	—	—	—	—
In metal works ...	5	—	—	—	—	—	—	—	—	—	1	6	—	1	1	1	—	—	1	2	1	2	—	—	—	—
In ammunition works ...	22	—	—	—	—	—	—	—	—	—	5	10	5	—	2	6	3	7	3	7	5	—	—	—	—	—
In textile factories ...	53	—	—	—	—	—	—	—	—	—	5	2	—	—	2	1	2	2	5	1	1	3	—	—	1	—
In other factories ...	27	—	—	—	—	—	—	—	1	1	5	8	1	—	2	1	2	2	3	4	2	3	—	—	—	—
Agricultural machinery ...	44	—	—	—	—	—	—	—	—	2	12	7	2	2	4	6	1	5	4	4	—	—	—	—	—	—
Lift ...	40	—	—	—	—	—	—	—	—	1	2	1	1	—	1	4	2	2	2	4	2	1	—	—	—	—
Crane, winch ...	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
In ships, docks, &c.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
In building operations ...	78	—	—	—	—	—	—	—	2	1	7	10	6	—	5	4	8	7	8	6	5	3	—	—	—	—
Other machinery§	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &c.).	411	—	—	—	—	2	1	2	4	15	17	33	20	19	23	33	31	38	42	35	35	35	14	6	6	—
(a) Railways:—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Run over on line ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Collision...	75	—	—	—	—	—	—	1	1	4	4	6	4	2	8	7	9	6	8	5	5	2	3	—	—	1
Carriage, &c., off rail ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fall from carriage or engine ...	126	—	—	—	—	—	—	—	1	2	7	20	5	9	8	15	13	10	11	9	7	7	2	—	—	—
Fall (not otherwise described)...	4	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Crushing by carriage or engine	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Striking against bridge	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fall of heavy substance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (or not stated how)¶	25	—	—	—	—	—	—	—	—	1	2	3	3	1	3	2	—	2	2	2	—	3	1	—	—	—

* Including 46 aged 65 years and upwards from fracture of leg.
 + crushing 1, fall (not otherwise described) 1, machinery 1, drowning 1.
 + tub 1, traction engine 1, blow 1.
 + boiler explosion 6, circular saw 2.
 § landslip 3.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Dray, ...	68	—	—	—	—	1	1	3	2	12	6	6	—	3	—	—	3	2	9	4	6	3	5	2	—	—
Bicycle, tricycle	121	—	—	—	—	—	—	—	—	5	11	17	10	3	3	2	10	14	6	7	6	10	3	7	6	1
Truck	6	—	—	—	—	—	—	—	—	1	1	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—
Others (or kind not stated)†	32	—	—	1	3	3	—	1	—	6	3	1	1	—	1	3	1	1	1	1	1	1	1	1	1	—
(e) Other crushing :—																										
Fall of heavy substance—																										
In ships, docks, &c. ...	34	—	—	—	—	—	—	—	—	—	1	5	2	1	2	6	2	2	4	3	2	2	2	—	—	—
In building operations	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	1	1	3	1	—	—	—	—	—
In excavations	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
By fall of trees	29	—	—	—	—	—	—	—	—	1	—	2	—	—	—	2	4	6	3	7	1	2	—	—	—	—
Others (or not stated how) ...	177	—	—	—	—	3	1	4	1	23	9	12	6	5	6	17	16	17	17	15	9	9	5	2	—	—
Other crushings (not stated how)—																										
In ships and boats	13	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	2	1	2	1	—	—	—	—	—
Others ..	12	—	—	—	—	—	—	—	—	2	1	—	—	1	1	—	1	1	3	2	—	—	—	—	—	—
INJURY BY ANIMALS :—																										
By horse, mule	90	—	—	—	1	2	4	4	2	4	5	11	1	3	6	8	6	5	5	9	5	6	1	—	2	—
By bull or cow	12	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	2	1	—	3	—	—	—
By other animals†	3	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
STARVATION...	12	—	—	—	—	1	—	—	—	—	—	1	—	—	4	1	—	—	1	1	2	—	1	—	—	—
EXCESSIVE COLD :—																										
Frostbite	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—
Trench feet	6	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	3	2	4	7	7	5	5	6	3	1
Exposure to cold...	49	—	—	—	—	—	—	—	—	2	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
EFFECTS OF HEAT...	44	1	—	1	1	1	3	3	1	3	5	2	2	1	1	4	1	3	4	2	1	1	2	1	—	—
LIGHTNING ...	13	—	—	—	—	—	—	—	—	1	2	2	—	1	3	—	—	1	2	1	—	—	—	—	—	—
ELECTRICITY :—																										
On railways	3	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	1	—	—	—	—	—
Others	37	—	—	—	—	—	—	—	—	2	5	9	—	3	—	2	4	4	2	3	—	—	—	—	—	—
FRACTURES (cause not specified) :—																										
In ships, docks, &c.	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Others	63	3	—	—	—	1	—	—	1	2	2	3	1	5	6	2	4	11	3	2	5	6	1	3	—	2

* Including steam roller 5, motor trailer 8, motor tractor 2, motor hearse 3, motor tender 1, motor char-a-banc 1, motor road sprinkler 1, motor chassis 2.

† perambulators 6, furniture van 2, water-cart 2.

++ dog 1, ferret 1, rat 1.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT, ETC., at DIFFERENT PERIODS OF LIFE in the YEAR 1918.—MALES—continued.

International List No.	Cause or Character of Accident.	Ages at Death.																										
		All Ages.	Under 1 month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.	
				1—	3—	6—																						
186	OTHER VIOLENCE :—																											
	Swallowing foreign body	31	—	—	—	3	6	2	2	2	2	1	2	—	—	2	1	3	2	1	3	1	—	1	—	—	—	—
	Suffocation by food	63	4	6	9	5	1	—	1	3	1	2	1	1	1	1	3	3	4	2	2	4	3	2	—	4	2	—
	Blow—																											
	In ships, docks, &c.	6	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	1	2	—	1	—	—	—	—	—	—	—
	In building operations	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	4	—	—	—	3	4	3	—	—	—	—
	Otherwise	73	—	—	—	—	—	—	2	—	7	15	9	3	5	3	3	4	3	—	—	—	—	2	1	2	—	—
	Fighting, wrestling, &c.	6	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	Football, cricket	7	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	14	2	—	1	3	—	—	—	—	—	4	1	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Explosions—																											
	In ships, &c.	54	—	—	—	—	—	—	—	—	—	—	7	15	12	7	6	5	1	1	—	—	—	—	—	—	—	—
	In munition works	135	—	—	—	—	—	—	—	—	—	—	4	9	9	9	31	49	19	7	3	—	—	—	—	—	—	—
	Shell, bomb, grenade	23	—	—	—	—	1	—	—	—	—	3	5	2	1	4	2	5	—	—	—	—	—	—	—	—	—	—
	Mine	10	—	—	—	—	—	—	—	—	—	—	3	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	Coal-gas	4	—	—	—	—	—	—	—	—	—	—	2	—	—	—	5	1	2	2	1	3	1	1	—	—	—	—
	Otherwise (or not stated how)*	21	—	—	—	—	—	—	—	—	—	1	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
	Exposure	8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	2	1	2	—	—	—	—
	Strain	7	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	2	1	—	—	—	—
	Other accidents—																											
	In ships, docks, &c.†	7	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	1	—	2	—	—	—	—
	In building operations	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)‡	49	—	1	1	1	2	1	—	1	2	3	2	1	—	3	1	4	6	6	4	2	1	6	1	—	—	—
	Violence (cause or kind not stated)	18	2	1	—	—	—	—	—	1	1	1	1	1	3	—	—	3	—	—	2	1	—	—	1	—	—	—
	Battle, air raids, &c.	4,290	—	—	—	—	2	3	1	1	8	7	467	1434	965	665	428	193	64	22	17	7	2	2	1	—	—	
	Execution	7	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	

* Including petrol gas 3, at iron works 3, waste acid concentrating plant 3, economiser 2, explosives storehouse 3, patent fire extinguisher 1, benzol drum 1, cask at brewery 1.
† " collision 2, other wounds 2.
‡ " foreign body in ear 2, neglect 1, contortionist breaking his neck 1.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
(b) Other vehicles mechanically propelled:—																											
Electric tramcar	21	—	—	—	—	—	2	—	1	1	—	1	2	1	—	1	—	2	1	2	4	1	1	—	1	—	
Motor car	106	—	—	—	—	—	2	1	6	27	5	6	2	2	—	—	—	4	7	9	3	4	—	3	1	—	
Motor cab	27	—	—	—	—	—	—	—	5	—	1	1	2	2	1	—	—	3	1	1	2	4	—	1	—	—	
Motor omnibus...	37	—	—	—	—	1	—	—	1	5	3	1	3	2	2	—	—	5	4	—	—	—	—	—	—	—	
Motor ambulance	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Motor van, &c. ...	97	—	—	—	—	1	1	7	3	20	12	5	2	3	2	1	8	2	6	3	5	9	3	4	—	—	
Motor cycle ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Steam wagon, &c. ...	10	—	—	—	—	—	—	1	1	—	4	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	
Motor vehicles (other or undefined)†	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Aeroplane ...	8	—	—	—	—	—	—	—	—	—	2	1	1	—	—	2	—	—	—	—	1	—	—	—	—	—	
(c) Horse drawn vehicles and horses:—																											
Dog cart, trap	26	—	—	1	—	—	1	1	1	1	—	—	1	—	1	3	2	2	2	—	2	3	1	2	—	—	
Van, wagon	18	—	—	—	—	2	1	1	—	—	4	—	—	—	—	1	—	1	1	1	2	1	2	—	—	—	
Cart	32	—	—	—	—	2	2	2	3	4	—	1	1	—	—	1	—	2	1	1	2	1	2	—	3	2	
Dray	7	—	—	—	—	3	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Others (or kind not stated)**	4	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Horses	4	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
(d) Other and undefined vehicles:—																											
Omnibus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tramcar	75	—	—	—	—	1	6	6	1	5	1	3	5	3	1	3	2	6	8	5	6	1	3	3	—	—	
Van, wagon	16	—	—	—	—	1	—	—	1	2	2	1	2	3	—	—	—	1	—	1	—	1	1	1	—	—	
Dray	9	—	—	—	—	—	1	2	1	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	
Bicycle, tricycle	32	—	—	—	—	—	—	—	1	—	5	1	5	3	3	2	5	—	3	1	—	1	1	—	—	1	
Others (or kind not stated)††	14	—	—	—	—	2	3	1	1	1	—	2	—	—	—	—	—	—	—	—	2	1	1	—	—	1	
(e) Other crushing:—																											
By fall of heavy substance††...	17	—	—	—	2	—	—	2	—	5	1	—	2	—	—	1	—	—	1	2	1	—	—	—	—	—	

* Including chloroform 1, carbonic acid gas 1, fumes from cinder heap 1, burning bedclothes 1.

† crowd in a panic 3, fall of sand 3.

†† from horse 4, down lift well 7, from sea wall 1, over cliff 3, aged 65 years and upwards from fracture of leg 126, in ships, docks, &c.—fall from top of ship 1.

§ in metal works 6, munition works 3, textile factories 6, agricultural machinery 4, lift 11, crane 1.

|| landlip 3.

¶ traction engine 1.

** carriage 2, omnibus 1.

†† perambulator 5, ambulance 1, timber carriage 1.

‡ fall of gates 4, fall of trees 2, fall of wall 2.

ENGLAND AND WALES.—DEATHS FROM SUICIDE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1918.—MALES.

International List No.	Method of Suicide.	Ages at Death.																	
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards
155	TOTAL	1,845	—	8	48	67	120	145	180	188	230	218	195	173	130	80	38	17	8
	BY POISON :—																		
	Hydrochloric acid	11	—	—	—	1	—	1	1	2	1	2	1	1	—	—	1	—	—
	Potassium cyanide	12	—	1	—	—	1	—	1	1	1	3	3	1	1	—	—	—	—
	Prussic acid	13	—	—	—	—	—	—	1	1	4	2	1	—	1	—	—	—	—
	Oxalic acid	9	—	—	—	—	—	1	3	—	2	—	—	2	1	—	—	—	—
	Carbolic acid	8	—	—	—	1	1	1	—	—	2	—	1	1	1	—	—	—	—
	Opium, laudanum, morphia	7	—	—	—	—	1	—	1	—	2	—	1	1	1	—	—	—	—
	Others (or kind not stated)*	36	—	1	1	2	1	2	7	4	7	5	1	2	2	1	—	—	—
156	BY ASPHYXIA :—																		
	By coal gas	95	—	—	1	3	7	5	14	9	13	9	12	9	8	2	2	1	—
	Chloroform	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
157	BY HANGING or STRANGULATION	462	—	1	15	7	25	26	36	47	60	54	53	50	43	26	9	6	4
158	BY DROWNING	339	—	4	11	11	15	21	26	29	43	49	39	32	22	19	13	3	2
159	BY FIREARMS	205	—	1	12	19	27	22	18	21	13	26	14	13	9	6	3	1	—
160	BY CUTTING or PIERCING INSTRUMENTS	494	—	—	2	11	27	55	55	56	56	56	56	51	34	21	7	6	1
161	BY JUMPING from HIGH PLACES	66	—	—	2	3	10	5	7	4	9	4	6	7	5	2	1	—	1
162	BY CRUSHING :—																		
	On railways	79	—	—	4	7	5	5	10	14	12	7	6	3	3	2	1	—	—
	Other vehicles†	3	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—
163	OTHERWISE (or not stated how)†	5	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—

* Including butter of antimony 2, arsenic 2, ammonia 2, lysol 3, veronal 2, perchloride of mercury 2, iodine 1, phosphorus 1, potassium bichromate 1, acetic acid 1, nitric acid 1, formaldehyde 1, carbolic and oxalic acids 1, carbolic disinfectant 1, chlorodyne 1, chloroform 1, chloroform and trional 1, aconitine 1, creosoline 1, esserine 1, nicotine 1, strychnine 1, belladonna, chloroform and aconite liniment 1, soldering fluid 1, "Rough on Rats" 1.

† Motor bus 1, steam lorry 1, traction engine 1.

‡ Including detonator in mouth 1.

International List No.	Method of Murder.	Ages at Death.														Total un- der 5 Years.	6—12 Months.	3—6 Months.	All Ages.						
		Total un- der 5 Years.																							
		0—3 Months.	3—6 Months.	6—12 Months.	1—2	2—4	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40					40—45	45—50	50—55	55—60	60—65	65—70
MALES.																									
	TOTAL ...	58	23	3	2	2	4	1	2	37	6	2	—	3	1	2	2	1	2	1	—	2	1	—	—
182	BY FIREARMS	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
183	BY CUTTING OR PIERCING INSTRUMENTS	13	—	1	1	2	—	—	—	4	1	1	—	1	1	—	1	—	—	—	—	—	—	—	—
184	BY OTHER MEANS.—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Opium and gas poisoning	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison (<i>kind not stated</i>)	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	7	1	1	—	—	2	—	—	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	9	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Handkerchief forced into mouth	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation (<i>not stated how</i>)	5	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow, kick	4	2	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fracture	8	5	1	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Untied umbilical cord	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Murder (<i>not otherwise described</i>)	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FEMALES.																									
	TOTAL ...	88	26	3	4	1	1	1	1	37	2	1	4	6	10	8	7	5	3	—	3	—	1	1	—
182	BY FIREARMS	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
183	BY CUTTING OR PIERCING INSTRUMENTS	28	6	1	—	1	—	—	—	9	—	—	2	1	6	1	1	1	1	2	—	2	—	—	—
184	BY OTHER MEANS.—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydrochloric acid	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison (<i>kind not stated</i>)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	13	7	2	4	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation (<i>not stated how</i>)	6	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burns	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	10	6	—	—	—	—	—	—	6	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—
	Attempt to procure abortion :—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By operation	11	—	—	—	—	—	—	—	—	—	—	2	7	1	—	1	—	—	—	—	—	—	—	—
	<i>Not stated how</i>	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Neglect and starvation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Murder (<i>not otherwise described</i>)	3	1	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—DEATHS FROM MANSLAUGHTER AND JUSTIFIABLE HOMICIDE at DIFFERENT PERIODS of LIFE in the YEAR 1918.

International List No.	Method of Manslaughter.	Ages at Death.													Total un- der 15 years.	All Ages.									
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—			35—	40—	45—	50—	55—	60—	65—	70—	75—

* Including 2 deaths of men killed by sentries on duty.

† Including 2 deaths returned as justifiable homicide.



